WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 1. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JAN. 10.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
January 13th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 11,821, and corresponded to an annual rate of 33·4 per 1,000. The deaths* among the civilian population only numbered 5,034, and corresponded to an annual rate of 15·8 per 1,000 of their aggregate civilian population, which is estimated† at 16,577,344 persons in the year 1917. In the three weeks ended December 20th, December 27th, and January 3rd, the rates had been 14·6, 12·0, and 16·2 respectively. The infant mortality was 72, against 83, 108, and 69, in the three preceding weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1917, and are based on the returns furnished under the National Registration Act, 1915, and under the scheme for rationing of sugar. It is necessary for the present to continue the use of the estimates of population as in 1917, because those for 1918, although they might now be used, would necessarily differ more from the facts of the present time than the earlier estimates. The main change which occurred between mid-1917 and mid-1918 was further depletion of the male civilian population by enlistment, and as this has now been more than made good by demobilisation, it follows that the 1917 estimates, though they understate the present population, do so to a less extent than would those for 1918.

m (45)9705—2 Wt 167-840 625 1/20 E & S A

for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 23·8 in Wigan, 24·0 in Dewsbury, 24·4 in Tynemouth, 24·6 in Sunderland, 25·7 in Bootle, and 26·5 in Grimsby; from *measles*, 1·5 in Plymouth and in Preston, 1·6 in Leeds, 1·7 in Darlington, 2·0 in Dewsbury, and 3·8 in Bootle; and from *diphtheria*, 1·3 in Walthamstow and in Wigan. One death from *small-pox* was registered in Gateshead, but none in any other of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 3,018 BIRTHS, corresponding to a rate of 35·1 per 1,000, and 1,216 DEATHS of civilians, corresponding to a rate of 15·7, as against 15·3, 10·6, and 17·0 per 1,000 in the three weeks ended December 20th, December 27th and January 3rd. The death-rate in the four weeks ended last Saturday averaged 14·7 per 1,000. The infant mortality was 63, against 72, 93, and 66 in the preceding three weeks.

The deaths from *enteric fever*, which had been 1, 1, and 0 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 11, 9, and 19 in the preceding three weeks, fell to 14 last week, and were 14 below the average; 3 deaths belonged to the Borough of Lambeth. The deaths from *scarlet fever*, which had been 5, 4, and 5 in the preceding three weeks, were 4 last week, and were 1 above the average. The deaths from *whooping-cough*, which had been 14, 6, and 20 in the preceding three weeks, fell to 13 last week, and were 5 below the average; 4 deaths belonged to Camberwell and 3 to Southwark. The deaths from *diphtheria*, which had been 32, 28, and 36 in the preceding three weeks, fell last week to 31, but were 15 above the average; 5 deaths belonged to Lambeth, 4 to Camberwell, and 3 to Battersea. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 20, 9, and 16 in the preceding three weeks, rose to 18 last week, the average being 17; 4 deaths belonged to Paddington, and 3 to Islington. The deaths from *influenza* numbered 16, as against 18, 12, and 19 in the preceding three weeks, and an average of 38.

Different forms of violence caused 33 deaths, all of which were the subject of coroners' inquests. Of these 33 deaths, 4 were cases of suicide, while the remaining 29 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 4 to burns or scalds, and 3 of infants under 1 year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 27 cases of enteric

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

fever, 2 of smallpox, 59 of measles, 2,809 of scarlet fever, 22 of whooping-cough, and 1,899 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 0, 4, and 6; of small-pox, 2 cases, against 0, 0, and 0; of measles, 12 cases, against 8, 12, and 15; of scarlet fever, 265 cases, against 394, 293, and 379; of whooping-cough, 2 cases, against 0, 1, and 0; and of diphtheria, 227 cases, against 239, 184, and 254. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 3rd, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 10th January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 20th Dec., 1919.	27th Dec., 1919.	3rd Jan., 1920.	10th Jan., 1920.	Week ended 10th Jan., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	16,577,344	14·6	12·0	16·2	15·8	11821	5034	855	1529	5	1	107	26	51	87	60	73	167	385	1503	51	96 GREAT TOWNS.
LONDON†	4,026,901	15·3	10·6	17·0	15·7	3018	1216	191	383	2	–	14	4	13	31	18	16	33	94	534	6	LONDON.†
‡ CROYDON	167,681	12·7	10·3	17·1	17·1	92	55	3	24	–	–	1	–	–	2	–	3	–	4	14	–	CROYDON.
WIMBLEDON	53,536	13·6	9·7	8·8	8·8	23	9	–	5	–	–	–	–	–	–	–	–	1	2	3	–	WIMBLEDON.
EALING	64,128	12·2	14·6	12·2	13·8	37	17	1	10	–	–	–	–	–	–	–	1	–	1	5	–	EALING.
ACTON	58,507	13·4	9·8	12·5	9·8	39	11	1	6	–	–	–	–	–	–	–	–	–	1	3	–	ACTON.
WILLESDEN	157,005	13·0	9·3	12·6	14·6	94	44	8	12	–	–	–	–	1	1	1	–	3	4	16	–	WILLESDEN.
HORNSEY	82,442	13·9	10·1	15·2	11·4	33	18	1	9	–	–	–	–	–	–	–	1	1	2	8	–	HORNSEY.
TOTTENHAM	135,173	8·1	9·3	16·2	13·9	123	36	9	13	–	–	2	–	1	–	–	1	–	4	9	–	TOTTENHAM.
‡ EDMONTON	61,940	9·3	6·7	10·1	16·0	47	19	7	2	–	–	–	–	–	–	–	1	–	3	6	–	‡ EDMONTON.
ENFIELD	57,192	14·6	6·4	16·4	13·7	33	15	4	5	–	–	–	–	–	–	–	–	–	2	4	–	ENFIELD.
WEST HAM	271,934	18·4	11·1	21·1	20·1	279	105	32	23	–	–	–	–	5	1	–	1	2	7	32	–	WEST HAM.
EAST HAM	131,008	12·7	13·1	16·7	14·3	77	36	7	8	–	–	–	–	1	1	–	–	3	3	13	–	EAST HAM.
LEYTON	112,452	9·3	13·4	15·8	14·4	79	31	6	7	–	–	–	–	1	–	–	–	1	3	7	–	LEYTON.
WALTHAMSTOW	119,307	10·9	10·9	16·6	17·0	60	39	6	8	–	–	–	–	1	3	–	–	–	2	12	–	WALTHAMSTOW.
ILFORD	75,130	11·8	4·9	11·1	13·2	50	19	4	7	–	–	–	–	–	–	–	–	1	1	5	–	ILFORD.
GILLINGHAM	44,074	13·0	15·4	11·8	7·1	30	6	1	3	–	–	–	–	–	–	–	–	–	–	1	–	GILLINGHAM.
HASTINGS	48,439	20·5	15·1	22·6	19·4	35	18	–	10	–	–	–	–	–	–	–	–	1	1	7	–	HASTINGS.
EASTBOURNE	44,842	9·3	3·5	7·0	5·8	21	5	1	1	–	–	–	–	–	–	–	1	1	2	–	–	EASTBOURNE.
BRIGHTON	113,635	13·8	14·2	16·5	17·9	72	39	4	14	–	–	–	–	–	1	1	–	2	3	13	–	BRIGHTON.
PORTSMOUTH	198,527	15·8	12·6	18·1	18·1	177	69	7	27	–	–	5	–	3	1	–	–	3	7	16	1	PORTSMOUTH.
BOURNEMOUTH	70,327	8·9	14·1	17·8	20·0	33	27	–	16	–	–	–	–	–	–	–	–	2	4	7	–	BOURNEMOUTH.
SOUTHAMPTON	115,345	7·2	8·1	13·1	11·8	72	26	4	11	–	–	–	–	–	2	–	–	1	2	9	–	SOUTHAMPTON.
READING	82,475	14·5	9·5	10·7	14·5	47	23	5	8	–	–	–	–	1	1	2	1	–	2	5	1	READING.
OXFORD	53,101	12·8	6·9	9·8	10·8	24	11	1	6	–	–	–	–	–	–	1	–	–	–	1	–	OXFORD.
NORTHAMPTON	82,471	17·1	10·1	12·0	15·2	49	24	1	13	–	–	–	–	–	1	–	–	1	1	4	–	NORTHAMPTON.
CAMBRIDGE	52,282	12·0	6·0	11·0	14·0	28	14	3	8	–	–	–	–	–	–	–	–	–	–	3	–	CAMBRIDGE.

in the Week ended Saturday, 10th January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.*	DEATH-RATES from all Causes. Week ended 20th Dec., 1919.	27th Dec., 1919.	3rd Jan., 1920.	10th Jan., 1920.	Week ended 10th Jan. 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	71,919	8·0	8·7	17·4	17·4	36	24	2	12	-	-	-	-	-	1	-	-	-	-	4	1	SOUTHEND ON SEA.
IPSWICH	72,800	16·5	15·0	13·6	17·9	40	25	5	10	-	-	-	-	-	1	-	-	1	3	8	-	IPSWICH.
GREAT YARMOUTH	45,516	19·5	10·3	14·9	14·9	32	13	3	4	-	-	-	-	-	-	-	-	-	-	1	-	GREAT YARMOUTH.
NORWICH	109,877	18·0	10·0	15·7	15·2	79	32	3	11	-	-	-	-	1	-	-	1	-	2	9	-	NORWICH.
SWINDON	51,516	6·1	13·2	14·2	11·1	32	11	2	2	-	-	-	-	-	-	-	-	-	1	-	-	SWINDON.
EXETER	51,631	12·1	15·1	21·2	16·2	34	16	3	7	-	-	-	-	-	-	-	-	1	1	3	-	EXETER.
PLYMOUTH	179,375	14·8	15·1	20·1	15·1	136	52	14	12	-	-	5	-	-	2	-	-	1	3	11	-	PLYMOUTH.
BATH	58,799	18·6	10·6	20·4	20·4	36	23	1	13	-	-	-	-	-	-	-	-	3	3	8	-	BATH.
BRISTOL	334,873	15·4	7·5	12·9	13·4	242	86	15	28	-	-	-	-	-	1	1	1	5	15	28	-	BRISTOL.
GLOUCESTER	55,026	12·3	10·4	12·3	15·2	38	16	1	5	-	-	-	-	1	1	-	1	1	3	4	-	GLOUCESTER.
STOKE ON TRENT	215,116	15·3	10·9	14·3	15·0	172	62	15	5	1	-	3	1	-	-	1	-	2	4	11	2	STOKE ON TRENT.
WOLVERHAMPTON	93,037	12·9	17·9	14·6	6·2	73	11	4	1	-	-	-	-	-	-	-	-	-	-	5	-	WOLVERHAMPTON.
WALSALL	87,957	16·0	13·6	15·4	14·2	64	24	5	8	-	-	-	-	2	-	-	1	-	1	5	-	WALSALL.
WEST BROMWICH	67,221	16·3	8·5	12·4	14·7	51	19	4	4	-	-	-	-	-	-	-	2	1	1	3	-	WEST BROMWICH.
DUDLEY	52,049	13·0	12·0	20·0	18·0	37	18	3	5	-	-	-	1	-	1	-	-	-	-	4	-	DUDLEY.
BIRMINGHAM	870,211	12·1	11·4	13·8	15·3	570	256	32	73	-	-	3	5	3	2	3	10	7	8	78	7	BIRMINGHAM.
SMETHWICK	69,788	9·7	5·2	12·0	22·4	41	30	6	9	-	-	-	-	1	-	-	-	-	1	5	1	SMETHWICK.
COVENTRY	128,098	15·5	5·7	12·6	11·4	79	28	7	8	-	-	1	-	-	-	-	1	-	1	10	2	COVENTRY.
LEICESTER	212,433	14·7	10·8	11·8	14·2	125	58	7	25	-	-	-	-	-	1	1	1	2	4	17	1	LEICESTER.
LINCOLN	58,617	10·7	13·3	16·9	14·2	35	16	4	5	-	-	-	-	-	-	-	-	-	-	1	-	LINCOLN.
GRIMSBY	67,014	12·4	17·1	21·0	26·5	47	34	5	11	-	-	-	-	-	1	-	-	1	4	8	1	GRIMSBY.
NOTTINGHAM	236,853	18·1	14·7	17·8	18·7	158	85	10	29	-	-	3	-	-	4	-	-	2	3	34	-	NOTTINGHAM.
DERBY	119,191	9·6	9·2	13·1	12·2	64	28	4	8	-	-	3	-	-	-	-	-	-	2	7	-	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 10th January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1917.*	Death-Rates from all Causes. Week ended 20th Dec., 1919.	27th Dec., 1919.	3rd Jan., 1920.	10th Jan., 1920.	Week ended 10th Jan., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 85 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Stockport	111,922	16·3	6·5	11·6	13·5	85	29	7	6	–	–	–	–	–	–	1	1	1	1	1	–	Stockport.
Birkenhead	133,819	13·6	11·3	17·5	15·6	105	40	8	10	–	–	1	–	–	–	–	2	3	3	11	–	Birkenhead.
Wallasey	84,209	13·0	6·2	15·5	9·3	38	15	–	8	–	–	–	–	–	–	–	1	–	1	3	–	Wallasey.
Liverpool	716,140	18·2	15·4	18·8	18·2	685	250	41	63	–	–	13	2	3	10	6	1	8	23	83	3	Liverpool.
Bootle	68,871	17·4	15·1	22·0	25·7	45	34	9	3	–	–	5	2	–	1	1	–	1	1	10	1	Bootle.
St. Helens	90,582	13·2	20·1	16·7	21·9	102	38	20	4	–	–	2	–	–	1	1	–	2	2	7	4	St. Helens.
Southport	60,747	13·7	16·3	17·2	11·2	36	13	–	8	–	–	–	–	–	–	–	–	–	–	2	1	Southport.
Wigan	83,110	10·7	16·3	20·1	23·8	70	38	2	7	1	–	–	1	–	2	–	–	3	6	6	–	Wigan.
Warrington	68,554	7·6	9·9	9·9	15·2	52	20	5	9	–	–	–	–	–	–	–	–	1	1	6	1	Warrington.
Bolton	163,411	12·8	13·4	11·8	17·2	103	54	7	15	–	–	4	–	–	1	1	–	3	4	12	–	Bolton.
Bury	51,851	12·1	18·1	27·2	20·1	25	20	5	5	–	–	–	–	1	–	1	–	–	2	3	–	Bury.
Manchester	660,143	15·3	14·6	17·6	17·9	502	227	38	72	–	–	11	–	1	–	1	3	11	18	77	2	Manchester.
Salford	211,373	18·3	11·1	16·0	14·6	181	59	8	13	–	–	1	1	–	1	–	–	1	2	21	–	Salford.
Oldham	133,721	14·0	16·8	20·3	16·0	83	41	9	10	–	–	–	1	1	–	3	–	1	2	6	–	Oldham.
Rochdale	84,561	16·0	18·5	16·0	18·5	48	30	8	8	1	–	2	1	1	–	–	–	2	3	7	–	Rochdale.
Burnley	93,779	18·3	13·9	20·6	14·5	56	26	8	9	–	–	–	–	–	–	–	–	2	3	5	–	Burnley.
Blackburn	113,315	16·6	17·9	13·8	13·3	67	29	8	11	–	–	–	–	–	–	–	1	–	2	4	1	Blackburn.
Preston	106,747	16·6	15·6	16·6	22·5	68	46	5	15	–	–	3	–	1	1	1	1	1	2	7	1	Preston.
Blackpool	64,775	14·5	17·7	9·7	11·3	22	14	3	5	–	–	–	–	–	1	–	–	–	–	2	–	Blackpool.
Barrow in Furness	78,675	11·9	12·6	12·6	11·3	40	17	2	9	–	–	–	–	–	1	–	–	–	1	1	–	Barrow in Furness.
Huddersfield	105,818	14·8	11·3	16·3	15·3	41	31	3	10	–	–	–	–	1	1	–	–	1	3	5	–	Huddersfield.
Halifax	92,775	19·7	15·2	12·9	13·5	38	24	5	11	–	–	–	–	–	–	1	–	2	3	4	–	Halifax.
Bradford	266,338	14·9	15·3	17·4	15·5	130	79	11	27	–	–	–	–	–	1	–	–	1	3	24	–	Bradford.
Leeds	417,051	15·0	12·8	18·5	15·1	263	121	18	31	–	–	13	–	2	–	2	5	8	14	23	–	Leeds.
Dewsbury	52,244	23·0	19·0	14·0	24·0	33	24	5	6	–	–	2	1	1	–	–	–	–	1	4	–	Dewsbury.
Wakefield	47,830	14·2	16·4	18·5	22·9	26	21	3	4	–	–	–	–	–	–	1	–	–	1	5	–	Wakefield.
Barnsley	47,943	18·5	20·7	13·1	13·1	46	12	2	3	–	–	–	–	–	–	1	–	1	1	2	–	Barnsley.

in the Week ended Saturday, 10th January, 1920, and DEATH-RATES in each of the preceding three Weeks

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 20th Dec., 1919.	27th Dec., 1919.	3rd Jan., 1920.	10th Jan., 1920.	Week ended 10th Jan., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD	469,293	12·6	10·7	13·3	14·2	336	128	28	32	–	–	–	1	–	2	2	1	8	16	35	–	SHEFFIELD.
ROTHERHAM	64,685	11·3	6·4	16·9	7·3	42	9	1	2	–	–	–	–	–	–	–	–	–	–	1	–	ROTHERHAM.
YORK	78,492	14·0	10·6	14·6	13·3	51	20	2	9	–	–	–	–	–	–	–	–	–	1	6	–	YORK.
HULL	246,357	15·7	14·6	19·5	15·7	186	74	16	19	–	–	3	–	–	1	–	3	2	6	22	1	HULL.
MIDDLESBROUGH	119,251	16·6	17·1	20·1	22·7	113	52	16	13	–	–	–	1	–	–	3	–	–	2	7	1	MIDDLESBROUGH.
DARLINGTON	60,482	18·1	10·3	17·2	14·7	34	17	2	6	–	–	2	–	–	–	–	–	–	1	1	3	DARLINGTON.
STOCKTON ON TEES	57,048	18·3	13·7	21·9	19·2	41	21	4	6	–	–	–	–	2	–	–	–	1	1	2	–	STOCKTON ON TEES.
WEST HARTLEPOOL	62,034	14·3	26·1	22·7	17·7	53	21	3	4	–	–	–	–	–	–	1	1	–	–	5	1	WEST HARTLEPOOL.
SUNDERLAND	141,765	22·8	16·6	18·8	24·6	152	67	9	21	–	–	1	–	–	–	1	–	6	9	12	1	SUNDERLAND.
SOUTH SHIELDS	106,500	19·1	15·7	17·6	20·1	104	41	6	9	–	–	–	–	–	–	1	1	2	3	10	2	SOUTH SHIELDS.
GATESHEAD	119,134	9·6	12·7	20·1	16·2	112	37	9	9	–	1	1	1	–	–	–	–	–	–	5	2	GATESHEAD.
NEWCASTLE ON TYNE.	266,551	12·7	13·3	17·0	17·4	207	89	18	25	–	–	–	–	–	–	–	4	2	9	24	–	NEWCASTLE ON TYNE.
TYNEMOUTH	57,591	17·2	14·5	19·0	24·4	48	27	7	6	–	–	–	–	–	–	1	–	1	2	3	3	TYNEMOUTH.
CARLISLE	53,064	10·8	10·8	9·8	11·8	25	12	–	6	–	–	1	–	–	–	–	–	–	–	–	–	CARLISLE.
NEWPORT (MON.)	82,709	9·5	13·2	15·1	17·7	65	28	4	6	–	–	–	–	–	1	–	–	3	4	4	–	NEWPORT (MON.).
CARDIFF	169,440	14·2	11·7	15·1	14·5	106	47	10	15	–	–	1	1	–	–	–	–	1	8	11	–	CARDIFF.
RHONDDA	154,388	13·8	12·5	14·5	13·2	116	39	8	8	–	–	1	1	1	–	–	2	1	2	1	–	RHONDDA.
MERTHYR TYDFIL	74,508	17·5	7·0	15·4	7·0	35	10	–	2	–	–	–	1	–	1	–	1	–	–	3	–	MERTHYR TYDFIL.
ABERDARE	51,317	9·1	9·1	9·1	14·2	31	14	5	5	–	–	–	–	1	–	1	–	2	–	2	–	ABERDARE.
SWANSEA	143,660	9·1	12·0	9·8	10·9	81	30	5	10	–	–	–	–	–	1	–	1	2	3	7	–	SWANSEA.
GREATER LONDON	6,726,753	14·0	10·2	15·9	14·9	4744	1918	314	621	2	–	19	8	25	43	21	27	49	144	747	7	GREATER LONDON.
OUTER RING	2,699,852	12·2	9·7	14·3	13·6	1726	702	123	238	–	–	5	4	12	12	3	11	16	50	213	1	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,547,435	12·9	10·3	15·7	15·3	1066	454	89	139	–	–	3	–	10	8	1	8	12	39	137	–	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,152,417	11·1	8·9	12·4	11·2	660	248	34	99	–	–	2	4	2	4	2	3	4	11	76	1	REMAINDER OF OUTER RING.
EDINBURGH†	342,200	13·3	13·9	15·0	14·8	213	97	14	42	–	–	2	–	–	2	1	1	3	?	?	?	EDINBURGH.†
GLASGOW†	1,115,600	13·1	14·7	15·3	18·8	809	402	75	120	–	–	9	–	–	4	3	3	12	?	?	?	GLASGOW.†
DUBLIN (Registration Area).†	415,000	17·1	11·8	20·0	17·3	249	138	24	42	–	–	–	1	–	–	1	1	2	3	62	6	DUBLIN (Registration Area).†
BELFAST†	413,000	24·1	20·3	25·6	18·9	292	150	33	39	–	–	19	3	–	–	1	1	2	6	31	3	BELFAST.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths [illegible] admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FIRST Week of each of the Eleven Years, 1910-1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2343	2246	2324	2675	2317	2320	2107	2234	1658	1571	3018
Males	1227	1103	1196	1405	1191	1190	1082	1127	829	802	1576
Females	1116	1143	1128	1270	1126	1130	1025	1107	829	769	1442
Deaths (of residents only).	1277	1328	1346	1405	1779	1737	1152*	1617*	1737*	1280*	1216*
Males		688	675	724	876	884	580	791	872	639	628
Females		640	671	681	903	853	572	826	865	641	588

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920, Jan. 3.	Jan. 10.
Births (as registered)	1900	1894	1850	2216	2242	2223	2308	2113	2676	2519	1318	3308	3018
Deaths (of residents only).	1137	1258	1103	1165	1099	1132	1104	1120	1036	1180	815	1311	1216
Ages at Death: Under 1 year	194	167	129	142	132	155	163	162	170	181	122	217	191
1-2 years	20	26	13	18	17	20	20	23	31	29	15	41	29
2-5 "	29	35	24	25	47	28	27	41	35	45	36	56	55
5-10 "	32	28	28	32	33	35	28	34	29	32	29	41	35
10-15 "	17	21	17	21	19	19	13	15	23	19	18	14	17
15-20 "	17	22	18	21	16	18	18	18	17	18	19	24	23
20-25 "	30	21	29	27	13	16	20	26	24	17	12	28	28
25-35 "	55	62	55	63	52	66	65	44	50	56	35	60	50
35-45 "	84	93	82	101	95	89	71	75	75	78	54	109	77
45-55 "	126	154	129	123	134	109	129	133	117	121	99	137	141
55-65 "	160	185	173	158	156	170	159	152	142	161	108	172	187
65-75 "	207	226	198	201	189	215	215	206	168	223	144	206	204
75 years and upwards	166	218	208	233	196	192	176	191	155	200	124	206	179
Deaths from—													
Enteric fever	4	2	6	–	1	–	–	2	–	1	1	–	2
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	9	10	6	7	11	10	12	10	11	9	19	14
Scarlet fever	3	5	–	2	2	2	2	6	3	5	4	5	4
Whooping cough	3	5	1	7	7	4	4	8	10	14	6	20	13
Diphtheria	15	24	18	17	24	21	23	29	20	32	28	36	31
Diarrhœa and enteritis (under 2 years).	69	56	25	30	19	16	23	18	15	20	9	16	18
Pulmonary tuberculosis	111	113	85	105	87	78	86	81	87	105	71	96	86
Influenza	18	20	20	18	22	22	15	16	17	18	12	19	16
Pneumonia (all forms)	76	98	91	83	83	95	89	75	71	78	62	93	108
Bronchitis	100	152	133	114	104	97	109	101	86	109	58	108	124
Other dis. of resp. system	20	27	24	17	17	21	14	18	15	9	14	17	16
Dis. of circ. system	152	196	195	224	195	196	190	200	157	209	136	218	207
Violence	45	41	52	49	50	43	47	46	35	46	29	50	33
Inquest cases	97	101	105	113	109	128	106	114	99	127	81	144	94
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	47	53	48	45	42	42	44	38	34	27	28	26	27
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	2
Measles	47	50	56	58	60	67	67	62	62	56	65	59	59
Scarlet fever	2120	2246	2351	2542	2678	2820	2940	2990	2947	2942	2873	2926	2809
Whooping cough	15	23	21	24	24	27	25	26	25	25	25	25	22
Diphtheria	1320	1355	1428	1433	1478	1537	1603	1699	1796	1822	1862	1873	1899

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.
Deaths from Influenza	57	71	71	56	74	79	63	77	81	64	43	52	73

TABLE 4. LONDON.—DEATHS REGISTERED in the FIRST Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 1st week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1280	1216	191	29	55	35	17	23	28	50	77	141	187	204	179
Enteric fever	1	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	14	4	3	6	1	–	–	–	–	–	–	–	–	–
Scarlet fever	–	4	–	1	2	1	–	–	–	–	–	–	–	–	–
Whooping cough	2	13	6	3	3	1	–	–	–	–	–	–	–	–	–
Diphtheria	20	31	1	1	10	12	4	2	1	–	–	–	–	–	–
Croup	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	65	16	3	–	2	–	–	1	–	1	–	2	4	1	2
Erysipelas	2	5	–	–	–	–	–	–	–	–	1	1	1	1	1
Other epidemic diseases	8	3	–	–	–	–	–	–	–	–	2	1	–	–	–
Pyæmia and septicæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	130	86	1	–	1	1	3	7	12	15	21	13	11	1	–
Tuberculous meningitis	6	6	1	1	2	–	–	1	–	–	1	–	–	–	–
Abdominal tuberculosis	5	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Tuberculosis of the spine	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	1	3	–	–	–	–	–	–	–	2	–	–	1	–	–
Disseminated tuberculosis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Venereal diseases	9	9	7	–	–	–	–	–	–	–	–	–	2	–	–
Cancer	122	100	–	1	1	–	–	–	–	2	4	19	27	31	15
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatic fever	1	6	–	–	–	1	3	1	–	–	1	–	–	–	–
Diabetes	8	5	–	–	–	–	–	–	–	–	2	1	1	1	–
Anæmia, leucocythaemia	6	3	–	–	1	–	–	–	–	–	–	1	1	–	–
Other general diseases	8	6	–	–	1	–	–	2	–	–	–	–	–	2	1
Alcoholism	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	4	–	–	1	1	1	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	53	64	–	–	–	–	–	–	–	–	1	8	23	15	17
Softening of brain	3	3	–	–	–	–	–	–	–	–	–	–	2	1	–
Paralysis, without specified cause	10	3	–	–	–	–	–	–	–	–	–	1	–	1	1
Epilepsy	10	8	–	–	–	–	–	–	2	1	–	3	2	–	–
"Convulsions" (not puerperal)	8	11	7	2	1	–	–	–	–	1	–	–	–	–	–
Other diseases of nervous system	22	24	–	–	1	–	–	1	1	1	3	7	6	4	–
Pericarditis	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
Acute endocarditis	5	4	–	–	–	1	–	–	1	–	–	2	–	–	–
Organic disease of heart	154	147	1	–	1	1	–	2	2	9	11	14	24	46	36
Embolism and thrombosis (including cerebral).	6	9	–	–	–	–	–	–	–	–	1	–	2	2	4
Other diseases of circulatory system.	40	45	1	–	1	–	–	–	–	1	–	4	10	17	11
Diseases of the larynx	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	136	124	20	3	1	1	–	–	–	2	6	15	18	23	35
Broncho-pneumonia	71	61	30	9	9	1	–	–	–	2	–	3	3	3	1
Lobar pneumonia	14	25	–	–	2	2	1	1	2	1	1	4	5	5	1
Pneumonia (type not distinguished)	30	22	3	2	2	1	–	–	–	2	–	7	2	2	1
Pleurisy	2	2	–	–	–	–	–	–	–	–	1	–	–	1	–
Pulmonary congestion, Pulmonary apoplexy.	1	2	1	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of respiratory system.	5	12	–	–	–	–	–	–	–	–	1	5	1	4	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FIRST Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 1st week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–
Diseases of stomach	14	11	–	1	–	–	1	–	–	–	3	2	2	1	1
Diarrhœa and enteritis	19	28	18	–	2	–	1	–	1	–	–	2	1	1	2
Appendicitis and typhlitis	7	4	–	–	1	1	–	2	–	–	–	–	–	–	–
Hernia and Intestinal obstruction.	9	14	2	–	–	–	–	–	–	–	–	1	10	1	–
Cirrhosis of liver	5	7	–	–	–	–	–	–	–	–	1	2	3	1	–
Other diseases of liver	3	6	–	–	–	–	–	–	–	–	–	1	2	2	1
Peritonitis (cause unknown)	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	–	5	–	–	–	–	–	–	–	–	–	1	2	–	2
Acute nephritis	2	6	–	–	1	2	–	–	–	1	–	2	–	–	–
Chronic Bright's disease	24	34	–	–	–	–	–	–	1	3	2	5	9	10	4
Urinary calculi	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian tumour (")	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	9	12	–	–	–	–	–	–	–	2	–	3	–	5	2
Puerperal fever, &c.	1	6	–	–	–	–	–	–	4	1	1	–	–	–	–
Other causes incident to childbirth.	4	7	–	–	–	–	–	–	1	2	4	–	–	–	–
Diseases of skin and cellular tissues.	11	13	–	–	–	1	–	–	–	–	–	3	4	2	3
Diseases of locomotor system	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	11	11	10	1	–	–	–	–	–	–	–	–	–	–	–
Premature birth	33	34	34	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	21	25	25	–	–	–	–	–	–	–	–	–	–	–	–
Old age	63	53	–	–	–	–	–	–	–	–	–	–	1	17	35
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	5	4	–	–	1	1	1	–	–	–	–	1	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	25	22	2	1	1	3	–	1	–	–	4	2	5	1	2
Total deaths from accident	34	29	5	1	2	4	1	1	–	–	4	3	5	1	2
Included in above are deaths in connection with:—															
Railways	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	8	–	–	–	2	–	1	–	–	3	–	2	–	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	4	–	–	–	–	–	–	–	1	1	2	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	13	14	10	–	–	1	1	1	–	–	1	–	–	–	–
Ill-defined Causes	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,026,901	Jan. 10	3,018	1,216	15·7	2	-	14	4	13	31	18	16
CALCUTTA	896,067	Nov. 29	-	833§	48·3	?	29	?	?	?	?	?	86
BOMBAY	979,445	" 29	483	793§	42·1	1	1	1	-	-	-	31	29
MADRAS	518,660	" 29	402	533§	53·4	-	-	1	?	2	-	41	23
PARIS	2,847,229	Dec. 27	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS	780,843	—	-	-	-	-	-	-	-	-	-	-	-
ANTWERP	309,156	Dec. 27	120	65	10·9	-	-	-	-	1	3	5	-
AMSTERDAM	646,073	" 27	343	169	13·6	-	-	4	-	1	-	1	1
COPENHAGEN	552,000	" 27	215	106	10·0	-	-	3	1	1	2	4	1
STOCKHOLM	408,456	" 20	124	89	11·3	-	-	-	1	-	1	-	-
GOTHENBURG	197,705	" 20	-	41	10·8	2	-	-	1	-	-	2	-
CHRISTIANIA	258,615	" 27	89	45	9·1	-	-	-	-	-	2	-	-
BERLIN	1,824,030	" 20	728	683	19·5	-	?	4	1	6	6	10	8
HAMBURG	1,050,300	" 20	414	289	14·3	2	?	2	2	1	4	5	?
LEIPZIG	676,289	" 20	263	134	10·3	-	?	-	1	1	1	2	?
MUNICH	670,000	" 20	-	-	-	-	?	-	-	-	-	-	-
DRESDEN	530,679	" 20	227	153	15·0	-	?	-	-	-	1	1	?
COLOGNE	640,509	" 20	330	186	15·1	-	?	-	-	6	4	10	?
BRESLAU	493,393	" 20	265	178	18·8	-	?	-	1	3	4	5	-
FRANKFORT-ON-MAIN.	470,124	" 20	-	-	-	-	?	-	-	-	-	-	-
VIENNA	2,350,005	" 13	494	660	14·7	3	-	14	1	2	4	16	-
PRAGUE	501,261	Nov. 29	132	158	16·4	1	-	-	1	-	-	1	3
BUDAPEST	1,051,374	" 1	359	336	16·6	6	-	-	11	-	1	?	-
TRIESTE	222,981	Dec. 27	125	79	18·5	1	-	1	-	-	-	1	-
BUCAREST	342,427	—	-	-	-	-	-	-	-	-	-	-	-
NEW YORK	6,006,794	Nov. 22	-	-	-	-	-	-	-	-	-	-	-
CHICAGO	2,596,681	Dec. 13	-	622	12·5	-	-	2	4	1	10	27	6
RIO DE JANEIRO	955,702	—	-	-	-	-	-	-	-	-	-	-	-
CAIRO:—													
Egyptians	673,000	—	-	-	-	-	-	-	-	-	-	-	-
Foreigners	76,000	—	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA:—													
Egyptians	330,000	—	-	-	-	-	-	-	-	-	-	-	-
Foreigners	81,000	—	-	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of age* for Copenhagen Stockholm, Gothenburg, the German Cities and Budapest.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 2 deaths from *plague* in Bombay, and from *Asiatic cholera*, 32 deaths in Calcutta, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th January, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	53	22	44·9	30·6	22
BRIGHTON	49	22	44·1	31·6	37
PORTSMOUTH	51	22	44·1	30·9	30
NORWICH (Eaton)	52	24	44·3	30·9	12
PLYMOUTH	52	27	46·9	36·1	40
BRISTOL (Clifton)	52	25	45·4	33·1	54
BIRMINGHAM	53	23	42·7	30·9	29
NOTTINGHAM	52	24	43·9	30·6	19
BIRKENHEAD (Bidston)	53	29	44·1	32·7	16
MANCHESTER	52	27	43·7	33·4	31
BURNLEY	51	23	42·1	30·4	36
HUDDERSFIELD	50	25	41·9	31·7	29

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	52	26	42·1	31·7	27
SHEFFIELD	Not received				
YORK (Museum)	54	27	42·7	31·9	16
HULL (Pearson Park)	52	28	45·7	32·4	14
TYNEMOUTH	54	29	43·3	33·3	22
CARDIFF	51	23	43·1	32·7	58
EDINBURGH	55·0	30·0	42·4	32·6	12
GLASGOW	51·2	30·0	41·1	32·8	26
DUBLIN:—					
Phœnix Park	53·6	23·2	46·0	32·0	33
†Fitzwilliam Square	54·9	29·6	46·7	35·6	28
BELFAST	48·0	29·0	43·4	34·1	22

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 10th January 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 4	Greatest declination N. Perigee.	29·832	37·9	32·2	5·7	35·1	− 3·2	28·6	6·5	8·1	4·6	77	52·8	24·0	44·1	ESE. & ENE.	NE.	3·5	0·0	0·3	336	+ 16	0·00
MONDAY - - 5	Full	30·291	38·1	33·4	4·7	36·4	− 1·8	31·0	5·4	8·0	4·0	81	48·0	26·6	44·0	NE.	NE. & ENE.	4·0	0·0	0·6	461	+139	0·00
TUESDAY - - 6	..	30·057	33·5	26·6	6·9	30·7	− 7·4	26·9	3·8	5·8	2·9	85	42·6	25·3	43·8	NE. & ENE.	NE. & NNE.	2·9	0·0	0·3	317	− 6	0·00
WEDNESDAY - 7	..	29·740	44·8	22·1	22·7	30·5	− 7·5	26·2	4·3	11·8	0·0	84	45·9	22·5	43·8	Calm, NNW. & W.	SW.	5·0	0·0	0·2	269	− 52	0·00
THURSDAY - - 8	..	29·221	51·1	40·2	10·9	46·1	+ 8·2	36·5	9·6	12·6	2·8	69	64·7	31·0	43·8	SW., WSW. & W.	W. & WNW.	14·8	0·0	1·6	770	+452	0·01
FRIDAY - - 9	..	29·560	42·4	35·9	6·5	39·2	+ 1·3	31·3	7·9	9·6	1·9	74	55·0	27·0	43·2	W. & WNW.	W., SW. & WSW.	3·5	0·0	0·4	420	+108	0·15
SATURDAY - - 10	In Equator.	29·017	53·1	37·9	15·2	48·2	+10·3	44·0	4·2	8·3	1·9	85	64·2	34·3	43·2	SW., S. & WSW.	SW., WSW. & W.	12·0	0·0	1·2	644	+337	0·44
MEANS - - -	- -	29·674	43·0	32·6	10·4	38·0	− 0·0	32·1	6·0	9·2	2·6	79	53·3	27·2	43·7	NE. and SW.		..	..	..	Sum 3217	Sum + 994	Sum 0·60
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	4	w.P. generally	0·9	7·9	Variably cloudy throughout, nearly overcast by 19h.; nearly cloudless before midnight.
MONDAY	5	w.P. throughout	0·4	7·9	Cloudy till 7h. 30m., then nearly overcast; very cloudy or nearly overcast from 14h.; overcast by 23h.; slight rain 13h.; brisk wind from 14h.
TUESDAY	6	w.P. throughout	0·3	8·0	Overcast with slight exceptions.
WEDNESDAY	7	w.P. throughout	2·0	8·0	Overcast generally, cloudy interval between 11h. and 14h., misty 6h. to 16h.; brisk wind from 22h.
THURSDAY	8	w.P. throughout	2·1	8·0	Overcast till 6h.; variably cloudy till 19h. 30m.; nearly cloudless till 22h., then cloudy; damping 3h. to 5h.; brisk wind throughout rising to gale 6h. to 15h.
FRIDAY	9	w.P. till 13h., s.P. generally till 23h., v.P. and v.N. afterwards.	4·2	8·0	Variably cloudy till 7h.; fine with little cloud generally till 18h., then gradually becoming overcast; brisk wind till 4h.; hazy in morning, rain from 22h.
SATURDAY	10	v.P. and v.N. throughout.	0·	8·1	Overcast except for a cloudy interval at 15h.; rain at frequent intervals; heavy at times: brisk wind from 4h.
			Sum 10·1	Sum 55·9	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·48 in. at the beginning of the week to 30·36 in. by 20h. on 5th; decreased to 29·19 in. by 9h. on 8th.; increased to 29·61 in. by 16h. on 9h; decreased to 28·94 in. by 17h. on 10th, and increased to 29·17 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 3rd January, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,311	–	–	19	5	20	36	16	96	217
Western										
Paddington	46	–	–	–	1	1	–	1	4	7
Kensington	56	–	–	–	–	–	2	–	2	7
Hammersmith	26	–	–	–	–	1	1	–	2	6
Fulham	32	–	–	–	–	–	2	–	2	6
Chelsea	14	–	–	–	–	–	–	–	2	–
City of Westminster	37	–	–	–	–	–	–	–	4	3
Northern.										
St. Marylebone	22	–	–	–	–	–	1	–	2	5
Hampstead	22	–	–	–	–	–	2	–	–	3
St. Pancras	51	–	–	–	–	–	2	–	7	8
Islington	107	–	–	3	1	2	2	–	11	19
Stoke Newington	12	–	–	–	–	–	–	–	1	3
Hackney	58	–	–	–	1	–	1	2	3	10
Central.										
Holborn	20	–	–	1	–	–	–	1	–	2
Finsbury	22	–	–	1	–	–	–	–	1	2
City of London	6	–	–	–	–	–	–	–	1	2
Eastern.										
Shoreditch	42	–	–	3	–	1	1	–	5	4
Bethnal Green	44	–	–	–	–	3	10	–	2	9
Stepney	78	–	–	–	–	1	1	–	4	12
Poplar	50	–	–	–	–	3	1	2	5	14
Southern.										
Southwark	79	–	–	1	–	2	–	1	6	18
Bermondsey	45	–	–	4	–	2	–	–	8	8
Lambeth	109	–	–	5	1	–	2	1	3	17
Battersea	37	–	–	–	–	1	–	1	3	4
Wandsworth	74	–	–	–	–	2	2	–	7	10
Camberwell	93	–	–	1	1	–	–	5	6	17
Deptford	28	–	–	–	–	–	3	–	–	5
Greenwich	34	–	–	–	–	–	2	1	3	5
Lewisham	31	–	–	–	–	–	1	–	1	3
Woolwich	36	–	–	–	–	1	–	1	1	8

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 3rd January, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Anthrax.	Polio-Encephalitis.
WESTERN.															
Paddington	122,507	1	-	-	-	13	22	-	2	-	-	2	-	-	-
Kensington	151,535	2	-	-	-	12	7	-	1	-	1	1	-	-	-
Hammersmith	114,952	-	-	-	-	6	13	-	2	-	-	-	-	-	-
Fulham	145,186	1	-	-	-	10	14	-	3	-	1	3	-	-	-
Chelsea	57,368	-	-	-	-	6	4	-	4	-	-	1	-	-	-
City of Westminster	122,046	1	-	-	-	17	3	-	4	-	-	2	-	-	-
NORTHERN.															
St. Marylebone	92,796	-	-	-	-	7	3	-	1	-	-	-	-	-	-
Hampstead	75,649	-	-	-	-	9	6	-	3	-	-	2	-	-	-
St. Pancras	186,600	2	-	-	-	28	8	-	7	-	-	1	1	-	-
Islington	297,102	1	-	-	-	48	32	-	11	-	-	5	-	-	-
Stoke Newington	47,426	-	-	-	-	4	6	-	-	-	-	-	-	-	-
Hackney	196,598	1	-	-	-	27	23	-	3	-	-	1	-	-	-
CENTRAL.															
Holborn	35,303	-	-	-	-	3	6	-	2	-	-	-	-	-	-
Finsbury	68,011	-	-	-	-	15	10	-	3	1	-	-	-	1	-
City of London	16,138	-	-	-	-	-	1	-	-	-	-	-	-	-	-
EASTERN.															
Shoreditch	89,675	-	-	-	-	9	10	-	2	-	-	3	-	-	-
Bethnal Green	107,362	-	-	-	-	6	23	-	3	-	-	2	-	-	-
Stepney	232,010	-	-	-	-	26	27	-	1	-	-	2	-	-	-
Poplar	143,443	1	-	-	-	15	9	-	-	-	1	1	-	-	-
SOUTHERN.															
Southwark	167,936	-	-	-	-	28	11	-	9	-	1	-	-	-	-
Bermondsey	107,635	1	-	-	-	11	2	-	5	-	-	1	-	-	-
Lambeth	272,038	-	-	-	-	43	17	-	5	-	1	2	-	-	-
Battersea	150,023	1	-	-	-	15	9	-	4	-	2	3	-	-	-
Wandsworth	300,787	-	-	-	-	22	28	-	3	-	2	3	1	-	-
Camberwell	239,461	-	-	-	-	23	16	-	8	-	1	1	-	-	-
Deptford	103,527	-	-	-	-	15	7	-	1	-	-	-	-	-	-
Greenwich	90,440	-	-	-	-	16	15	-	3	-	-	-	-	-	-
Lewisham	161,405	-	-	-	-	23	15	-	6	1	-	-	-	-	-
Woolwich	131,942	1	-	-	-	12	13	-	6	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,026,901	13	-	-	-	469	360	-	102	2	10	36	2	1	-
Ages 0-1		-	-	-	-	3	4	-	3	-	-	36	-	-	-
„ 1-5		-	-	-	-	118	97	-	2	1	-	-	-	-	-
„ 5-		1	-	-	-	179	127	-	5	1	-	-	1	-	-
„ 10-		-	-	-	-	100	47	-	6	-	-	-	-	-	-
„ 15-		-	-	-	-	31	29	-	2	-	-	-	-	-	-
„ 20-		1	-	-	-	9	18	-	5	-	2	-	-	-	-
„ 25-		4	-	-	-	15	22	-	13	-	4	-	-	-	-
„ 35-		2	-	-	-	11	10	-	20	-	4	-	-	1	-
„ 45-		4	-	-	-	3	5	-	19	-	-	-	1	-	-
„ 55-		-	-	-	-	-	1	-	15	-	-	-	-	-	-
„ 65-		1	-	-	-	-	-	-	9	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	3	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 2. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JAN. 17.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
January 20th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 11,659, and corresponded to an annual rate of 32·9 per 1,000. The deaths* among the civilian population only numbered 4,968, and corresponded to an annual rate of 15·6 per 1,000 of their aggregate civilian population, which is estimated† at 16,577,344 persons in the year 1917. In the three weeks ended December 27th, January 3rd, and January 10th, the rates had been 12·0, 16·2, and 15·8 respectively. The infant mortality was 72, against 108, 69, and 72, in the three preceding weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1917, and are based on the returns furnished under the National Registration Act 1915, and under the scheme for rationing of sugar. It is necessary for the present to continue the use of the estimates of population as in 1917, because those for 1918, although they might now be used, would necessarily differ more from the facts of the present time than the earlier estimates. The main change which occurred between mid-1917 and mid-1918 was further depletion of the male civilian population by enlistment, and as this has now been more than made good by demobilisation, it follows that the 1917 estimates, though they understate the present population, do so to a less extent than would those for 1918.

m (45)9705—3 Wt 167–840 625 1/20 E & S A

for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 21·1 in Burnley, 21·8 in Hull, 22·0 in Bootle, in Preston, and in South Shields, 22·6 in Tynemouth, and 22·8 in Barnsley; from *measles*, 1·5 in Nottingham, 2·2 in Barnsley, 2·9 in St. Helens, and 4·5 in Bootle; and from *whooping cough*, 1·3 in Portsmouth, 1·5 in Bootle, 1·6 in Birkenhead, and 2·8 in Gloucester. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,962 births, corresponding to a rate of 34·4 per 1,000, and 1,218 deaths of civilians, corresponding to a rate of 15·8, as against 10·6, 17·0, and 15·7 per 1,000 in the three weeks ended December 27th, January 3rd and January 10th. The death-rate in the four weeks ended last Saturday averaged 14·8 per 1,000. The infant mortality was 73, against 93, 66, and 63 in the preceding three weeks.

There was one death from *enteric fever*, against 1, 0, and 2 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 9, 19, and 14 in the preceding three weeks, rose last week to 21, but were 7 below the average; 6 deaths belonged to the Borough of Shoreditch, 3 to Islington, and 3 to Camberwell, The deaths from *scarlet fever*, which had been 4, 5, and 4 in the preceding three weeks, rose last week to 7, and were 2 above the average. The deaths from *whooping-cough*, which had been 6, 20, and 13 in the preceding three weeks, rose to 19 last week, and were 2 above the average; 4 deaths belonged to Hackney and 3 to Stepney. The deaths from *diphtheria*, which had been 28, 36, and 31 in the preceding three weeks, fell last week to 23, but were 6 above the average; 4 deaths belonged to Battersea, and 3 to Camberwell. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 9, 16, and 18 in the preceding three weeks, were 19 last week, and were 2 below the average; 3 deaths belonged to Stoke Newington and 3 to Lambeth. The deaths from *influenza* numbered 19, as against 12, 19, and 16 in the preceding three weeks, and an average of 40.

Different forms of violence caused 49 deaths, of which 47 were the subject of coroners' inquests. Of these 49 deaths, 7 were cases of suicide and 1 of homicide, while the remaining 41 were attributed to other forms of violence. Eleven of these latter were referred vehicles in the streets, 6 to burns or scalds, 2 to drowning, and 6 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 27 cases of enteric

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

fever, 1 of smallpox, 53 of measles, 2,758 of scarlet fever, 23 of whooping-cough, and 1,945 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 5 cases, against 4, 6, and 3; of small-pox, 0 case, against 0, 0, and 2; of measles, 12 cases, against 12, 15, and 12; of scarlet fever, 335 cases, against 293, 379, and 265; of whooping-cough, 4 cases, against 1, 0, and 2; and of diphtheria, 282 cases, against 184, 254, and 227. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 10th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 17th January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 27th Dec., 1919.	3rd Jan., 1920.	10th Jan., 1920.	17th Jan., 1920.	Week ended 17th Jan., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	16,577,344	12·0	16·2	15·8	15·6	11659	4968	842	1543	2	-	102	27	62	75	59	62	183	408	1547	39	96 GREAT TOWNS.
LONDON†	4,026,901	10·6	17·0	15·7	15·8	2962	1218	215	426	1	-	21	7	19	23	19	19	49	116	564	4	LONDON.†
‡ CROYDON	167,681	10·3	17·1	17·1	11·8	107	38	2	20	-	-	1	-	-	1	1	-	-	4	11	-	CROYDON.
‡ WIMBLEDON	53,536	9·7	8·8	8·8	12·7	33	13	2	4	-	-	-	-	-	2	-	-	-	-	4	-	WIMBLEDON.
‡ EALING	64,128	14·6	12·2	13·8	11·4	31	14	1	3	-	-	-	-	-	-	-	-	3	3	4	-	EALING.
‡ ACTON	58,507	9·8	12·5	9·8	12·5	36	14	4	3	-	-	-	-	-	-	-	1	3	3	6	-	ACTON.
‡ WILLESDEN	157,005	9·3	12·6	14·6	13·9	81	42	10	8	-	-	1	-	-	2	-	1	1	1	16	-	WILLESDEN.
‡ HORNSEY	82,442	10·1	15·2	11·4	15·2	41	24	2	9	-	-	-	-	-	2	-	-	1	3	8	-	HORNSEY.
‡ TOTTENHAM	135,173	9·3	16·2	13·9	13·1	90	34	3	11	-	-	-	-	1	2	-	-	3	3	17	-	TOTTENHAM.
‡ EDMONTON	61,940	6·7	10·1	16·0	10·1	42	12	4	4	-	-	-	-	-	-	-	-	1	3	2	-	EDMONTON.
‡ ENFIELD	57,192	6·4	16·4	13·7	11·9	33	13	1	8	-	-	-	-	-	-	-	-	1	2	2	-	ENFIELD.
‡ WEST HAM	271,934	11·1	21·1	20·1	17·8	251	93	25	22	-	-	-	-	4	1	1	-	2	4	26	-	WEST HAM.
‡ EAST HAM	131,008	13·1	16·7	14·3	13·1	83	33	3	10	-	-	-	-	-	1	-	-	-	4	14	-	EAST HAM.
‡ LEYTON	112,452	13·4	15·8	14·4	15·8	63	34	8	10	-	-	-	-	1	1	-	1	-	1	9	-	LEYTON.
‡ WALTHAMSTOW	119,307	10·9	16·6	17·0	16·6	72	38	8	8	-	-	-	-	1	-	-	-	1	1	8	1	WALTHAMSTOW.
‡ ILFORD	75,130	4·9	11·1	13·2	10·4	37	15	1	7	-	-	1	-	-	-	-	1	-	1	3	-	ILFORD.
GILLINGHAM	44,074	15·4	11·8	7·1	11·8	26	10	1	4	-	-	1	-	-	1	-	-	-	-	3	-	GILLINGHAM.
HASTINGS	48,439	15·1	22·6	19·4	19·4	24	18	1	9	-	-	-	-	-	1	-	-	-	-	8	-	HASTINGS.
EASTBOURNE	44,842	3·5	7·0	5·8	11·6	16	10	-	6	-	-	-	-	-	-	-	-	-	-	-	-	EASTBOURNE.
BRIGHTON	113,635	14·2	16·5	17·9	17·4	71	38	3	17	-	-	-	-	-	1	-	-	1	4	11	-	BRIGHTON.
PORTSMOUTH	198,527	12·6	18·1	18·1	16·8	164	64	9	14	-	-	2	-	5	-	1	1	4	10	11	-	PORTSMOUTH.
BOURNEMOUTH	70,327	14·1	17·8	20·0	13·3	33	18	-	10	-	-	-	-	-	-	-	1	-	-	4	-	BOURNEMOUTH.
SOUTHAMPTON	115,345	8·1	13·1	11·8	11·3	67	25	4	10	-	-	-	-	-	1	-	-	-	-	11	-	SOUTHAMPTON.
READING	82,475	9·5	10·7	14·5	17·1	49	27	2	14	-	-	-	-	1	-	2	-	-	2	4	-	READING.
OXFORD	53,101	6·9	9·8	10·8	12·8	21	13	1	6	-	-	-	-	-	-	-	1	-	-	4	-	OXFORD.
NORTHAMPTON	82,471	10·1	12·0	15·2	14·5	65	23	1	10	-	-	-	-	-	-	-	1	-	-	2	-	NORTHAMPTON.
CAMBRIDGE	52,282	6·0	11·0	14·0	13·0	30	13	1	5	-	-	-	-	-	-	1	-	-	-	3	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 17th January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.*	DEATH-RATES from all Causes. Week ended 27th Dec., 1919.	3rd Jan., 1920.	10th Jan., 1920.	17th Jan., 1920.	Week ended 17th Jan. 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	71,919	8·7	17·4	17·4	14·5	41	20	2	10	-	-	-	-	-	-	-	-	1	1	1	1	SOUTHEND ON SEA.
IPSWICH	72,800	15·0	13·6	17·9	12·2	45	17	1	7	-	-	-	-	-	-	-	-	-	1	5	-	IPSWICH.
GREAT YARMOUTH	45,516	10·3	14·9	14·9	17·2	39	15	-	9	-	-	-	-	-	-	-	-	-	-	1	-	GREAT YARMOUTH.
NORWICH	109,877	10·0	15·7	15·2	16·1	73	34	5	12	-	-	-	-	1	-	-	1	2	8	15	-	NORWICH.
SWINDON	51,516	13·2	14·2	11·1	15·2	21	15	1	7	-	-	-	-	-	-	-	-	-	1	3	-	SWINDON.
EXETER	51,631	15·1	21·2	16·2	17·2	29	17	1	12	-	-	-	-	-	-	-	-	-	1	1	-	EXETER.
PLYMOUTH	179,375	15·1	20·1	15·1	20·3	129	70	18	23	-	-	-	-	-	-	-	-	2	8	17	-	PLYMOUTH.
BATH	58,799	10·6	20·4	20·4	17·7	32	20	2	11	-	-	-	-	-	-	-	-	-	-	7	-	BATH.
BRISTOL	334,873	7·5	12·9	13·4	12·8	248	82	6	41	-	-	-	-	-	-	-	1	5	12	28	-	BRISTOL.
GLOUCESTER	55,026	10·4	12·3	15·2	20·8	21	22	7	4	-	-	-	-	3	-	-	2	-	1	2	-	GLOUCESTER.
STOKE ON TRENT	215,116	10·9	14·3	15·0	18·7	184	77	17	21	-	-	3	1	-	-	1	1	2	6	14	1	STOKE ON TRENT.
WOLVERHAMPTON	93,037	17·9	14·6	6·2	11·2	52	20	3	8	-	-	-	-	-	-	-	2	1	4	5	-	WOLVERHAMPTON.
WALSALL	87,957	13·6	15·4	14·2	16·0	77	27	6	7	-	-	-	-	-	-	-	1	2	3	2	1	WALSALL.
WEST BROMWICH	67,221	8·5	12·4	14·7	15·5	59	20	7	3	-	-	-	-	1	-	-	-	2	2	3	-	WEST BROMWICH.
DUDLEY	52,049	12·0	20·0	18·0	16·0	50	16	8	3	-	-	1	-	-	-	-	-	1	1	-	1	DUDLEY.
BIRMINGHAM	870,211	11·4	13·8	15·3	13·2	588	221	36	70	-	-	-	4	1	5	1	7	10	11	60	2	BIRMINGHAM.
SMETHWICK	69,788	5·2	12·0	22·4	9·0	44	12	1	5	-	-	-	-	-	-	-	-	-	-	1	-	SMETHWICK.
COVENTRY	128,098	5·7	12·6	11·4	11·0	77	27	4	8	-	-	1	-	-	-	-	-	1	1	4	-	COVENTRY.
LEICESTER	212,433	10·8	11·8	14·2	14·0	156	57	10	21	-	-	-	-	-	1	1	-	5	8	20	-	LEICESTER.
LINCOLN	58,617	13·3	16·9	14·2	11·6	31	13	-	6	-	-	-	-	-	-	-	-	-	-	-	-	LINCOLN.
GRIMSBY	67,014	17·1	21·0	26·5	11·7	50	15	3	1	-	-	-	-	1	-	-	-	1	2	2	-	GRIMSBY.
NOTTINGHAM	236,853	14·7	17·8	18·7	18·7	177	85	16	18	-	-	7	1	3	3	1	1	3	4	29	2	NOTTINGHAM.
DERBY	119,191	9·2	13·1	12·2	11·4	82	26	4	9	-	-	1	-	-	-	-	1	1	5	6	-	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 17th January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1917.*	Death-Rates from all Causes. Week ended 27th Dec., 1919.	3rd Jan., 1920.	10th Jan., 1920.	17th Jan., 1920.	Week ended 17th Jan., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	111,922	6·5	11·6	13·5	16·8	75	36	6	7	–	–	–	1	1	–	–	–	–	–	9	–	STOCKPORT.
BIRKENHEAD	133,819	11·3	17·5	15·6	16·8	100	43	7	8	–	–	–	–	4	1	1	–	2	3	11	–	BIRKENHEAD.
WALLASEY	84,209	6·2	15·5	9·3	18·6	39	30	7	9	–	–	–	–	–	–	–	–	2	2	9	–	WALLASEY.
LIVERPOOL	716,140	15·4	18·8	18·2	20·2	643	278	53	69	–	–	14	7	4	5	7	1	11	32	108	5	LIVERPOOL.
BOOTLE	68,871	15·1	22·0	25·7	22·0	66	29	8	3	–	–	6	–	2	1	1	–	1	1	10	–	BOOTLE.
ST. HELENS	90,582	20·1	16·7	21·9	19·6	87	34	6	7	–	–	5	–	–	2	2	–	1	1	12	2	ST. HELENS.
SOUTHPORT	60,747	16·3	17·2	11·2	18·0	20	21	–	6	–	–	–	–	–	–	–	1	2	2	6	–	SOUTHPORT.
WIGAN	83,110	16·3	20·1	23·8	11·9	56	19	5	–	–	–	–	–	–	–	–	–	1	4	1	–	WIGAN.
WARRINGTON	68,554	9·9	9·9	15·2	16·0	61	21	4	7	–	–	–	–	–	1	–	1	2	2	4	–	WARRINGTON.
BOLTON	163,411	13·4	11·8	17·2	12·1	87	38	8	6	–	–	4	–	–	2	2	1	1	2	2	1	BOLTON.
BURY	51,851	18·1	27·2	20·1	16·1	24	16	3	7	–	–	–	–	–	–	1	–	1	2	3	–	BURY.
MANCHESTER	660,143	14·6	17·6	17·9	16·4	467	207	43	59	–	–	5	–	1	–	2	2	7	14	64	2	MANCHESTER.
SALFORD	211,373	11·1	16·0	14·6	14·6	175	59	6	16	–	–	–	2	–	1	1	2	2		21	–	SALFORD.
OLDHAM	133,721	16·8	20·3	16·0	15·2	89	39	3	15	–	–	–	–	–	–	–	3	1	1	8	–	OLDHAM.
ROCHDALE	84,561	18·5	16·0	18·5	16·0	39	26	1	5	–	–	1	–	–	–	–	–	–	2	2	–	ROCHDALE.
BURNLEY	93,779	13·9	20·6	14·5	21·1	67	38	5	7	–	–	1	–	–	1	1	–	2	3	8	1	BURNLEY.
BLACKBURN	113,315	17·9	13·8	13·3	13·8	59	30	4	12	–	–	–	–	–	–	–	–	1	4	6	–	BLACKBURN.
PRESTON	106,747	15·6	16·6	22·5	22·0	47	45	6	15	–	–	1	–	–	1	1	–	1	2	9	–	PRESTON.
BLACKPOOL	64,775	17·7	9·7	11·3	12·1	23	15	1	5	–	–	–	–	–	–	–	–	–	1	2	–	BLACKPOOL.
BARROW IN FURNESS	78,675	12·6	12·6	11·3	12·6	38	19	3	5	–	–	1	–	–	–	–	–	1	1	5	1	BARROW IN FURNESS.
HUDDERSFIELD	105,818	11·3	16·3	15·3	14·3	32	29	1	9	–	–	1	–	–	1	–	–	1	1	6	1	HUDDERSFIELD.
HALIFAX	92,775	15·2	12·9	13·5	15·2	51	27	5	9	–	–	–	–	–	–	–	–	–	1	6	–	HALIFAX.
BRADFORD	266,338	15·3	17·4	15·5	15·9	134	81	14	24	–	–	–	–	–	–	–	1	1	6	29	–	BRADFORD.
LEEDS	417,051	12·8	18·5	15·1	18·8	284	150	26	34	–	–	10	–	4	–	2	2	3	9	45	–	LEEDS.
DEWSBURY	52,244	19·0	14·0	24·0	13·0	37	13	3	3	–	–	1	–	–	–	–	–	–	–	2	–	DEWSBURY.
WAKEFIELD	47,830	16·4	18·5	22·9	18·5	31	17	1	7	–	–	–	–	–	–	–	–	2	4	5	–	WAKEFIELD.
BARNSLEY	47,943	20·7	13·1	13·1	22·8	47	21	2	7	–	–	2	–	–	–	–	1	2	4	2	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 27th Dec., 1919.	3rd Jan., 1920.	10th Jan., 1920.	17th Jan., 1920.	Week ended 17th Jan., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	469,293	10·7	13·3	14·2	13·4	311	121	27	33	–	–	–	–	1	2	3	2	6	9	43	–	Sheffield.
Rotherham	64,685	6·4	16·9	7·3	14·5	56	18	4	7	–	–	–	–	–	1	–	–	–	1	5	–	Rotherham.
York	78,492	10·6	14·6	13·3	14·0	46	21	3	9	–	–	–	–	–	–	–	–	2	3	7	–	York.
Hull	246,357	14·6	19·5	15·7	21·8	196	103	22	25	–	–	4	–	–	2	2	–	1	2	33	2	Hull.
Middlesbrough	119,251	17·1	20·1	22·7	20·6	104	47	7	10	–	–	–	–	1	–	1	–	4	5	10	–	Middlesbrough.
Darlington	60,482	10·3	17·2	14·7	18·1	32	21	3	4	–	–	1	–	–	–	–	–	–	–	2	1	Darlington.
Stockton on Tees	57,048	13·7	21·9	19·2	16·5	43	18	4	8	–	–	–	–	–	1	–	–	–	–	2	–	Stockton on Tees.
West Hartlepool	62,034	26·1	22·7	17·7	12·6	51	15	2	3	–	–	–	–	1	–	–	–	–	–	2	–	West Hartlepool.
Sunderland	141,765	16·6	18·8	24·6	16·9	143	46	10	14	–	–	–	–	–	–	–	–	3	6	8	6	Sunderland.
South Shields	106,500	15·7	17·6	20·1	22·0	105	45	12	11	–	–	–	–	–	1	1	–	2	2	9	1	South Shields.
Gateshead	119,134	12·7	20·1	16·2	19·7	119	45	8	11	–	–	2	–	–	–	–	–	1	1	8	1	Gateshead.
Newcastle on Tyne.	266,551	13·3	17·0	17·4	15·3	211	78	13	24	–	–	2	–	–	1	2	1	1	3	9	–	Newcastle on Tyne.
Tynemouth	57,591	14·5	19·0	24·4	22·6	46	25	3	7	1	–	1	–	–	–	–	–	–	–	7	–	Tynemouth.
Carlisle	53,064	10·8	9·8	11·8	15·7	23	16	–	5	–	–	–	–	–	–	–	–	–	2	3	1	Carlisle.
Newport (Mon.)	82,709	13·2	15·1	17·7	5·7	58	9	–	2	–	–	–	–	–	–	–	–	–	–	1	–	Newport (Mon.).
Cardiff	169,440	11·7	15·1	14·5	12·9	128	42	6	10	–	–	–	3	1	2	–	–	2	6	8	–	Cardiff.
Rhondda	154,388	12·5	14·5	13·2	12·2	110	36	9	6	–	–	–	1	–	1	–	–	3	5	6	1	Rhondda.
Merthyr Tydfil	74,508	7·0	15·4	7·0	13·3	45	19	–	9	–	–	–	–	–	–	–	–	–	–	5	–	Merthyr Tydfil.
Aberdare	51,317	9·1	9·1	14·2	15·2	41	15	4	2	–	–	–	–	–	–	–	–	1	2	1	–	Aberdare.
Swansea	143,660	12·0	9·8	10·9	9·1	80	25	4	8	–	–	–	–	–	–	–	–	–	7	2	–	Swansea.
Greater London	6,726,753	10·2	15·9	14·9	14·8	4632	1913	329	661	1	–	25	8	28	42	24	28	81	183	758	5	Greater London.
Outer Ring	2,699,852	9·7	14·3	13·6	13·4	1670	695	114	235	–	–	4	1	9	19	5	9	32	67	194	1	Outer Ring.
14 Great Towns in Outer Ring.	1,547,435	10·3	15·7	15·3	14·1	1000	417	74	127	–	–	3	–	7	12	2	4	16	33	130	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,152,417	8·9	12·4	11·2	12·6	670	278	40	108	–	–	1	1	2	7	3	5	16	34	64	–	Remainder of Outer Ring.
Edinburgh†	342,200	13·9	15·0	14·8	12·2	159	80	9	32	–	–	–	–	–	1	1	2	3	?	?	?	Edinburgh.†
Glasgow†	1,115,600	14·7	15·3	18·8	17·4	713	371	60	103	1	–	2	1	2	4	3	3	10	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	11·8	20·0	17·3	15·0	266	119	25	39	–	–	1	1	2	1	2	–	–	1	44	3	Dublin (Registration Area).†
Belfast†	413,000	20·3	25·6	18·9	21·0	234	166	29	32	2	–	21	7	1	1	2	2	1	2	39	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the SECOND Week of each of the Eleven Years, 1910-1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2242	2355	2246	2289	2097	2284	1838	1720	1491	1508	2962
Males	1138	1174	1194	1174	1085	1129	914	878	742	738	1487
Females	1104	1181	1052	1115	1012	1155	924	842	749	770	1475
Deaths (of residents only).	1299	1437	1259	1329	1469	1701	1159*	1457*	1804*	1219*	1218*
Males		697	654	690	760	879	596	729	916	605	613
Females		740	605	639	709	822	563	728	888	614	605

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.
Births (as registered)	1894	1850	2216	2242	2223	2308	2113	2676	2519	1318	3308	3018	2962
Deaths (of residents only).	1258	1103	1165	1099	1132	1104	1120	1036	1180	815	1311	1216	1218
Ages at Death: Under 1 year	167	129	142	132	155	163	162	170	181	122	217	191	215
1-2 years	26	13	18	17	20	20	23	31	29	15	41	29	35
2-5 "	35	24	25	47	28	27	41	35	45	36	56	55	53
5-10 "	28	28	32	33	35	28	34	29	32	29	41	35	27
10-15 "	21	17	21	19	19	13	15	23	19	18	14	17	15
15-20 "	22	18	21	16	18	18	18	17	18	19	24	23	24
20-25 "	21	29	27	13	16	20	26	24	17	12	28	28	26
25-35 "	62	55	63	52	66	65	44	50	56	35	60	50	67
35-45 "	93	82	101	95	89	71	75	75	78	54	109	77	71
45-55 "	154	129	123	134	109	129	133	117	121	99	137	141	119
55-65 "	185	173	158	156	170	159	152	142	161	108	172	187	140
65-75 "	226	198	201	189	215	215	206	168	223	144	206	204	205
75 years and upwards	218	208	233	196	192	176	191	155	200	124	206	179	221
Deaths from—													
Enteric fever	2	6	–	1	–	–	2	–	1	1	–	2	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	10	6	7	11	10	12	10	11	9	19	14	21
Scarlet fever	5	–	2	2	2	2	6	3	5	4	5	4	7
Whooping cough	5	1	7	7	4	4	8	10	14	6	20	13	19
Diphtheria	24	18	17	24	21	23	29	20	32	28	36	31	23
Diarrhœa and enteritis (under 2 years).	56	25	30	19	16	23	18	15	20	9	16	18	19
Pulmonary tuberculosis	113	85	105	87	78	86	81	87	105	71	96	86	78
Influenza	20	20	18	22	22	15	16	17	18	12	19	16	19
Pneumonia (all forms)	98	91	83	83	95	89	75	71	78	62	93	108	128
Bronchitis	152	133	114	104	97	109	101	86	109	58	108	124	109
Other dis. of resp. system	27	24	17	17	21	14	18	15	9	14	17	16	13
Dis. of circ. system	196	195	224	195	196	190	200	157	209	136	218	207	198
Violence	41	52	49	50	43	47	46	35	46	29	50	33	49
Inquest cases	101	105	113	109	128	106	114	99	127	81	144	94	116
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	53	48	45	42	42	44	38	34	27	28	26	27	27
Small-pox	–	–	–	–	–	–	–	–	–	–	–	2	1
Measles	50	56	58	60	67	67	62	62	56	65	59	59	53
Scarlet fever	2246	2351	2542	2678	2820	2940	2990	2947	2942	2873	2926	2809	2758
Whooping cough	23	21	24	24	27	25	26	25	25	25	25	22	23
Diphtheria	1355	1428	1433	1478	1537	1603	1699	1796	1822	1862	1873	1899	1945

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.
Deaths from Influenza	71	71	56	74	79	63	77	81	64	43	52	73	62

TABLE 4. LONDON.—DEATHS REGISTERED in the SECOND Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 2nd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1219	1218	215	35	53	27	15	24	26	67	71	119	140	205	221
Enteric fever	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	21	6	6	8	1	–	–	–	–	–	–	–	–	–
Scarlet fever	3	7	–	1	2	2	1	–	–	–	–	1	–	–	–
Whooping cough	2	19	10	4	4	1	–	–	–	–	–	–	–	–	–
Diphtheria	27	23	–	1	8	9	1	–	1	1	1	–	1	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	68	19	–	–	1	–	–	–	2	1	3	4	1	3	4
Erysipelas	1	2	–	–	–	–	1	–	–	–	–	–	–	1	–
Other epidemic diseases	5	2	1	–	–	–	–	–	–	–	–	1	–	–	–
Pyæmia and septicæmia	1	4	1	–	–	–	–	–	–	1	–	1	–	1	–
Tetanus	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	122	78	–	–	2	1	2	8	8	15	12	13	10	7	–
Tuberculous meningitis	9	5	1	1	1	2	–	–	–	–	–	–	–	–	–
Abdominal tuberculosis	1	4	–	1	–	–	–	1	1	1	–	–	–	–	–
Tuberculosis of the spine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	2	3	–	–	–	–	–	–	–	–	–	–	–	2	1
Tuberculosis of other organs	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Disseminated tuberculosis	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Venereal diseases	8	7	6	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	104	106	–	–	–	–	–	–	1	2	6	20	29	36	12
Tumour, situation undefined	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic fever	2	4	–	–	1	–	2	–	–	–	–	–	–	–	1
Diabetes	7	5	–	–	–	–	–	–	–	–	1	1	1	2	–
Anæmia, leucocythaemia	4	7	–	–	–	1	–	1	1	–	–	2	1	–	1
Other general diseases	4	6	1	–	–	–	–	–	–	1	–	–	–	2	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	9	2	3	–	–	–	–	–	2	1	–	1	–	–
Cerebral hæmorrhage, Apoplexy	58	43	–	–	–	–	–	–	–	–	–	5	9	17	12
Softening of brain	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Paralysis, without specified cause	7	7	–	–	–	–	–	–	–	–	–	–	2	3	2
Epilepsy	9	6	–	–	–	–	1	1	1	1	–	–	–	2	–
"Convulsions" (not puerperal)	7	7	6	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	22	24	1	–	1	–	–	2	1	1	7	3	4	3	1
Pericarditis	3	3	–	–	–	–	1	–	–	2	–	–	–	–	–
Acute endocarditis	–	8	–	–	–	1	1	2	–	1	1	2	–	–	–
Organic disease of heart	128	151	–	–	–	3		2	1	6	9	18	25	43	44
Embolism and thrombosis (including cerebral).	5	6	–	–	–	–	–	–	–	–	–	1	2	2	1
Other diseases of circulatory system.	45	30	–	–	1	–	–	–	1	–	1	1	4	4	18
Diseases of the larynx	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	136	109	19	4	–	–	–	–	–	1	2	6	7	22	48
Broncho-pneumonia	63	66	36	4	10	2	–	–	–	–	3	2	3	3	3
Lobar pneumonia	25	28	1	2	1	–	–	–	2	3	3	7	3	4	2
Pneumonia (type not distinguished)	24	34	6	1	3	1	–	–	–	6	2	5	4	2	4
Pleurisy	2	3	–	–	–	–	–	–	–	–	–	–	1	2	–
Pulmonary congestion, Pulmonary apoplexy.	5	5	1	–	–	–	–	–	–	–	–	–	–	–	4
Other diseases of respiratory system.	10	3	–	–	–	–	–	–	–	–	–	1	1	–	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the SECOND Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 2nd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	4	–	–	2	–	–	1	–	–	–	–	–	1	–
Diseases of stomach	10	11	1	–	1	–	–	1	1	–	2	–	2	–	3
Diarrhœa and enteritis	33	24	17	2	–	–	–	–	–	–	–	1	2	2	–
Appendicitis and typhlitis	7	3	–	–	–	1	–	–	–	–	–	–	1	1	–
Hernia and Intestinal obstruction.	10	16	1	–	–	–	–	–	1	–	1	5	4	4	–
Cirrhosis of liver	3	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Other diseases of liver	3	6	–	–	–	–	–	–	–	–	1	1	1	2	1
Peritonitis (cause unknown)	2	6	1	–	2	–	1	–	–	–	2	–	–	–	–
Other diseases of digestive system	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis	3	4	–	–	–	–	–	–	–	–	–	2	–	2	–
Chronic Bright's disease	26	33	–	–	–	–	–	2	1	–	1	8	7	10	4
Urinary calculi	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
Uterine tumour (non-cancerous)	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Ovarian tumour (")	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Other diseases of genito-urinary system.	10	13	–	–	–	–	–	–	–	1	2	–	3	4	3
Puerperal fever, &c.	1	10	–	–	–	–	–	–	–	8	2	–	–	–	–
Other causes incident to childbirth.	2	8	–	–	–	–	–	–	2	5	1	–	–	–	–
Diseases of skin and cellular tissues.	4	7	1	–	–	–	–	1	–	–	–	–	2	–	3
Diseases of locomotor system	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Congenital malformations	6	7	7	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	27	51	51	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	9	17	17	–	–	–	–	–	–	–	–	–	–	–	–
Old age	71	49	–	–	–	–	–	–	–	–	–	–	1	8	40
ACCIDENT.															
Poisons or poisonous vapours	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Conflagration	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Burns and scalds	3	6	–	3	2	–	1	–	–	–	–	–	–	–	–
Drowning	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Suffocation in bed	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	25	24	–	–	1	1	1	2	1	1	2	5	3	3	4
Total deaths from accident	30	41	6	3	3	1	2	2	1	2	3	6	3	5	4
Included in above are deaths in connection with:—															
Railways	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	11	–	–	1	–	1	2	–	1	1	1	3	–	1
Ships, boats, docks	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
Building operations	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Suicide	4	7	–	–	–	–	–	–	–	2	2	–	–	2	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	11	16	14	–	–	–	2	–	–	–	–	–	–	–	–
Ill-defined Causes	4	2	1	–	–	–	–	–	–	–	–	–	–	1	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,026,901	Jan. 17	2,962	1,218	15·8	1	–	21	7	19	23	19	19
CALCUTTA	896,067	Dec. 6	–	790§	45·8	?	22	?	?	?	?	?	75
BOMBAY	979,445	„ 6	510	809§	43·0	2	–	2	–	–	–	25	36
MADRAS	518,660	„ 6	378	548§	54·9	1	6	2	?	2	–	44	29
PARIS	2,847,229	Dec. 27	?	878	15·8	5	–	4	3	3	–	13	7
BRUSSELS	780,843	—	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	309,156	Jan. 3	143	52	8·6	–	–	–	–	–	–	5	1
AMSTERDAM	646,073	„ 3	308	165	13·5	–	–	4	–	4	1	1	1
COPENHAGEN	552,000	„ 3	247	150	14·2	–	–	3	3	1	1	5	2
STOCKHOLM	408,456	Dec. 27	131	101	12·9	–	–	–	1	–	3	–	–
GOTHENBURG	197,705	„ 27	–	41	10·8	2	–	–	–	–	–	–	–
CHRISTIANIA	258,615	Jan. 3	101	62	12·5	–	–	1	–	–	–	1	1
BERLIN	1,824,030	Dec. 27	–	–	–	–	–	–	–	–	–	–	–
BRESLAU	493,393	„ 27	253	168	17·7	–	?	–	2	5	4	4	–
COLOGNE	640,509	„ 27	282	201	16·3	1	?	–	–	7	5	4	?
DRESDEN	530,679	„ 27	204	147	14·4	–	?	–	–	–	2	1	?
FRANKFORT-ON-MAIN.	470,124	„ 27	187	81	9·0	–	?	1	–	3	–	–	?
HAMBURG	1,050,300	„ 27	283	259	12·8	–	?	5	1	1	4	5	?
LEIPZIG	676,289	„ 27	260	150	11·5	1	?	–	1	6	1	2	?
MUNICH	670,000	„ 27	–	–	–	–	–	–	–	–	–	–	–
VIENNA	2,350,005	„ 20	618	757	16·8	4	–	11	1	3	7	23	2
		„ 27	467	716	15·9	2	–	21	1	3	3	17	4
PRAGUE	501,261	„ 6	163	174	18·1	1	–	–	–	1	–	4	–
		„ 13	135	172	17·9	1	–	2	–	1	–	4	1
BUDAPEST	1,051,374	Nov. 8	574	357	17·7	8	–	–	3	–	3	?	1
TRIESTE	222,981	Jan. 3	–	–	–	–	–	–	–	–	–	–	–
BUCAREST	342,427	—	–	–	–	–	–	–	–	–	–	–	–
NEW YORK	6,006,794	Nov. 22	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,596,681	Dec. 20	–	629	12·6	1	–	5	5	2	12	33	6
RIO DE JANEIRO	955,702	—	–	–	–	–	–	–	–	–	–	–	–
CAIRO:—													
Egyptians	673,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	76,000	—	–	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA:—													
Egyptians	330,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	81,000	—	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of age* for Copenhagen Stockholm, Gothenburg, the German Cities and Budapest.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Calcutta and 1 in Bombay, and from *Asiatic cholera*, 20 deaths in Calcutta, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 17th January, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
LONDON (Greenwich)	56	32	51·7	41·7	14
BRIGHTON	51	35	48·1	43·0	19
PORTSMOUTH	53	36	50·7	43·4	13
NORWICH (Eaton)	54	31	50·1	40·4	17
PLYMOUTH	53	39	51·3	44·4	35
BRISTOL (Clifton)	55	37	51·4	43·0	17
BIRMINGHAM	54	34	51·0	40·3	6
NOTTINGHAM	56	35	51·7	39·7	10
BIRKENHEAD (Bidston)	55	34	51·7	40·1	13
MANCHESTER	56	34	51·0	41·0	21
BURNLEY	55	31	48·9	38·4	19
HUDDERSFIELD	55	33	50·1	40·1	29
BRADFORD	54	33	49·4	38·0	25
SHEFFIELD	Not received				
YORK (Museum)	57	33	50·1	38·7	7
HULL (Pearson Park)	57	34	51·9	40·0	9
TYNEMOUTH	55	33	47·4	36·9	15
CARDIFF	54	36	51·0	41·4	35
EDINBURGH	56·0	31·0	46·1	36·6	20
GLASGOW	54·0	32·9	46·4	37·6	30
DUBLIN:— Phœnix Park	59·4	30·2	53·6	40·0	18
†Fitzwilliam Square	60·8	33·1	54·0	42·2	19
BELFAST	55·0	31·8	49·2	36·7	42

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 17th January 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 11	..	28·862	53·6	44·7	8·9	48·8	+10·9	43·6	5·2	12·0	2·9	82	52·8	38·3	43·7	W., WSW. & SW.	WSW. & W.	18·0	0·0	2·1	799	+494	0·46
MONDAY - - 12	..	29·445	54·4	44·2	11·2	48·3	+10·4	42·7	5·6	12·0	2·4	81	59·0	38·0	43·5	W.	WSW. & SW.	15·8	0·0	1·7	796	+490	0·09
TUESDAY - - 13	Last Quarter.	29·712	55·3	44·2	11·1	48·5	+10·5	42·0	6·5	10·6	3·3	78	69·7	39·3	43·7	W.	WSW. & SW.	21·3	0·0	1·0	611	+301	0·22
WEDNESDAY - 14	..	30·189	44·4	32·1	12·3	37·5	− 0·5	28·4	9·1	13·5	3·9	69	53·0	19·9	43·9	W., NW. & N.	N., SW. & SSW.	12·4	0·0	0·8	421	+106	0·00
THURSDAY - - 15	..	30·261	49·1	38·0	11·1	45·3	+ 7·2	43·1	2·2	7·1	1·5	92	53·0	41·6	44·0	SSW. & SW.	SW. & WSW.	3·0	0·0	0·3	332	+ 13	0·01
FRIDAY - - 16	Apogee	30·313	55·5	47·6	7·9	51·3	+13·0	47·4	3·9	6·2	1·2	87	62·0	39·4	44·0	WSW. & SW.	W. & WSW.	2·9	0·0	0·2	343	+ 25	0·00
SATURDAY - - 17	Greatest declination S.	30·112	51·4	42·2	9·2	47·7	+ 9·2	45·4	2·3	4·1	1·0	92	63·0	35·9	44·1	WSW. & W.	WSW.	3·7	0·0	0·5	447	+132	0·00
MEANS - - - - -		29·842	52·1	41·9	10·2	46·8	+ 8·7	41·8	5·0	9·4	2·3	83	58·9	36·1	43·8	W.		..	..	..	Sum 3749	Sum +1561	Sum 0·78
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	11	w.P. and w.N. throughout.	0·0	8·1	Overcast generally, variably cloudy at times after 15h.; rain generally from 4h. to 20h.; brisk wind throughout, rising to gale from 10h.
MONDAY	12	v.P. and v.N. throughout.	0·0	8·1	Variably cloudy till 5h.; overcast till 23h., then cloudy; frequent rain or damping 13h. to 22h.; gale in early morning and brisk wind generally.
TUESDAY	13	s.P. generally, a little v.P.	0·9	8·2	Variably cloudy till 5h., cloudless till 7h., very cloudy by 8h.; overcast generally by 13h.; solar halo at 10h.; brisk wind till 7h. and from 10h. to 14h.; gale from between 1h. and 4h.; rain from 19h. to 22h.
WEDNESDAY	14	s.P. generally	4·7	8·2	Variably cloudy till 3h., overcast till 7h. 30m., becoming nearly cloudless by 8h. 30m.; variably cloudy from 19h., overcast by 22h.: brisk wind till 11h.; slight hoar frost and fog in evening.
THURSDAY	15	s.P. generally, a little m.P.	0·0	8·2	Overcast except for a very cloudy period about 10h.; damping or slight rain generally from 6h. to 23h.
FRIDAY	16	v.P. throughout	0·4	8·3	Overcast till 14h.; cloudy generally till 17h. 30m., becoming cloudless by 18h., with dew; clouding-up to nearly overcast after 23h.
SATURDAY	17	v.P. throughout	1·5	8·3	Nearly cloudless generally till 4h.; overcast with cloudy intervals till 11h., then quite overcast; brisk wind at times; slight damping in evening.
			Sum 7·5	Sum 57·4	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905; and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·17 in. at the beginning of the week to 29·19 in. by 2h. on 11th; decreased to 28·74 in. by 11h. on the same day; increased to 29·51 in. by 11h. on 12th; decreased to 29·37 in. by 17h. on the same day; increased to 29·76 in. by 14h. on 13th; decreased to 29·57 in. by midnight on the same day; increased to 30·34 in. by 23h. on 14th; decreased to 30·23 in. by 14h. on 15h.; increased to 30·37 in. by 9h. on 16th; decreased to 30·05 in. by 21h. on 17th, and was 30·06 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 10th January, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,216	2	–	14	4	13	31	18	86	191
Western										
PADDINGTON	45	–	–	–	–	–	–	4	1	14
KENSINGTON	43	–	–	1	–	1	1	1	2	7
HAMMERSMITH	27	–	–	–	–	–	–	–	1	5
FULHAM	43	–	–	–	–	–	–	–	1	7
CHELSEA	14	–	–	–	1	–	–	–	2	–
CITY OF WESTMINSTER	26	–	–	–	–	–	–	–	4	1
Northern.										
ST. MARYLEBONE	36	–	–	1	–	–	–	–	4	7
HAMPSTEAD	20	–	–	–	–	–	1	–	2	2
ST. PANCRAS	61	–	–	–	–	1	–	–	6	6
ISLINGTON	99	–	–	1	–	1	2	3	5	11
STOKE NEWINGTON	7	–	–	–	–	–	–	–	–	–
HACKNEY	66	–	–	–	–	1	2	–	3	10
Central.										
HOLBORN	7	–	–	–	–	–	–	–	–	2
FINSBURY	35	–	–	–	–	–	1	1	4	7
CITY OF LONDON	5	–	–	–	–	–	–	–	–	–
Eastern.										
SHOREDITCH	38	–	–	2	–	–	2	–	7	3
BETHNAL GREEN	30	–	–	–	–	–	1	1	1	6
STEPNEY	70	–	–	–	–	1	2	1	8	14
POPLAR	54	–	–	1	–	–	2	2	5	16
Southern.										
SOUTHWARK	54	1	–	–	1	3	–	1	2	15
BERMONDSEY	35	1	–	1	–	–	1	1	1	5
LAMBETH	86	–	–	3	–	–	5	1	5	10
BATTERSEA	37	–	–	1	–	–	3	–	3	3
WANDSWORTH	70	–	–	–	–	1	2	1	4	12
CAMBERWELL	76	–	–	1	1	4	4	–	6	10
DEPTFORD	27	–	–	2	1	–	1	1	2	5
GREENWICH	16	–	–	–	–	–	–	–	1	2
LEWISHAM	50	–	–	–	–	–	–	–	4	5
WOOLWICH	39	–	–	–	–	–	1	–	2	6

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 10th January, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polio-Encephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	122,507	1	-	-	-	9	12	-	-	-	-	-	-	-	-	-
Kensington	151,535	-	-	-	-	10	10	-	1	-	-	1	-	-	-	-
Hammersmith	114,952	2	-	-	-	4	6	-	1	-	-	2	-	-	-	-
Fulham	145,186	-	-	-	-	12	13	-	2	-	1	1	-	-	-	-
Chelsea	57,368	-	-	-	-	5	3	-	3	-	-	-	-	-	-	-
City of Westminster	122,046	1	-	-	-	7	7	-	-	-	-	-	-	-	1	-
NORTHERN.																
St. Marylebone	92,796	-	-	-	-	6	4	-	1	-	-	-	-	-	1	-
Hampstead	75,649	-	-	-	-	3	3	-	-	-	1	-	-	-	1	-
St. Pancras	186,600	-	-	-	-	13	5	-	2	-	2	-	-	-	-	-
Islington	297,102	-	-	-	-	25	12	-	4	-	1	1	-	-	-	-
Stoke Newington	47,426	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
Hackney	196,598	-	-	-	-	9	20	-	7	-	-	-	-	-	-	-
CENTRAL.																
Holborn	35,303	1	-	-	-	-	5	-	1	-	-	1	-	-	-	-
Finsbury	68,011	-	-	-	-	5	4	-	3	-	-	1	-	-	-	-
City of London	16,138	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	89,675	1	-	-	-	4	6	-	1	-	-	-	-	-	-	-
Bethnal Green	107,362	1	-	-	-	8	14	-	2	-	3	-	-	-	-	-
Stepney	232,010	-	-	-	-	17	22	-	1	-	-	-	-	-	1	-
Poplar	143,443	-	-	-	-	7	13	-	3	1	-	1	-	-	-	-
SOUTHERN.																
Southwark	167,936	-	-	-	-	13	8	-	7	-	-	3	-	-	-	-
Bermondsey	107,635	-	-	-	-	9	7	-	3	-	5	1	-	-	1	-
Lambeth	272,038	1	-	-	-	21	10	-	2	-	1	1	-	-	-	-
Battersea	150,023	1	-	-	-	12	10	-	3	-	1	2	-	-	-	-
Wandsworth	300,787	1	-	-	-	21	24	-	7	-	1	-	-	-	-	-
Camberwell	239,461	-	-	-	-	18	15	-	2	1	-	1	-	-	-	-
Deptford	103,527	1	-	-	-	11	8	-	3	-	1	-	-	-	-	1
Greenwich	90,440	-	-	-	-	17	6	-	-	1	1	-	-	-	-	-
Lewisham	161,405	-	-	-	-	14	9	-	3	-	-	-	-	-	-	-
Woolwich	131,942	-	-	-	-	4	8	-	-	-	-	1	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,026,901	11	-	-	-	287	266	-	62	3	-	17	-	-	5	1
Ages 0–1		-	-	-	-	3	2	-	1	1	-	17	-	-	-	-
" 1–5		-	-	-	-	78	78	-	1	-	-	-	-	-	-	-
" 5–		-	-	-	-	117	97	-	2	1	-	-	-	-	-	-
" 10–		-	-	-	-	51	39	-	3	1	-	-	-	-	-	-
" 15–		1	-	-	-	15	9	-	2	-	-	-	-	-	-	-
" 20–		1	-	-	-	9	14	-	1	-	6	-	-	-	-	-
" 25–		4	-	-	-	9	12	-	7	-	9	-	-	-	1	-
" 35–		5	-	-	-	5	6	-	15	-	3	-	-	-	3	1
" 45–		-	-	-	-	-	6	-	15	-	-	-	-	-	1	-
" 55–		-	-	-	-	-	2	-	8	-	-	-	-	-	-	-
" 65–		-	-	-	-	-	-	-	5	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 3. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JAN. 24.
[Price 1½*d*. Net.]

General Register Office, Somerset House,
January 27th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 11,658, and corresponded to an annual rate of 32·9 per 1,000. The deaths* among the civilian population only numbered 4,864, and corresponded to an annual rate of 15·3 per 1,000 of their aggregate civilian population, which is estimated† at 16,577,344 persons in the year 1917. In the three weeks ended January 3rd, January 10th, and January 17th, the rates had been 16·2, 15·8, and 15·6, respectively. The infant mortality was 75, against 69, 72, and 72, in the three preceding weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1917, and are based on the returns furnished under the National Registration Act 1915, and under the scheme for rationing of sugar. It is necessary for the present to continue the use of the estimates of population as in 1917, because those for 1918, although they might now be used, would necessarily differ more from the facts of the present time than the earlier estimates. The main change which occurred between mid-1917 and mid-1918 was further depletion of the male civilian population by enlistment, and as this has now been more than made good by demobilisation, it follows that the 1917 estimates, though they understate the present population, do so to a less extent than would those for 1918.

m (45)9705—4 Wt 167–840 625 1/20 E & S

for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 20·7 in Liverpool, 21·0 in Sunderland, 21·8 in Oldham, 22·2 in Hull, 24·1 in Grimsby, 25·0 in South Shields, and 27·5 in Carlisle; from *measles*, 1·5 in Preston, 2·0 in Dewsbury, 2·3 in Bootle, and 4·7 in Grimsby; and from *whooping cough*, 1·1 in Portsmouth, 1·6 Birkenhead, 1·8 in Walsall, and 2·2 in Smethwick. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,971 births, corresponding to a rate of 34·5 per 1,000, and 1,164 deaths of civilians, corresponding to a rate of 15·1, as against 17·0, 15·7, and 15·8 per 1,000 in the three weeks ended January 3rd, January 10th and January 17th. The death-rate in the four weeks ended last Saturday averaged 15·9 per 1,000. The infant mortality was 77, against 66, 63, and 73 in the preceding three weeks.

There was one death from *enteric fever*, against 0, 2, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 19, 14, and 21 in the preceding three weeks, fell to 19 last week, and were 10 below the average; 5 deaths belonged to the Borough of Lambeth and 3 to Islington. The deaths from *scarlet fever*, which had been 5, 4, and 7 in the preceding three weeks, fell to 3 last week, the average being 2. The deaths from *whooping-cough*, which had been 20, 13, and 19 in the preceding three weeks, were 18 last week, the average being 17; 4 deaths belonged to Lambeth and 3 to Hackney. The deaths from *diphtheria*, which had been 36, 31, and 24 in the preceding three weeks, rose to 29 last week, and were 16 above the average; 5 deaths belonged to Lewisham, and 3 each to Hackney, Bermondsey and Lambeth. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 16, 18, and 19 in the preceding three weeks, fell to 15 last week, and were 1 below the average. The deaths from *influenza* numbered 24, as against 19, 16, and 19 in the preceding three weeks, and an average of 25.

Different forms of violence caused 41 deaths, of which 40 were the subject of coroners' inquests. Of these 41 deaths, 11 were cases of suicide, while the remaining 30 were attributed to other forms of violence. Nine of these latter were referred to vehicles in the streets, 4 to burns or scalds, and 3 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 28 cases of enteric

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

fever, 49 of measles, 2,614 of scarlet fever, 22 of whooping-cough and 1,994 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :— Of enteric fever, 7 cases, against 6, 3, and 5; of measles, 12 cases, against 15, 12, and 12; of scarlet fever, 302 cases, against 379, 265, and 335; of whooping-cough, 2 cases, against 0, 2, and 4; and of diphtheria, 274 cases, against 254, 227, and 282. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 17th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 24th January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 3rd Jan., 1920.	10th Jan., 1920.	17th Jan., 1920.	24th Jan., 1920.	Week ended 24th Jan., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	**16,577,344**	**16·2**	**15·8**	**15·6**	**15·3**	**11658**	**4864**	**878**	**1504**	**5**	**-**	**96**	**18**	**84**	**77**	**71**	**85**	**170**	**358**	**1452**	**42**	**96 GREAT TOWNS.**
LONDON†	4,026,901	17·0	15·7	15·8	15·1	2971	1164	228	368	1	-	19	3	18	29	15	24	41	104	512	2	LONDON.†
‡ CROYDON	167,681	17·1	17·1	11·8	16·2	117	52	9	19	-	-	1	-	-	-	-	1	1	5	13	-	CROYDON.
WIMBLEDON	53,536	8·8	8·8	12·7	12·7	29	13	1	3	-	-	-	-	-	1	-	-	2	2	5	-	WIMBLEDON.
EALING	64,128	12·2	13·8	11·4	9·8	33	12	-	5	-	-	1	-	-	-	-	-	-	1	4	-	EALING.
ACTON	58,507	12·5	9·8	12·5	16·0	33	18	3	5	-	-	-	-	-	-	-	-	1	4	3	-	ACTON.
WILLESDEN	157,005	12·6	14·6	13·9	10·3	91	31	10	9	-	-	-	-	-	-	-	-	-	-	12	-	WILLESDEN.
HORNSEY	82,442	15·2	11·4	15·2	9·5	44	15	1	6	-	-	-	-	-	-	-	1	1	1	3	-	HORNSEY.
TOTTENHAM	135,173	16·2	13·9	13·1	13·1	105	34	4	13	-	-	2	-	-	2	1	-	-	1	9	-	TOTTENHAM.
EDMONTON	61,940	10·1	16·0	10·1	14·3	45	17	4	5	-	-	-	-	-	-	-	-	1	4	6	-	‡ EDMONTON.
ENFIELD	57,192	16·4	13·7	11·9	10·9	40	12	1	4	-	-	-	-	-	1	-	2	1	1	4	-	ENFIELD.
WEST HAM	271,934	21·1	20·1	17·8	17·8	270	93	21	30	-	-	2	-	4	2	-	2	1	5	28	-	WEST HAM.
EAST HAM	131,008	16·7	14·3	13·1	15·5	78	39	11	11	-	-	-	-	1	1	-	1	3	6	11	-	EAST HAM.
LEYTON	112,452	15·8	14·4	15·8	12·1	71	26	3	14	-	-	-	-	1	1	-	-	-	1	10	-	LEYTON.
WALTHAMSTOW	119,307	16·6	17·0	16·6	17·0	72	39	6	14	-	-	-	-	1	-	-	2	2	3	11	-	WALTHAMSTOW.
ILFORD	75,130	11·1	13·2	10·4	9·0	44	13	2	8	-	-	-	-	-	-	1	-	-	-	3	-	ILFORD.
GILLINGHAM	44,074	11·8	7·1	11·8	7·1	24	6	-	3	-	-	-	-	-	-	-	-	-	-	-	1	GILLINGHAM.
HASTINGS	48,439	22·6	19·4	19·4	12·9	19	12	1	7	-	-	-	-	-	-	-	1	-	-	1	-	HASTINGS.
EASTBOURNE	44,842	7·0	5·8	11·6	11·6	16	10	1	5	-	-	-	-	-	-	-	-	-	-	3	-	EASTBOURNE.
BRIGHTON	113,635	16·5	17·9	17·4	14·2	99	31	3	12	-	-	-	-	-	-	-	-	2	3	11	-	BRIGHTON.
PORTSMOUTH	198,527	18·1	18·1	16·8	14·7	155	56	13	18	-	-	3	-	4	-	1	2	-	-	14	-	PORTSMOUTH.
BOURNEMOUTH	70,327	17·8	20·0	13·3	19·3	26	26	1	10	-	-	-	-	-	-	-	-	3	4	2	-	BOURNEMOUTH.
SOUTHAMPTON	115,345	13·1	11·8	11·3	17·2	64	38	5	16	-	-	1	-	1	1	-	-	1	3	12	-	SOUTHAMPTON.
READING	82,475	10·7	14·5	17·1	13·9	45	22	3	7	-	-	-	-	-	-	-	2	-	1	2	-	READING.
OXFORD	53,101	9·8	10·8	12·8	13·7	31	14	1	6	-	-	-	-	-	1	-	-	-	-	4	-	OXFORD.
NORTHAMPTON	82,471	12·0	15·2	14·5	14·5	38	23	5	8	-	-	-	-	-	-	2	1	-	-	4	1	NORTHAMPTON.
CAMBRIDGE	52,282	11·0	14·0	13·0	10·0	32	10	2	4	-	-	-	-	-	-	-	-	1	1	3	-	CAMBRIDGE.

* The towns are included within the area of Greater London.

in the Week ended Saturday, 24th January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.*	DEATH-RATES from all Causes. Week ended 3rd Jan., 1920.	10th Jan., 1920.	17th Jan., 1920.	24th Jan., 1920.	Week ended 24th Jan. 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	71,919	17·4	17·4	14·5	8·7	34	12	-	7	-	-	-	-	-	-	-	-	-	-	4	-	SOUTHEND ON SEA.
IPSWICH	72,800	13·6	17·9	12·2	9·3	48	13	3	3	-	-	-	-	-	-	-	-	1	2	5	-	IPSWICH.
GREAT YARMOUTH	45,516	14·9	14·9	17·2	12·6	34	11	2	5	-	-	-	-	-	1	-	-	1	1	3	-	GREAT YARMOUTH.
NORWICH	109,877	15·7	15·2	16·1	13·8	65	29	3	12	-	-	-	-	2	-	-	-	2		6	-	NORWICH.
SWINDON	51,516	14·2	11·1	15·2	9·1	28	9	3	3	-	-	-	-	1	-	-	-	-	-	2	-	SWINDON.
EXETER	51,631	21·2	16·2	17·2	14·1	37	14	1	7	-	-	-	-	-	-	-	-	-	-	2	-	EXETER.
PLYMOUTH	179,375	20·1	15·1	20·3	18·3	129	63	17	17	-	-	-	-	-	1	1	2	2	5	12	-	PLYMOUTH.
BATH	58,799	20·4	20·4	17·7	17·7	46	20	3	11	-	-	-	-	-	-	-	-	-	1	9	-	BATH.
BRISTOL	334,873	12·9	13·4	12·8	14·0	241	90	20	31	1	-	-	1	-	-	4	-	-	4	25	-	BRISTOL.
GLOUCESTER	55,026	12·3	15·2	20·8	12·3	31	13	-	5	-	-	-	-	1	-	-	-	-	1	1	-	GLOUCESTER.
STOKE ON TRENT	215,116	14·3	15·0	18·7	17·2	174	71	18	8	-	-	4	1	-	1	2	-	1	2	12	1	STOKE ON TRENT.
WOLVERHAMPTON	93,037	14·6	6·2	11·2	10·6	74	19	3	6	-	-	-	-	-	-	1	2	1	1	2	-	WOLVERHAMPTON.
WALSALL	87,957	15·4	14·2	16·0	11·3	63	19	2	5	-	-	-	-	3	-	-	-	-	3	5	-	WALSALL.
WEST BROMWICH	67,221	12·4	14·7	15·5	10·9	59	14	2	3	-	-	-	-	1	-	-	-	-	1	4	-	WEST BROMWICH.
DUDLEY	52,049	20·0	18·0	16·0	16·0	38	16	4	7	-	-	1	-	-	-	-	1	-	-	3	1	DUDLEY.
BIRMINGHAM	870,211	13·8	15·3	13·2	13·6	602	227	35	67	-	-	2	5	9	6	5	3	4	6	72	7	BIRMINGHAM.
SMETHWICK	69,788	12·0	22·4	9·0	13·4	41	18	5	6	-	-	-	-	3	-	-	-	2	3	6	-	SMETHWICK.
COVENTRY	128,098	12·6	11·4	11·0	9·0	85	22	5	5	-	-	-	-	-	-		-	2	2	7	-	COVENTRY.
LEICESTER	212,433	11·8	14·2	14·0	14·7	132	60	9	20	2	-	-	-	-	2	1	1	3	5	18	1	LEICESTER.
LINCOLN	58,617	16·9	14·2	11·6	11·6	36	13	2	4	-	-	-	-	-	-	-	-	-	-	2	-	LINCOLN.
GRIMSBY	67,014	21·0	26·5	11·7	24·1	52	31	4	8	-	-	6	1	1	-	-	2	3	3	6	-	GRIMSBY.
NOTTINGHAM	236,853	17·8	18·7	18·7	19·6	167	89	10	28	-	-	-	1	2	3	1	1	3	3	29	-	NOTTINGHAM.
DERBY	119,191	13·1	12·2	11·4	9·6	81	22	2	9	-	-	-	-	-	-	-	1	2	2	8	-	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 24th January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1917.*	Death-Rates from all Causes. Week ended 3rd Jan., 1920.	10th Jan., 1920.	17th Jan., 1920.	24th Jan., 1920.	Week ended 24th Jan., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	111,922	11·6	13·5	16·8	17·2	71	37	6	10	–	–	1	–	1	1	1	–	1	3	13	–	STOCKPORT.
BIRKENHEAD	133,819	17·5	15·6	16·8	16·8	124	43	10	10	–	–	–	–	4	–	–	–	1	6	12	3	BIRKENHEAD.
WALLASEY	84,209	15·5	9·3	18·6	11·1	44	18	4	9	–	–	–	–	–	–	–	–	–	–	–	–	WALLASEY.
LIVERPOOL	716,140	18·8	18·2	20·2	20·7	650	284	51	63	–	–	16	–	4	2	4	1	11	20	101	6	LIVERPOOL.
BOOTLE	68,871	22·0	25·7	22·0	16·7	58	22	4	3	–	–	3	–	–	–	–	–	2	2	3	–	BOOTLE.
ST. HELENS	90,582	16·7	21·9	19·6	12·1	84	21	6	4	–	–	–	–	1	–	–	–	2	2	5	3	ST. HELENS.
SOUTHPORT	60,747	17·2	11·2	18·0	12·0	22	14	–	9	–	–	–	–	–	–	–	–	–	–	1	–	SOUTHPORT.
WIGAN	83,110	20·1	23·8	11·9	16·9	64	27	4	9	–	–	–	–	1	–	–	–	2	3	7	–	WIGAN.
WARRINGTON	68,554	9·9	15·2	16·0	12·9	52	17	–	5	–	–	–	–	–	1	–	–	–	–	7	1	WARRINGTON.
BOLTON	163,411	11·8	17·2	12·1	15·0	91	47	4	17	–	–	2	–	1	–	1	–	1	2	6	–	BOLTON.
BURY	51,851	27·2	20·1	16·1	17·1	27	17	3	7	–	–	–	–	–	–	–	–	1	2	1	–	BURY.
MANCHESTER	660,143	17·6	17·9	16·4	16·5	490	209	46	57	–	–	4	2	4	–	6	3	3	9	65	2	MANCHESTER.
SALFORD	211,373	16·0	14·6	14·6	15·3	134	62	8	20	–	–	2	2	–	1	2	–	2	6	19	–	SALFORD.
OLDHAM	133,721	20·3	16·0	15·2	21·8	70	56	8	20	–	–	–	–	1	1	–	2	2	4	13	–	OLDHAM.
ROCHDALE	84,561	16·0	18·5	16·0	17·3	35	28	4	7	–	–	1	–	1	–	–	1	1	2	3	2	ROCHDALE.
BURNLEY	93,779	20·6	14·5	21·1	16·1	57	29	13	10	–	–	1	–	–	–	2	–	2	2	6	–	BURNLEY.
BLACKBURN	113,315	13·8	13·3	13·8	14·7	65	32	6	9	–	–	–	–	–	–	–	–	–	–	6	–	BLACKBURN.
PRESTON	106,747	16·6	22·5	22·0	19·1	62	39	5	12	–	–	3	–	–	1	–	–	–	–	8	–	PRESTON.
BLACKPOOL	64,775	9·7	11·3	12·1	18·5	23	23	–	8	–	–	–	–	–	1	–	1	–	–	3	1	BLACKPOOL.
BARROW IN FURNESS	78,675	12·6	11·3	12·6	9·9	43	15	1	5	–	–	–	–	–	–	–	–	1	–	1	–	BARROW IN FURNESS.
HUDDERSFIELD	105,818	16·3	15·3	14·3	13·8	46	28	1	14	–	–	–	–	–	–	–	–	2	5	9	–	HUDDERSFIELD.
HALIFAX	92,775	12·9	13·5	15·2	9·6	47	17	4	6	–	–	–	–	1	–	–	–	1	2	7	–	HALIFAX.
BRADFORD	266,338	17·4	15·5	15·9	13·7	117	70	15	27	–	–	–	–	–	–	1	1	3	8	20	–	BRADFORD.
LEEDS	417,051	18·5	15·1	18·8	18·1	269	145	21	37	–	–	9	–	4	5	2	9	5	10	32	–	LEEDS.
DEWSBURY	52,244	14·0	24·0	13·0	14·0	20	14	3	3	–	–	2	–	–	–	1	–	–	2	2	–	DEWSBURY.
WAKEFIELD	47,830	18·5	22·9	18·5	18·5	39	17	1	3	–	–	–	–	–	–	1	–	2	3	3	–	WAKEFIELD.
BARNSLEY	47,943	13·1	13·1	22·8	16·3	45	15	4	6	–	–	1	–	–	–	–	1	–	–	1	–	BARNSLEY.

* See note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 3rd Jan., 1920.	10th Jan., 1920.	17th Jan., 1920.	24th Jan., 1920.	Week ended 24th Jan., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	469,293	13·3	14·2	13·4	13·0	331	117	20	36	–	–	–	–	–	–	2	1	11	17	36	–	Sheffield.
Rotherham	64,685	16·9	7·3	14·5	14·5	54	18	5	7	–	–	–	–	–	–	–	–	1	1	3		Rotherham.
York	78,492	14·6	13·3	14·0	17·3	56	26	5	6	–	–	–	–	–	1	–	1	–	–	11	–	York.
Hull	246,357	19·5	15·7	21·8	22·2	191	105	32	24	–	–	5	–	1	2	3	2	5	8	15	1	Hull.
Middlesbrough	119,251	20·1	22·7	20·6	14·9	99	34	7	11	–	–	–	–	–	1	–	–	–	2	7	–	Middlesbrough.
Darlington	60,482	17·2	14·7	18·1	19·0	45	22	4	8	–	–	–	1	1	1	1	1	–	1	5	–	Darlington.
Stockton on Tees	57,048	21·9	19·2	16·5	13·7	40	15	2	5	–	–	–	–	1	1	–	–	–	–	–	1	Stockton on Tees.
West Hartlepool	62,034	22·7	17·7	12·6	14·3	49	17	1	8	–	–	–	–	–	–	–	–	–	–	8	–	West Hartlepool.
Sunderland	141,765	18·8	24·6	16·9	21·0	120	57	11	16	–	–	–	–	1	–	2	–	–	1	12	1	Sunderland.
South Shields	106,500	17·6	20·1	22·0	25·0	98	51	13	9	–	–	–	1	–	–	1	1	1	1	5	2	South Shields.
Gateshead	119,134	20·1	16·2	19·7	16·6	104	38	9	7	–	–	–	–	–	–	–	1	2	2	9	2	Gateshead.
Newcastle on Tyne.	266,551	17·0	17·4	15·3	13·9	205	71	7	22	–	–	1	–	1	1	–	3	1	5	20	–	Newcastle on Tyne.
Tynemouth	57,591	19·0	24·4	22·6	19·0	46	21	3	7	–	–	–	–	–	–	–	–	–	4	4	1	Tynemouth.
Carlisle	53,064	9·8	11·8	15·7	27·5	31	28	5	11	–	–	–	–	1	–	–	1	1	1	9	1	Carlisle.
Newport (Mon.)	82,709	15·1	17·7	5·7	15·8	50	25	3	4	–	–	–	–	–	–	1	–	–	1	2	–	Newport (Mon.).
Cardiff	169,440	15·1	14·5	12·9	15·4	123	50	6	13	1	–	1	–	–	3	–	1	9	15	9	–	Cardiff.
Rhondda	154,388	14·5	13·2	12·2	12·8	117	38	13	10	–	–	1	–	1	–	2	1	–	1	1	–	Rhondda.
Merthyr Tydfil	74,508	15·4	7·0	13·3	15·4	44	22	2	9	–	–	1	–	–	1	–	1	3	3	4	–	Merthyr Tydfil.
Aberdare	51,317	9·1	14·2	15·2	5·1	31	5	2	1	–	–	–	–	1	–	–	–	–	–	–	–	Aberdare.
Swansea	143,660	9·8	10·9	9·1	13·4	86	37	4	13	–	–	–	–	–	–	–	–	3	4	5	–	Swansea.
Greater London	6,726,753	15·9	14·9	14·8	14·2	4683	1831	347	609	1	–	25	3	26	44	17	37	63	153	699	2	Greater London.
Outer Ring	2,699,852	14·3	13·6	13·4	12·9	1712	667	119	241	–	–	6	–	8	15	2	13	22	49	187	–	Outer Ring.
14 Great Towns in Outer Ring.	1,547,435	15·7	15·3	14·1	14·0	1072	414	76	146	–	–	6	–	7	8	2	9	13	34	122	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,152,417	12·4	11·2	12·6	11·4	640	253	43	95	–	–	–	–	1	7	–	4	9	15	65	–	Remainder of Outer Ring.
Edinburgh†	342,300	15·0	14·8	12·2	15·3	179	100	9	44	–	–	2	–	–	1	–	–	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	15·3	18·8	17·4	16·7	714	356	70	100	1	–	4	–	1	3	6	4	16	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	20·0	17·3	15·0	19·6	289	156	16	49	–	–	–	–	2	1	–	2	4	6	64	2	Dublin (Registration Area).†
Belfast†	413,000	25·6	18·9	21·0	17·8	231	141	26	26	–	–	13	2	1	2	–	–	1	4	43	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRD Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2146	2289	1937	2101	2072	1791	1857	1740	1441	1391	2971
Males	1063	1194	987	1078	1052	905	939	880	720	717	1532
Females	1083	1095	950	1023	1020	886	918	860	721	674	1439
Deaths (of residents only).	1276	1613	1215	1432	1574	1596	1162*	1359*	1670*	1142*	1164*
Males		814	618	729	783	841	581	695	823	574	628
Females		799	597	703	791	755	581	664	847	568	536

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.
Births (as registered)	1850	2216	2242	2223	2308	2113	2676	2519	1318	3308	3018	2962	2971
Deaths (of residents only).	1103	1165	1099	1132	1104	1120	1036	1180	815	1311	1216	1218	1164
Ages at Death: Under 1 year	129	142	132	155	163	162	170	181	122	217	191	215	228
1–2 years	13	18	17	20	20	23	31	29	15	41	29	35	43
2–5 "	24	25	47	28	27	41	35	45	36	56	55	53	45
5–10 "	28	32	33	35	28	34	29	32	29	41	35	27	33
10–15 "	17	21	19	19	13	15	23	19	18	14	17	15	16
15–20 "	18	21	16	18	18	18	17	18	19	24	23	24	27
20–25 "	29	27	13	16	20	26	24	17	12	28	28	26	17
25–35 "	55	63	52	66	65	44	50	56	35	60	50	67	59
35–45 "	82	101	95	89	71	75	75	78	54	109	77	71	68
45–55 "	129	123	134	109	129	133	117	121	99	137	141	119	93
55–65 "	173	158	156	170	159	152	142	161	108	172	187	140	167
65–75 "	198	201	189	215	215	206	168	223	144	206	204	205	180
75 years and upwards	208	233	196	192	176	191	155	200	124	206	179	221	188
Deaths from—													
Enteric fever	6	–	1	–	–	2	–	1	1	–	2	1	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	6	7	11	10	12	10	11	9	19	14	21	19
Scarlet fever	–	2	2	2	2	6	3	5	4	5	4	7	3
Whooping cough	1	7	7	4	4	8	10	14	6	20	13	19	18
Diphtheria	18	17	24	21	23	29	20	32	28	36	31	24	29
Diarrhœa and enteritis (under 2 years).	25	30	19	16	23	18	15	20	9	16	18	19	15
Pulmonary tuberculosis	85	105	87	78	86	81	87	105	71	96	86	78	85
Influenza	20	18	22	22	15	16	17	18	12	19	16	19	24
Pneumonia (all forms)	91	83	83	95	89	75	71	78	62	93	108	127	126
Bronchitis	133	114	104	97	109	101	86	109	58	108	124	109	102
Other dis. of resp. system	24	17	17	21	14	18	15	9	14	17	16	13	15
Dis. of circ. system	195	224	195	196	190	200	157	209	136	218	207	198	176
Violence	52	49	50	43	47	46	35	46	29	50	33	49	41
Inquest cases	105	113	109	128	106	114	99	127	81	144	94	116	104
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	48	45	42	42	44	38	34	27	28	26	27	27	28
Small-pox	–	–	–	–	–	–	–	–	–	–	2	1	–
Measles	56	58	60	67	67	62	62	56	65	59	59	53	49
Scarlet fever	2351	2542	2678	2820	2940	2990	2947	2942	2873	2926	2809	2758	2614
Whooping cough	21	24	24	27	25	26	25	25	25	25	22	23	22
Diphtheria	1428	1433	1478	1537	1603	1699	1796	1822	1862	1873	1899	1945	1994

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.
Deaths from Influenza	71	56	74	79	63	77	81	64	43	52	73	62	85

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRD Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 3rd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1142	1164	228	43	45	33	16	27	17	59	68	93	167	180	188
Enteric fever	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	19	3	9	5	2	–	–	–	–	–	–	–	–	–
Scarlet fever	2	3	–	–	1	–	–	1	–	1	–	–	–	–	–
Whooping cough	1	18	9	6	3	–	–	–	–	–	–	–	–	–	–
Diphtheria	11	29	2	2	14	9	–	2	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	43	24	2	1	2	–	1	–	2	–	1	5	3	4	3
Erysipelas	1	4	1	–	–	–	–	–	–	–	–	–	2	1	–
Other epidemic diseases	7	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	–	5	2	–	–	1	1	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	122	85	2	–	–	2	–	9	5	20	21	9	14	3	–
Tuberculous meningitis	8	9	3	–	2	4	–	–	–	–	–	–	–	–	–
Abdominal tuberculosis	3	4	–	–	–	–	2	1	–	–	–	–	–	1	–
Tuberculosis of the spine	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of the joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
Disseminated tuberculosis	7	5	1	–	–	2	–	–	–	1	1	–	–	–	–
Venereal diseases	8	6	6	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	69	106	–	–	–	1	–	–	–	1	8	18	36	27	15
Tumour, situation undefined	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic fever	2	6	–	–	–	–	2	2	–	–	1	–	–	1	–
Diabetes	6	7	–	–	–	–	–	2	–	–	1	1	2	1	–
Anæmia, leucocythaemia	8	4	–	–	–	–	1	–	–	–	–	–	1	2	–
Other general diseases	11	9	–	–	2	–	–	–	–	–	1	1	2	–	3
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	8	6	1	1	1	1	–	–	–	1	–	–	1	–	–
Cerebral hæmorrhage, Apoplexy	45	45	–	–	–	–	–	–	–	–	–	4	17	15	9
Softening of brain	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis, without specified cause	7	3	–	–	–	–	–	–	–	–	–	–	–	2	1
Epilepsy	7	5	–	–	–	–	–	1	1	3	–	–	–	–	–
"Convulsions" (not puerperal)	10	9	9	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	26	24	–	–	1	2	–	1	–	4	4	6	3	–	3
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	5	–	–	–	–	2	–	–	1	1	1	–	–	–
Organic disease of heart	134	123	–	–	–	1	2	3	2	5	9	12	29	29	31
Embolism and thrombosis (including cerebral).	5	9	–	–	–	–	–	–	–	–	–	1	1	2	5
Other diseases of circulatory system.	52	39	2	–	–	–	–	–	–	–	1	–	9	12	15
Diseases of the larynx	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	138	102	30	2	2	–	–	–	–	3	5	4	9	20	27
Broncho-pneumonia	59	73	36	14	8	1	–	–	–	1	1	–	3	5	4
Lobar pneumonia	12	25	–	2	–	–	–	1	3	2	2	5	3	4	3
Pneumonia (type not distinguished)	25	28	8	3	–	–	–	–	1	–	–	3	5	5	3
Pleurisy	3	4	–	–	–	–	–	–	–	–	1	–	1	2	–
Pulmonary congestion, Pulmonary apoplexy.	3	4	1	–	–	–	–	–	–	–	–	–	–	–	3
Other diseases of respiratory system.	12	6	–	–	–	1	–	–	–	–	1	1	2	1	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRD Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 3rd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	3	4	1	-	2	-	-	-	-	-	1	-	-	-	-
Diseases of stomach	9	12	1	-	-	-	-	-	-	2	-	4	1	2	2
Diarrhœa and enteritis	28	19	15	-	-	-	-	-	-	-	-	2	2	-	-
Appendicitis and typhlitis	4	4	-	-	-	-	2	1	-	-	-	-	1	-	-
Hernia and Intestinal obstruction.	10	10	1	1	-	-	-	-	-	-	-	-	2	4	2
Cirrhosis of liver	7	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Other diseases of liver	6	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Peritonitis (cause unknown)	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases of digestive system	3	4	1	-	1	-	-	-	-	-	-	-	1	1	-
Acute nephritis	4	2	-	-	-	-	1	-	-	1	-	-	-	-	-
Chronic Bright's disease	25	22	-	-	-	1	-	-	-	1	1	5	4	7	3
Urinary calculi	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (")	-	2	-	-	-	-	-	-	-	1	-	-	-	1	-
Other diseases of genito-urinary system.	7	10	-	-	-	-	-	-	1	-	-	-	1	5	3
Puerperal fever, &c.	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth.	-	4	-	-	-	-	-	1	-	2	1	-	-	-	-
Diseases of skin and cellular tissues.	7	11	2	-	-	-	-	-	-	-	-	1	2	4	2
Diseases of locomotor system	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Congenital malformations	7	17	15	-	-	-	-	-	1	-	1	-	-	-	-
Premature birth	25	55	55	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	16	10	10	-	-	-	-	-	-	-	-	-	-	-	-
Old age	69	59	-	-	-	-	-	-	-	-	-	-	1	13	45
ACCIDENT.															
Poisons or poisonous vapours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	2	4	-	2	-	-	-	-	-	-	-	-	1	-	1
Drowning	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Suffocation in bed	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	19	22	1	-	1	2	1	1	-	4	-	2	3	3	4
Total deaths from accident	23	30	4	2	1	2	1	1	-	5	-	2	4	3	5
Included in above are deaths in connection with:—															
Railways	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Vehicles and horses	6	9	-	-	2	1	1	-	-	2	-	-	1	1	1
Ships, boats, docks	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	11	-	-	-	-	-	-	1	2	3	2	2	1	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	9	7	5	-	-	-	-	1	-	-	-	1	-	-	-
Ill-defined Causes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,026,901	Jan. 24	2,971	1,164	15·1	1	–	19	3	18	29	15	24
CALCUTTA	896,067	Dec. 13	–	888§	51·5	?	29	?	?	?	?	?	72
BOMBAY	979,445	„ 13	428	825§	43·8	2	–	–	–	–	–	29	35
MADRAS	518,660	„ 13	–	–	–	–	–	–	–	–	–	–	–
PARIS	2,847,229	(4 days) Dec. 31	1,033	840	15·1	5	–	–	2	6	8	11	11
BRUSSELS	780,843	—	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	309,156	Jan. 10	128	69	11·4	–	–	–	–	–	–	4	1
AMSTERDAM	647,125	„ 10	319	166	13·4	1	–	2	–	4	2	–	1
COPENHAGEN	552,000	„ 10	260	159	15·0	–	–	4	–	2	6	3	–
STOCKHOLM	408,456	„ 3	157	82	10·4	–	–	–	2	–	1	1	–
GOTHENBURG	197,705	„ 3	–	44	11·4	–	–	–	–	1	–	–	–
CHRISTIANIA	258,615	„ 10	113	64	12·9	–	–	–	–	–	–	–	–
BERLIN	1,828,183	Jan. 3	694	743	21·1	–	?	6	3	9	9	13	14
BRESLAU	493,393	„ 3	312	186	19·6	–	?	–	1	2	2	4	–
COLOGNE	643,472	„ 3	342	164	13·3	–	?	–	–	4	3	3	?
DRESDEN	532,282	„ 3	202	141	13·8	–	?	–	–	4	3	4	?
FRANKFORT-ON-MAIN	470,124	„ 3	164	139	15·4	–	?	1	–	2	1	5	?
HAMBURG	1,050,300	„ 3	561	337	16·7	–	?	1	–	1	1	12	?
LEIPZIG	676,289	„ 3	239	157	12·1	–	?	–	–	6	2	3	?
MUNICH	670,000	„ 3	–	–	–	–	–	–	–	–	–	–	–
VIENNA	2,350,005	„ 3	381	735	16·3	1	–	25	–	2	5	26	7
PRAGUE	501,261	Dec. 20	137	147	15·3	–	–	1	–	–	–	2	–
		„ 27	156	182	18·9	2	–	–	–	–	–	3	1
BUDAPEST	1,051,374	Nov. 15	408	351	17·4	6	–	–	5	–	4	?	2
TRIESTE	222,981	Jan. 3	–	–	–	–	–	–	–	–	–	–	–
BUCAREST	342,427	—	–	–	–	–	–	–	–	–	–	–	–
NEW YORK	6,006,794	Nov. 22	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,596,681	Dec. 27	–	604	12·1	3	–	3	4	2	14	36	7
RIO DE JANEIRO	955,702	—	–	–	–	–	–	–	–	–	–	–	–
CAIRO:—													
Egyptians	673,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	76,000	—	–	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA:—													
Egyptians	330,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	81,000	—	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of age* for Copenhagen Stockholm, Gothenburg, the German Cities and Budapest.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 16 deaths in Calcutta from *Asiatic cholera.*

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 24th January, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	55	30	49·4	38·9	5
BRIGHTON	50	32	47·4	39·9	9
PORTSMOUTH	51	33	49·1	40·9	5
NORWICH (Eaton)	55	30	47·3	37·3	8
PLYMOUTH	52	36	50·7	42·6	9
BRISTOL (Clifton)	54	38	48·7	42·3	5
BIRMINGHAM	55	33	49·1	37·9	8
NOTTINGHAM	56	32	48·4	37·3	6
BIRKENHEAD (Bidston)	54	35	?	?	?
MANCHESTER	56	37	49·7	39·3	1
BURNLEY	52	35	45·1	37·6	23
HUDDERSFIELD	53	35	48·6	37·7	12
BRADFORD	53	35	47·3	37·7	11
SHEFFIELD	56	35	49·1	38·3	9
YORK (Museum)	56	34	49·6	37·9	7
HULL (Pearson Park)	55	33	48·3	35·7	9
TYNEMOUTH	54	35	46·6	36·9	12
CARDIFF	52	34	48·9	39·3	5
EDINBURGH	52·0	33·0	46·1	35·1	17
GLASGOW	50·8	33·3	45·7	36·4	41
DUBLIN:—					
Phœnix Park	56·4	33·6	51·5	35·7	27
†Fitzwilliam Square	56·2	36·9	50·6	38·9	23
BELFAST	58·0	33·5	51·0	38·6	28

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 24th January 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - -	18	..	29·938	54·7	49·6	5·1	51·7	+13·1	49·3	2·4	3·7	1·0	92	61·7	47·0	44·1	WSW. & SW.	WSW. & SW.	2·5	0·0	0·2	317	+ 7	0·03
MONDAY - -	19	..	29·726	50·7	35·1	15·6	41·1	+ 2·4	38·4	2·7	8·2	1·9	89	57·0	29·6	44·1	SW. & N.	NW., WNW. & W.	7·5	0·0	0·6	446	+141	0·13
TUESDAY - -	20	..	29·911	45·6	35·4	10·2	41·7	+ 2·9	37·4	4·3	7·0	1·9	85	55·6	29·8	44·7	WNW. & & W.	WSW., NW. & WNW.	2·5	0·0	0·3	351	+ 49	0·00
WEDNESDAY -	21	New	29·946	49·2	37·0	12·2	43·9	+ 5·1	33·9	10·0	12·7	2·9	68	60·6	25·6	44·5	WSW. & NW.	NW. & WNW.	10·1	0·0	0·8	505	+203	0·05
THURSDAY - -	22	..	30·106	46·9	29·9	17·0	39·8	+ 1·0	34·7	5·1	8·3	0·0	82	67·1	20·0	44·3	WSW., SW. & SSW.	SSW. & SW.	3·3	0·0	0·2	301	− 5	0·00
FRIDAY - -	23	..	29·958	47·0	42·0	5·0	44·7	+ 5·8	41·9	2·8	4·5	2·0	90	56·2	33·9	44·5	SW. & SSW.	SSW. & SW.	3·2	0·0	0·2	290	− 21	0·01
SATURDAY - -	24	..	29·766	49·9	40·4	9·5	45·1	+ 6·2	39·9	5·2	9·1	2·4	82	63·0	30·6	44·2	SSW. & SW.	SSW., SW. & WSW.	4·3	0·0	0·4	330	+ 13	0·00
MEANS - - -		- -	29·907	49·1	38·5	10·7	44·0	+ 5·2	39·4	4·6	7·6	1·7	84	60·2	30·9	44·3	SW.		..	..	..	Sum 2540	Sum + 387	Sum 0·22
No. of Column - -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	18	v.P. throughout	0·1	8·4	Overcast with one very cloudy interval 13h. to 14h.; occasional slight rain or damping.
MONDAY -	19	v.P. generally, a little v.N. about noon.	0·0	8·4	Overcast generally till 16h., becoming cloudless about 18h.; damping from 8h. 30m., and rain generally from 9h. to 12h. 30m.; gloom 10h.; sleet 12h. and 16h.; hoar frost at night.
TUESDAY -	20	v.P. generally	0·0	8·5	Cloudless with hoar frost till 7h., becoming overcast by 7h. 30h.; variably cloudy interval 17h. 30m. to 22h., nearly cloudless for a time; damping in afternoon.
WEDNESDAY -	21	s.P. generally, v.P. at times.	2·2	8·5	Overcast generally till 5h., with rain about 2h.; cloudy 5h. to 8h., becoming cloudless generally by 8h. 30m.; variably cloudy 11h. to 17h., then cloudless with hoar frost; brisk wind 7h. to 21h.
THURSDAY -	22	m.P. generally, v.P. at times.	4·1	8·5	Cloudless with hoar frost till 7h., variable thin cloud till 13h.; then cloudy to overcast by 18h.
FRIDAY - -	23	s.P. generally	0·0	8·6	Overcast with slight exceptions; frequent slight damping.
SATURDAY	24	v.P. throughout	0·3	8·6	Overcast generally till 18h. 30m., then cloudless except for an interval at 20h.; occasional damping between 9h. and 18h.
			Sum 6·7	Sum 59·5	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·06 in. at the beginning of the week to 29·62 in. by 10h. on 19th; increased to 29·97 in. by 7h. on 20th; decreased generally to 29·80 in. by 6h. on 21st; increased to 30·17 in. by 10h. on 22nd; decreased to 29·71 in. by 15h. on 24th, and increased to 29·95 in. by midnight on the same day.

CORRECTION.—In Report for week ending Jan. 10.—Col. 4, Jan. 16, *for* 29·017 in. *read* 29·042 in.
" Mean, *for* 29·674 in. *read* 29·678 in.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 17th January, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,218	1	–	21	7	19	24	19	78	215
Western										
PADDINGTON	26	–	–	–	–	–	–	–	1	4
KENSINGTON	57	–	–	–	–	1	–	–	4	10
HAMMERSMITH	32	–	–	–	–	–	1	–	1	5
FULHAM	37	–	–	1	1	–	1	1	2	4
CHELSEA	12	–	–	–	–	–	–	–	–	3
CITY OF WESTMINSTER	35	–	–	–	1	–	1	–	1	1
Northern.										
ST. MARYLEBONE	33	–	–	–	1	1	–	1	1	7
HAMPSTEAD	14	–	–	–	–	–	1	–	1	1
ST. PANCRAS	54	–	–	–	–	1	1	1	3	11
ISLINGTON	92	–	–	3	–	2	2	2	7	16
STOKE NEWINGTON	17	–	–	–	1	–	1	3	–	5
HACKNEY	64	–	–	1	–	4	2	–	4	10
Central.										
HOLBORN	11	–	–	1	–	–	1	–	–	1
FINSBURY	19	–	–	–	–	–	–	–	–	4
CITY OF LONDON	1	–	–	–	–	–	–	–	–	–
Eastern.										
SHOREDITCH	44	–	–	6	1	–	1	2	3	11
BETHNAL GREEN	34	1	–	2	–	2	1	1	2	7
STEPNEY	75	–	–	–	–	3	–	–	5	12
POPLAR	56	–	–	–	1	1	–	–	4	14
Southern.										
SOUTHWARK	51	–	–	1	–	1	–	1	6	6
BERMONDSEY	35	–	–	–	–	–	–	1	3	10
LAMBETH	76	–	–	1	–	1	–	3	9	18
BATTERSEA	50	–	–	–	–	2	4	–	3	5
WANDSWORTH	72	–	–	–	–	–	1	1	8	7
CAMBERWELL	81	–	–	3	–	–	3	2	2	16
DEPTFORD	38	–	–	1	–	–	–	–	1	7
GREENWICH	20	–	–	1	–	–	–	–	1	2
LEWISHAM	39	–	–	–	1	–	2	–	3	6
WOOLWICH	43	–	–	–	–	–	1	–	3	12

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 17th January, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Malaria.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Pneumonia.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	122,507	–	–	–	–	8	4	–	3	–	–	–	–	–	–	–
Kensington	151,535	–	–	–	–	7	5	–	1	–	1	1	–	–	–	–
Hammersmith	114,952	–	–	–	–	2	8	–	3	–	–	2	–	–	–	–
Fulham	145,186	3	–	–	–	11	19	–	2	–	–	–	–	–	–	–
Chelsea	57,368	1	–	–	–	4	5	–	2	–	–	–	–	–	–	–
City of Westminster	122,046	–	–	–	–	9	5	–	–	–	1	–	–	–	1	–
NORTHERN.																
St. Marylebone	92,796	–	–	–	–	3	1	–	1	–	–	–	–	–	–	–
Hampstead	75,649	–	–	–	–	9	4	–	1	–	–	1	–	–	–	–
St. Pancras	186,600	1	–	–	–	19	9	–	2	–	2	1	–	–	–	–
Islington	297,102	1	–	–	–	21	20	–	7	–	2	3	–	–	–	–
Stoke Newington	47,426	–	–	–	–	10	3	–	1	–	–	–	–	–	–	–
Hackney	196,598	2	–	–	–	14	18	–	2	–	–	–	–	–	–	–
CENTRAL.																
Holborn	35,303	–	–	–	–	3	4	–	–	–	–	–	–	–	1	–
Finsbury	68,011	–	–	–	–	4	4	–	1	–	–	–	–	–	–	–
City of London	16,138	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–
EASTERN.																
Shoreditch	89,675	–	–	–	–	11	6	–	1	–	1	2	–	–	–	–
Bethnal Green	107,362	–	–	–	–	8	15	–	6	–	–	1	–	–	–	–
Stepney	232,010	–	–	–	–	22	20	–	1	–	–	–	–	–	1	–
Poplar	143,443	–	–	–	–	7	11	–	1	–	–	1	–	–	–	–
SOUTHERN.																
Southwark	167,936	–	–	–	–	17	13	–	4	1	–	1	–	–	–	–
Bermondsey	107,635	–	–	–	–	5	4	–	2	2	–	–	–	–	–	–
Lambeth	272,038	–	–	–	–	28	22	–	5	–	2	2	–	–	–	–
Battersea	150,023	–	–	–	–	7	10	–	3	–	1	1	–	–	–	–
Wandsworth	300,787	–	–	–	–	20	27	–	5	–	1	–	–	–	–	–
Camberwell	239,461	1	–	–	–	19	28	–	4	–	1	2	–	–	–	–
Deptford	103,527	1	–	–	–	15	11	–	2	–	–	–	–	–	–	–
Greenwich	90,440	–	–	–	–	17	5	–	–	–	–	–	–	–	–	–
Lewisham	161,405	–	–	–	–	18	17	–	2	–	–	–	–	–	–	–
Woolwich	131,942	1	–	–	–	9	9	–	4	–	–	–	–	–	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,026,901	11	–	–	–	328	309	–	66	4	12	18	–	–	3	–
Ages 0-1		–	–	–	–	6	5	–	1	1	–	18	–	–	–	–
„ 1-5		–	–	–	–	58	91	–	1	–	–	–	–	–	–	–
„ 5-		3	–	–	–	139	111	–	–	–	–	–	–	–	–	–
„ 10-		2	–	–	–	68	50	–	3	–	–	–	–	–	1	–
„ 15-		–	–	–	–	27	19	–	6	–	–	–	–	–	1	–
„ 20-		3	–	–	–	9	16	–	1	–	3	–	–	–	–	–
25-		–	–	–	–	14	11	–	7	1	7	–	–	–	1	–
„ 35-		2	–	–	–	5	5	–	15	2	2	–	–	–	–	–
„ 45-		1	–	–	–	1	1	–	10	–	–	–	–	–	–	–
„ 55-		–	–	–	–	1	–	–	10	–	–	–	–	–	–	–
„ 65-		–	–	–	–	–	–	–	9	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 4. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JAN. 31.
[Price 1½*d*. Net.]

General Register Office, Somerset House,
February 3rd, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,639, and corresponded to an annual rate of 30·0 per 1,000. The deaths* among the civilian population only numbered 5,065, and corresponded to an annual rate of 15·9 per 1,000 of their aggregate civilian population, which is estimated† at 16,577,344 persons in the year 1917. In the three weeks ended January 10th, January 17th, and January 24th, the rates had been 15·8, 15·6, and 15·3, respectively. The infant mortality was 93, against 72, 72, and 75 in the three preceding weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1917, and are based on the returns furnished under the National Registration Act. 1915, and under the scheme for rationing of sugar. It is necessary for the present to continue the use of the estimates of population as in 1917, because those for 1918, although they might now be used, would necessarily differ more from the facts of the present time than the earlier estimates. The main change which occurred between mid-1917 and mid-1918 was further depletion of the male civilian population by enlistment, and as this has now been more than made good by demobilisation, it follows that the 1917 estimates, though they understate the present population, do so to a less extent than would those for 1918.

m (45)9946—1 Wt 167–840 625 2/20 E & S A

for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 21·3 in Leeds and in Newcastle-on-Tyne, 21·6 in Rochdale, 21·7 in Merthyr Tydfil, 22·4 in Wolverhampton, and 23·0 in Liverpool and in Oldham; from *measles*, 1·8 in Leeds, 2·0 in Barrow-in-Furness and in Carlisle, 2·3 in Grimsby, and 4·4 in Barnsley; and from *whooping cough*, 1·4 in Leyton and in Norwich, and 1·6 in Birkenhead. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,715 births, corresponding to a rate of 31·5 per 1,000, and 1,297 deaths of civilians, corresponding to a rate of 16·8, as against 15·7, 15·8, and 15·1 per 1,000 in the three weeks ended January 10th, January 17th and January 24th. The death-rate in the four weeks ended last Saturday averaged 15·9 per 1,000. The infant mortality was 105, against 63, 73, and 77 in the preceding three weeks.

There was one death from *enteric fever*, against 2, 1, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 14, 21, and 19 in the preceding three weeks, were 18 last week, and were 7 below the average; 6 deaths belonged to the Borough of Lambeth and 3 to Shoreditch. The deaths from *scarlet fever*, which had been 4, 7, and 3 in the preceding three weeks, rose to 5 last week, and were 2 above the average. The deaths from *whooping-cough*, which had been 13, 19, and 18 in the preceding three weeks, rose to 28 last week, and were 10 above the average; 5 deaths belonged to Islington, 4 to Bermondsey, and 3 to Stepney. The deaths from *diphtheria*, which had been 31, 24, and 29 in the preceding three weeks, further rose to 37 last week, and were 22 above the average; 5 deaths belonged to Fulham, 5 to Islington, and 3 each to Hammersmith, Poplar, and Lambeth. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 18, 19, and 15 in the preceding three weeks, were again 15 last week, and were 3 below the average; 3 deaths belonged to Poplar and 3 to Southwark. The deaths from *influenza* numbered 15, as against 16, 19, and 24 in the preceding three weeks, and an average of 29.

Different forms of violence caused 40 deaths, all of which were the subject of coroners' inquests. Of these 40 deaths, 5 were cases of suicide, while the remaining 35 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 5 to burns or scalds, 2 to drowning, and 5 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 27 cases of enteric

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

fever, 47 of measles, 2,550 of scarlet fever, 21 of whooping-cough, and 2,008 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 2 cases, against 3, 5, and 7; of measles, 10 cases, against 12, 12, and 12; of scarlet fever, 267 cases, against 265, 335, and 302; of whooping-cough, 0 case, against 2, 4, and 2; and of diphtheria, 296 cases, against 227, 282, and 274. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 24th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 31st January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 10th Jan., 1920.	17th Jan., 1920.	24th Jan., 1920.	31st Jan., 1920.	Week ended 31st Jan., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	16,577,344	15·8	15·6	15·3	15·9	10639	5065	988	1403	5	-	109	25	96	100	65	66	157	357	1498	43	96 GREAT TOWNS.
LONDON†	4,026,901	15·7	15·8	15·1	16·8	2715	1297	284	373	1	-	18	5	28	37	15	15	40	107	534	2	LONDON.†
‡ CROYDON	167,681	17·1	11·8	16·2	13·7	116	44	7	17	-	-	1	-	-	-	-	-	-	3	9	-	CROYDON.
WIMBLEDON	53,536	8·8	12·7	12·7	10·7	20	11	2	3	-	-	-	-	-	1	-	-	1	2	4	-	WIMBLEDON.
EALING	64,128	13·8	11·4	9·8	12·2	29	15	2	8	-	-	-	-	-	-	-	-	-	-	4	-	EALING.
ACTON	58,507	9·8	12·5	16·0	10·7	40	12	-	3	-	-	-	-	-	1	-	-	1	1	4	-	ACTON.
WILLESDEN	157,005	14·6	13·9	10·3	7·0	74	21	3	4	-	-	-	-	-	-	-	-	1	1	8	-	WILLESDEN.
HORNSEY	82,442	11·4	15·2	9·5	7·6	44	12	4	4	-	-	-	-	1	1	-	-	-	-	3	-	HORNSEY.
TOTTENHAM	135,173	13·9	13·1	13·1	10·0	95	26	5	8	-	-	1	-	-	-	-	1	-	-	12	-	TOTTENHAM.
EDMONTON	61,940	16·0	10·1	14·3	14·3	42	17	3	7	-	-	-	-	-	-	-	-	-	-	8	-	‡ EDMONTON.
ENFIELD	57,192	13·7	11·9	10·9	10·9	28	12	2	1	-	-	-	-	-	-	-	2	1	1	5	-	ENFIELD.
WEST HAM	271,934	20·1	17·8	17·8	17·1	240	89	26	19	-	-	-	-	7	5	-	1	-	4	27	-	WEST HAM.
EAST HAM	131,008	14·3	13·1	15·5	17·1	81	43	14	10	-	-	-	-	-	-	-	1	3	6	9	1	EAST HAM.
LEYTON	112,452	14·4	15·8	12·1	12·1	65	26	4	11	-	-	-	1	3	1	-	1	-	-	9	-	LEYTON.
WALTHAMSTOW	119,307	17·0	16·6	17·0	15·7	76	36	7	9	-	-	-	-	2	1	1	-	-	2	10	-	WALTHAMSTOW.
ILFORD	75,130	13·2	10·4	9·0	9·7	33	14	4	5	-	-	-	-	-	-	-	-	-	1	3	-	ILFORD.
GILLINGHAM	44,074	7·1	11·8	7·1	15·4	26	13	-	5	-	-	-	-	-	-	-	-	2	2	2	1	GILLINGHAM.
HASTINGS	48,439	19·4	19·4	12·9	14·0	22	13	-	4	-	-	-	-	-	1	-	-	1	1	4	-	HASTINGS.
EASTBOURNE	44,842	5·8	11·6	11·6	12·8	29	11	-	7	-	-	-	-	-	-	-	-	-	-	1	-	EASTBOURNE.
BRIGHTON	113,635	17·9	17·4	14·2	19·3	73	42	4	16	-	-	-	1	1	-	-	-	2	2	22	-	BRIGHTON.
PORTSMOUTH	198,527	18·1	16·8	14·7	16·8	125	64	13	19	-	-	3	-	3	1	-	1	4	7	17	-	PORTSMOUTH.
BOURNEMOUTH	70,327	20·0	13·3	19·3	16·3	29	22	-	11	-	-	-	-	-	-	-	-	-	1	5	-	BOURNEMOUTH.
SOUTHAMPTON	115,345	11·8	11·3	17·2	15·8	67	35	5	7	-	-	-	-	1	2	-	-	2	2	13	-	SOUTHAMPTON.
READING	82,475	14·5	17·1	13·9	5·7	55	9	2	3	-	-	-	-	-	-	1	-	-	-	-	-	READING.
OXFORD	53,101	10·8	12·8	13·7	4·9	26	5	-	1	-	-	-	-	-	-	-	-	-	1	2	-	OXFORD.
NORTHAMPTON	82,471	15·2	14·5	14·5	15·2	59	24	7	7	-	-	-	-	-	-	-	-	-	-	2	-	NORTHAMPTON.
CAMBRIDGE	52,282	14·0	13·0	10·0	8·0	29	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	CAMBRIDGE.

TABLE 2 (cont.).—[illegible] TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 31st January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 10th Jan., 1920.	17th Jan., 1920.	24th Jan., 1920.	31st Jan., 1920.	Week ended 31st Jan. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	71,919	17·4	14·5	8·7	12·3	40	17	1	7	–	–	–	–	–	–	–	1	–	–	2	–	Southend on Sea.
Ipswich	72,800	17·9	12·2	9·3	14·3	42	20	2	8	–	–	–	–	–	–	–	–	–	2	10	–	Ipswich.
Great Yarmouth	45,516	14·9	17·2	12·6	10·3	35	9	2	5	–	–	–	–	–	–	–	–	1	1	1	–	Great Yarmouth.
Norwich	109,877	15·2	16·1	13·8	17·6	74	37	10	12	–	–	–	–	3	1	–	–	1	5	6	–	Norwich.
Swindon	51,516	11·1	15·2	9·1	14·2	17	14	1	5	–	–	–	–	–	–	–	–	–	–	2	–	Swindon.
Exeter	51,631	16·2	17·2	14·1	16·2	35	16	4	5	–	–	1	–	–	–	–	–	1	2	2	–	Exeter.
Plymouth	179,375	15·1	20·3	18·3	18·0	109	62	14	21	–	–	2	–	–	3	–	–	–	1	9	–	Plymouth.
Bath	58,799	20·4	17·7	17·7	15·1	26	17	1	9	–	–	–	–	–	1	–	–	–	3	3	–	Bath.
Bristol	334,873	13·4	12·8	14·0	14·0	205	90	9	29	–	–	–	–	–	1	1	–	–	7	24	–	Bristol.
Gloucester	55,026	15·2	20·8	12·3	14·2	28	15	2	4	–	–	1	–	–	1	–	2	–	1	3	–	Gloucester.
Stoke on Trent	215,116	15·0	18·7	17·2	15·3	185	63	14	12	–	–	2	–	–	1	1	1	3	6	8	3	Stoke on Trent.
Wolverhampton	93,037	6·2	11·2	10·6	22·4	54	40	4	12	–	–	–	–	–	–	1	1	1	3	12	–	Wolverhampton.
Walsall	87,957	14·2	16·0	11·3	19·0	80	32	9	11	–	–	1	–	1	1	1	–	1	3	11	–	Walsall.
West Bromwich	67,221	14·7	15·5	10·9	12·4	34	16	6	2	–	–	–	–	–	–	1	–	1	1	3	–	West Bromwich.
Dudley	52,049	18·0	16·0	16·0	13·0	39	13	5	5	–	–	–	–	–	–	–	–	–	–	–	–	Dudley.
Birmingham	870,211	15·3	13·2	13·6	14·6	504	244	43	70	–	–	2	6	6	7	6	6	5	5	77	13	Birmingham.
Smethwick	69,788	22·4	9·0	13·4	15·7	39	21	2	7	–	–	–	–	–	–	–	1	1	1	5	–	Smethwick.
Coventry	128,098	11·4	11·0	9·0	7·7	89	19	4	5	–	–	1	–	–	–	–	–	1	1	7	–	Coventry.
Leicester	212,433	14·2	14·0	14·7	12·8	109	52	7	19	–	–	–	–	–	2	3	–	–	2	18	–	Leicester.
Lincoln	58,617	14·2	11·6	11·6	13·3	36	15	5	5	–	–	–	–	2	–	–	–	1	1	6	–	Lincoln.
Grimsby	67,014	26·5	11·7	24·1	15·6	48	20	4	1	–	–	3	–	1	2	–	1	–	–	3	–	Grimsby.
Nottingham	236,853	18·7	18·7	19·6	17·4	152	79	11	24	–	–	5	–	–	1	–	–	2	4	22	–	Nottingham.
Derby	119,191	12·2	11·4	9·6	11·8	59	27	5	12	–	–	–	1	–	–	2	–	1	2	10	–	Derby.

* *See* note † on first page of this return.

TABLE 1. (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 31st January, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1917.*	Death-Rates from all Causes. Week ended 10th Jan., 1920.	17th Jan., 1920.	24th Jan., 1920.	31st Jan., 1920.	Week ended 31st Jan., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	111,922	13·5	16·8	17·2	17·7	67	38	5	11	–	–	–	–	–	1	1	–	1	3	7	–	STOCKPORT.
BIRKENHEAD	133,819	15·6	16·8	16·8	19·1	75	49	10	12	–	–	2	2	4	–	–	–	4	5	15	1	BIRKENHEAD.
WALLASEY	84,209	9·3	18·6	11·1	9·3	44	15	2	7	–	–	–	–	1	–	–	1	–	1	3	–	WALLASEY.
LIVERPOOL	716,140	18·2	20·2	20·7	23·0	542	316	69	58	–	–	14	–	9	7	11	7	7	23	119	5	LIVERPOOL.
BOOTLE	68,871	25·7	22·0	16·7	12·9	50	17	1	4	–	–	2	1	–	–	–	2	–	–	4	1	BOOTLE.
ST. HELENS	90,582	21·9	19·6	12·1	15·5	81	27	7	6	–	–	3	–	–	–	–	–	1	1	9	–	ST. HELENS.
SOUTHPORT	60,747	11·2	18·0	12·0	16·3	28	19	1	11	–	–	–	–	–	–	–	–	–	–	2	1	SOUTHPORT.
WIGAN	83,110	23·8	11·9	16·9	13·8	58	22	6	5	–	–	–	–	–	1	–	–	2	2	–	–	WIGAN.
WARRINGTON	68,554	15·2	16·0	12·9	12·9	50	17	3	4	–	–	–	–	–	–	2	–	3	4	3	–	WARRINGTON.
BOLTON	163,411	17·2	12·1	15·0	13·4	104	42	4	15	–	–	1	–	–	1	–	–	1	2	13	–	BOLTON.
BURY	51,851	20·1	16·1	17·1	20·1	26	20	3	4	–	–	–	–	1	–	–	1	–	–	7	–	BURY.
MANCHESTER	660,143	17·9	16·4	16·5	18·2	419	231	45	57	–	–	11	–	3	2	3	2	9	18	73	3	MANCHESTER.
SALFORD	211,373	14·6	14·6	15·3	14·3	170	58	15	8	–	–	1	–	–	–	1	2	4	5	13	–	SALFORD.
OLDHAM	133,721	16·0	15·2	21·8	23·0	94	59	19	10	–	–	–	–	2	1	3	1	6	6	9	–	OLDHAM.
ROCHDALE	84,561	18·5	16·0	17·3	21·6	38	35	5	5	–	–	1	–	–	–	–	–	–	3	6	–	ROCHDALE.
BURNLEY	93,779	14·5	21·1	16·1	11·7	59	21	6	4	–	–	–	–	–	–	–	–	–	2	4	–	BURNLEY.
BLACKBURN	113,315	13·3	13·8	14·7	9·7	63	21	2	10	–	–	–	–	–	–	–	–	1	1	9	1	BLACKBURN.
PRESTON	106,747	22·5	22·0	19·1	15·6	50	32	5	9	–	–	1	–		–	–	–	2	2	5	1	PRESTON.
BLACKPOOL	64,775	11·3	12·1	18·5	18·5	25	23	1	13	–	–	–	–	–	–	–	–	–	–	2	–	BLACKPOOL.
BARROW IN FURNESS	78,675	11·3	12·6	9·9	10·6	41	16	4	3	–	–	3	–	–	–	–	–	1	1	5	1	BARROW IN FURNESS.
HUDDERSFIELD	105,818	15·3	14·3	13·8	12·8	61	26	2	10	1	–	–	–	–	–	–	–	1	2	6	–	HUDDERSFIELD.
HALIFAX	92,775	13·5	15·2	9·6	18·0	45	32	4	12	–	–	–	–	–	–	–	–	1	3	8	–	HALIFAX.
BRADFORD	266,338	15·5	15·9	13·7	17·4	110	89	15	30	–	–	–	–	1	–	–	2	6	12	18	–	BRADFORD.
LEEDS	417,051	15·1	18·8	18·1	21·3	254	170	30	39	–	–	14	–	4	3	1	6	7	12	31	–	LEEDS.
DEWSBURY	52,244	24·0	13·0	14·0	17·0	26	17	2	5	–	–	–	–	–	–	–	–	–	–	1	–	DEWSBURY.
WAKEFIELD	47,830	22·9	18·5	18·5	13·1	30	12	1	5	–	–	–	–	–	2	1	1	–	–	5	–	WAKEFIELD.
BARNSLEY	47,943	13·1	22·8	16·3	18·5	37	17	3	1	–	–	4	–	1	–	–	–	–	1	1	–	BARNSLEY.

* See note ‡ on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 10th Jan., 1920.	17th Jan., 1920.	24th Jan., 1920.	31st Jan., 1920.	Week ended 31st Jan., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	469,293	14·2	13·4	13·0	11·4	269	103	22	25	–	–	2	–	–	1	3	2	4	8	24	–	Sheffield.
Rotherham	64,685	7·3	14·5	14·5	8·9	49	11	3	3	–	–	–	–	–	–	–	–	–	–	4	1	Rotherham.
York	78,492	13·3	14·0	17·3	14·6	51	22	2	8	–	–	–	1	–	–	–	–	–	–	5	–	York.
Hull	246,357	15·7	21·8	22·2	19·5	194	92	26	18	–	–	3	2	–	–	–	–	3	7	17	–	Hull.
Middlesbrough	119,251	22·7	20·6	14·9	14·4	78	33	7	6	–	–	–	–	–	–	–	–	–	4	5		Middlesbrough.
Darlington	60,482	14·7	18·1	19·0	9·5	40	11	3	4	–	–	–	–	1	–	–	–	–	–	–	–	Darlington.
Stockton on Tees	57,048	19·2	16·5	13·7	17·4	46	19	5	7	–	–	–	1	1	1	–	–	–	–	4	1	Stockton on Tees.
West Hartlepool	62,034	17·7	12·6	14·3	12·6	54	15	7	–	1	–	–	1	1	–	–	–	1	1	2	1	West Hartlepool.
Sunderland	141,765	24·6	16·9	21·0	19·5	114	53	7	16	–	–	3	1	–	1	–	–	3	4	17	1	Sunderland.
South Shields	106,500	20·1	22·0	25·0	19·6	84	40	12	6	1	–	–	–	–	2	4	1	–	1	11	2	South Shields.
Gateshead	119,134	16·2	19·7	16·6	17·1	82	39	6	8	–	–	–	–	2	–	–	–	–	1	10	–	Gateshead.
Newcastle on Tyne.	266,551	17·4	15·3	13·9	21·3	204	109	19	28	–	–	–	1	1	2	1	2	1	9	28	1	Newcastle on Tyne.
Tynemouth	57,591	24·4	22·6	19·0	12·7	39	14	2	7	–	–	–	–	–	–	–	–	–	–	2	–	Tynemouth.
Carlisle	53,064	11·8	15·7	27·5	17·7	15	18	1	4	–	–	2	–	1	–	–	1	–	–	3	–	Carlisle.
Newport (Mon.)	82,709	17·7	5·7	15·8	12·6	60	20	2	7	–	–	–	–	1	–	–	–	1	1	6	–	Newport (Mon.).
Cardiff	169,440	14·5	12·9	15·4	14·5	107	47	6	16	1	–	–	1	1	–	–	–	1	3	13	–	Cardiff.
Rhondda	154,388	13·2	12·2	12·8	11·5	83	34	10	8	–	–	–	–	–	1	1	–	2	6	1	–	Rhondda.
Merthyr Tydfil	74,508	7·0	13·3	15·4	21·7	46	31	6	8	–	–	1	–	–	–	–	–	1	1	4	–	Merthyr Tydfil.
Aberdare	51,317	14·2	15·2	5·1	16·3	21	16	3	4	–	–	–	–	1	–	–	–	–	–	–	–	Aberdare.
Swansea	143,660	10·9	9·1	13·4	13·8	79	38	5	8	–	–	–	–	1	2	–	–	5	7	3	–	Swansea.
Greater London	6,726,753	14·9	14·8	14·2	15·0	4316	1935	418	579	1	–	20	7	45	53	18	27	57	148	716	3	Greater London.
Outer Ring	2,699,852	13·6	13·4	12·9	12·3	1601	638	134	206	–	–	2	2	17	16	3	12	17	41	182	1	Outer Ring.
14 Great Towns in Outer Ring.	1,547,435	15·3	14·1	14·0	12·7	983	378	83	109	–	–	2	1	13	10	1	6	7	21	115	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,152,417	11·2	12·6	11·4	11·8	618	260	51	97	–	–	–	1	4	6	2	6	10	20	67	–	Remainder of Outer Ring.
Edinburgh†	342,300	14·8	12·2	15·3	15·6	175	102	11	34	–	–	2	–	–	2	–	2	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	18·8	17·4	16·7	15·9	691	340	75	85	–	–	1	1	–	3	2	2	8	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	17·3	15·0	19·6	15·8	238	126	34	24	1	–	–	1	1	–	4	3	1	1	44	3	Dublin (Registration Area).†
Belfast†	413,000	18·9	21·0	17·8	20·3	207	161	31	26	2	–	11	6	1	–	1	1	7	9	49	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths [illegible] admitted into public institutions from without the respective areas.

TABLE **2.** LONDON.—**Births** and **Deaths** registered during the FOURTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2086	2277	2213	2197	2198	2282	2018	1828	1503	1340	2715
Males	1083	1185	1124	1118	1127	1181	1032	906	764	711	1399
Females	1003	1092	1089	1079	1071	1101	986	922	739	629	1316
Deaths (of residents only).	1047	1538	1375	1543	1556	1757	1202*	1521*	1378*	1091*	1297*
Males		794	711	764	753	914	619	769	696	547	691
Females		744	664	779	803	843	583	752	682	544	606

* Deaths in civilian population only.

TABLE **3.** LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920, Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.
Births (as registered)	2216	2242	2223	2308	2113	2676	2519	1318	3308	3018	2962	2971	2715
Deaths (of residents only).	1165	1099	1132	1104	1120	1036	1180	815	1311	1216	1218	1164	1297
Ages at Death: Under 1 year	142	132	155	163	162	170	181	122	217	191	215	228	284
1–2 years	18	17	20	20	23	31	29	15	41	29	35	43	57
2–5 "	25	47	28	27	41	35	45	36	56	55	53	45	56
5–10 "	32	33	35	28	34	29	32	29	41	35	27	33	33
10–15 "	21	19	19	13	15	23	19	18	14	17	15	16	12
15–20 "	21	16	18	18	18	17	18	19	24	23	24	27	24
20–25 "	27	13	16	20	26	24	17	12	28	28	26	17	25
25–35 "	63	52	66	65	44	50	56	35	60	50	67	59	62
35–45 "	101	95	89	71	75	75	78	54	109	77	71	68	84
45–55 "	123	134	109	129	133	117	121	99	137	141	119	93	115
55–65 "	158	156	170	159	152	142	161	108	172	187	140	167	172
65–75 "	201	189	215	215	206	168	223	144	206	204	205	180	173
75 years and upwards	233	196	192	176	191	155	200	124	206	179	221	188	200
Deaths from—													
Enteric fever	–	1	–	–	2	–	1	1	–	2	1	1	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	7	11	10	12	10	11	9	19	14	21	19	18
Scarlet fever	2	2	2	2	6	3	5	4	5	4	7	3	5
Whooping cough	7	7	4	4	8	10	14	6	20	13	19	18	28
Diphtheria	17	24	21	23	29	20	32	28	36	31	24	29	37
Diarrhœa and enteritis (under 2 years).	30	19	16	23	18	15	20	9	16	18	19	15	15
Pulmonary tuberculosis	105	87	78	86	81	87	105	71	96	86	78	85	86
Influenza	18	22	22	15	16	17	18	12	19	16	19	24	15
Pneumonia (all forms)	83	83	95	89	75	71	78	62	93	108	127	126	176
Bronchitis	114	104	97	109	101	86	109	58	108	124	109	102	139
Other dis. of resp. system	17	17	21	14	18	15	9	14	17	16	13	15	11
Dis. of circ. system	224	195	196	190	200	157	209	136	218	207	198	176	182
Violence	49	50	43	47	46	35	46	29	50	33	49	41	40
Inquest cases	113	109	128	106	114	99	127	81	144	94	116	104	107
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	45	42	42	44	38	34	27	28	26	27	27	28	27
Small-pox	–	–	–	–	–	–	–	–	–	2	1	–	–
Measles	58	60	67	67	62	62	56	65	59	59	53	49	47
Scarlet fever	2542	2678	2820	2940	2990	2947	2942	2873	2926	2809	2758	2614	2550
Whooping cough	24	24	27	25	26	25	25	25	25	22	23	22	21
Diphtheria	1433	1478	1537	1603	1699	1796	1822	1862	1873	1899	1945	1994	2008

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE **3A.** **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920, Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.
Deaths from Influenza	56	74	79	63	77	81	64	43	52	73	62	85	66

TABLE 4. LONDON.—DEATHS REGISTERED in the FOURTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 4th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1091	1297	284	57	56	33	12	24	25	62	84	115	172	173	200
Enteric fever	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	18	3	9	5	1	–	–	–	–	–	–	–	–	–
Scarlet fever	1	5	–	–	2	1	–	–	–	1	–	1	–	–	–
Whooping cough	4	28	15	4	8	1	–	–	–	–	–	–	–	–	–
Diphtheria	10	37	1	5	14	11	4	–	1	–	–	–	1	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	33	15	1	–	1	–	–	1	–	4	1	–	2	3	2
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other epidemic diseases	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Pyæmia and septicæmia	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	101	86	–	1	–	–	–	8	11	15	23	19	6	2	1
Tuberculous meningitis	12	10	3	–	2	2	2	1	–	–	–	–	–	–	–
Abdominal tuberculosis	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Tuberculosis of the spine	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–
Disseminated tuberculosis	2	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Venereal diseases	11	10	7	–	–	–	–	–	–	1	–	1	1	–	–
Cancer	93	110	–	–	–	1	–	–	–	4	11	22	35	28	9
Tumour, situation undefined	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	5	2	–	–	–	1	–	–	–	–	–	1	–	–	–
Diabetes	5	3	–	–	–	–	–	–	–	–	–	–	2	1	–
Anæmia, leucocythaemia	6	6	–	–	–	–	–	–	–	–	–	1	1	4	–
Other general diseases	10	6	–	1	–	–	–	–	–	–	1	–	2	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Simple meningitis	8	5	1	–	–	2	1	–	1	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	45	43	–	–	–	–	–	–	–	–	2	7	9	12	13
Softening of brain	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis, without specified cause	3	8	–	–	–	–	–	–	–	–	–	2	2	2	2
Epilepsy	8	6	–	–	–	–	–	1	–	1	1	2	1	–	–
"Convulsions" (not puerperal)	5	11	11	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	25	30	1	–	–	1	–	1	1	2	7	2	7	6	2
Pericarditis	–	3	–	–	–	1	1	–	–	–	–	–	–	1	–
Acute endocarditis	3	5	–	–	–	1	–	1	1	1	1	–	–	–	–
Organic disease of heart	148	139	–	–	1	–	3	4	1	6	8	14	28	38	36
Embolism and thrombosis (including cerebral).	8	6	–	–	–	–	–	–	–	–	–	1	1	2	2
Other diseases of circulatory system.	33	29	1	–	–	–	–	–	–	–	–	3	9	5	11
Diseases of the larynx	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	147	139	46	6	5	–	–	–	–	1	–	4	18	23	36
Broncho-pneumonia	56	108	61	25	6	1	–	–	–	3	–	3	3	4	2
Lobar pneumonia	15	30	3	–	2	–	–	4	2	4	8	3	4	–	–
Pneumonia (type not distinguished)	23	38	9	4	2	–	–	–	–	3	4	2	6	3	5
Pleurisy	3	3	–	–	–	–	–	–	–	–	–	1	1	1	–
Pulmonary congestion, Pulmonary apoplexy.	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of respiratory system.	6	5	–	–	–	–	–	–	–	–	–	2	1	1	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FOURTH Week of the Year 1920.

Causes of Death.	Deaths in the 4th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	3	–	–	2	–	–	–	–	–	–	–	1	–	–
Diseases of stomach	8	11	2	–	–	–	–	1	–	2	1	1	2	1	1
Diarrhœa and enteritis	23	21	15	–	–	1	–	–	–	–	1	1	1	–	2
Appendicitis and typhlitis	2	2	–	–	–	–	–	–	1	–	1	–	–	–	–
Hernia and Intestinal obstruction.	12	13	1	–	–	–	–	–	1	–	1	2	4	2	2
Cirrhosis of liver	3	5	–	–	–	–	–	–	–	–	1	1	2	–	1
Other diseases of liver	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (cause unknown)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	–	6	–	–	1	–	–	–	–	–	1	3	–	–	1
Acute nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	28	31	–	–	–	–	–	1	1	2	1	6	8	8	4
Urinary calculi	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Other diseases of genito-urinary system.	9	7	–	–	–	–	–	–	1	1	1	1	1	–	2
Puerperal fever, &c.	2	7	–	–	–	–	–	–	1	5	1	–	–	–	–
Other causes incident to childbirth.	2	7	–	–	–	–	–	1	1	5	–	–	–	–	–
Diseases of skin and cellular tissues.	10	14	2	–	–	1	–	–	–	–	–	1	2	6	2
Diseases of locomotor system	–	5	–	–	1	2	–	–	–	–	–	–	1	–	1
Congenital malformations	5	11	11	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	28	49	49	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	16	25	25	–	–	–	–	–	–	–	–	–	–	–	–
Old age	49	68	–	–	–	–	–	–	–	–	–	–	1	14	53
ACCIDENT.															
Poisons or poisonous vapours	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	3	5	–	1	1	2	–	–	–	–	–	–	–	–	1
Drowning	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Suffocation in bed	1	5	5	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	19	22	–	–	1	1	1	–	1	–	2	5	3	2	6
Total deaths from accident	23	35	5	1	2	3	1	–	1	–	4	6	3	2	7
Included in above are deaths in connection with:—															
Railways	4	2	–	–	–	–	–	–	1	–	–	–	–	1	–
Vehicles and horses	8	8	–	–	–	1	1	–	–	–	1	2	2	–	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	5	–	–	–	–	–	–	–	1	1	1	2	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	5	9	8	–	–	1	–	–	–	–	–	–	–	–	–
Ill-defined Causes	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,026,901	Jan. 31	2,715	1,297	16·8	1	–	18	5	28	37	15	15
CALCUTTA	896,067	Dec. 20	–	838§	48·6	?	47	?	?	?	?	?	68
BOMBAY	979,445	" 20	390	906	48·1	1	1	1	–	–	–	42	32
		" 27	445	921§	48·9	2	2	–	–	–	1	41	38
MADRAS	518,660	" 13	368	505§	50·6	–	1	–	?	5	–	50	25
PARIS	2,847,229	(10 days) Jan. 10	1,469	1434	?	5	2	5	3	7	12	18	60
BRUSSELS	780,843	—	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	309,156	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
AMSTERDAM	647,125	" 17	308	173	13·9	1	–	–	–	2	–	–	1
COPENHAGEN	552,000	" 17	236	155	14·6	–	–	4	–	–	1	3	–
STOCKHOLM	408,456	" 10	159	91	11·6	1	–	1	1	–	2	–	–
GOTHENBURG	197,705	" 10	–	–	–	–	–	–	–	–	–	–	–
CHRISTIANIA	258,615	" 17	115	70	14·1	–	–	–	1	–	2	–	–
BERLIN	1,828,183	Jan. 10	674	621	17·7	–	?	6	4	15	6	23	14
BRESLAU	493,393	" 10	310	179	18·9	2	?	–	–	1	1	4	–
COLOGNE	643,472	" 10	389	183	14·8	–	?	–	10	3	6	–	?
DRESDEN	532,282	" 10	221	142	13·9	–	?	–	–	2	–	1	?
FRANKFORT-ON-MAIN	470,124	" 10	160	124	13·7	–	?	1	–	2	1	3	?
HAMBURG	1,050,300	" 10	351	388	19·2	–	?	1	2	2	8	6	?
LEIPZIG	676,289	" 10	273	207	15·9	–	?	–	1	1	1	7	?
MUNICH	670,000	" 10	–	–	–	–	–	–	–	–	–	–	–
VIENNA	2,350,005	" 10	–	–	–	–	–	–	–	–	–	–	–
PRAGUE	501,261	" 3	–	–	–	–	–	–	–	–	–	–	–
BUDAPEST	1,051,374	Nov. 22	505	346	17·1	8	–	–	5	–	–	?	1
TRIESTE	223,368	Jan. 10	142	105	24·6	1	–	1	1	–	1	2	–
BUCAREST	342,427	—	–	–	–	–	–	–	–	–	–	–	–
NEW YORK	6,006,794	Nov. 22	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,596,681	Jan. 3	–	–	–	–	–	–	–	–	–	–	–
RIO DE JANEIRO	955,702	—	–	–	–	–	–	–	–	–	–	–	–
CAIRO:—													
Egyptians	673,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	76,000	—	–	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA:—													
Egyptians	330,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	81,000	—	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of age* for Copenhagen Stockholm, Gothenburg, the German Cities and Budapest.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Calcutta and 1 in Bombay, and from *Asiatic cholera* 12 deaths in Calcutta and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 31st January, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	55	33	49·6	36·7	17
BRIGHTON	49	32	47·9	37·7	35
PORTSMOUTH	52	33	49·6	37·6	43
NORWICH (Eaton)	53	32	46·7	34·9	22
PLYMOUTH	52	36	49·4	40·1	53
BRISTOL (Clifton)	54	34	49·3	37·6	46
BIRMINGHAM	51	32	46·3	34·6	34
NOTTINGHAM	51	34	47·9	34·6	30
BIRKENHEAD (Bidston)	47	32	45·7	36·0	26
MANCHESTER	49	33	45·6	36·1	39
BURNLEY	47	32	43·3	33·6	40
HUDDERSFIELD	49	31	44·9	34·3	50
BRADFORD	48	32	45·9	34·6	50
SHEFFIELD	49	32	44·4	34·6	50
YORK (Museum)	45	33	43·9	34·9	29
HULL (Pearson Park)	48	34	45·7	35·6	25
TYNEMOUTH	47	33	44·0	35·1	15
CARDIFF	52	33	47·9	37·3	55
EDINBURGH	48·0	29·0	43·3	34·1	14
GLASGOW	46·5	33·1	43·4	35·0	30
DUBLIN:—					
Phœnix Park	52·6	28·8	49·1	34·2	17
†Fitzwilliam Square	52·0	34·0	48·7	36·7	25
BELFAST	48·0	31·4	45·9	34·4	33

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly: 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 31st January 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - -	25	In Equator.	30·022	48·9	32·8	16·1	41·4	+ 2·3	36·2	5·2	11·4	3·1	82	80·6	24·5	44·1	WSW. & SW.	SSW. & S.	3·0	0·0	0·1	269	− 54	0·00
MONDAY - -	26	..	29·568	49·2	39·5	9·7	44·9	+ 5·6	40·6	4·3	5·6	3·6	85	67·9	35·0	44·3	S. & SSW.	SSW., W. & WSW.	5·0	0·0	0·6	432	+103	0·02
TUESDAY - -	27	..	29·516	47·8	33·9	13·9	41·3	+ 1·8	37·7	3·6	7·8	1·7	87	55·2	27·1	44·1	SW., S. & SSW.	SSW. & SW.	9·0	0·0	0·7	438	+103	0·10
WEDNESDAY -	28	First Quarter.	29·368	47·8	40·6	7·2	43·6	+ 4·0	40·1	3·5	9·1	0·0	87	56·0	34·9	44·0	SW. & S.	SE., S. & SW.	9·6	0·0	0·5	309	− 30	0·34
THURSDAY - -	29	..	29·635	45·2	37·1	8·1	41·4	+ 1·7	32·9	8·5	10·7	3·1	72	80·1	31·1	44·1	WSW. & W.	SW. & SSW.	8·0	0·0	1·0	583	+240	0·01
FRIDAY - -	30	..	29·711	48·6	40·1	8·5	43·7	+ 4·0	34·3	9·4	12·3	3·0	69	79·4	32·5	44·0	SSW. & WSW.	W., WSW. & SW.	11·2	0·0	0·8	511	+165	0·18
SATURDAY - -	31	Greatest declination N.	29·732	54·9	40·1	14·8	48·8	+ 9·1	45·1	3·7	8·0	1·8	87	61·0	34·0	44·0	SSW. & SW.	SW. & WSW.	8·5	0·0	0·8	506	+161	0·01
MEANS - - -		- -	29·650	48·9	37·7	11·2	43·6	+ 4·1	38·1	5·5	9·3	2·3	81	68·6	31·3	44·1	SW.		..	..	..	Sum 3048	Sum + 688	Sum 0·66
No. of Column - -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	25	m.P. and s.P. generally.	7·1	8·7	Cloudless generally till 13h., partially cloudy till 19h. 30m., becoming overcast by 21h.; little rain about 19h. 30m.
MONDAY -	26	v.P. till noon, m.P. generally afterwards. with v.N. at times.	0·1	8·7	Overcast with few exceptions till 22h., then clearing to cloudless by midnight; occasional damping or slight rain 14h. to 21h.; brisk wind 13h. to 20h.
TUESDAY -	27	v.P. and v.N. throughout.	0·0	8·8	Cloudless generally with hoar frost until 7h., then clouding up to overcast with few exceptions; cloudy again from 22h.; brisk wind 12h. to 21h.; rain or damping generally 15h. to 22h.
WEDNESDAY -	28	Loss of register till 11h., v.P. and v.N. afterwards.	0·0	8·8	Overcast generally till 23h., afterwards cloudy; mist in morning; rain 13h. to 19h. 30m., and 21h. 45m. to 23h.; brisk wind from 19h.
THURSDAY -	29	v.P. and v.N. till 6h., and after 22h. s.P. generally.	5·9	8·9	Variably cloudy till 5h., cloudless generally till noon; variably cloudy to overcast by 16h. 30m.; moon visible through cloud at times; brisk wind till 6h. and again from 20h. rising to gale force; rain from 22h. 30m.
FRIDAY - -	30	s.P. generally, v.N. at times.	6·9	8·9	Overcast with rain till 4h., becoming cloudless by 6h; little cloud 11h. to 17h. 30m., cloud becoming prevalent by 18h.; overcast generally by 21h.; lunar halo 19h.; moderate gale till 5h.; brisk wind till 16h.
SATURDAY	31	Loss of register till 11h., v.P. and v.N. till 16h., m.P. afterwards.	0·0	9·0	Overcast till 16h. 30m., becoming cloudless by 18h., and clouding again shortly before 21h.; slight rain between 7h. and 10h.; brisk wind. 9h. to 15h., and from 21h.
			Sum 20·0	Sum 61·8	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·96 in. at the beginning of the week to 30·12 in. by 10h. on 25th; decreased to 29·50 in. by 18h. on 26th; increased to 29·70 in. by 6h. on 27th; decreased to 29·35 in. by 21h. on the same day; increased to 29·52 in. by 9h. on 28th; decreased to 29·10 in. by 22h. on the same day; increased to 29·70 in. by 18h. on 29th; decreased to 29·39 in. by 4h. on 30th; increased to 29·89 in. by 23h. on the same day; decreased to 29·65 in. by 14h. on 31st, and increased to 29·93 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 24th January, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,164	1	–	19	3	18	29	15	85	228
Western										
PADDINGTON	19	–	–	–	–	–	–	–	–	3
KENSINGTON	49	–	–	1	–	–	–	–	3	5
HAMMERSMITH	23	–	–	–	–	–	1	–	4	4
FULHAM	32	–	–	–	1	–	1	–	1	5
CHELSEA	17	–	–	–	–	–	–	–	–	–
CITY OF WESTMINSTER	39	–	–	1	–	–	–	–	4	4
Northern.										
ST. MARYLEBONE	30	–	–	–	1	–	–	–	1	5
HAMPSTEAD	19	–	–	–	–	–	–	1	–	5
ST. PANCRAS	59	–	–	–	–	1	1	–	3	9
ISLINGTON	100	–	–	3	–	1	2	1	5	21
STOKE NEWINGTON	12	–	–	–	–	–	–	–	1	3
HACKNEY	58	–	–	1	–	3	3	2	4	15
Central.										
HOLBORN	6	–	–	–	1	–	–	–	–	–
FINSBURY	29	–	–	1	–	–	–	–	–	7
CITY OF LONDON	3	–	–	–	–	–	–	–	1	–
Eastern.										
SHOREDITCH	37	–	–	2	–	–	1	1	3	11
BETHNAL GREEN	37	–	–	1	–	1	1	1	2	14
STEPNEY	70	–	–	–	–	2	–	1	10	18
POPLAR	54	–	–	–	–	1	1	2	3	19
Southern.										
SOUTHWARK	52	–	–	–	–	–	1	–	5	10
BERMONDSEY	34	–	–	2	–	1	3	1	1	9
LAMBETH	70	–	–	5	–	4	3	–	5	11
BATTERSEA	44	1	–	–	–	–	–	2	3	6
WANDSWORTH	79	–	–	–	–	–	2	–	9	10
CAMBERWELL	56	–	–	–	–	–	2	2	5	8
DEPTFORD	34	–	–	–	–	1	1	–	2	8
GREENWICH	31	–	–	2	–	1	–	–	1	4
LEWISHAM	40	–	–	–	–	2	5	–	3	8
WOOLWICH	31	–	–	–	–	–	1	1	6	6

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 24th January, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	122,507	–	–	–	–	9	15	–	1	–	1	2	–	–	–	–
Kensington	151,535	–	–	–	–	4	14	–	4	–	–	–	–	–	–	–
Hammersmith	114,952	–	–	–	–	3	4	–	2	2	–	1	–	–	–	–
Fulham	145,186	–	–	–	–	10	15	–	5	–	–	–	–	–	–	–
Chelsea	57,368	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–
City of Westminster	122,046	1	–	–	–	13	8	–	–	–	–	–	–	–	–	–
NORTHERN.																
St. Marylebone	92,796	–	–	–	–	6	1	–	1	–	–	1	–	–	–	–
Hampstead	75,649	1	–	–	–	–	5	–	2	–	–	–	–	–	–	–
St. Pancras	186,600	–	–	–	–	19	16	–	3	–	–	–	–	–	–	–
Islington	297,102	1	–	–	–	23	33	–	5	1	2	3	–	–	1	–
Stoke Newington	47,426	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Hackney	196,598	–	–	–	–	14	20	–	4	–	–	–	–	–	–	–
CENTRAL.																
Holborn	35,303	–	–	–	–	3	4	–	–	–	–	–	–	–	–	–
Finsbury	68,011	2	–	–	–	10	2	–	3	–	–	1	–	–	–	–
City of London	16,138	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
EASTERN.																
Shoreditch	89,675	1	–	–	–	8	7	–	1	–	1	–	–	–	–	–
Bethnal Green	107,362	1	–	–	–	11	16	–	2	–	–	1	–	–	–	–
Stepney	232,010	–	–	–	–	19	13	–	3	–	1	1	1	–	–	–
Poplar	143,443	–	–	–	–	9	1	–	1	–	–	2	–	–	–	–
SOUTHERN.																
Southwark	167,936	–	–	–	–	17	9	–	3	–	1	1	–	–	–	–
Bermondsey	107,635	–	–	–	–	14	6	–	1	–	–	2	–	–	–	–
Lambeth	272,038	–	–	–	–	30	19	–	3	–	1	–	–	–	–	–
Battersea	150,023	1	–	–	–	14	13	–	5	1	–	3	–	–	–	–
Wandsworth	300,787	–	–	–	–	32	37	–	7	–	–	1	–	–	–	1
Camberwell	239,461	–	–	–	–	20	21	–	–	–	1	1	–	–	–	–
Deptford	103,527	–	–	–	–	14	5	–	1	–	–	–	–	–	–	–
Greenwich	90,440	–	–	–	–	12	7	–	–	–	–	–	–	–	–	–
Lewisham	161,405	–	–	–	–	15	21	–	4	–	–	–	–	–	–	–
Woolwich	131,942	–	–	–	–	8	2	–	4	–	–	–	–	–	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,026,901	9	–	–	–	343	330	–	67	4	8	20	1	–	1	1
Ages 0–1		–	–	–	–	3	5	–	3	1	–	20	–	–	–	–
„ 1–5		–	–	–	–	85	78	–	2	1	–	–	–	–	–	–
„ 5–		–	–	–	–	134	131	–	1	1	–	–	–	–	–	–
„ 10–		2	–	–	–	72	45	–	2	1	–	–	–	–	–	–
„ 15–		2	–	–	–	28	22	–	3	–	–	–	–	–	1	–
„ 20–		1	–	–	–	6	24	–	1	–	1	–	–	–	–	1
„ 25–		1	–	–	–	12	14	–	12	–	5	–	1	–	–	–
„ 35–		–	–	–	–	2	9	–	8	–	2	–	–	–	–	–
„ 45–		1	–	–	–	1	1	–	17	–	–	–	–	–	–	–
„ 55–		1	–	–	–	–	1	–	11	–	–	–	–	–	–	–
„ 65–		1	–	–	–	–	–	–	5	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND

NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 5. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, FEB. 7.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
February 10th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 11,528, and corresponded to an annual rate of 32·5 per 1,000. The deaths* among the civilian population only numbered 5,039, and corresponded to an annual rate of 15·9 per 1,000 of their aggregate civilian population, which is estimated† at 16,577,344 persons in the year 1917. In the three weeks ended January 17th, January 24th, and January 31st, the rates had been 15·6, 15·3, and 15·9, respectively. The infant mortality was 85, against 72, 75, and 93 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1917, and are based on the returns furnished under the National Registration Act. 1915, and under the scheme for rationing of sugar. It is necessary for the present to continue the use of the estimates of population as in 1917, because those for 1918, although they might now be used, would necessarily differ more from the facts of the present time than the earlier estimates. The main change which occurred between mid-1917 and mid-1918 was further depletion of the male civilian population by enlistment, and as this has now been more than made good by demobilisation, it follows that the 1917 estimates, though they understate the present population, do so to a less extent than would those for 1918.

m (45)9946—2 Wt 167–840 625 2/20 E & S A

for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 21·0 in Birkenhead and in Merthyr Tydfil, 21·3 in Sunderland, 21·4 in Hull, 22·1 in Liverpool, 22·6 in Grimsby, and 25·2 in Great Yarmouth; from *measles*, 2·3 in Grimsby; from *whooping cough*, 1·3 in West Ham, 1·4 in Leyton, 1·6 in Grimsby and in Birkenhead, and 1·7 in West Hartlepool; and from *diphtheria*, 2·5 in Hornsey. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,966 births, corresponding to a rate of 34·5 per 1,000, and 1,332 deaths of civilians, corresponding to a rate of 17·2, as against 15·8, 15·1, and 16·8 per 1,000 in the three weeks ended January 17th, January 24th, and January 31st. The death-rate in the four weeks ended last Saturday averaged 16·2 per 1,000. The infant mortality was 98, against 73, 77, and 105 in the preceding three weeks.

There was one death from *enteric fever*, against 1, 1, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 21, 19, and 18 in the preceding three weeks, rose last week to 26, and were equal to the average; 3 deaths belonged to the Borough of St. Pancras, 3 to Southwark, and 3 to Lambeth. The deaths from *scarlet fever*, which had been 7, 3, and 5 in the preceding three weeks, rose to 9 last week, and were 4 above the average. The deaths from *whooping-cough*, which had been 19, 18, and 28 in the preceding three weeks, were 26 last week, and were 4 above the average; 4 deaths belonged to Bermondsey, and 3 each to Islington, Hackney and Stepney. The deaths from *diphtheria*, which had been 24, 28, and 37 in the preceding three weeks, fell to 32 last week, but were 15 above the average; 5 deaths belonged to Hackney, and 3 each to Paddington and to Southwark. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 19, 15, and 15 in the preceding three weeks, were 14 last week, and were 3 below the average; 3 deaths belonged to Camberwell. The deaths from *influenza* numbered 20, as against 19, 24, and 15 in the preceding three weeks, and an average of 33.

Different forms of violence caused 46 deaths, all of which were the subject of coroners' inquests. Of these 46 deaths, 10 were cases of suicide and 1 of homicide, while the remaining 35 were attributed to other forms of violence. Nine of these latter were referred to vehicles in the streets, 8 to burns or scalds, 3 to drowning, and 1 of an infant under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 24 cases of enteric

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

fever, 59 of measles, 2,487 of scarlet fever, 21 of whooping-cough, and 2,014 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :— Of enteric fever, 2 cases, against 5, 7, and 2; of measles, 23 cases, against 12, 12, and 10; of scarlet fever, 299 cases, against 335, 302, and 267; of whooping-cough, 0 case, against 4, 2, and 0; and of diphtheria, 263 cases, against 282, 274, and 296. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended January 31st, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 7th February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 17th Jan., 1920.	24th Jan., 1920.	31st Jan., 1920.	7th Feb., 1920.	Week ended 7th Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	16,577,344	15·6	15·3	15·9	15·9	11528	5039	977	1449	3	-	90	34	96	97	63	98	165	371	1532	39	96 GREAT TOWNS.
LONDON†	4,026,901	15·8	15·1	16·8	17·2	2966	1332	290	393	1	-	26	9	26	32	14	20	46	110	546	4	LONDON.†
‡ CROYDON	167,681	11·8	16·2	13·7	11·8	102	38	5	11	-	-	-	-	-	2	-	1	1	4	13	-	CROYDON.
‡ WIMBLEDON	53,536	12·7	12·7	10·7	9·7	27	10	2	4	-	-	-	-	-	-	-	1	-	1	3	-	WIMBLEDON.
‡ EALING	64,128	11·4	9·8	12·2	13·8	33	17	4	4	-	-	-	-	-	-	-	-	-	1	3	-	EALING.
‡ ACTON	58,507	12·5	16·0	10·7	20·5	35	23	3	8	-	-	-	-	-	1	-	1	-	1	11	-	ACTON.
‡ WILLESDEN	157,005	13·9	10·3	7·0	11·6	88	35	6	9	-	-	2	-	-	1	-	-	-	1	14	-	WILLESDEN.
‡ HORNSEY	82,442	15·2	9·5	7·6	12·0	37	19	1	7	-	-	-	1	-	4	-	-	-	-	7	-	HORNSEY.
‡ TOTTENHAM	135,173	13·1	13·1	10·0	13·1	92	34	7	6	-	-	1	1	-	1	-	-	-	4	9	-	TOTTENHAM.
‡ EDMONTON	61,940	10·1	14·3	14·3	10·1	60	12	5	4	-	-	-	-	-	1	-	-	-	-	3	-	EDMONTON.
‡ ENFIELD	57,192	11·9	10·9	10·9	15·5	25	17	4	5	-	-	-	-	-	-	-	-	-	-	5	-	ENFIELD.
‡ WEST HAM	271,934	17·8	17·8	17·1	19·2	220	100	22	26	-	-	-	-	7	5	1	1	7	11	33	-	WEST HAM.
‡ EAST HAM	131,008	13·1	15·5	17·1	11·1	92	28	8	5	-	-	-	-	1	1	-	-	2	4	10	-	EAST HAM.
‡ LEYTON	112,452	15·8	12·1	12·1	12·1	78	26	6	5	-	-	-	-	3	1	-	-	1	1	8	-	LEYTON.
‡ WALTHAMSTOW	119,307	16·6	17·0	15·7	13·1	80	30	10	10	-	-	-	-	-	1	-	-	1	1	9	-	WALTHAMSTOW.
‡ ILFORD	75,130	10·4	9·0	9·7	9·0	31	13	1	4	-	-	-	-	-	1	-	-	1	1	2	-	ILFORD.
GILLINGHAM	44,074	11·8	7·1	15·4	17·7	24	15	2	8	-	-	-	-	-	-	-	-	-	-	2	1	GILLINGHAM.
HASTINGS	48,439	19·4	12·9	14·0	15·1	29	14	-	7	-	-	-	-	-	-	-	-	-	-	5	-	HASTINGS.
EASTBOURNE	44,842	11·6	11·6	12·8	9·3	32	8	1	4	-	-	-	-	-	-	-	-	-	-	2	-	EASTBOURNE.
BRIGHTON	113,635	17·4	14·2	19·3	14·7	82	32	4	13	-	-	-	1	-	-	-	-	-	2	17	-	BRIGHTON.
PORTSMOUTH	198,527	16·8	14·7	16·8	14·4	149	55	13	18	-	-	1	-	3	3	-	1	2	3	17	-	PORTSMOUTH.
BOURNEMOUTH	70,327	13·3	19·3	16·3	14·1	19	19	-	10	-	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON	115,345	11·3	17·2	15·8	11·8	73	26	4	9	-	-	-	-	-	2	-	-	-	-	10	-	SOUTHAMPTON.
READING	82,475	17·1	13·9	5·7	16·4	60	26	3	12	-	-	-	-	1	-	-	-	2	2	6	-	READING.
OXFORD	53,101	12·8	13·7	4·9	14·7	34	15	3	5	-	-	-	-	-	-	1	-	-	-	6	-	OXFORD.
NORTHAMPTON	82,471	14·5	14·5	15·2	10·7	53	17	6	5	-	-	-	-	-	-	-	-	1	1	8	-	NORTHAMPTON.
CAMBRIDGE	52,282	13·0	10·0	8·0	14·0	30	14	-	4	-	-	-	-	-	2	-	-	-	-	6	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 7th February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 17th Jan., 1920.	24th Jan., 1920.	31st Jan., 1920.	7th Feb., 1920.	Week ended 7th Feb. 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	71,919	14·5	8·7	12·3	12·3	37	17	4	7	–	–	–	–	–	–	–	1	1	1	4	2	SOUTHEND ON SEA.
IPSWICH	72,800	12·2	9·3	14·3	12·9	55	18	2	8	–	–	–	–	–	–	–	1	–	1	8	–	IPSWICH.
GREAT YARMOUTH	45,516	17·2	12·6	10·3	25·2	41	22	3	12	–	–	–	–	–	–	1	–	–	–	5	–	GREAT YARMOUTH.
NORWICH	109,877	16·1	13·8	17·6	14·2	66	30	5	13	–	–	–	–	–	–	–	2	1	5	7	–	NORWICH.
SWINDON	51,516	15·2	9·1	14·2	8·1	34	8	3	3	–	–	–	–	–	–	–	–	–	–	1	–	SWINDON.
EXETER	51,631	17·2	14·1	16·2	19·2	24	19	3	7	–	–	–	–	–	–	1	–	–	1	5	–	EXETER.
PLYMOUTH	179,375	20·3	18·3	18·0	15·7	128	54	8	19	–	–	–	–	–	1	1	–	1	3	10	–	PLYMOUTH.
BATH	58,799	17·7	17·7	15·1	14·2	25	16	1	9	–	–	–	–	–	–	–	–	–	–	4	–	BATH.
BRISTOL	334,873	12·8	14·0	14·0	14·6	223	94	12	29	1	–	–	–	–	1	–	3	3	6	28	–	BRISTOL.
GLOUCESTER	55,026	20·8	12·3	14·2	7·6	41	8	–	4	–	–	1	–	–	–	–	–	2	2	2	–	GLOUCESTER.
STOKE ON TRENT	215,116	18·7	17·2	15·3	15·0	178	62	15	10	–	–	4	2	–	3	–	–	5	10	15	2	STOKE ON TRENT.
WOLVERHAMPTON	93,037	11·2	10·6	22·4	17·4	76	31	5	9	–	–	–	2	–	–	–	2	–	–	8	–	WOLVERHAMPTON.
WALSALL	87,957	16·0	11·3	19·0	12·4	58	21	3	6	–	–	–	–	–	1	–	–	–	–	5	–	WALSALL.
WEST BROMWICH	67,221	15·5	10·9	12·4	14·0	69	18	6	5	–	–	–	–	–	–	–	–	1	3	3	–	WEST BROMWICH.
DUDLEY	52,049	16·0	16·0	13·0	13·0	36	13	3	4	–	–	–	–	–	–	–	1	–	1	1	–	DUDLEY.
BIRMINGHAM	870,211	13·2	13·6	14·6	15·0	595	250	35	62	–	–	–	6	10	5	3	9	12	13	77	10	BIRMINGHAM.
SMETHWICK	69,788	9·0	13·4	15·7	8·2	36	11	–	4	–	–	–	–	1	1	–	–	1	2	4	–	SMETHWICK.
COVENTRY	128,098	11·0	9·0	7·7	9·0	76	22	7	7	–	–	1	–	–	–	1	1	–	–	6	1	COVENTRY.
LEICESTER	212,433	14·0	14·7	12·8	14·2	113	58	12	13	–	–	–	–	–	1	–	–	1	3	18	1	LEICESTER.
LINCOLN	58,617	11·6	11·6	13·3	14·2	30	16	3	7	–	–	–	1	1	–	2	–	1	1	3	–	LINCOLN.
GRIMSBY	67,014	11·7	24·1	15·6	22·6	50	29	4	7	–	–	3	–	2	–	1	–	2	3	3	–	GRIMSBY.
NOTTINGHAM	236,853	18·7	19·6	17·4	19·4	183	88	19	21	–	–	4	1	–	3	2	–	2	4	40	1	NOTTINGHAM.
DERBY	119,191	11·4	9·6	11·8	10·9	89	25	3	10	–	–	1	–	–	–	–	–	1	3	8	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 7th February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1917.*	Death-Rates from all Causes. Week ended 17th Jan., 1920.	24th Jan., 1920.	31st Jan., 1920.	7th Feb., 1920.	Week ended 7th Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	111,922	16·8	17·2	17·7	12·6	62	27	3	5	–	–	–	–	2	1	1	1	–	2	8	–	STOCKPORT.
BIRKENHEAD	133,819	16·8	16·8	19·1	21·0	110	54	14	18	–	–	1	–	4	2	1	3	–	–	18	–	BIRKENHEAD.
WALLASEY	84,209	18·6	11·1	9·3	14·2	63	23	5	7	–	–	–	–	–	–	–	3	1	3	4	–	WALLASEY.
LIVERPOOL	716,140	20·2	20·7	23·0	22·1	595	304	58	48	–	–	13	–	11	3	8	10	11	22	89	–	LIVERPOOL.
BOOTLE	68,871	22·0	16·7	12·9	10·6	58	14	3	2	–	–	–	1	1	1	–	–	–	–	3	–	BOOTLE.
ST. HELENS	90,582	19·6	12·1	15·5	13·8	76	24	4	3	–	–	2	–	–	1	–	2	–	–	5	1	ST. HELENS.
SOUTHPORT	60,747	18·0	12·0	16·3	17·2	27	20	1	9	–	–	–	–	1	–	–	–	–	–	7	1	SOUTHPORT.
WIGAN	83,110	11·9	16·9	13·8	18·8	66	30	6	5	–	–	–	–	–	–	1	–	1	2	9	–	WIGAN.
WARRINGTON	68,554	16·0	12·9	12·9	12·9	58	17	6	3	–	–	–	1	–	–	–	–	–	–	6	–	WARRINGTON.
BOLTON	163,411	12·1	15·0	13·4	16·3	79	51	6	24	–	–	1	–	–	–	1	–	2	7	14	–	BOLTON.
BURY	51,851	16·1	17·1	20·1	15·1	28	15	2	5	–	–	–	–	–	–	–	1	–	1	–	–	BURY.
MANCHESTER	660,143	16·4	16·5	18·2	18·1	480	229	53	49	–	–	8	3	4	–	5	4	9	17	71	1	MANCHESTER.
SALFORD	211,373	14·6	15·3	14·3	15·0	131	61	9	19	–	–	1	–	–	–	–	–	3	8	24	–	SALFORD.
OLDHAM	133,721	15·2	21·8	23·0	17·9	68	46	9	14	–	–	–	1	–	–	–	–	–	2	10	–	OLDHAM.
ROCHDALE	84,561	16·0	17·3	21·6	15·4	44	25	3	7	–	–	–	–	–	–	–	–	–	1	6	1	ROCHDALE.
BURNLEY	93,779	21·1	16·1	11·7	13·9	49	25	3	6	–	–	–	–	–	–	1	1	1	2	3	–	BURNLEY.
BLACKBURN	113,315	13·8	14·7	9·7	13·8	53	30	4	13	–	–	–	–	–	–	–	–	5	7	5	–	BLACKBURN.
PRESTON	106,747	22·0	19·1	15·6	16·1	75	33	2	16	–	–	–	–		–	–	–	–	–	6	–	PRESTON.
BLACKPOOL	64,775	12·1	18·5	18·5	16·1	19	20	3	8	–	–	–	–	–	–	–	–	–	1	3	–	BLACKPOOL.
BARROW IN FURNESS	78,675	12·6	9·9	10·6	12·6	31	19	2	4	–	–	2	–	1	–	–	–	–	–	6	2	BARROW IN FURNESS.
HUDDERSFIELD	105,818	14·3	13·8	12·8	15·3	41	31	4	13	–	–	–	–	–	1	–	–	2	3	7	–	HUDDERSFIELD.
HALIFAX	92,775	15·2	9·6	18·0	15·2	39	27	3	8	–	–	–	–	–	–	–	–	1	4	4	–	HALIFAX.
BRADFORD	266,338	15·9	13·7	17·4	16·6	128	85	15	30	–	–	–	–	–	1	1	4	1	9	26	–	BRADFORD.
LEEDS	417,051	18·8	18·1	21·3	19·8	277	158	30	38	–	–	6	1	4	3	2	11	3	16	35	–	LEEDS.
DEWSBURY	52,244	13·0	14·0	17·0	11·0	33	11	2	3	–	–	–	–	–	–	–	1	–	–	1	–	DEWSBURY.
WAKEFIELD	47,830	18·5	18·5	13·1	19·6	26	18	3	4	–	–	–	–	–	1	–	–	1	2	6	–	WAKEFIELD.
BARNSLEY	47,943	22·8	16·3	18·5	10·9	52	10	5	1	–	–	1	–	1	–	–	–	–	–	1	–	BARNSLEY.

* *See* note † on first page of this return

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Week ended 17th Jan., 1920.	Week ended 24th Jan., 1920.	Week ended 31st Jan., 1920.	Week ended 7th Feb., 1920.	Week ended 7th Feb., 1920. Births.	Week ended 7th Feb., 1920. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	469,293	13·4	13·0	11·4	12·0	285	108	19	37	–	–	–	–	1	–	4	4	7	12	21	–	Sheffield.
Rotherham	64,685	14·5	14·5	8·9	6·4	36	8	3	5	–	–	–	–	1	–	–	–	–	1	2	–	Rotherham.
York	78,492	14·0	17·3	14·6	12·0	65	18	1	6	–	–	–	–	–	–	–	–	–	2	7	–	York.
Hull	246,357	21·8	22·2	19·5	21·4	205	101	26	30	–	–	4	1	–	–	3	2	2	5	20	1	Hull.
Middlesbrough	119.251	20·6	14·9	14·4	14·0	89	32	6	11	–	–	–	–	1	–	1	–	2	3	4	1	Middlesbrough.
Darlington	60,482	18·1	19·0	9·5	18·1	45	21	4	9	–	–	–	1	–	–	–	–	1	2	1	–	Darlington.
Stockton on Tees	57,048	16·5	13·7	17·4	19·2	58	21	4	4	–	–	–	–	1	1	1	1	1	1	4	–	Stockton on Tees.
West Hartlepool	62,034	12·6	14·3	12·6	13·4	56	16	5	4	–	–	2	–	2	–	–	1	–	–	2	–	West Hartlepool.
Sunderland	141,765	16·9	21·0	19·5	21·3	132	58	12	17	–	–	1	–	1	1	–	–	–	2	9	3	Sunderland.
South Shields	106,500	22·0	25·0	19·6	18·1	104	37	12	4	–	–	–	–	–	–	3	–	1	1	8	2	South Shields.
Gateshead	119,134	19·7	16·6	17·1	11·8	85	27	3	12	–	–	–	–	1	–	–	–	1	2	5	2	Gateshead.
Newcastle on Tyne.	266,551	15·3	13·9	21·3	13·9	187	71	9	15	–	–	3	–	–	3	–	2	7	12	19	–	Newcastle on Tyne.
Tynemouth	57,591	22·6	19·0	12·7	13·6	49	15	6	2	–	–	–	–	–	1	–	–	–	–	4	2	Tynemouth.
Carlisle	53,064	15·7	27·5	17·7	13·8	41	14	3	4	–	–	–	–	–	–	–	–	–	1	1	–	Carlisle.
Newport (Mon.)	82,709	5·7	15·8	12·6	10·1	64	16	3	4	–	–	–	–	–	1	–	1	–	–	5	–	Newport (Mon.).
Cardiff	169,440	12·9	15·4	14·5	12·6	127	41	7	16	–	–	–	1	2	–	1	–	2	3	5	–	Cardiff.
Rhondda	154,388	12·2	12·8	11·5	15·5	122	46	15	8	1	–	1	–	1	–	1	–	–	1	5	–	Rhondda.
Merthyr Tydfil	74,508	13·3	15·4	21·7	21·0	59	30	9	7	–	–	–	–	–	2	–	–	1	1	3	–	Merthyr Tydfil.
Aberdare	51,317	15·2	5·1	16·3	11·2	37	11	1	5	–	–	–	–	–	–	–	–	–	–	–	–	Aberdare.
Swansea	143,660	9·1	13·4	13·8	13·1	100	36	5	15	–	–	–	–	1	–	–	1	1	3	8	–	Swansea.
Greater London	6,726,753	14·8	14·2	15·0	15·4	4622	1981	422	594	1	–	33	11	40	54	17	36	67	155	736	5	Greater London.
Outer Ring	2,699,852	13·4	12·9	12·3	12·5	1656	649	132	201	–	–	7	2	14	22	3	16	21	45	190	1	Outer Ring.
14 Great Towns in Outer Ring.	1,547,435	14·1	14·0	12·7	13·6	1000	402	84	108	–	–	3	2	11	19	1	4	13	30	130	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,152,417	12·6	11·4	11·8	11·2	656	247	48	93	–	–	4	–	3	3	2	12	8	15	60	1	Remainder of Outer Ring.
Edinburgh†	342,300	12·2	15·3	15·6	12·7	179	83	8	31	–	–	–	1	–	2	1	2	3	?	?	?	Edinburgh.
Glasgow†	1,115,500	17·4	16·7	15·9	15·7	692	334	74	78	–	–	1	3	2	6	6	1	22	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	15·0	19·6	15·8	19·2	279	153	35	40	–	–	1	–	5	2	3	–	3	4	59	5	Dublin (Registration Area).†
Belfast†	413,000	21·0	17·8	20·3	18·4	271	146	33	23	2	–	12	6	2	2	2	2	3	3	36	3	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE **2.** LONDON.—**Births** and **Deaths** registered during the FIFTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2381	2162	2121	2124	2235	2191	1862	1732	1369	1250	2966
Males	1217	1089	1098	1083	1087	1134	981	896	716	641	1521
Females	1164	1073	1023	1041	1148	1057	881	836	653	609	1445
Deaths (of residents only).	1526	1516	1539	1610	1440	1859	1205*	1637*	1298*	1304*	1332*
Males		766	742	805	713	932	619	831	676	645	666
Females		750	797	805	727	927	586	806	622	659	666

* Deaths in civilian population only.

TABLE **3.** LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.
Births (as registered)	2242	2223	2308	2113	2676	2519	1318	3308	3018	2962	2971	2715	2966
Deaths (of residents only).	1099	1132	1104	1120	1036	1180	815	1311	1216	1218	1163	1297	1332
Ages at Death: Under 1 year	132	155	163	162	170	181	122	217	191	215	228	284	290
1–2 years	17	20	20	23	31	29	15	41	23	35	43	57	64
2–5 "	47	28	27	41	35	45	36	56	55	53	44	56	54
5–10 "	33	35	28	34	29	32	29	41	35	27	33	33	48
10–15 "	19	19	13	15	23	19	18	14	17	15	16	12	24
15–20 "	16	18	18	18	17	18	19	24	23	24	27	24	13
20–25 "	13	16	20	26	24	17	12	28	28	26	17	25	23
25–35 "	52	66	65	44	50	56	35	60	50	67	59	62	57
35–45 "	95	89	71	75	75	78	54	109	77	71	68	84	79
45–55 "	134	109	129	133	117	121	99	137	141	119	93	115	128
55–65 "	156	170	159	152	142	161	108	172	187	140	167	172	159
65–75 "	189	215	215	206	168	223	144	206	204	205	180	173	194
75 years and upwards	196	192	176	191	155	200	124	206	179	221	188	200	199
Deaths from—													
Enteric fever	1	–	–	2	–	1	1	–	2	1	1	1	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	11	10	12	10	11	9	19	14	21	19	18	26
Scarlet fever	2	2	2	6	3	5	4	5	4	7	3	5	9
Whooping cough	7	4	4	8	10	14	6	20	13	19	18	28	26
Diphtheria	24	21	23	29	20	32	28	36	31	24	28	37	32
Diarrhœa and enteritis (under 2 years).	19	16	23	18	15	20	9	16	18	19	15	15	14
Pulmonary tuberculosis	87	78	86	81	87	105	71	96	86	78	85	86	73
Influenza	22	22	15	16	17	18	12	19	16	19	24	15	20
Pneumonia (all forms)	83	95	89	75	71	78	62	93	108	127	126	176	205
Bronchitis	104	97	109	101	86	109	58	108	124	109	102	139	151
Other dis. of resp. system	17	21	14	18	15	9	14	17	16	13	15	11	20
Dis. of circ. system	195	196	190	200	157	209	136	218	207	198	176	182	180
Violence	50	43	47	46	35	46	29	50	33	49	41	40	46
Inquest cases	109	128	106	114	99	127	81	144	94	116	104	107	110
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	42	42	44	38	34	27	28	26	27	27	28	27	24
Small-pox	–	–	–	–	–	–	–	–	2	1	–	–	–
Measles	60	67	67	62	62	56	65	59	59	53	49	47	59
Scarlet fever	2678	2820	2940	2990	2947	2942	2873	2926	2809	2758	2614	2550	2487
Whooping cough	24	27	25	26	25	25	25	25	22	23	22	21	21
Diphtheria	1478	1537	1603	1699	1796	1822	1862	1873	1899	1945	1994	2008	2014

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE **3A.** **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.
Deaths from Influenza	74	79	63	77	81	64	43	52	73	62	85	66	98

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 5th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1303	1332	290	64	54	48	24	13	23	57	79	128	159	194	199
Enteric fever	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	26	2	15	3	6	–	–	–	–	–	–	–	–	–
Scarlet fever	4	9	–	4	2	3	–	–	–	–	–	–	–	–	–
Whooping cough	2	26	11	7	7	–	–	–	–	1	–	–	–	–	–
Diphtheria	14	32	2	–	15	13	2	–	–	–	–	–	–	–	–
Croup	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	58	20	–	–	–	–	1	–	1	5	3	5	2	1	2
Erysipelas	1	5	–	–	–	–	–	–	–	2	2	–	–	1	–
Other epidemic diseases	5	4	–	–	–	–	–	–	–	1	1	1	1	–	–
Pyæmia and septicæmia	–	5	–	–	–	–	–	2	1	1	–	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	129	73	1	–	2	1	1	4	5	14	15	18	7	4	1
Tuberculous meningitis	10	6	1	2	1	1	1	–	–	–	–	–	–	–	–
Abdominal tuberculosis	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
Tuberculosis of the joints	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Tuberculosis of other organs	1	3	–	–	–	–	–	–	1	1	1	–	–	–	–
Disseminated tuberculosis	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Venereal diseases	6	8	7	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	102	104	–	–	–	–	1	–	–	2	7	28	34	19	13
Tumour, situation undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	1	8	–	–	–	4	2	1	–	–	1	–	–	–	–
Diabetes	9	6	–	–	–	–	–	–	1	1	1	2	–	1	–
Anæmia, leucocythaemia	4	5	–	–	1	–	–	–	1	–	–	–	1	1	1
Other general diseases	6	5	–	1	1	–	–	–	–	–	–	–	–	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	5	3	–	–	1	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	43	51	–	–	–	–	–	–	–	–	1	10	10	15	15
Softening of brain	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Paralysis, without specified cause	6	3	1	–	–	–	–	–	–	–	–	–	1	–	1
Epilepsy	7	4	–	–	–	–	1	–	–	–	1	–	2	–	–
"Convulsions" (not puerperal)	7	8	8	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	28	21	–	–	1	1	3	1	3	–	5	1	3	2	1
Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	–	6	–	–	–	1	–	–	–	1	1	1	2	–	–
Organic disease of heart	179	124	–	–	–	1	4	–	3	3	4	16	17	45	31
Embolism and thrombosis (including cerebral).	5	10	–	–	–	–	–	–	–	1	2	1	1	1	4
Other diseases of circulatory system.	50	40	1	–	–	–	–	–	1	–	1	3	16	10	8
Diseases of the larynx	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	157	151	43	6	1	–	–	–	–	2	1	5	16	35	42
Broncho-pneumonia	78	130	75	22	12	5	–	1	–	2	3	1	3	1	5
Lobar pneumonia	27	29	4	–	–	1	–	–	–	3	3	7	3	6	2
Pneumonia (type not distinguished)	35	46	11	6	3	–	1	–	–	4	4	5	4	5	3
Pleurisy	7	3	–	–	–	–	1	–	–	1	–	–	–	–	1
Pulmonary congestion, Pulmonary apoplexy.	2	5	–	–	–	–	–	–	–	–	–	–	2	1	2
Other diseases of respiratory system.	14	12	–	–	–	–	–	–	–	1	1	1	4	3	2

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FIFTH Week of the Year 1920.

Causes of Death.	Deaths in the 5th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	16	9	2	–	–	–	–	–	1	–	3	–	1	2	–
Diarrhœa and enteritis	20	20	14	–	–	–	–	–	–	–	1	2	–	2	1
Appendicitis and typhlitis	6	7	–	–	–	–	3	–	–	1	2	1	–	–	–
Hernia and Intestinal obstruction.	16	11	–	–	–	–	–	–	–	–	1	1	1	5	3
Cirrhosis of liver	1	5	–	–	–	–	–	–	–	–	1	–	3	1	–
Other diseases of liver	1	3	–	–	–	–	–	–	–	–	–	1	–	2	–
Peritonitis (cause unknown)	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Other diseases of digestive system	5	3	1	–	–	–	–	–	–	–	–	–	1	–	1
Acute nephritis	4	5	–	–	–	2	1	–	–	–	1	–	–	1	–
Chronic Bright's disease	30	31	–	–	–	2	–	–	–	–	2	5	10	9	3
Urinary calculi	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Uterine tumour (non-cancerous)	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Ovarian tumour (,,)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	10	9	1	–	–	–	–	–	–	2	1	–	1	2	2
Puerperal fever, &c.	4	4	–	–	–	–	–	–	1	1	2	–	–	–	–
Other causes incident to childbirth.	1	4	–	–	–	–	–	–	1	2	1	–	–	–	–
Diseases of skin and cellular tissues.	12	16	3	–	–	2	–	–	–	–	–	1	2	3	5
Diseases of locomotor system	3	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Congenital malformations	6	13	12	1	–	–	–	–	–	–	–	–	–	–	–
Premature birth	21	52	52	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	13	21	21	–	–	–	–	–	–	–	–	–	–	–	–
Old age	68	53	–	–	–	–	–	–	–	–	–	–	–	9	44
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	9	8	–	–	3	–	–	–	1	–	–	2	–	1	1
Drowning	–	3	–	–	–	–	–	–	–	–	1	2	–	–	–
Suffocation in bed	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	14	23	1	–	1	3	1	3	–	1	–	5	4	2	2
Total deaths from accident	24	35	2	–	4	3	1	3	1	1	1	9	4	3	3
Included in above are deaths in connection with:—															
Railways	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Vehicles and horses	5	9	–	–	–	3	1	2	–	–	–	2	1	–	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Suicide	7	10	–	–	–	–	–	–	1	1	3	2	2	–	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	11	11	10	–	–	–	–	–	–	1	–	–	–	–	–
Ill-defined Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
DON‡ - -	4,026,901	Feb. 7	2,966	1,332	17·2	1	–	26	9	26	32	14	20
CUTTA - -	896,067	Dec. 27	–	955§	55·4	?	80	?	?	?	?	?	69
		Jan. 3	–	829§	48·1	?	106	?	?	?	?	?	44
BAY - -	979,445	„ 3	435	889	47·2	1	3	–	–	–	–	43	38
RAS - -	518,660	Dec. 20	–	–	–	–	–	–	–	–	–	–	–
IS - - -	2,847,229	(10 days) Jan. 20	1,773	1830	?	4	–	3	4	15	12	49	130
SSELS - -	780,843	—	–	–	–	–	–	–	–	–	–	–	–
WERP - -	309,156	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
TERDAM -	647,125	„ 24	318	136	11·0	–	–	2	–	2	–	–	–
ENHAGEN -	552,000	„ 24	258	148	14·0	–	–	11	–	2	2	1	4
KHOLM -	408,456	„ 17	138	114	14·5	–	–	–	1	1	4	–	1
HENBURG -	197,705	„ 10	–	–	–	–	–	–	–	–	–	–	–
ISTIANIA -	258,615	„ 24	129	63	12·7	1	–	–	1	–	–	1	–
LIN - -	1,828,183	Jan. 17	740	698	19·9	1	?	4	3	11	9	10	25
SLAU - -	493,393	„ 17	278	207	21·8	1	?	1	–	5	3	3	–
GNE - -	643,472	„ 17	297	217	17·5	–	?	–	–	10	5	4	?
SDEN - -	532,282	„ 17	215	150	14·7	–	?	–	–	2	–	2	?
NKFORT-ON-MAIN.	470,124	„ 17	164	102	11·3	–	?	2	–	1	–	2	?
LBURG - -	1,050,300	„ 17	483	351	17·4	–	?	1	–	2	5	7	?
PZIG - -	676,289	„ 17	238	171	13·1	–	?	–	–	5	1	5	?
TICH - -	670,000	„ 17	–	–	–	–	–	–	–	–	–	–	–
NNA - -	2,350,005	„ 10	471	740	16·4	1	–	22	1	5	2	20	4
GUE -	501,261	„ 3	163	193	20·1	–	–	1	–	1	–	7	3
APEST - -	1,051,374	Nov. 29	468	382	18·9	2	–	–	3	–	5	?	1
STE - -	223,368	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
AREST - -	342,427	—	–	–	–	–	–	–	–	–	–	–	–
YORK -	6,006,794	Nov. 22	–	–	–	–	–	–	–	–	–	–	–
CAGO - -	2,596,681	Jan. 3	–	715	14·4	–	–	1	9	–	14	39	6
DE JANEIRO	955,702	—	–	–	–	–	–	–	–	–	–	–	–
RO :—													
yptians -	673,000	—	–	–	–	–	–	–	–	–	–	–	–
reigners -	76,000	—	–	–	–	–	–	–	–	–	–	–	–
XANDRIA :—													
yptians -	330,000	—	–	–	–	–	–	–	–	–	–	–	–
reigners -	81,000	—	–	–	–	–	–	–	–	–	–	–	–

Excluding deaths from croup in Bombay and Madras.
The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of* r Copenhagen Stockholm, Gothenburg, the German Cities and Budapest.
The estimated population and deaths refer to the civilian population only.
ncluding from *Asiatic cholera* 15 and 9 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 7th February, 1920.

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON (Greenwich)	52	29	48·6	36·6	3
GHTON - -	48	38	46·9	41·4	5
TSMOUTH - -	53	36	48·9	40·7	3
WICH (Eaton) -	50	26	46·7	35·9	1
MOUTH - -	50	37	48·6	42·0	2
YTOL (Clifton) -	51	30	47·7	39·0	2
MINGHAM -	52	30	45·9	37·6	3
TINGHAM -	53	26	46·3	34·6	1
KENHEAD (Bidston)	54	31	47·4	38·3	5
CHESTER -	54	31	47·4	38·6	4
NLEY - -	53	26	45·0	35·9	4
DERSFIELD -	55	27	45·9	36·1	2

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD - -	Not received.				
SHEFFIELD - -	52	30	45·7	37·1	1
YORK (Museum) -	56	27	46·4	36·0	1
HULL (Pearson Park)	53	27	47·4	36·6	0
TYNEMOUTH - -	53	31	46·4	37·6	1
CARDIFF - -	52	31	47·9	39·0	0
EDINBURGH - -	54·0	33·0	47·4	37·9	2
GLASGOW - -	52·4	33·2	46·6	39·0	18
DUBLIN :—					
Phœnix Park -	55·2	22·3	50·5	37·8	15
†Fitzwilliam Square	55·8	31·2	50·4	40·9	15
BELFAST - -	54·0	28·8	49·7	38·3	7

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 7th February 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	1	Perigee	30·295	50·5	38·2	12·3	44·7	+ 5·1	35·8	8·9	11·5	6·6	71	76·8	31·1	44·1	WSW. & W.	WSW. & SW.	6·5	0·0	0·8	528	+188	0·00
MONDAY	2	..	30·340	51·5	45·0	6·5	48·0	+ 8·5	40·0	8·0	11·0	6·0	74	79·0	36·9	44·0	WSW.	SW.	6·4	0·0	0·8	528	+195	0·00
TUESDAY	3	..	30·261	51·3	42·2	9·1	46·4	+ 6·9	40·9	5·5	8·3	3·7	81	87·6	33·3	44·1	SW.	SW.	3·3	0·0	0·3	320	− 5	0·00
WEDNESDAY	4	Full	30·382	47·8	35·2	12·6	40·5	+ 1·0	38·7	1·8	5·0	0·0	93	52·5	29·1	44·0	SW., NNE. & NE.	NNE., NE. & calm.	2·4	0·0	0·1	171	−147	0·13
THURSDAY	5	..	30·450	44·9	28·9	16·0	37·9	− 1·7	32·7	5·2	7·4	0·0	82	67·2	22·6	44·0	Calm & E.	ESE.	1·9	0·0	0·1	177	−138	0·00
FRIDAY	6	In Equator.	30·297	49·2	33·2	16·0	40·7	+ 1·1	36·8	3·[illegible]	9·5	0·9	86	82·7	25·4	44·1	Calm & SE.	SE. & calm	1·5	0·0	0·1	152	−166	0·00
SATURDAY	7	..	30·248	48·1	28·9	19·2	39·5	0·0	33·7	5·8	9·1	0·0	80	83·1	21·9	44·0	Calm & SE.	S. & SSE.	0·9	0·0	0·0	170	−153	0·00
MEANS		- - -	30·325	49·0	35·9	13·1	42·5	+ 3·0	36·9	5·6	8·8	2·5	81	75·6	28·6	44·0	SW.		..	..	..	Sum 2046	Sum −226	Sum 0·13
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. February, 1920.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday	1	m.P. throughout	5·2	9·1	Variably cloudy till 2h., nearly cloudless till noon; variably cloudy till 14h., becoming overcast generally by 15h.; brisk wind till 9h.
Monday	2	v.P. throughout	0·9	9·1	Overcast generally, cloudy interval in afternoon; brisk wind 9h. to 16h.
Tuesday	3	w.P. generally	3·3	9·2	Nearly overcast generally with fine intervals round about noon, 19h. and 23h.
Wednesday	4	v.P. generally, a little v.N.	0·0	9·2	Overcast till 15h., with occasional rain from 4h.; cloudy generally from 15h., becoming cloudless by 23h.; slight fog and hoar frost at night.
Thursday	5	v.P. throughout	3·3	9·3	Cloudless with mist and hoar frost till noon; nearly cloudless till 14h. 30m., becoming nearly overcast generally by 15h.; solar halo 13h. to 15h.; lunar halo 21h. 30m. to 23h. 30m.
Friday	6	m.P. generally	4·4	9·3	Overcast generally till 11h. 30m., rapidly clearing to nearly cloudless by 12h. 30m.; hoar frost at night.
Saturday	7	v.P. throughout	7·9	9·4	Cloudless with slight exceptions till 23h., then cloudy; hoar frost morning and evening.
			Sum 25·0	Sum 64·6	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·93 in. at the beginning of the week to 30·37 in. by 11h. on 2nd; decreased to 30·23 in. by midnight on 3rd; increased to 30·50 in. by 10h. on 5th; decreased to 30·23 in. by 14h. on 7th, and increased to 30·27 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 31st January, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,297	1	–	18	5	28	37	15	86	284
Western										
Paddington	28	–	–	–	–	–	–	–	–	6
Kensington	49	–	–	1	–	–	2	–	4	7
Hammersmith	48	–	–	–	–	1	3	1	3	10
Fulham	34	–	–	–	–	–	5	1	2	10
Chelsea	17	–	–	1	–	–	–	–	1	1
City of Westminster	27	–	–	–	–	–	1	–	2	4
Northern.										
St. Marylebone	36	–	–	–	1	–	–	2	4	4
Hampstead	16	–	–	–	–	–	–	–	1	2
St. Pancras	49	–	–	–	–	2	–	–	3	9
Islington	120	–	–	1	2	5	5	–	11	20
Stoke Newington	13	–	–	–	–	1	1	–	2	4
Hackney	59	–	–	1	–	1	2	–	3	10
Central.										
Holborn	6	–	–	–	–	–	–	–	–	–
Finsbury	31	–	–	–	–	–	–	–	1	10
City of London	6	–	–	–	–	–	1	–	–	–
Eastern.										
Shoreditch	39	–	–	3	–	–	–	–	2	11
Bethnal Green	40	–	–	1	1	1	1	1	3	11
Stepney	64	–	–	–	–	3	2	1	2	18
Poplar	62	–	–	–	–	2	3	3	2	23
Southern.										
Southwark	72	–	–	2	–	–	1	3	3	17
Bermondsey	37	–	–	–	–	4	–	–	2	11
Lambeth	108	–	–	6	–	1	3	2	9	15
Battersea	38	–	–	–	1	1	–	1	2	13
Wandsworth	59	–	–	–	–	1	2	–	3	13
Camberwell	63	–	–	1	–	1	1	–	6	8
Deptford	44	–	–	1	–	2	1	–	3	12
Greenwich	36	1	–	–	–	–	–	–	4	18
Lewisham	45	–	–	–	–	1	2	–	2	6
Woolwich	51	–	–	–	–	1	1	–	6	11

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 31st January, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	122,507	1	–	–	–	5	11	–	2	–	–	1	–	–	–	–
Kensington	151,535	–	–	–	–	7	6	–	3	1	1	2	–	–	–	–
Hammersmith	114,952	–	–	–	–	–	9	–	2	–	1	2	–	–	–	–
Fulham	145,186	1	–	–	–	14	19	–	1	–	–	2	–	–	–	–
Chelsea	57,368	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–
City of Westminster	122,046	1	–	–	–	6	1	–	2	–	1	–	–	–	–	–
NORTHERN.																
St. Marylebone	92,796	–	–	–	–	7	2	–	1	–	–	2	–	–	–	–
Hampstead	75,649	–	–	–	–	7	4	–	1	–	–	–	–	–	–	–
St. Pancras	186,600	1	–	–	–	12	15	–	2	–	1	1	–	–	–	–
Islington	297,102	–	–	–	–	26	26	–	4	1	1	–	–	–	–	–
Stoke Newington	47,426	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–
Hackney	196,598	1	–	–	–	12	9	–	1	–	–	3	–	–	–	–
CENTRAL.																
Holborn	35,303	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–
Finsbury	68,011	–	–	–	–	8	6	–	5	1	1	–	–	–	–	–
City of London	16,138	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
EASTERN.																
Shoreditch	89,675	–	–	–	–	6	9	–	3	–	–	2	–	–	–	–
Bethnal Green	107,362	–	–	–	–	8	7	–	2	–	–	1	–	–	–	–
Stepney	232,010	–	–	–	–	14	19	–	2	–	–	1	–	–	–	–
Poplar	143,443	1	–	–	–	11	14	–	2	1	1	–	–	–	1	–
SOUTHERN.																
Southwark	167,936	–	–	–	–	9	19	–	4	–	–	5	–	–	–	–
Bermondsey	107,635	–	–	–	–	5	5	–	–	1	–	–	–	–	–	–
Lambeth	272,038	1	–	–	–	19	23	–	3	–	–	3	1	–	3	–
Battersea	150,023	–	–	–	–	12	4	–	3	–	–	3	–	–	–	–
Wandsworth	300,787	–	–	–	–	28	35	–	3	1	1	–	–	–	–	–
Camberwell	239,461	–	–	–	–	24	19	–	5	–	1	2	–	–	–	–
Deptford	103,527	–	–	–	–	13	5	–	2	–	1	–	–	–	–	–
Greenwich	90,440	1	–	–	–	9	11	–	–	–	–	–	–	–	–	–
Lewisham	161,405	–	–	–	–	23	15	–	3	–	1	–	–	–	–	–
Woolwich	131,942	–	–	–	–	7	8	–	2	–	–	–	–	–	–	–
Port of London	—	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,026,901	11	–	–	–	303	308	–	58	6	11	30	1	–	4	–
Ages 0-1		–	–	–	–	3	11	–	2	1	–	30	–	–	–	–
„ 1-5		–	–	–	–	54	81	–	–	1	–	–	–	–	–	–
„ 5-		–	–	–	–	136	119	–	2	1	–	–	–	–	–	–
„ 10-		–	–	–	–	68	56	–	3	1	–	–	1	–	1	–
„ 15-		3	–	–	–	23	12	–	3	1	–	–	–	–	–	–
„ 20-		4	–	–	–	8	7	–	4	–	–	–	–	–	2	–
„ 25-		2	–	–	–	6	17	–	4	1	9	–	–	–	1	–
„ 35-		1	–	–	–	3	4	–	15	–	2	–	–	–	–	–
„ 45-		1	–	–	–	2	1	–	11	–	–	–	–	–	–	–
„ 55-		–	–	–	–	–	–	–	4	–	–	–	–	–	–	–
„ 65-		–	–	–	–	–	–	–	6	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	–	–	–	4	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 6. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, FEB. 14.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
February 17th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,606, and corresponded to an annual rate of 29·9 per 1,000. The deaths* among the civilian population only numbered 5,544, and corresponded to an annual rate of 17·4 per 1,000 of their aggregate civilian population, which is estimated† at 16,577,344 persons in the year 1917. In the three weeks ended January 24th, January 31st, and February 7th, the rates had been 15·3, 15·9, and 15·9, respectively. The infant mortality was 110, against 75, 93, and 85 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1917, and are based on the returns furnished under the National Registration Act. 1915, and under the scheme for rationing of sugar. It is necessary for the present to continue the use of the estimates of population as in 1917, because those for 1918, although they might now be used, would necessarily differ more from the facts of the present time than the earlier estimates. The main change which occurred between mid-1917 and mid-1918 was further depletion of the male civilian population by enlistment, and as this has now been more than made good by demobilisation, it follows that the 1917 estimates, though they understate the present population, do so to a less extent than would those for 1918.

m (45)9946—3 Wt 167-840 625 2/20 E & S A

certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 22·2 in Hull, 22·6 in Rotherham, 23·7 in Gillingham, 24·2 in Bootle, 27·7 in Liverpool, and 27·9 in Dewsbury; from *measles*, 1·7 in Stoke-on-Trent, 2·1 in Liverpool, 2·4 in Nottingham, 2·8 in Hull, and 3·0 in Dewsbury; from *scarlet fever*, 2·6 in Darlington; from *whooping cough*, 3·6 in Lincoln; and from *diphtheria*, 1·2 in Tottenham and in Walsall, 1·6 in Bolton, and 1·8 in Enfield. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,793 BIRTHS, corresponding to a rate of 32·4 per 1,000, and 1,423 DEATHS of civilians, corresponding to a rate of 18·4, as against 15·1, 16·8, and 17·2 per 1,000 in the three weeks ended January 24th, January 31st, and February 7th. The death-rate in the four weeks ended last Saturday averaged 16·9 per 1,000. The infant mortality was 129, against 77, 105, and 98 in the preceding three weeks.

There was no death from *enteric fever*, against 1, 1, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 19, 18, and 26 in the preceding three weeks, further rose to 35 last week, and were 6 above the average; 4 deaths belonged to each of the Boroughs of Islington, Hackney, Shoreditch, and Bermondsey, and 3 to Bethnal Green. The deaths from *scarlet fever*, which had been 3, 5, and 9 in the preceding three weeks, fell to 3 last week, and were 1 below the average. The deaths from *whooping-cough*, which had been 18, 28, and 26 in the preceding three weeks, rose to 37 last week, and were 12 above the average; 6 deaths belonged to Stepney, 4 to Hackney, and 3 each to St. Pancras and to Southwark. The deaths from *diphtheria*, which had been 28, 37, and 32 in the preceding three weeks, fell to 29 last week, but were 12 above the average; 4 deaths belonged to Hackney, and 3 each to Bethnal Green and Wandsworth. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 15, 15, and 14 in the preceding three weeks, rose to 22 last week, and were 8 above the average; 4 deaths belonged to Camberwell and 3 to Battersea. The deaths from *influenza* numbered 25, as against 24, 15, and 20 in the preceding three weeks, and an average of 39.

Different forms of violence caused 45 deaths, all of which were the subject of coroners' inquests. Of these 45 deaths, 9 were cases of suicide and 2 of homicide, while the remaining 34 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 2 to a conflagration, 4 to other burns or scalds, 4 to drowning, and 4 of infants under 1 year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 16 cases of enteric

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

fever, 3 of small-pox, 78 of measles, 2,459 of scarlet fever, 18 of whooping-cough, and 2,010 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 0 case, against 7, 2, and 2 ; of small-pox, 4 cases (including 3 from areas outside the County of London) against 0, 0, and 0 ; of measles, 36 cases, against 12, 10, and 23 ; of scarlet fever, 285 cases, against 302, 267, and 299 ; of whooping-cough, 0 case, against 2, 0, and 0 ; and of diphtheria, 235 cases, against 274, 296, and 263. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended February 7th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 14th February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 24th Jan., 1920.	31st Jan., 1920.	7th Feb., 1920.	14th Feb., 1920.	Week ended 14th Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	**16,577,344**	**15·3**	**15·9**	**15·9**	**17·4**	**10606**	**5544**	**1165**	**1547**	**5**	**-**	**146**	**19**	**120**	**107**	**56**	**109**	**174**	**385**	**1615**	**47**	**96 GREAT TOWNS.**
LONDON†	4,026,901	15·1	16·8	17·2	18·4	2793	1423	359	417	-	-	35	3	37	29	22	25	45	129	564	-	LONDON.†
‡ CROYDON	167,681	16·2	13·7	11·8	16·8	99	54	6	23	-	-	1	-	-	1	-	-	1	3	15	-	CROYDON.
WIMBLEDON	53,536	12·7	10·7	9·7	12·7	26	13	2	6	-	-	-	-	-	-	-	2	-	-	3	-	WIMBLEDON.
EALING	64,128	9·8	12·2	13·8	8·9	41	11	2	8	-	-	-	-	-	-	-	-	-	-	1	-	EALING.
ACTON	58,507	16·0	10·7	20·5	14·3	28	16	3	1	-	-	-	-	-	1	-	-	-	-	7	-	ACTON.
WILLESDEN	157,005	10·3	7·0	11·6	11·0	101	33	6	10	-	-	-	-	-	1	-	-	2	4	18	-	WILLESDEN.
HORNSEY	82,442	9·5	7·6	12·0	15·2	27	24	2	7	-	-	-	1	1	-	-	1	1	2	7	-	HORNSEY.
TOTTENHAM	135,173	13·1	10·0	13·1	17·7	84	46	13	8	-	-	1	1	1	3	-	1	-	1	17	-	TOTTENHAM.
EDMONTON	61,940	14·3	14·3	10·1	12·6	53	15	4	2	-	-	-	-	-	1	-	-	1	2	4	-	EDMONTON.
ENFIELD	57,192	10·9	10·9	15·5	21·9	24	24	2	7	-	-	1	-	-	2	-	-	-	1	8	-	ENFIELD.
WEST HAM	271,934	17·8	17·1	19·2	14·2	225	74	13	17	-	-	1	-	4	3	-	1	4	6	25	1	WEST HAM.
EAST HAM	131,008	15·5	17·1	11·1	14·7	93	37	8	11	-	-	-	-	3	2	1	-	1	1	16	-	EAST HAM.
LEYTON	112,452	12·1	12·1	12·1	16·2	58	35	15	10	-	-	-	-	3	-	1	-	1	3	11	-	LEYTON.
WALTHAMSTOW	119,307	17·0	15·7	13·1	13·5	88	31	9	6	-	-	-	-	1	1	-	1	2	4	6	-	WALTHAMSTOW.
ILFORD	75,130	9·0	9·7	9·0	18·7	38	27	5	9	-	-	-	-	-	1	-	-	2	2	7	-	ILFORD.
GILLINGHAM	44,074	7·1	15·4	17·7	23·7	31	20	9	4	-	-	-	-	1	-	-	1	1	1	3	1	GILLINGHAM.
HASTINGS	48,439	12·9	14·0	15·1	16·1	21	15	2	8	-	-	-	-	-	-	1	2	-	-	2	1	HASTINGS.
EASTBOURNE	44,842	11·6	12·8	9·3	9·3	18	8	1	4	-	-	-	-	-	-	-	-	-	1	1	-	EASTBOURNE.
BRIGHTON	113,635	14·2	19·3	14·7	14·2	73	31	7	12	-	-	-	-	-	-	-	-	1	2	11	-	BRIGHTON.
PORTSMOUTH	198,527	14·7	16·8	14·4	15·5	148	59	10	20	-	-	-	-	3	1	-	-	-	1	16	1	PORTSMOUTH.
BOURNEMOUTH	70,327	19·3	16·3	14·1	10·4	28	14	4	4	-	-	-	-	-	-	-	-	1	1	2	-	BOURNEMOUTH.
SOUTHAMPTON	115,345	17·2	15·8	11·8	20·3	76	45	4	16	-	-	-	-	-	1	-	-	-	1	13	-	SOUTHAMPTON.
READING	82,475	13·9	5·7	16·4	17·1	52	27	4	6	-	-	-	-	-	1	-	3	-	-	11	-	READING.
OXFORD	53,101	13·7	4·9	14·7	12·8	24	13	2	8	-	-	-	-	-	1	-	-	1	1	2	-	OXFORD.
NORTHAMPTON	82,471	14·5	15·2	10·7	17·1	48	27	2	6	-	-	-	-	1	1	-	-	2	3	8	1	NORTHAMPTON.

in the Week ended Saturday, 14th February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 24th Jan., 1920.	31st Jan., 1920.	7th Feb., 1920.	14th Feb., 1920.	Week ended 14th Feb. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	71,919	8·7	12·3	12·3	18·9	40	26	4	12	–	–	–	–	2	–	–	–	–	1	1	2	Southend on Sea.
Ipswich	72,800	9·3	14·3	12·9	16·5	46	23	2	9	–	–	–	–	–	–	–	–	–	1	3	–	Ipswich.
Great Yarmouth	45,516	12·6	10·3	25·2	12·6	27	11	–	4	–	–	–	–	–	–	–	–	1	1	4	–	Great Yarmouth.
Norwich	109,877	13·8	17·6	14·2	16·6	72	35	6	19	–	–	–	–	1	–	–	–	–	–	8	–	Norwich.
Swindon	51,516	9·1	14·2	8·1	14·2	17	14	4	2	–	–	–	–	–	–	–	–	–	1	2	–	Swindon.
Exeter	51,631	14·1	16·2	19·2	16·2	32	16	2	11	–	–	1	–	–	–	–	–	1	2	1	–	Exeter.
Plymouth	179,375	18·3	18·0	15·7	20·1	105	69	10	22	–	–	–	–	2	2	–	1	2	5	8	–	Plymouth.
Bath	58,799	17·7	15·1	14·2	18·6	27	21	2	12	–	–	–	–	–	–	–	–	–	1	2	–	Bath.
Bristol	334,873	14·0	14·0	14·6	14·3	183	92	9	41	–	–	1	–	–	1	1	1	3	6	26	–	Bristol.
Gloucester	55,026	12·3	14·2	7·6	13·3	32	14	2	2	–	–	–	–	2	–	–	–	–	–	3	–	Gloucester.
Stoke on Trent	215,116	17·2	15·3	15·0	15·3	143	63	15	15	–	–	7	–	–	–	1	–	–	4	8	1	Stoke on Trent.
Wolverhampton	93,037	10·6	22·4	17·4	12·3	71	22	6	2	–	–	1	–	–	–	–	1	1	1	3	–	Wolverhampton.
Walsall	87,957	11·3	19·0	12·4	11·9	63	20	5	6	–	–	–	–	–	2	–	–	–	1	3	–	Walsall.
West Bromwich	67,221	10·9	12·4	14·0	14·0	38	18	5	4	–	–	–	–	–	1	–	–	1	1	4	–	West Bromwich.
Dudley	52,049	16·0	13·0	13·0	12·0	41	12	2	7	–	–	–	–	–	–	–	–	–	–	2	–	Dudley.
Birmingham	870,211	13·6	14·6	15·0	16·0	521	267	42	72	–	–	–	2	6	12	2	9	11	14	82	13	Birmingham.
Smethwick	69,788	13·4	15·7	8·2	9·7	51	13	5	4	–	–	–	–	1	–	–	–	–	–	1	–	Smethwick.
Coventry	128,098	9·0	7·7	9·0	11·4	75	28	5	9	–	–	1	–	–	–	1	2	–	–	5	–	Coventry.
Leicester	212,433	14·7	12·8	14·2	11·5	100	47	10	19	–	–	–	–	–	–	3	–	1	1	8	1	Leicester.
Lincoln	58,617	11·6	13·3	14·2	13·3	33	15	3	6	–	–	1	–	4	–	–	2	–	–	2	1	Lincoln.
Grimsby	67,014	24·1	15·6	22·6	21·0	46	27	1	7	–	–	2	–	–	1	–	1	–	–	6	–	Grimsby.
Nottingham	236,853	19·6	17·4	19·4	19·2	140	87	21	25	–	–	11	–	3	4	2	–	1	4	36	–	Nottingham.
Derby	119,191	9·6	11·8	10·9	13·6	72	31	5	12	–	–	–	–	–	–	1	–	3	3	13	–	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 14th February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1917.*	Death-Rates from all Causes. Week ended 24th Jan., 1920.	31st Jan., 1920.	7th Feb., 1920.	14th Feb., 1920.	Week ended 14th Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	111,922	17·2	17·7	12·6	14·9	60	32	5	9	–	–	–	–	2	–	1	–	2	4	9	–	STOCKPORT.
BIRKENHEAD	133,819	16·8	19·1	21·0	16·4	102	42	10	12	–	–	2	–	3	–	–	–	3	4	12	–	BIRKENHEAD.
WALLASEY	84,209	11·1	9·3	14·2	15·5	31	25	1	12	–	–	–	–	–	–	–	4	–	1	7	–	WALLASEY.
LIVERPOOL	716,140	20·7	23·1	22·1	27·7	574	380	74	75	–	–	29	2	15	12	5	15	8	20	140	4	LIVERPOOL.
BOOTLE	68,871	16·7	12·9	10·6	24·2	45	32	7	5	–	–	–	1	1	1	–	1	1	1	6	1	BOOTLE.
ST. HELENS	90,582	12·1	15·5	13·8	19·0	70	33	2	5	–	–	1	–	–	–	–	1	1	1	8	1	ST. HELENS.
SOUTHPORT	60,747	12·0	16·3	17·2	20·6	24	24	2	10	–	–	–	–	–	–	–	1	1	1	2	2	SOUTHPORT.
WIGAN	83,110	16·9	13·8	18·8	14·4	64	23	3	6	–	–	2	–	1	–	–	1	–	4	2	–	WIGAN.
WARRINGTON	68,554	12·9	12·9	12·9	11·4	47	15	5	3	–	–	–	–	–	–	–	1	–	–	2	2	WARRINGTON.
BOLTON	163,411	15·0	13·4	16·3	21·7	74	68	17	19	–	–	–	–	–	5	1	1	2	5	13	1	BOLTON.
BURY	51,851	17·1	20·1	15·1	17·1	20	17	1	4	–	–	–	–	–	–	–	1	–	–	2	–	BURY.
MANCHESTER	660,143	16·5	18·2	18·1	19·9	390	252	59	54	2	–	11	1	2	2	4	2	6	9	84	2	MANCHESTER.
SALFORD	211,373	15·3	14·3	15·0	15·8	129	64	12	20	–	–	2	–	1	1	1	1	3	6	21	–	SALFORD.
OLDHAM	133,721	21·8	23·0	17·9	19·1	68	49	8	10	–	–	–	1	–	1	–	1	1	2	12	–	OLDHAM.
ROCHDALE	84,561	17·3	21·6	15·4	17·3	37	28	1	12	–	–	–	–	1	–	–	–	–	3	6	–	ROCHDALE.
BURNLEY	93,779	16·1	11·7	13·9	15·6	50	28	9	5	–	–	–	–	–	–	–	–	–	6	6	–	BURNLEY.
BLACKBURN	113,315	14·7	9·7	13·8	17·5	60	38	3	18	–	–	–	–	–	–	1	1	–	1	12	–	BLACKBURN.
PRESTON	106,747	19·1	15·6	16·1	14·2	63	29	8	7	–	–	1	–	1	–	–	–	1	2	4	–	PRESTON.
BLACKPOOL	64,775	18·5	18·5	16·1	14·5	24	18	3	7	–	–	–	–	–	1	–	–	–	–	1	–	BLACKPOOL.
BARROW IN FURNESS	78,675	9·9	10·6	12·6	8·6	40	13	3	–	–	–	–	–	–	–	–	–	3	3	4	–	BARROW IN FURNESS.
HUDDERSFIELD	105,818	13·8	12·8	15·3	20·2	48	41	5	14	1	–	2	–	–	2	–	–	8	12	11	–	HUDDERSFIELD.
HALIFAX	92,775	9·6	18·0	15·2	19·7	42	35	4	13	–	–	–	–	–	–	–	1	3	4	9	–	HALIFAX.
BRADFORD	266,338	13·7	17·4	16·6	19·0	110	97	23	29	–	–	–	–	1	–	–	–	3	7	20	–	BRADFORD.
LEEDS	417,051	18·1	21·3	19·8	20·3	271	162	34	36	–	–	10	–	5	1	2	7	5	14	39	–	LEEDS.
DEWSBURY	52,244	14·0	17·0	11·0	27·9	17	28	2	10	–	–	3	1	–	–	–	–	1	2	3	–	DEWSBURY.
WAKEFIELD	47,830	18·5	13·1	19·6	17·4	31	16	3	7	–	–	–	–	–	–	–	–	1	1	5	–	WAKEFIELD.
BARNSLEY	47,943	16·3	18·5	10·9	15·2	39	14	2	2	–	–	1	–	–	–	–	1	2	3	1	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 24th Jan., 1920.	31st Jan., 1920.	7th Feb., 1920.	14th Feb., 1920.	Week ended 14th Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	3.	4.	5.	2.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	469,293	13·0	11·4	12·0	13·7	291	123	41	22	–	–	–	–	–	1	–	2	2	4	33	–	Sheffield.
Rotherham	64,685	14·5	8·9	6·4	22·6	50	28	2	9	–	–	–	–	2	1	–	–	1	1	7	2	Rotherham.
York	78,492	17·3	14·6	12·0	18·6	50	28	2	14	–	–	–	–	1	–	–	–	1	4	8	–	York.
Hull	246,357	22·2	19·5	21·4	22·2	179	105	21	16	1	–	13	–	–	–	–	2	3	7	27	–	Hull.
Middlesbrough	119,251	14·9	14·4	14·0	17·1	107	39	13	6	–	–	–	1	–	–	–	–	2	4	8	–	Middlesbrough.
Darlington	60,482	19·0	9·5	18·1	14·7	34	17	3	4	–	–	1	3	–	–	–	–	–	–	5	–	Darlington.
Stockton on Tees	57,048	13·7	17·4	19·2	13·7	46	15	4	2	–	–	–	–	2	–	–	–	–	–	1	1	Stockton on Tees.
West Hartlepool	62,034	14·3	12·6	13·4	11·8	44	14	4	5	–	–	–	–	–	–	–	–	–	–	3	1	West Hartlepool.
Sunderland	141,765	21·0	19·5	21·3	21·0	133	57	12	11	–	–	–	–	–	–	1	–	2	4	12	2	Sunderland.
South Shields	106,500	25·0	19·6	18·1	17·1	99	35	7	8	–	–	–	–	–	1	–	1	–	–	3	2	South Shields.
Gateshead	119,134	16·6	17·1	11·8	15·8	102	36	9	6	–	–	–	–	–	–	–	–	–	–	8	2	Gateshead.
Newcastle on Tyne.	266,551	13·9	21·3	13·9	13·1	176	67	15	18	–	–	1	–	2	1	1	3	2	5	14	–	Newcastle on Tyne.
Tynemouth	57,591	19·0	12·7	13·6	19·0	33	21	1	7	–	–	–	–	–	–	–	1	1	1	2	–	Tynemouth.
Carlisle	53,064	27·5	17·7	13·8	18·7	44	19	5	6	–	–	–	–	–	–	–	–	–	1	1	–	Carlisle.
Newport (Mon.)	82,709	15·8	12·6	10·1	20·2	56	32	7	11	–	–	1	–	–	–	1	3	–	1	5	–	Newport (Mon.).
Cardiff	169,440	15·4	14·5	12·6	20·0	109	65	14	8	–	–	–	–	2	1	1	2	4	8	12	–	Cardiff.
Rhondda	154,388	12·8	11·5	15·5	18·9	87	56	21	8	–	–	2	1	1	2	–	–	3	3	4	1	Rhondda.
Merthyr Tydfil	74,508	15·4	21·7	21·0	18·9	45	27	9	8	–	–	–	1	–	–	–	–	3	2	6	–	Merthyr Tydfil.
Aberdare	51,317	5·1	16·3	11·2	14·2	22	14	5	5	–	–	–	–	1	–	1	–	1	1	–	–	Aberdare.
Swansea	143,660	13·4	13·8	13·1	12·0	72	33	2	10	1	–	–	–	–	1	–	1	1	5	3	–	Swansea.
Greater London	6,726,753	14·2	15·0	15·4	16·7	4368	2158	498	652	–	–	44	5	56	51	30	34	67	176	780	3	Greater London.
Outer Ring	2,699,852	12·9	12·3	12·5	14·2	1575	735	139	235	–	–	9	2	19	22	8	9	22	47	216	3	Outer Ring.
14 Great Towns in Outer Ring.	1,547,435	14·0	12·7	13·6	14·8	985	440	90	125	–	–	4	2	13	16	2	6	15	29	145	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,152,417	11·5	11·8	11·2	13·3	590	295	49	110	–	–	5	–	6	6	6	3	7	18	71	2	Remainder of Outer Ring.
Edinburgh†	342,300	15·3	15·6	12·7	12·7	177	83	21	29	–	–	2	–	1	1	1	–	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	16·7	15·9	15·7	15·3	730	326	78	72	–	–	7	–	1	4	2	2	9	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	19·6	15·8	19·2	17·5	257	139	24	36	–	–	–	–	3	2	2	2	5	2	49	9	Dublin (Registration Area).†
Belfast†	413,000	17·8	20·3	18·4	20·1	264	159	37	27	–	–	11	2	1	–	2	2	2	4	39	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the SIXTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2375	2400	2287	2310	2115	2280	1993	1682	1462	1168	2793
Males	1205	1212	1189	1148	1065	1102	1015	867	724	593	1455
Females	1170	1188	1098	1162	1050	1178	978	815	738	575	1338
Deaths (of residents only).	1573	1629	1762	1499	1251	1695	1238*	1831*	1359*	1561*	1423*
Males		801	892	791	627	845	640	968	734	835	722
Females		828	870	708	624	850	598	863	625	726	701

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920, Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.
Births (as registered)	2223	2308	2113	2676	2519	1318	3308	3018	2962	2971	2715	2966	2793
Deaths (of residents only).	1132	1104	1120	1036	1180	815	1311	1216	1218	1163	1297	1332	1423
Ages at Death: Under 1 year	155	163	162	170	181	122	217	191	215	228	284	290	359
1–2 years	20	20	23	31	29	15	41	29	35	43	57	64	78
2–5 "	28	27	41	35	45	36	56	55	53	44	56	54	55
5–10 "	35	28	34	29	32	29	41	35	27	33	33	48	36
10–15 "	19	13	15	23	19	18	14	17	15	16	12	24	12
15–20 "	18	18	18	17	18	19	24	23	24	27	24	13	26
20–25 "	16	20	26	24	17	12	28	28	26	17	25	23	26
25–35 "	66	65	44	50	56	35	60	50	67	59	62	57	63
35–45 "	89	71	75	75	78	54	109	77	71	68	84	79	74
45–55 "	109	129	133	117	121	99	137	141	119	93	115	128	127
55–65 "	170	159	152	142	161	108	172	187	140	167	172	159	150
65–75 "	215	215	206	168	223	144	206	204	205	180	173	194	223
75 years and upwards	192	176	191	155	200	124	206	179	221	188	200	199	194
Deaths from—													
Enteric fever	–	–	2	–	1	1	–	2	1	1	1	1	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	11	10	12	10	11	9	19	14	21	19	18	26	35
Scarlet fever	2	2	6	3	5	4	5	4	7	3	5	9	3
Whooping cough	4	4	8	10	14	6	20	13	19	18	28	26	37
Diphtheria	21	23	29	20	32	28	36	31	24	28	37	32	29
Diarrhœa and enteritis (under 2 years).	16	23	18	15	20	9	16	18	19	15	15	14	22
Pulmonary tuberculosis	78	86	81	87	105	71	96	86	78	85	86	73	104
Influenza	22	15	16	17	18	12	19	16	19	24	15	20	25
Pneumonia (all forms)	95	89	75	71	78	62	93	108	127	126	176	205	222
Bronchitis	97	109	101	86	109	58	108	124	109	102	139	151	193
Other dis. of resp. system	21	14	18	15	9	14	17	16	13	15	11	20	21
Dis. of circ. system	196	190	200	157	209	136	218	207	198	176	182	180	179
Violence	43	47	46	35	46	29	50	33	49	41	40	46	45
Inquest cases	128	106	114	99	127	81	144	94	116	104	107	110	129
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	42	44	38	34	27	28	26	27	27	28	27	24	16
Small-pox	–	–	–	–	–	–	–	2	1	–	–	–	3
Measles	67	67	62	62	56	65	59	59	53	49	47	59	78
Scarlet fever	2820	2940	2990	2947	2942	2873	2926	2809	2758	2614	2550	2487	2459
Whooping cough	27	25	26	25	25	25	25	22	23	22	21	21	18
Diphtheria	1537	1603	1699	1796	1822	1862	1873	1899	1945	1994	2008	2014	2010

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.
Deaths from Influenza	79	63	77	81	64	43	52	73	62	85	66	98	109

TABLE 4. LONDON.—DEATHS REGISTERED in the SIXTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 6th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1561	1423	359	78	55	36	12	26	26	63	74	127	150	223	194
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	35	10	11	9	5	–	–	–	–	–	–	–	–	–
Scarlet fever	–	3	–	–	1	1	–	1	–	–	–	–	–	–	–
Whooping cough	5	37	18	11	7	1	–	–	–	–	–	–	–	–	–
Diphtheria	14	29	2	3	11	9	3	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	99	25	3	–	1	–	1	–	1	3	1	6	4	3	2
Erysipelas	2	3	–	–	–	–	–	–	–	–	1	–	–	2	–
Other epidemic diseases	4	5	–	–	2	–	–	–	–	–	–	1	2	–	–
Pyæmia and septicæmia	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	146	104	3	–	–	1	1	9	11	21	15	25	13	4	1
Tuberculous meningitis	11	9	2	1	3	2	1	–	–	–	–	–	–	–	–
Abdominal tuberculosis	7	5	1	–	–	–	–	1	1	1	–	–	1	–	–
Tuberculosis of the spine	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis of the joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	3	4	–	–	–	–	–	2	1	–	–	–	1	–	–
Venereal diseases	9	7	6	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	103	98	–	–	–	–	–	–	–	5	9	20	22	29	13
Tumour, situation undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Diabetes	12	3	–	–	–	–	–	–	–	–	–	–	1	1	1
Anæmia, leucocythaemia	7	5	–	–	1	–	–	–	–	–	–	2	1	1	–
Other general diseases	7	9	–	1	–	–	–	–	–	2	–	1	1	4	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	6	5	3	–	–	–	1	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	56	51	–	–	–	–	–	1	–	–	3	7	8	15	17
Softening of brain	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	7	4	–	–	–	–	–	–	–	–	–	–	–	2	2
Epilepsy	10	4	–	1	–	1	–	–	–	–	–	–	1	–	1
"Convulsions" (not puerperal)	13	5	5	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	37	26	–	–	2	2	–	1	1	1	3	5	5	6	–
Pericarditis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Acute endocarditis	2	11	–	–	–	1	–	1	2	3	2	1	1	–	–
Organic disease of heart	171	137	1	–	–	–	2	3	1	4	6	8	26	52	34
Embolism and thrombosis (including cerebral).	7	7	–	–	–	–	–	–	–	–	–	3	1	3	–
Other diseases of circulatory system.	45	23	–	–	–	–	–	–	–	–	1	3	4	9	6
Diseases of the larynx	2	2	–	–	1	–	–	–	–	–	–	1	–	–	–
Bronchitis	226	193	61	8	2	–	–	1	–	1	6	11	20	36	47
Broncho-pneumonia	87	154	101	29	2	4	–	–	–	2	2	4	1	3	6
Lobar pneumonia	45	30	–	–	2	–	–	1	–	5	4	3	5	8	2
Pneumonia (type not distinguished)	50	38	8	7	3	3	–	1	2	2	2	3	2	3	2
Pleurisy	3	6	1	1	1	–	–	–	–	–	–	1	1	–	1
Pulmonary congestion, Pulmonary apoplexy.	8	5	1	–	1	–	–	–	–	1	–	–	–	–	2
Other diseases of respiratory system.	21	8	–	–	–	1	–	–	–	–	–	1	1	2	3

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the SIXTH Week of the Year 1920.

Causes of Death.	Deaths in the 6th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	15	7	1	–	–	1	–	–	–	1	1	2	–	1	–
Diarrhœa and enteritis	23	28	21	1	1	–	–	–	–	–	–	1	1	3	–
Appendicitis and typhlitis	3	3	–	–	1	1	–	–	1	–	–	–	–	–	–
Hernia and Intestinal obstruction.	13	9	1	–	1	–	–	–	–	–	–	1	4	–	2
Cirrhosis of liver	4	7	–	–	–	–	–	–	–	–	1	2	3	1	–
Other diseases of liver	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (cause unknown)	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of digestive system	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis	3	2	–	–	–	1	–	–	–	–	–	1	–	–	–
Chronic Bright's disease	44	33	–	–	–	–	–	–	2	–	6	4	7	13	1
Urinary calculi	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Uterine tumour (non-cancerous)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (,,)	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Other diseases of genito-urinary system.	11	10	–	–	–	–	–	–	–	1	–	2	2	2	3
Puerperal fever, &c.	2	4	–	–	–	–	–	–	–	3	1	–	–	–	–
Other causes incident to childbirth.	1	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Diseases of skin and cellular tissues.	10	13	4	–	–	–	–	–	–	–	1	1	4	2	1
Diseases of locomotor system	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations	12	15	14	1	–	–	–	–	–	–	–	–	–	–	–
Premature birth	28	56	56	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	16	16	16	–	–	–	–	–	–	–	–	–	–	–	–
Old age	84	55	–	–	–	–	–	–	–	–	–	–	–	12	43
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Burns and scalds	6	4	2	1	–	–	–	–	–	–	–	–	–	1	–
Drowning	2	4	1	–	–	–	–	–	1	–	1	1	–	–	–
Suffocation in bed	1	4	4	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	17	20	1	1	–	2	2	–	1	1	1	3	3	3	2
Total deaths from accident	26	34	8	2	2	2	2	–	2	1	2	4	3	4	2
Included in above are deaths in connection with:—															
Railways	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	3	7	–	1	–	1	2	–	–	–	–	–	1	2	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	2	2	–	–	–	–	–	–	–	1	–	1	–	–	–
Suicide	3	9	–	–	–	–	–	–	–	1	3	2	3	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	6	15	12	–	–	–	–	–	1	2	–	–	–	–	–
Ill-defined Causes	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
NDON‡	4,026,901	Feb. 14	2,793	1,423	18·4	–	–	35	3	37	29	22	25
LCUTTA	896,067	Jan. 10	–	890§	51·6	?	124	?	?	?	?	?	52
MBAY	979,445	„ 10	367	930	49·4	1	2	1	–	–	?	41	42
ADRAS	518,660	„ 10	568	573§	57·4	–	3	1	?	3	–	55	15
RIS	2,847,229	(10 days) Jan. 30	–	–	–	–	–	–	–	–	–	–	–
USSELS	780,843	—	–	–	–	–	–	–	–	–	–	–	–
TWERP	309,156	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
STERDAM	647,125	„ 31	312	153	12·3	1	–	3	2	–	1	–	5
PENHAGEN	552,000	„ 31	236	217	20·5	–	–	7	–	5	1	–	42
OCKHOLM	408,456	„ 24	137	114	14·5	–	–	–	–	–	3	–	–
THENBURG	200,553	„ 10	–	46	11·9	–	–	3	–	–	–	–	–
RISTIANIA	258,615	„ 31	96	80	16·1	–	–	–	–	–	–	1	11
RLIN	1,842,564	Jan. 24	680	674	19·0	–	?	6	2	10	2	13	22
ESLAU	493,393	„ 24	265	159	16·8	–	?	–	–	3	1	4	–
LOGNE	627,301	„ 24	360	160	13·3	–	?	–	–	4	1	5	?
ESDEN	535,887	„ 24	231	133	12·9	1	?	–	1	2	–	–	?
ANKFORT-ON-MAIN.	470,124	„ 24	160	96	10·6	–	?	2	–	–	2	1	?
MBURG	1,050,300	„ 24	407	340	16·8	–	?	1	2	4	3	5	?
IPZIG	676,289	„ 24	272	185	14·2	1	?	–	1	2	–	6	?
UNICH	670,000	„ 24	–	–	–	–	–	–	–	–	–	–	–
ENNA	2,350,005	„ 24	489	704	15·6	–	–	22	1	6	5	16	21
AGUE	501,261	„ 10	148	185	19·2	–	1	1	–	–	1	1	2
DAPEST	1,051,374	Dec. 6	437	353	17·5	5	–	–	3	4	2	?	–
IESTE	223,368	Jan. 31	164	210	49·0	1	–	2	–	1	–	–	43
CAREST	342,427	—	–	–	–	–	–	–	–	–	–	–	–
W YORK	6,006,794	Nov. 22	2,426	1,127	9·8	2	–	2	–	4	21	28	3
		„ 29	2,357	1,280	11·1	2	–	9	3	1	17	26	10
		Dec. 6	2,747	1,232	10·7	5	–	11	3	8	27	26	8
		„ 13	2,433	1,287	11·2	1	–	14	1	5	28	32	10
		„ 20	2,521	1,249	10·9	2	–	14	–	6	35	19	8
ICAGO	2,596,681	Jan. 10	–	688	13·8	–	–	3	6	3	17	33	13
		„ 17	–	751	15·1	–	–	1	4	4	16	44	21
		„ 24	–	1,170	23·4	1	–	5	2	4	19	48	200

Excluding deaths from croup in Bombay and Madras.
The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of* for Copenhagen, Stockholm, Gothenburg, the German Cities and Budapest.
The estimated population and deaths refer to the civilian population only.
Including 12 deaths from *Asiatic cholera* in Calcutta and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 14th February, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
NDON (Greenwich)	54	33	51·3	38·0	3
IGHTON	50	32	48·1	39·4	7
RTSMOUTH	54	32	50·0	40·4	8
RWICH (Eaton)	53	34	49·1	37·6	5
YMOUTH	52	33	50·7	42·6	10
ISTOL (Clifton)	51	39	49·1	41·7	32
RMINGHAM	52	36	49·1	40·1	5
TTINGHAM	53	27	48·7	36·3	14
RKENHEAD (Bidston)	54	35	49·1	40·0	17
ANCHESTER	53	37	48·7	41·7	41
ENLEY	52	36	47·4	38·1	65
DDERSFIELD	51	37	46·6	39·4	64
BRADFORD	51	32	47·4	38·7	51
SHEFFIELD	53	36	48·3	39·7	31
YORK (Museum)	53	35	48·4	39·6	6
HULL (Pearson Park)	54	35	48·6	38·6	6
TYNEMOUTH	56	34	48·9	37·1	3
CARDIFF	54	37	49·4	41·7	22
EDINBURGH	51·0	33·0	45·7	36·0	29
GLASGOW	50·9	33·4	46·2	37·2	70
DUBLIN:— Phœnix Park	53·0	37·2	50·4	40·4	17
†Fitzwilliam Square	54·2	39·1	51·1	41·8	15
BELFAST	53·0	35·0	49·5	39·5	21

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 14th February 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - -	8	..	30·287	50·0	36·0	14·0	43·3	+ 4·0	38·7	4·6	9·5	1·7	84	83·0	24·8	43·9	SSW. & SW.	SSW., SW. & W.	2·2	0·0	0·1	230	− 99	0·01
MONDAY - -	9	..	30·215	48·7	33·1	15·6	42·3	+ 3·2	37·9	4·4	7·9	1·2	84	65·2	25·8	43·6	SW.	SW. & WSW.	6·9	0·0	0·5	393	+ 61	0·01
TUESDAY - -	10	..	29·718	51·2	47·7	3·5	49·6	+10·7	45·9	3·7	6·1	2·9	87	58·0	43·9	43·7	WSW. & SW.	SW.	14·5	0·0	1·6	728	+395	0·07
WEDNESDAY -	11	Last Quarter.	29·677	51·5	40·0	11·5	44·6	+ 5·8	35·3	9·3	16·6	4·9	70	82·0	32·4	43·8	SW., WSW. & W.	W. & WNW.	8·4	0·0	1·0	614	+282	0·03
THURSDAY - -	12	..	30·067	49·4	35·6	13·8	42·6	+ 3·8	35·3	7·3	13·7	4·1	75	79·7	28·8	43·6	W. & WSW.	W., SW. & SSW.	2·7	0·0	0·3	354	+ 25	0·00
FRIDAY - -	13	Apogee	29·651	53·8	44·2	9·6	49·1	+10·1	43·9	5·2	8·3	4·1	82	79·0	38·0	43·7	SSW. & SW.	SW. & WSW.	11·4	0·0	0·9	526	+199	0·00
SATURDAY - -	14	Greatest declination S.	29·845	53·9	40·1	13·8	46·2	+ 6·9	41·9	4·3	9·5	0·7	85	72·9	32·2	43·8	WSW.	W., ESE. & calm.	3·4	0·0	0·3	314	− 12	0·00
MEANS - - -		- - -	29·923	51·2	39·5	11·7	45·4	+ 6·4	39·8	5·5	10·2	2·8	81	74·3	32·3	43·7	SW.		..	..	..	Sum 3159	Sum +851	Sum 0·12
No. of Column - -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. February, 1920.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	8	m.P. generally till 16h., w.P. afterwards.	3·4	9·4	Cloudy to overcast by 2h., clearing from 4h., nearly cloudless with hoar frost by 6h.; variably cloudy till 11h. 30m.; overcast generally till 19h., with occasional rain between 16h. 30m. and 18h.; cloudless generally with mist and hoar frost from 20h.
Monday -	9	w.P. generally	0·0	9·5	Cloudless generally till 5h., becoming overcast by 7h., with few exceptions; brisk wind from 16h.; slight rain 23h.
Tuesday -	10	w.P. generally	0·0	9·6	Overcast till 20h., few breaks afterwards, becoming cloudy by 23h.; frequent rain between 5h. and 18h.; brisk wind throughout.
Wednesday -	11	v.P. till noon, s.P. afterwards.	4·8	9·6	Variably cloudy with fine and nearly overcast intervals till 18h., becoming cloudless by 19h.; brisk wind generally till 19h.; slight rain about 6h. 30m. and 18h.
Thursday -	12	s.P. generally	4·2	9·7	Cloudless generally with hoar frost till 10h., partially cloudy till 14h., then overcast with cloudy intervals; solar halo about 15h.
Friday - -	13	v.P. throughout	0·8	9·8	Overcast with few cloudy intervals; slight rain 1h., 6h., and at times between noon and 21h.; brisk wind from 7h. to 21h.
Saturday	14	s.P. generally, v.P. at times.	0·3	9·8	Cloudless till 2h., becoming overcast generally by 5h.; few cloudy intervals 15h. to 18h.; foggy from 23h.
			Sum 13·5	Sum 67·4	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·27 in. at the beginning of the week to 30·36 in. by 3h. on 9th; decreased to 29·58 in. by 4h. on 11th; increased to 30·11 in. by 11h. on 12th; decreased to 29·59 in. by 15h. on 13th; increased to 29·93 in. by 21h. on 14th, and decreased to 29·90 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 7th February, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,332	1	–	26	9	26	32	14	73	290
Western										
PADDINGTON	29	–	–	–	1	1	3	1	1	7
KENSINGTON	49	–	–	–	–	2	–	2	1	13
HAMMERSMITH	42	–	–	–	–	–	2	1	2	12
FULHAM	44	–	–	1	–	1	1	–	3	8
CHELSEA	16	–	–	–	–	–	–	–	1	3
CITY OF WESTMINSTER	36	–	–	–	1	1	–	–	1	3
Northern.										
ST. MARYLEBONE	12	–	–	1	–	–	–	–	–	–
HAMPSTEAD	16	–	–	–	–	–	1	–	1	–
ST. PANCRAS	70	–	–	3	2	–	1	–	5	9
ISLINGTON	106	–	–	1	–	3	2	1	11	20
STOKE NEWINGTON	10	–	–	–	–	–	–	–	–	2
HACKNEY	62	1	–	1	1	3	5	1	4	14
Central.										
HOLBORN	12	–	–	1	–	–	–	–	–	1
FINSBURY	34	–	–	1	–	–	1	–	4	9
CITY OF LONDON	2	–	–	–	–	–	–	–	–	1
Eastern.										
SHOREDITCH	39	–	–	2	–	–	2	1	3	10
BETHNAL GREEN	33	–	–	–	–	2	–	1	1	14
STEPNEY	95	–	–	1	–	3	2	1	6	27
POPLAR	61	–	–	–	1	1	2	1	6	16
Southern.										
SOUTHWARK	70	–	–	3	–	1	3	–	3	21
BERMONDSEY	31	–	–	2	–	4	–	–	–	5
LAMBETH	108	–	–	3	1	1	2	–	4	18
BATTERSEA	44	–	–	1	–	1	–	–	3	6
WANDSWORTH	85	–	–	–	–	–	–	–	1	21
CAMBERWELL	88	–	–	–	1	1	2	3	7	23
DEPTFORD	34	–	–	1	–	–	1	–	–	9
GREENWICH	30	–	–	2	–	–	1	–	2	5
LEWISHAM	42	–	–	2	1	1	–	1	–	6
WOOLWICH	32	–	–	–	–	–	1	–	3	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 7th February, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	122,507	1	-	-	-	6	17	-	-	-	-	1	-	-	-	-
Kensington	151,535	-	-	-	-	8	14	-	-	1	-	1	-	-	-	-
Hammersmith	114,952	-	-	-	-	4	6	-	3	-	-	-	-	-	-	-
Fulham	145,186	-	-	-	-	9	13	-	4	-	-	-	-	-	-	-
Chelsea	57,368	-	-	-	-	3	-	-	2	-	-	1	-	-	-	-
City of Westminster	122,046	-	-	-	-	8	4	-	4	-	-	1	-	-	-	-
NORTHERN.																
St. Marylebone	92,796	1	-	-	-	2	6	-	1	-	-	-	-	-	-	-
Hampstead	75,649	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
St. Pancras	186,600	-	-	-	-	14	14	-	1	-	-	-	-	-	-	-
Islington	297,102	-	-	-	-	21	16	-	3	-	1	1	1	-	-	-
Stoke Newington	47,426	-	-	-	-	5	3	-	-	-	-	-	-	-	-	-
Hackney	196,598	-	-	-	-	13	16	-	-	-	1	-	-	-	-	-
CENTRAL.																
Holborn	35,303	-	-	-	-		5	-	1	-	-	-	-	-	1	-
Finsbury	68,011	-	-	-	-	6	2	-	-	-	-	-	-	-	-	-
City of London	16,138	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	89,675	-	-	-	-	11	8	-	2	-	-	1	-	-	-	-
Bethnal Green	107,362	-	-	-	-	12	18	-	4	-	-	1	-	-	-	-
Stepney	232,010	1	-	-	-	25	18	-	5	-	-	-	-	-	-	-
Poplar	143,443	-	-	-	-	11	4	-	-	1	2	-	-	-	-	-
SOUTHERN.																
Southwark	167,936	-	-	-	-	9	20	-		-	-	1	-	-	-	-
Bermondsey	107,635	-	-	-	-	5	2	-	2	-	-	-	-	-	-	-
Lambeth	272,038	-	-	-	-	22		-	1	-	-	4	-	-	-	-
Battersea	150,023	-	-	-	-	10	4	-	2	-	1	1	-	-	-	-
Wandsworth	300,787	-	-	-	-	20	31	-	4	1	2	4	-	-	-	-
Camberwell	239,461	-	-	-	-	25	24	-	2	-	1	-	-	-	-	-
Deptford	103,527	-	-	-	-	18	10	-	2	-	1	-	-	-	-	-
Greenwich	90,440	-	-	-	-	11	8	-	-	-	-	-	-	-	-	-
Lewisham	161,405	-	-	-	-	18	7	-	3	-	-	1	-	-	-	-
Woolwich	131,942	-	-	-	-	14	11	-	2	-	1	-	-	-	-	-
Port of London	—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,026,901	4	-	-	-	314	292	-	52	3	10	18	1	-	1	-
Ages 0–1		-	-	-	-	5	5	-	-	-	-	18	-	-	-	-
„ 1–5		-	-	-	-	65	66	-	2	-	-	-	1	-	-	-
„ 5–		-	-	-	-	129	119	-	2	1	-	-	-	-	1	-
„ 10–		1	-	-	-	72	47	-	2	1	-	-	-	-	-	-
„ 15–		1	-	-	-	23	21	-	2	-	-	-	-	-	-	-
„ 20–		-	-	-	-	6	12	-	4	1	4	-	-	-	-	-
„ 25–		1	-	-	-	13	13	-	4	-	4	-	-	-	-	-
„ 35–		1	-	-	-	1	8	-	12	-	2	-	-	-	-	-
„ 45–		-	-	-	-	-	-	-	9	-	-	-	-	-	-	-
„ 55–		-	-	-	-	-	-	-	5	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	1	-	7	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 7. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, FEB. 21.
[Price 1½*d*. Net.]

General Register Office, Somerset House,
February 24th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,724, and corresponded to an annual rate of 30·3 per 1,000. The deaths* among the civilian population only numbered 5,332, and corresponded to an annual rate of 16·8 per 1,000 of their aggregate civilian population, which is estimated† at 16,577,344 persons in the year 1917. In the three weeks ended January 31st, February 7th, and February 14th, the rates had been 15·9, 15·9, and 17·4, respectively. The infant mortality was 94, against 93, 85, and 110 in the preceding three weeks. Table 1 of this Return shows, for the several

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1917, and are based on the returns furnished under the National Registration Act 1915, and under the scheme for rationing of sugar. It is necessary for the present to continue the use of the estimates of population as in 1917, because those for 1918, although they might now be used, would necessarily differ more from the facts of the present time than the earlier estimates. The main change which occurred between mid-1917 and mid-1918 was further depletion of the male civilian population by enlistment, and as this has now been more than made good by demobilisation, it follows that the 1917 estimates, though they understate the present population, do so to a less extent than would those for 1918.

m (45)9946—4 Wt 167-840 625 2/20 E & S A

towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 23·7 in Liverpool, 23·8 in Birkenhead and in Leeds, 23·9 in Cambridge, 24·8 in Hastings, and 27·3 in Bootle; from *measles*, 1·6 in Leeds, 1·8 in Lincoln, 2·3 in St. Helens, 2·8 in Hull, and 3·8 in Gloucester and in Wigan; from *whooping cough*, 1·6 in Birkenhead, and 1·7 in Edmonton; and from *diphtheria*, 1·1 in Hastings and in Nottingham, and 1·3 in Northampton. Two deaths from *small-pox* were registered: 1 belonged to London and 1 to East Ham.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,746 BIRTHS, corresponding to a rate of 31·9 per 1,000, and 1,384 DEATHS of civilians, corresponding to a rate of 17·9, as against 16·8, 17·2, and 18·4 per 1,000 in the three weeks ended January 31st, February 7th, and February 14th. The death-rate in the four weeks ended last Saturday averaged 17·6 per 1,000. The infant mortality was 99, against 105, 98, and 129 in the preceding three weeks.

There was one death from *enteric fever*, which had been 1, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. There was one death from *small-pox*, against 0, 0, and 0 in the preceeding three weeks; this death belonged to the Borough of Poplar. The deaths from *measles*, which had been 18, 26, and 35 in the preceding three weeks, further rose to 49 last week, and were 15 above the average; 9 deaths belonged to the Borough of Hackney, 8 to Shoreditch, 6 to Islington, 6 to Bermondsey, and 4 to St. Pancras. There was no death from *scarlet fever*, against 5, 9, and 3 in the preceding three weeks, and an average of 6. The deaths from *whooping-cough*, which had been 28, 26, and 37, in the preceding three weeks, further rose to 42 last week, and were 13 above the average; 7 deaths belonged to St. Pancras, and 5 each to Islington, Hackney, Stepney, and Lambeth. The deaths from *diphtheria*, which had been 37, 32, and 29 in the preceding three weeks, fell to 16 last week, and were equal to the average; 3 deaths belonged to Lambeth, and 3 to Wandsworth. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 15, 14, and 22 in the preceding three weeks, fell to 16 last week, and were 2 below the average; 3 deaths belonged to Bethnal Green. The deaths from *influenza* numbered 37, as against 15, 20, and 25 in the preceding three weeks, and an average of 80.

Different forms of violence caused 44 deaths, all of which were the subject of coroners' inquests. Of these 44 deaths, 11 were cases of suicide, while the remaining 33 were attributed to other forms of violence. Twelve of these latter were referred to vehicles in the streets, 4 to burns or scalds, and 4 of infants under 1 year of age to suffocation in bed.

---

* *See* note * on first page.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 16 cases of enteric fever, 2 of small-pox, 97 of measles, 2,415 of scarlet fever, 17 of whooping-cough, and 2,000 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 2, 2, and 0; of measles, 35 cases, against 10, 23, and 36; of scarlet fever, 297 cases, against 267, 299, and 285; of whooping-cough, 0 case, against 0, 0, and 0; and of diphtheria, 235 cases, against 296, 263, and 235. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended February 21st, 1920.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 21st February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 31st Jan., 1920.	7th Feb., 1920.	14th Feb., 1920.	21st Feb., 1920.	Week ended 21st Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	16,577,344	15·9	15·9	17·4	16·8	10724	5332	1011	1520	4	2	158	11	109	71	53	161	179	399	1547	47	96 GREAT TOWNS
LONDON†	4,026,901	16·8	17·2	18·4	17·9	2746	1384	271	421	1	1	49	–	42	16	16	37	44	124	584	4	LONDON.†
‡ CROYDON	167,681	13·7	11·8	16·8	11·8	123	38	6	15	–	–	1	–	–	–	–	2	1	3	8	–	CROYDON.
WIMBLEDON	53,536	10·7	9·7	12·7	11·7	26	12	4	4	–	–	–	–	–	–	–	–	1	2	2	–	WIMBLEDON.
EALING	64,128	12·2	13·8	8·9	10·6	36	13	2	5	–	–	–	–	–	–	–	1	–	–	–	–	EALING.
ACTON	58,507	10·7	20·5	14·3	10·7	28	12	2	6	–	–	–	–	–	–	–	–	–	–	3	–	ACTON.
WILLESDEN	157,005	7·0	11·6	11·0	11·3	98	34	6	11	–	–	–	–	–	1	–	2	–	2	13	–	WILLESDEN.
HORNSEY	82,442	7·6	12·0	15·2	12·0	23	19	1	8	1	–	–	–	–	–	–	1	–	4	3	–	HORNSEY.
TOTTENHAM	135,173	10·0	13·1	17·7	12·7	98	33	8	10	–	–	1	–	–	–	–	2	1	2	11	–	TOTTENHAM.
‡ EDMONTON	61,940	14·3	10·1	12·6	16·0	49	19	7	5	–	–	–	–	2	–	–	–	1	3	2	–	‡ EDMONTON.
ENFIELD	57,192	10·9	15·5	21·9	12·8	25	14	3	3	–	–	–	–	–	–	–	–	–	–	2	–	ENFIELD.
WEST HAM	271,934	17·1	19·2	14·2	14·6	216	76	19	19	–	–	1	–	1	5	–	2	1	3	25	–	WEST HAM.
EAST HAM	131,008	17·1	11·1	14·7	9·2	74	23	4	5	–	1	–	–	1	–	1	2	2	3	6	–	EAST HAM.
LEYTON	112,452	12·1	12·1	16·2	17·2	54	37	6	13	–	–	–	–	–	1	–	1	2	4	14	–	LEYTON.
WALTHAMSTOW	119,307	15·7	13·1	13·5	12·7	71	29	5	7	–	–	–	–	–	–	–	1	1	2	9	–	WALTHAMSTOW.
ILFORD	75,130	9·7	9·0	18·7	11·8	17	17	5	6	–	–	–	–	–	–	–	1	1	2	2	–	ILFORD.
GILLINGHAM	44,074	15·4	17·7	23·7	21·3	24	18	2	4	–	–	–	–	1	–	–	1	–	–	1	–	GILLINGHAM.
HASTINGS	48,439	14·0	15·1	16·1	24·8	21	23	1	12	–	–	1	–	–	1	–	–	–	2	3	–	HASTINGS.
EASTBOURNE	44,842	12·8	9·3	9·3	7·0	14	6	–	2	–	–	–	–	–	–	–	–	–	–	–	–	EASTBOURNE.
BRIGHTON	113,635	19·3	14·7	14·2	19·7	83	43	8	20	–	–	–	–	–	–	1	1	2	6	14	–	BRIGHTON.
PORTSMOUTH	198,527	16·8	14·4	15·5	16·8	149	64	13	22	–	–	–	–	3	1	–	–	2	3	14	–	PORTSMOUTH.
BOURNEMOUTH	70,327	16·3	14·1	10·4	8·2	23	11	1	3	–	–	–	–	–	–	–	–	–	1	1	–	BOURNEMOUTH
SOUTHAMPTON	115,345	15·8	11·8	20·3	19·4	63	43	10	13	–	–	–	–	–	1	–	1	–	1	13	–	SOUTHAMPTON.
READING	82,475	5·7	16·4	17·1	16·4	46	26	5	8	–	–	–	–	1	–	–	–	1	2	2	–	READING.
OXFORD	53,101	4·9	14·7	12·8	19·6	31	20	4	8	–	–	–	–	–	–	1	–	2	2	7	–	OXFORD.
NORTHAMPTON	82,471	15·2	10·7	17·1	13·3	56	21	3	7	–	–	–	–	–	2	–	1	1	1	7	–	NORTHAMPTON.
CAMBRIDGE	52,282	8·0	14·0	17·0	23·9	27	24	3	10	–	–	–	–	–	–	–	–	–	–	5	–	CAMBRIDGE.

TABLE 2 (*cont.*). 55 GREAT TOWNS,

in the Week ended Saturday, 21st February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 31st Jan., 1920.	7th Feb., 1920.	14th Feb., 1920.	21st Feb., 1920.	Week ended 21st Feb. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	71,919	12·3	12·3	18·9	10·9	46	15	2	11	–	–	–	–	2	–	–	–	1	1	5	–	Southend on Sea.
Ipswich	72,800	14·3	12·9	16·5	12·2	47	17	4	6	–	–	–	–	–	–	–	–	2	2	5	–	Ipswich.
Great Yarmouth	45,516	10·3	25·2	12·6	12·6	42	11	2	7	–	–	–	–	–	–	–	–	–	1	2	–	Great Yarmouth.
Norwich	109,877	17·6	14·2	16·6	19·0	67	40	13	16	–	–	–	–	–	–	1	1	4	8	10	–	Norwich.
Swindon	51,516	14·2	8·1	14·2	13·2	27	13	3	3	–	–	–	–	–	–	–	–	–	–	1	–	Swindon.
Exeter	51,631	16·2	19·2	16·2	14·1	36	14	3	7	–	–	–	–	–	–	1	1	–	–	3	–	Exeter.
Plymouth	179,375	18·0	15·7	20·1	16·3	119	56	7	18	–	–	–	–	2	1	–	1	1		14	–	Plymouth.
Bath	58,799	15·1	14·2	18·6	21·3	36	24	3	13	–	–	–	–	–	–	–	1	1	2	6	–	Bath.
Bristol	334,873	14·0	14·6	14·3	17·3	197	111	25	42	–	–	3	–	1	1	2	1	8	19	30	–	Bristol.
Gloucester	55,026	14·2	7·6	13·3	14·2	27	15	2	2	–	–	4	–	1	–	–	–	–	–	3	–	Gloucester.
Stoke on Trent	215,116	15·3	15·0	15·3	15·0	167	62	6	15	–	–	3	–	–	–	–	2	2	4	8	–	Stoke on Trent.
Wolverhampton	93,037	22·4	17·4	12·3	16·8	72	30	6	10	–	–	–	1	2	–	–	–	–	2	4	–	Wolverhampton.
Walsall	87,957	19·0	12·4	11·9	13·6	55	23	4	7	–	–	–	–	1	–	–	–	2	3	2	–	Walsall.
West Bromwich	67,221	12·4	14·0	14·0	14·7	68	19	4	3	–	–	–	–	1	–	–	2	–	–	4	1	West Bromwich.
Dudley	52,049	13·0	13·0	12·0	12·0	37	12	2	2	–	–	–	–	–	–	–	–	–	–	2	1	Dudley.
Birmingham	870,211	14·6	15·0	16·0	15·8	526	263	53	74	–	–	1	3	10	10	3	19	8	10	82	16	Birmingham.
Smethwick	69,788	15·7	8·2	9·7	10·5	40	14	2	3	–	–	–	–	–	–	–	1	–	–	3	–	Smethwick.
Coventry	128,098	7·7	9·0	11·4	15·5	76	38	6	10	–	–	2	–	2	–	–	–	–	1	7	–	Coventry.
Leicester	212,433	12·8	14·2	11·5	16·9	132	69	16	19	–	–	1	–	–	2	2	1	–	1	23	–	Leicester.
Lincoln	58,617	13·3	14·2	13·3	13·3	27	15	2	4	–	–	2	–	–	–	–	–	–	–	3	–	Lincoln.
Grimsby	67,014	15·6	22·6	21·0	20·2	39	26	6	4	–	–	1	–	–	–	–	–	2	2	6	–	Grimsby.
Nottingham	236,853	17·4	19·4	19·2	19·2	136	87	12	26	–	–	7	–	1	5	–	1	2	4	30	–	Nottingham.
Derby	119,191	11·8	10·9	13·6	16·2	68	37	5	16	–	–	–	–	–	–	–	–	2	6	12	–	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 21st February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1917.*	Death-Rates from all Causes. Week ended 31st Jan., 1920.	7th Feb., 1920.	14th Feb., 1920.	21st Feb., 1920.	Week ended 21st Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Stockport	111,922	17·7	12·6	14·9	16·3	63	35	8	7	–	–	–	–	2	–	–	–	1	2	4	–	Stockport.
Birkenhead	133,819	19·1	21·0	16·4	23·8	94	61	13	13	–	–	3	–	4	–	–	5	2	2	15	–	Birkenhead.
Wallasey	84,209	9·3	14·2	15·5	16·1	41	26	2	7	–	–	–	–	–	–	–	7	1	2	6	–	Wallasey.
Liverpool	716,140	23·1	22·1	27·7	23·7	548	325	49	72	–	–	19	1	10	5	1	15	9	29	114	5	Liverpool.
Bootle	68,871	12·9	10·6	24·2	27·3	41	36	8	7	–	–	1	–	–	1	2	1	–	1	4	1	Bootle.
St. Helens	90,582	15·5	13·8	19·0	16·1	70	28	7	5	–	–	4	–	1	–	–	2	–	–	11	–	St. Helens.
Southport	60,747	16·3	17·2	20·6	17·2	30	20	–	9	–	–	–	–	–	–	–	1	2	2	2	–	Southport.
Wigan	83,110	13·8	18·8	14·4	17·6	58	28	4	5	–	–	6	–	–	–	–	–	1	3	4	–	Wigan.
Warrington	68,554	12·9	12·9	11·4	10·6	58	14	3	–	–	–	–	–	–	1	–	–	–	–	3	2	Warrington.
Bolton	163,411	13·4	16·3	21·7	16·0	93	50	10	14	–	–	–	–	–	1	1	–	1	6	8	1	Bolton.
Bury	51,851	20·1	15·1	17·1	19·1	25	19	6	3	–	–	1	–	1	–	–	1	1	1	2	1	Bury.
Manchester	660,143	18·2	18·1	19·9	17·1	430	216	37	40	–	–	10	2	4	–	3	7	7	17	62	1	Manchester.
Salford	211,373	14·3	15·0	15·8	14·1	129	57	18	12	–	–	1	–	2	1	1	1	2	3	15	–	Salford.
Oldham	133,721	23·0	17·9	19·1	20·3	74	52	8	18	–	–	–	–	1	1	–	4	1	2	8	–	Oldham.
Rochdale	84,561	21·6	15·4	17·3	16·6	36	27	3	6	1	–	–	–	–	–	–	–	–	2	7	–	Rochdale.
Burnley	93,779	11·7	13·9	15·6	16·1	61	29	5	15	–	–	–	–	–	–	–	–	2	4	9	–	Burnley.
Blackburn	113,315	9·7	13·8	17·5	11·5	79	25	7	5	–	–	–	–	1	–	–	–	1	2	3	–	Blackburn.
Preston	106,747	15·6	16·1	14·2	17·6	86	36	7	9	–	–	1	–	–	–	–	–	1	1	3	2	Preston.
Blackpool	64,775	18·5	16·1	14·5	20·9	23	26	1	11	–	–	–	–	–	–	–	–	–	–	5	1	Blackpool.
Barrow in Furness	78,675	10·6	12·6	8·6	8·0	47	12	1	6	–	–	1	–	–	–	–	–	–	–	2	–	Barrow in Furness.
Huddersfield	105,818	12·8	15·3	20·2	14·8	40	30	5	9	–	–	–	–	–	–	–	–	1	2	5	–	Huddersfield.
Halifax	92,775	18·0	15·2	19·7	15·7	49	28	5	11	–	–	–	–	1	1	–	–	–	2	3	–	Halifax.
Bradford	266,338	17·4	16·6	19·0	19·2	118	98	19	25	–	–	1	–	–	–	2	3	2	7	27	–	Bradford.
Leeds	417,051	21·3	19·8	20·3	23·8	263	190	31	46	–	–	13	1	–	4	2	7	7	16	55	–	Leeds.
Dewsbury	52,244	17·0	11·0	27·9	16·0	21	16	3	5	–	–	–	–	–	–	–	–	–	1	1	–	Dewsbury.
Wakefield	47,830	13·1	19·6	17·4	14·2	25	13	3	7	–	–	–	–	–	–	2	–	–	–	4	–	Wakefield.
Barnsley	47,943	18·5	10·9	15·2	9·8	37	9	–	3	–	–	–	–	–	–	–	–	–	–	–	–	Barnsley.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 31st Jan., 1920.	7th Feb., 1920.	14th Feb., 1920.	21st Feb., 1920.	Week ended 21st Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	469,293	11·4	12·0	13·7	13·6	291	122	27	31	–	–	–	–	1	1	6	6	6	8	36	–	Sheffield.
Rotherham	64,685	8·9	6·4	22·6	8·1	45	10	3	2	–	–	–	–	–	–	–	–	–	–	1	–	Rotherham.
York	78,492	14·6	12·0	18·6	15·3	65	23	5	8	–	–	–	–	–	1	–	–	–	1	5	–	York.
Hull	246,357	19·5	21·4	22·2	22·0	191	104	21	24	–	–	13	–	–	1	2	3	4	3	22	–	Hull.
Middlesbrough	119,251	14·4	14·0	17·1	16·6	102	38	12	4	–	–	–	–	–	1	–	–	2	2	3	2	Middlesbrough.
Darlington	60,482	9·5	18·1	14·7	6·9	27	8	–	3	–	–	–	–	–	–	–	–	1	1	2	–	Darlington.
Stockton on Tees	57,048	17·4	19·2	13·7	11·9	47	13	6	3	–	–	–	–	–	–	–	–	–	–	1	–	Stockton on Tees.
West Hartlepool	62,034	12·6	13·4	11·8	21·9	44	26	7	7	–	–	1	–	–	1	1	–	1	3	4	–	West Hartlepool.
Sunderland	141,765	19·5	21·3	21·0	13·6	109	37	10	11	–	–	1	–	1	1	–	3	1	1	7	–	Sunderland.
South Shields	106,500	19·6	18·1	17·1	21·1	86	43	12	6	1	–	–	–	–	–	1	3	2	3	5	6	South Shields.
Gateshead	119,134	17·1	11·8	15·8	13·6	93	31	10	5	–	–	–	–	–	1	–	–	1	1	3	1	Gateshead.
Newcastle on Tyne.	266,551	21·3	13·9	13·1	15·6	185	80	13	23	–	–	2	–	4	–	1	1	9	11	16	–	Newcastle on Tyne.
Tynemouth	57,591	12·7	13·6	19·0	18·1	35	20	3	5	–	–	1	–	1	–	–	1	–	–	6	1	Tynemouth.
Carlisle	53,064	17·7	13·8	18·7	15·7	28	16	2	8	–	–	–	–	1	–	–	–	–	–	2	1	Carlisle.
Newport (Mon.)	82,709	12·6	10·1	20·2	10·1	66	16	5	5	–	–	–	–	–	–	–	–	2	2	4	–	Newport (Mon.).
Cardiff	169,440	14·5	12·6	20·0	16·0	114	52	2	14	–	–	2	2	–	1	–	–	4	7	9	–	Cardiff.
Rhondda	154,388	11·5	15·5	18·9	14·5	89	43	8	5	–	–	–	–	–	–	–	1	4	5	8	–	Rhondda.
Merthyr Tydfil	74,508	21·7	21·0	18·9	18·2	53	26	6	9	–	–	–	1	–	–	–	–	–	–	8	–	Merthyr Tydfil.
Aberdare	51,317	16·3	11·2	14·2	13·2	30	13	5	3	–	–	–	–	–	–	–	–	–	–	–	–	Aberdare.
Swansea	143,660	13·8	13·1	12·0	12·7	77	35	4	9	–	–	–	–	–	1	–	2	2	3	7	–	Swansea.
Greater London	6,726,753	15·0	15·4	16·7	15·6	4306	2014	397	637	2	2	55	2	51	25	19	59	63	172	733	4	Greater London.
Outer Ring	2,699,852	12·3	12·5	14·2	12·2	1560	630	126	216	1	1	6	2	9	9	3	22	19	48	149	–	Outer Ring.
14 Great Towns in Outer Ring.	1,547,435	12·7	13·6	14·8	12·7	938	376	78	117	1	1	3	–	4	7	1	15	11	30	100	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,152,417	11·8	11·2	13·3	11·5	622	254	48	99	–	–	3	2	5	2	2	7	8	18	49	–	Remainder of Outer Ring.
Edinburgh†	342,300	15·6	12·7	12·7	12·8	197	84	15	29	–	–	–	–	–	2	–	3	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	15·9	15·7	15·3	13·6	728	290	62	80	–	–	4	–	3	2	2	–	14	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	15·8	19·2	17·5	16·5	258	131	27	30	–	–	3	1	2	1	3	–	1	–	52	8	Dublin (Registration Area).†
Belfast†	413,000	20·3	18·4	20·1	18·2	282	144	23	25	2	–	9	2	6	–	1	2	–	1	31	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the SEVENTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2325	2275	2359	2216	2168	2189	1850	1747	1513	1262	2746
Males	1141	1124	1227	1146	1082	1118	940	901	766	629	1416
Females	1184	1151	1132	1070	1086	1071	910	846	747	633	1330
Deaths (of residents only).	1465	1613	1565	1571	1229	1801	1318*	1919*	1154*	2104*	1384*
Males		791	765	801	631	902	664	1019	590	1042	688
Females		822	800	770	598	899	654	900	564	1062	696

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920, Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.
Births (as registered)	2308	2113	2676	2519	1318	3308	3018	2962	2971	2715	2966	2793	2746
Deaths (of residents only).	1104	1120	1036	1180	815	1311	1216	1218	1163	1297	1332	1423	1384
Ages at Death: Under 1 year	163	162	170	181	122	217	191	215	228	284	290	359	271
1–2 years	20	23	31	29	15	41	29	35	43	57	64	78	77
2–5 "	27	41	35	45	36	56	55	53	44	56	54	55	72
5–10 "	28	34	29	32	29	41	35	27	33	33	48	36	35
10–15 "	13	15	23	19	18	14	17	15	16	12	24	12	20
15–20 "	18	18	17	18	19	24	23	24	27	24	13	26	19
20–25 "	20	26	24	17	12	28	28	26	17	25	23	26	29
25–35 "	65	44	50	56	35	60	50	67	59	62	57	63	66
35–45 "	71	75	75	78	54	109	77	71	68	84	79	74	86
45–55 "	129	133	117	121	99	137	141	119	93	115	128	127	113
55–65 "	159	152	142	161	108	172	187	140	167	172	159	150	175
65–75 "	215	206	168	223	144	206	204	205	180	173	194	223	184
75 years and upwards	176	191	155	200	124	206	179	221	188	200	199	194	237
Deaths from—													
Enteric fever	–	2	–	1	1	–	2	1	1	1	1	–	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles	10	12	10	11	9	19	14	21	19	18	26	35	49
Scarlet fever	2	6	3	5	4	5	4	7	3	5	9	3	–
Whooping cough	4	8	10	14	6	20	13	19	18	28	26	37	42
Diphtheria	23	29	20	32	28	36	31	24	28	37	32	29	16
Diarrhœa and enteritis (under 2 years).	23	18	15	20	9	16	18	19	15	15	14	22	16
Pulmonary tuberculosis	86	81	87	105	71	96	86	78	85	8	73	104	97
Influenza	15	16	17	18	12	19	16	19	24	15	20	25	37
Pneumonia (all forms)	89	75	71	78	62	93	108	127	126	176	205	222	189
Bronchitis	109	101	86	109	58	108	124	109	102	139	151	193	147
Other dis. of resp. system	14	18	15	9	14	17	16	13	15	11	20	21	15
Dis. of circ. system	190	200	157	209	136	218	207	198	176	182	180	179	202
Violence	47	46	35	46	29	50	33	49	41	40	46	45	44
Inquest cases	106	114	99	127	81	144	94	116	104	107	110	129	124
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	44	38	34	27	28	26	27	27	28	27	24	16	16
Small-pox	–	–	–	–	–	–	2	1	–	–	–	3	2
Measles	67	62	62	56	65	59	59	53	49	47	59	78	97
Scarlet fever	2940	2990	2947	2942	2873	2926	2809	2758	2614	2550	2487	2459	2415
Whooping cough	25	26	25	25	25	25	22	23	22	21	21	18	17
Diphtheria	1603	1699	1796	1822	1862	1873	1899	1945	1994	2008	2014	2010	2000

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.
Deaths from Influenza	63	77	81	64	43	52	73	62	85	66	98	109	161

TABLE 4. LONDON.—DEATHS REGISTERED in the SEVENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 7th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	2104	1384	271	77	72	35	20	19	29	66	86	113	175	184	237
Enteric fever	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Small-pox	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	8	49	9	20	15	4	–	–	–	–	–	–	1	–	–
Scarlet fever	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	2	42	17	13	10	2	–	–	–	–	–	–	–	–	–
Diphtheria	13	16	2	1	4	6	2	–	–	–	–	–	–	1	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	273	37	4	–	–	1	1	1	2	3	5	5	5	4	6
Erysipelas	2	4	–	–	–	–	–	–	1	–	–	1	–	1	1
Other epidemic diseases	1	4	–	–	1	–	–	–	–	–	–	–	3	–	–
Pyæmia and septicæmia	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	172	97	–	–	2	3	2	6	10	28	20	12	10	3	1
Tuberculous meningitis	10	9	–	–	3	4	1	1	–	–	–	–	–	–	–
Abdominal tuberculosis	3	4	1	2	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis of other organs	–	3	–	–	–	–	–	1	–	1	1	–	–	–	–
Disseminated tuberculosis	5	2	–	–	–	–	1	–	–	–	1	–	–	–	–
Venereal diseases	5	5	3	–	–	–	–	–	–	–	–	1	–	1	–
Cancer	114	119	2	1	–	–	–	–	–	2	4	18	44	30	18
Tumour, situation undefined	1	4	–	–	–	–	–	–	–	–	1	1	–	1	1
Rheumatic fever	5	9	–	–	–	2	2	1	–	1	1	1	–	1	–
Diabetes	14	10	–	–	–	–	–	–	2	–	–	1	2	3	2
Anæmia, leucocythaemia	3	4	–	–	–	–	–	–	–	–	2	1	1	–	–
Other general diseases	11	8	2	–	1	–	–	–	–	–	1	1	2	1	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	9	4	1	1	1	–	–	–	–	1	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	67	37	–	–	–	–	–	–	1	–	1	2	8	17	8
Softening of brain	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis, without specified cause	7	5	–	–	–	–	–	–	–	–	–	1	2	1	1
Epilepsy	9	3	–	–	–	–	–	–	–	–	–	–	1	1	1
"Convulsions" (not puerperal)	4	10	10	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	36	28	–	–	1	–	1	–	–	1	5	9	6	2	3
Pericarditis	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Acute endocarditis	3	9	–	–	–	–	–	1	–	2	2	1	3	–	–
Organic disease of heart	241	135	–	–	1	–	2	2	3	5	8	12	27	40	35
Embolism and thrombosis (including cerebral).	12	4	–	–	–	–	–	–	–	1	–	–	2	–	1
Other diseases of circulatory system.	63	53	–	–	–	–	–	–	–	1	1	5	7	17	22
Diseases of the larynx	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	340	147	41	5	1	–	–	–	1	1	5	7	16	25	45
Broncho-pneumonia	133	117	56	27	17	3	1	–	–	–	2	–	2	1	8
Lobar pneumonia	47	36	2	2	5	1	–	1	2	4	6	6	2	1	4
Pneumonia (type not distinguished)	84	36	11	2	4	1	–	–	–	3	2	3	6	3	1
Pleurisy	5	4	–	–	1	–	–	–	–	–	–	–	2	–	1
Pulmonary congestion, Pulmonary apoplexy.	6	4	–	–	–	–	–	–	–	–	–	–	1	–	3
Other diseases of respiratory system.	30	5	–	–	–	–	–	–	1	–	–	2	1	1	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the SEVENTH Week of the Year 1920.

Causes of Death.	Deaths in the 7th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	15	7	3	–	–	–	–	–	–	1	1	1	1	–	–
Diarrhœa and enteritis	28	24	14	2	1	–	–	–	–	1	–	4	–	–	2
Appendicitis and typhlitis	1	3	–	–	–	–	–	–	–	–	1	1	–	1	–
Hernia and Intestinal obstruction.	12	16	1	–	–	–	–	1	–	–	1	3	2	3	5
Cirrhosis of liver	5	3	–	–	–	–	–	–	–	–	–	3	–	–	–
Other diseases of liver	1	6	–	–	–	–	–	–	–	–	1	1	3	1	–
Peritonitis (cause unknown)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	6	3	–	–	–	–	1	–	–	–	–	–	2	–	–
Acute nephritis	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	50	25	–	–	–	–	1	–	–	4	4	3	4	4	5
Urinary calculi	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	15	11	–	–	–	–	–	–	–	–	–	1	1	3	6
Puerperal fever, &c.	2	5	–	–	–	–	–	–	3	–	2	–	–	–	–
Other causes incident to childbirth.	5	4	–	–	–	–	–	–	1	1	2	–	–	–	–
Diseases of skin and cellular tissues.	11	6	1	–	–	–	–	–	–	–	–	–	–	2	3
Diseases of locomotor system	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations	7	11	10	–	–	–	–	1	–	–	–	–	–	–	–
Premature birth	22	45	45	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	15	17	17	–	–	–	–	–	–	–	–	–	–	–	–
Old age	107	60	–	–	–	–	–	–	–	–	–	–	1	9	50
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	4	4	–	1	–	1	1	–	–	–	–	–	–	–	1
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	1	4	4	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	19	25	1	–	1	2	2	1	2	1	1	3	5	4	2
Total deaths from accident	24	33	5	1	1	3	3	1	2	1	1	3	5	4	3
Included in above are deaths in connection with:—															
Railways	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	12	–	–	1	1	2	–	1	–	1	1	4	1	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	11	–	–	–	–	–	–	–	1	5	3	1	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	7	17	13	–	–	1	1	1	–	1	–	–	–	–	–
Ill-defined Causes	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,026,901	Feb. 21	2,746	1,384	17·9	1	1	49	–	42	16	16	37
CALCUTTA	896,067	Jan. 17	–	923§	53·5	?	185	?	?	?	?	?	48
BOMBAY	979,445	„ 17	360	956§	50·8	3	3	–	–	1	–	32	54
MADRAS	518,660	„ 17	–	–	–	–	–	–	–	–	–	–	–
PARIS	2,847,229	(11 days) Jan. 31	1,936	1,890	?	8	–	6	7	20	10	27	156
BRUSSELS	780,843	—	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	309,156	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
AMSTERDAM	647,125	Feb. 7	324	155	12·5	1	–	1	–	4	–	2	9
COPENHAGEN	552,000	„ 7	264	386	36·5	1	–	5	–	5	6	2	207
STOCKHOLM	408,456	Jan. 31	119	99	12·6	–	–	–	–	–	4	1	–
GOTHENBURG	200,553	„ 17	–	46	11·9	–	–	5	–	–	–	–	–
CHRISTIANIA	258,615	Feb. 7	122	99	19·9	–	–	1	–	–	–	–	23‖
BERLIN	1,842,564	Jan. 31	725	807	22·8	1	?	5	1	16	7	21	28
BRESLAU	493,393	„ 31	270	233	24·6	–	?	–	–	5	1	7	–
COLOGNE	627,301	„ 31	333	188	15·6	–	?	–	–	6	3	5	?
DRESDEN	535,887	„ 31	214	150	14·6	–	?	–	–	1	–	1	?
FRANKFORT-ON-MAIN	470,124	„ 31	183	103	11·4	–	?	3	–	2	1	2	?
HAMBURG	1,050,300	„ 31	386	320	15·8	–	?	2	–	4	3	5	?
LEIPZIG	676,289	„ 31	273	236	18·1	1	?	–	–	4	3	4	?
MUNICH	670,000	„ 31	–	–	–	–	–	–	–	–	–	–	–
VIENNA	2,350,005	„ 31	395	829	18·3	3	1	36	–	12	4	21	31
PRAGUE	501,261	„ 17	172	224	23·3	1	2	2	–	1	–	11	6
BUDAPEST	1,051,374	Dec. 13	432	462	22·9	5	–	–	3	3	1	?	–
TRIESTE	225,643	Feb. 7	142	158	36·5	2	–	–	–	2	–	–	32
BUCAREST	342,427	—	–	–	–	–	–	–	–	–	–	–	–
NEW YORK	6,006,794	Dec. 27	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,596,681	Jan. 31	–	2,058	41·3	1	–	1	10	10	11	61	586
RIO DE JANEIRO	955,702	—	–	–	–	–	–	–	–	–	–	–	–
CAIRO:—													
Egyptians	673,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	76,000	—	–	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA:—													
Egyptians	330,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	81,000	—	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities and Budapest.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Bombay, and from *Asiatic cholera* 17 deaths in Calcutta and 1 in Bombay.
‖ Influenzal Pneumonia deaths.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 21st February, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	62	35	53·0	37·7	6
BRIGHTON	54	36	50·0	41·6	2
PORTSMOUTH	55	37	49·7	40·7	0
NORWICH (Eaton)	57	32	50·0	36·7	8
PLYMOUTH	58	35	51·4	43·0	4
BRISTOL (Clifton)	56	35	48·7	40·1	13
BIRMINGHAM	59	32	49·4	37·1	20
NOTTINGHAM	60	30	49·3	34·4	34
BIRKENHEAD (Bidston)	56	34	48·7	38·7	32
MANCHESTER	60	35	50·6	38·7	34
BURNLEY	57	33	48·3	36·4	20
HUDDERSFIELD	59	31	48·7	35·3	42
BRADFORD	58	32	49·0	35·9	18
SHEFFIELD	60	32	49·0	36·7	46
YORK (Museum)	54	34	48·4	37·0	14
HULL (Pearson Park)	58	32	50·1	36·9	29
TYNEMOUTH	55	34	46·7	37·3	13
CARDIFF	56	34	51·3	39·3	10
EDINBURGH	55·0	30·0	45·6	34·9	23
GLASGOW	51·9	31·6	46·8	37·3	24
DUBLIN:—					
Phœnix Park	57·0	28·0	49·8	37·1	9
†Fitzwilliam Square	53·8	32·4	49·3	40·1	10
BELFAST	54·0	35·0	48·4	39·6	27

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 21st February 1920

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	15	..	29·695	48·8	38·1	10·7	45·1	+ 5·7	38·6	6·5	10·6	0·7	78	59·3	31·1	43·8	Calm, S. & SSW.	SSW., S. & SW.	4·0	0·0	0·3	271	− 56	0·00
MONDAY	16	..	29·754	53·9	36·2	17·7	45·3	+ 5·8	42·3	3·0	8·9	1·0	89	94·8	28·1	44·0	SSW., W. & SW.	S., SSE. & calm.	2·0	0·0	0·1	186	−143	0·01
TUESDAY	17	..	29·738	59·8	39·2	20·6	48·9	+ 9·3	41·4	7·5	15·7	1·1	75	102·5	27·5	44·0	SE.	SE. & calm	1·9	0·0	0·1	164	−167	0·00
WEDNESDAY	18	..	29·861	61·8	36·3	25·5	48·6	+ 9·1	41·7	6·9	14·5	1·2	77	107·8	26·8	44·0	Calm	Calm & SSW.	0·6	0·0	0·0	88	−244	0·00
THURSDAY	19	New	29·770	61·0	36·0	25·0	47·6	+ 8·1	42·1	5·5	15·1	1·6	81	98·5	26·3	44·1	Calm & SW.	SSW. & calm.	1·5	0·0	0·0	119	−213	0·00
FRIDAY	20	..	29·736	43·0	35·1	7·9	38·7	− 0·9	38·0	0·7	3·5	0·0	97	45·0	29·0	44·0	Calm, N. & NE.	N. & NNE.	2·5	0·0	0·2	242	− 87	0·17
SATURDAY	21	In Equator.	30·058	41·7	34·4	7·3	37·9	− 1·8	30·3	7·6	10·8	2·8	74	55·9	30·3	43·9	N. & NNE.	NNE.	9·3	0·0	1·0	512	+187	0·05
MEANS		- - -	29·802	52·9	36·5	16·4	44·6	+ 5·0	39·2	5·4	11·3	1·2	82	80·5	28·4	44·0	Calm and NNE.		..	..	..	Sum 1582	Sum −723	Sum 0·23
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. February, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	15	v.P. throughout	0·0	9·9	Overcast with very slight exceptions; foggy till 1h. 30m.; slight rain at 4h.
MONDAY -	16	m.P. generally, s.P. at times.	4·8	9·9	Overcast till 2h.; cloudless with hoar frost and slight mist 4h. to 10h. 30m.; cloudy to overcast by 13h. 30m. with cloudy interval 20h.; damping at 14h.
TUESDAY -	17	v.P. throughout	8·8	10·0	Few thin clouds till 3h., nearly overcast till 7h., then clearing to cloudless generally by 9h.; hoar frost and slight fog at night.
WEDNESDAY -	18	v.P. throughout	8·0	10·1	Cloudless till 7h., fine with little cloud generally till 17h., then cloudless; slight fog and hoar frost morning and evening.
THURSDAY -	19	m.P. generally	3·3	10·1	Cloudless till 3h., becoming nearly overcast by 5h.; few cloudy intervals till 15h., becoming cloudless generally by 16h.; hoar frost in morning; slight fog morning and night.
FRIDAY - -	20	w.P. generally a little v.P. and v.N. at times.	0·0	10·2	Becoming overcast by 2h., slight fog till noon; damping from 6h., rain generally from 14h. 30m.; gloom at times; sleet and snow about 20h.
SATURDAY -	21	w.P. till 10h., s.P. generally till 22h., w.P. afterwards.	0·4	10·3	Overcast till noon, nearly overcast generally till 21h., then variably cloudy; slight rain till 6h.; slight snow 11h.; brisk wind between 9h. and 20h.
			Sum 25·3	Sum 70·5	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·90 in. at the beginning of the week to 29·60 in. by 22h. on 15th; increased generally to 29·88 in. by 22h. on 18th; decreased to 29·70 in. by 6h. on 20th, and increased to 30·21 in. by midnight on 21st.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 14th February, 1920.

BOROUGHS.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,423	–	–	35	3	37	29	22	104	359
Western										
PADDINGTON	29	–	–	–	–	1	2	–	1	5
KENSINGTON	60	–	–	1	–	2	1	2	4	15
HAMMERSMITH	40	–	–	–	1	1	–	1	2	9
FULHAM	46	–	–	2	1	–	–	2	4	11
CHELSEA	11	–	–	–	–	–	–	–	1	2
CITY OF WESTMINSTER	27	–	–	–	–	1	–	1	6	5
Northern.										
ST. MARYLEBONE	39	–	–	–	–	–	–	–	3	5
HAMPSTEAD	17	–	–	1	–	–	–	–	1	–
ST. PANCRAS	79	–	–	2	–	3	1	1	3	20
ISLINGTON	116	–	–	4	–	2	1	1	7	31
STOKE NEWINGTON	13	–	–	–	–	–	1	–	1	6
HACKNEY	80	–	–	4	–	4	4	2	4	22
Central.										
HOLBORN	13	–	–	–	–	–	–	–	–	1
FINSBURY	36	–	–	–	–	–	1	–	3	6
CITY OF LONDON	4	–	–	–	–	1	–	–	1	1
Eastern.										
SHOREDITCH	52	–	–	4	–	1	–	–	5	16
BETHNAL GREEN	42	–	–	3	–	2	3	–	3	10
STEPNEY	90	–	–	–	–	6	1	2	9	27
POPLAR	59	–	–	–	–	2	2	1	4	17
Southern.										
SOUTHWARK	80	–	–	1	–	3	1	1	3	33
BERMONDSEY	48	–	–	4	–	2	1	–	3	15
LAMBETH	80	–	–	2	–	–	1	–	8	17
BATTERSEA	50	–	–	–	–	1	1	3	3	15
WANDSWORTH	89	–	–	1	–	2	3	1	8	16
CAMBERWELL	85	–	–	2	1	1	1	4	7	22
DEPTFORD	28	–	–	1	–	–	–	–	–	10
GREENWICH	29	–	–	2	–	1	1	–	–	8
LEWISHAM	42	–	–	1	–	1	2	–	4	6
WOOLWICH	39	–	–	–	–	–	1	–	6	8

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 14th February, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	122,507	-	-	-	-	2	9	-	1	-	-	1	-	-	-	-
Kensington	151,535	1	-	-	-	5	7	-	3	-	-	2	-	-	-	-
Hammersmith	114,952	-	-	-	-	1	16	-	3	-	1	2	-	-	-	-
Fulham	145,186	-	-	-	-	11	19	-	2	-	-	-	-	-	-	-
Chelsea	57,368	-	-	-	-	5	7	-	1	-	-	-	-	-	-	-
City of Westminster	122,046	2	-	-	-	12	4	-	-	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	92,796	-	-	-	-	5	9	-	-	-	-	1	-	-	1	-
Hampstead	75,649	1	-	-	-	1	1	-	1	-	-	-	1	-	-	-
St. Pancras	186,600	-	-	-	-	14	12	-	4	1	-	1	-	-	-	-
Islington	297,102	-	-	-	-	24	10	-	1	-	-	1	-	-	-	-
Stoke Newington	47,426	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-
Hackney	196,598	-	-	-	-	5	12	-	2	-	1	-	-	-	-	-
CENTRAL.																
Holborn	35,303	-	-	-	-	3	6	-	2	-	-	-	-	-	1	-
Finsbury	68,011	-	-	-	-	4	5	-	3	-	-	1	-	-	-	-
City of London	16,138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	89,675	-	-	-	-	5	6	-	1	-	1	-	-	-	1	-
Bethnal Green	107,362	-	-	-	-	3	10	-	2	-	-	-	-	-	-	-
Stepney	232,010	-	-	-	-	17	11	-	1	1	-	1	-	-	-	-
Poplar	143,443	-	-	-	-	10	11	-	2	-	1	2	-	-	1	-
SOUTHERN.																
Southwark	167,936	-	-	-	-	5	13	-	6	-	-	2	-	-	-	-
Bermondsey	107,635	-	-	-	-	11	2	-	1	-	-	-	-	-	-	-
Lambeth	272,038	-	-	-	-	42	18	-	6	-	-	-	-	-	1	-
Battersea	150,023	-	-	-	-	11	13	-	-	-	1	2	-	-	-	-
Wandsworth	300,787	2	-	-	-	21	28	-	6	-	2	2	-	-	-	-
Camberwell	239,461	-	-	-	-	19	17	-	7	-	1	1	-	-	-	-
Deptford	103,527	-	-	-	-	11	3	-	1	-	-	-	-	-	-	-
Greenwich	90,440	-	-	-	-	10	6	-	1	-	-	1	-	-	2	-
Lewisham	161,405	-	-	-	-	15	11	-	-	-	-	-	-	-	-	-
Woolwich	131,942	-	-	-	-	8	9	-	-	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,026,901	6	-	-	-	282	277	-	58	2	8	20	1	-	7	-
Ages 0–1		-	-	-	-	5	4	-	-	1	-	20	-	-	-	-
" 1–5		-	-	-	-	55	58	-	2	-	-	-	-	-	-	-
" 5–		1	-	-	-	122	109	-	2	-	-	-	-	-	-	-
" 10–		-	-	-	-	59	47	-	1	-	-	-	-	-	1	-
" 15–		2	-	-	-	16	21	-	2	-	-	-	1	-	-	-
" 20–		-	-	-	-	8	14	-	3	-	1	-	-	-	-	-
" 25–		2	-	-	-	11	11	-	7	-	5	-	-	-	2	-
" 35–		-	-	-	-	4	7	-	15	-	2	-	-	-	2	-
" 45–		1	-	-	-	1	4	-	10	-	-	-	-	-	2	-
" 55–		-	-	-	-	-	1	-	5	1	-	-	-	-	-	-
" 65–		-	-	-	-	1	1	-	10	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 8. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, FEB. 28.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
March 2nd, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,644, and corresponded to an annual rate of 30·0 per 1,000. The deaths* among the civilian population only numbered 5,614, and corresponded to an annual rate of 17·7 per 1,000 of their aggregate civilian population, which is estimated† at 16,577,344 persons in the year 1917. In the three weeks ended February 7th, February 14th, and February 21st, the rates had been 15·9, 17·4, and 16·8, respectively. The infant mortality was 102, against 85, 110, and 94 in the preceding three weeks. Table 1 of this Return shows, for the several

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1917, and are based on the returns furnished under the National Registration Act. 1915, and under the scheme for rationing of sugar. It is necessary for the present to continue the use of the estimates of population as in 1917, because those for 1918, although they might now be used, would necessarily differ more from the facts of the present time than the earlier estimates. The main change which occurred between mid-1917 and mid-1918 was further depletion of the male civilian population by enlistment, and as this has now been more than made good by demobilisation, it follows that the 1917 estimates, though they understate the present population, do so to a less extent than would those for 1918.

m (45)10178—1 Wt 167-840 625 3/20 E & S A

towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 23·0 in Dudley, 23·6 in St. Helens, 25·5 in Leeds, 26·4 in Aberdare, 27·2 in Liverpool, and 28·3 in Barnsley; from *measles*, 1·9 in Wigan, 2·0 in Barrow-in-Furness, 2·2 in Nottingham, 3·1 in Liverpool, and 5·4 in Barnsley; from *whooping cough*, 1·3 in Leeds, 1·4 in Southampton, and 1·8 in Rochdale; and from *diphtheria*, 1·5 in Smethwick and in Swansea, 2·0 in Dewsbury, and 2·1 in Merthyr Tydfil. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,654 BIRTHS, corresponding to a rate of 30·8 per 1,000, and 1,425 DEATHS of civilians, corresponding to a rate of 18·5, as against 17·2, 18·4, and 17·9 per 1,000 in the three weeks ended February 7th, February 14th, and February 21st, The death-rate in the four weeks ended last Saturday averaged 18·0 per 1,000. The infant mortality was 107, against 98, 129, and 99 in the preceding three weeks.

There was one death from *enteric fever*, against 1, 0, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 26, 35, and 49 in the preceding three weeks, further rose to 52 last week, and were 6 above the average; 11 deaths belonged to the Borough of Hackney, 8 to St. Pancras, 6 to Shoreditch, and 5 to Islington. The deaths from *scarlet fever*, which had been 9, 3, and 0 in the preceding three weeks, were 3 last week, and were 2 below the average. The deaths from *whooping-cough*, which had been 26, 37, and 42, in the preceding three weeks, further rose to 52 last week, and were 25 above the average; 8 deaths belonged to Islington, 6 to Kensington, and 5 each to Hackney and Bethnal Green. The deaths from *diphtheria*, which had been 32, 29, and 16 in the preceding three weeks, rose to 19 last week, and were 5 above the average; 5 deaths belonged to Hackney, and 3 to Wandsworth. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 14, 22, and 16 in the preceding three weeks, rose to 18 last week, and were 3 above the average; 4 deaths belonged to Islington, and 3 each to St. Pancras and Lambeth. The deaths from *influenza* numbered 38, as against 20, 25, and 37 in the preceding three weeks, and an average of 160.

Different forms of violence caused 49 deaths, all of which were the subject of coroners' inquests. Of these 49 deaths, 12 were cases of suicide, while the remaining 37 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, 6 to burns or scalds, 1 to drowning, and 2 of infants under 1 year of age to suffocation in bed.

---

* *See* note * on first page.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 33 cases of enteric fever, 4 of small-pox, 96 of measles, 2,316 of scarlet fever, 18 of whooping-cough, and 2,026 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 18 cases, against 2, 0, and 3; of small-pox, 2 cases, against 0, 4, and 0; of measles, 24 cases, against 23, 36, and 35; of scarlet fever, 261 cases, against 299, 285, and 297; of whooping-cough, 1 case, against 0, 0, and 0; and of diphtheria, 245 cases, against 263, 235, and 235. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended February 21st, 1920.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 28th February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 7th Feb., 1920.	14th Feb., 1920.	21st Feb., 1920.	28th Feb., 1920.	Week ended 28th Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
6 GREAT TOWNS	16,577,344	15·9	17·4	16·8	17·7	10644	5614	1082	1569	7	–	184	11	111	72	61	178	175	391	1651	40	96 GREAT TOWNS.
LONDON†	4,026,901	17·2	18·4	17·9	18·5	2654	1425	284	412	1	–	52	3	52	19	18	38	49	117	636	4	LONDON.†
‡ CROYDON	167,681	11·8	16·8	11·8	14·6	78	47	4	16	–	–	1	–	–	–	–	4	2	5	10	–	CROYDON.
WIMBLEDON	53,536	9·7	12·7	11·7	15·6	20	16	1	3	–	–	–	–	–	–	–	–	1	2	5	–	WIMBLEDON.
EALING	64,128	13·8	8·9	10·6	17·9	34	22	4	5	–	–	–	–	–	1	–	–	2	1	8	–	EALING.
ACTON	58,507	20·5	14·3	10·7	19·6	32	22	3	8	–	–	–	–	–	–	–	1	–	–	6	–	ACTON.
WILLESDEN	157,005	11·6	11·0	11·3	12·3	75	37	6	14	–	–	–	–	–	–	–	1	2	3	12	–	WILLESDEN.
HORNSEY	82,442	12·0	15·2	12·0	8·9	23	14	1	4	–	–	–	–	–	–	–	–	–	–	3	–	HORNSEY.
TOTTENHAM	135,173	13·1	17·7	12·7	17·7	59	46	12	13	–	–	–	–	1	1	1	1	2	4	20	–	TOTTENHAM.
‡ EDMONTON	61,940	10·1	12·6	16·0	13·5	36	16	5	4	–	–	–	–	–	1	–	1	–	1	6	–	‡ EDMONTON.
ENFIELD	57,192	15·5	21·9	12·8	21·9	27	24	5	6	–	–	1	–	1	–	–	–	–	1	8	–	ENFIELD.
WEST HAM	271,934	19·2	14·2	14·6	14·4	203	75	12	23	–	–	–	–	2	2	–	4	4	7	21	–	WEST HAM.
EAST HAM	131,008	11·1	14·7	9·2	11·5	51	29	5	12	–	–	–	–	–	–	–	–	–	2	9	–	EAST HAM.
LEYTON	112,452	12·1	16·2	17·2	14·8	52	32	5	12	–	–	–	–	1	1	1	1	–	3	12	–	LEYTON.
WALTHAMSTOW	119,307	13·1	13·5	12·7	14·9	75	34	3	5	1	–	–	–	–	3	–	1	2	5	9	–	WALTHAMSTOW.
ILFORD	75,130	9·0	18·7	11·8	14·6	36	21	3	8	–	–	1	–	–	–	–	–	–	–	5	–	ILFORD.
GILLINGHAM	44,074	17·7	23·7	21·3	8·3	41	7	1	3	–	–	–	–	–	–	–	–	–	–	–	–	GILLINGHAM.
HASTINGS	48,439	15·1	16·1	24·8	14·0	26	13	–	2	1	–	–	–	–	1	–	–	–	–	5	–	HASTINGS.
EASTBOURNE	44,842	9·3	9·3	7·0	12·8	16	11	4	5	–	–	–	–	–	–	–	1	–	2	2	–	EASTBOURNE.
BRIGHTON	113,635	14·7	14·2	19·7	18·8	56	41	8	17	–	–	–	–	–	–	1	–	4	8	7	–	BRIGHTON.
PORTSMOUTH	198,527	14·4	15·5	16·8	16·3	155	62	12	24	–	–	3	–	1	1	–	–	2	6	20	1	PORTSMOUTH.
BOURNEMOUTH	70,327	14·1	10·4	8·2	11·1	28	15	–	11	–	–	–	–	–	–	–	1	–	1	–	–	BOURNEMOUTH
SOUTHAMPTON	115,345	11·8	20·3	19·4	12·7	72	28	3	16	–	–	–	–	3	–	–	1	–	1	5	–	SOUTHAMPTON.
READING	82,475	16·4	17·1	16·4	19·0	60	30	6	11	–	–	1	–	–	–	–	1	1	1	2	1	READING.‖
OXFORD	53,101	14·7	12·8	19·6	10·8	22	11	3	7	–	–	–	–	–	–	1	–	–	–	1	–	OXFORD.
NORTHAMPTON	82,471	10·7	17·1	13·3	9·5	53	15	2	7	–	–	–	–	–	–	–	–	–	–	3	1	NORTHAMPTON.
CAMBRIDGE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	11	–	5	–	–	1	–	–	–	–	1	–	–	2	–	CAMBRIDGE.
NORTHWICH	[illegible]	10·5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	3	1	NORTHWICH.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 7th Feb., 1920.	14th Feb., 1920.	21st Feb., 1920.	28th Feb., 1920.	Week ended 28th Feb. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	71,919	12·3	18·9	10·9	13·1	35	18	1	8	-	-	-	-	-	-	-	1	1	1	6	-	Southend on Sea.
Ipswich	72,800	12·9	16·5	12·2	20·8	43	29	8	8	-	-	-	-	-	2	-	-	1	3	9	-	Ipswich.
Great Yarmouth	45,516	25·2	12·6	12·6	11·5	32	10	1	4	-	-	-	-	-	-	-	1	-	-	1	-	Great Yarmouth.
Norwich	109,877	14·2	16·6	19·0	16·1	72	34	3	16	1	-	-	-	1	-	-	1	-	-	7	-	Norwich.
Swindon	51,516	8·1	14·2	13·2	17·2	28	17	3	10	-	-	-	-	-	-	-	-	-	-	2	-	Swindon.
Exeter	51,631	19·2	16·2	14·1	14·1	26	14	1	7	-	-	-	-	-	-	-	-	-	1	2	-	Exeter.
Plymouth	179,375	15·7	20·1	16·3	14·8	125	51	7	14	-	-	2	-	-	2	2	2	1	2	5	-	Plymouth.
Bath	58,799	14·2	18·6	21·3	13·3	24	15	1	10	-	-	-	-	-	-	-	-	-	-	3	-	Bath.
Bristol	334,873	14·6	14·3	17·3	17·0	194	109	20	39	-	-	4	-	1	1	-	-	6	10	27	-	Bristol.
Gloucester	55,026	7·6	13·3	14·2	18·0	35	19	1	3	-	-	1	-	1	-	-	-	-	-	4	-	Gloucester.
Stoke on Trent	215,116	15·0	15·3	15·0	21·3	177	88	16	22	-	-	6	-	-	-	-	1	2	5	14	-	Stoke on Trent.
Wolverhampton	93,037	17·4	12·3	16·8	16·8	60	30	7	7	-	-	1	-	-	1	2	-	1	3	13	-	Wolverhampton.
Walsall	87,957	12·4	11·9	13·6	13·6	76	23	4	8	-	-	-	-	-	1	2	1	-	1	4	-	Walsall.
West Bromwich	67,221	14·0	14·0	14·7	7·8	50	10	6	1	-	-	-	-	-	-	-	-	-	-	1	1	West Bromwich.
Dudley	52,049	13·0	12·0	12·0	23·0	44	23	5	5	-	-	-	-	-	-	1	3	-	-	1	-	Dudley.
Birmingham	870,211	15·0	16·0	15·8	16·1	550	269	34	78	-	-	-	3	8	-	4	25	13	15	66	5	Birmingham.
Smethwick	69,788	8·2	9·7	10·5	14·2	34	19	1	6	-	-	-	-	-	2	-	-	1	1	2	-	Smethwick.
Coventry	128,098	9·0	11·4	15·5	15·1	66	37	7	10	-	-	2	-	-	-	-	2	1	2	5	-	Coventry.
Leicester	212,433	14·2	11·5	16·9	15·2	143	62	8	22	-	-	-	-	-	-	1	-	1	6	10	3	Leicester.
Lincoln	58,617	14·2	13·3	13·3	17·8	25	20	2	7	-	-	2	-	1	-	-	2	-	-	2	-	Lincoln.
Grimsby	67,014	22·6	21·0	20·2	18·7	64	24	5	3	-	-	2	-	1	-	-	-	-	1	6	-	Grimsby.
Nottingham	236,853	19·4	19·2	19·2	18·1	155	82	12	25	-	-	10	-	-	2	-	-	1	2	30	1	Nottingham.
Derby	119,191	10·9	13·6	16·2	19·2	78	44	10	17	-	-	1	-	-	-	-	-	2	4	11	-	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 28th February, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1917.*	Death-Rates from all Causes. Week ended 7th Feb., 1920.	14th Feb., 1920.	21st Feb., 1920.	28th Feb., 1920.	Week ended 28th Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	111,922	12·6	14·9	16·3	20·5	54	44	12	14	–	–	–	–	2	–	–	–	1	1	8	–	STOCKPORT.
BIRKENHEAD	133,819	21·0	16·4	23·8	16·8	86	43	11	9	–	–	1	–	2	–	–	2	–	2	8	–	BIRKENHEAD.
WALLASEY	84,209	14·2	15·5	16·1	10·5	36	17	1	6	–	–	–	–	–	–	–	1	–	–	3	–	WALLASEY.
LIVERPOOL	716,140	22·1	27·6	23·7	27·2	602	373	77	64	–	–	42	–	9	7	7	18	9	21	131	4	LIVERPOOL.
BOOTLE	68,871	10·6	24·2	27·3	18·9	64	25	6	2	–	–	2	–	1	–	–	2	3	3	5	1	BOOTLE.
ST. HELENS	90,582	13·8	19·0	16·1	23·6	57	41	8	8	–	–	2	–	–	1	–	4	3	3	13	2	ST. HELENS.
SOUTHPORT	60,747	17·2	20·6	17·2	19·7	31	23	3	11	–	–	–	–	–	–	1	1	1	2	1	–	SOUTHPORT.
WIGAN	83,110	18·8	14·4	17·6	17·6	62	28	5	7	–	–	3	–	–	2	–	–	–	1	2	–	WIGAN.
WARRINGTON	68,554	12·9	11·4	10·6	9·9	36	13	–	3	–	–	–	–	–	–	–	2	–	–	4	–	WARRINGTON.
BOLTON	163,411	16·3	21·7	16·0	17·5	88	55	16	14	–	–	1	–	–	–	–	2	1	3	15	–	BOLTON.
BURY	51,851	15·1	17·1	19·1	22·1	17	22	2	15	–	–	–	–	1	–	–	–	1	1	4	–	BURY.
MANCHESTER	660,143	18·1	19·9	17·1	19·5	446	247	52	58	1	–	5	2	2	2	4	6	4	10	90	2	MANCHESTER.
SALFORD	211,373	15·0	15·8	14·1	20·0	139	81	20	12	–	–	2	–	2	3	1	–	3	9	18	–	SALFORD.
OLDHAM	133,721	17·9	19·1	20·3	17·2	81	44	2	3	1	–	–	–	–	–	–	1	4	5	1	–	OLDHAM.
ROCHDALE	84,561	15·4	17·3	16·6	13·6	45	22	5	3	1	–	–	–	3	–	–	–	4	5	7	–	ROCHDALE.
BURNLEY	93,779	13·9	15·6	16·1	16·7	65	30	10	9	–	–	1	–	–	1	–	–	–	2	4	–	BURNLEY.
BLACKBURN	113,315	13·8	17·5	11·5	13·3	48	29	4	7	–	–	–	–	–	–	2	–	–	1	8	–	BLACKBURN.
PRESTON	106,747	16·1	14·2	17·6	22·5	78	46	3	16	–	–	–	1	–	1	–	–	1	1	14	–	PRESTON.
BLACKPOOL	64,775	16·1	14·5	20·9	16·9	29	21	2	4	–	–	–	–	–	–	–	1	–	–	1	–	BLACKPOOL.
BARROW IN FURNESS	78,675	12·6	8·6	8·0	15·9	36	24	5	3	–	–	3	–	1	–	–	1	–	–	1	–	BARROW IN FURNESS.
HUDDERSFIELD	105,818	15·3	20·2	14·8	16·8	45	34	3	8	–	–	–	–	–	–	–	–	3		8	1	HUDDERSFIELD.
HALIFAX	92,775	15·2	19·7	15·7	15·7	38	28	6	6	–	–	–	–	–	–	–	–	1		1	–	HALIFAX.
BRADFORD	266,338	16·6	19·0	19·2	16·4	152	84	16	34	–	–	–	–	–	–	–	1	6	9	26	–	BRADFORD.
LEEDS	417,051	19·8	20·3	23·8	25·5	255	204	50	47	–	–	11	1	10	1	–	12	4	16	46	–	LEEDS.
DEWSBURY	52,244	11·0	27·9	16·0	22·0	25	22	5	4	–	–	–	–	1	2	–	1	–	–	5	–	DEWSBURY.
WAKEFIELD	47,830	19·6	17·4	14·2	15·3	27	14	2	4	–	–	1	–	–	–	–	–	–	1	3	–	WAKEFIELD.

TOWNS.	Estimated Civilian Population, Mid. 1917.*	Death-Rates from all Causes. Week ended 7th Feb., 1920.	14th Feb., 1920.	21st Feb., 1920.	28th Feb., 1920.	Week ended 28th Feb., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	469,293	12·0	13·7	13·6	17·0	247	153	37	39	–	–	–	1	–	–	1	4	3	14	42	1	Sheffield.
Rotherham	64,685	6·4	22·6	8·1	12·9	66	16	7	2	–	–	–	–	–	–	–	–	–	1	1	2	Rotherham.
York	78,492	12·0	18·6	15·3	14·6	39	22	–	17	–	–	–	–	–	–	–	2	1	2	6	–	York.
Hull	246,357	21·4	22·2	22·0	18·0	211	85	15	24	–	–	8	–	–	–	–	6	4	7	18	2	Hull.
Middlesbrough	119,251	14·0	17·1	16·6	14·4	104	33	7	8	–	–	–	–	–	–	1	–	–	–	5	1	Middlesbrough.
Darlington	60,482	18·1	14·7	6·9	11·2	53	13	3	2	–	–	1	–	1	–	–	1	–	–	6	–	Darlington.
Stockton on Tees	57,048	19·2	13·7	11·9	12·8	40	14	1	5	–	–	–	–	–	1	2	–	–	–	1	–	Stockton on Tees.
West Hartlepool	62,034	13·4	11·8	21·9	13·4	52	16	3	2	–	–	1	–	–	–	–	–	2	2	1	–	West Hartlepool.
Sunderland	141,765	21·3	21·0	13·6	15·8	114	43	5	12	–	–	2	–	–	–	1	–	1	4	11	3	Sunderland.
South Shields	106,500	18·1	17·1	21·1	17·6	90	36	11	8	–	–	–	–	–	–	1	1	–	–	5	1	South Shields.
Gateshead	119,134	11·8	15·8	13·6	18·8	86	43	9	13	–	–	–	–	–	–	–	–	1	2	9	–	Gateshead.
Newcastle on Tyne.	266,551	13·9	13·1	15·6	20·0	179	102	26	25	–	–	–	–	1	–	1	3	5	9	20	1	Newcastle on Tyne.
Tynemouth	57,591	13·6	19·0	18·1	17·2	47	19	5	8	–	–	–	–	–	–	–	1	–	–	3	–	Tynemouth.
Carlisle	53,064	13·8	18·7	15·7	11·8	34	12	4	1	–	–	–	–	–	–	–	–	–	1	–	1	Carlisle.
Newport (Mon.)	82,709	10·1	20·2	10·1	16·4	59	26	4	5	–	–	1	–	–	–	–	2	–	1	8	–	Newport (Mon.).
Cardiff	169,440	12·6	20·0	16·0	13·5	114	44	10	6	–	–	–	–	1	3	–	1	1	4	11	–	Cardiff.
Rhondda	154,388	15·5	18·9	14·5	15·9	97	47	20	8	–	–	1	–	–	–	3	1	3	4	3	1	Rhondda.
Merthyr Tydfil	74,508	21·0	18·9	18·2	19·6	49	28	9	7	–	–	–	–	–	3	1	1	–	–	2	–	Merthyr Tydfil.
Aberdare	51,317	11·2	14·2	13·2	26·4	29	26	6	5	–	–	–	–	–	–	1	2	3	3	2	–	Aberdare.
Swansea	143,660	13·1	12·0	12·7	16·3	106	45	12	12	–	–	–	–	–	4	–	1	–	5	6	–	Swansea.
Greater London	6,726,753	15·4	16·7	15·6	16·7	4035	2153	400	650	3	–	60	3	58	33	22	62	73	169	843	4	Greater London.
Outer Ring	2,699,852	12·5	14·2	12·2	14·1	1381	728	116	238	2	–	8	–	6	14	4	24	24	52	207	–	Outer Ring.
14 Great Towns in Outer Ring.	1,547,435	13·6	14·8	12·7	14·7	801	435	69	133	1	–	3	–	5	9	2	14	15	34	134	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,152,417	11·2	13·3	11·5	13·3	580	293	47	105	1	–	5	–	1	5	2	10	9	18	73	–	Remainder of Outer Ring.
Edinburgh†	342,300	12·7	12·7	12·8	14·2	186	93	22	26	–	–	2	1	–	3	–	1	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	15·7	15·3	13·6	14·8	708	316	70	78	–	–	3	–	2	5	5	7	13	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	19·2	17·5	16·5	21·9	282	174	33	50	–	–	1	–	3	3	3	3	3	2	74	6	Dublin (Registration Area).†
Belfast†	413,000	18·4	20·1	18·2	21·8	321	173	41	34	1	–	2	4	3	1	1	3	3	4	51	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths

TABLE 2. LONDON.—**Births** and **Deaths** registered during the EIGHTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2325	2275	2359	2216	2168	2189	1850	1784	1319	1201	2654
Males	1141	1124	1227	1146	1082	1118	940	905	664	633	1411
Females	1184	1151	1132	1070	1086	1071	910	879	655	568	1243
Deaths (of residents only).	1465	1613	1565	1571	1229	1801	1319*	1803*	1400*	2643*	1425*
Males		791	765	801	631	902	664	909	711	1293	746
Females		822	800	770	598	899	655	894	689	1350	679

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920, Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.
Births (as registered)	2113	2676	2519	1318	3308	3018	2962	2971	2715	2966	2793	2746	2654
Deaths (of residents only).	1120	1036	1180	815	1311	1216	1218	1163	1297	1332	1423	1384	1425
Ages at Death: Under 1 year	162	170	181	122	217	191	215	228	284	290	359	271	284
1–2 years	23	31	29	15	41	29	35	43	57	64	78	77	80
2–5 "	41	35	45	36	56	55	53	44	56	54	55	72	78
5–10 "	34	29	32	29	41	35	27	33	33	48	36	35	38
10–15 "	15	23	19	18	14	17	15	16	12	24	12	20	21
15–20 "	18	17	18	19	24	23	24	27	24	13	26	19	25
20–25 "	26	24	17	12	28	28	26	17	25	23	26	29	22
25–35 "	44	50	56	35	60	50	67	59	62	57	63	66	58
35–45 "	75	75	78	54	109	77	71	68	84	79	74	86	100
45–55 "	133	117	121	99	137	141	119	93	115	128	127	113	123
55–65 "	152	142	161	108	172	187	140	167	172	159	150	175	184
65–75 "	206	168	223	144	206	204	205	180	173	194	223	184	205
75 years and upwards	191	155	200	124	206	179	221	188	200	199	194	237	207
Deaths from—													
Enteric fever	2	–	1	1	–	2	1	1	1	1	–	1	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	1	–
Measles	12	10	11	9	19	14	21	19	18	26	35	49	52
Scarlet fever	6	3	5	4	5	4	7	3	5	9	3	–	3
Whooping cough	8	10	14	6	20	13	19	18	28	26	37	42	52
Diphtheria	29	20	32	28	36	31	24	28	37	32	29	16	19
Diarrhœa and enteritis (under 2 years).	18	15	20	9	16	18	19	15	15	14	22	16	18
Pulmonary tuberculosis	81	87	105	71	96	86	78	85	8	73	104	97	118
Influenza	16	17	18	12	19	16	19	24	15	20	25	37	38
Pneumonia (all forms)	75	71	78	62	93	108	127	126	176	205	222	189	194
Bronchitis	101	86	109	58	108	124	109	102	139	151	193	147	166
Other dis. of resp. system	18	15	9	14	17	16	13	15	11	20	21	15	14
Dis. of circ. system	200	157	209	136	218	207	198	176	182	180	179	202	189
Violence	46	35	46	29	50	33	49	41	40	46	45	44	49
Inquest cases	114	99	127	81	144	94	116	104	107	110	129	124	117
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	38	34	27	28	26	27	27	28	27	24	16	16	33
Small-pox	–	–	–	–	–	2	1	–	–	–	3	2	4
Measles	62	62	56	65	59	59	53	49	47	59	78	97	96
Scarlet fever	2990	2947	2942	2873	2926	2809	2758	2614	2550	2487	2459	2415	2316
Whooping cough	26	25	25	25	25	22	23	22	21	21	18	17	18
Diphtheria	1699	1796	1822	1862	1873	1899	1945	1994	2008	2014	2010	2000	2026

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.
Deaths from Influenza	77	81	64	43	52	73	62	85	66	98	109	161	178

TABLE 4. LONDON.—DEATHS REGISTERED in the EIGHTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 8th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
L CAUSES	2643	1425	284	80	78	38	21	25	22	58	100	123	184	205	207
nteric fever	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
nall-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
easles	9	52	14	19	13	6	–	–	–	–	–	–	–	–	–
arlet fever	7	3	–	–	2	–	–	–	1	–	–	–	–	–	–
hooping cough	4	52	21	17	12	2	–	–	–	–	–	–	–	–	–
phtheria	11	19	1	–	6	10	–	1	–	–	–	–	1	–	–
oup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
fluenza	653	38	–	–	1	1	1	2	–	6	7	7	6	4	3
rysipelas	2	5	3	–	–	–	–	1	–	–	–	–	–	–	1
her epidemic diseases	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
æmia and septicæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
tanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
berculosis :—															
Pulmonary tuberculosis	155	118	–	–	–	1	2	12	11	21	26	28	7	7	3
Tuberculous meningitis	13	14	3	1	6	3	–	–	–	1	–	–	–	–	–
Abdominal tuberculosis	5	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of the spine	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of other organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	8	3	–	–	1	–	1	–	–	–	1	–	–	–	–
nereal diseases	10	3	2	–	–	–	–	–	–	–	–	1	–	–	–
ncer	93	89	2	–	–	1	–	1	–	1	6	12	31	28	7
mour, situation undefined	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
heumatic fever	3	8	–	–	–	3	2	–	–	–	1	1	1	–	–
iabetes	10	7	–	–	–	–	–	–	–	–	1	2	3	1	–
næmia, leucocythaemia	4	6	–	–	–	–	1	–	–	–	1	–	2	1	1
ther general diseases	10	9	1	1	–	–	–	–	1	1	1	–	1	3	–
coholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
hronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
mple meningitis	7	9	2	–	3	–	1	1	–	–	1	–	1	–	–
erebral hæmorrhage, Apoplexy	61	58	–	–	–	–	–	–	–	–	3	7	15	17	16
ftening of brain	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
aralysis, without specified cause	5	6	–	–	–	–	–	–	–	–	–	1	–	3	2
pilepsy	5	3	–	–	–	–	1	–	–	–	2	–	–	–	–
Convulsions" (not puerperal)	5	4	3	1	–	–	–	–	–	–	–	–	–	–	–
ther diseases of nervous system	37	25	–	–	–	1	2	–	1	–	3	7	7	3	1
ericarditis	2	2	–	–	1	–	–	–	–	–	–	–	1	–	–
cute endocarditis	7	8	–	–	–	–	1	2	1	1	2	–	1	–	–
rganic disease of heart	262	129	–	–	–	–	1	–	1	6	7	9	33	37	35
mbolism and thrombosis (including cerebral).	12	13	–	1	1	–	–	–	–	1	–	2	1	5	2
ther diseases of circulatory system.	53	37	–	–	–	–	–	–	–	–	1	8	10	8	10
iseases of the larynx	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
ronchitis	421	166	35	6	2	2	–	–	–	–	4	4	20	40	53
roncho-pneumonia	169	125	70	22	18	1	–	–	–	1	2	2	3	1	5
obar pneumonia	81	33	1	4	1	1	2	–	–	4	8	1	5	6	–
neumonia (type not distinguished)	108	36	6	3	5	1	–	–	–	–	4	2	8	5	2
leurisy	3	3	–	–	–	–	–	–	–	1	1	–	–	–	1
ulmonary congestion, Pulmonary apoplexy.	10	2	–	–	–	–	–	–	–	–	–	1	–	1	–
ther diseases of respiratory system.	32	8	–	–	–	–	–	–	–	1	2	–	2	3	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the EIGHTH Week of the Year 1920.

Causes of Death.	Deaths in the 8th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and up-
Diseases of the pharynx, Tonsillitis	3	3	–	–	1	–	–	–	–	–	1	–	–	1	
Diseases of stomach	10	9	–	–	–	–	–	–	–	–	1	1	3	2	
Diarrhœa and enteritis	25	21	17	1	–	–	–	–	–	–	1	1	–	–	
Appendicitis and typhlitis	6	5	–	–	–	1	1	1	1	–	1	–	–	–	
Hernia and Intestinal obstruction.	11	10	–	–	–	–	–	–	–	1	1	2	1	3	
Cirrhosis of liver	1	8	–	–	–	–	–	–	–	–	1	2	3	2	
Other diseases of liver	3	4	–	–	–	–	–	–	–	–	1	–	1	1	
Peritonitis (cause unknown)	1	1	–	–	–	–	–	–	–	1	–	–	–	–	
Other diseases of digestive system	3	2	–	–	–	–	–	–	–	–	–	–	–	1	
Acute nephritis	2	3	1	–	–	–	–	–	–	–	–	1	–	1	
Chronic Bright's disease	43	25	–	–	–	–	2	–	1	2	2	3	8	5	
Urinary calculi	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Uterine tumour (non-cancerous)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ovarian tumour („)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	
Other diseases of genito-urinary system.	16	8	–	–	–	–	–	–	2	1	1	3	–	–	
Puerperal fever, &c.	2	3	–	–	–	–	–	–	1	2	–	–	–	–	
Other causes incident to childbirth.	4	2	–	–	–	–	–	–	–	1	1	–	–	–	
Diseases of skin and cellular tissues.	11	5	1	–	–	–	–	–	–	–	–	1	–	1	
Diseases of locomotor system	2	3	–	1	–	–	1	–	–	–	–	–	–	–	
Congenital malformations	8	15	15	–	–	–	–	–	–	–	–	–	–	–	
Premature birth	31	45	45	–	–	–	–	–	–	–	–	–	–	–	
Debility, atrophy marasmus (Infants).	13	26	26	–	–	–	–	–	–	–	–	–	–	–	
Old age	92	58	–	–	–	–	–	–	–	–	–	–	2	8	4
Accident.															
Poisons or poisonous vapours	2	1	–	–	–	–	–	–	–	–	1	–	–	–	
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Burns and scalds	7	6	1	–	3	–	–	–	–	–	–	1	1	–	
Drowning	3	1	–	–	–	–	–	1	–	–	–	–	–	–	
Suffocation in bed	2	2	2	–	–	–	–	–	–	–	–	–	–	–	
Other deaths by accident	26	27	–	–	2	3	2	3	–	1	1	2	5	5	
Total deaths from accident	40	37	3	–	5	3	2	4	–	1	2	3	6	5	
Included in above are deaths in connection with:—															
Railways	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Vehicles and horses	7	11	–	–	1	3	2	1	–	–	1	1	2	–	
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Building operations	3	–	–	–	–	–	–	–	–	–	–	–	–	–	
Violence other than Accidental.															
Homicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	12	12	–	–	–	–	–	–	1	2	1	5	1	1	
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other specified diseases	6	13	9	–	–	1	–	–	–	–	2	1	–	–	
Ill-defined Causes	1	6	2	2	–	–	–	–	–	1	–	1	–	–	

Table 5.—Births and Deaths and Rate of Mortality in London and in certain Indian and Foreign Cities.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,026,901	Feb. 28	2,654	1,425	18·5	1	–	52	3	52	19	18	38
Calcutta	896,067	Jan. 24	–	934§	54·2	?	169	?	?	?	?	?	40
Bombay	979,445	„ 24	392	1,028§	56·8	5	5	2	–	–	–	34	74
Madras	518,660	„ 17	380	447	44·8	–	2	1	?	4	–	36	9
Paris	2,847,229	(10 days) Feb. 10	–	–	–	–	–	–	–	–	–	–	–
Brussels	780,843	—	–	–	–	–	–	–	–	–	–	–	–
Antwerp	309,156	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
Amsterdam	648,444	Feb. 14	326	181	14·6	–	–	–	–	2	1	1	19
Copenhagen	552,000	„ 14	255	509	48·1	–	–	8	1	3	3	2	327
Stockholm	408,456	„ 7	122	72	9·2	–	–	1	2	–	1	–	–
Gothenburg	200,553	Jan. 24	–	46	11·9	–	–	4	–	–	–	1	–
Christiania	258,615	Feb. 14	110	100	20·1	–	–	–	–	1	–	–	29‖
Berlin	1,842,564	„ 7	714	857	24·2	–	?	2	–	9	4	9	72
Breslau	493,393	„ 7	290	303	31·9	–	?	–	2	3	5	4	97
Cologne	627,301	„ 7	320	187	15·5	–	?	2	1	5	4	4	?
Dresden	535,887	„ 7	234	193	18·7	–	?	–	–	–	1	2	?
Frankfort-on-Main	470,124	„ 7	161	100	11·1	–	?	1	–	1	1	1	?
Hamburg	1,050,300	„ 7	423	332	16·4	–	?	1	–	5	4	8	?
Leipzig	676,289	„ 7	306	235	18·1	–	?	–	–	4	2	5	?
Munich	670,000	„ 7	–	–	–	–	–	–	–	–	–	–	–
Vienna	2,350,005	„ 7	548	741	16·4	3	–	25	1	8	4	9	35
Prague	501,261	Jan. 24	190	229	23·8	–	2	5	–	3	1	9	8
Budapest	1,051,374	Dec. 20	448	349	17·3	3	–	–	2	2	–	?	–
Trieste	225,643	Feb. 14	136	132	30·6	–	–	–	1	1	1	1	14
Bucarest	342,427	—	–	–	–	–	–	–	–	–	–	–	–
New York	6,006,794	Dec. 27	–	–	–	–	–	–	–	–	–	–	–
Chicago	2,596,681	Feb. 7	–	1,945	39·1	–	–	5	8	11	11	77	560
Rio de Janeiro	955,702	—	–	–	–	–	–	–	–	–	–	–	–
Cairo:—													
Egyptians	673,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	76,000	—	–	–	–	–	–	–	–	–	–	–	–
Alexandria:—													
Egyptians	330,000	—	–	–	–	–	–	–	–	–	–	–	–
Foreigners	81,000	—	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities and Budapest.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Bombay, and from *Asiatic cholera* 23 deaths in Calcutta and 1 in Bombay.
‖ Including 3 deaths from Influenza and 26 deaths from Influenzal Pneumonia.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 28th February, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich)	54	27	51·1	32·9	2
Brighton	53	32	50·4	36·7	1
Portsmouth	54	34	50·7	38·9	2
Norwich (Eaton)	50	28	47·3	32·9	5
Plymouth	53	35	51·3	41·3	3
Bristol (Clifton)	51	30	47·9	35·3	3
Birmingham	49	29	46·7	34·1	1
Nottingham	50	27	47·9	31·6	2
Birkenhead (Bidston)	55	34	47·6	36·9	4
Manchester	51	29	46·6	34·7	3
Burnley	49	29	45·6	34·6	8
Huddersfield	50	29	45·7	33·9	5
Bradford	50	30	45·4	33·1	4
Sheffield	50	32	46·7	34·9	3
York (Museum)	51	27	47·4	32·4	2
Hull (Pearson Park)	51	27	48·6	32·3	3
Tynemouth	53	32	46·7	35·3	1
Cardiff	50	31	47·1	36·1	5
Edinburgh	56·0	33·0	46·6	37·1	3
Glasgow	52·5	34·0	47·0	38·5	4
Dublin:— Phœnix Park	Not received.				
†Fitzwilliam Square	57·8	35·2	49·5	39·6	7
Belfast	51·0	33·0	48·5	36·5	0

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 28th February 1920

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - -	22	..	30·330	49·8	32·2	17·6	40·2	+ 0·5	34·0	6·2	12·8	0·7	79	91·9	26·4	44·0	NNE. & NE.	NE., calm & SE.	1·2	0·0	0·1	184	−138	0·00
MONDAY - -	23	..	30·261	49·0	29·3	19·7	38·5	− 1·3	34·3	4·2	14·2	0·0	85	80·8	26·0	43·7	Calm	Calm & E.	1·4	0·0	0·1	129	−191	0·00
TUESDAY - -	24	..	29·958	47·9	34·2	13·7	39·9	− 0·1	36·0	3·9	9·3	0·0	86	85·0	28·7	43·6	E. & calm	SSW. & calm.	0·4	0·0	0·0	93	−226	0·00
WEDNESDAY -	25	..	29·869	54·4	32·4	22·0	43·0	+ 2·9	41·2	1·8	6·9	0·0	94	74·9	28·5	43·5	Calm	Calm & S.	0·4	0·0	0·0	96	−227	0·02
THURSDAY - -	26	First Quarter.	29·944	52·6	39·2	13·4	45·6	+ 5·4	37·0	8·6	13·9	0·7	72	85·2	32·2	43·5	WSW., W. & WNW.	W., WNW. & WSW.	3·0	0·0	0·2	325	− 5	0·00
FRIDAY - -	27	Greatest declination N.	29·963	50·9	33·3	17·6	42·4	+ 2·1	38·6	3·8	8·5	1·9	86	59·0	26·7	43·5	WSW.	W., NNW. & NE.	5·0	0·0	0·5	411	+ 77	0·07
SATURDAY - -	28	Perigee	30·215	53·0	27·2	25·8	41·4	+ 1·1	34·0	7·4	16·2	0·0	75	93·8	24·8	43·4	Calm & SSW.	SSW.	1·8	0·0	0·1	234	−103	0·00
MEANS - - -		- - -	30·077	51·1	32·5	18·5	41·6	+ 1·5	36·4	5·1	11·7	0·5	82	81·5	27·6	43·6	Calm and Variable.		..	..	..	Sum 1472	Sum −813	Sum 0·09
No. of Column - -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. February, 1920.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	22	v.P. till 17h., loss of register afterwards.	8·1	10·3	Variably cloudy till 8h., nearly cloudless till noon; partially cloudy till 17h., then cloudless; hoar frost morning and evening; slight fog at night.
Monday -	23	Loss of register till 11h., v.P. till 18h., w.P. afterwards.	5·1	10·4	Thick fog by 3h., clearing shortly before noon, but practically cloudless till 22h. 30m., then overcast; foggy from 23h.; hoar frost morning and night; hazy throughout.
Tuesday -	24	w.P. generally, s.P. between 13h. and 18h.	2·2	10·5	Overcast with slight exceptions till 2h.; overcast till noon, very cloudy till 15h., becoming cloudless by 17h.; foggy till noon and after 17h.
Wednesday -	25	w.P. generally, v.P. about 16h.	0·4	10·5	Foggy till noon, becoming overcast early in the morning, with few breaks in afternoon; occasional slight rain between 8h. 45m. and 13h. 15m.; solar halo in afternoon.
Thursday -	26	w.P. till noon, s.P. generally afterwards.	3·7	10·6	Overcast till 11h. 30m., then cloudy, becoming cloudless generally by 16h. 30m. and clouding up after 23h.; gloom about 10h. 30m.
Friday - -	27	w.P. till 18h., m.P. afterwards.	0·0	10·6	Overcast generally till 18h., with fine interval about 2h., rapidly clearing to cloudless generally by 18h. 30m., with hoar frost; brisk wind from 8h. to 14h.; gloom at 14h. 30m.; damping or rain 10h. 30m. to 16h.
Saturday -	28	w.P. till 8h., s.P. generally till 19h., w.P. afterwards.	4·5	10·7	Nearly cloudless with hoar frost till 2h.; variably cloudy with overcast intervals till about 16h., then overcast; damping 20h. 30m. to 22h.
			Sum 24·0	Sum 73·6	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·21 in. at the beginning of the week to 30·36 in. by midnight on 22nd; decreased to 29·83 in. by 4h. on 26th; increased to 30·06 in. by midnight on the same day; decreased to 29·88 in. by 13h. on 27th: increased to 30·25 in by 11h. on 28th, and decreased to 30·17 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 21st February, 1920.

Boroughs.	Deaths from All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	Deaths of Infants under 1 Year of Age.
COUNTY OF LONDON	1,384	1	1	49	–	42	16	16	97	271
Western										
PADDINGTON	46	–	–	–	–	–	–	1	5	10
KENSINGTON	46	–	–	–	–	1	–	–	–	5
HAMMERSMITH	28	–	–	–	–	1	–	–	5	4
FULHAM	47	–	–	1	–	2	–	1	7	9
CHELSEA	22	–	–	–	–	–	–	–	–	4
CITY OF WESTMINSTER	31	–	–	–	–	–	–	1	4	7
Northern.										
ST. MARYLEBONE	21	–	–	–	–	1	–	–	1	2
HAMPSTEAD	17	–	–	–	–	–	–	–	–	3
ST. PANCRAS	71	–	–	4	–	7	–	–	5	12
ISLINGTON	113	–	–	6	–	5	–	2	6	30
STOKE NEWINGTON	22	–	–	1	–	–	–	–	–	4
HACKNEY	81	–	–	9	–	5	2	–	2	18
Central.										
HOLBORN	16	–	–	1	–	–	–	1	2	2
FINSBURY	26	–	–	–	–	–	–	–	4	7
CITY OF LONDON	6	–	–	–	–	–	–	–	1	–
Eastern.										
SHOREDITCH	49	–	–	8	–	–	–	–	3	11
BETHNAL GREEN	39	–	–	–	–	2	2	3	6	11
STEPNEY	89	–	–	1	–	5	1	1	8	27
POPLAR	41	1	1	1	–	–	–	–	2	5
Southern.										
SOUTHWARK	84	–	–	1	–	2	–	–	4	24
BERMONDSEY	40	–	–	6	–	1	–	–	2	6
LAMBETH	91	–	–	3	–	5	3	2	4	18
BATTERSEA	46	–	–	2	–	1	1	2	3	8
WANDSWORTH	91	–	–	1	–	1	3	–	5	10
CAMBERWELL	88	–	–	–	–	1	2	1	9	18
DEPTFORD	29	–	–	2	–	1	1	–	1	1
GREENWICH	39	–	–	2	–	–	1	–	1	7
LEWISHAM	43	–	–	–	–	1	–	1	4	8
WOOLWICH	22	–	–	–	–	–	–	–	3	–

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 21st February, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	122,507	-	-	-	-	13	18	-	1	-	-	-	-	-	-	-
Kensington	151,535	1	-	-	-	4	6	-	1	-	1	-	-	-	-	-
Hammersmith	114,952	3	-	-	-	5	8	-	1	-	1	-	-	-	-	-
Fulham	145,186	-	-	-	-	14	10	-	2	-	3	1	-	-	-	-
Chelsea	57,368	-	-	-	-	3	3	-	-	-	-	-	-	-	1	-
City of Westminster	122,046	-	-	-	-	13	5	-	2	-	1	-	-	-	-	-
NORTHERN.																
St. Marylebone	92,796	1	-	-	-	6	4	-	2	-	-	1	-	-	-	-
Hampstead	75,649	-	-	-	-	7	1	-	3	-	-	-	-	-	-	-
St. Pancras	186,600	-	-	1	-	12	7	-	2	-	1	-	-	-	-	-
Islington	297,102	-	-	-	-	20	13	-	7	-	2	2	-	-	-	-
Stoke Newington	47,426	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-
Hackney	196,598	-	-	-	-	14	14	-	5	-	-	2	-	-	-	-
CENTRAL.																
Holborn	35,303	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-
Finsbury	68,011	1	-	-	-	4	-	-	1	-	-	-	-	-	-	-
City of London	16,138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	89,675	-	-	-	-	6	6	-	1	-	-	-	-	-	-	-
Bethnal Green	107,362	1	-	-	-	8	20	-	2	-	1	-	-	-	-	-
Stepney	232,010	-	-	-	-	26	10	-	3	-	1	-	-	-	-	-
Poplar	143,443	2	-	-	1	8	3	-	1	-	-	2	-	-	-	-
SOUTHERN.																
Southwark	167,936	-	-	-	-	17	10	-	1	-	1	1	-	-	-	-
Bermondsey	107,635	-	-	-	-	9	4	-	-	-	1	-	-	-	-	-
Lambeth	272,038	-	-	-	-	30	8	-	2	-	1	1	-	-	-	-
Battersea	150,023	-	-	-	-	6	11	-	2	-	-	-	-	-	-	-
Wandsworth	300,787	-	-	-	-	14	29	-	6	-	-	2	-	-	-	-
Camberwell	239,461	-	-	-	-	15	17	-	4	-	1	1	-	-	-	-
Deptford	103,527	-	-	-	-	13	5	-	2	-	1	-	-	-	-	-
Greenwich	90,440	2	-	-	-	9	6	-	2	-	-	-	-	-	-	-
Lewisham	161,405	-	-	-	-	13	10	-	-	-	1	1	-	-	-	-
Woolwich	131,942	-	-	-	-	7	7	-	1	1	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,026,901	11	-	1	1	299	242	-	54	1	17	14	-	-	1	-
Ages 0–1		-	-	-	-	1	2	-	1	-	-	14	-	-	-	-
" 1–5		2	-	-	-	50	48	-	-	1	-	-	-	-	-	-
" 5–		2	-	-	-	123	110	-	2	-	-	-	-	-	-	-
" 10–		-	-	-	-	76	42	-	3	-	-	-	-	-	-	-
" 15–		2	-	-	-	25	18	-	6	-	-	-	-	-	-	-
" 20–		1	-	-	-	5	11	-	4	-	5	-	-	-	-	-
" 25–		3	-	-	1	15	6	-	7	-	7	-	-	-	1	-
" 35–		1	-	-	-	4	3	-	7	-	4	-	-	-	-	-
" 45–		-	-	-	-	-	2	-	10	-	1	-	-	-	-	-
" 55–		-	-	1	-	-	-	-	4	-	-	-	-	-	-	-
" 65–		-	-	-	-	-	-	-	8	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 9. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, MAR. 6.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
March 9th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,972, and corresponded to an annual rate of 30·8 per 1,000. The deaths* among the civilian population only numbered 5,776, and corresponded to an annual rate of 16·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,806,093 persons in the year 1919. In the three weeks ended February 14th, February 21st and February 28th, the rates had been 16·2, 15·6, and 16·4 respectively. The infant mortality was 105, against 110, 94, and 102 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population now refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10179—2 Wt 167–840 625 3/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 23·3 in Swindon, 24·6 in Oldham, 25·2 in Barnsley, 25·3 in South Shields, 25·7 in Leeds, 26·4 in Aberdare, and 27·1 in Liverpool; from *measles*, 2·6 in Grimsby and St. Helens, 3·1 in Gloucester, and 5·0 in Barnsley; from *whooping cough*, 1·1 in Leeds, 1·2 in Stockport, 1·4 in Birkenhead, 1·6 in West Hartlepool, and 1·7 in Lincoln; and from *diphtheria*, 1·7 in Leyton and 1·8 in Hastings. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,771 births, corresponding to a rate of 31·8 per 1,000, and 1,456 deaths of civilians, corresponding to a rate of 17·4, as against 17·0, 16·6, and 17·0 per 1,000 in the three weeks ended February 14th, February 21st, and February 28th. The death-rate in the four weeks ended last Saturday averaged 17·0 per 1,000. The infant mortality was 95, against 129, 99, and 107 in the preceding three weeks.

The deaths from *enteric fever*, which had been 0, 1, and 1 in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 35, 49, and 52 in the preceding three weeks, were again 52 last week, and were 2 above the average; 7 deaths belonged to the Borough of Islington, 5 each to Hackney, Bethnal Green, and Southwark, and 4 to Lambeth. The deaths from *scarlet fever*, which had been 3, 0, and 3 in the preceding three weeks, rose to 9 last week, and were 6 above the average. The deaths from *whooping-cough*, which had been 37, 42, and 52, in the preceding three weeks, fell last week to 34, but were 5 above the average; 5 deaths belonged to Islington, and 4 each to St. Pancras, Bethnal Green, and Stepney. The deaths from *diphtheria*, which had been 29, 16, and 19 in the preceding three weeks, rose again last week to 28, and were 11 above the average; 4 deaths belonged to Islington and 3 each to Poplar and Camberwell. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 22, 16, and 18 in the preceding three weeks, were 12 last week, and were 4 below the average; 3 deaths belonged to Camberwell. The deaths from *influenza* numbered 54, as against 25, 37, and 38 in the preceding three weeks, and an average of 185.

Different forms of violence caused 42 deaths, of which 41 were the subject of coroners' inquests. Of these 42 deaths, 7 were cases of suicide, while the remaining 35 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 3 to burns or scalds, 2 to drowning, and 2 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 37 cases of enteric fever, 7 of small-pox, 90 of measles, 2,255 of scarlet fever, 15 of whooping-cough, and 2,006 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 5 cases, against 0, 3, and 18 ; of small-pox, 3 cases, against 4, 0, and 2 ; of measles, 21 cases, against 36, 35, and 24 ; of scarlet fever, 234 cases, against 285, 297, and 261 ; of whooping-cough, 0 case, against 0, 0, and 1 ; and of diphtheria, 255 cases, against 235, 235, and 245. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended February 28th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 6th March, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 14th Feb., 1920 §	21st Feb., 1920 §	28th Feb., 1920.§	6th Mar., 1920.	Week ended 6th Mar., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from: Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,806,093	16·2	15·6	16·4	16·9	10,972	5776	1147	1597	4	-	210	23	109	87	53	196	143	328	1595	43	96 GREAT TOWNS.
LONDON†	4,358,309	17·0	16·6	17·0	17·4	2771	1456	264	452	3	-	52	9	34	28	12	54	42	103	633	3	LONDON.†
‡ CROYDON	184,239	15·3	10·8	13·3	17·0	106	60	8	27	-	-	1	-	-	-	1	2	-	3	12	-	CROYDON.
WIMBLEDON	59,791	11·3	10·5	14·0	10·5	21	12	3	5	-	-	-	-	-	-	-	-	1	1	4	-	WIMBLEDON.
EALING	73,212	7·8	9·3	15·7	11·4	35	16	3	4	-	-	-	-	-	-	-	2	-	-	5	-	EALING.
ACTON	61,732	13·5	10·1	18·6	18·6	26	22	6	5	-	-	-	-	-	-	-	1	-	1	2	-	ACTON.
WILLESDEN	160,917	10·7	11·0	12·0	10·7	100	33	7	10	-	-	-	-	-	-	-	1	-	1	6	-	WILLESDEN.
HORNSEY	94,343	13·3	10·5	7·7	10·5	34	19	2	8	-	-	-	-	-	-	-	2	1	1	4	-	HORNSEY.
TOTTENHAM	141,338	17·0	12·2	17·0	14·8	83	40	8	11	-	-	1	-	-	1	-	-	2	3	13	-	TOTTENHAM.
‡ EDMONTON	70,711	11·1	14·0	11·8	11·8	55	16	6	4	-	-	-	-	-	-	-	-	-	1	5	-	‡ EDMONTON.
ENFIELD	58,442	21·4	12·5	21·4	11·6	33	13	-	3	-	-	2	-	-	-	-	2	-	-	6	-	ENFIELD.
WEST HAM	287,966	13·4	13·8	13·6	13·6	233	75	10	23	-	-	2	-	1	-	-	2	-	2	24	-	WEST HAM.
EAST HAM	144,451	13·4	8·3	10·5	10·5	87	29	5	12	-	-	-	-	-	-	-	-	-	-	10	-	EAST HAM.
LEYTON	123,896	14·7	15·6	13·5	16·4	77	39	5	10	-	-	5	-	-	4	-	1	-	1	12	-	LEYTON.
WALTHAMSTOW	127,684	12·7	11·8	13·9	14·7	76	36	12	10	-	-	2	-	1	1	-	-	1	5	14	-	WALTHAMSTOW.
ILFORD	79,524	17·7	11·1	13·8	17·7	38	27	3	10	-	-	-	-	-	1	-	1	-	2	6	-	ILFORD.
GILLINGHAM	43,501	24·0	21·6	8·4	10·8	35	9	1	5	-	-	-	-	-	-	-	-	-	-	2	-	GILLINGHAM.
HASTINGS	57,674	13·6	20·8	11·8	18·1	31	20	2	8	-	-	-	-	-	2	-	-	1	1	6	-	HASTINGS.
EASTBOURNE	48,424	8·6	6·5	11·8	8·6	22	8	1	5	-	-	-	-	-	-	-	1	-	1	-	1	EASTBOURNE.
BRIGHTON	132,409	12·2	16·9	16·1	16·1	51	41	8	17	-	-	-	-	1	-	1	-	-	2	9	-	BRIGHTON.
PORTSMOUTH	224,846	13·7	14·8	14·4	16·2	153	70	21	17	-	-	1	-	1	1	1	2	1	1	13	-	PORTSMOUTH.
BOURNEMOUTH	82,627	8·8	6·9	9·5	9·5	36	15	-	7	-	-	-	-	-	-	-	-	-	1	2	-	BOURNEMOUTH
SOUTHAMPTON	126,033	18·6	17·8	11·6	9·9	78	24	10	5	-	-	1	-	-	-	1	1	-	2	6	-	SOUTHAMPTON.
READING	91,365	15·4	14·8	17·1	18·3	57	32	7	10	-	-	-	-	-	-	-	2	-	-	5	1	READING.
OXFORD	57,666	11·8	18·1	9·9	17·2	27	19	2	8	-	-	-	-	-	-	-	1	1	1	2	-	OXFORD.
NORTHAMPTON	88,944	15·8	12·3	8·8	14·7	50	25	1	14	-	-	-	-	-	-	-	1	-	-	8	-	NORTHAMPTON.
CAMBRIDGE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	[illegible]	[illegible]	1	-	CAMBRIDGE.

in the Week ended Saturday, 6th March, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 14th Feb., 1920.†	21st Feb., 1920.†	28th Feb., 1920.†	6th Mar., 1920.	Week ended 6th Mar. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	16·1	9·3	11·2	12·4	36	20	1	7	–	–	–	–	1	1	–	3	1	1	4	1	SOUTHEND ON SEA.
IPSWICH	78,011	15·4	11·4	19·4	15·4	68	23	6	8	–	–	1	–	–	–	–	–	2	2	3	–	IPSWICH.
GREAT YARMOUTH	53,078	10·8	10·8	9·8	15·7	32	16	4	5	–	–	–	–	–	–	–	–	1	2	2	–	GREAT YARMOUTH.
NORWICH	119,993	15·2	17·4	14·8	11·7	76	27	6	9	–	–	–	–	1	2	–	1	–	1	8	–	NORWICH.
SWINDON	51,527	14·2	13·2	17·2	23·3	25	23	4	4	–	–	–	–	–	1	–	–	1	2	2	–	SWINDON.
EXETER	59,014	14·1	12·4	12·4	9·7	27	11	–	5	–	–	–	–	–	–	–	–	–	–	2	–	EXETER.
PLYMOUTH	181,967	19·8	16·0	14·6	22·1	110	77	9	23	–	–	5	–	–	2	–	2	2	4	18	–	PLYMOUTH.
BATH	65,919	16·6	19·0	11·9	9·5	39	12	3	6	–	–	–	–	–	–	–	1	–	–	3	–	BATH.
BRISTOL	361,247	13·3	16·0	15·7	16·2	225	112	13	37	–	–	10	–	–	3	–	2	4	10	30	–	BRISTOL.
GLOUCESTER	50,100	14·6	15·6	19·8	17·7	31	17	3	2	–	–	3	–	1	–	–	–	–	–	1	1	GLOUCESTER.
STOKE ON TRENT	239,316	13·7	13·5	19·2	14·2	179	65	9	11	–	–	3	2	–	–	–	2	1	5	15	1	STOKE ON TRENT.
WOLVERHAMPTON	98,403	11·7	15·9	15·9	10·6	66	20	2	5	–	–	1	1	1	–	–	1	1	1	5	–	WOLVERHAMPTON.
WALSALL	92,724	11·2	12·9	12·9	11·8	57	21	1	5	–	–	–	–	1	–	2	–	1	1	4	–	WALSALL.
WEST BROMWICH	69,899	13·4	14·2	7·5	11·9	58	16	5	4	–	–	–	–	–	–	–	2	–	1	2	–	WEST BROMWICH.
DUDLEY	54,017	11·6	11·6	22·2	22·2	41	23	3	7	–	–	2	–	–	–	–	2	1	1	–	–	DUDLEY.
BIRMINGHAM	861,585	16·2	15·9	16·3	16·0	581	265	44	67	–	–	–	3	8	8	4	27	6	10	90	9	BIRMINGHAM.
SMETHWICK	72,152	9·4	10·1	13·7	16·3	56	23	2	6	–	–	–	1	1	–	1	–	–	–	3	–	SMETHWICK.
COVENTRY	132,048	11·1	15·0	14·6	10·3	56	26	6	5	–	–	1	–	–	2	–	1	1	1	4	–	COVENTRY.
LEICESTER	236,059	10·4	15·2	13·7	13·0	129	59	13	21	–	–	–	–	–	3	1	1	2	3	17	1	LEICESTER.
LINCOLN	60,581	12·9	12·9	17·2	19·8	40	23	7	6	–	–	2	–	2	–	–	2	–	–	3	–	LINCOLN.
GRIMSBY	78,813	17·9	17·2	15·9	17·2	48	26	9	5	–	–	4	–	1	1	–	–	2	2	4	–	GRIMSBY.
NOTTINGHAM	257,573	17·6	17·6	16·6	16·6	167	82	13	24	–	–	10	–	2	3	1	–	–	1	19	–	NOTTINGHAM.
DERBY	123,930	13·0	15·6	18·5	10·9	74	26	10	5	–	–	–	–	–	–	–	1	–	4	7	–	DERBY.

* *See* note † on first page of this return.

†_Revised rates based upon populations estimated to the middle of 1919.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 6th March, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 14th Feb., 1920.†	21st Feb., 1920.†	28th Feb., 1920.†	6th Mar., 1920.	Week ended 6th Mar., 1920 Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125 629	13·3	14·5	18·3	20·8	73	50	12	12	–	–	1	–	3	–	–	2	–	2	11	–	STOCKPORT.
BIRKENHEAD	148,052	14·8	21·5	15·1	19·4	100	55	12	10	–	–	5	–	4	1	1	–	3	4	17	–	BIRKENHEAD.
WALLASEY	95,424	13·7	14·2	9·3	10·9	43	20	2	6	–	–	–	–	–	–	–	2	–	2	4	–	WALLASEY.
LIVERPOOL	772,665	25·6	21·9	25·2	27·1	570	401	102	74	–	–	29	2	12	6	6	10	15	37	118	3	LIVERPOOL.
BOOTLE	76,962	21·7	24·4	16·9	15·6	45	23	5	4	–	–	1	–	–	–	1	3	–	1	2	1	BOOTLE.
ST. HELENS	100,805	17·1	14·5	21·2	19·1	62	37	4	10	–	–	5	–	–	–	–	–	–	–	7	2	ST. HELENS.
SOUTHPORT	70,144	17·8	14·9	17·1	14·9	27	20	3	12	–	–	–	–	–	–	–	–	–	–	1	1	SOUTHPORT.
WIGAN	87,384	13·7	16·7	16·7	18·5	46	31	5	8	–	–	4	–	–	1	–	–	–	2	3	–	WIGAN.
WARRINGTON	74,952	10·4	9·7	9·0	20·2	48	29	9	7	–	–	–	–	1	–	–	2	–	1	9	2	WARRINGTON.
BOLTON	177,462	20·0	14·7	16·2	13·8	90	47	12	16	–	–	1	–	3	1	–	–	2	4	6	–	BOLTON.
BURY	54,248	16·3	18·3	21·1	13·5	18	14	1	5	–	–	–	–	–	1	–	–	–	–	2	–	BURY.
MANCHESTER	741,068	17·7	15·2	17·4	17·5	441	249	59	64	–	–	7	–	6	–	2	7	7	11	61	2	MANCHESTER.
SALFORD	226,225	14·8	13·1	18·7	19·6	130	85	29	14	–	–	2	1	2	1	1	4	2	2	26	2	SALFORD.
OLDHAM	137,668	18·6	19·7	16·7	24·6	81	65	11	19	–	–	–	1	1	2	–	2	–	1	16	–	OLDHAM.
ROCHDALE	90,051	16·2	15·6	12·7	12·7	45	22	4	4	–	–	–	–	–	1	–	–	–	–	5	–	ROCHDALE.
BURNLEY	101,005	14·5	15·0	15·5	11·9	56	23	3	8	–	–	–	–	–	–	–	–	1	3	8	–	BURNLEY.
BLACKBURN	125,992	15·7	10·3	12·0	16·1	64	39	5	15	–	–	–	–	–	–	–	1	1	2	8	–	BLACKBURN.
PRESTON	117,277	12·9	16·0	20·5	16·5	67	37	4	11	–	–	1	1	–	1	–	–	–	–	10	–	PRESTON.
BLACKPOOL	67,842	13·8	20·0	16·1	15·4	23	20	1	11	–	–	–	–	–	–	–	–	1	2	1	1	BLACKPOOL.
BARROW IN FURNESS	73,627	9·2	8·5	17·0	14·2	38	20	3	5	–	–	1	–	–	–	–	1	2	2	–	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	19·0	13·9	15·8	13·5	45	29	4	9	–	–	1	–	1	–	–	–	–	1	4	–	HUDDERSFIELD.
HALIFAX	101,791	17·9	14·3	14·3	16·9	40	33	5	17	–	–	1	–	–	1	–	–	2	3	7	–	HALIFAX.
BRADFORD	282,714	17·9	18·1	15·5	17·2	129	93	16	29	–	–	1	1	–	–	2	1	1	6	26	1	BRADFORD.
LEEDS	430,834	19·6	23·0	24·7	25·7	274	212	51	47	–	–	14	1	9	1	3	14	6	9	29	–	LEEDS.
DEWSBURY	52,969	27·6	15·8	21·7	18·7	22	19	4	3	–	–	2	–		–	–	–	–	–	4	–	DEWSBURY.
WAKEFIELD	49,208	17·0	13·8	14·8	9·5	27	9	3	–	–	–	–	–	–	–	1	–	–	2	1	–	WAKEFIELD.
BARNSLEY	51,680	14·1	9·1	26·2	25·2	42	25	7	6	–	–	5	–	1	–	–	1	–	1	–	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Week ended 14th Feb., 1920 ‡	Week ended 21st Feb., 1920.‡	Week ended 28th Feb., 1920.‡	Week ended 6th Mar., 1920.	Week ended 6th Mar., 1920. Births.	Week ended 6th Mar., 1920. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	13·5	13·4	16·8	15·4	273	140	27	40	–	–	–	–	–	–	2	3	4	12	41	–	Sheffield.
Rotherham	69,034	21·1	7·6	12·1	9·8	48	13	5	2	–	–	–	–	–	–	–	–	–	–	3	–	Rotherham.
York	74,531	19·6	16·1	15·4	11·9	57	17	3	2	–	–	–	–	–	–	–	–	–	–	4	–	York.
Hull	279,664	19·6	19·4	15·8	18·1	172	97	12	24	–	–		–	–	–	1	5	1	4	19	1	Hull.
Middlesbrough	127,142	16·0	15·6	13·5	19·3	100	47	13	9	–	–	–	–	–	–	–	–	–	1	8	–	Middlesbrough.
Darlington	64,058	13·8	6·5	10·6	10·6	38	13	4	4	–	–	–	–	1	–	–	–	–	–	3	–	Darlington.
Stockton on Tees	60,696	12·9	11·2	12·0	21·5	40	25	4	4	–	–	–	–	–	–	2	–	–	1	–	–	Stockton on Tees.
West Hartlepool	65,515	11·1	20·7	12·7	15·1	47	19	5	2	–	–	3	–	2	1	–	–	–	–	1	–	West Hartlepool.
Sunderland	149,263	19·9	12·9	15·0	18·5	108	53	13	17	–	–	1	–	1	–	–	–	1	2	11	1	Sunderland.
South Shields	111,502	16·4	20·1	16·8	25·3	80	54	9	11	–	–	–	–	–	–	–	5	2	3	5	3	South Shields.
Gateshead	123,392	15·2	13·1	18·2	16·1	91	38	10	8	–	–	–	–	–	1	–	–	–	–	4	3	Gateshead.
Newcastle on Tyne.	275,099	12·7	15·2	19·4	21·0	186	111	36	24	1	–	2	–	2	2	2	1	1	4	25	–	Newcastle on Tyne.
Tynemouth	58,007	18·9	18·0	17·1	15·3	38	17	3	6	–	–	–	–	–	–	–	–	–	–	3	1	Tynemouth.
Carlisle	55,198	17·9	15·1	11·3	5·7	35	6	2	2	–	–	–	–	–	–	–	–	–	–	–	–	Carlisle.
Newport (Mon.)	87,251	19·1	9·6	15·5	16·1	41	27	7	5	–	–	–	–	–	–	–	1	2	2	4	–	Newport (Mon.).
Cardiff	204,436	16·6	13·3	11·2	15·3	136	60	17	9	–	–	6	–	–	–	3	1	2	4	6	–	Cardiff.
Rhondda	177,911	16·4	12·6	13·8	13·8	123	47	9	9	–		1	–	1	1	1	1	2	2	3	–	Rhondda.
Merthyr Tydfil	71,638	19·7	18·9	20·4	18·2	40	25	6	3	–	–	–	–	–	1	–	1	2	3	2	–	Merthyr Tydfil.
Aberdare	51,384	14·2	13·2	26·4	26·4	38	26	7	5	–	–	–	–	1	–	–	1	2	1	–	–	Aberdare.
Swansea	160,810	10·7	11·3	14·6	17·8	73	55	11	15	–	–	–	–	1	–	–	2	5	6	11	–	Swansea.
Greater London	7,258,623	15·5	14·5	15·5	15·7	4384	2187	395	704	3	–	71	10	40	36	16	81	56	143	817	4	Greater London.
Outer Ring	2,900,314	13·2	11·3	13·1	13·1	1613	731	131	252	–	–	19	1	6	8	4	27	14	40	184	1	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	13·8	11·8	13·6	13·7	1004	437	78	142	–	–	13	–	2	7	1	14	5	21	123	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	12·5	10·7	12·4	12·4	609	294	53	110	–	–	6	1	4	1	3	13	9	19	61	1	Remainder of Outer Ring.
Edinburgh†	342,300	12·7	12·8	14·2	12·1	178	79	13	26	–	–	2	–	–	1	2	–	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	15·3	13·6	14·8	15·8	711	337	74	73	–	–	5	3	5	5	5	5	15	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	17·5	16·5	21·9	20·7	277	165	31	54	–	–	–	–	7	3	1	4	4	4	56	5	Dublin (Registration Area).†
Belfast†	413,000	20·1	18·2	21·8	27·0	263	214	48	40	2	–	4	4	4	1	2	12	3	3	58	5	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Revised rates based upon populations estimated to the middle of 1919.

TABLE **2.** LONDON.—**Births** and **Deaths** registered during the NINTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2393	2243	2270	2302	2165	2264	1943	1810	1505	1307	2771
Males	1216	1110	1193	1163	1117	1166	948	940	809	633	1451
Females	1177	1133	1077	1139	1048	1098	995	870	696	674	1320
Deaths (of residents only).	1292	1394	1227	1633	1349	1781	1531*	1484*	1279*	2501*	1456*
Males		716	667	812	668	914	776	816	632	1215	724
Females		678	560	821	681	867	755	668	647	1286	732

* Deaths in civilian population only.

TABLE **3.** LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Dec. 13.	Dec. 20.	Dec. 27.	1920, Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.
Births (as registered)	2676	2519	1318	3308	3018	2962	2971	2715	2966	2793	2746	2654	2771
Deaths (of residents only).	1036	1180	815	1311	1216	1218	1163	1297	1332	1423	1384	1425	1456
Ages at Death: Under 1 year	170	181	122	217	191	215	228	284	290	359	271	284	264
1–2 years	31	29	15	41	29	35	43	57	64	78	77	80	72
2–5 "	35	45	36	56	55	53	44	56	54	55	72	78	82
5–10 "	29	32	29	41	35	27	33	33	48	36	35	38	42
10–15 "	23	19	18	14	17	15	16	12	24	12	20	21	16
15–20 "	17	18	19	24	23	24	27	24	13	26	19	25	23
20–25 "	24	17	12	28	28	26	17	25	23	26	29	22	26
25–35 "	50	56	35	60	50	67	59	62	57	63	66	58	74
35–45 "	75	78	54	109	77	71	68	84	79	74	86	100	99
45–55 "	117	121	99	137	141	119	93	115	128	127	113	123	124
55–65 "	142	161	108	172	187	140	167	172	159	150	175	184	182
65–75 "	168	223	144	206	204	205	180	173	194	223	184	205	217
75 years and upwards	155	200	124	206	179	221	188	200	199	194	237	207	235
Deaths from—													
Enteric fever	–	1	1	–	2	1	1	1	1	–	1	1	3
Small-pox	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	10	11	9	19	14	21	19	18	26	35	49	52	52
Scarlet fever	3	5	4	5	4	7	3	5	9	3	–	3	9
Whooping cough	10	14	6	20	13	19	18	28	26	37	42	52	34
Diphtheria	20	32	28	36	31	24	28	37	32	29	16	19	28
Diarrhœa and enteritis (under 2 years).	15	20	9	16	18	19	15	15	14	22	16	18	12
Pulmonary tuberculosis	87	105	71	96	86	78	85	86	73	104	97	118	92
Influenza	17	18	12	19	16	19	24	15	20	25	37	38	54
Pneumonia (all forms)	71	78	62	93	108	127	126	176	205	222	189	194	184
Bronchitis	86	109	58	108	124	109	102	139	151	193	147	166	199
Other dis. of resp. system	15	9	14	17	16	13	15	11	20	21	15	14	25
Dis. of circ. system	157	209	136	218	207	198	176	182	180	179	202	189	173
Violence	35	46	29	50	33	49	41	40	46	45	44	49	42
Inquest cases	99	127	81	144	94	116	104	107	110	129	124	117	103
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	34	27	28	26	27	27	28	27	24	16	16	33	37
Small-pox	–	–	–	–	2	1	–	–	–	3	2	4	7
Measles	62	56	65	59	59	53	49	47	59	78	97	96	90
Scarlet fever	2947	2942	2873	2926	2809	2758	2614	2550	2487	2459	2415	2316	2255
Whooping cough	25	25	25	25	22	23	22	21	21	18	17	18	15
Diphtheria	1796	1822	1862	1873	1899	1945	1994	2008	2014	2010	2000	2026	2006

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE **3A.** **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Dec. 13.	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.
Deaths from Influenza	81	64	43	52	73	62	85	66	98	109	161	178	196

TABLE 4. LONDON.—DEATHS REGISTERED in the NINTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 9th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	2501	1456	264	72	82	42	16	23	26	74	99	124	182	217	235
Enteric fever	–	3	–	–	–	–	–	–	–	2	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	52	7	16	21	8	–	–	–	–	–	–	–	–	–
Scarlet fever	5	9	–	2	3	2	–	1	–	1	–	–	–	–	
Whooping cough	3	34	12	10	12	–	–	–	–	–	–	–	–	–	–
Diphtheria	13	28	1	2	6	13	4	–	–	2	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	808	54	6	1	1	–	1	3	1	9	1	10	7	11	3
Erysipelas	2	7	1	1	–	–	–	–	–	2	1	–	1	–	1
Other epidemic diseases	5	4	–	–	–	–	–	–	–	1	1	1	1	–	–
Pyæmia and septicæmia	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	144	92	1	1	1	1	2	7	12	17	21	17	9	3	–
Tuberculous meningitis	11	10	2	1	4	1	–	1	–	–	–	–	1	–	–
Abdominal tuberculosis	1	7	1	2	1	–	1	–	–	1	1	–	–	–	–
Tuberculosis of the spine	1	4	–	–	–	–	1	–	1	–	–	1	–	1	–
Tuberculosis of the joints	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculosis of other organs	3	2	1	–	–	–	–	–	–	–	–	–	–	1	–
Disseminated tuberculosis	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–
Venereal diseases	1	4	3	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	91	113	–	–	–	–	–	1	–	3	8	27	27	31	16
Tumour, situation undefined	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic fever	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–
Diabetes	8	8	–	–	–	–	–	–	–	–	2	1	2	2	1
Anæmia, leucocythaemia	1	5	1	1	–	–	–	–	–	1	–	–	2	–	–
Other general diseases	13	10	4	–	–	–	–	1	–	–	–	2	1	2	–
Alcoholism	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Chronic poisonings	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	7	6	2	–	1	–	1	–	1	–	1	–	–	–	–
Cerebral hæmorrhage, Apoplexy	55	45	–	–	–	–	–	–	–	–	2	4	16	17	6
Softening of brain	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis, without specified cause	13	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Epilepsy	6	3	–	–	–	–	–	–	1	–	–	–	2	–	–
"Convulsions" (not puerperal)	8	7	4	2	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	39	27	–	–	2	1	1	1	1	2	3	3	8	4	1
Pericarditis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	3	–	–	–	–	–	–	1	2	–	–	–	–	–
Organic disease of heart	199	124	–	–	1	2	2	2	1	5	13	7	21	35	35
Embolism and thrombosis (including cerebral).	10	12	–	–	–	–	–	–	–	–	–	–	2	4	6
Other diseases of circulatory system.	57	33	1	–	–	–	–	–	–	–	2	6	4	8	12
Diseases of the larynx	1	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	336	199	39	4	4	1	–	–	–	–	4	11	21	48	67
Broncho-pneumonia	152	108	55	18	14	2	–	–	–	2	1	1	5	4	6
Lobar pneumonia	48	27	1	1	1	–	–	1	1	4	4	4	8	2	–
Pneumonia (type not distinguished)	107	49	10	4	3	1	1	2	1	7	5	2	4	2	7
Pleurisy	6	6	–	1	–	–	–	–	–	–	1	–	1	2	1
Pulmonary congestion, Pulmonary apoplexy.	5	3	–	–	–	–	–	–	–	–	–	–	1	1	1
Other diseases of respiratory system.	32	14	–	–	–	–	–	–	–	–	2	4	4	3	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the NINTH Week of the Year 1920.

Causes of Death.	Deaths in the 9th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Diseases of stomach	7	9	1	–	–	–	–	–	–	–	–	4	2	1	1
Diarrhœa and enteritis	19	16	10	2	–	1	–	–	1	–	1	1	–	–	–
Appendicitis and typhlitis	2	6	–	–	1	–	1	1	–	–	–	2	–	1	–
Hernia and Intestinal obstruction.	14	9	2	–	–	1	–	–	–	–	2	1	1	1	1
Cirrhosis of liver	2	6	–	–	–	–	–	–	–	–	1	1	3	–	1
Other diseases of liver	5	4	–	–	–	–	–	–	–	1	1	–	–	1	1
Peritonitis (cause unknown)	2	3	–	–	1	–	–	–	–	1	1	–	–	–	–
Other diseases of digestive system	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis	–	5	1	–	–	–	–	–	–	3	–	–	1	–	–
Chronic Bright's disease	40	35	–	–	–	–	–	–	–	–	4	5	12	8	6
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
Other diseases of genito-urinary system.	11	18	1	–	–	–	–	–	1	–	4	–	3	4	5
Puerperal fever, &c.	1	8	–	–	–	–	–	–	1	4	2	1	–	–	–
Other causes incident to childbirth.	–	2	–	–	–	–	–	–		2	–	–	–	–	–
Diseases of skin and cellular tissues.	9	10	3	1	–	–	–	–	–	–	–	1	–	3	2
Diseases of locomotor system	1	3	–	–	–	1	1	–	–	–	–	–	1	–	–
Congenital malformations	12	9	8	–	–	1	–	–	–	–	–	–	–	–	–
Premature birth	23	40	40	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	16	27	27	–	–	–	–	–	–	–	–	–	–	–	–
Old age	76	54	–	–	–	–	–	–	–	–	–	–	–	6	48
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Burns and scalds	6	3	–	–	1	–	–	–	–	–	–	–	–	1	1
Drowning	2	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Suffocation in bed	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	20	26	2	–	–	2	–	2	1	–	3	3	6	4	3
Total deaths from accident	28	35	4	–	1	2	–	2	1	–	5	4	7	5	4
Included in above are deaths in connection with:—															
Railways	2	3	–	–	–	–	–	–	1	–	1	–	–	1	–
Vehicles and horses	13	10	–	–	–	2	–	2	–	–	1	2	–	2	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	7	–	–	–	–	–	–	–	–	1	2	2	2	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	5	17	15	–	1	–	–	–	–	1	–	–	–	–	–
Ill-defined Causes	2	3	–	1	–	–	–	–	–	–	1	–	–	1	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
DON‡	4,358,309	Mar. 6	2,771	1,456	17·4	3	–	52	9	34	28	12	54
CUTTA	896,067	Jan. 31	–	1,023§	59·3	?	227	?	?	?	?	?	63
BAY	979,445	„ 31	420	1,191§	63·2	–	2	4	–	–	–	35	107
DRAS	518,660	„ 24	455	564	56·5	1	1	2	?	2	–	47	15
IS	2,847,229	(10 days) Feb. 10	–	–	–	–	–	–	–	–	–	–	–
SSELS	800,234	Jan. 10	300	196	12·7	–	–	–	–	1	4	6	3
WERP	309,156	„ 17	–	–	–	–	–	–	–	–	–	–	–
TERDAM	648,444	Feb. 21	357	193	15·5	1	–	–	1	2	–	1	37
ENHAGEN	552,000	„ 21	276	380	35·9	–	–	8	2	–	1	2	208
KHOLM	408,456	„ 14	144	90	11·5	–	–	1	–	–	1	–	3
HENBURG	200,553	Jan. 31	–	52	13·5	3	–	2	–	–	1	1	–
ISTIANIA	258,615	Feb. 21	123	99	19·9	–	–	1	–	1	1	–	33‖
LIN	1,842,564	„ 14	726	1,006	28·4	1	?	2	1	19	8	23	91
SLAU	493,393	„ 14	267	417	43·9	–	?	–	–	4	1	7	175
GNE	627,301	„ 14	–	–	–	–	–	–	–	–	–	–	–
SDEN	535,887	„ 14	200	203	19·7	–	?	–	2	1	1	2	32
NKFORT-ON-MAIN.	470,124	„ 14	160	128	14·2	–	?	3	–	3	3	2	?
BURG	1,050,300	„ 14	424	398	19·7	–	?	–	1	2	3	7	?
ZIG	676,289	„ 14	254	272	20·9	–	?	–	–	4	2	4	?
ICH	670,000	„ 14	281	193	15·0	–	?	2	1	1	1	4	?
NA	2,350,005	„ 14	404	1,032	22·8	2	–	21	1	8	7	11	81
		„ 21	422	1,045	23·1	1	–	27	2	7	–	13	118
UE	501,261	Jan. 31	–	–	–	–	–	–	–	–	–	–	–
APEST	1,051,374	Dec. 27	336	426	21·1	4	–	–	–	4	1	?	–
STE	227,677	Feb. 21	143	105	24·1	1	–	–	–	–	–	1	9
REST	342,427	—	–	–	–	–	–	–	–	–	–	–	–
YORK	6,006,794	Dec. 27	–	–	–	–	–	–	–	–	–	–	–
AGO	2,596,681	Feb. 14	–	1,226	24·6	–	–	4	8	7	20	52	240

xcluding deaths from croup in Bombay and Madras.
he deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of* Copenhagen, Stockholm, Gothenburg, the German Cities and Budapest.
he estimated population and deaths refer to the civilian population only.
cluding 1 death from *plague* in Calcutta and 2 in Bombay, and from *Asiatic cholera* 22 deaths in Calcutta.
cluding 1 death from Influenza and 32 deaths from Influenzal Pneumonia.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 6th March, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
ON (Greenwich)	59	30	53·5	37·3	12
HTON	52	31	49·9	41·3	9
BMOUTH	56	29	52·1	39·9	9
VICH (Eaton)	59	30	53·7	38·6	7
OUTH	56	29	52·1	39·7	7
OL (Clifton)	53	31	51·0	40·7	10
INGHAM	60	32	51·0	38·1	9
INGHAM	62	30	53·1	35·0	3
ENHEAD (Bidston)	55	36	52·4	39·9	17
HESTER	58	32	53·0	39·7	21
LEY	54	30	50·3	38·9	20
ERSFIELD	58	34	53·4	40·0	11

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
BRADFORD	57	33	52·6	40·3	9
SHEFFIELD	61	35	54·6	41·0	8
YORK (Museum)	58	34	53·3	41·4	6
HULL (Pearson Park)	60	34	54·0	40·0	7
TYNEMOUTH	56	34	52·7	40·0	11
CARDIFF	54	31	50·3	38·6	10
EDINBURGH	60·0	35·0	51·7	41·4	22
GLASGOW	54·0	38·0	50·0	42·2	34
DUBLIN:—					
Phœnix Park	61·8	31·9	53·3	40·5	18
†Fitzwilliam Square	61·0	36·8	54·2	43·7	15
BELFAST	56·8	33·0	51·5	40·3	16

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 6th March 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface 5 inches above the Ground
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	29	..	30·128	49·0	43·2	5·8	46·0	+ 5·7	42·1	3·9	5·0	1·8	86	62·5	41·2	43·4	SSW., SW. & WSW.	WSW. & SW.	3·8	0·0	0·3	349	+ 10	0·00
MARCH MONDAY	1	..	29·862	59·3	41·9	17·4	49·0	+ 8·6	40·5	8·5	17·5	1·6	72	107·3	34·8	43·6	WSW. & calm.	SW. & calm.	2·3	0·0	0·1	196	−145	0·00
TUESDAY	2	..	30·075	51·1	38·6	12·5	45·1	+ 4·7	42·9	2·2	8·8	1·2	92	54·2	34·5	43·8	SW. & WSW.	W., NNW. & NNE.	2·4	0·0	0·2	246	− 96	0·10
WEDNESDAY	3	..	30·424	51·0	30·0	21·0	40·3	− 0·2	34·8	5·5	12·8	0·0	81	95·0	29·3	43·9	Calm & WSW.	SW.	1·0	0·0	0·1	191	−151	0·00
THURSDAY	4	Full	30·030	54·1	31·1	23·0	41·4	+ 0·7	33·5	7·9	13·9	1·1	74	90·0	28·5	43·8	WSW. & W.	Calm	1·0	0·0	0·1	179	−165	0·00
FRIDAY	5	In Equator.	29·691	54·5	37·6	16·9	46·5	+ 5·6	44·2	2·3	8·5	1·1	91	82·4	31·1	43·8	Calm & SW.	WSW., SW. & S.	4·0	0·0	0·2	266	− 83	0·14
SATURDAY	6	..	29·236	56·7	44·9	11·8	51·0	+10·0	46·9	4·1	9·1	1·7	86	89·4	40·0	43·9	S. & SW.	SSW. & SW.	6·4	0·0	0·6	425	+ 74	0·23
MEANS		- - -	29·921	53·7	38·2	15·5	45·6	+ 5·0	40·7	4·9	10·8	1·2	83	83·0	34·2	43·7	SW.		..	..	..	Sum 1852	Sum −556	Sum 0·47
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. February, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	29	w.P. throughout	0·0	10·8	Overcast till 15h. 30m., variably cloudy till 18h. 30m., with cloudless interval 17h. to 18h.; overcast generally afterwards.
MARCH. MONDAY -	1	w.P. till 9h., s.P. generally afterwards.	6·5	10·8	Overcast till 10h., becoming cloudless by 10h. 30m.; little cloud from 15h., nearly overcast by 19h.; hazy in evening; lunar halo 20h. to 23h.
TUESDAY -	2	w.P. generally, m.P. at times.	0·0	10·9	Overcast till 20h., becoming cloudless by 21h.; damping or rain at times 6h. to 16h.; mist and gloom about noon.
WEDNESDAY -	3	v.P. till noon, s.P. generally afterwards.	7·3	11·0	Cloudless with slight exceptions; fog from 1h. to 11h.; hoar frost at night.
THURSDAY -	4	v.P. till 9h., s.P. generally afterwards.	8·7	11·0	Cloudless generally till nearly 21h., becoming nearly overcast by 21h 30m.; hoar frost and haze in morning; slight fog in evening; slight rain about 22h.
FRIDAY - -	5	v.P. generally, a little v.N.	1·0	11·1	Overcast till 1h., cloudy to 6h.; overcast generally till 14h. 30m.; cloudy to overcast again by 16h. 30m.; misty rain about 9h.; frequent damping or rain from 19h.
SATURDAY -	6	s.P. generally, a little v.N. and v.P. at times.	0·5	11·2	Overcast with few cloudy intervals; slight rain generally 9h. to 21h.; heavy about 16h.; brisk wind from 19h.
			Sum 24·0	Sum 76·8	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·17 in. at the beginning of the week to 29·76 in. by 23h. on March 1st; increased to 30·52 in. by 9h. on March 3rd; decreased to 29·08 in. by 21h. on 6th, and increased to 29·12 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 28th February, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,425	1	–	52	3	52	19	18	118	284
Western										
PADDINGTON	48	–	–	1	1	2	1	–	3	10
KENSINGTON	52	–	–	–	–	6	1	–	3	9
HAMMERSMITH	40	–	–	–	–	1	–	2	5	7
FULHAM	44	–	–	2	–	1	1	–	3	8
CHELSEA	25	–	–	1	–	–	–	–	1	4
CITY OF WESTMINSTER	24	–	–	–	–	1	–	1	1	4
Northern.										
ST. MARYLEBONE	24	–	–	–	–	1	–	–	1	1
HAMPSTEAD	19	–	–	3	–	–	–	–	–	1
ST. PANCRAS	71	–	–	8	–	2	–	3	2	18
ISLINGTON	118	–	–	5	–	8	–	4	8	29
STOKE NEWINGTON	17	–	–	–	–	–	1	–	3	2
HACKNEY	85	–	–	11	–	5	5	–	4	15
Central.										
HOLBORN	22	–	–	1	–	–	–	–	3	1
FINSBURY	26	–	–	–	–	1	–	–	3	5
CITY OF LONDON	4	–	–	–	–	–	–	–	1	–
Eastern.										
SHOREDITCH	50	–	–	6	–	–	–	–	6	13
BETHNAL GREEN	57	–	–	4	–	5	1	–	4	17
STEPNEY	84	–	–	1	1	3	–	–	8	21
POPLAR	68	–	–	2	–	4	–	–	9	13
Southern.										
SOUTHWARK	77	1	–	1	–	2	1	1	11	15
BERMONDSEY	34	–	–	1	–	1	1	–	5	13
LAMBETH	90	–	–	2	–	1	–	3	7	14
BATTERSEA	48	–	–	–	–	1	–	–	4	11
WANDSWORTH	67	–	–	–	–	1	3	2	6	8
CAMBERWELL	93	–	–	1	–	2	1	1	9	18
DEPTFORD	38	–	–	–	–	1	–	–	–	8
GREENWICH	27	–	–	1	1	1	1	1	3	5
LEWISHAM	45	–	–	–	–	2	2	–	4	9
WOOLWICH	28	–	–	1	–	–	–	–	1	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 28th February, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	1	-	-	-	9	12	-	2	-	1	-	-	-	-	-
Kensington	157,886	-	-	-	-	7	7	-	2	-	-	1	-	-	-	-
Hammersmith	130,981	-	-	-	-	2	11	-	-	-	-	1	-	-	-	-
Fulham	152,543	-	-	-	-	11	13	-	1	-	-	-	-	-	-	-
Chelsea	60,573	2	-	-	-	2	3	-	-	-	2	1	-	-	-	-
City of Westminster	127,533	-	-	-	-	4	5	-	1	-	-	1	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	5	-	-	-	5	5	-	1	-	-	-	-	-	-	-
Hampstead	88,012	5	-	-	-	2	5	-	-	-	-	-	-	-	-	-
St. Pancras	219,434	2	-	-	-	22	21	-	2	1	1	1	-	-	-	-
Islington	323,034	-	-	-	-	10	17	-	6	-	1	1	-	-	-	-
Stoke Newington	50,954	-	-	-	-	7	1	-	3	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	10	21	-	1	-	-	1	-	-	-	-
CENTRAL.																
Holborn	38,156	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-
Finsbury	75,291	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	-	-	-	5	2	-	-	-	-	1	-	-	-	-
Bethnal Green	110,085	-	-	-	-	10	11	-	4	-	-	1	-	-	-	-
Stepney	232,506	-	-	-	-	13	11	-	3	-	-	2	-	-	-	-
Poplar	153,644	1	-	-	2	16	7	-	-	1	-	1	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	-	-	-	10	11	-	2	-	1	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	11	2	-	-	1	-	1	-	-	-	-
Lambeth	282,322	-	-	-	-	20	9	-	5	-	-	4	-	-	-	-
Battersea	159,316	-	-	-	-	8	10	-	-	-	1	-	-	-	-	-
Wandsworth	333,693	1	-	-	-	23	28	-	3	-	1	-	-	-	-	-
Camberwell	273,802	-	-	-	-	18	17	-	3	-	1	-	-	-	-	-
Deptford	111,205	-	-	-	-	11	8	-	3	-	-	2	-	-	-	-
Greenwich	98,484	1	-	-	-	10	4	-	1	-	-	-	-	-	-	-
Lewisham	167,754	-	-	-	-	14	17	-	1	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	12	9	-	2	-	-	1	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	18	-	-	2	277	271	-	48	3	10	20	-	-	1	-
Ages 0–1		-	-	-	-	1	5	-	3	2	-	20	-	-	-	-
" 1–5		-	-	-	-	55	50	-	1	-	-	-	-	-	-	-
" 5–		-	-	-	-	120	122	-	3	-	-	-	-	-	-	-
" 10–		1	-	-	-	55	50	-	1	1	-	-	-	-	-	-
" 15–		7	-	-	-	13	17	-	2	-	-	-	-	-	-	-
" 20–		5	-	-	1	16	10	-	-	-	6	-	-	-	-	-
" 25–		3	-	-	-	11	9	-	7	-	4	-	-	-	-	-
" 35–		1	-	-	-	6	7	-	4	-	-	-	-	-	-	-
" 45–		1	-	-	1	-	1	-	15	-	-	-	-	-	1	-
" 55–		-	-	-	-	-	-	-	5	-	-	-	-	-	-	-
" 65–		-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.]

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General,

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 10. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, MAR. 13.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
March 16th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,498, and corresponded to an annual rate of 29·5 per 1,000. The deaths* among the civilian population only numbered 5,836, and corresponded to an annual rate of 17·1 per 1,000 of their aggregate civilian population, which is estimated† at 17,806,093 persons in the year 1919. In the three weeks ended February 21st, February 28th, and March 6th, the rates had been 15·6, 16·4, and 16·9 respectively. The infant mortality was 113, against 94, 102, and 105 in the three preceding weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population now refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10178—3 Wt 167-810 625 3/20 E & S A

The return for the week ended March 6th shows the death-rates in the ninety-six great towns in that and in the three preceding weeks, based upon the estimated populations as in 1919, which were used for the first time in that Return. The table on page 147 of this Return shows the revised death-rates based upon the same populations in the first five weeks of this year.

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 25·0 in Bury, 25·1 in Dudley, 25·2 in Tynemouth, 25·5 in Liverpool, 26·2 in Middlesbrough, 26·7 in South Shields, and 29·3 in Barnsley; from *measles*, 2·6 in Lincoln, Grimsby, and St. Helens, 3·0 in Barnsley, 3·2 in Wakefield, and 5·2 in Gloucester; from *whooping cough*, 5·2 in Gloucester; and from *diphtheria*, 3·1 in Gloucester. The 2 deaths from *small-pox* belonged to London.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,701 BIRTHS, corresponding to a rate of 31·0 per 1,000, and 1,436 DEATHS of civilians, corresponding to a rate of 17·2, as against 16·6, 17·0, and 17·4 per 1,000 in the three weeks ended February 21st, February 28th, and March 6th. The death-rate in the four weeks ended last Saturday averaged 17·1 per 1,000. The infant mortality was 89, against 99, 107, and 95 in the three preceding weeks.

There was no death from *enteric fever*, against 1, 1, and 3 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *small-pox*, which had been 1, 0, and 0 in the preceeding three weeks, were 2 last week; both deaths belonged to the Borough of Poplar. The deaths from *measles*, which had been 49, 52, and 52 in the preceding three weeks, rose to 56 last week, but were 2 below the average; 8 deaths belonged to Southwark, 6 to Islington, 5 to Hackney, and 5 to Bethnal Green. The deaths from *scarlet fever*, which had been 0, 3, and 9 in the preceding three weeks, fell to 5 last week, but were 1 above the average. The deaths from *whooping-cough*, which had been 42, 52, and 34, in the preceding three weeks, rose again to 41 last week, and were 16 above the average; 6 deaths belonged to St. Pancras, 6 to Bethnal Green, 5 to Stepney, and 4 to Poplar. The deaths from *diphtheria*, which had been 16, 19, and 28 in the preceding three weeks, fell to 25 last week, but were 13 above the average; 5 deaths belonged to Hackney, 4 to Lambeth, and 3 to Southwark. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 16, 18, and 12 in the preceding three weeks, were 13 last week, and were 3 below the average. The deaths from *influenza* numbered 57, as against 37, 38, and 54 in the preceding three weeks, and an average of 142.

Different forms of violence caused 38 deaths, all of which were the subject of coroners' inquests. Of these 38 deaths, 4 were cases of suicide, and 1 of homicide, while the remaining 33 were attributed to other forms of violence. Twelve of these latter were referred to vehicles in the streets, 6 to burns or scalds, 1 to drowning, and 3 of infants under 1 year of age to suffocation in bed.

* *See* note * on first page.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 39 cases of enteric fever, 7 of small-pox, 78 of measles, 2,182 of scarlet fever, 15 of whooping-cough, and 2,045 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 4 cases, against 3, 18, and 5; of small-pox, 2 cases, against 0, 2, and 3; of measles, 29 cases, against 35, 24, and 21; of scarlet fever, 249 cases, against 297, 261, and 234; of whooping-cough, 3 cases, against 0, 1, and 0; and of diphtheria, 291 cases, against 235, 245, and 255. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended March 6th, 1920.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

6 GREAT TOWNS and GREATER LONDON.—Death-rates per 1,000 population estimated to the middle of the year 1919 in the five weeks ended:—

TOWN.	10th Jan. 1920.	17th Jan. 1920.	24th Jan. 1920.	31st Jan. 1920.	7th Feb. 1920.
REAT TOWNS	14·7	14·5	14·2	14·8	14·8
ON	14·5	14·6	13·9	15·5	15·9
DON	15·6	10·8	14·7	12·5	10·8
LEDON	7·8	11·3	11·3	9·6	8·7
NG	12·1	10·0	8·5	10·7	12·1
N	9·3	11·8	15·2	10·1	19·4
ESDEN	14·3	13·6	10·0	6·8	11·3
SEY	9·9	13·3	8·3	6·6	10·5
ENHAM	13·3	12·5	12·5	9·6	12·5
NTON	14·0	8·8	12·5	12·5	8·8
ELD	13·4	11·6	10·7	10·7	15·2
HAM	19·0	16·8	16·8	16·1	18·1
HAM	13·0	11·9	14·1	15·5	10·1
ON	13·0	14·3	10·9	10·9	10·9
HAMSTOW	15·9	15·5	15·9	14·7	12·3
D	12·5	9·8	8·5	9·2	8·5
NGHAM	7·2	12·0	7·2	15·6	18·0
NGS	16·3	16·3	10·8	11·8	12·7
OURNE	5·4	10·8	10·8	11·8	8·6
HTON	15·4	15·0	12·2	16·5	12·6
MOUTH	16·0	14·8	13·0	14·8	12·8
NEMOUTH	17·0	11·4	16·4	13·9	12·0
AMPTON	10·8	10·3	15·7	14·5	10·8
NG	13·1	15·4	12·6	5·1	14·8
RD	9·9	11·8	12·7	4·5	13·6
HAMPTON	14·1	13·5	13·5	14·1	10·0
RIDGE	12·6	11·7	9·0	7·2	12·6
END ON SEA	14·9	12·4	7·4	10·5	10·5
CH	16·7	11·4	8·7	13·4	12·0
T YARMOUTH	12·8	14·7	10·8	8·8	21·6
ICH	13·9	14·8	12·6	16·1	13·0
DON	11·1	15·2	9·1	14·2	8·1
ER	14·1	15·0	12·4	14·1	16·8
OUTH	14·9	20·1	18·1	17·8	15·5
	18·2	15·8	15·8	13·4	12·7
OL	12·4	11·8	13·0	13·0	13·6
CESTER	16·7	22·9	13·5	15·6	8·3
ON TRENT	13·5	16·8	15·5	13·7	13·5
ERHAMPTON	5·8	10·6	10·1	21·2	16·4
ALL	13·5	15·2	10·7	18·0	11·8
BROMWICH	14·2	14·9	10·4	11·9	13·4
EY	17·4	15·4	15·4	12·5	12·5
NGHAM	15·5	13·4	13·7	14·8	15·1
TWICK	21·7	8·7	13·0	15·2	7·9
TRY	11·1	10·7	8·7	7·5	8·7
STER	12·8	12·6	13·3	11·5	12·8
LN	13·8	11·2	11·2	12·9	13·8
BY	22·5	9·9	20·5	13·2	19·2
NGHAM	17·2	17·2	18·0	16·0	17·8
Y	11·8	10·9	9·3	11·4	10·5
PORT	12·0	14·9	15·4	15·8	11·2

TOWN.	10th Jan. 1920.	17th Jan. 1920.	24th Jan. 1920.	31st Jan. 1920.	7th Feb. 1920.
Birkenhead	14·1	15·1	15·1	17·3	19·0
Wallasey	8·2	16·4	9·8	8·2	12·6
Liverpool	16·9	18·8	19·2	21·4	20·5
Bootle	23·0	19·6	14·9	11·5	9·5
St. Helens	19·7	17·6	10·9	14·0	12·4
Southport	9·7	15·6	10·4	14·1	14·9
Wigan	22·7	11·3	16·1	13·1	17·9
Warrington	13·9	14·6	11·8	11·8	11·8
Bolton	15·9	11·2	13·8	12·3	15·0
Bury	19·2	15·4	16·3	19·2	14·4
Manchester	16·0	14·6	14·7	16·3	16·1
Salford	13·6	13·6	14·3	13·4	14·1
Oldham	15·5	14·8	21·2	22·3	17·4
Rochdale	17·4	15·1	16·2	20·3	14·5
Burnley	13·4	19·6	15·0	10·8	12·9
Blackburn	12·0	12·4	13·2	8·7	12·4
Preston	20·5	20·0	17·3	14·2	14·7
Blackpool	10·8	11·5	17·7	17·7	15·4
Barrow in Furness	12·0	13·5	10·6	11·3	13·5
Huddersfield	14·4	13·5	13·0	12·1	14·4
Halifax	12·3	13·8	8·7	16·4	13·8
Bradford	14·6	14·9	12·9	16·4	15·7
Leeds	14·6	18·2	17·5	20·6	19·1
Dewsbury	23·6	12·8	13·8	16·7	10·8
Wakefield	22·3	13·0	18·0	12·7	19·1
Barnsley	12·1	21·2	15·1	17·2	10·1
Sheffield	14·1	13·3	12·9	11·3	11·9
Rotherham	6·8	13·6	13·6	8·3	6·0
York	14·0	14·7	18·2	15·4	12·6
Hull	13·8	19·2	19·6	17·2	18·8
Middlesbrough	21·3	19·3	13·9	13·5	13·1
Darlington	13·8	17·1	17·9	9·0	17·1
Stockton on Tees	18·0	15·5	12·9	16·3	18·0
West Hartlepool	16·7	11·9	13·5	11·9	12·7
Sunderland	23·4	16·1	19·9	18·5	20·3
South Shields	19·2	21·0	23·8	18·7	17·3
Gateshead	15·6	19·0	16·1	16·5	11·4
Newcastle on Tyne	16·9	14·8	13·5	20·7	13·5
Tynemouth	24·3	22·5	18·9	12·6	13·5
Carlisle	11·3	15·1	26·5	17·0	13·2
Newport (Mon.)	16·7	5·4	14·9	12·0	9·6
Cardiff	12·0	10·7	12·8	12·0	10·5
Rhondda	11·4	10·6	11·1	10·0	13·5
Merthyr Tydfil	7·3	13·8	16·0	22·6	21·8
Aberdare	14·2	15·2	5·1	16·2	11·2
Swansea	9·7	8·1	12·0	12·3	11·7
Greater London	13·8	13·7	13·2	13·9	14·2
Outer Ring	12·6	12·5	12·0	11·5	11·7
14 Great Towns in Outer Ring	14·2	13·0	12·9	11·8	12·6
Remainder of Outer Ring	10·5	11·8	10·7	11·0	10·5

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 13th March, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes. Week ended 21st Feb., 1920 §	28th Feb., 1920.§	6th Mar., 1920.	13th Mar., 1920.	Week ended 13th Mar., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,806,093	15·6	16·4	16·9	17·1	10,498	5836	1187	1599	5	2	199	25	108	79	49	230	152	349	1586	43	96 GREAT TOWNS
LONDON†	4,358,309	16·6	17·0	17·4	17·2	2701	1436	240	427	–	2	56	5	41	25	13	57	38	111	639	3	LONDON.†
‡ CROYDON	184,239	10·8	13·3	17·0	15·6	84	55	9	18	–	–	2	3	–	1	1	–	–	2	12	–	CROYDON.
WIMBLEDON	59,791	10·5	14·0	10·5	8·7	19	10	1	–	–	–	–	–	–	1	–	1	–	1	6	–	WIMBLEDON.
EALING	73,212	9·3	15·7	11·4	9·3	29	13	–	7	–	–	–	–	–	–	–	–	–	1	3	–	EALING.
ACTON	61,732	10·1	18·6	18·6	9·3	36	11	3	3	–	–	–	–	–	–	–	–	–	–	3	–	ACTON.
WILLESDEN	160,917	11·0	12·0	10·7	10·4	96	32	6	11	–	–	–	–	–	–	–	2	–	2	6	–	WILLESDEN.
HORNSEY	94,343	10·5	7·7	10·5	7·7	26	14	2	8	–	–	–	–	–	–	–	1	–	1	1	–	HORNSEY.
TOTTENHAM	141,338	12·2	17·0	14·8	15·5	77	42	8	11	–	–	–	–	1		–	1	–	3	11	–	TOTTENHAM.
EDMONTON	70,711	14·0	11·8	11·8	17·0	54	23	3	2	–	–	–	–	1	–	–	1	1	3	11	–	EDMONTON.
ENFIELD	58,442	12·5	21·4	11·6	13·4	32	15	2	6	–	–	2	–	–	–	–	–	–	–	1	–	ENFIELD.
WEST HAM	287,966	13·8	13·6	13·6	19·4	208	107	18	26	–	–	–	1	3	2	2	4	7	9	35	1	WEST HAM.
EAST HAM	144,451	8·3	10·5	10·5	14·4	93	40	9	8	–	–	3	–	1	–	–	3	3	5	9	–	EAST HAM.
LEYTON	123,896	15·6	13·5	16·4	14·3	59	34	7	12	–	–	2	–	–	1	2	–	1	2	11	–	LEYTON.
WALTHAMSTOW	127,684	11·8	13·9	14·7	14·7	72	36	6	13	–	–	–	–	1	–	–	2	2	3	17	–	WALTHAMSTOW.
ILFORD	79,524	11·1	13·8	17·7	14·4	47	22	–	13	–	–	–	–	–	–	–	3	1	2	2	–	ILFORD.
GILLINGHAM	43,501	21·6	8·4	10·8	13·2	32	11	2	3	–	–	–	–	–	–	–	1	–	–	–	–	GILLINGHAM.
HASTINGS	57,674	20·8	11·8	18·1	19·0	25	21	2	11	–	–	–	–	1	–	–	–	1	1	6	–	HASTINGS.
EASTBOURNE	48,424	6·5	11·8	8·6	6·5	20	6	1	1	–	–	–	–	–	–	1	1	–	–	1	–	EASTBOURNE.
BRIGHTON	132,409	16·9	16·1	16·1	18·1	53	46	8	15	–	–	1	–	–	1	–	1	1	4	8	–	BRIGHTON.
PORTSMOUTH	224,846	14·8	14·4	16·2	17·9	122	77	16	25	–	–	2	–	–	1	–	5	1	1	16	1	PORTSMOUTH.
BOURNEMOUTH	82,627	6·9	9·5	9·5	14·5	26	23	–	13	–	–	–	–	–	–	–	–	–	1	4	–	BOURNEMOUTH
SOUTHAMPTON	126,033	17·8	11·6	9·9	16·1	67	39	8	10	–	–	2	–	–	–	–	2	1	2	13	–	SOUTHAMPTON.
READING	91,365	14·8	17·1	18·3	9·7	37	17	–	13	–	–	–	–	–	–	–	–	–	–	3	–	READING.
OXFORD	57,606	18·1	9·9	17·2	15·4	29	17	2	7	–	–	–	–	–	–	–	3	1	1	3	–	OXFORD.
NORTHAMPTON	88,944	12·3	8·8	14·7	17·6	45	30	4	11	–	–	–	–	–	–	–	1	1	1	7	–	NORTHAMPTON.
CAMBRIDGE	57,849	21·6	9·9	9·0	7·2	22	8	–	3	–	–	–	–	–	–	–	–	–	–	3	–	CAMBRIDGE.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 21st Feb., 1920.†	28th Feb., 1920.†	6th Mar., 1920.	13th Mar., 1920.	Week ended 13th Mar. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	9·3	11·2	12·4	15·5	39	25	2	9	–	–	–	–	1	1	–	4	–	1	4	2	Southend on Sea.
Ipswich	78,011	11·4	19·4	15·4	12·7	53	19	3	10	–	–	–	–	2	1	–	–	1	2	5	–	Ipswich.
Great Yarmouth	53,078	10·8	9·8	15·7	15·7	41	16	5	4	–	–	–	–	–	–	–	–	1	1	1	–	Great Yarmouth.
Norwich	119,993	17·4	14·8	11·7	20·4	75	47	8	22	–	–	–	–	–	–	–	1	1	3	8	–	Norwich.
Swindon	51,527	13·2	17·2	23·3	8·1	34	8	1	3	–	–	–	–	–	–	–	–	–	–	–	–	Swindon.
Exeter	59,014	12·4	12·4	9·7	16·8	28	19	1	16	–	–	–	–	–	–	–	–	1	2	1	–	Exeter.
Plymouth	181,967	16·0	14·6	22·1	20·9	124	73	12	17	1	–	3	–	1	1	–	11	2	5	12	–	Plymouth.
Bath	65,919	19·0	11·9	9·5	20·6	22	26	2	15	–	–	–	–	–	–	–	–	–	–	6	–	Bath.
Bristol	361,247	16·0	15·7	16·2	16·9	216	117	18	34	–	–	5	–	3	3	1	1	6	14	37	–	Bristol.
Gloucester	50,100	15·6	19·8	17·7	19·8	36	19	4	3	–	–	5	–	5	3	1	–	–	–	4	–	Gloucester.
Stoke on Trent	239,316	13·5	19·2	14·2	13·7	163	63	19	11	–	–	6	3	–	–	2	1	1	2	13	1	Stoke on Trent.
Wolverhampton	98,403	15·9	15·9	10·6	18·5	68	35	9	6	–	–	3	–	1	–	–	2	–	–	5	–	Wolverhampton.
Walsall	92,724	12·9	12·9	11·8	14·6	66	26	8	3	–	–	–	–	–	–	1	1	–	–	1	–	Walsall.
West Bromwich	69,899	14·2	7·5	11·9	20·1	41	27	4	6	–	–	–	–	–	–	–	3	–	2	3	–	West Bromwich.
Dudley	54,017	11·6	22·2	22·2	25·1	38	26	8	5	–	–	–	–	–	–	–	7	–	–	3	2	Dudley.
Birmingham	861,585	15·9	16·3	16·0	16·7	515	276	53	69	–	–	1	3	3	4	3	32	3	7	61	12	Birmingham.
Smethwick	72,152	10·1	13·7	16·6	14·5	45	20	2	6	–	–	–	–	–	2	–	1	–	–	2	–	Smethwick.
Coventry	132,048	15·0	14·6	10·3	13·0	60	33	4	5	–	–	1	–	–	–	–	3	1	1	4	–	Coventry.
Leicester	236,059	15·2	13·7	13·0	10·6	123	48	12	19	–	–	1	–	–	–	1	1	1	2	17	1	Leicester.
Lincoln	60,581	12·9	17·2	19·8	12·9	28	15	1	2	–	–	3	–	–	–	–	1	–	–	2	1	Lincoln.
Grimsby	78,813	17·2	15·9	17·2	16·5	47	25	7	4	–	–	4	–	1	–	–	–	2	2	4	–	Grimsby.
Nottingham	257,573	17·6	16·6	16·6	18·0	175	89	19	21	–	–	8	–	–	2	1	–	3	7	27	–	Nottingham.
Derby	123,930	15·6	18·5	10·9	15·6	68	37	15	13	–	–	–	–	–	–	1	–	1	4	8	–	Derby.

* *See* note † on first page of this return.

† Revised rates based upon populations estimated to the middle of 1919.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATE in the Week ended Saturday, 13th March, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 21st Feb., 1920.†	28th Feb., 1920.†	6th Mar., 1920.	13th Mar., 1920	Week ended 13th Mar., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125 629	14·5	18·3	20·8	17·0	71	41	6	13	–	–	–	–	2	1	–	–	–	4	3	–	STOCKPORT.
BIRKENHEAD	148.052	21·5	15·1	19·4	13·0	85	37	11	10	–	–	1	–	–	–	–	3	–	2	9	2	BIRKENHEAD.
WALLASEY	95,424	14·2	9·3	10·9	12·0	42	22	5	5	1	–	–	–	–	1	–	1	–	–	4	–	WALLASEY.
LIVERPOOL	772,665	21·9	25·2	27·1	25·5	530	378	88	78	–	–	31	–	10	7	4	17	11	18	114	4	LIVERPOOL.
BOOTLE	76.962	24·4	16·9	15·6	20 3	52	30	7	5	–	–	1	–	–	2	–	2	–	–	9	1	BOOTLE.
ST. HELENS	100.805	14·5	21·2	19·1	17·6	58	34	11	7	–	–	5	–	–	1	–	1	1	1	11	–	ST. HELENS.
SOUTHPORT	70,144	14·9	17·1	14·9	14·9	33	20	1	14	–	–	–	–	–	–	–	–	–	1	1	–	SOUTHPORT.
WIGAN	87,384	16·7	16·7	18·5	20·3	39	34	6	6	1	–	4	–	–	–	–	1	3	3	2	–	WIGAN.
WARRINGTON	74.952	9·7	9·0	20·2	16·7	45	24	8	5	–	–	–	–	–	1	1	–	–	–	6	1	WARRINGTON.
BOLTON	177,462	14·7	16·2	13·8	16·7	78	57	17	17	1	–	–	–	–	1	1	4	–	1	9	–	BOLTON.
BURY	54,248	18·3	21·1	13·5	25·0	25	26	4	10	–	–	–	–	–	1	–	–	1	1	6	1	BURY.
MANCHESTER	741.068	15·2	17·4	17·5	17 2	416	244	54	61	–	–	7	1	3	1	2	7	6	10	67	1	MANCHESTER.
SALFORD	226,225	13·1	18·7	19·6	22·4	113	97	30	18	1	–	1	–	4	2	1	–	4	12	19	–	SALFORD.
OLDHAM	137,668	19·7	16·7	24·6	22·3	63	59	9	13	–	–	–	–	2	–	1	–	5	5	16	–	OLDHAM.
ROCHDALE	90,051	15·6	12·7	12·7	16·8	44	29	6	6	–	–	–	1	–	–	–	–	1	4	4	–	ROCHDALE.
BURNLEY	101,005	15·0	15·5	11·9	16·5	60	32	9	9	–	–	–	–	–	1	–	–	–	–	6	–	BURNLEY.
BLACKBURN	125,992	10·3	12·0	16·1	17·0	60	41	7	9	–	–	–	1	–	2	–	2	–	3	7	–	BLACKBURN.
PRESTON	117,277	16·0	20·5	16·5	13·3	79	30	9	9	–	–	–	1	–	–	–	1	1	1	5	–	PRESTON.
BLACKPOOL	67,842	20·0	16·1	15·4	14·6	22	19	4	7	–	–	–	–	–	2	–	–	–	–	–	–	BLACKPOOL.
BARROW IN FURNESS	73,627	8·5	17·0	14·2	12·0	35	17	5	3	–		–	–	–	–	–	–	–	–	4	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	13·9	15·8	13·5	13·5	42	29	10	11	–	–	–	–	–	–	–	–	1	4	4	–	HUDDERSFIELD.
HALIFAX	101,791	14·3	14·3	16·9	17·4	36	34	4	13	–	–	–	1	–	–	–	–	1	3	8	–	HALIFAX.
BRADFORD	282.714	18·1	15·5	17·2	14·4	129	78	7	30	–	–	–	–	–	1	–	1	2	3	19	–	BRADFORD.
LEEDS	430,834	23·0	24·7	25·7	22·8	231	188	41	40	–	–	8	2	6	2	1	7	4	9	39	–	LEEDS.
DEWSBURY	52,969	15·8	21·7	18·7	11·8	30	12	1	3	–	–	–	–		–	–	–	1	1	3	–	DEWSBURY.
WAKEFIELD	49,208	13·8	14·8	9·5	20·1	32	19	4	6	–	–	3	–	–	–	–	–	–	–	–	–	WAKEFIELD.

Towns.	Estimated Civilian Population, Mid. 1919 *	Week ended 21st Feb., 1920.‡	Week ended 28th Feb., 1920.‡	Week ended 6th Mar., 1920.	Week ended 13th Mar., 1920	6th Mar., 1920. Births.	6th Mar., 1920. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Town
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	13·4	16·8	15·4	14·3	309	130	41	31	–	–	–	–	–	–	3	2	4	7	32	1	Sheffield.
Rotherham	69,034	7·6	12·1	9·8	16·6	35	22	4	3	–	–	–	–	1	–	–	1	–	1	3	–	Rotherham.
York	74,531	16·1	15·4	11·9	16·1	54	23	5	6	–	–	–	–	–	1	1	1	1	2	9	–	York.
Hull	279,664	19·4	15·8	18·1	19·8	196	106	21	29	–	–	7	–	1	–	1	5	2	3	33	–	Hull.
Middlesbrough	127,142	15·6	13·5	19·3	26·2	101	64	26	12	–	–	–	–	–	–	2	1	1	3	9	1	Middlesbrough.
Darlington	64,058	6·5	10·6	10·6	12·2	31	15	2	4	–	–	–	–	–	–	–	–	–	–	2	2	Darlington.
Stockton on Tees	60,696	11·2	12·0	21·5	15·5	40	18	2	6	–	–	–	–	1	–	–	–	1	2	6	–	Stockton on Tees.
West Hartlepool	65,515	20·7	12·7	15·1	18·3	43	23	11	4	–	–	2	–	2	–	–	–	1	1	2	–	West Hartlepool.
Sunderland	149,263	12·9	15·0	18·5	18·2	126	52	11	13	–	–	2	–	1	1	–	2	1	4	10	1	Sunderland.
South Shields	111,502	20·1	16·8	25·3	26·7	72	57	10	10	–	–	–	–	–	–	–	4	2	2	5	3	South Shields.
Gateshead	123,392	13·1	18·2	16·1	13·9	98	33	12	5	–	–	–	–	–	–	–	–	–	–	4	1	Gateshead.
Newcastle on Tyne.	275,099	15·2	19·4	21·0	16·7	173	88	30	18	–	–	1	–	2	–	–	1	1	6	10	–	Newcastle on Tyne.
Tynemouth	58,007	18·0	17·1	15·3	25·2	38	28	3	5	–	–	–	–	–	–	–	1	2	2	4	–	Tynemouth.
Carlisle	55,198	15·1	11·3	5·7	8·5	23	9	2	2	–	–	–	–	2	–	–	–	–	–	1	–	Carlisle.
Newport (Mon.)	87,251	9·6	15·5	16·1	18·5	55	31	5	9	–	–	4	–	–	–	–	1	3	3	5	–	Newport (Mon.).
Cardiff	204,436	13·3	11·2	15·3	18·4	107	72	21	20	–	–	8	–	3	–	–	1	2	4	3	–	Cardiff.
Rhondda	177,911	12·6	13·8	13·8	12·9	124	44	10	4	–	–	1	3	1	–	1	4	1	2	4	–	Rhondda.
Merthyr Tydfil	71,638	18·9	20·4	18·2	13·8	48	19	3	4	–	–	–	–	–	1	–	–	1	1	4	–	Merthyr Tydfil.
Aberdare	51,384	13·2	26·4	26·4	14·2	34	14	4	3	–	–	–	–	1	1	–	–	1	1	1	–	Aberdare.
Swansea	160,810	11·3	14·6	17·8	17·5	88	54	16	16	–	–	–	–	–	–	–	–	2	5	4	–	Swansea.
Greater London	7,258,623	14·5	15·5	15·7	15·7	4234	2186	356	675	–	2	75	11	55	35	19	86	59	162	835	6	Greater London.
Outer Ring	2,900,314	11·3	13·1	13·1	13·5	1533	750	116	248	–	–	19	6	14	10	6	29	21	51	196	3	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	11·8	13·6	13·7	14·2	932	454	74	138	–	–	9	4	7	5	5	18	15	34	128	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	10·7	12·4	12·4	12·5	601	296	42	110	–	–	10	2	7	5	1	11	6	17	68	2	Remainder of Outer Ring.
Edinburgh†	342,300	12·8	14·2	12·1	17·4	193	114	17	40	–	–	5	1	–	2	1	2	1	?	?	?	Edinburgh.†
Glasgow†	1,115,500	13·6	14·8	15·8	14·9	665	317	57	61	–	1	7	1	2	4	1	7	15	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	16·5	21·9	20·7	20·0	239	159	28	35	–	–	3	–	6	–	3	–	2	1	61	2	Dublin (Registration Area).†
Belfast†	413,000	18·2	21·8	27·0	28·4	225	225	56	33	2	–	7	4	3	2	1	23	2	3	50	5	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Revised rates based upon populations estimated to the middle of 1919.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TENTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2370	2274	2225	2111	2053	2237	1943	1654	1498	1245	2701
Males	1215	1182	1115	1053	1038	1098	1018	861	753	657	1391
Females	1155	1092	1110	1058	1015	1139	925	793	745	588	1310
Deaths (of residents only).	1212	1391	1152	1581	1238	1794	1467*	1535*	1420*	2054*	1436*
Males		695	580	779	652	922	727	818	725	986	753
Females		696	572	802	586	872	740	717	695	1068	683

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.
Births (as registered)	2519	1318	3308	3018	2962	2971	2715	2966	2793	2746	2654	2771	2701
Deaths (of residents only).	1180	815	1311	1216	1218	1163	1297	1332	1423	1384	1425	1456	1436
Ages at Death: Under 1 year	181	122	217	191	215	228	284	290	359	271	284	264	240
1–2 years	29	15	41	29	35	43	57	64	78	77	80	72	66
2–5 "	45	36	56	55	53	44	56	54	55	72	78	82	83
5–10 "	32	29	41	35	27	33	33	48	36	35	38	42	41
10–15 "	19	18	14	17	15	16	12	24	12	20	21	16	17
15–20 "	18	19	24	23	24	27	24	13	26	19	25	23	25
20–25 "	17	12	28	28	26	17	25	23	26	29	22	26	33
25–35 "	56	35	60	50	67	59	62	57	63	66	58	74	89
35–45 "	78	54	109	77	71	68	84	79	74	86	100	99	87
45–55 "	121	99	137	141	119	93	115	128	127	113	123	124	146
55–65 "	161	108	172	187	140	167	172	159	150	175	184	182	182
65–75 "	223	144	206	204	205	180	173	194	223	184	205	217	213
75 years and upwards	200	124	206	179	221	188	200	199	194	237	207	235	214
Deaths from—													
Enteric fever	1	1	–	2	1	1	1	1	–	1	1	3	–
Small-pox	–	–	–	–	–	–	–	–	–	1	–	–	2
Measles	11	9	19	14	21	19	18	26	35	49	52	52	56
Scarlet fever	5	4	5	4	7	3	5	9	3	–	3	9	5
Whooping cough	14	6	20	13	19	18	28	26	37	42	52	34	41
Diphtheria	32	28	36	31	24	28	37	32	29	16	19	28	25
Diarrhœa and enteritis (under 2 years).	20	9	16	18	19	15	15	14	22	16	18	12	13
Pulmonary tuberculosis	105	71	96	86	78	85	86	73	104	97	118	92	94
Influenza	18	12	19	16	19	24	15	20	25	37	38	54	57
Pneumonia (all forms)	78	62	93	108	127	126	176	205	222	189	194	184	197
Bronchitis	109	58	108	124	109	102	139	151	193	147	166	199	161
Other dis. of resp. system	9	14	17	16	13	15	11	20	21	15	14	25	18
Dis. of circ. system	209	136	218	207	198	176	182	180	179	202	189	173	225
Violence	46	29	50	33	49	41	40	46	45	44	49	42	38
Inquest cases	127	81	144	94	116	104	107	110	129	124	117	103	111
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	27	28	26	27	27	28	27	24	16	16	33	37	39
Small-pox	–	–	–	2	1	–	–	–	3	2	4	7	7
Measles	56	65	59	59	53	49	47	59	78	97	96	90	78
Scarlet fever	2942	2873	2926	2809	2758	2614	2550	2487	2459	2415	2316	2255	2182
Whooping cough	25	25	25	22	23	22	21	21	18	17	18	15	15
Diphtheria	1822	1862	1873	1899	1945	1994	2008	2014	2010	2000	2026	2006	2045

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Dec. 20.	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.
Deaths from Influenza	64	43	52	73	62	85	66	98	109	161	178	196	230

TABLE 4. LONDON.—DEATHS REGISTERED in the TENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 10th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	2054	1436	240	66	83	41	17	25	33	89	87	146	182	213	214
Enteric fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Measles	3	56	11	17	22	5	–	–	–	–	1	–	–	–	–
Scarlet fever	5	5	–	–	4	–	–	–	1	–	–	–	–	–	–
Whooping cough	3	41	16	10	12	3	–	–	–	–	–	–	–	–	–
Diphtheria	16	25	1	5	9	10	–	–	–	–	–	–	–	–	–
Croup	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	597	57	4	1	–	2	–	2	1	18	6	5	4	10	4
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other epidemic diseases	4	2	1	–	–	–	–	–	–	–	1	–	–	–	–
Pyæmia and septicæmia	1	2	–	–	–	–	–	–	–	1	–	1	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	137	94	–	–	1	1	2	4	8	15	20	24	12	6	1
Tuberculous meningitis	9	13	2	3	2	2	1	2	–	1	–	–	–	–	–
Abdominal tuberculosis	5	3	–	–	1	–	1	–	–	–	–	–	–	1	–
Tuberculosis of the spine	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Tuberculosis of the joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Disseminated tuberculosis	9	4	1	1	1	–	–	–	–	1	–	–	–	–	–
Venereal diseases	9	6	4	–	–	–	–	1	–	1	–	–	–	–	–
Cancer	111	88	–	–	–	–	–	–	1	1	3	28	28	19	8
Tumour, situation undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	6	7	–	–	–	2	1	1	1	–	–	2	–	–	–
Diabetes	6	7	–	–	–	–	–	1	–	1	1	1	2	1	–
Anæmia, leucocythaemia	7	6	–	–	–	2	–	–	–	–	3	–	–	1	–
Other general diseases	12	10	–	–	–	–	–	–	–	2	–	–	1	3	4
Alcoholism	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	9	6	–	–	1	–	2	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	43	39	–	–	–	–	–	–	–	–	–	5	6	14	14
Softening of brain	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis, without specified cause	10	5	–	–	–	–	–	–	–	–	–	–	–	3	2
Epilepsy	6	5	–	–	–	–	–	–	–	1	1	–	1	1	1
"Convulsions" (not puerperal)	7	4	3	–	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	19	19	1	–	1	–	–	2	1	2	4	4	2	–	2
Pericarditis	1	3	–	–	–	–	1	–	–	–	–	–	1	–	1
Acute endocarditis	3	8	1	–	–	–	–	–	2	3	1	–	1	–	–
Organic disease of heart	166	169	–	–	–	–	2	2	5	7	12	19	40	49	33
Embolism and thrombosis (including cerebral).	10	6	–	–	–	–	–	–	1	–	–	–	1	2	2
Other diseases of circulatory system.	34	39	1	–	–	–	–	–	–	–	1	2	3	10	16
Diseases of the larynx	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	261	161	23	5	3	–	–	1	–	1	4	16	20	40	48
Broncho-pneumonia	126	113	48	18	15	4	–	–	–	5	–	6	8	8	1
Lobar pneumonia	37	38	–	1	2	1	–	2	4	8	7	4	4	4	1
Pneumonia (type not distinguished)	55	46	6	4	4	1	1	1	2	3	6	6	2	3	7
Pleurisy	3	4	–	–	–	–	1	–	–	–	–	–	2	1	–
Pulmonary congestion, Pulmonary apoplexy.	6	3	1	–	–	–	–	–	–	–	–	–	–	1	1
Other diseases of respiratory system.	22	10	–	–	–	–	–	–	1	1	1	–	4	1	2

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TENTH Week of the Year 1920.

Causes of Death.	Deaths in the 10th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-
Diseases of stomach	11	11	2	-	-	-	-	-	-	1	2	2	1	1	2
Diarrhœa and enteritis	16	20	13	-	-	-	-	-	-	-	1	1	3	-	2
Appendicitis and typhlitis	6	4	-	-	1	-	-	-	-	1	-	-	1	1	-
Hernia and Intestinal obstruction.	11	9	-	-	-	-	-	-	1	2	-	3	2	1	-
Cirrhosis of liver	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Other diseases of liver	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Peritonitis (cause unknown)	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Other diseases of digestive system	2	5	1	-	-	-	-	1	-	-	-	2	1	-	-
Acute nephritis	1	3	-	-	-	-	-	-	-	-	-	1	1	-	1
Chronic Bright's disease	35	32	-	-	-	-	-	-	-	-	5	3	10	8	6
Urinary calculi	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Uterine tumour (non-cancerous)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (")	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases of genito-urinary system.	22	15	-	-	-	-	-	-	1	1	-	1	6	4	2
Puerperal fever, &c.	-	6	-	-	-	-	-	-	1	5	-	-	-	-	-
Other causes incident to childbirth.	2	2	-	-	-	-	-	-	-	1	1	-	-	-	-
Diseases of skin and cellular tissues.	9	12	6	-	-	-	1	-	-	1	-	1	-	1	2
Diseases of locomotor system	3	3	-	-	-	-	2	1	-	-	-	-	-	-	-
Congenital malformations	8	12	11	-	-	-	-	1	-	-	-	-	-	-	-
Premature birth	32	48	48	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	7	11	11	-	-	-	-	-	-	-	-	-	-	-	-
Old age	69	60	-	-	-	-	-	-	-	-	-	-	-	15	45
ACCIDENT.															
Poisons or poisonous vapours	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conflagration	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	4	6	-	1	-	-	-	-	-	1	1	-	1	-	2
Drowning	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Suffocation in bed	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	21	23	-	-	1	4	2	1	1	1	1	4	3	1	4
Total deaths from accident	33	33	3	1	1	4	2	1	1	2	2	5	4	1	6
Included in above are deaths in connection with:—															
Railways	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	7	12	-	-	1	3	2	-	1	-	-	2	1	1	1
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Suicide	3	4	-	-	-	-	-	-	-	-	1	1	-	2	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	14	19	14	-	-	2	2	-	-	-	1	-	-	-	-
Ill-defined Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
NDON‡ - -	4,358,309	Mar. 13	2,701	1,436	17·2	–	2	56	5	41	25	13	57
LCUTTA - -	896,067	Feb. 7	–	957§	55·5	?	215	?	?	?	?	?	62
MBAY - -	979,445	„ 7	386	1,126§	59·8	2	5	–	–	–	–	44	75
DRAS - -	518,660	Jan. 31	317	538§	53·9	–	4	2	?	3	1	45	22
RIS - - -	2,847,229	(10 days) Feb. 10	1,579	1,540	?	6	–	5	7	16	9	24	113
USSELS - -	800,234	Jan. 17	–	–	-	–	–	–	–	–	–	–	–
TWERP - -	309,156	„ 17	–	–	–	–	–	–	–	–	–	–	–
STERDAM -	648,444	Feb. 28	352	227	18·3	1	–	–	1	5	1	–	55
PENHAGEN -	552,000	„ 28	262	222	21·0	–	–	2	1	1	4	3	86
CKHOLM -	408,456	„ 21	144	91	11·6	–	–	1	–	1	–	–	3
THENBURG -	200,553	„ 7	–	54	14·0	–	–	2	–	–	3	3	–
RISTIANIA -	258,615	„ 28	119	74	14·9	–	–	2	–	1	2	–	22‖
RLIN - -	1,924,185	„ 21	743	988	26·7	–	?	1	–	14	2	19	106
ESLAU - -	493,393	„ 21	321	408	43·0	1	?	–	–	3	2	5	195
LOGNE - -	631,005	„ 21	367	247	20·4	–	?	–	–	4	6	5	1
ESDEN - -	534,880	„ 21	240	232	22·6	1	?	–	1	3	1	1	65
ANKFORT-ON-MAIN.	470,124	„ 21	157	162	17·9	–	?	3	1	5	1	3	?
MBURG - -	1,050,300	„ 21	436	476	23·6	–	?	–	1	7	2	6	?
IPZIG - -	676,289	„ 21	237	262	20·1	–	?	–	1	2	2	5	?
NICH - -	670,000	„ 21	–	–	–	–	?	–	–	–	–	–	–
ENNA - -	2,350,005	„ 28	–	–	–	–	–	–	–	–	–	–	–
AGUE -	501,261	Jan. 31	164	192	20·0	–	1	3	–	–	1	4	15
DAPEST - -	1,071,492	„ 3	506	346	16·8	1	–	–	3	1	2	?	–
IESTE - -	227,677	Feb. 28	–	–	–	–	–	–	–	–	–	–	–
EXANDRIA -	445,000	Jan. 7	389	300	35·0	2	6	–	–	?	–	15	?
IRO - - -	761,300	„ 7	631	466	31·8	1	2	–	–	?	5	18	?
W YORK -	6,006,794	Dec. 27	–	–	–	–	–	–	–	–	–	–	–
ICAGO - -	2,596,681	Feb. 21	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and to *children under* 1 *year of* for Copenhagen, Stockholm, Gothenburg, the German Cities, Budapest, Cairo, and Alexandria
‡ The estimated population and deaths refer to the civilian population only.
§ Including 4 deaths from *plague* in Bombay, and from *Asiatic cholera* 17 deaths in Calcutta, and 1 in Madras.
‖ Including 2 deaths from Influenza and 20 deaths from Influenzal Pneumonia.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 13th March, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
NDON (Greenwich)	54	27	47·9	33·0	5
RIGHTON - -	53	30	47·1	35·4	15
RTSMOUTH - -	53	30	48·1	35·9	10
RWICH (Southwell Lodge)	50	28	46·4	32·5	7
YMOUTH - -	52	28	47·7	36·6	25
RISTOL (Clifton) -	50	30	45·9	35·7	15
RMINGHAM -	48	27	44·6	33·1	11
OTTINGHAM -	49	28	45·3	31·7	6
RKENHEAD (Bidston)	51	32	45·1	35·0	6
ANCHESTER -	51	28	45·0	34·1	12
URNLEY - -	49	16	43·1	29·3	22
UDDERSFIELD -	50	25	44·1	31·4	15
BRADFORD - -	47	23	43·1	30·7	17
SHEFFIELD - -	47	26	44·0	32·3	6
YORK (Museum) -	50	26	45·6	31·4	5
HULL (Pearson Park)	50	27	47·1	32·0	6
TYNEMOUTH - -	49	27	44·0	31·7	3
CARDIFF - -	50	30	46·4	34·4	24
EDINBURGH - -	47·0	26·0	43·1	31·1	2
GLASGOW - -	47·3	28·4	44·0	33·3	6
DUBLIN:— Phœnix Park -	52·2	26·0	48·9	32·1	11
†Fitzwilliam Square	52·8	29·0	46·6	35·2	13
BELFAST - -	51·0	26·5	46·0	32·8	14

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 13th March 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	7	..	29·517	47·1	31·7	15·4	40·7	− 0·3	26·9	13·8	15·5	1·5	57	91·0	31·0	43·8	W., WSW. & WNW.	NW., N. & NNE.	3·4	0·0	0·3	371	+ 19	0·02
MONDAY	8	..	30·095	41·3	27·2	14·1	34·1	− 7·0	25·8	8·3	13·8	2·8	71	88·8	26·2	43·9	N.	N.	3·3	0·0	0·3	298	− 55	0·00
TUESDAY	9	..	30·316	42·6	27·3	15·3	35·7	− 5·3	26·1	9·6	15·6	2·7	68	84·8	22·2	43·8	N., calm & W.	N., NW. & calm.	1·2	0·0	0·1	184	−163	0·00
WEDNESDAY	10	..	30·128	49·0	36·9	12·1	42·0	+ 1·1	38·9	3·1	8·8	2·8	89	77·0	33·8	43·6	Calm & SW.	SSW.	1·4	0·0	0·1	231	−106	0·00
THURSDAY	11	..	29·986	50·9	38·2	12·7	43·2	+ 2·2	36·6	6·6	15·1	2·1	78	89·3	30·1	43·8	SW. & N.	N., NE. & ESE.	1·4	0·0	0·1	212	−114	0·06
FRIDAY	12	Apogee. Greatest declination S. Last Quarter.	29·633	54·2	37·2	17·0	44·7	+ 3·6	37·3	7·4	14·4	1·4	75	101·8	30·8	43·5	SE., SSW. & WSW.	W. & WSW.	8·0	0·0	0·4	441	+124	0·05
SATURDAY	13	..	29·535	49·8	32·5	17·3	41·6	+ 0·3	37·3	4·3	9·8	1·3	85	76·2	28·4	43·4	SW., calm & SSW.	SSW. & calm.	3·5	0·0	0·2	318	+ 8	0·05
MEANS			29·887	47·8	33·0	14·8	40·3	− 0·8	32·7	7·6	13·3	2·1	75	87·0	28·9	43·7	Variable		..	..	..	Sum 2055	Sum −287	Sum 0·18
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. March, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	7	s.P. generally, a little m.P. before noon, and v.P. and v.N. at times afterwards.	5·6	11·2	Partially cloudy, with cloudless intervals till 18h.; overcast with cloudy intervals till 22h., then cloudless with hoar frost; rain and sleet 19h. to 21h.
MONDAY	8	s.P. generally. v.P. and v.N. at times.	7·8	11·3	Cloudless till 5h.; overcast till 7h., becoming cloudless generally by 7h. 30m.; little cloud 13h. to 18h. 30m.; hoar frost morning and evening; hazy in forenoon.
TUESDAY	9	s.P. generally, v.P. at times during evening.	2·3	11·4	Cloudless generally with hoar frost and slight fog until 11h.; cloudy to overcast generally by 12h. 30m.
WEDNESDAY	10	v.P. throughout	0·3	11·4	Overcast with a few breaks about 14h. to 15h.
THURSDAY	11	v.P. generally, with occasional v.N. till 7h.; then mainly s.P.	2·2	11·5	Overcast till 9h. 30m., then nearly overcast with cloudy intervals; rain between 1h. and 7h. 30m.
FRIDAY	12	m.P. till 6h., v.N. general till 9h., afterwards s.P.	5·4	11·6	Mainly overcast till noon, then variably cloudy; rain general 6h. 15m. to 9h.: brisk wind 11h.—22h.
SATURDAY	13	m.P. till 17h., v.P. and v.N. till 21h., afterwards s.P.	1·0	11·6	Cloudless till 5h., becoming nearly overcast by 8h. 45m.; nearly overcast or overcast until 22h., and nearly cloudless by 23h.; hoar frost in morning; partial solar halo general 8h. 30m. to 10h. 30m.; rain between 16h. and 21h.
			Sum 24·6	Sum 80·0	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·12 in. at the beginning of the week to 30·34 in. by 10h. on 9th; decreased to 29·59 in. by 10h. on 12th; increased to 29·76 in. by midnight on 12th., then decreasing, and was 29·38 in. at midnight on 13th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 6th March, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,456	3	-	52	9	34	28	12	92	264
Western										
Paddington	28	-	-	-	-	-	-	1	1	3
Kensington	39	1	-	-	1	1	-	1	1	3
Hammersmith	36	-	-	-	-	1	1	-	2	8
Fulham	35	1	-	-	-	-	2	-	1	8
Chelsea	10	-	-	-	-	-	-	-	-	-
City of Westminster	62	-	-	-	-	-	-	-	3	8
Northern.										
St. Marylebone	37	-	-	1	-	-	-	-	2	3
Hampstead	31	-	-	-	-	-	-	-	2	4
St. Pancras	77	-	-	2	-	4	1	-	4	12
Islington	134	-	-	7	-	5	4	-	8	25
Stoke Newington	25	-	-	-	-	2	-	-	-	4
Hackney	102	-	-	5	1	2	1	1	6	17
Central.										
Holborn	13	1	-	2	-	-	1	-	-	1
Finsbury	35	-	-	2	-	-	2	-	3	5
City of London	5	-	-	-	-	-	-	-	-	-
Eastern.										
Shoreditch	33	-	-	2	-	-	-	1	2	10
Bethnal Green	44	-	-	5	1	4	1	1	4	12
Stepney	97	-	-	2	1	4	1	-	5	20
Poplar	44	-	-	1	-	1	3	-	3	10
Southern.										
Southwark	70	-	-	5	-	1	2	1	6	11
Bermondsey	56	-	-	3	2	2	-	-	4	14
Lambeth	96	-	-	4	1	3	1	-	13	15
Battersea	43	-	-	-	1	-	1	-	1	13
Wandsworth	81	-	-	3	-	1	-	-	8	10
Camberwell	78	-	-	3	1	1	3	3	8	19
Deptford	34	-	-	2	-	-	2	1	2	5
Greenwich	28	-	-	1	-	-	-	-	1	3
Lewisham	42	-	-	1	-	2	2	1	1	10
Woolwich	41	-	-	1	-	-	-	1	1	11

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 6th March, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143.938	1	-	-	-	3	12	-	2	-	-	2	-	-	-	-
Kensington	157,886	2	-	-	-	7	6	-	1	-	-	1	-	-	-	-
Hammersmith	130,981	-	-	-	-	2	2	-	2	-	-	1	-	-	-	-
Fulham	152,543	2	-	-	-	7	16	-	3	-	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	9	3	-	3	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	3	-	-	-	9	-	-	-	-	-	2	-	-	-	-
Hampstead	88,012	4	-	-	-	2	5	-	1	-	-	-	-	-	1	-
St. Pancras	219.434	-	-	-	-	7	16	-	4	-	-	3	-	-	-	-
Islington	323,034	1	-	-	-	20	15	-	10	-	-	5	-	-	-	-
Stoke Newington	50,954	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-
Hackney	216.736	-	-	-	-	9	16	-	6	-	1	1	-	-	-	-
CENTRAL.																
Holborn	38,156	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Finsbury	75.291	-	-	-	-	12	6	-	4	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98.134	-	-	-	-	4	7	-	2	-	-	2	-	-	-	-
Bethnal Green	110,085	-	-	-	-	12	8	-	1	-	-	-	-	-	-	-
Stepney	232,506	-	-	-	-	14	13	-	4	-	1	-	-	-	-	-
Poplar	153.644	-	-	-	3	9	4	-	1	1	-	1	-	-	-	-
SOUTHERN.																
Southwark	179.971	-	-	-	-	12	11	-	6	-	-	1	-	-	-	-
Bermondsey	124,239	-	-	-	-	4	-	-	-	-	-	1	-	-	-	-
Lambeth	282.322	-	-	-	-	26	17	-	2	1	1	3	-	-	1	-
Battersea	159,316	1	-	-	-	12	10	-	2	-	1	2	-	-	-	-
Wandsworth	333,693	1	-	-	-	25	16	-	2	-	-	1	-	-	-	-
Camberwell	273.802	-	-	-	-	14	22	-	3	1	-	1	-	-	-	-
Deptford	111,205	-	-	-	-	9	8	-	3	-	-	1	-	-	-	-
Greenwich	98.484	-	-	-	-	9	7	-	1	-	-	-	-	-	-	-
Lewisham	167.754	-	-	-	-	10	20	-	-	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	6	11	-	1	-	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	16	-	-	3	256	257	-	65	4	5	28	-	-	3	-
Ages 0–1		-	-	-	-	4	4	-	2	1	-	28	-	-	-	-
„ 1–5		-	-	-	-	47	56	-	2	-	-	-	-	-	-	-
„ 5–		-	-	-	-	126	110	-	3	1	-	-	-	-	-	-
„ 10–		-	-	-	-	52	52	-	4	-	-	-	-	-	-	-
„ 15–		5	-	-	-	12	13	-	4	1	-	-	-	-	-	-
„ 20–		6	-	-	-	4	5	-	2	1	-	-	-	-	-	-
„ 25–		3	-	-	-	7	10	-	4	-	5	-	-	-	-	-
„ 35–		2	-	-	-	2	5	-	14	-	-	-	-	-	2	-
„ 45–		-	-	-	2	2	1	-	11	-	-	-	-	-	-	-
„ 55–		-	-	-	1	-	-	-	9	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	1	-	8	-	-	-	-	-	1	-
„ 75 and upwards		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE, IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 11. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, MAR. 20.
[Price 1½*d*. Net.]

General Register Office, Somerset House.
March 23rd, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,610, and corresponded to an annual rate of 29·8 per 1,000. The deaths* among the civilian population only numbered 6,106, and corresponded to an annual rate of 17·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,806,093 persons in the year 1919. In the three weeks ended February 28th, March 6th, and March 13th the rates had been 16·4, 16·9, and 17·1 respectively. The infant mortality was 111, against 102, 105, and 113, in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population now refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10178—4 Wt 167–840 625 3/20 E & S

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 25·0 in Oldham and in Middlesbrough, 26·0 in Gloucester, 26·9 in Wigan, 27·2 in Barnsley, 29·9 in South Shields, and 49·2 in Dudley; from *measles*, 3·0 in Nottingham and in Newport (Mon.), 3·2 in West Hartlepool, 3·6 in St. Helens, 4·0 in Barnsley, and 5·4 in Wigan; from *whooping cough*, 2·1 in Barrow-in-Furness and 6·2 in Gloucester; and from *influenza*, 5·1 in South Shields and 6·8 in Dudley. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,672 births, corresponding to a rate of 30·7 per 1,000, and 1,484 deaths of civilians, corresponding to a rate of 17·8, as against 17·0, 17·4, and 17·2, per 1,000 in the three weeks ended February 28th, March 6th, and March 13th. The death-rate in the four weeks ended last Saturday averaged 17·4 per 1,000. The infant mortality was 91 against 107, 95, and 89 in the preceding three weeks.

There was no death from *enteric fever*, the numbers having been 1, 3, and 0 in the preceding three weeks, and the average for the corresponding weeks of the previous five years 2. The deaths from *measles*, which had been 52, 52, and 56 in the preceding three weeks, further rose last week to 70, and were 9 above the average; 9 deaths belonged to the Borough of Camberwell, 8 each to Hackney and Lambeth, and 7 each to Islington and Wandsworth. The deaths from *scarlet fever*, which had been 3, 9, and 5 in the preceding three weeks, were 5 last week, and were 1 above the average. The deaths from *whooping-cough*, which had been 52, 34, and 41, in the preceding three weeks, were 37 last week, and were 3 above the average; 5 deaths belonged to Hackney. The deaths from *diphtheria*, which had been 19, 28, and 25 in the preceding three weeks, rose to 29 last week, and were 13 above the average; 3 deaths belonged each to Fulham, Shoreditch, Southwark, and Camberwell. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 18, 12, and 13 in the preceding three weeks, were 14 last week, and were 2 below the average. The deaths from *influenza* numbered 91, as against 38, 54, and 57 in the preceding three weeks, and an average of 117.

Different forms of violence caused 42 deaths, of which 41 were the subject of coroners' inquests. Of these 42 deaths, 12 were cases of suicide, while the remaining 30 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, 2 to burns or scalds, 2 to drowning, and 3 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 42 cases of enteric fever, 8 of small-pox, 90 of measles, 2,158 of scarlet fever, 16 of whooping-cough, and 2,066 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 6 cases, against 18, 5, and 4; of small-pox, 4 cases, against 2, 3, and 2; of measles, 28 cases, against 24, 21, and 29; of scarlet fever, 270 cases, against 261, 234, and 249; of whooping-cough, 1 case, against 1, 0, and 3; and of diphtheria, 284 cases, against 245, 255, and 291. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended March 13th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 20th March, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 28th Feb., 1920.§	6th Mar., 1920.	13th Mar., 1920.	20th Mar., 1920.	Week ended 20th Mar., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,806,093	16·4	16·9	17·1	17·9	10,610	6106	1175	1711	4	–	230	24	120	69	57	312	185	379	1650	48	96 GREAT TOWNS
LONDON†	4,358,309	17·0	17·4	17·2	17·8	2672	1484	244	440	–	–	70	5	37	29	14	91	42	96	619	4	LONDON.†
‡ CROYDON	184,239	13·3	17·0	15·6	14·7	84	52	8	21	–	–	2	–	–	–	–	2	2	9	4	–	CROYDON.
WIMBLEDON	59,791	14·0	10·5	8·7	16·6	26	19	–	10	–	–	–	–	–	–	–	2	–	–	4	–	WIMBLEDON.
EALING	73,212	15·7	11·4	9·3	16·4	24	23	4	9	–	–	–	–	–	1	–	2	2	2	3	–	EALING.
ACTON	61,732	18·6	18·6	9·3	9·3	22	11	2	4	–	–	–	–	–	–	–	–	–	–	4	–	ACTON.
WILLESDEN	160,917	12·0	10·7	10·4	13·6	109	42	4	9	–	–	3	1	1	1	–	1	1	2	18	–	WILLESDEN.
HORNSEY	94,348	7·7	10·5	7·7	10·5	42	19	3	8	–	–	–	–	2	–	–	1	–	–	4	–	HORNSEY.
TOTTENHAM	141,338	17·0	14·8	15·5	11·8	93	32	5	8	–	–	1	1	1	1	–	2	–	1	11	–	TOTTENHAM.
EDMONTON	70,711	11·8	11·8	17·0	12·5	46	17	3	8	–	–	–	–	–	–	–	–	–	2	2	–	EDMONTON.
ENFIELD	58,442	21·4	11·6	13·4	10·7	32	12	1	2	–	–	–	–	–	–	–	3	1	1	3	–	ENFIELD.
WEST HAM	287,966	13·6	13·6	19·4	21·7	224	120	14	27	1	–	1	1	3	2	–	16	4	6	36	–	WEST HAM.
EAST HAM	144,451	10·5	10·5	14·4	15·9	92	44	10	11	–	–	2	–	2	–	–	4	–	1	10	–	EAST HAM.
LEYTON	123,896	13·5	16·4	14·3	13·0	58	31	5	7	–	–	2	–	–	1	1	4	1	2	11	–	LEYTON.
WALTHAMSTOW	127,684	13·9	14·7	14·7	11·8	80	29	6	9	–	–	–	–	–	2	–	–	2	4	11	–	WALTHAMSTOW.
ILFORD	79,524	13·8	17·7	14·4	19·7	34	30	7	13	–	–	–	–	1	–	–	2	1	1	7	–	ILFORD.
GILLINGHAM	43,501	8·4	10·8	13·2	13·2	21	11	2	4	–	–	2	1	–	–	1	1	–	–	2	–	GILLINGHAM.
HASTINGS	57,674	11·8	18·1	19·0	19·9	24	22	–	9	–	–	–	–	–	–	–	–	1	4	5	–	HASTINGS.
EASTBOURNE	48,424	11·8	8·6	6·5	12·9	20	12	2	4	–	–	–	–	–	–	–	2	–	–	3	–	EASTBOURNE.
BRIGHTON	132,409	16·1	16·1	18·1	16·1	90	41	3	17	–	–	2	–	–	–	–	2	–	2	13	–	BRIGHTON.
PORTSMOUTH	224,846	14·4	16·2	17·9	18·3	145	79	14	22	–	–	1	–	1	2	1	3	–	4	17	1	PORTSMOUTH.
BOURNEMOUTH	82,627	9·5	9·5	14·5	13·9	40	22	2	12	–	–	–	–	–	–	–	1	2	2	2	–	BOURNEMOUTH
SOUTHAMPTON	126,033	11·6	9·9	16·1	16·5	56	40	4	14	–	–	2	–	–	–	1	–	–	3	12	–	SOUTHAMPTON.
READING	91,365	17·1	18·3	9·7	12·6	39	22	3	10	–	–	2	–	–	–	–	2	–	–	2	–	READING.
OXFORD	57,666	9·9	17·2	15·4	9·0	27	10	1	4	–	–	–	–	–	–	–	1	–	–	2	–	OXFORD.
NORTHAMPTON	88,944	8·8	14·7	17·6	15·2	40	26	4	10	–	–	–	–	2	–	1	2	1	1	4	1	NORTHAMPTON.
CAMBRIDGE	57,849	9·9	9·0	7·2	11·7	32	13	–	6	–	–	–	–	–	–	–	–	–	1	4	–	CAMBRIDGE.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 28th Feb., 1920.†	6th Mar., 1920.	13th Mar., 1920.	20th Mar., 1920.	Week ended 20th Mar. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	11·2	12·4	15·5	20·5	35	33	4	15	–	–	–	–	1	–	–	2	1	1	4	2	Southend on Sea.
Ipswich	78,011	19·4	15·4	12·7	21·4	46	32	3	12	–	–	2	1	–	2	–	2	2	1	10	–	Ipswich.
Great Yarmouth	53,078	9·8	15·7	15·7	16·7	34	17	1	10	–	–	–	–	2	–	–	–	2	2	2	–	Great Yarmouth.
Norwich	119,993	14·8	11·7	20·4	19·6	82	45	8	18	–	–	2	–	1	1	–	2	–	1	11	–	Norwich.
Swindon	51,527	17·2	23·3	8·1	17·2	32	17	2	5	–	–	–	–	–	–	–	–	1	1	5	–	Swindon.
Exeter	59,014	12·4	9·7	16·8	13·3	42	15	1	4	–	–	1	–	–	–	–	–	1	2	1	–	Exeter.
Plymouth	181,967	14·6	22·1	20·9	22·1	128	77	11	27	–	–	2	–	–	3	–	10	2	4	15	–	Plymouth.
Bath	65,919	11·9	9·5	20·6	16·6	28	21	2	11	–	–	–	–	–	–	–	1	3	4	4	–	Bath.
Bristol	361,247	15·7	16·2	16·9	19·6	226	136	13	55	–	–	6	1	1	1	1	6	4	11	38	–	Bristol.
Gloucester	50,100	19·8	17·7	19·8	26·0	26	25	2	7	–	–	2	–	6	–	–	3	–	1	3	–	Gloucester.
Stoke on Trent	239,316	19·2	14·2	13·7	13·9	188	64	20	7	–	–	3	2	–	1	–	–	2	4	9	–	Stoke on Trent.
Wolverhampton	98,403	15·9	10·6	18·5	19·1	45	36	4	6	–	–	1	–	3	–	–	3	1	1	8	–	Wolverhampton.
Walsall	92,724	12·9	11·8	14·6	15·7	51	28	4	7	–	–	–	–	–	–	1	–	1	3	6	–	Walsall.
West Bromwich	69,899	7·5	11·9	20·1	16·4	39	22	3	6	–	–	–	–	–	–	–	1	–	1	2	–	West Bromwich.
Dudley	54,017	22·2	22·2	25·1	49·2	37	51	9	13	–	–	2	–	–	–	3	7	–	–	3	1	Dudley.
Birmingham	861,585	16·3	16·0	16·7	18·8	509	311	50	85	–	–	–	2	6	5	1	40	7	9	67	12	Birmingham.
Smethwick	72,152	13·7	16·6	14·5	10·1	38	14	2	2	–	–	–	–	–	–	–	–	–	–	4	–	Smethwick.
Coventry	132,048	14·6	10·3	13·0	12·6	67	32	6	8	–	–	–	–	–	–	–	1	2	3	12	–	Coventry.
Leicester	236,059	13·7	13·0	10·6	15·7	113	71	20	26	–	–	2	–	1	–	1	–	1	5	14	1	Leicester.
Lincoln	60,581	17·2	19·8	12·9	13·8	23	16	4	3	–	–	1	–	2	–	1	1	–	–	1	–	Lincoln.
Grimsby	78,813	15·9	17·2	16·5	20·5	58	31	5	9	–	–	–	–	–	1	–	–	1	1	10	1	Grimsby.
Nottingham	257,573	16·6	16·6	18·0	19·8	143	98	27	28	–	–	15	–	1	2	–	1	1	2	22	2	Nottingham.
Derby	123,930	18·5	10·9	15·6	13·5	80	32	9	9	–	–	–	1	–	–	–	–	1	2	7	–	Derby.

* *See* note † on first page of this return.

† Revised rates based upon populations estimated to the middle of 1919.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 20th March, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 28th Feb., 1920.†	6th Mar., 1920.	13th Mar., 1920.	20th Mar., 1920.	Week ended 20th Mar., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	18·3	20·8	17·0	21·2	60	51	13	10	–	–	6	–	4	1	1	–	2	3	16	–	STOCKPORT.
BIRKENHEAD	148,052	15·1	19·4	13·0	17·6	86	50	14	15	–	–	4	–	2	–	–	2	2	3	12	1	BIRKENHEAD.
WALLASEY	95,424	9·3	10·9	12·0	9·8	45	18	3	3	–	–	–	–	1	–	1	–	–	1	6	–	WALLASEY.
LIVERPOOL	772,665	25·2	27·1	25·5	24·8	548	367	90	74	–	–	18	3	12	3	7	8	13	21	128	5	LIVERPOOL.
BOOTLE	76,962	16·9	15·6	20·3	18·3	50	27	7	5	–	–	4	2	–	1	–	3	–	–	4	2	BOOTLE.
ST. HELENS	100,805	21·2	19·1	17·6	15·5	80	30	5	5	–	–	7	–	–	–	1	1	–	–	10	–	ST. HELENS.
SOUTHPORT	70,144	17·1	14·9	14·9	12·6	25	17	1	7	–	–	–	–	–	–	–	1	1	1	2	–	SOUTHPORT.
WIGAN	87,384	16·7	18·5	20·3	26·9	65	45	8	8	1	–	9	–	–	–	–	1	2	6	6	–	WIGAN.
WARRINGTON	74,952	9·0	20·2	16·7	9·0	56	13	5	2	–	–	–	–	–	–	–	–	–	–	1	1	WARRINGTON.
BOLTON	177,462	16·2	13·8	16·7	17·3	90	59	8	21	–	–	1	–	–	2	–	–	2	9	8	–	BOLTON.
BURY	54,248	21·1	13·5	25·0	14·4	21	15	1	4	–	–	–	–	1	–	–	–	1	1	4	–	BURY.
MANCHESTER	741,068	17·4	17·5	17·2	17·6	445	250	55	65	–	–	10	–	3	–	3	11	7	12	79	1	MANCHESTER.
SALFORD	226,225	18·7	19·6	22·4	16·1	142	70	21	14	–	–	3	–	–	–	1	–	3	8	18	–	SALFORD.
OLDHAM	137,668	16·7	24·6	22·3	25·0	66	66	10	18	–	–	–	–	–	–	1	2	7	8	12	–	OLDHAM.
ROCHDALE	90,051	12·7	12·7	16·8	19·7	52	34	9	8	–	–	–	–	1	–	–	2	1	1	3	–	ROCHDALE.
BURNLEY	101,005	15·5	11·9	16·5	17·6	45	34	9	10	–	–	–	–	–	–	–	–	1	2	7	–	BURNLEY.
BLACKBURN	125,992	12·0	16·1	17·0	17·8	48	43	10	17	–	–	–	–	–	–	–	2	1	2	5	–	BLACKBURN.
PRESTON	117,277	20·5	16·5	13·3	24·9	69	56	11	21	–	–	–	–	–	–	–	1	4	5	9	–	PRESTON.
BLACKPOOL	67,842	16·1	15·4	14·6	15·4	28	20	3	5	–	–	–	–	–	–	–	1	–	–	1	2	BLACKPOOL.
BARROW IN FURNESS	73,627	17·0	14·2	12·0	17·7	43	25	5	3	–	–	–	–	3	–	–	–	2	2	4	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	15·8	13·5	13·5	17·6	49	38	8	9	–	–	1	–	1	–	–	–	1	4	10	–	HUDDERSFIELD.
HALIFAX	101,791	14·3	16·9	17·4	21·0	54	41	4	16	–	–	1	–	–	–	–	3	1	2	7	–	HALIFAX.
BRADFORD	282,714	15·5	17·2	14·4	12·5	131	68	9	27	–	–	–	–	–	–	–	2	1	7	23	–	BRADFORD.
LEEDS	430,834	24·7	25·7	22·8	23·2	242	192	46	45	–	–	10	1	11	1	1	13	8	15	35	–	LEEDS.
DEWSBURY	52,969	21·7	18·7	11·8	13·8	25	14	2	4	–	–	1	–		–	–	–	–	1	–	–	DEWSBURY.
WAKEFIELD	49,208	14·8	9·5	20·1	21·2	29	20	4	7	–	–	1	–	–	–	–	–	1	2	1	–	WAKEFIELD.
BARNSLEY	51,680	26·2	25·2	29·3	27·2	25	27	14	–	–	–	4	–	–	–	–	2	–	–	1	–	BARNSLEY.

TOWNS.	Civilian Population, Mid. 1919.*	Week ended 28th Feb., 1920.‡	6th Mar., 1920.	13th Mar., 1920.	20th Mar., 1920.	20th Mar., 1920. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	16·8	15·4	14·3	15·0	253	136	46	28	–	–	–	–	–	1	1	5	5	11	40	–	Sheffield.
Rotherham	69,034	12·1	9·8	16·6	14·4	47	19	5	6	–	–	–	–	–	–	1	–	–	–	5	–	Rotherham.
York	74,531	15·4	11·9	16·1	22·4	39	32	5	8	–	–	–	–	–	1	–	2	–	–	10	–	York.
Hull	279,664	15·8	18·1	19·8	17·9	188	96	11	30	–	–	3	–	–	–	–	2	6	9	23	–	Hull.
Middlesbrough	127,142	13·5	19·3	26·2	25·0	86	61	26	13	–	–	–	1	2	–	3	2	1	3	6	1	Middlesbrough.
Darlington	64,058	10·6	10·6	12·2	21·2	37	26	5	8	–	–	–	–	1	–	–	–	–	–	3	1	Darlington.
Stockton on Tees	60,696	12·0	21·5	15·5	14·6	44	17	6	4	–	–	–	–	1	–	1	–	1	1	2	1	Stockton on Tees.
West Hartlepool	65,515	12·7	15·1	18·3	18·3	43	23	4	4	–	–	4	–	–	–	–	–	–	–	3	–	West Hartlepool.
Sunderland	149,263	15·0	18·5	18·2	19·2	110	55	18	14	–	–	–	–	–	–	–	–	3	4	8	1	Sunderland.
South Shields	111,502	16·8	25·3	26·7	29·9	90	64	17	15	–	–	–	–	–	–	1	11	1	1	9	1	South Shields.
Gateshead	123,392	18·2	16·1	13·9	22·8	89	54	16	16	–	–	–	–	–	–	–	–	2	2	9	4	Gateshead.
Newcastle on Tyne.	275,099	19·4	21·0	16·7	17·1	209	90	21	21	1	–	–	–	–	–	3	3	1	5	15	–	Newcastle on Tyne.
Tynemouth	58,007	17·1	15·3	25·2	16·2	38	18	6	1	1	–	–	–	–	–	–	3	1	1	3	2	Tynemouth.
Carlisle	55,198	11·3	5·7	8·5	15·1	30	16	1	4	–	–	–	–	–	1	–	2	1	1	4	–	Carlisle.
Newport (Mon.)	87,251	15·5	16·1	18·5	17·9	56	30	8	8	–	–	5	1	–	–	1	–	1	1	4	–	Newport (Mon.).
Cardiff	204,436	11·2	15·3	18·4	17·9	104	70	17	12	–	–	7	–	1	–	–	1	2	8	10	–	Cardiff.
Rhondda	177,911	13·8	13·8	12·9	13·2	126	45	8	8	–	–	1	–	1	–	2	2	–	2	3	–	Rhondda.
Merthyr Tydfil	71,638	20·4	18·2	13·8	18·2	49	25	2	4	–	–	–	–	–	2	–	–	2	4	5	–	Merthyr Tydfil.
Aberdare	51,384	26·4	26·4	14·2	13·2	32	13	6	3	–	–	–	–	1	–	1	–	2	3	1	–	Aberdare.
Swansea	160,810	14·6	17·8	17·5	12·6	79	39	11	10	–	–	1	–	–	1	–	–	2	4	4	–	Swansea.
Greater London	7,258,623	15·5	15·7	15·7	16·4	4245	2282	374	691	2	–	84	9	54	39	17	142	64	147	826	6	Greater London.
Outer Ring	2,900,314	13·1	13·1	13·5	14·3	1573	798	130	251	2	–	14	4	17	10	3	51	22	51	207	2	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	13·6	13·7	14·2	15·0	966	481	72	146	1	–	11	3	10	8	1	39	14	31	128	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	12·4	12·4	12·5	13·4	607	317	58	105	1	–	3	1	7	2	2	12	8	20	79	2	Remainder of Outer Ring.
Edinburgh†	342,300	14·2	12·1	17·4	13·3	180	87	22	25	–	–	1	–	–	1	–	2	7	?	?	?	Edinburgh.
Glasgow†	1,115,500	14·8	15·8	14·9	19·1	689	407	65	91	2	–	9	2	5	4	5	11	19	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	21·9	20·7	20·0	24·5	215	195	45	46	1	–	3	1	9	1	3	2	4	4	85	8	Dublin (Registration Area).†
Belfast†	413,000	21·8	27·0	28·4	37·0	275	293	72	40	2	–	3	5	8	1	6	33	1	5	81	3	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Revised rates based upon populations estimated to the middle of 1919.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the ELEVENTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920
Births (as registered).	2344	2060	2321	2172	2110	2099	2134	1844	1601	1507	2672
Males	1178	1054	1170	1110	1069	1033	1111	978	791	747	1396
Females	1166	1006	1151	1062	1041	1066	1023	866	810	760	1276
Deaths (of residents only).	1168	1419	1103	1523	1227	1823	1601*	1592*	1446*	1649*	1484
Males		749	583	767	647	901	807	841	699	804	717
Females		670	520	756	580	922	794	751	747	845	767

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.
Births (as registered)	1318	3308	3018	2962	2971	2715	2966	2793	2746	2654	2771	2701	267
Deaths (of residents only).	815	1311	1216	1218	1163	1297	1332	1423	1384	1425	1456	1436	148
Ages at Death: Under 1 year	122	217	191	215	228	284	290	359	271	284	264	240	24
1–2 years	15	41	29	35	43	57	64	78	77	80	72	66	8
2–5 "	36	56	55	53	44	56	54	55	72	78	82	83	6
5–10 "	29	41	35	27	33	33	48	36	35	38	42	41	4
10–15 "	18	14	17	15	16	12	24	12	20	21	16	17	1
15–20 "	19	24	23	24	27	24	13	26	19	25	23	25	2
20–25 "	12	28	28	26	17	25	23	26	29	22	26	33	3
25–35 "	35	60	50	67	59	62	57	63	66	58	74	89	8
35–45 "	54	109	77	71	68	84	79	74	86	100	99	87	10
45–55 "	99	137	141	119	93	115	128	127	113	123	124	146	14
55–65 "	108	172	187	140	167	172	159	150	175	184	182	182	18
65–75 "	144	206	204	205	180	173	194	223	184	205	217	213	21
75 years and upwards	124	206	179	221	188	200	199	194	237	207	235	214	22
Deaths from—													
Enteric fever	1	–	2	1	1	1	1	–	1	1	3	–	–
Small-pox	–	–	–	–	–	–	–	–	1	–	–	2	–
Measles	9	19	14	21	19	18	26	35	49	52	52	56	7
Scarlet fever	4	5	4	7	3	5	9	3	–	3	9	5	
Whooping cough	6	20	13	19	18	28	26	37	42	52	34	41	3
Diphtheria	28	36	31	24	28	37	32	29	16	19	28	25	2
Diarrhœa and enteritis (under 2 years).	9	16	18	19	15	15	14	22	16	18	12	13	1
Pulmonary tuberculosis	71	96	86	78	85	86	73	104	97	118	92	94	10
Influenza	12	19	16	19	24	15	20	25	37	38	54	57	9
Pneumonia (all forms)	62	93	108	127	126	176	205	222	189	194	184	197	18
Bronchitis	58	108	124	109	102	139	151	193	147	166	199	161	15
Other dis. of resp. system	14	17	16	13	15	11	20	21	15	14	25	18	2
Dis. of circ. system	136	218	207	198	176	182	180	179	202	189	173	225	18
Violence	29	50	33	49	41	40	46	45	44	49	42	38	4
Inquest cases	81	144	94	116	104	107	110	129	124	117	103	111	9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	28	26	27	27	28	27	24	16	16	33	37	39	4
Small-pox	–	–	2	1	–	–	–	3	2	4	7	7	
Measles	65	59	59	53	49	47	59	78	97	96	90	78	9
Scarlet fever	2873	2926	2809	2758	2614	2550	2487	2459	2415	2316	2255	2182	215
Whooping cough	25	25	22	23	22	21	21	18	17	18	15	15	1
Diphtheria	1862	1873	1899	1945	1994	2008	2014	2010	2000	2026	2006	2045	206

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Dec. 27.	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.
Deaths from Influenza	43	52	73	62	85	66	98	109	161	178	196	230	312

TABLE 4. LONDON.—DEATHS REGISTERED in the ELEVENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 11th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1649	1484	244	84	64	44	19	29	37	85	106	145	187	215	225
Enteric fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	70	12	30	19	8	–	–	1	–	–	–	–	–	–
Scarlet fever	4	5	–	–	1	3	–	–	1	–	–	–	–	–	–
Whooping cough	4	37	14	14	6	3	–	–	–	–	–	–	–	–	–
Diphtheria	12	29	4	2	11	9	2	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	435	91	1	1	2	2	1	2	9	16	14	11	14	9	9
Erysipelas	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–
Other epidemic diseases	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	2	2	–	–	–	–	–	–	–	1	–	1	–	–	–
Tetanus	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
Tuberculosis:—															
Pulmonary tuberculosis	116	100	–	–	–	–	2	7	8	24	29	16	9	3	2
Tuberculous meningitis	15	9	1	–	5	2	1	–	–	–	–	–	–	–	–
Abdominal tuberculosis	2	6	1	1	1	–	2	–	–	1	–	–	–	–	–
Tuberculosis of the spine	1	2	–	–	–	1	–	–	–	–	–	1	–	–	–
Tuberculosis of the joints	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of other organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	2	3	–	–	1	–	–	–	–	–	–	2	–	–	–
Venereal diseases	4	5	4	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	92	101	–	–	1	1	–	–	–	5	4	16	27	28	19
Tumour, situation undefined	1	2	–	–	–	–	–	–	–	–	–	1	–	–	1
Rheumatic fever	1	11	–	–	–	2	2	4	–	1	2	–	–	–	–
Diabetes	7	7	–	–	–	–	–	1	–	1	–	2	–	3	–
Anæmia, leucocythaemia	5	8	–	–	–	–	–	–	–	1	1	1	2	1	2
Other general diseases	11	11	3	1	–	1	–	–	–	–	–	1	3	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	6	13	5	2	4	1	–	–	1	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	43	43	–	–	–	–	–	–	–	–	1	5	12	15	10
Softening of brain	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	7	4	–	–	–	–	–	–	–	–	1	–	1	2	–
Epilepsy	5	3	–	–	–	–	–	–	–	2	–	–	–	1	–
"Convulsions" (not puerperal)	5	9	7	1	–	–	–	–	–	–	1	–	–	–	–
Other diseases of nervous system	26	31	1	–	2	2	1	–	2	–	4	2	11	4	2
Pericarditis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	2	7	–	–	–	–	1	1	–	1	3	–	1	–	–
Organic disease of heart	153	128	–	–	1	–	2	2	3	4	6	11	30	39	30
Embolism and thrombosis (including cerebral).	8	6	–	–	–	–	–	–	–	–	1	1	–	1	3
Other diseases of circulatory system.	37	43	1	–	–	–	–	–	–	–	1	3	4	13	21
Diseases of the larynx	–	3	2	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis	214	156	17	4	2	–	–	–	–	2	5	19	23	44	40
Broncho-pneumonia	90	97	44	20	4	4	1	1	1	3	1	5	2	9	2
Lobar pneumonia	25	38	2	2	–	–	1	1	2	2	5	7	10	4	2
Pneumonia (type not distinguished)	43	48	8	3	1	1	–	2	3	2	2	5	7	7	7
Pleurisy	3	5	–	–	–	–	–	2	–	–	2	–	1	–	–
Pulmonary congestion, Pulmonary apoplexy.	2	4	1	–	–	–	–	–	–	–	–	1	–	–	2
Other diseases of respiratory system.	10	12	–	–	–	–	–	–	–	–	2	2	3	4	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the ELEVENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 11th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	4	15	4	–	–	–	–	–	–	2	1	2	2	1	3
Diarrhœa and enteritis	16	18	13	1	–	–	–	1	–	–	1	2	–	–	–
Appendicitis and typhlitis	4	9	–	–	1	1	–	1	–	2	2	1	1	–	–
Hernia and Intestinal obstruction.	21	6	–	–	–	–	–	–	–	–	–	1	2	2	1
Cirrhosis of liver	3	3	–	–	–	–	–	–	–	–	–	2	1	–	–
Other diseases of liver	2	4	–	–	–	–	–	–	1	–	–	–	–	2	1
Peritonitis (cause unknown)	–	3	–	–	–	–	–	–	–	1	1	1	–	–	–
Other diseases of digestive system	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis	2	4	–	–	–	–	–	–	–	–	3	1	–	–	–
Chronic Bright's disease	18	31	–	–	–	–	–	1	2	–	3	5	8	6	6
Urinary calculi	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian tumour (")	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	8	10	–	–	–	–	–	–	1	–	1	–	2	2	4
Puerperal fever, &c.	3	5	–	–	–	–	–	–	–	4	1	–	–	–	–
Other causes incident to childbirth.	–	5	–	–	–	–	–	–	–	4	1	–	–	–	–
Diseases of skin and cellular tissues.	9	13	3	1	–	–	–	–	–	–	–	2	2	3	2
Diseases of locomotor system	2	3	–	–	–	–	1	–	–	1	–	1	–	–	–
Congenital malformations	3	15	14	–	–	–	–	–	–	–	–	1	–	–	–
Premature birth	22	40	40	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	8	28	28	–	–	–	–	–	–	–	–	–	–	–	–
Old age	63	55	–	–	–	–	–	–	–	–	–	–	–	9	46
ACCIDENT.															
Poisons or poisonous vapours	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	3	2	–	–	–	–	–	–	–	–	–	2	–	–	–
Drowning	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Suffocation in bed	1	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	17	22	–	1	–	2	1	1	1	2	2	3	2	–	7
Total deaths from accident	23	30	3	1	–	2	1	1	1	2	3	7	2	–	7
Included in above are deaths in connection with:—															
Railways	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Vehicles and horses	5	11	–	–	–	2	1	1	1	1	–	2	1	–	2
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	12	–	–	–	–	–	–	1	2	2	2	4	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	7	16	11	–	1	1	1	–	–	–	–	2	–	–	–
Ill-defined Causes	3	2	–	–	1	–	–	–	–	–	–	–	1	–	–

ABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
ON‡ - -	4,358,309	Mar. 20	2,672	1,484	17·8	–	–	70	5	37	29	14	91
TTA - -	896,067	Feb. 14	–	1,076§	62·4	?	242	?	?	?	?	?	73
AY - -	979,445	„ 14	349	1,095§	58·1	2	10	4	–	–	–	38	91
AS - -	518,660	„ 7	362	496§	49·7	4	2	3	?	4	–	54	9
- - -	2,847,229	(10 days) Feb. 20	1,663	1,487	?	3	–	6	6	12	6	36	75
SELS - -	792,919	Jan. 31	310	186	12·2	–	1	–	–	–	4	3	5
ERP - -	309,156	„ 17	–	–	–	–	–	–	–	–	–	–	–
ERDAM -	648,444	Mar. 6	282	214	17·2	–	–	–	–	2	1	–	41
NHAGEN -	552,000	„ 6	271	171	16·2	–	–	6	1	1	–	1	37
HOLM -	408,456	Feb. 28	179	105	13·4	–	–	–	1	1	2	–	6
ENBURG -	200,553	„ 14	–	51	13·2	–	–	2	–	–	1	–	–
TIANIA -	258,615	Mar. 6	113	69	13·9	–	–	4	–	–	–	2	11‖
IN - -	1,924,185	Feb. 28	790	1,431	38·7	–	?	4	1	9	5	16	149
LAU - -	493,393	„ 28	295	323	34·0	–	?	–	–	4	2	8	118
NE - -	631,005	„ 28	367	247	20·4	–	?	–	1	3	–	5	?
DEN - -	534,880	„ 28	212	243	23·6	–	?	–	1	1	3	5	80
KFORT-ON-MAIN.	470,124	„ 28	172	146	16·1	–	?	–	–	2	3	–	?
URG - -	1,050,300	„ 28	425	554	27·4	2	?	–	1	3	4	8	226
IG - -	676,289	„ 28	231	261	20·1	–	?	1	2	5	–	5	?
CH - -	670,000	„ 28	–	–	–	–	?	–	–	–	–	–	–
NA - -	2,350,005	„ 28	–	–	–	–	–	–	–	–	–	–	–
UE -	501,261	Feb. 7	173	230	23·9	2	–	8	–	1	–	4	24
PEST - -	1,071,492	Jan. 10	452	365	17·7	2	–	–	1	3	–	14	1
TE - -	227,677	Mar. 6	144	85	19·5	2	–	–	–	–	–	1	6
- - -	761,300	Jan. 14	616	408	27·9	4	1	1	–	?	2	15	?
ANDRIA -	445,700	„ 14	281	315	36·8	2	1	–	–	?	–	18	?
YORK -	6,006,794	Dec. 27	–	–	–	–	–	–	–	–	–	–	–
GO - -	2,596,681	Feb. 21	–	–	–	–	–	–	–	–	–	–	–

cluding deaths from croup in Bombay and Madras.
e deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria
e estimated population and deaths refer to the civilian population only.
cluding 5 deaths from *plague* in Bombay and 2 in Madras, and from *Asiatic cholera* 27 deaths in Calcutta
luding 3 deaths from Influenza and 8 deaths from Influenzal Pneumonia.

ABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 20th March, 1920.

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ON (Greenwich)	62	34	54·7	37·9	7
TON - -	53	36	49·9	39·7	12
MOUTH - -	60	36	54·0	39·9	12
ICH (Southwell Lodge)	60	33	51·9	38·1	12
OUTH - -	59	34	53·0	40·6	11
OL (Clifton) -	60	34	50·9	38·7	1
NGHAM -	60	32	50·0	36·6	24
NGHAM -	60	33	51·0	37·3	24
NHEAD (Bidston)	59	33	50·4	38·6	7
HESTER -	58	35	49·7	39·4	9
LEY - -	54	33	48·1	36·9	11
ERSFIELD -	55	32	48·4	37·6	12

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD - -	54	32	48·4	37·0	19
SHEFFIELD - -	57	32	49·1	38·1	21
YORK (Museum) -	57	33	50·7	38·3	17
HULL (Pearson Park)	56	34	51·0	38·0	17
TYNEMOUTH - -	56	34	49·0	37·4	14
CARDIFF - -	61	34	49·6	37·6	19
EDINBURGH - -	54·0	32·0	46·6	37·4	4
GLASGOW - -	51·1	33·0	47·3	38·7	13
DUBLIN:— Phœnix Park -	57·6	32·1	51·2	37·7	6
†Fitzwilliam Square	57·2	33·9	51·5	40·0	3
BELFAST - -	57·0	32·0	50·9	35·0	14

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 20th March 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	14	..	28·925	47·7	34·2	13·5	40·9	− 0·6	37·1	3·8	11·4	0·6	86	89·7	28·8	43·6	Calm, S. & WSW.	SW., SE. & SSW.	2·7	0·0	0·2	254	− 53	0·16
MONDAY	15	..	28·776	47·2	35·1	12·1	37·6	− 4·1	34·7	2·9	10·5	0·0	89	65·5	34·5	43·3	SSW., WSW. & W.	W., WSW. & WNW.	9·0	0·0	1·0	568	+258	0·12
TUESDAY	16	..	29·573	47·9	36·0	11·9	41·6	− 0·3	31·8	9·8	14·9	2·6	68	89·0	30·0	43·4	W., WNW. & NW.	WNW., W. & SW.	4·3	0·0	0·5	447	+134	0·00
WEDNESDAY	17	..	29·781	61·2	44·2	17·0	52·8	+10·8	47·4	5·4	11·2	2·6	82	97·4	40·4	43·9	SW., WSW. & W.	W. & WSW.	5·0	0·0	0·5	491	+174	0·01
THURSDAY	18	..	29·986	59·6	41·9	17·7	49·5	+ 7·5	40·6	8·9	16·1	4·5	71	101·2	30·7	43·9	WSW. & SW.	WSW., W. & NW.	8·1	0·0	0·7	495	+175	0·00
FRIDAY	19	In Equator.	30·295	57·1	35·9	21·2	45·2	+ 3·3	36·1	9·1	17·7	3·0	71	94·4	28·2	43·9	WSW. & NW.	W., NW. & S.	1·1	0·0	0·0	203	−118	0·00
SATURDAY	20	New	30·331	61·9	36·6	25·3	48·9	+ 7·0	41·6	7·3	16·0	0·7	76	94·0	29·4	43·9	Calm & SW.	WSW., NW. & calm.	0·6	0·0	0·0	153	−166	0·00
MEANS		- - -	29·667	54·7	37·7	17·0	45·2	+ 3·4	38·5	6·7	14·0	2·0	78	90·2	31·7	43·7	WSW.		..	..	..	Sum 2611	Sum +404	Sum 0·29
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. March, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	14	v.P. and v.N. generally.	0·7	11·7	Nearly cloudless till 4h., becoming overcast by 5h.; few cloudy intervals afterwards; frequent rain between 7h. and 10h. and after 15h.
MONDAY -	15	s.P. generally, v.P. and v.N. at times.	1·7	11·8	Overcast till 14h.. then very cloudy to overcast by 21h.; frequent rain with occasional snow between 4h. and 21h.; brisk wind 4h. to 20h.
TUESDAY -	16	s.P. generally, a little v.P. at times.	3·0	11·8	Overcast till 2h.; fine with little cloud till 9h., becoming very cloudy with overcast intervals by 9h. 30m.; overcast by 14h.; brisk wind 9h. to 15h.
WEDNESDAY -	17	s.P. generally	3·0	11·9	Overcast generally till 13h.; variably cloudy till 19h. 30m.; overcast generally by 20h.; brisk wind from 10h.
THURSDAY -	18	s.P. generally	3·5	12·0	Cloudy to overcast by 3h.; cloudy again from 10h. 30m.; cloudless generally but misty from 18h.; brisk wind till 6h. and from 11h. to 18h.
FRIDAY - -	19	s.P. generally	6·2	12·0	Cloudless till 5h., nearly cloudless but hazy till noon; partially cloudy till 18h., then cloudless with slight fog.
SATURDAY -	20	s.P. generally	7·4	12·1	Cloudless with slight exceptions; hazy from 8h.; slight fog at night with dew.
			Sum 25·5	Sum 83·3	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·38 in. at the beginning of the week to 28·40 in. by 4h. on 15th; increased to 30·36 in. by 9h. on 20th, and decreased to 30·33 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 13th March, 1920.

Boroughs.	Deaths from All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	Deaths of Infants under 1 Year of Age.
COUNTY OF LONDON	1,436	–	2	56	5	41	25	13	94	240
Western										
PADDINGTON	47	–	–	2	–	–	–	–	1	7
KENSINGTON	43	–	–	–	–	–	1	1	1	10
HAMMERSMITH	33	–	–	1	–	1	–	–	1	6
FULHAM	41	–	–	2	–	1	1	–	2	8
CHELSEA	28	–	–	1	–	–	1	–	2	4
CITY OF WESTMINSTER	43	–	–	–	–	–	1	–	1	8
Northern.										
ST. MARYLEBONE	32	–	–	–	–	1	–	1	2	3
HAMPSTEAD	19	–	–	–	–	–	–	–	1	1
ST. PANCRAS	76	–	–	2	1	6	1	1	7	7
ISLINGTON	112	–	–	6	–	3	–	–	10	18
STOKE NEWINGTON	20	–	–	–	–	2	–	–	1	5
HACKNEY	84	–	–	5	–	1	5	–	4	11
Central.										
HOLBORN	14	–	–	–	–	–	–	–	–	1
FINSBURY	32	–	–	1	–	1	–	–	3	4
CITY OF LONDON	7	–	–	–	–	–	–	–	2	–
Eastern.										
SHOREDITCH	44	–	–	3	1	2	–	2	5	9
BETHNAL GREEN	55	–	–	5	–	6	1	2	1	17
STEPNEY	104	–	–	3	–	5	2	–	4	18
POPLAR	60	–	2	2	–	4	–	–	2	11
Southern.										
SOUTHWARK	73	–	–	8	–	–	3	–	10	12
BERMONDSEY	48	–	–	3	–	1	1	–	4	15
LAMBETH	76	–	–	2	–	1	4	2	6	12
BATTERSEA	65	–	–	1	–	1	1	–	2	11
WANDSWORTH	70	–	–	2	–	–	1	–	5	7
CAMBERWELL	4	–	–	2	1	1	1	1	6	10
DEPTFORD	20	–	–	–	–	2	–	2	–	4
GREENWICH	40	–	–	3	1	2	–	1	4	8
LEWISHAM	40	–	–	1	–	–	1	–	6	8
WOOLWICH	26	–	–	1	1	–	–	–	1	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 13th March, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	–	–	–	–	2	11	–	5	–	–	–	–	–	–	–
Kensington	157,886	–	–	–	–	6	10	–	2	–	–	–	–	–	–	–
Hammersmith	130,981	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–
Fulham	152,543	3	–	–	–	14	15	–	–	–	1	1	–	–	–	–
Chelsea	60,573	1	–	–	–	9	1	–	1	–	2	1	–	–	–	–
City of Westminster	127,533	–	–	–	–	10	8	–	1	–	–	1	–	–	–	–
NORTHERN.																
St. Marylebone	97,953	2	–	–	–	6	5	–	1	–	–	2	–	–	–	–
Hampstead	88,012	2	–	–	–	–	3	–	–	–	–	–	–	–	–	–
St. Pancras	219,434	–	–	–	–	13	17	–	4	–	–	2	–	–	–	–
Islington	323,034	–	–	–	–	15	17	–	2	1	1	4	–	–	–	–
Stoke Newington	50,954	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Hackney	216,736	–	–	–	–	5	29	–	–	–	1	1	–	–	–	–
CENTRAL.																
Holborn	38,156	–	–	–	–	59	2	–	–	–	–	–	–	–	–	–
Finsbury	75,291	–	–	–	–	4	1	–	4	–	–	–	–	–	–	–
City of London	13,893	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–
EASTERN.																
Shoreditch	98,134	–	–	–	–	6	5	–	3	–	–	1	–	–	1	–
Bethnal Green	110,085	–	–	–	–	5	8	–	2	–	–	1	–	–	–	–
Stepney	232,506	–	–	–	–	11	8	–	3	–	1	1	–	–	–	–
Poplar	153,644	–	–	–	1	12	9	–	–	–	1	4	–	–	–	1
SOUTHERN.																
Southwark	179,971	1	–	–	–	6	12	–	4	–	1	1	–	–	–	–
Bermondsey	124,239	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–
Lambeth	282,322	–	–	–	–	23	16	–	2	–	1	1	–	–	–	–
Battersea	159,316	–	–	–	–	11	13	–	1	2	–	–	–	–	–	–
Wandsworth	333,693	1	–	–	–	23	30	–	5	1	2	4	–	–	–	–
Camberwell	273,802	–	–	–	–	9	28	–	2	–	–	1	–	–	–	–
Deptford	111,205	–	–	–	–	9	8	–	–	–	1	–	–	–	–	–
Greenwich	98,484	–	–	–	–	9	3	–	1	–	–	2	–	–	–	–
Lewisham	167,754	–	–	–	–	20	7	–	1	1	–	–	–	–	–	–
Woolwich	136,237	–	–	–	–	7	11	–	–	–	–	–	–	–	1	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,358,309	10	–	–	1	252	287	–	45	5	14	29	–	–	2	1
Ages 0–1		–	–	–	–	–	5	–	2	–	–	29	–	–	–	–
„ 1–5		1	–	–	–	40	60	–	–	2	–	–	–	–	1	–
„ 5–		–	–	–	–	121	132	–	2	1	–	–	–	–	–	–
„ 10–		–	–	–	–	57	48	–	2	–	–	–	–	–	–	–
„ 15–		–	–	–	–	17	17	–	1	1	–	–	–	–	–	–
„ 20–		2	–	–	1	9	10	–	3	1	–	–	–	–	1	1
„ 25–		1	–	–	–	2	10	–	1	–	12	–	–	–	–	–
„ 35–		1	–	–	–	5	4	–	9	–	2	–	–	–	–	–
„ 45–		3	–	–	–	–	–	–	6	–	–	–	–	–	–	–
„ 55–		2	–	–	–	–	1	–	12	–	–	–	–	–	–	–
„ 65–		–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	1	–	–	4	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 12. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, MAR. 27.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
March 30th, 1920.

NINETY-SIX GREAT TOWNS

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,990, and corresponded to an annual rate of 28·1 per 1,000. The deaths* among the civilian population only numbered 6,377, and corresponded to an annual rate of 18·7 per 1,000 of their aggregate civilian population, which is estimated† at 17,806,093 persons in the year 1919. In the three weeks ended March 6th, March 13th, and March 20th the rates had been 16·9, 17·1, and 17·9 respectively. The infant mortality was 123, against 105, 113, and 111, in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population now refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10178—5 Wt 167–840 625 3/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 24·0 in Merthyr Tydfil, 24·3 in St. Helens and in Burnley, 25·7 in West Ham, 28·1 in South Shields, 32·2 in Wigan, and 35·7 in Dudley; from *measles*, 1·8 in Liverpool, 2·0 in Barnsley, 2·6 in St. Helens, 3·0 in Wigan, 3·1 in Gloucester, 3·3 in Cardiff, and 4·3 in Lincoln; from *whooping cough*, 1·1 in Newcastle-on-Tyne, and 1·6 in West Hartlepool; and from *influenza*, 5·8 in Dudley and 6·5 in South Shields. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,520 births, corresponding to a rate of 28·9 per 1,000, and 1,609 deaths of civilians, corresponding to a rate of 19·3, as against 17·4, 17·2, and 17·8 per 1,000 in the three weeks ended March 6th, March 13th, and March 20th. The death-rate in the four weeks ended last Saturday averaged 17·9 per 1,000. The infant mortality was 92 against 95, 89, and 91 in the preceding three weeks.

There was no death from *enteric fever*, against 3, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 52, 56, and 70 in the preceding three weeks, were 69 last week, and were 2 above the average; 10 deaths belonged to the Borough of Hackney, 9 to Islington, 6 to St. Pancras, and 5 each to Southwark and to Camberwell. The deaths from *scarlet fever*, which had been 9, 5, and 5 in the preceding three weeks, fell to 3 last week, and were 1 below the average. The deaths from *whooping-cough*, which had been 34, 41, and 37 in the preceding three weeks, fell to 35 last week, but were 2 above the average; 5 deaths belonged to Poplar, and 4 each to Islington and to Bethnal Green. The deaths from *diphtheria*, which had been 28, 25, and 29 in the preceding three weeks, fell to 27 last week, but were 14 above the average; 4 deaths belonged to Hackney, and 3 each to Lambeth and to Woolwich. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 12, 13, and 14 in the preceding three weeks, rose to 23 last week, and were 7 above the average; 5 deaths belonged to Lambeth, and 3 to St. Pancras. The deaths from *influenza* numbered 131, as against 54, 57, and 91, in the preceding three weeks, and an average of 72.

Different forms of violence caused 44 deaths, of which 43 were the subject of coroners' inquests. Of these 44 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 31 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 2 to drowning, and 2 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 37 cases of enteric fever, 14 of small-pox, 85 of measles, 2,101 of scarlet fever, 17 of whooping-cough, and 2,043 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 9 cases, against 5, 4, and 6; of small-pox, 6 cases, against 3, 2, and 4; of measles, 15 cases, against 21, 29, and 28; of scarlet fever, 258 cases, against 234, 249, and 270; of whooping-cough, 1 case, against 0, 3, and 1; and of diphtheria, 259 cases, against 255, 291, and 284. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended March 20th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 27th March, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 6th Mar., 1920.	13th Mar., 1920.	20th Mar., 1920.	27th Mar., 1920.	Week ended 27th Mar., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,806,093	16·9	17·1	17·9	18·7	9990	6377	1232	1727	3	–	214	18	114	64	64	392	159	396	1828	44	96 GREAT TOWNS
LONDON†	4,358,309	17·4	17·2	17·8	19·3	2520	1609	233	462	–	–	69	3	35	27	23	131	44	114	736	4	LONDON.†
‡ CROYDON	184,239	17·0	15·6	14·7	15·3	85	54	9	16	–	–	1	–	–	1	–	6	2	5	10	–	CROYDON.
WIMBLEDON	59,791	10·5	8·7	16·6	12·2	25	14	1	5	–	–	–	–	–	1	–	1	–	–	6	–	WIMBLEDON.
EALING	73,212	11·4	9·3	16·4	17·1	32	24	3	6	–	–	–	–	–	–	1	3	1	3	5	–	EALING.
ACTON	61,732	18·6	9·3	9·3	15·2	41	18	4	6	–	–	–	–	1	–	1	1	–	–	3	–	ACTON.
WILLESDEN	160,917	10·7	10·4	13·6	13·3	96	41	8	18	–	–	3	1	1	–	–	1	–	1	18	–	WILLESDEN.
HORNSEY	94,348	10·5	7·7	10·5	11·1	30	20	2	5	–	–	–	–	–	–	–	–	–	–	6	–	HORNSEY.
TOTTENHAM	141,338	14·8	15·5	11·8	15·5	85	42	5	11	–	–	2	–	–	1	1	1	1	4	15	–	TOTTENHAM.
EDMONTON	70,711	11·8	17·0	12·5	17·7	34	24	2	5	–	–	1	–	–	–	–	3	1	2	9	–	EDMONTON.
ENFIELD	58,442	11·6	13·4	10·7	15·2	15	17	2	4	–	–	–	–	–	–	–	1	–	–	7	–	ENFIELD.
WEST HAM	287,966	13·6	19·4	21·7	25·7	202	142	24	43	–	–	1	–	5	1	3	21	7	11	34	–	WEST HAM.
EAST HAM	144,451	10·	14·4	15·9	17·0	77	47	7	13	–	–	3	–	–	–	–	6	1	3	12	–	EAST HAM.
LEYTON	123,896	16·	14·3	13·0	15·6	49	37	5	11	–	–	–	–	2	–	–	8	–	–	15	–	LEYTON.
WALTHAMSTOW	127,684	14·7	14·7	11·8	13·5	56	33	6	5	–	–	1	–	1	–	1	1	–	2	12	–	WALTHAMSTOW.
ILFORD	79,524	17·7	14·4	19·7	16·4	40	25	5	5	–	–	–	–	–	–	–	6	1	4	3	–	ILFORD.
GILLINGHAM	43,501	10·8	13·2	13·2	12·0	39	10	3	–	–	–	–	–	–	–	1	2	–	–	1	–	GILLINGHAM.
HASTINGS	57,674	18·1	19·0	19·9	20·8	31	23	2	11	–	–	1	–	–	–	–	2	–	–	8	–	HASTINGS.
EASTBOURNE	48,424	8·6	6·5	12·9	10·8	15	10	3	4	–	–	1	–	–	–	–	–	–	1	1	1	EASTBOURNE.
BRIGHTON	132,409	16·1	18·1	16·1	18·1	66	46	2	20	–	–	–	–	–	1	–	–	2	3	19	–	BRIGHTON.
PORTSMOUTH	224,846	16·2	17·9	18·3	18·1	144	78	13	29	–	–	1	–	2	–	–	6	–	6	17	1	PORTSMOUTH.
BOURNEMOUTH	82,627	9·5	14·5	13·9	12·0	30	19	1	5	–	–	–	–	–	–	–	–	–	–	3	–	BOURNEMOUTH
SOUTHAMPTON	126,033	9·9	16·1	16·5	17·8	62	43	9	12	–	–	3	–	1	2	–	–	–	–	16	–	SOUTHAMPTON.
READING	91,365	18·3	9·7	12·6	15·4	44	27	3	10	–	–	1	–	–	–	–	3	–	–	10	–	READING.
OXFORD	57,666	17·2	15·4	9·0	11·8	19	13	1	6	–	–	–	–	–	–	–	2	–	–	2	–	OXFORD.
NORTHAMPTON	88,944	14·7	17·6	15·2	15·2	42	26	2	11	–	–	–	–	–	–	–	–	–	1	2	–	NORTHAMPTON.
CAMBRIDGE	57,949	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	CAMBRIDGE.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Causes. Week ended 6th Mar., 1920.	13th Mar., 1920.	20th Mar., 1920.	27th Mar., 1920.	Week ended 27th Mar. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	12·4	15·5	20·5	16·1	30	26	3	6	–	–	–	–	–	–	–	5	–	2	1	1	Southend on Sea.
Ipswich	78,011	15·4	12·7	21·4	20·1	39	30	3	13	–	–	1	–	1	1	–	–	–	1	4	–	Ipswich.
Great Yarmouth	53,078	15·7	15·7	16·7	12·8	30	13	6	4	–	–	–	–	–	–	–	–	–	2	1	–	Great Yarmouth.
Norwich	119,993	11·7	20·4	19·6	17·4	70	40	10	16	–	–	3	–	1	1	–	1	2	4	13	–	Norwich.
Swindon	51,527	23·3	8·1	17·2	20·2	22	20	6	8	–	–	–	–	1	–	–	–	–	–	1	–	Swindon.
Exeter	59,014	9·7	16·8	13·3	11·5	33	13	3	4	–	–	–	–	–	–	–	1	–	1	3	1	Exeter.
Plymouth	181,967	22·1	20·9	22·1	18·6	114	65	12	25	–	–	–	–	–	1	–	8	3	6	10	–	Plymouth.
Bath	65,919	9·5	20·6	16·6	14·2	34	18	1	10	–	..	–	–	–	–	–	–	–	2	4	–	Bath.
Bristol	361,247	16·2	16·9	19·6	15·2	196	105	22	36	–	–	5	–	–	–	2	4	–	4	31	–	Bristol.
Gloucester	50,100	17·7	19·8	26·0	23·9	22	23	4	6	–	–	3	–	1	1	–	1	–	–	7	–	Gloucester.
Stoke on Trent	239,316	14·2	13·7	13·9	18·7	173	86	17	23	1	–	7	2	–	–	–	2	2	7	17	–	Stoke on Trent.
Wolverhampton	98,403	10·6	18·5	19·1	15·9	48	30	7	10	–	–	1	–	1	–	–	2	–	–	3	1	Wolverhampton.
Walsall	92,724	11·8	14·6	15·7	23·6	65	42	12	10	–	–	–	–	–	–	1	1	–	1	5	–	Walsall.
West Bromwich	69,899	11·9	20·1	16·4	11·9	37	16	3	5	–	–	–	–	–	–	–	4	–	1	3	1	West Bromwich.
Dudley	54,017	22·2	25·1	49·2	35·7	42	37	13	8	–	–	–	–	–	–	–	6	–	1	4	1	Dudley.
Birmingham	861,585	16·0	16·7	18·8	20·7	532	342	63	80	–	–	4	–	17	3	3	46	9	11	80	13	Birmingham.
Smethwick	72,152	16·6	14·5	10·1	15·2	43	21	5	9	–	–	–	–	–	–	–	1	1	1	2	–	Smethwick.
Coventry	132,048	10·3	13·0	12·6	10·7	70	27	8	6	–	–	–	–	1	1	–	1	1	2	9	–	Coventry.
Leicester	236,059	13·0	10·6	15·7	15·2	130	69	19	23	1	–	–	–	–	1	1	–	1	3	19	–	Leicester.
Lincoln	60,581	19·8	12·9	13·8	18·9	27	22	4	8	–	–	5	–	2	–	–	–	–	–	3	–	Lincoln.
Grimsby	78,813	17·2	16·5	20·5	17·9	49	27	8	7	–	–	–	–	–	–	1	–	1	2	5	–	Grimsby.
Nottingham	257,573	16·6	18·0	19·8	16·8	136	83	24	17	–	–	6	–	–	–	1	–	1	4	23	–	Nottingham.
Derby	123,930	10·9	15·6	13·5	15·6	60	37	9	15	–	–	–	–	–	1	1	1	–	3	12	–	Derby.

* *See* note † on first page of this return

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 27th March, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 6th Mar., 1920.	13th Mar., 1920.	20th Mar., 1920.	27th Mar., 1920.	Week ended 27th Mar., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	20·8	17·0	21·2	15·4	61	37	10	7	–	–	4	–	1	–	–	–	–	2	4	–	STOCKPORT.
BIRKENHEAD	148,052	19·4	13·0	17·6	16·2	80	46	13	11	–	–	1	–	1	–	–	3	2	5	13	–	BIRKENHEAD.
WALLASEY	95,424	10·9	12·0	9·8	13·7	29	25	2	15	–	–	–	–	–	1	–	1	–		3	–	WALLASEY.
LIVERPOOL	772,665	27·0	25·5	24·8	23·8	502	353	87	63	–	–	26	3	12	5	3	14	6	20	125	1	LIVERPOOL.
BOOTLE	76,962	15·6	20·3	18·3	23·0	51	34	12	4	–	–	1	–	–	–	–	2	1	1	3	–	BOOTLE.
ST. HELENS	100,805	19·1	17·6	15·5	24·3	73	47	14	7	–	–	5	–	–	–	–	3	1	1	11	2	ST. HELENS.
SOUTHPORT	70,144	14·9	14·9	12·6	17·1	23	23	3	10	–	–	–	–	–	–	–	2	–	–	4	–	SOUTHPORT.
WIGAN	87,384	18·5	20·3	26·9	32·2	48	54	12	9	–	–	5	–	–	1	–	4	1	3	3	–	WIGAN.
WARRINGTON	74,952	20·2	16·7	9·0	12·5	36	18	6	2	–	–	–	–	–	–	–	1	1	1	5	1	WARRINGTON.
BOLTON	177,462	13·8	16·7	17·3	21·4	90	73	13	21	–	–	3	–	1	–	1	–	5	6	18	–	BOLTON.
BURY	54,248	13·5	25·0	14·4	22·1	28	23	6	3	–	–	–	–	–	–	–	–	1	2	8	–	BURY.
MANCHESTER	741,068	17·5	17·2	17·6	19·7	406	280	57	74	–	–	14	1	2	1	5	13	6	18	86	2	MANCHESTER.
SALFORD	226,225	19·6	22·4	16·1	18·9	115	82	17	19	–	–	–	–	–	–	3	2	2	7	20	–	SALFORD.
OLDHAM	137,668	24·6	22·3	25·0	17·8	78	47	6	9	–	–	–	–	–	–	1	2	2	4	11	–	OLDHAM.
ROCHDALE	90,051	12·7	16·8	19·7	21·4	50	37	12	10	–	–	–	–	1	–	–	2	3	4	4	–	ROCHDALE.
BURNLEY	101,005	11·9	16·5	17·6	24·3	53	47	11	10	–	–	–	–	–	–	–	–	–	1	11	–	BURNLEY.
BLACKBURN	125,992	16·1	17·0	17·8	22·3	57	54	12	16	–	–	–	–	–	1	–	2	3	7	6	–	BLACKBURN.
PRESTON	117,277	16·5	13·3	24·9	20·9	71	47	6	13	–	–	–	–	–	1	1	4	–	–	6	1	PRESTON.
BLACKPOOL	67,842	15·4	14·6	15·4	22·3	28	29	8	11	–	–	1	–	–	–	–	–	1	1	3	3	BLACKPOOL.
BARROW IN FURNESS	73,627	14·2	12·0	17·7	22·0	35	31	9	13	–	–	–	–	1	–	1	–	–	–	7	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	13·5	13·5	17·6	17·6	28	38	7	10	–	–	–	–	–	1	1	–	–	–	6	–	HUDDERSFIELD.
HALIFAX	101,791	16·9	17·4	21·0	22·5	41	44	10	13	–	–	–	–	1	–	–	2	1	3	11	–	HALIFAX.
BRADFORD	282,714	17·2	14·4	12·5	16·2	107	88	13	29	–	–	–	–	2	1	–	1	1	10	23	–	BRADFORD.
LEEDS	430,834	25·7	22·8	23·2	21·2	222	175	37	40	–	–	3	2	4	1	1	7	5	12	42	–	LEEDS.
DEWSBURY	52,969	18·7	11·8	13·8	19·7	25	20	5	3	–	–	–	–	1	–	–	–	2	2	1	–	DEWSBURY.
WAKEFIELD	49,208	9·5	20·1	21·2	20·1	30	19	3	6	–	–	1	–	–	1	1	1	–	3	1	–	WAKEFIELD.

TOWNS.	Civilian Population, Mid. 1919.*	Week ended 6th Mar., 1920.	Week ended 13th Mar., 1920.	Week ended 20th Mar., 1920.	Week ended 27th Mar., 1920.	27th Mar., 1920. Births.	27th Mar., 1920. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	15·4	14·3	15·0	15·2	264	138	29	35	–	–	1	–	–	–	–	4	4	9	35	–	Sheffield.
Rotherham	69,034	9·8	16·6	14·4	15·9	33	21	5	7	–	–	–	–	–	–	–	–	–	–	2	1	Rotherham.
York	74,531	11·9	16·1	22·4	19·6	30	28	3	11	–	–	–	–	–	1	–	–	1	1	7	–	York.
Hull	279,664	18·1	19·8	17·9	16·2	189	87	16	18	–	–	3	1	1	1	1	3	–	4	17	–	Hull.
Middlesbrough	127,142	19·3	26·2	25·0	23·4	101	57	25	9	–	–	–	1	–	–	2	–	2	5	5	–	Middlesbrough.
Darlington	64,058	10·6	12·2	21·2	20·4	47	25	5	7	–	–	–	1	1	–	–	1	2	2	4	–	Darlington.
Stockton on Tees	60,696	21·5	15·5	14·6	22·3	54	26	4	8	–	–	–	–	1	1	–	–	–	–	2	1	Stockton on Tees.
West Hartlepool	65,515	15·1	18·3	18·3	19·1	43	24	3	6	–	–	–	–	2	–	–	1	–	2	8	1	West Hartlepool.
Sunderland	149,263	18·5	18·2	19·2	16·8	122	48	12	8	–	–	1	–	–	1	1	1	3	7	15	3	Sunderland.
South Shields	111,502	25·3	26·7	29·9	28·1	68	60	11	6	–	–	–	–	–	–	–	14	3	3	3	1	South Shields.
Gateshead	123,392	16·1	13·9	22·8	22·0	92	52	16	16	–	–	–	1	1	–	–	–	2	2	12	1	Gateshead.
Newcastle on Tyne.	275,099	21·0	16·7	17·1	21·0	132	111	29	25	–	–	–	2	6	1	1	5	3	7	21	–	Newcastle on Tyne.
Tynemouth	58,007	15·3	25·2	16·2	18·0	44	20	3	4	1	–	–	–	–	–	–	3	2	2	5	1	Tynemouth.
Carlisle	55,198	5·7	8·5	15·1	15·1	20	16	3	9	–	–	–	–	–	–	–	1	–	1	1	–	Carlisle.
Newport (Mon.)	87,251	16·1	18·5	17·9	14·3	55	24	7	5	–	–	2	–	–	–	–	1	1	2	2	–	Newport (Mon.).
Cardiff	204,436	15·3	18·4	17·9	17·1	128	67	15	11	–	–	13	–	–	–	–	–	1	4	6	–	Cardiff.
Rhondda	177,911	13·8	12·9	13·2	14·1	114	48	12	7	–	–	3	–	–	–	–	–	2	3	2	–	Rhondda.
Merthyr Tydfil	71,638	18·2	13·8	18·2	24·0	43	33	4	13	–	–	–	–	1	–	–	–	3	4	7	–	Merthyr Tydfil.
Aberdare	51,384	26·4	14·2	13·2	17·3	21	17	5	4	–	–	–	–	–	1	–	1	2	2	1	–	Aberdare.
Swansea	160,810	17·8	17·5	12·6	12·3	78	38	8	9	–	–	2	–	–	–	–	2	1	4	7	–	Swansea.
Greater London	7,258,623	15·7	15·7	16·4	17·5	3950	2438	355	729	–	–	89	5	51	38	30	204	67	168	960	4	Greater London.
Outer Ring	2,900,314	13·1	13·5	14·3	14·9	1430	829	122	267	–	–	20	2	16	11	7	73	23	54	224	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	13·7	14·2	15·0	16·8	867	538	83	153	–	–	12	1	10	4	7	59	14	35	155	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	12·4	12·5	13·4	12·3	563	291	39	114	–	–	8	1	6	7	–	14	9	19	69	–	Remainder of Outer Ring.
Edinburgh†	342,300	12·1	17·4	13·3	14·2	183	93	21	25	–	–	2	–	–	2	1	–	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	15·8	14·9	19·1	19·4	678	414	74	85	1	–	12	–	2	1	5	16	18	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	20·7	20·0	24·5	23·9	257	190	45	46	–	–	11	2	10	–	–	2	4	4	61	3	Dublin (Registration Area).†
Belfast†	413,000	27·0	28·4	37·0	35·9	258	284	63	47	1	–	3	2	6	–	4	30	3	5	69	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWELFTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2141	2354	2218	1968	2309	2172	2027	1661	1485	1289	2520
Males	1098	1203	1114	1004	1148	1103	1072	853	733	666	1271
Females	1043	1151	1104	964	1161	1069	955	808	752	623	1249
Deaths (of residents only).	1202	1475	1168	1491	1433	1935	1433*	1444*	1374*	1390*	1609*
Males		781	603	734	727	982	743	743	707	670	828
Females		694	565	757	706	953	690	701	667	720	781

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	1920, Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.
Births (as registered)	3308	3018	2962	2971	2715	2966	2793	2746	2654	2771	2701	2672	2520
Deaths (of residents only).	1311	1216	1218	1163	1297	1332	1423	1384	1425	1456	1436	1484	1609
Ages at Death: Under 1 year	217	191	215	228	284	290	359	271	284	264	240	244	233
1–2 years	41	29	35	43	57	64	78	77	80	72	66	84	101
2–5 "	56	55	53	44	56	54	55	72	78	82	83	64	59
5–10 "	41	35	27	33	33	48	36	35	38	42	41	44	46
10–15 "	14	17	15	16	12	24	12	20	21	16	17	19	26
15–20 "	24	23	24	27	24	13	26	19	25	23	25	29	34
20–25 "	28	28	26	17	25	23	26	29	22	26	33	37	44
25–35 "	60	50	67	59	62	57	63	66	58	74	89	85	109
35–45 "	109	77	71	68	84	79	74	86	100	99	87	106	131
45–55 "	137	141	119	93	115	128	127	113	123	124	146	145	154
55–65 "	172	187	140	167	172	159	150	175	184	182	182	187	210
65–75 "	206	204	205	180	173	194	223	184	205	217	213	215	237
75 years and upwards	206	179	221	188	200	199	194	237	207	235	214	225	225
Deaths from—													
Enteric fever	–	2	1	1	1	1	–	1	1	3	–	–	–
Small-pox	–	–	–	–	–	–	–	1	–	–	2	–	–
Measles	19	14	21	19	18	26	35	49	52	52	56	70	69
Scarlet fever	5	4	7	3	5	9	3	–	3	9	5	5	3
Whooping cough	20	13	19	18	28	26	37	42	52	34	41	37	35
Diphtheria	36	31	24	28	37	32	29	16	19	28	25	29	27
Diarrhœa and enteritis (under 2 years).	16	18	19	15	15	14	22	16	18	12	13	14	23
Pulmonary tuberculosis	96	86	78	85	86	73	104	97	118	92	94	100	124
Influenza	19	16	19	24	15	20	25	37	38	54	57	91	131
Pneumonia (all forms)	93	108	127	126	176	205	222	189	194	184	197	183	229
Bronchitis	108	124	109	102	139	151	193	147	166	199	161	156	185
Other dis. of resp. system	17	16	13	15	11	20	21	15	14	25	18	24	32
Dis. of circ. system	218	207	198	176	182	180	179	202	189	173	225	184	213
Violence	50	33	49	41	40	46	45	44	49	42	38	42	44
Inquest cases	144	94	116	104	107	110	129	124	117	103	111	96	114
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	26	27	27	28	27	24	16	16	33	37	39	42	37
Small-pox	–	2	1	–	–	–	3	2	4	7	7	8	14
Measles	59	59	53	49	47	59	78	97	96	90	78	90	85
Scarlet fever	2926	2809	2758	2614	2550	2487	2459	2415	2316	2255	2182	2158	2101
Whooping cough	25	22	23	22	21	21	18	17	18	15	15	16	17
Diphtheri	1873	1899	1945	1994	2008	2014	2010	2000	2026	2006	2045	2066	2043

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	1920. Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.
Deaths from Influenza	52	73	62	85	66	98	109	161	178	196	230	312	392

TABLE 4. LONDON.—DEATHS REGISTERED in the TWELFTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 12th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1390	1609	233	101	59	46	26	34	44	109	131	154	210	237	225
Enteric fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	69	12	33	17	7	–	–	–	–	–	–	–	–	–
Scarlet fever	3	3	1	–	–	–	1	–	–	–	1	–	–	–	–
Whooping cough	4	35	13	15	7	–	–	–	–	–	–	–	–	–	–
Diphtheria	10	27	5	2	10	8	1	–	–	–	1	–	–	–	–
Croup	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	230	131	7	1	2	2	3	7	10	29	21	16	20	7	6
Erysipelas	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Other epidemic diseases	6	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Pyæmia and septicæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	118	124	–	2	2	1	4	6	15	28	26	19	9	10	2
Tuberculous meningitis	10	9	3	–	1	5	–	–	–	–	–	–	–	–	–
Abdominal tuberculosis	1	2	–	–	–	1	–	–	–	1	–	–	–	–	–
Tuberculosis of the spine	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Tuberculosis of other organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	4	4	–	1	–	–	1	1	1	–	–	–	–	–	–
Venereal diseases	2	6	5	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	103	119	–	–	1	–	–	1	–	4	8	16	36	35	18
Tumour, situation undefined	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	1	4	–	–	–	2	–	2	–	–	–	–	–	–	–
Diabetes	9	13	–	–	–	1	–	–	–	2	–	2	6	2	–
Anæmia, leucocythaemia	–	5	–	–	–	–	–	–	1	1	–	2	1	–	–
Other general diseases	14	10	1	–	–	–	–	2	1	1	1	–	2	–	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	9	8	3	1	1	2	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	38	43	–	–	–	–	–	–	–	–	1	5	14	15	8
Softening of brain	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Paralysis, without specified cause	5	4	–	–	–	–	–	–	–	–	–	–	–	3	1
Epilepsy	5	1	–	–	–	–	1	–	–	–	–	–	–	–	–
"Convulsions" (not puerperal)	2	9	7	2	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	19	20	–	1	–	–	–	–	1	3	1	6	3	2	3
Pericarditis	1	3	–	1	–	–	–	1	–	–	–	–	–	–	1
Acute endocarditis	3	9	–	–	–	1	1	1	–	1	2	1	2	–	–
Organic disease of heart	141	157	–	–	1	1	3	3	1	7	9	20	30	41	41
Embolism and thrombosis (including cerebral).	3	12	–	–	–	–	–	–	–	–	1	–	2	4	5
Other diseases of circulatory system.	46	32	–	–	–	–	–	–	–	–	1	1	7	17	6
Diseases of the larynx	2	3	1	1	–	–	–	–	–	–	–	–	1	–	–
Bronchitis	172	185	20	5	–	–	–	2	2	1	4	14	33	45	59
Broncho-pneumonia	82	124	44	28	11	6	–	–	1	3	2	5	11	9	4
Lobar pneumonia	17	42	2	1	–	2	–	3	3	6	13	6	4	1	1
Pneumonia (type not distinguished)	25	63	5	4	–	1	1	1	3	7	8	12	8	8	5
Pleurisy	4	9	1	–	2	–	–	–	–	–	2	2	–	1	1
Pulmonary congestion, Pulmonary apoplexy.	4	8	1	–	–	–	–	–	–	–	–	1	–	2	4
Other diseases of respiratory system.	7	12	–	–	–	–	–	–	–	–	1	5	1	4	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWELFTH Week of the Year 1920.

Causes of Death.	Deaths in the 12th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Diseases of stomach	9	3	–	–	–	–	–	–	–	1	–	1	–	1	–
Diarrhœa and enteritis	22	30	22	1	–	–	–	–	–	1	1	1	–	4	–
Appendicitis and typhlitis	8	4	–	–	1	2	–	–	–	–	1	–	–	–	–
Hernia and Intestinal obstruction.	9	11	2	–	–	1	–	–	1	1	1	1	–	2	2
Cirrhosis of liver	4	8	–	–	–	–	1	1	–	–	3	–	2	1	–
Other diseases of liver	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (cause unknown)	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–
Other diseases of digestive system	2	4	–	–	–	–	1	–	–	–	3	–	–	–	–
Acute nephritis	1	6	–	–	–	–	1	–	–	1	–	2	2	–	–
Chronic Bright's disease	25	26	–	–	–	–	–	–	1	3	3	6	6	3	4
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	14	8	1	–	–	–	1	–	–	–	1	–	3	2	–
Puerperal fever, &c.	2	8	–	–	–	–	–	1	–	4	3	–	–	–	–
Other causes incident to childbirth.	1	3	–	–	–	–	–	–	–	–	3	–	–	–	–
Diseases of skin and cellular tissues.	9	11	2	–	–	–	–	–	–	1	1	–	1	–	6
Diseases of locomotor system	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–
Congenital malformations	4	5	4	–	–	–	1	–	–	–	–	–	–	–	–
Premature birth	35	46	46	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	7	11	11	–	–	–	–	–	–	–	–	–	–	–	–
Old age	59	51	–	–	–	–	–	–	–	–	–	–	1	11	39
ACCIDENT.															
Poisons or poisonous vapours	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Conflagration	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Burns and scalds	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	–	–	–	–	–	–	–	–	1	–	–	1	–
Suffocation in bed	6	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	25	24	2	–	2	2	2	2	1	2	1	3	1	2	4
Total deaths from accident	39	31	5	–	2	2	2	2	1	2	3	3	1	3	5
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Vehicles and horses	7	8	–	–	2	2	1	1	1	–	1	–	–	–	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	12	–	–	–	–	–	–	1	–	3	3	3	2	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	10	13	8	1	1	1	–	–	1	–	–	1	–	–	–
Ill-defined Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
DON‡ - -	4,358,309	Mar. 27	2,520	1,609	19·3	–	–	69	3	35	27	23	131
CUTTA - -	896,067	Feb. 21	–	1,063§	61·6	?	265	?	?	?	?	?	64
BAY - -	979,445	„ 21	345	1,010§	53·6	1	14	4	–	–	–	36	82
RAS - -	518,660	„ 14	335	459§	46·0	1	–	–	?	3	–	50	12
IS - - -	2,847,229	(9 days) Feb. 29	–	–	–	–	–	–	–	–	–	–	–
SSELS - -	792,919	„ 7	272	221	14·5	–	–	–	–	–	4	6	6
WERP - -	309,156	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
TERDAM -	649,341	Mar. 13	319	204	16·4	1	–	2	–	3	–	1	36
NHAGEN -	552,000	„ 13	280	168	15·9	–	–	4	2	2	2	1	28
KHOLM -	408,456	„ 6	123	85	10·3	–	–	2	–	–	–	1	8
HENBURG -	200,553	Feb. 21	–	41	10·6	–	–	2	–	–	–	1	2
ISTIANIA -	258,615	Mar. 13	108	58	12·1	–	–	1	–	–	–	1	4‖
LIN - -	1,924,185	Mar. 6	–	–	–	–	–	–	–	–	–	–	–
SLAU - -	493,393	„ 6	–	–	–	–	–	–	–	–	–	–	–
OGNE - -	631,005	„ 6	–	–	–	–	–	–	–	–	–	–	–
SDEN - -	534,880	„ 6	–	–	–	–	–	–	–	–	–	–	–
NKFORT-ON-MAIN.	470,124	„ 6	–	–	–	–	–	–	–	–	–	–	–
IBURG - -	1,050,300	„ 6	–	–	–	–	–	–	–	–	–	–	–
PZIG - -	676,289	„ 6	–	–	–	–	–	–	–	–	–	–	–
ICH - -	670,000	„ 6	–	–	–	–	–	–	–	–	–	–	–
NNA - -	1,838,708	Feb. 28	453	1,102	31·2	–	–	28	3	14	4	19	147
GUE -	501,261	„ 14	194	267	27·8	–	–	2	–	1	–	7	32
APEST - -	1,071,492	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
ESTE - -	227,677	Mar. 13	153	72	16·5	–	–	–	–	–	–	–	2
RO - - -	761,300	Jan. 21	583	439	30·0	2	2	–	–	–	–	18	–
XANDRIA -	445,700	„ 21	332	289	33·7	2	6	–	–	–	1	16	–
Y YORK -	6,141,445	Dec. 27	2,181	1,288	11·2	3	–	18	1	3	20	26	12
		Jan. 3	2,992	1,401	11·9	2	–	17	–	6	38	18	11
		„ 10	2,671	1,534	13·0	1	–	21	3	5	25	32	12
		„ 17	2,503	1,461	12·4	2	–	34	5	8	28	37	18
CAGO - -	2,596,681	Feb. 21	–	882	17·7	1	–	5	8	4	11	28	127

Excluding deaths from croup in Bombay and Madras.
The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under* *of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
The estimated population and deaths refer to the civilian population only.
Including 1 death from *plague* in Calcutta and 4 in Bombay, and from *Asiatic cholera* 16 deaths in Calcutta, and 1 in Madras
Including 1 death from Influenza and 3 deaths from Influenzal Pneumonia.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 27th March, 1920.

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON (Greenwich)	66	35	61·3	39·3	6
GHTON - -	59	38	53·6	43·4	5
TSMOUTH - -	59	38	55·6	42·9	9
WICH (Eaton) -	66	36	60·1	40·3	5
MOUTH - -	59	37	53·9	42·0	12
TOL (Clifton) -	Not	receive	d.		
MINGHAM -	62	36	56·0	40·4	17
TINGHAM -	65	34	58·3	38·1	6
KENHEAD (Bidston)	56	37	52·4	40·3	35
CHESTER -	59	37	54·1	42·1	19
NLEY - -	59	34	53·6	38·0	40
DERSFIELD -	64	37	56·1	39·7	18

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD - -	62	35	55·3	38·6	16
SHEFFIELD - -	65	36	56·6	40·3	14
YORK (Museum) -	63	37	56·6	40·3	13
HULL (Pearson Park)	63	35	57·4	38·7	9
TYNEMOUTH - -	59	36	52·6	38·6	28
CARDIFF - -	61	37	55·0	40·4	25
EDINBURGH - -	55·0	36·0	50·1	38·9	19
GLASGOW - -	50·6	36·7	48·9	40·0	39
DUBLIN:—					
Phœnix Park -	57·2	30·9	51·9	36·8	20
†Fitzwilliam Square	56·8	37·0	51·9	40·2	15
BELFAST - -	55·0	35·0	51·1	40·3	15

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th March 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	21	..	30·257	65·9	34·7	31·2	50·9	+ 9·0	42·7	8·2	17·2	0·0	73	111·7	28·0	44·0	Calm & SW.	SSW. & calm.	0·5	0·0	0·0	117	−200	0·00
MONDAY	22	..	30·065	65·5	36·3	29·2	51·5	+ 9·5	43·8	7·7	15·7	1·5	75	108·4	28·0	44·0	Calm & E.	E. & SE.	0·5	0·0	0·0	132	−186	0·00
TUESDAY	23	..	29·865	65·0	37·0	28·0	50·6	+ 8·4	42·2	8·4	17·8	1·0	73	120·8	26·0	44·2	ESE. & calm.	SE. & calm	1·0	0·0	0·1	148	−170	0·00
WEDNESDAY	24	Perigee	29·854	58·2	39·6	18·6	48·9	+ 6·5	41·6	7·3	14·3	1·4	76	107·3	29·9	44·2	SW. & calm	SW. & SSW.	4·1	0·0	0·3	246	− 74	0·04
THURSDAY	25	..	29·678	58·5	45·1	13·4	50·8	+ 8·1	41·6	9·2	15·7	3·3	71	117·1	36·3	44·4	SW.	SSW., S. & SW.	6·3	0·0	0·7	421	+ 95	0·00
FRIDAY	26	Greatest declination N.	29·539	55·8	37·3	18·5	47·6	+ 4·6	38·5	9·1	15·1	2·3	71	112·9	29·6	44·8	SW., S. & SSW.	SSW.	8·7	0·0	1·0	523	+194	0·21
SATURDAY	27	First Quarter.	29·440	58·3	45·2	13·1	50·4	+ 7·1	44·0	6·4	12·3	2·3	79	108·9	41·9	44·7	SW.	SSW.	6·8	0·0	0·7	430	+101	0·00
MEANS		- - -	29·814	61·0	39·3	21·7	50·1	+ 7·6	42·1	8·0	15·4	1·7	74	112·4	31·4	44·3	SSW.		..	..	..	Sum 2017	Sum −240	Sum 0·25
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. March, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	21	v.P. till noon, s.P. generally afterwards.	7·7	12·2	Cloudless till 14h., with dew and fog in early morning, becoming nearly overcast 15h. to 19h.; partially cloudy till 22h.; then cloudless.
MONDAY	22	v.P. throughout	7·9	12·2	Cloudless with slight exceptions; dew and fog in early morning; bright aurora at night.
TUESDAY	23	w.P. till 10h., v.P. afterwards.	8·0	12·3	Cloudless except for a short time just before 21h.; aurora in early morning; fog about 7h.; dew at night.
WEDNESDAY	24	w.P. till 9h., v.P. till 18h., w.P. afterwards.	0·8	12·4	Cloudless till 5h., then overcast generally with cloud, thin at times; sun visible in forenoon, with solar halo 8h. 30m. till 10h.; slight rain between 19h. and 23h., with moon visible at times.
THURSDAY	25	w.P. till 9h., m.P. and s.P. till 21h., w.P. afterwards.	5·1	12·4	Overcast generally to 8h. 15m.; variably cloudy with nearly overcast intervals till 20h.; overcast till 22h., then variably cloudy; slight rain about 21h.
FRIDAY	26	w.P. till 7h., v.P. till 20h., then w.P. afterwards.	6·6	12·5	Variably cloudy till 15h., then overcast with few exceptions; brisk wind from 9h. to 15h.; rain generally from 18h. 30m. to 23h.
SATURDAY	27	w.P. generally, v.P. from 10h. to 15h., with little v.N. at 15h.	1·5	12·6	Overcast with cloudy intervals; occasional slight rain between 11h. and 16h. 30m.; brisk wind generally from 15h.; lunar halo between 20h. and 21h.
			Sum 37·6	Sum 86·6	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·33 in. at the beginning of the week to 29·83 in. by 16h. on 23rd; increased to 29·92 in. by 9h. on 24th; decreased to 29·57 in. by 21h. on 25th; increased to 29·67 in. by 9h. on 26th; decreased to 29·38 in. by 2h. on 27th; increased to 29·46 in. by 11h. and decreased to 29·42 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 20th March, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,484	–	–	70	5	37	29	14	100	244
Western										
Paddington	35	–	–	–	–	–	1	1	5	4
Kensington	56	–	–	–	–	1	–	1	2	6
Hammersmith	34	–	–	–	–	–	1	–	2	5
Fulham	43	–	–	1	–	–	3	–	–	10
Chelsea	20	–	–	–	–	–	–	–	3	1
City of Westminster	27	–	–	1	–	–	–	–	3	3
Northern.										
St. Marylebone	34	–	–	–	–	–	–	1	4	4
Hampstead	21	–	–	1	–	1	–	–	1	3
St. Pancras	76	–	–		–		–	–	9	17
Islington	117	–	–	7		3	2	1	4	25
Stoke Newington	11	–	–	–	–	1	–	–	–	1
Hackney	96	–	–	8	–	5	2	–	5	12
Central.										
Holborn	8	–	–	–	–	–	–	–	1	–
Finsbury	22	–	–	–	–	–	1	–	1	4
City of London	2	–	–	–	–	–	–	–	–	–
Eastern.										
Shoreditch	38	–	–	1	1	–	3	–	3	9
Bethnal Green	43	–	–	6	–	3	2	–	6	8
Stepney	104	–	–	4	–	2	2	1	3	18
Poplar	70	–	–	3	–	3	–	–	1	11
Southern.										
Southwark	60	–	–	1	–	–	3	–	6	14
Bermondsey	55	–	–	5	–	1	–	2	4	9
Lambeth	124	–	–	8	1	3	1	1	10	21
Battersea	48	–	–	–	–	3	–	–	2	12
Wandsworth	88	–	–	7	–	1	2	2	2	12
Camberwell	93	–	–	9	1	3	3	2	9	11
Deptford	38	–	–	–	–	1	1	2	3	11
Greenwich	36	–	–	2	–	1	1	–	4	2
Lewisham	47	–	–	–	1	1	1	–	6	4
Woolwich	38	–	–	2	–	1	–	–	1	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 20th March, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	2	-	-	-	10	10	-	2	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	20	9	-	-	-	-	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	4	14	-	-	-	1	1	-	-	-	-
Fulham	152,543	1	-	-	-	9	18	-	4	-	2	-	-	-	-	-
Chelsea	60,573	1	-	-	-	3	2	-	1	-	-	-	-	-	1	-
City of Westminster	127,533	-	-	-	-	6	2	-	2	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	2	-	-	-	8	1	-	2	-	-	3	-	-	-	-
Hampstead	88,012	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	-	-	-	14	9	-	1	-	-	2	-	-	-	-
Islington	323,034	1	-	-	-	11	24	-	3	1	1	2	-	-	-	-
Stoke Newington	50,954	-	-	-	-	2	3	-	2	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	13	18	-	2	2	1	-	-	-	-	-
CENTRAL.																
Holborn	38,156	-	-	-	-	5	-	-	2	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	5	3	-	3	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	-	-	-	5	13	-	-	-	-	4	-	-	-	-
Bethnal Green	110,085	-	-	-	-	10	15	-	1	-	-	1	-	1	-	-
Stepney	232,506	-	-	-	1	9	14	-	2	1	-	1	-	1	1	-
Poplar	153,644	-	-	-	1	12	8	-	1	-	-	-	-	-	-	1
SOUTHERN.																
Southwark	179,971	-	-	-	-	7	9	-	3	1	1	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	5	2	-	-	-	-	-	-	-	-	-
Lambeth	282,322	-	-	-	-	22	14	-	2	-	-	-	-	-	-	-
Battersea	159,316	-	-	-	-	20	10	-	3	-	1	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	25	21	-	1	1	-	-	-	-	-	-
Camberwell	273,802	-	-	-	-	12	21	-	3	-	1	-	-	-	-	-
Deptford	111,205	-	-	-	-	17	3	-	-	-	-	-	-	-	-	-
Greenwich	98,484	1	-	-	-	10	10	-	2	-	-	-	-	-	-	-
Lewisham	167,754	-	-	-	-	22	9	-	3	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	6	14	-	2	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	8	-	-	2	294	281	-	47	6	8	14	-	2	2	1
Ages 0–1		-	-	-	-	2	8	-	-	2	-	14	-	-	-	-
" 1–5		-	-	-	-	47	61	-	-	1	-	-	-	-	-	-
" 5–		-	-	-	-	130	129	-	3	1	-	-	-	2	-	-
" 10–		2	-	-	-	68	36	-	4	1	-	-	-	-	1	-
" 15–		-	-	-	-	17	20	-	1	1	1	-	-	-	-	-
" 20–		2	-	-	-	11	9	-	1	-	1	-	-	-	-	-
" 25–		2	-	-	1	15	15	-	2	-	3	-	-	-	-	1
" 35–		2	-	-	-	4	3	-	9	-	3	-	-	-	-	-
" 45–		-	-	-	1	-	-	-	12	-	-	-	-	-	1	-
" 55–		-	-	-	-	-	-	-	7	-	-	-	-	-	-	-
" 65–		-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	-	5	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.]

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 13. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, APRIL 3.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
April 6th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,623, and corresponded to an annual rate of 24·2 per 1,000. The deaths* among the civilian population only numbered 5,712, and corresponded to an annual rate of 16·7 per 1,000 of their aggregate civilian population, which is estimated† at 17,806,093 persons in the year 1919. In the three weeks ended March 13th, March 20th, and March 27th the rates had been 17·1, 17·9, and 18·7 respectively. The infant mortality was 128, against 113, 111, and 123, in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population now refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10583—1 Wt 167–840 625 4/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 24·9 in Stockton-on-Tees, 25·1 in Halifax, 27·7 in Blackburn, 29·8 in Wigan, and 43·4 in Dudley; from *measles*, 2·6 in Lincoln, 3·6 in Wigan and in Newport (Mon.), and 5·0 in Barnsley; and from *influenza*, 4·1 in Halifax, 5·8 in Dudley, and 5·9 in Edmonton. Two deaths from *small-pox* were registered in Liverpool, but none in any other of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,078 births, corresponding to a rate of 23·9 per 1,000, and 1,366 deaths of civilians, corresponding to a rate of 16·3, as against 17·2, 17·8, and 19·3 per 1,000 in the three weeks ended March 13th, March 20th, and March 27th. The death-rate in the four weeks ended last Saturday averaged 17·7 per 1,000. The infant mortality was 100 against 89, 91, and 92 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 56, 70, and 69 in the preceding three weeks, fell to 48 last week, and were 21 below the average; 7 deaths belonged to the Borough of Islington, 5 each to Bethnal Green, Lambeth, and Wandsworth, and 4 to Hackney. The deaths from *scarlet fever*, which had been 5, 5, and 3 in the preceding three weeks, were 2 last week, and were 2 below the average. The deaths from *whooping-cough*, which had been 41, 37, and 35 in the preceding three weeks, were 34 last week, and were 4 below the average; 5 deaths belonged to St. Pancras, 5 to Islington, and 5 to Hackney. The deaths from *diphtheria*, which had been 25, 29, and 27 in the preceding three weeks, were 28 last week, and were 15 above the average; 4 deaths belonged to Lambeth, 3 to Islington, and 3 to Battersea. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 13, 14, and 23 in the preceding three weeks, fell to 12 last week, and were 2 below the average. The deaths from *influenza* numbered 124, as against 57, 91, and 131, in the preceding three weeks, and an average of 47.

Different forms of violence caused 33 deaths, of which 31 were the subject of coroners' inquests. Of these 33 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 21 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 2 to burns or scalds, 3 to drowning, and 1 of an infant under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 40 cases of enteric fever, 20 of small-pox, 88 of measles, 2,023 of scarlet fever, 19 of whooping-cough, and 1,983 of diphtheria under treatment in these

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 9 cases, against 4, 6, and 9; of small-pox, 7 cases, against 2, 4, and 6; of measles, 28 cases, against 29, 28, and 15; of scarlet fever, 222 cases, against 249, 270, and 258; of whooping-cough, 5 cases, against 3, 1, and 1; and of diphtheria, 227 cases, against 291, 284, and 259. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended March 27th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 3rd April, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 13th Mar., 1920.	20th Mar., 1920.	27th Mar., 1920.	3rd Apr., 1920.	Week ended 3rd Apr., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,806,093	17·1	17·9	18·7	16·7	8623	5712	1101	1564	5	2	180	11	123	72	63	379	140	283	1605	29	96 GREAT TOWNS.
LONDON†	4,358,309	17·2	17·8	19·3	16·3	2078	1366	208	369	–	–	48	2	34	28	12	124	33	72	631	1	LONDON.†
‡ CROYDON	184,239	15·6	14·7	15·3	14·4	68	51	6	17	–	–	2	–	–	1	–	6	3	5	15	–	CROYDON.
WIMBLEDON	59,791	8·7	16·6	12·2	7·8	21	9	2	2	–	–	–	–	–	–	–	–	–	1	3	–	WIMBLEDON.
EALING	73,212	9·3	16·4	17·1	15·0	26	21	1	6	–	–	–	–	–	1	–	2	1	1	3	–	EALING.
ACTON	61,732	9·3	9·3	15·2	13·5	27	16	2	7	–	–	–	–	–	1	–	–	–	–	4	–	ACTON.
WILLESDEN	160,917	10·4	13·6	13·3	11·7	63	36	7	9	–	–	2	–	2	–	1	3	–	–	15	–	WILLESDEN.
HORNSEY	94,348	7·7	10·5	11·1	13·3	20	24	3	6	–	–	–	–	1	–	–	2	–	–	4	–	HORNSEY.
TOTTENHAM	141,338	15·5	11·8	15·5	11·8	68	32	7	10	–	–	2	–	–	–	–	3	–	–	9	–	TOTTENHAM.
EDMONTON	70,711	17·0	12·5	17·7	19·2	38	26	6	4	–	–	–	–	–	–	–	8	–	1	4	–	‡ EDMONTON.
ENFIELD	58,442	13·4	10·7	15·2	16·1	28	18	2	5	–	–	–	–	–	1	–	2	1	1	10	–	ENFIELD.
WEST HAM	287,966	19·4	21·7	25·7	16·1	164	89	9	29	–	–	–	–	1	–	2	21	–	3	27	–	WEST HAM.
EAST HAM	144,451	14·4	15·9	17·0	14·4	63	40	9	11	–	–	–	–	2	1	–	7	–	2	10	–	EAST HAM.
LEYTON	123,896	14·3	13·0	15·6	14·7	56	35	3	12	–	–	–	–	1	1	–	7	1	1	11	–	LEYTON.
WALTHAMSTOW	127,684	14·7	11·8	13·5	15·9	57	39	2	16	–	–	–	–	–	–	–	5	1	1	12	–	WALTHAMSTOW.
ILFORD	79,524	14·4	19·7	16·4	11·1	22	17	1	6	–	–	–	–	–	–	–	3	–	1	1	–	ILFORD.
GILLINGHAM	43,501	13·2	13·2	12·0	13·2	23	11	4	2	–	–	–	–	–	–	–	–	–	–	2	–	GILLINGHAM.
HASTINGS	57,674	19·0	19·9	20·8	17·2	21	19	2	14	–	–	–	–	–	–	–	1	–	1	2	–	HASTINGS.
EASTBOURNE	48,424	6·5	12·9	10·8	21·5	15	20	–	10	–	–	–	–	–	–	–	–	–	–	3	–	EASTBOURNE.
BRIGHTON	132,409	18·1	16·1	18·1	15·4	50	39	5	18	–	–	1	–	–	–	–	3	1	3	6	–	BRIGHTON.
PORTSMOUTH	224,846	17·9	18·3	18·1	14·4	114	62	6	29	–	–	1	–	1	–	–	3	2	7	11	1	PORTSMOUTH.
BOURNEMOUTH	82,627	14·5	13·9	12·0	9·5	24	15	2	10	–	–	–	–	–	–	–	1	1	1	2	–	BOURNEMOUTH
SOUTHAMPTON	126,033	16·1	16·5	17·8	15·3	51	37	11	8	–	–	2	–	2	–	2	–	–	2	11	–	SOUTHAMPTON.
READING	91,365	9·7	12·6	15·4	13·1	45	23	3	9	–	–	–	–	–	–	–	1	–	–	4	1	READING.
OXFORD	57,666	15·4	9·0	11·8	6·3	17	7	1	4	–	–	–	–	–	–	–	–	–	–	–	–	OXFORD.
NORTHAMPTON	88,944	17·6	15·2	15·2	17·6	56	30	8	7	–	–	–	–	1	–	–	1	–	2	6	1	NORTHAMPTON.
CAMBRIDGE	57,849	7·2	11·7	10·8	10·8	19	12	–	5	–	–	–	–	–	–	–	1	–	–	3	–	CAMBRIDGE.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 13th Mar., 1920.	20th Mar., 1920.	27th Mar., 1920.	3rd Apr., 1920.	Week ended 3rd Apr. 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	15·5	20·5	16·1	12·4	42	20	4	7	–	–	–	–	–	–	–	5	–	–	2	–	Southend on Sea.
Ipswich	78,011	12·7	21·4	20·1	12·0	44	18	2	9	–	–	2	–	–	1	–	–	1	2	4	–	Ipswich.
Great Yarmouth	53,078	15·7	16·7	12·8	16·7	28	17	4	3	–	–	–	–	–	–	–	–	3	2	1	–	Great Yarmouth.
Norwich	119,993	20·4	19·6	17·4	16·9	55	39	4	20	–	–	2	–	–	–	1	–	1	2	12	–	Norwich.
Swindon	51,527	8·1	17·2	20·2	10·1	27	10	3	5	–	–	–	–	1	–	–	–	–	–	1	–	Swindon.
Exeter	59,014	16·8	13·3	11·5	14·1	26	16	2	7	–	–	–	–	1	1	–	–	–	–	4	–	Exeter.
Plymouth	181,967	20·9	22·1	18·6	19·2	95	67	9	24	1	–	4	–	1	–	–	3	1	4	11	–	Plymouth.
Bath	65,919	20·6	16·6	14·2	12·7	40	16	2	8	–	–	–	–	–	–	–	2	–	–	5	–	Bath.
Bristol	361,247	16·9	19·6	15·2	13·4	179	93	17	35	–	–	2	–	–	–	–	2	1	5	27	–	Bristol.
Gloucester	50,100	19·8	26·0	23·9	15·6	23	15	3	5	–	–	1	–	1	–	–	1	–	–	2	–	Gloucester.
Stoke on Trent	239,316	13·7	13·9	18·7	18·5	120	85	27	13	–	–	1	2	1	2	1	2	8	9	16	2	Stoke on Trent.
Wolverhampton	98,403	18·5	19·1	15·9	23·8	62	45	9	7	–	–	–	1	2	–	–	3	1	3	10	–	Wolverhampton.
Walsall	92,724	14·6	15·7	23·6	18·0	51	32	7	7	–	–	3	–	1	–	–	3	1	2	4	–	Walsall.
West Bromwich	69,899	20·1	16·4	11·9	16·4	45	22	5	5	–	–	–	–	–	–	1	2	–	–	5	–	West Bromwich.
Dudley	54,017	25·1	49·2	35·7	43·4	23	45	16	10	–	–	–	–	–	–	–	6	–	–	1	–	Dudley.
Birmingham	861,585	16·7	18·8	20·7	17·2	415	285	56	73	–	–	1	–	9	6	3	30	7	8	64	6	Birmingham.
Smethwick	72,152	14·5	10·1	15·2	16·6	37	23	8	8	–	–	–	–	1	1	1	2	–	–	4	–	Smethwick.
Coventry	132,048	13·0	12·6	10·7	11·8	64	30	6	6	–	–	–	–	1	–	–	3	1	2	2	–	Coventry.
Leicester	236,059	10·6	15·7	15·2	16·1	103	73	17	26	–	–	3	–	–	–	1	1	–	2	13	–	Leicester.
Lincoln	60,581	12·9	13·8	18·9	13·8	27	16	5	5	–	–	3	–	–	–	–	–	2	2	3	–	Lincoln.
Grimsby	78,813	16·5	20·5	17·9	15·9	36	24	3	4	–	–	1	–	–	–	–	1	2	1	3	–	Grimsby.
Nottingham	257,573	18·0	19·8	16·8	16·6	115	82	26	24	–	–	5	–	–	1	–	1	–	1	22	1	Nottingham.
Derby	123,930	15·6	13·5	15·6	13·5	63	32	11	10	–	–	–	–	–	–	–	–	2	4	6	–	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 3rd April, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 13th Mar., 1920.	20th Mar., 1920.	27th Mar., 1920.	3rd Apr., 1920.	Week ended 3rd Apr., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	17·0	21·2	15·4	21·6	48	52	7	20	–	–	5	–	1	–	–	2	2	2	12	–	STOCKPORT.
BIRKENHEAD	148,052	13·0	17·6	16·2	16·6	65	47	10	13	–	–	2	–	1	1	–	2	1	1	13	–	BIRKENHEAD.
WALLASEY	95,424	12·0	9·8	13·7	13·7	42	25	5	10	–	–	1	–	2	–	–	1	–	–	6	1	WALLASEY.
LIVERPOOL	772,665	25·5	24·8	23·8	23·8	431	353	85	67	–	2	18	1	14	6	10	7	12	22	134	3	LIVERPOOL.
BOOTLE	76,962	20·3	18·3	23·0	19·6	23	29	7	5	–	–	1	–	1	1	–	2	2	2	6	–	BOOTLE.
ST. HELENS	100,805	17·6	15·5	24·3	18·6	57	36	10	4	–	–	2	–	–	–	–	5	4	4	7	3	ST. HELENS.
SOUTHPORT	70,144	14·9	12·6	17·1	12·6	10	17	1	9	–	–	–	–	–	–	–	2	1	1	–	–	SOUTHPORT.
WIGAN	87,384	20·3	26·9	32·2	29·8	51	50	12	9	–	–	6	–	–	–	1	5	1	1	3	–	WIGAN.
WARRINGTON	74,952	16·7	9·0	12·5	13·9	33	20	6	5	–	–	–	–	–	–	–	–	–	–	4	–	WARRINGTON.
BOLTON	177,462	16·7	17·3	21·4	17·6	69	60	11	18	–	–	1	–	3	–	–	1	–	–	11	–	BOLTON.
BURY	54,248	25·0	14·4	22·1	13·5	20	14	1	6	–	–	–	–	–	–	–	–	–	–	1	–	BURY.
MANCHESTER	741,068	17·2	17·6	19·7	17·4	353	248	47	71	–	–	18	–	8	1	6	9	4	9	86	3	MANCHESTER.
SALFORD	226,225	22·4	16·1	18·9	15·2	119	66	21	13	–	–	–	1	2	3	3	–	–	3	20	–	SALFORD.
OLDHAM	137,668	22·3	25·0	17·8	18·2	70	48	7	9	–	–	–	–	1	–	1	5	2	5	10	–	OLDHAM.
ROCHDALE	90,051	16·8	19·7	21·4	21·4	35	37	10	10	–	–	–	–	–	–	–	1	1	2	8	–	ROCHDALE.
BURNLEY	101,005	16·5	17·6	24·3	17·0	34	33	11	8	–	–	–	–	1	–	–	–	1	1	4	–	BURNLEY.
BLACKBURN	125,992	17·0	17·8	22·3	27·7	49	67	14	24	–	–	–	–	–	–	1	9	1	4	10	–	BLACKBURN.
PRESTON	117,277	13·3	24·9	20·9	14·2	64	32	9	5	–	–	–	–	–	–	–	2	–	1	4	–	PRESTON.
BLACKPOOL	67,842	14·6	15·4	22·3	21·5	24	28	3	13	–	–	–	–	–	–	–	2	–	–	5	–	BLACKPOOL.
BARROW IN FURNESS	73,627	12·0	17·7	22·0	12·7	44	18	5	3	1	–	–	–	–	–	–	–	–	–	4	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	13·5	17·6	17·6	15·3	33	33	1	10	–	–	1	–	–	–	–	2	1	2	6	–	HUDDERSFIELD.
HALIFAX	101,791	17·4	21·0	22·5	25·1	52	49	6	12	–	–	–	–	1	–	–	8	1	3	5	–	HALIFAX.
BRADFORD	282,714	14·4	12·5	16·2	14·8	133	80	14	21	1	–	2	–	2	2	–	1	3	10	24	–	BRADFORD.
LEEDS	430,834	22·8	23·2	21·2	16·8	210	139	35	30	–	–	5	–	6	2	2	4	4	10	28	–	LEEDS.
DEWSBURY	52,969	11·8	13·8	19·7	20·7	22	21	7	5	–	–	–	–	–	–	–	3	–	–	2	–	DEWSBURY.
WAKEFIELD	49,208	20·1	21·2	20·1	17·0	21	16	2	2	1	–	2	–	–	–	–	1	2	2	4	–	WAKEFIELD.
BARNSLEY	51,680	29·3	27·2	20·2	19·2	18	19	6	1	–	–	5	–	1	–	–	1	–	–	1	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 13th Mar., 1920.	20th Mar., 1920.	27th Mar., 1920.	3rd April, 1920.	Week ended 3rd April, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	14·3	15·0	15·2	13·9	214	126	27	35	–	–	2	–	2	–	2	3	2	4	31	–	Sheffield.
Rotherham	69,034	16·6	14·4	15·9	12·8	45	17	6	1	–	–	–	–	–	–	1	–	1	1	2	–	Rotherham.
York	74,531	16·1	22·4	19·6	18·9	39	27	2	8	–	–	1	–	–	1	–	–	–	3	8	–	York.
Hull	279,664	19·8	17·9	16·2	14·9	146	80	15	25	–	–	1	–	–	2	1	6	1	6	17	1	Hull.
Middlesbrough	127,142	26·2	25·0	23·4	21·3	72	52	21	6	–	–	–	–	1	2	7	1	1	2	10	–	Middlesbrough.
Darlington	64,058	12·2	21·2	20·4	17·9	39	22	6	2	–	–	–	1	2	–	–	1	–	–	5	1	Darlington.
Stockton on Tees	60,696	15·5	14·6	22·3	24·9	38	29	8	5	–	–	–	–	2	–	1	–	1	1	5	–	Stockton on Tees.
West Hartlepool	65,515	18·3	18·3	19·1	15·1	26	19	4	3	–	–	1	–	2	–	–	1	–		4	–	West Hartlepool.
Sunderland	149,263	18·2	19·2	16·8	18·2	93	52	7	16	–	–	1	–	1	1	–	5	1	1	9	1	Sunderland.
South Shields	111,502	26·7	29·9	28·1	21·5	79	46	11	12	–	–	–	–	–	–	–	7	1	1	4	1	South Shields.
Gateshead	123,392	13·9	22·8	22·0	23·2	83	55	14	10	–	–	–	1	–	2	–	3	2	2	11	–	Gateshead.
Newcastle on Tyne.	275,099	16·7	17·1	21·0	20·7	164	109	24	31	–	–	2	–	1	–	–	3	4	10	25	–	Newcastle on Tyne.
Tynemouth	58,007	25·2	16·2	18·0	13·5	33	15	3	4	–	–	–	–	–	–	–	–	–	–	2	–	Tynemouth.
Carlisle	55,198	8·5	15·1	15·1	5·7	22	6	1	2	–	–	–	–	–	–	–	–	–	–	–	1	Carlisle.
Newport (Mon.)	87,251	18·5	17·9	14·3	16·7	57	28	5	4	–	–	6	–	–	–	1	–	1	1	5	–	Newport (Mon.).
Cardiff	204,436	18·4	17·9	17·1	17·1	112	67	15	16	1	–	5	–	1	1	1	1	2	2	10	–	Cardiff.
Rhondda	177,911	12·9	13·2	14·1	14·1	109	48	5	14	–	–	5	1	2	–	–	1	2	3	3	–	Rhondda.
Merthyr Tydfil	71,638	13·8	18·2	24·0	13·8	48	19	4	4	–	–	–	1	1	–	–	–	1	2	2	–	Merthyr Tydfil.
Aberdare	51,384	14·2	13·2	17·3	10·1	37	10	2	1	–	–	–	–	–	–	–	–	–	–	2	–	Aberdare.
Swansea	160,810	17·5	12·6	12·3	15·9	83	49	12	16	–	–	1	–	–	1	–	1	2	4	10	–	Swansea.
Greater London	7,258,623	15·7	16·4	17·5	15·0	3270	2093	303	610	1	–	60	2	47	43	17	213	46	101	815	2	Greater London.
Outer Ring	2,900,314	13·5	14·3	14·9	13·1	1192	727	95	241	1	–	12	–	13	15	5	89	13	29	193	1	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	14·2	15·0	16·8	14·2	721	453	60	140	–	–	6	–	7	6	3	69	7	17	128	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	12·5	13·4	12·3	11·6	471	274	35	101	1	–	6	–	6	9	2	20	6	12	65	1	Remainder of Outer Ring.
Edinburgh†	342,300	17·4	13·3	14·2	17·9	166	117	30	34	–	–	1	1	1	1	1	3	4	?	?	?	Edinburgh.†
Glasgow†	1,115,500	14·9	19·1	19·4	17·6	590	376	64	72	1	2	22	3	3	3	2	15	22	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	20·0	24·5	23·9	23·2	181	185	52	45	–	–	3	1	10	1	2	3	4	2	77	4	Dublin (Registration Area).†
Belfast†	413,000	28·4	37·0	35·9	31·3	297	248	64	41	–	–	2	2	5	–	4	33	–	3	63	5	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTEENTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2312	2299	2356	2277	2240	1932	2173	1721	1240	1355	2078
Males	1164	1163	1195	1206	1134	984	1135	858	647	718	1047
Females	1148	1136	1161	1071	1106	948	1038	863	593	637	1031
Deaths (of residents only).	1297	1487	1171	1508	1344	1848	1465*	1471*	1357*	1359*	1366*
Males		730	591	764	713	976	765	774	722	706	696
Females		757	580	744	631	872	700	697	635	653	670

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.
Births (as registered)	3018	2962	2971	2715	2966	2793	2746	2654	2771	2701	2672	2520	2078
Deaths (of residents only).	1216	1218	1163	1297	1332	1423	1384	1425	1456	1436	1484	1609	1366
Ages at Death: Under 1 year	191	215	228	284	290	359	271	284	264	240	244	233	208
1–2 years	29	35	43	57	64	78	77	80	72	66	84	101	73
2–5 "	55	53	44	56	54	55	72	78	82	83	64	59	61
5–10 "	35	27	33	33	48	36	35	38	42	41	44	46	35
10–15 "	17	15	16	12	24	12	20	21	16	17	19	26	26
15–20 "	23	24	27	24	13	26	19	25	23	25	29	34	32
20–25 "	28	26	17	25	23	26	29	22	26	33	37	44	39
25–35 "	50	67	59	62	57	63	66	58	74	89	85	109	107
35–45 "	77	71	68	84	79	74	86	100	99	87	106	131	94
45–55 "	141	119	93	115	128	127	113	123	124	146	145	154	141
55–65 "	187	140	167	172	159	150	175	184	182	182	187	210	181
65–75 "	204	205	180	173	194	223	184	205	217	213	215	237	182
75 years and upwards	179	221	188	200	199	194	237	207	235	214	225	225	187
Deaths from—													
Enteric fever	2	1	1	1	1	–	1	1	3	–	–	–	–
Small-pox	–	–	–	–	–	–	1	–	–	2	–	–	–
Measles	14	21	19	18	26	35	49	52	52	56	70	69	48
Scarlet fever	4	7	3	5	9	3	–	3	9	5	5	3	2
Whooping cough	13	19	18	28	26	37	42	52	34	41	37	35	34
Diphtheria	31	24	28	37	32	29	16	19	28	25	29	27	28
Diarrhœa and enteritis (under 2 years).	18	19	15	15	14	22	16	18	12	13	14	23	12
Pulmonary tuberculosis	86	78	85	86	73	104	97	118	92	94	100	124	97
Influenza	16	19	24	15	20	25	37	38	54	57	91	131	124
Pneumonia (all forms)	108	127	126	176	205	222	189	194	184	197	183	229	175
Bronchitis	124	109	102	139	151	193	147	166	199	161	156	185	142
Other dis. of resp. system	16	13	15	11	20	21	15	14	25	18	24	32	20
Dis. of circ. system	207	198	176	182	180	179	202	189	173	225	184	213	159
Violence	33	49	41	40	46	45	44	49	42	38	42	44	33
Inquest cases	94	116	104	107	110	129	124	117	103	111	96	114	172
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	27	27	28	27	24	16	16	33	37	39	42	37	40
Small-pox	2	1	–	–	–	3	2	4	7	7	8	14	20
Measles	59	53	49	47	59	78	97	96	90	78	90	85	88
Scarlet fever	2809	2758	2614	2550	2487	2459	2415	2316	2255	2182	2158	2101	2023
Whooping cough	22	23	22	21	21	18	17	18	15	15	16	17	19
Diphtheria	1899	1945	1994	2008	2014	2010	2000	2026	2006	2045	2066	2043	1983

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.
Deaths from Influenza	73	62	85	66	98	109	161	178	196	230	312	392	379

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTEENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 13th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1359	1366	208	73	61	35	26	32	39	107	94	141	181	182	187
Enteric fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	48	14	15	15	4	–	–	–	–	–	–	–	–	–
Scarlet fever	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Whooping cough	4	34	14	13	6	1	–	–	–	–	–	–	–	–	–
Diphtheria	20	28	1	–	14	10	3	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	125	124	6	4	1	3	2	7	8	29	20	14	12	10	8
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Other epidemic diseases	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	–	3	–	–	1	–	–	1	–	1	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	119	97	1	2	2	2	3	5	12	19	15	20	6	8	2
Tuberculous meningitis	7	9	3	1	1	2	2	–	–	–	–	–	–	–	–
Abdominal tuberculosis	7	3	–	1	1	–	–	–	–	–	–	1	–	–	–
Tuberculosis of the spine	5	3	–	–	–	–	–	–	–	1	–	1	–	1	–
Tuberculosis of the joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Disseminated tuberculosis	–	3	1	–	–	–	–	–	1	–	–	1	–	–	–
Venereal diseases	6	7	6	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	100	91	–	–	1	–	–	–	–	4	7	19	29	19	12
Tumour, situation undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	3	5	–	–	–	–	2	–	–	1	1	–	1	–	–
Diabetes	5	6	–	–	–	–	–	–	–	–	–	1	2	3	–
Anæmia, leucocythaemia	10	7	–	–	–	–	–	1	–	2	–	1	2	1	–
Other general diseases	13	8	–	–	–	–	–	–	–	1	–	3	1	–	3
Alcoholism	1	3	–	–	–	–	–	–	–	1	2	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	6	5	3	–	–	–	1	–	1	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	50	49	–	–	–	–	–	–	–	–	–	7	15	13	14
Softening of brain	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Paralysis, without specified cause	8	7	–	–	–	–	–	–	–	–	–	1	4	–	2
Epilepsy	7	5	–	–	1	–	–	1	–	1	–	1	–	–	1
"Convulsions" (not puerperal)	5	10	8	2	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	28	20	–	1	1	1	–	2	–	2	1	4	7	1	–
Pericarditis	1	2	–	–	–	–	–	1	–	–	–	–	–	1	–
Acute endocarditis	3	9	1	–	–	1	–	–	2	2	1	–	2	–	–
Organic disease of heart	162	108	1	–	–	1	3	2	2	6	7	9	23	33	21
Embolism and thrombosis (including cerebral).	9	5	–	–	–	–	–	–	–	–	–	–	1	3	1
Other diseases of circulatory system.	42	35	–	–	–	–	–	–	1	–	2	2	7	6	17
Diseases of the larynx	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	172	142	15	1	2	–	–	–	1	3	6	12	25	30	47
Broncho-pneumonia	57	92	33	20	10	4	2	–	–	2	1	3	2	11	4
Lobar pneumonia	27	40	1	–	–	1	–	6	2	6	10	6	3	4	1
Pneumonia (type not distinguished)	34	43	1	7	2	–	–	2	1	8	7	4	5	6	–
Pleurisy	–	7	–	1	–	–	–	–	1	–	–	3	1	1	–
Pulmonary congestion, Pulmonary apoplexy.	4	3	–	–	–	–	–	–	–	–	–	–	1	2	–
Other diseases of respiratory system.	8	10	–	–	–	1	–	–	–	1	1	3	3	1	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTEENTH Week of the Year 1920.

Causes of Death.	Deaths in the 13th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	3	3	–	–	1	–	1	–	–	–	1	–	–	–	–
Diseases of stomach	10	11	2	–	–	–	–	–	1	1	1	3	1	–	2
Diarrhœa and enteritis	14	16	10	2	–	1	–	1	–	–	–	1	1	–	–
Appendicitis and typhlitis	5	10	–	–	–	–	2	2	1	1	2	1	1	–	–
Hernia and Intestinal obstruction.	11	11	–	–	–	–	–	–	–	1	–	1	4	5	–
Cirrhosis of liver	3	4	–	–	–	–	–	–	–	–	2	1	1	–	–
Other diseases of liver	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Peritonitis (cause unknown)	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Other diseases of digestive system	2	3	–	–	–	–	–	–	–	1	–	–	–	–	2
Acute nephritis	1	3	1	1	–	–	–	–	–	–	–	–	1	–	–
Chronic Bright's disease	28	37	–	–	–	–	–	–	–	2	2	6	11	10	6
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Ovarian tumour („)	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of genito-urinary system.	14	14	–	–	–	–	–	–	–	1	1	4	2	2	4
Puerperal fever, &c.	3	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Other causes incident to childbirth.	4	3	–	–	–	–	–	–	–	2	1	–	–	–	–
Diseases of skin and cellular tissues.	7	3	2	–	–	–	–	–	–	–	–	–	–	–	1
Diseases of locomotor system	8	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Congenital malformations	8	8	8	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	33	44	44	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	12	18	18	–	–	–	–	–	–	–	–	–	–	–	–
Old age	62	40	–	–	–	–	–	–	–	–	–	–	–	7	33
ACCIDENT.															
Poisons or poisonous vapours	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	5	2	–	–	–	–	–	–	–	–	1	–	–	–	1
Drowning	1	3	–	–	–	–	–	–	1	1	–	1	–	–	–
Suffocation in bed	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	27	14	–	1	1	2	2	1	2	1	–	–	2	–	2
Total deaths from accident	36	21	2	1	1	2	2	1	3	2	1	1	2	–	3
Included in above are deaths in connection with:—															
Railways	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	7	–	–	–	2	2	1	–	1	–	–	1	–	–
Ships, boats, docks	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Building operations	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Suicide	7	10	–	–	–	–	–	–	1	1	1	5	1	–	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	10	18	12	1	–	–	1	–	1	1	–	1	1	–	–
Ill-defined Causes	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Apr. 3	‖2,078	‖1,366	16·3	–	–	48	2	34	28	12	124
CALCUTTA	896,067	Feb. 28	–	1,008§	58·5	?	214	?	?	?	?	?	79
BOMBAY	979,445	„ 28	367	1,062§	56·4	12	8	3	–	–	–	48	70
MADRAS	518,660	„ 21	323	405	40·6	1	2	–	?	3	–	38	3
PARIS	2,847,229	(9 days) Feb. 29	1,442	‖1,381	·?	6	–	8	4	17	8	30	37
BRUSSELS	792,919	„ 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	309,156	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
AMSTERDAM	649,341	Mar. 20	297	241	19·4	1	–	2	–	2	–	–	33
COPENHAGEN	552,000	„ 20	282	181	17·1	–	–	–	1	1	1	2	16
STOCKHOLM	408,456	„ 13	148	124	15·8	–	–	2	–	1	–	–	14
GOTHENBURG	200,553	Feb. 28	–	45	11·6	1	–	2	–	–	1	–	1
CHRISTIANIA	258,615	Mar. 20	122	52	10·5	–	–	1	–	–	–	–	2‖
BERLIN	1,924,185	Mar. 6	–	–	–	–	–	–	–	–	–	–	–
BRESLAU	493,393	„ 6	–	–	–	–	–	–	–	–	–	–	–
COLOGNE	631,005	„ 6	–	–	–	–	–	–	–	–	–	–	–
DRESDEN	534,880	„ 6	–	–	–	–	–	–	–	–	–	–	–
FRANKFORT-ON-MAIN.	470,124	„ 6	–	–	–	–	–	–	–	–	–	–	–
HAMBURG	1,050,300	„ 6	–	–	–	–	–	–	–	–	–	–	–
LEIPZIG	676,289	„ 6	–	–	–	–	–	–	–	–	–	–	–
MUNICH	670,000	„ 6	–	–	–	–	–	–	–	–	–	–	–
VIENNA	1,838,708	„ 6	417	1,054	29·8	1	–	12	6	4	4	13	168
PRAGUE	524,496	Feb. 21	150	296	29·4	–	–	6	–	1	–	6	47
BUDAPEST	1,071,492	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
TRIESTE	229,810	Mar. 20	130	67	15·2	–	–	–	1	–	–	–	1
CAIRO	761,300	Jan. 28	560	419	28·6	2	1	2	–	?	1	20	–
ALEXANDRIA	445,700	„ 28	337	332	38·7	–	11	–	–	?	1	13	–
NEW YORK	6,141,445	Jan. 24	2,563	1,949	16·6	–	–	34	2	9	26	36	116
		„ 31	2,492	2,803	23·8	3	–	16	2	19	41	18	557
		Feb. 7	2,615	3,502	29·8	–	–	40	4	25	37	37	965
		„ 14	2,807	3,513	29·8	1	–	57	5	25	43	40	731
CHICAGO	2,596,681	Feb. 28	–	733	14·7	–	–	–	4	3	9	39	66

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
‖ Including 12 deaths from *plague* in Bombay, and from *Asiatic cholera* 45 deaths in Calcutta.
§ Influenzal Pneumonia deaths.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 3rd April, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	65	34	58·9	43·3	13
BRIGHTON	61	35	54·0	44·6	10
PORTSMOUTH	61	41	54·9	44·7	14
HARWICH (Eaton)	65	35	58·3	43·7	4
PLYMOUTH	61	36	52·9	44·7	43
BRISTOL (Clifton)	65	39	52·1	44·4	30
BIRMINGHAM	62	39	52·3	43·9	19
NOTTINGHAM	60	40	54·1	43·0	21
BIRKENHEAD (Bidston)	60	38	50·9	42·4	34
MANCHESTER (Oldham Road)§	64	39	54·9	45·3	24
BURNLEY	60	36	51·4	41·7	23
HUDDERSFIELD	57	36	51·7	42·0	31
BRADFORD	56	36	51·1	41·4	23
SHEFFIELD	59	38	50·1	43·1	30
YORK (Museum)	59	38	53·9	42·4	19
HULL (Pearson Park)	60	38	54·1	42·1	20
TYNEMOUTH	55	37	45·9	39·7	26
CARDIFF	64	39	52·0	43·4	28
EDINBURGH	50·0	38·0	45·0	39·6	36
GLASGOW	49·0	40·2	46·9	41·6	18
DUBLIN:— Phœnix Park	53·6	37·0	49·2	39·6	14
†Fitzwilliam Square	53·1	41·0	49·7	42·2	11
BELFAST	55·5	34·5	49·5	40·8	26

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.
§ Observations taken at Whitworth Park not available this week.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 3rd April 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 28	..	29·337	64·6	49·1	15·5	55·9	+12·2	45·6	10·3	17·5	4·8	68	120·7	42·5	44·9	S. & SSW.	SSW., S. & SSE.	6·8	0·0	0·7	441	+115	0·00
MONDAY - - 29	..	29·319	61·5	50·0	11·5	54·7	+10·6	49·4	5·3	12·0	2·0	82	82·4	43·0	45·1	S. & SE.	E., SE. & ENE.	1·2	0·0	0·1	179	−142	0·17
TUESDAY - - 30	..	29·425	64·5	46·9	17·6	55·2	+10·7	48·5	6·7	10·5	1·6	78	104·5	43·7	45·5	E. & ENE.	NE. & S.	1·0	0·0	0·1	205	−107	0·02
WEDNESDAY - 31	..	29·392	64·0	39·9	24·1	51·7	+ 6·8	40·5	11·2	20·1	1·1	66	129·7	31·0	45·7	Calm & S.	S. & calm	1·5	0·0	0·1	215	− 90	0·00
APRIL. THURSDAY - - 1	In Equator.	29·220	50·7	38·8	11·9	42·9	− 2·4	41·8	1·1	5·5	0·5	96	72·9	31·1	45·8	NE., calm & SSW.	N., calm & S.	0·6	0·0	0·0	92	−209	0·34
FRIDAY - - 2	..	29·421	50·8	34·3	16·5	42·5	− 3·2	38·5	4·0	9·8	0·5	86	71·0	32·0	45·9	Calm & W.	WNW. & WSW.	0·5	0·0	0·0	161	−142	0·00
SATURDAY - - 3	Full	29·508	53·9	40·1	13·8	45·3	− 0·7	40·8	4·5	11·1	1·4	84	110·5	35·3	46·0	SW. & WSW.	SW., NNW. & NNE.	0·5	0·0	0·0	136	−171	0·00
MEANS - - -	- - -	29·375	58·6	42·7	15·8	49·7	+ 4·9	43·6	6·2	12·4	1·7	80	98·8	36·9	45·6	Variable		..	..	..	Sum 1429	Sum −746	Sum 0·53
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. March, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	28	v.P. throughout	6·9	12·6	Overcast till 7h. 30m.; partially cloudy till 15h., increasingly cloudy to overcast by 21h.; slight rain with thunder and lightning at 6h.; brisk wind generally till 15h.; lunar halos (22° and 46°) between 20h. and 22h.
MONDAY -	29	v.P. generally, with a little v.N. till 14h., then m.P. and s.P.	0·0	12·7	Overcast generally; cloudy between 18h. and 20h.; rain between 5h. and 10h.; solar halo at 15h.
TUESDAY -	30	v.P. generally, a little v.N. in early morning.	0·8	12·8	Overcast with few exceptions; occasional slight rain till 10h.; bright solar halo at 15h.
WEDNESDAY -	31	v.P. throughout	11·0	12·8	Very fine with little cloud generally and cloudless intervals till 21h., becoming overcast by 22h.
APRIL. THURSDAY -	1	v.P. till noon, v.P. and v.N. afterwards.	0·0	12·9	Overcast with very slight exceptions; rain generally from 6h. 30m. to 21h. 30m.
FRIDAY - -	2	v.P. throughout	0·6	13·0	Overcast generally, cloudy interval about 18h., with solar halo; foggy from 4h. to 21h.
SATURDAY -	3	w.P. till 8h., s.P. generally afterwards.	0·8	13·0	Overcast with slight exceptions, slight fog till 6h.; occasional slight rain 14h. to 21h.
			Sum 20·1	Sum 89·8	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·42 in. at the beginning of the week to 29·29 in. by 4h. on March 29th; increased to 29·50 in. by 23h. on March 30th decreased to 29·21 in. by 16h. on April 1st; and increased generally to 29·50 by midnight on April 3rd.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 27th March, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,609	–	–	69	3	35	27	23	124	233
Western										
PADDINGTON	49	–	–	–	–	1	–	2	2	3
KENSINGTON	53	–	–	1	–	–	1	1	4	8
HAMMERSMITH	48	–	–	2	–	1	1	–	4	4
FULHAM	54	–	–	3	–	2	–	1	4	13
CHELSEA	18	–	–	–	–	–	–	–	–	2
CITY OF WESTMINSTER	42	–	–	1	–	–	–	–	7	–
Northern.										
ST. MARYLEBONE	27	–	–	–	–	1	–	1	3	3
HAMPSTEAD	23	–	–	–	–	–	–	–	1	1
ST. PANCRAS	80	–	–	6	–	3	–	3	10	15
ISLINGTON	115	–	–	9	–	4	2	–	8	12
STOKE NEWINGTON	21	–	–	2	–	–	1	–	–	1
HACKNEY	90	–	–	10	–	3	4	–	4	13
Central.										
HOLBORN	19	–	–	–	–	–	–	–	–	3
FINSBURY	29	–	–	–	–	1	1	–	5	3
CITY OF LONDON	8	–	–	–	–	–	–	–	2	–
Eastern.										
SHOREDITCH	43	–	–	1	–	–	–	2	5	9
BETHNAL GREEN	72	–	–	3	1	4	1	1	2	12
STEPNEY	123	–	–	4	1	3	–	–	14	14
POPLAR	85	–	–	4	–	5	1	1	3	16
Southern.										
SOUTHWARK	77	–	–	5	–	1	1	1	6	10
BERMONDSEY	51	–	–	4	–	1	–	1	2	9
LAMBETH	118	–	–	1	–	–	3	5	8	21
BATTERSEA	52	–	–	1	–	2	2	1	6	11
WANDSWORTH	83	–	–	3	1	–	2	2	9	13
CAMBERWELL	73	–	–	5	–	–	1	1	3	12
DEPTFORD	37	–	–	–	–	–	1	–	3	9
GREENWICH	39	–	–	2	–	3	1	–	3	9
LEWISHAM	44	–	–	1	–	–	1	–	2	1
WOOLWICH	36	–	–	1	–	–	3	–	4	6

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 27th March, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
ldington	143,938	1	–	–	–	10	18	–	1	–	1	1	–	–	–	–
nsington	157,886	1	–	–	–	10	13	–	2	–	1	–	–	–	–	–
mmersmith	130,981	–	–	–	–	5	9	–	–	–	–	1	1	–	–	–
lham	152,543	1	–	–	–	9	13	–	2	–	–	1	–	–	–	–
lsea	60,573	–	–	1	–	4	1	–	–	–	–	–	–	–	–	–
y of Westminster	127,533	1	–	–	–	4	1	–	–	–	–	–	–	–	–	–
NORTHERN.																
Marylebone	97,953	–	–	–	–	6	2	–	1	1	–	2	–	–	–	–
mpstead	88,012	–	–	–	–	5	3	–	–	–	–	1	–	–	–	–
Pancras	219,434	–	–	–	–	12	12	–	3	–	2	1	–	–	–	–
ngton	323,034	–	–	–	–	21	18	–	2	–	1	–	–	–	–	–
ke Newington	50,954	–	–	–	–	3	8	–	1	–	–	–	–	–	–	–
kney	216,736	–	–	–	–	7	12	–	2	1	1	–	–	–	–	–
CENTRAL.																
born	38,156	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
sbury	75,291	–	–	–	–	5	4	–	3	–	–	–	–	–	–	–
of London	13,893	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
EASTERN.																
reditch	98,134	–	–	–	–	8	9	–	–	–	2	–	–	–	–	1
hnal Green	110,085	–	–	–	–	13	17	–	–	–	–	–	–	–	–	–
pney	232,506	–	–	–	–	15	15	–	1	–	–	–	–	–	1	–
lar	153,644	–	–	–	3	18	9	–	1	–	1	–	–	–	–	–
SOUTHERN.																
thwark	179,971	1	–	–	–	9	16	–	1	–	1	3	–	–	–	–
mondsey	124,239	–	–	–	–	9	1	–	–	–	–	–	–	–	–	–
beth	282,322	2	–	–	–	18	11	–	6	–	–	–	–	–	–	–
tersea	159,316	–	–	–	–	6	7	–	2	–	–	3	–	–	–	–
ndsworth	333,693	1	–	–	–	33	25	–	8	–	2	1	–	–	–	–
berwell	273,802	1	–	1	–	19	26	–	3	–	2	2	–	–	–	–
tford	111,205	2	–	–	–	12	4	–	2	–	–	3	–	–	–	–
nwich	98,484	–	–	–	–	5	9	–	1	–	–	–	–	–	–	–
isham	167,754	1	–	–	–	9	12	–	3	1	–	–	–	–	–	–
lwich	136,237	–	–	–	–	5	17	–	1	–	–	1	–	–	–	–
of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,358,309	12	–	2	3	281	294	–	47	3	14	20	1	–	1	1
Ages 0–1		–	–	–	–	1	5	–	1	–	–	20	–	–	–	–
„ 1–5		–	–	–	1	61	73	–	1	2	–	–	–	–	–	–
„ 5–		3	–	–	–	124	124	–	–	–	–	–	–	–	–	–
10–		2	–	–	–	60	51	–	3	1	–	–	1	–	–	1
„ 15–		2	–	1	–	14	13	–	1	–	–	–	–	–	–	–
„ 20–		2	–	–	–	6	15	–	2	–	1	–	–	–	–	–
„ 25–		1	–	1	1	12	10	–	7	–	9	–	–	–	–	–
„ 35–		1	–	–	–	3	2	–	5	–	4	–	–	–	–	–
„ 45–		–	–	–	1	–	1	–	12	–	–	–	–	–	–	–
„ 55–		1	–	–	–	–	–	–	6	–	–	–	–	–	1	–
„ 65–		–	–	–	–	–	–	–	8	–	–	–		–	–	–
„ 75 and upwards		–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 14. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, APRIL 10.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
April 13th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,240, and corresponded to an annual rate of 26·0 per 1,000. The deaths* among the civilian population only numbered 5,662, and corresponded to an annual rate of 16·6 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended March 20th, March 27th, and April 3rd the rates had been 17·9, 18·7, and 16·7 respectively. The infant mortality was 110, against 111, 123, and 128, in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10583—2 Wt 167–840 625 4/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 22·3 in Wakefield, 22·7 in Oldham, 23·2 in Stockton-on-Tees, 23·6 in Walsall and in Halifax, 26·1 in Dudley and 32·8 in Wigan; from *measles*, 3·0 in Wigan, 3·4 in Lincoln, and 3·6 in Newport (Mon.); from *whooping cough*, 1·2 in Southampton and 2·4 in Darlington; and from *diphtheria*, 2·0 in Bootle and in Aberdare. No deaths from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,471 births, corresponding to a rate of 28·4 per 1,000, and 1,471 deaths of civilians, corresponding to a rate of 17·6, as against 17·8, 19·3, and 16·3 per 1,000 in the three weeks ended March 20th, March 27th, and April 3rd. The death-rate in the four weeks ended last Saturday averaged 17·8 per 1,000. The infant mortality was 79 against 91, 92, and 100 in the preceding three weeks.

The deaths from *enteric fever*, which had been 0, 0, and 0 in the preceding three weeks, numbered 4, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 70, 69, and 48 in the preceding three weeks, rose again to 62 last week, but were 4 below the average; 7 deaths belonged to the Borough of St. Pancras, 7 to Hackney, 7 to Camberwell, and 5 to Bethnal Green. The deaths from *scarlet fever*, which had been 5, 3, and 2 in the preceding three weeks, rose to 6 last week, and were 3 above the average. The deaths from *whooping-cough*, which had been 37, 35, and 34 in the preceding three weeks, fell to 31 last week, and were 6 below the average; 5 deaths belonged to Islington, 5 to Stepney, and 4 to Bermondsey. The deaths from *diphtheria*, which had been 29, 27, and 28 in the preceding three weeks, fell to 22 last week, but were 9 above the average; 4 deaths belonged to Wandsworth, and 3 each to Islington and Camberwell. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 14, 23, and 12 in the preceding three weeks, rose to 18 last week, and were 5 above the average; 3 deaths belonged to Wandsworth. The deaths from *influenza* numbered 105, as against 91, 131, and 124, in the preceding three weeks, and an average of 40.

Different forms of violence caused 49 deaths, of which 48 were the subject of coroners' inquests. Of these 49 deaths, 15 were cases of suicide, while the remaining 34 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, 4 to burns or scalds, 4 to drowning, and 2 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 37 cases of enteric fever, 26 of small-pox, 85 of measles, 2,011 of scarlet fever, 19 of whooping-cough, and 1,995 of diphtheria under treatment in these

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 4 cases, against 6, 9, and 9; of small-pox, 9 cases, against 4, 6, and 7; of measles, 16 cases, against 28, 15, and 28; of scarlet fever, 240 cases, against 270, 258, and 222; of whooping-cough, 1 case, against 1, 1, and 5; and of diphtheria, 220 cases, against 284, 259, and 227. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended April 3rd, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 10th April, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 20th Mar., 1920.	27th Mar., 1920.	3rd Apr., 1920.	10th Apr., 1920.	Week ended 10th Apr., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	**17,807,258**	**17·9**	**18·7**	**16·7**	**16·6**	**9240**	**5662**	**1017**	**1577**	**6**	**–**	**182**	**21**	**101**	**66**	**64**	**332**	**183**	**391**	**1690**	**30**	**96 GREAT TOWNS.**
LONDON†	4,358,309	17·8	19·3	16·3	17·6	2471	1471	196	434	4	–	62	6	31	22	18	105	49	114	667	1	LONDON.†
‡ CROYDON	184,239	14·7	15·3	14·4	10·5	90	37	4	15	–	–	1	–	–	–	–	2	1	6	5	–	CROYDON.
WIMBLEDON	59,791	16·6	12·2	7·8	7·8	20	9	1	5	–	–	–	–	–	–	–	–	–	1	1	–	WIMBLEDON.
EALING	73,212	16·4	17·1	15·0	10·0	27	14	2	5	–	–	–	–	1	–	–	3	–	–	4	–	EALING.
ACTON	61,732	9·3	15·2	13·5	10·1	31	12	–	5	–	–	–	–	–	1	–	1	–	–	8	–	ACTON.
WILLESDEN	160,917	13·6	13·3	11·7	11·3	80	35	5	6	–	–	–	–	–	–	–	4	3	3	17	–	WILLESDEN.
HORNSEY	94,348	10·5	11·1	13·3	9·4	35	17	1	9	–	–	–	–	1	–	–	1	–	1	3	–	HORNSEY.
TOTTENHAM	141,338	11·8	15·5	11·8	15·1	77	41	3	14	–	–	–	–	–	–	–	3	1	4	16	–	TOTTENHAM.
EDMONTON	70,711	12·5	17·7	19·2	18·4	34	25	5	5	–	–	–	1	–	2	–	1	1	3	8	–	EDMONTON.
ENFIELD	58,442	10·7	15·2	16·1	9·8	35	11	1	3	–	–	–	–	–	–	–	3	–	–	2	–	ENFIELD.
WEST HAM	287,966	21·7	25·7	16·1	16·5	203	91	22	19	–	–	1	–	3	1	2	13	2	5	25	–	WEST HAM.
EAST HAM	144,451	15·9	17·0	14·4	14·1	58	39	5	13	–	–	–	–	–	–	1	4	–	2	13	–	EAST HAM.
LEYTON	123,896	13·0	15·6	14·7	16·4	55	39	4	10	–	–	1	–	1	2	1	7	1	2	12	–	LEYTON.
WALTHAMSTOW	127,684	11·8	13·5	15·9	13·5	58	33	4	11	–	–	–	–	–	2	–	6	2	4	16	–	WALTHAMSTOW.
ILFORD	79,524	19·7	16·4	11·1	8·5	36	13	1	7	–	–	–	1	1	–	–	1	–	–	3	–	ILFORD.
GILLINGHAM	43,501	13·2	12·0	13·2	10·8	40	9	1	3	–	–	–	–	–	–	–	–	–	–	–	–	GILLINGHAM.
HASTINGS	57,674	19·9	20·8	17·2	21·7	22	24	1	13	–	–	1	–	–	–	–	2	–	3	5	–	HASTINGS.
EASTBOURNE	48,424	12·9	10·8	21·5	14·0	23	13	–	8	–	–	–	–	1	–	–	2	–	1	2	–	EASTBOURNE.
BRIGHTON	132,409	16·1	18·1	15·4	20·5	57	52	7	25	–	–	4	–	–	–	–	–	3	4	13	–	BRIGHTON.
PORTSMOUTH	224,846	18·3	18·1	14·4	17·6	133	76	6	24	–	–	2	–	–	1	–	6	–	7	16	1	PORTSMOUTH.
BOURNEMOUTH	82,627	13·9	12·0	9·5	15·8	26	25	2	12	–	–	–	–	–	–	–	2	2	3	3	–	BOURNEMOUTH
SOUTHAMPTON	126,033	16·5	17·8	15·3	17·4	59	42	6	14	–	–	1	–	3	1	–	–	–	2	20	–	SOUTHAMPTON.
READING	91,365	12·6	15·4	13·1	10·8	49	19	5	8	–	–	–	–	–	–	1	1	–	–	3	–	READING.
OXFORD	57,666	9·0	11·8	6·3	11·8	26	13	4	4	–	–	–	–	–	1	–	–	2	2	3	–	OXFORD.
NORTHAMPTON	88,944	15·2	15·2	17·6	19·3	51	33	4	13	–	–	–	–	1	–	–	3	1	1	9	1	NORTHAMPTON.
CAMBRIDGE	57,849	11·7	10·8	10·8	6·3	19	7	3	1	–	–	–	–	–	–	–	1	–	–	–	–	CAMBRIDGE.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 20th Mar., 1920.	27th Mar., 1920.	3rd Apr., 1920.	10th Apr., 1920.	Week ended 10th Apr. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	3.	2.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	20·5	16·1	12·4	16·1	41	26	2	11	–	–	–	–	–	–	–	3	1	–	4	3	Southend on Sea.
Ipswich	78,011	21·4	20·1	12·0	14·7	48	22	6	6	–	–	2	–	–	–	–	1	1	3	7	–	Ipswich.
Great Yarmouth	53,078	16·7	12·8	16·7	15·7	32	16	3	4	–	–	–	–	–	–	–	1	2	3	3	–	Great Yarmouth.
Norwich	119,993	19·6	17·4	16·9	18·3	59	42	4	24	–	–	1	–	2	–	1	1	–	2	13	–	Norwich.
Swindon	51,527	17·2	20·2	10·1	14·2	30	14	1	5	–	–	–	–	–	–	–	–	–	–	2	–	Swindon.
Exeter	59,014	13·3	11·5	14·1	14·1	31	16	–	6	–	–	–	–	–	1	–	1	1	2	6	–	Exeter.
Plymouth	181,967	22·1	18·6	19·2	17·8	104	62	12	24	–	–	2	–	1	–	2	10	2	4	6	–	Plymouth.
Bath	65,919	16·6	14·2	12·7	14·2	19	18	1	11	–	–	–	–	–	–	–	–	1	2	3	–	Bath.
Bristol	361,247	19·6	15·2	13·4	13·1	165	91	18	22	–	–	8	–	–	–	3	3	3	4	24	–	Bristol.
Gloucester	50,100	26·0	23·9	15·6	12·5	32	12	1	5	–	–	–	–	1	–	–	–	–	–	3	–	Gloucester.
Stoke on Trent	239,316	13·9	18·7	18·5	17·6	152	81	16	18	–	–	3	–	1	–	1	3	2	7	6	1	Stoke on Trent.
Wolverhampton	98,403	19·1	15·9	23·8	14·3	55	27	4	10	–	–	2	–	–	–	3	1	3	3	4	–	Wolverhampton.
Walsall	92,724	15·7	23·6	18·0	23·6	53	42	15	12	–	–	–	–	2	–	1	4	1	1	11	–	Walsall.
West Bromwich	69,899	16·4	11·9	16·4	18·6	39	25	7	5	–	–	–	–	–	–	–	4	–	–	4	1	West Bromwich.
Dudley	54,017	49·2	35·7	43·4	26·1	32	27	11	4	–	–	–	–	–	–	1	3	–	–	2	1	Dudley.
Birmingham	861,585	18·8	20·7	17·2	18·2	387	301	66	68	–	–	2	1	9	4	2	30	9	11	81	6	Birmingham.
Smethwick	72,152	10·1	15·2	16·6	7·9	33	11	2	2	–	–	–	–	–	–	–	–	–	–	3	–	Smethwick.
Coventry	132,048	12·6	10·7	11·8	11·5	66	29	7	6	–	–	–	–	–	1	–	3	2	3	4	1	Coventry.
Leicester	236,059	15·7	15·2	16·1	11·0	107	50	7	14	–	–	–	–	–	1	–	–	2	2	16	1	Leicester.
Lincoln	60,581	13·8	18·9	13·8	19·8	29	23	5	7	–	–	4	–	1	–	1	–	1	2	1	–	Lincoln.
Grimsby	78,813	20·5	17·9	15·9	11·2	46	17	4	6	–	–	–	–	–	–	2	2	–	–	2	1	Grimsby.
Nottingham	257,573	19·8	16·8	16·6	14·0	138	69	27	15	–	–	5	–	1	–	1	–	–	3	14	–	Nottingham.
Derby	123,930	13·5	15·6	13·5	14·7	71	35	9	9	–	–	–	–	–	2	1	1	–	2	6	–	Derby.

* *See* note † on first page of this return.

Table 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 10th April, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 20th Mar., 1920.	27th Mar., 1920.	3rd Apr., 1920.	10th Apr., 1920.	Week ended 10th Apr., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Stockport	125,629	21·2	15·4	21·6	15·8	69	38	6	11	–	–	4	–	1	–	–	2	1	3	10	–	Stockport.
Birkenhead	148,052	17·6	16·2	16·6	14·8	66	42	9	10	–	–	1	–	2	1	–	1	3	5	9	–	Birkenhead.
Wallasey	95,424	9·8	13·7	13·7	11·5	28	21	3	6	–	–	–	–	–	–	1	4	1	2	4	–	Wallasey.
Liverpool	772,665	24·8	23·8	23·8	20·0	451	297	64	57	–	–	22		9	8	3	4	10	24	122	2	Liverpool.
Bootle	76,962	18·3	23·0	19·6	21·7	35	32	7	4	–	–	–	–	–	3	1	1	1	1	7	–	Bootle.
St. Helens	100,805	15·5	24·3	18·6	21·7	46	42	16	6	–	–	3	–	–	–	1	5	2	2	12	–	St. Helens.
Southport	70,144	12·6	17·1	12·6	10·4	14	14	2	7	–	–	–	–	–	–	–	–	1	1	1	1	Southport.
Wigan	87,384	26·9	32·2	29·8	32·8	42	55	13	13	–	–	5	–	–	–	–	2	3	6	4	–	Wigan.
Warrington	74,952	9·0	12·5	13·9	13·2	38	19	5	7	–	–	–	–	1	–	–	–	–	–	3	2	Warrington.
Bolton	177,462	17·3	21·4	17·6	16·5	93	56	9	13	–	–	1	–	–	1	–	3	2	4	11	–	Bolton.
Bury	54,248	14·4	22·1	13·5	13·5	20	14	4	4	–	–	–	–	–	–	–	–	–	1	1	–	Bury.
Manchester	741,068	17·6	19·7	17·4	17·0	346	242	35	59	–	–	18	1	3	1	–	13	8	14	79	–	Manchester.
Salford	226,225	16·1	18·9	15·2	14·3	90	62	13	14	–	–	1	–	1	–	–	–	4	9	22	–	Salford.
Oldham	137,668	25·0	17·8	18·2	22·7	67	60	13	14	–	–	–	–	1	1	1	3	5	7	14	–	Oldham.
Rochdale	90,051	19·7	21·4	21·4	19·1	29	33	3	9	1	–	–	–	1	–	–	4	–	1	7	–	Rochdale.
Burnley	101,005	17·6	24·3	17·0	17·0	60	33	6	9	–	–	–	–	–	–	–	1	–	–	8	–	Burnley.
Blackburn	125,992	17·8	22·3	27·7	18·2	59	44	10	15	–	–	–	–	–	–	1	7	–	1	8	–	Blackburn.
Preston	117,277	24·9	20·9	14·2	19·6	65	44	13	11	–	–	–	–	–	1	–	3	1	1	7	–	Preston.
Blackpool	67,842	15·4	22·3	21·5	12·3	27	16	3	4	–	–	–	–	–	–	–	1	1	1	1	–	Blackpool.
Barrow in Furness	73,627	17·7	22·0	12·7	12·7	40	18	3	5	–	–	–	–	–	–	–	–	–	–	3	–	Barrow in Furness.
Huddersfield	112,301	17·6	17·6	15·3	14·4	32	31	1	9	–	–	–	1	–	–	–	1	–	2	5	–	Huddersfield.
Halifax	101,791	21·0	22·5	25·1	23·6	34	46	4	13	–	–	–	–	–	–	–	5	1	5	7	–	Halifax.
Bradford	282,714	12·5	16·2	14·8	14·8	116	80	12	28	–	–	–	–	1	–	1	1	2	10	23	–	Bradford.
Leeds†	431,999	23·2	21·2	16·8	18·1	176	150	30	44	–	–	1	–	4	2	5	3	5	13	40	–	Leeds †
Dewsbury	52,969	13·8	19·7	20·7	18·7	15	19	4	2	–	–	1	–	–	–	–	1	1	1	3	–	Dewsbury.
Wakefield	49,208	21·2	20·1	17·0	22·3	11	21	4	4	–	–	2	–	–	–	1	–	1	2	6	–	Wakefield.
Barnsley	51,680	27·2	20·2	19·2	14·1	31	14	2	1	–	–	2	–	1	–	–	1	1	3	1	–	Barnsley.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Causes. Week ended 20th Mar., 1920.	27th Mar., 1920.	3rd April, 1920.	10th April, 1920.	Week ended 10th April, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	15·0	15·2	13·9	14·8	228	134	35	31	–	–	1	–	4	–	1	4	7	11	41	–	Sheffield.
Rotherham	69,034	14·4	15·9	12·8	16·6	36	22	6	7	1	–	–	–	1	–	–	1	3	3	5	1	Rotherham.
York	74,531	22·4	19·6	18·9	9·1	54	13	3	2	–	–	–	–	–	–	–	–	1	1	4	–	York.
Hull	279,664	17·9	16·2	14·9	19·0	171	102	18	39	–	–	2	–	–	–	1	1	3	7	35	1	Hull.
Middlesbrough	127,142	25·0	23·4	21·3	17·6	103	43	17	10	–	–	–	–	–	–	2	–	2	3	9	–	Middlesbrough.
Darlington	64,058	21·2	20·4	17·9	18·7	31	23	7	7	–	–	–	–	3	–	–	–	–	–	5	–	Darlington.
Stockton on Tees	60,696	14·6	22·3	24·9	23·2	42	27	11	7	–	–	–	2	1	–	–	–	–	–	4	–	Stockton on Tees.
West Hartlepool	65,515	18·3	19·1	15·1	17·5	42	22	5	5	–	–	–	–	–	–	–	1	1	2	5	–	West Hartlepool.
Sunderland	149,263	19·2	16·8	18·2	21·0	120	60	12	20	–	–	3	1	1	–	–	1	3	4	11	1	Sunderland.
South Shields	111,502	29·9	28·1	21·5	19·6	74	42	11	6	–	–	–	–	–	–	1	2	1	1	5	1	South Shields.
Gateshead	123,392	22·8	22·0	23·2	16·1	74	38	12	7	–	–	–	–	2	–	–	2	–	–	5	1	Gateshead.
Newcastle on Tyne.	275,099	17·1	21·0	20·7	15·5	166	82	15	19	–	–	–	1	–	1	–	7	5	6	15	1	Newcastle on Tyne.
Tynemouth	58,007	16·2	18·0	13·5	21·6	35	24	3	12	–	–	–	–	–	–	–	2	1	2	2	–	Tynemouth.
Carlisle	55,198	15·1	15·1	5·7	18·9	30	20	4	7	–	–	–	–	1	–	–	–	1	1	1	–	Carlisle.
Newport (Mon.)	87,251	17·9	14·3	16·7	16·1	44	27	6	1	–	–	6	–	–	–	–	–	–	2	2	–	Newport (Mon.).
Cardiff	204,436	17·9	17·1	17·1	16·6	98	65	13	9	–	–	3	2	1	1	–	–	–	2	11	–	Cardiff.
Rhondda	177,911	13·2	14·1	14·1	12·9	78	44	8	9	–	–	2	1	–	1	1	1	2	2	4	1	Rhondda.
Merthyr Tydfil	71,638	18·2	24·0	13·8	9·5	35	13	2	4	–	–	–	–	–	–	1	–	–	–	2	–	Merthyr Tydfil.
Aberdare	51,384	13·2	17·3	10·1	21·3	21	21	3	7	–	–	–	–	1	2	–	1	–	–	2	–	Aberdare.
Swansea	160,810	12·6	12·3	15·9	13·3	74	41	11	9	–	–	2	–	–	1	–	1	–	3	5	–	Swansea.
Greater London	7,258,623	16·4	17·5	15·0	15·8	3880	2198	295	671	4	–	70	8	46	33	23	176	72	168	876	2	Greater London.
Outer Ring	2,900,314	14·3	14·9	13·1	13·1	1409	727	99	237	–	–	8	2	15	11	5	71	23	54	209	1	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	15·0	16·8	14·2	13·0	839	416	58	127	–	–	3	2	7	8	4	49	11	31	133	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	13·4	12·3	11·6	13·2	570	311	41	110	–	–	5	–	8	3	1	22	12	23	76	1	Remainder of Outer Ring.
Edinburgh†	342,300	13·3	14·2	17·9	15·7	197	103	22	39	–	–	–	–	–	1	2	6	4	?	?	?	Edinburgh.†
Glasgow†	1,115,500	19·1	19·4	17·6	17·8	725	380	80	86	–	–	17	1	5	5	5	21	11	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	24·5	23·9	23·2	26·8	256	213	52	49	1	–	7	–	13	–	3	5	2	3	73	1	Dublin (Registration Area).†
Belfast†	413,000	37·0	35·9	31·3	26·1	239	207	62	22	–	–	1	2	2	1	1	20	3	4	44	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FOURTEENTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2420	2044	2024	2291	1883	2261	2202	1533	1447	1310	2471
Males	1232	1016	1039	1135	992	1109	1140	773	775	667	1252
Females	1188	1028	985	1156	891	1152	1062	760	672	643	1219
Deaths (of residents only).	1324	1406	1136	1418	1170	1824	1482*	1371*	1336*	1318*	1471*
Males		706	579	752	595	909	752	688	672	655	740
Females		700	557	666	575	915	730	683	664	663	731

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.
Births (as registered)	2962	2971	2715	2966	2793	2746	2654	2771	2701	2672	2520	2078	2471
Deaths (of residents only).	1218	1163	1297	1332	1423	1384	1425	1456	1436	1484	1609	1365	1471
Ages at Death: Under 1 year	215	228	284	290	359	271	284	264	240	244	233	208	196
1–2 years	35	43	57	64	78	77	80	72	66	84	101	73	99
2–5 "	53	44	56	54	55	72	78	82	83	64	59	61	56
5–10 "	27	33	33	48	36	35	38	42	41	44	46	35	39
10–15 "	15	16	12	24	12	20	21	16	17	19	26	26	22
15–20 "	24	27	24	13	26	19	25	23	25	29	34	32	40
20–25 "	26	17	25	23	26	29	22	26	33	37	44	39	42
25–35 "	67	59	62	57	63	66	58	74	89	85	109	107	105
35–45 "	71	68	84	79	74	86	100	99	87	106	131	94	105
45–55 "	119	93	115	128	127	113	123	124	146	145	154	141	158
55–65 "	140	167	172	159	150	175	184	182	182	187	210	180	175
65–75 "	205	180	173	194	223	184	205	217	213	215	237	182	230
75 years and upwards	221	188	200	199	194	237	207	235	214	225	225	187	204
Deaths from—													
Enteric fever	1	1	1	1	–	1	1	3	–	–	–	–	4
Small-pox	–	–	–	–	–	1	–	–	2	–	–	–	–
Measles	21	19	18	26	35	49	52	52	56	70	69	48	62
Scarlet fever	7	3	5	9	3	–	3	9	5	5	3	2	6
Whooping cough	19	18	28	26	37	42	52	34	41	37	35	34	31
Diphtheria	24	28	37	32	29	16	19	28	25	29	27	28	22
Diarrhœa and enteritis (under 2 years).	19	15	15	14	22	16	18	12	13	14	23	12	18
Pulmonary tuberculosis	78	85	86	73	104	97	118	92	94	100	124	97	113
Influenza	19	24	15	20	25	37	38	54	57	91	131	124	105
Pneumonia (all forms)	127	126	176	205	222	189	194	184	197	183	229	175	194
Bronchitis	109	102	139	151	193	147	166	199	161	156	185	142	123
Other dis. of resp. system	13	15	11	20	21	15	14	25	18	24	32	20	26
Dis. of circ. system	198	176	182	180	179	202	189	173	225	184	213	159	191
Violence	49	41	40	46	45	44	49	42	38	42	44	33	49
Inquest cases	116	104	107	110	129	124	117	103	111	96	114	72	114
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	27	28	27	24	16	16	33	37	39	42	37	40	37
Small-pox	1	–	–	–	3	2	4	7	7	8	14	20	26
Measles	53	49	47	59	78	97	96	90	78	90	85	88	85
Scarlet fever	2758	2614	2550	2487	2459	2415	2316	2255	2182	2158	2101	2023	2011
Whooping cough	23	22	21	21	18	17	18	15	15	16	17	19	19
Diphtheria	1945	1994	2008	2014	2010	2000	2026	2006	2045	2066	2043	1983	1995

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.
Deaths from Influenza	62	85	66	98	109	161	178	196	230	312	392	379	332

TABLE 4. LONDON.—DEATHS REGISTERED in the FOURTEENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 14th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1318	1471	196	99	56	39	22	40	42	105	105	158	175	230	204
Enteric fever	1	4	–	–	–	–	–	–	1	–	2	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	62	14	30	15	3	–	–	–	–	–	–	–	–	–
Scarlet fever	4	6	–	–	2	4	–	–	–	–	–	–	–	–	–
Whooping cough	4	31	10	13	7	1	–	–	–	–	–	–	–	–	–
Diphtheria	13	22	–	1	8	9	2	1	1	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	91	105	1	3	2	1	2	9	10	23	14	15	7	11	7
Erysipelas	5	3	1	–	–	–	–	–	–	–	–	1	–	–	1
Other epidemic diseases	1	4	–	–	–	–	–	–	–	–	1	1	–	2	–
Pyæmia and septicæmia	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	121	113	1	–	–	1	2	9	15	27	24	20	6	8	–
Tuberculous meningitis	9	13	4	–	3	–	4	1	–	–	1	–	–	–	–
Abdominal tuberculosis	3	4	1	–	–	–	–	1	1	1	–	–	–	–	–
Tuberculosis of the spine	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	1	6	1	–	1	2	1	–	–	1	–	–	–	–	–
Venereal diseases	7	7	3	–	–	–	–	–	–	–	2	1	–	1	–
Cancer	108	123	–	–	–	1	–	1	1	1	5	25	37	25	27
Tumour, situation undefined	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatic fever	3	6	–	–	–	2	3	–	–	–	1	–	–	–	–
Diabetes	5	9	–	–	–	1	–	–	1	1	–	1	3	2	–
Anæmia, leucocythaemia	8	2	–	–	–	–	–	–	1	–	–	–	–	–	1
Other general diseases	14	11	2	4	–	–	–	–	–	–	–	1	–	1	3
Alcoholism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	10	9	3	–	1	–	1	–	–	–	1	–	3	–	–
Cerebral hæmorrhage, Apoplexy	50	43	–	–	–	–	–	1	–	1	1	8	8	13	11
Softening of brain	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	8	4	–	–	–	–	–	–	–	–	–	–	–	1	3
Epilepsy	9	5	–	–	–	–	–	1	1	2	–	–	1	–	–
"Convulsions" (not puerperal)	7	9	8	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	21	18	–	1	1	1	1	1	1	3	2	3	2	2	–
Pericarditis	1	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Acute endocarditis	5	10	–	–	–	–	–	–	–	2	4	1	3	–	–
Organic disease of heart	176	134	–	–	–	–	–	4	1	5	9	20	25	45	25
Embolism and thrombosis (including cerebral).	9	8	–	–	–	–	–	–	–	1	–	–	2	2	3
Other diseases of circulatory system.	46	37	–	–	–	–	–	–	–	–	1	4	4	10	18
Diseases of the larynx	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	166	123	10	2	1	–	–	–	–	1	7	9	19	46	28
Broncho-pneumonia	51	97	23	32	6	5	–	–	–	1	2	5	7	12	4
Lobar pneumonia	28	46	5	2	2	–	–	2	2	9	6	6	5	4	3
Pneumonia (type not distinguished)	24	51	6	3	–	1	–	2	2	7	3	10	8	5	4
Pleurisy	1	4	1	–	–	–	–	–	–	–	–	1	1	1	–
Pulmonary congestion, Pulmonary apoplexy.	6	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of respiratory system.	14	20	1	–	–	–	1	–	–	3	–	3	9	1	2

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FOURTEENTH Week of the Year 1920.

Causes of Death.	Deaths in the 14th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	8	8	1	–	–	–	–	–	–	1	–	1	2	3	–
Diarrhœa and enteritis	17	25	13	5	1	–	–	–	–	1	2	1	1	–	1
Appendicitis and typhlitis	5	4	–	–	1	1	1	–	–	–	1	–	–	–	–
Hernia and Intestinal obstruction.	14	6	2	–	–	–	–	–	–	1	–	–	–	3	–
Cirrhosis of liver	6	7	–	–	–	–	–	–	–	–	–	3	2	1	1
Other diseases of liver	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Peritonitis (cause unknown)	1	3	–	–	–	–	–	–	1	–	–	1	–	–	1
Other diseases of digestive system	6	6	1	–	–	1	–	1	–	–	2	–	1	–	–
Acute nephritis	2	3	–	–	1	–	–	–	–	1	1	–	–	–	–
Chronic Bright's disease	31	25	–	–	–	–	1	–	–	1	1	6	5	7	4
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	15	17	1	–	–	–	–	–	–	1	1	1	1	8	4
Puerperal fever, &c.	1	9	–	–	–	–	–	–	1	4	4	–	–	–	–
Other causes incident to childbirth.	1	4	–	–	–	–	–	–	–	3	1	–	–	–	–
Diseases of skin and cellular tissues.	7	9	1	1	–	–	–	–	–	–	–	–	1	4	2
Diseases of locomotor system	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Congenital malformations	6	4	4	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	16	39	39	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	5	21	21	–	–	–	–	–	–	–	–	–	–	–	–
Old age	67	52	–	–	–	–	–	–	–	–	–	–	–	8	44
ACCIDENT.															
Poisons or poisonous vapours	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	6	4	–	1	2	–	–	–	–	–	–	–	–	–	1
Drowning	1	4	–	–	–	2	–	1	–	–	1	–	–	–	–
Suffocation in bed	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	23	24	–	–	–	–	2	2	2	2	1	2	5	3	5
Total deaths from accident	33	34	2	1	2	2	2	3	2	2	2	2	5	3	6
Included in above are deaths in connection with:—															
Railways	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Vehicles and horses	11	11	–	–	–	–	2	2	1	1	–	1	2	1	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	15	–	–	–	–	–	–	–	1	3	6	4	–	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	10	17	11	–	1		1	1	–	–		–	–	–	–
Ill-defined Causes	–	1	–	–	–		–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
NDON‡ - -	4,358,309	Apr. 10	2,471	1,471	17·6	4	–	62	6	31	22	18	105
LCUTTA - -	896,067	Mar. 6	–	860§	49·9	?	185	?	?	?	?	?	73
MBAY - -	979,445	„ 6	361	950§	50·4	7	11	5	–	–	–	44	59
DRAS - -	518,660	Feb. 28	366	472§	47·3	1	4	2	?	4	–	68	5
RIS - - -	2,847,229	(10 days) Mar. 10	–	–	–	–	–	–	–	–	–	–	–
USSELS - -	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
TWERP - -	309,156	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
STERDAM -	649,341	Mar. 27	289	191	15·3	–	–	–	–	2	–	3	26
PENHAGEN -	552,000	„ 27	252	168	15·9	–	–	2	2	2	2	1	8
CKHOLM -	408,456	„ 20	157	137	17·4	–	–	1	1	1	1	–	25
THENBURG -	200,578	Mar. 6	–	48	12·4	–	–	2	–	–	1	1	–
RISTIANIA -	258,615	Mar. 27	107	54	10·9	–	–	1	–	1	2	–	3‖
RLIN - -	1,924,185	Mar. 6	761	844	22·8	–	?	3	2	8	3	24	71
ESLAU - -	493,393	„ 6	330	302	31·8	–	?	–	–	2	–	9	80
LOGNE - -	631,005	„ 6	365	241	19·9	–	?	–	–	5	8	4	?
		„ 13	358	207	17·1	–	?	–	–	4	3	1	?
ESDEN - -	534,880	„ 6	243	264	25·7	–	?	–	–	–	4	3	70
		„ 13	237	172	16·7	–	?	–	–	1	–	3	38
MBURG - -	1,050,300	„ 6	440	79	28·7	1	?	1	4	2	2	7	197
		„ 13	432	457	22·6	1	?	5	–	2	7	2	141
IPZIG - -	676,289	„ 6	297	234	18·0	–	?	3	–	2	1	5	?
		„ 13	315	214	16·5	–	?	1	–	3	–	3	?
NICH - -	670,000	„ 13	278	290	22·5	–	?	–	–	1	2	4	?
ENNA - -	1,838,708	„ 13	459	1,020	28·8	3	1	16	5	5	5	18	135
AGUE -	524,496	Feb. 28	190	258	25·6	1	1	4	–	–	–	3	45
DAPEST - -	1,071,492	Jan. 17	421	417	20·2	2	–	–	4	6	3	19	8
		„ 24	536	463	22·5	2	–	–	1	3	–	26	55
IESTE - -	229,810	Mar. 27	147	81	18·4	1	–	–	–	–	1	–	–
IRO - - -	761,300	Feb. 4	658	460	31·4	3	2	1	–	?	1	15	?
EXANDRIA -	445,700	„ 4	339	305	35·6	2	2	–	–	?	1	20	?
W YORK -	6,141,445	Feb. 21	3,056	2,480	21·1	2	–	47	7	24	36	30	360
ICAGO - -	2,596,681	Mar. 6	–	796	16·0	–	–	2	3	7	17	48	51

Excluding deaths from croup in Bombay and Madras.
The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under r of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
The estimated population and deaths refer to the civilian population only.
Including 4 deaths from *plague* in Bombay, and from *Asiatic cholera* 73 deaths in Calcutta, and 1 in Madras.
Influenzal Pneumonia deaths.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th April, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
NDON (Greenwich)	64	34	57·4	43·4	10
IGHTON - -	56	37	53·0	44·3	8
RTSMOUTH - -	61	40	55·1	44·9	7
RWICH (Southwell Lodge)	61	38	52·9	41·7	43
YMOUTH - -	58	38	54·1	45·3	22
RISTOL (Clifton) -	Not received.				
RMINGHAM -	60	39	49·7	44·4	30
TTINGHAM -	57	39	49·6	40·6	27
RKENHEAD (Bidston)	51	39	47·6	41·3	29
NCHESTER (Whitworth Park)	50	38	47·7	42·1	21
RNLEY - -	49	35	45·9	38·7	24
DDERSFIELD -	50	33	45·6	37·9	36

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD - -	49	32	45·6	36·3	33
SHEFFIELD - -	52	35	46·3	39·4	40
YORK (Museum) -	52	37	47·1	40·6	23
HULL (Pearson Park)	53	41	47·4	41·3	37
TYNEMOUTH - -	51	33	45·4	38·3	20
CARDIFF - -	59	40	52·3	43·4	59
EDINBURGH - -	48·0	31·0	45·3	36·7	5
GLASGOW - -	50·0	31·4	47·6	37·8	8
DUBLIN:— Phœnix Park -	55·0	28·9	49·2	37·4	20
†Fitzwilliam Square	55·3	37·8	49·3	40·9	20
BELFAST - -	56·0	29·2	49·4	38·0	10

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 10th April 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 4	..	29·549	50·4	41·8	8·6	45·1	− 1·1	41·4	3·7	7·0	2·0	87	83·0	39·9	45·9	NNE. & N.	N. & NNW.	2·4	0·0	0·2	238	− 77	0·06
MONDAY - - 5	..	29·707	53·5	41·4	12·1	45·0	− 1·3	39·8	5·2	11·5	2·0	82	87·8	37·0	45·8	WNW. & NW.	NW., NNW. & calm.	1·0	0·0	0·1	211	−111	0·02
TUESDAY - - 6	..	29·824	56·9	34·2	22·7	45·1	− 1·2	40·3	4·8	15·7	0·0	83	103·6	29·7	45·8	Calm	SSW.	0·6	0·0	0·0	132	−195	0·00
WEDNESDAY - 7	..	29·640	58·1	41·3	16·8	49·3	+ 3·0	42·7	6·6	13·9	0·8	78	105·0	36·7	45·9	SSW. & SW.	SW. & SSW.	5·4	0·0	0·3	309	− 18	0·10
THURSDAY - - 8	Greatest declination S.	29·502	57·5	48·6	8·9	51·8	+ 5·7	49·2	2·6	6·7	0·6	91	77·9	47·3	45·9	SSW.	SSW. & S.	1·7	0·0	0·1	192	−130	0·09
FRIDAY - - 9	Apogee	29·292	61·9	48·3	13·6	53·7	+ 7·7	51·7	2·0	9·3	0·6	93	87·8	44·9	46·0	Calm & E.	S., SSW. & SW.	1·2	0·0	0·1	156	−159	0·13
SATURDAY - - 10	..	29·420	64·1	49·2	14·9	54·9	+ 9·0	47·1	7·8	17·0	1·0	75	127·6	44·2	46·2	SSW. & SW.	SW. & calm	4·4	0·0	0·3	281	− 25	0·00
MEANS - - -	- - -	29·562	57·5	43·5	13·9	49·3	+ 3·1	44·6	4·7	11·6	1·0	84	96·1	40·0	45·9	SSW.		..	..	..	Sum 1519	Sum −715	Sum 0·40
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. April, 1920.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	4	v.P. till 9h., s.P. generally, with a little v.N. till 19h., then v.N.	0·3	13·1	Overcast with few breaks; damping or slight rain at times from 7h.
Monday -	5	v.P. and v.N. till 10h., s.P. generally afterwards.	1·1	13·1	Overcast till 13h. 30m., then very cloudy; rain till 8h.
Tuesday -	7	v.P. throughout	1·0	13·2	Cloudy till 6h.; cloudless but foggy till 9h.; partially cloudy till noon, becoming overcast by 13h.; cloudy again after 23h.
Wednesday -	8	v.P. generally, a little v.N. between 17h. and 20h.	2·9	13·3	Very cloudy with overcast intervals till 10h., afterwards overcast with very slight exceptions; occasional slight rain from 10h. 30m.
Thursday -	9	s.P. generally, a little v.N. in early morning.	0·1	13·4	Overcast with very few exceptions; frequent slight rain throughout.
Friday -	10	v.P. generally, v.N. at times in forenoon.	0·0	13·4	Overcast throughout; slight fog in early morning; occasional rain before 6h. and between 14h. 30m. and 21h.
Saturday -	11	v.P. till 7h., s.P. afterwards.	4·4	13·5	Overcast generally till 8h. 45h., rapidly clearing to fine and partially cloudy; very cloudy generally from noon to 19h.; overcast till 22h., then cloudy; slight rain at 7h. 30m.
			Sum 9·8	Sum 93·0	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·50 in. at the beginning of the week to 29·84 in. by 11h. on 6th; decreased to 29·27 in. by 9h. on 9th; increased to 29·44 in. by 21h. on 10th, and was 29·41 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 3rd April, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,365	–	–	48	2	34	28	12	97	208
Western										
Paddington	42	–	–	–	1	–	–	1	1	5
Kensington	48	–	–	1	–	–	1	–	6	7
Hammersmith	34	–	–	–	–	1	–	–	2	6
Fulham	40	–	–	1	–	1	–	–	2	10
Chelsea	20	–	–	–	–	–	1	1	1	–
City of Westminster	32	–	–	1	–	1	–	–	3	2
Northern.										
St. Marylebone	27	–	–	–	–	2	–	1	2	4
Hampstead	13	–	–	–	1	–	–	–	–	–
St. Pancras	69	–	–	2	–	5	1	1	5	12
Islington	123	–	–	7	–	5	3	–	12	19
Stoke Newington	20	–	–	1	–	–	1	–	–	1
Hackney	79	–	–	4	–	5	2	–	5	11
Central.										
Holborn	13	–	–	–	–	–	–	–	2	1
Finsbury	30	–	–	–	–	–	2	–	2	5
City of London	3	–	–	–	–	–	–	–	–	–
Eastern.										
Shoreditch	43	–	–	1	–	1	1	1	4	10
Bethnal Green	57	–	–	5	–	1	–	3	2	11
Stepney	92	–	–	1	–	2	1	1	6	21
Poplar	78	–	–	2	–	2	2	–	5	9
Southern.										
Southwark	66	–	–	2	–	2	–	–	4	12
Bermondsey	37	–	–	2	–	1	–	–	3	6
Lambeth	97	–	–	5	–	2	4	–	8	9
Battersea	45	–	–	1	–	1	3	1	5	8
Wandsworth	71	–	–	5	–	–	2	–	2	10
Camberwell	65	–	–	2	–	1	2	2	4	11
Deptford	34	–	–	2	–	–	–	–	4	6
Greenwich	24	–	–	–	–	1	–	–	5	4
Lewisham	33	–	–	–	–	–	1	–	1	7
Woolwich	30	–	–	3	–	–	1	–	1	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 3rd April, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
dington	143,938	-	-	-	-	3	4	-	3	-	1	-	-	-	-	-
nsington	157,886	1	-	-	-	3	10	-	4	-	-	-	-	-	-	-
mmersmith	130,981	-	-	-	-	1	4	-	1	-	-	-	-	-	-	-
ham	152,543	-	-	-	-	8	12	-	4	-	1	3	-	-	-	-
lsea	60,573	-	-	-	-	9	1	-	-	-	-	1	-	-	-	-
of Westminster	127,533	1	-	-	-	6	3	-	1	-	-	1	-	-	-	-
NORTHERN.																
Marylebone	97,953	-	-	-	-	5	-	-	2	-	-	-	-	-	-	-
mpstead	88,012	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-
Pancras	219,434	1	-	-	-	13	15	-	3	-	-	-	-	-	-	-
ngton	323,034	-	-	-	-	6	9	-	3	1	-	4	-	-	-	-
ke Newington	50,954	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-
kney	216,736	-	-	-	-	8	12	-	2	1	1	-	-	-	-	-
CENTRAL.																
born	38,156	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
sbury	75,291	-	-	-	-	4	4	-	4	-	-	-	-	-	-	-
of London	13,893	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
EASTERN.																
reditch	98,134	-	-	-	-	4	5	-	1	-	-	1	-	-	-	-
hnal Green	110,085	-	-	-	-	12	6	-	-	-	-	1	-	-	-	-
ney	232,506	2	-	-	1	9	9	-	-	-	-	-	-	-	-	-
lar	153,644	-	-	-	-	10	4	-	4	-	-	1	-	-	-	-
SOUTHERN.																
thwark	179,971	-	-	-	-	8	5	-	3	-	-	7	-	-	-	-
mondsey	124,239	-	-	-	-	3	2	-	2	-	-	1	-	-	-	-
beth	282,322	-	-	-	-	12	12	-	4	-	-	1	-	-	-	-
tersea	159,316	3	-	-	-	10	14	-	4	-	1	1	1	-	2	-
ndsworth	333,693	-	-	-	-	22	18	-	1	1	-	-	-	-	-	-
berwell	273,802	1	-	-	-	5	8	-	1	-	-	1	-	-	-	-
tford	111,205	3	-	-	-	6	1	-	2	-	-	-	-	-	-	-
enwich	98,484	-	-	-	-	4	3	-	1	-	-	-	-	-	-	-
isham	167,754	-	-	-	-	13	9	-	-	-	-	-	-	-	-	-
lwich	136,237	-	-	-	1	13	11	-	-	1	-	-	-	-	-	-
t of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	13	-	-	2	202	188	-	50	4	4	23	1	-	3	-
Ages 0–1		-	-	-	-	2	3	-	-	1	-	23	-	-	-	-
„ 1–5		-	-	-	-	36	50	-	-	1	-	-	-	-	-	-
„ 5–		1	-	-	-	85	77	-	2	2	-	-	1	-	-	-
10–		2	-	-	-	50	26	-	3	-	-	-	-	-	-	-
„ 15–		4	-	-	-	10	12	-	2	-	-	-	-	-	-	-
„ 20–		2	-	-	-	8	5	-	3	-	2	-	-	-	1	-
„ 25–		2	-	-	-	8	10	-	6	-	1	-	-	-	1	-
„ 35–		1	-	-	1	2	4	-	9	-	1	-	-	-	-	-
„ 45–		-	-	-	1	1	-	-	14	-	-	-	-	-	1	-
„ 55–		1	-	-	-	-	1	-	7	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.
† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 15. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, APRIL 17.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
April 20th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,906, and corresponded to an annual rate of 30·7 per 1,000. The deaths* among the civilian population only numbered 5,379, and corresponded to an annual rate of 15·8 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended March 27th, April 3rd, and April 10th the rates had been 18·7, 16·7, and 16·6 respectively. The infant mortality was 93, against 123, 128, and 110, in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10583—3 Wt 167–840 625 4/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 23·2 in Dudley, 23·9 in West Bromwich and in Wigan, 24·7 in West Hartlepool, 25·2 in Blackburn, 26·5 in Sunderland, and 32·4 in Tynemouth; from *measles*, 2·0 in Bootle, 2·1 in Wakefield, 2·4 in Brighton, and 4·8 in Newport (Mon.); and from *influenza*, 3·6 in Ealing, 4·1 in Blackburn, 4·5 in Tynemouth, and 4·6 in Halifax. One death from *small-pox* was registered in West Ham, and one in Liverpool, but none in any other of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,650 births, corresponding to a rate of 30·4 per 1,000, and 1,342 deaths of civilians, corresponding to a rate of 16·1, as against 19·3, 16·3, and 17·6 per 1,000 in the three weeks ended March 27th, April 3rd, and April 10th. The death-rate in the four weeks ended last Saturday averaged 17·3 per 1,000. The infant mortality was 78 against 92, 100, and 79 in the preceding three weeks.

There was 1 death from *enteric fever*, against, 0, 0, and 4 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 69, 48, and 62 in the preceding three weeks, further rose to 76 last week, and were 8 above the average; 6 deaths belonged to the Borough of Kensington, 6 to Southwark, and 6 to Camberwell. The deaths from *scarlet fever*, which had been 3, 2, and 6 in the preceding three weeks, fell to 4 last week, and were equal to the average. The deaths from *whooping-cough*, which had been 35, 34, and 31 in the preceding three weeks, rose again to 42 last week, and were 2 above the average; 6 deaths belonged to Bethnal Green, and 5 each to Islington and to Stepney. The deaths from *diphtheria*, which had been 27, 28, and 22 in the preceding three weeks, fell to 20 last week, but were 6 above the average. The deaths from *diarrhœa and enteritis under* 2 *years of age*, which had been 23, 12, and 18 in the preceding three weeks, were 17 last week, the average being 16. The deaths from *influenza* numbered 101, as against 131, 124, and 105, in the preceding three weeks, and an average of 44.

Different forms of violence caused 36 deaths, of which 35 were the subject of coroners' inquests. Of these 36 deaths, 10 were cases of suicide, while the remaining 26 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 3 to drowning, and 1 of an infant under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 35 cases of enteric fever, 24 of small-pox, 66 of measles, 1,902 of scarlet fever, 22 of whooping-cough, and 1,960 of diphtheria under treatment in these

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 5 cases, against 9, 9, and 4; of small-pox, 0 case, against 6, 7, and 9; of measles, 15 cases, against 15, 28, and 16; of scarlet fever, 203 cases, against 258, 222, and 241; of whooping-cough, 3 cases, against 1, 5, and 1; and of diphtheria, 234 cases, against 259, 227, and 219. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended April 10th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 17th April, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 27th Mar., 1920.	3rd Apr., 1920.	10th Apr., 1920.	17th Apr., 1920.	Week ended 17th Apr., 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from: Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	18·7	16·7	16·6	15·8	10,906	5379	1019	1538	3	2	185	15	102	51	53	306	144	301	1552	42	96 GREAT TOWNS.
LONDON†	4,358,309	19·3	16·3	17·6	16·1	2650	1342	207	384	1	–	76	4	42	20	17	101	36	103	606	1	LONDON.†
‡ CROYDON	184,239	15·3	14·4	10·5	13·9	101	49	5	21	–	–	1	–	–	–	1	2	–	1	13	–	‡ CROYDON.
WIMBLEDON	59,791	12·2	7·8	7·8	10·5	23	12	1	4	–	–	1	–	1	–	–	–	–	–	3	–	WIMBLEDON.
EALING	73,212	17·1	15·0	10·0	12·1	40	17	1	9	–	–	–	–	–	–	–	5	–	–	1	–	EALING.
ACTON	61,732	15·2	13·5	10·1	11·0	33	13	2	6	–	–	1	–	1	–	–	1	1	1	1	–	ACTON.
WILLESDEN	160,917	13·3	11·7	11·3	9·1	100	28	1	9	–	–	–	–	–	1	–	1	–	–	15	–	WILLESDEN.
HORNSEY	94,348	11·1	13·3	9·4	16·0	42	29	2	9	–	–	–	–	–	–	–	2	–	–	13	–	HORNSEY.
TOTTENHAM	141,338	15·5	11·8	15·1	11·1	88	30	3	9	–	–	–	–	–	2	–	4	1	1	11	–	TOTTENHAM.
EDMONTON	70,711	17·7	19·2	18·4	11·8	59	16	2	6	–	–	–	–	–	–	–	1	1	1	5	–	EDMONTON.
ENFIELD	58,442	15·2	16·1	9·8	5·4	19	6	–	1	–	–	1	–	–	–	–	1	1	1	2	–	ENFIELD.
WEST HAM	287,966	25·7	16·1	16·5	15·0	193	83	12	26	–	1	–	–	1	1	1	12	2	2	31	–	WEST HAM.
EAST HAM	144,451	17·0	14·4	14·1	10·8	64	30	3	8	–	–	1	–	–	–	–	2	–	2	11	–	EAST HAM.
LEYTON	123,896	15·6	14·7	16·4	13·9	63	33	3	15	–	–	–	–	1	–	–	–	1	1	14	–	LEYTON.
WALTHAMSTOW	127,684	13·5	15·9	13·5	13·1	69	32	2	15	–	–	–	–	–	–	–	2	–	2	9	–	WALTHAMSTOW.
ILFORD	79,524	16·4	11·1	8·5	9·8	48	15	2	2	–	–	–	–	–	–	–	1	–	–	5	–	ILFORD.
GILLINGHAM	43,501	12·0	13·2	10·8	16·8	31	14	1	6	–	–	–	–	–	–	–	1	–	–	1	–	GILLINGHAM.
HASTINGS	57,674	20·8	17·2	21·7	14·5	21	16	–	7	–	–	1	–	–	–	–	1	2	3	4	–	HASTINGS.
EASTBOURNE	48,424	10·8	21·5	14·0	12·9	25	12	1	6	–	–	–	–	–	–	–	2	–	1	5	–	EASTBOURNE.
BRIGHTON	132,409	18·1	15·4	20·5	15·8	78	40	4	13	–	–	6	–	–	–	–	4	2	2	12	–	BRIGHTON.
PORTSMOUTH	224,846	18·1	14·4	17·6	13·7	146	59	8	19	–	–	1	–	3	1	1	4	1	3	16	–	PORTSMOUTH.
BOURNEMOUTH	82,627	12·0	9·5	15·8	9·5	32	15	–	8	–	–	–	–	–	–	–	1	–	1	1	–	BOURNEMOUTH
SOUTHAMPTON	126,033	17·8	15·3	17·4	13·2	65	32	3	11	–	–	2	–	3	–	–	1	1	3	6	–	SOUTHAMPTON.
READING	91,365	15·4	13·1	10·8	8·0	54	14	–	6	–	–	1	–	–	–	–	–	1	1	3	–	READING.
OXFORD	57,666	11·8	6·3	11·8	7·2	17	8	1	5	–	–	–	–	–	–	–	–	–	–	3	–	OXFORD.
NORTHAMPTON	88,944	15·2	17·6	19·3	10·6	47	18	5	4	–	–	–	–	–	–	1	–	–	–	3	1	NORTHAMPTON.
CAMBRIDGE	57,849	10·8	10·8	6·3	9·9	23	11	–	5	–	–	–	–	–	1	–	–	–	–	2	–	CAMBRIDGE.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 27th Mar., 1920.	3rd Apr., 1920.	10th Apr., 1920.	17th Apr., 1920.	Week ended 17th Apr. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	16·1	12·4	16·1	10·5	1	17	1	7	–	–	–	–	–	–	–	1	–	–	2	2	Southend on Sea.
Ipswich	78,011	20·1	12·0	14·7	16·0	58	24	8	11	–	–	1	–	–	–	–	1	–	–	7	–	Ipswich.
Great Yarmouth	53,078	12·8	16·7	15·7	13·8	37	14	–	11	–	–	–	–	–	–	–	–	1	2	3	–	Great Yarmouth.
Norwich	119,993	17·4	16·9	18·3	11·7	68	27	5	12	–	–	2	–	2	–	1	–	–	1	5	–	Norwich.
Swindon	51,527	20·2	10·1	14·2	11·1	30	11	2	4	–	–	–	–	–	–	1	–	–	–	1	–	Swindon.
Exeter	59,014	11·5	14·1	14·1	12·4	25	14	1	7	–	–	–	–	–	–	1	2	–	1		–	Exeter.
Plymouth	181,967	18·6	19·2	17·8	16·9	95	59	4	26	–	–	2	–	–	2	–	4	4	6	15	–	Plymouth.
Bath	65,919	14·2	12·7	14·2	10·3	20	13	–	7	–	–	–	–	–	–	–	2	1	2	5	–	Bath.
Bristol	361,247	15·2	13·4	13·1	12·3	234	85	13	26	–	–	5	–	–	2	–	–	4	7	22	1	Bristol.
Gloucester	50,100	23·9	15·6	12·5	13·5	28	13	1	5	–	–	–	–	–	–	–	2	–	–	1	–	Gloucester.
Stoke on Trent	239,316	18·7	18·5	17·6	16·8	176	77	27	14	–	–	2	1	–	–	–	3	3	3	8	–	Stoke on Trent.
Wolverhampton	98,403	15·9	23·8	14·3	15·9	67	30	9	10	–	–	1	–	1	–	–	1	–	–	7	–	Wolverhampton.
Walsall	92,724	23·6	18·0	23·6	18·0	60	32	10	4	–	–	–	–	2	–	–	1	1	3	4	–	Walsall.
West Bromwich	69,899	11·9	16·4	18·6	23·9	62	32	15	4	–	–	–	–	2	–	–	2	–	–	3	–	West Bromwich.
Dudley	54,017	35·7	43·4	26·1	23·2	49	24	5	8	–	–	–	–	–	–	–	1	2	3	4	–	Dudley.
Birmingham	861,585	20·7	17·2	18·2	17·2	625	284	98	68	–	–	3	–	4	–	3	22	10	14	68	6	Birmingham.
Smethwick	72,152	15·2	16·6	7·9	15·2	38	21	3	5	–	–	–	–	1	–	–	2	–	1	1	–	Smethwick.
Coventry	132,048	10·7	11·8	11·5	12·2	67	31	3	12	–	–	–	–	1	–	–	3	1	1	6	1	Coventry.
Leicester	236,059	15·2	16·1	11·0	12·4	138	56	10	14	–	–	–	–	2	–	1	1	2	2	15	–	Leicester.
Lincoln	60,581	18·9	13·8	19·8	8·6	26	10	1	7	–	–	–	–	–	–	–	–	–	–	4	–	Lincoln.
Grimsby	78,813	17·9	15·9	11·2	15·2	55	23	4	7	–	–	1	–	–	–	–	–	1	3	4	–	Grimsby.
Nottingham	257,573	16·8	16·6	14·0	14·6	170	72	15	29	–	–	1	–	–	3	1	2	3	4	14	–	Nottingham.
Derby	123,930	15·6	13·5	14·7	10·9	85	26	5	8	–	–	–	–	–	–	–	1	2	2	9	–	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 17th April, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 27th Mar., 1920.	3rd Apr., 1920.	10th Apr., 1920.	17th Apr., 1920.	Week ended 17th Apr., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125.629	15·4	21·6	15·8	16·2	54	39	6	13	–	–	2	–	–	1	–	1	1	3	8	–	STOCKPORT.
BIRKENHEAD	148.052	16·2	16·6	14·8	16·2	79	46	8	10	–	–	2	–	2	–	–	1	–	1	15	–	BIRKENHEAD.
WALLASEY	95,424	13·7	13·7	11·5	11·5	42	21	2	9	–	–	–	–	–	–	–	2	–	1	5	–	WALLASEY.
LIVERPOOL	772,665	23·8	23·8	20·0	18·6	521	276	59	59	–	1	8	2	9	2	1	7	5	10	111	5	LIVERPOOL.
BOOTLE	76.962	23·0	19·6	21·7	17·6	53	26	7	6	–	–	3	–	1	–	–	1	–	–	4	3	BOOTLE.
ST. HELENS	100,805	24·3	18·6	21·7	21·7	67	42	11	10	–	–	3	–	–	–	–	5	–	–	5	4	ST. HELENS.
SOUTHPORT	70,144	17·1	12·6	10·4	16·4	26	22	3	12	–	–	–	–	–	–	1	–	–	–	6	–	SOUTHPORT.
WIGAN	87,384	32·2	29·8	32·8	23·9	69	40	11	11	–	–	3	–	–	–	1	2	–	–	5	–	WIGAN.
WARRINGTON	74.952	12·5	13·9	13·2	16·0	48	23	5	6	–	–	1	–	–	–	–	–	–	–	5	2	WARRINGTON.
BOLTON	177,462	21·4	17·6	16·5	17·3	109	59	7	18	–	–	3	–	–	1	3	2	1	3	11	–	BOLTON.
BURY	54,248	22·1	13·5	13·5	20·2	38	21	2	11	–	–	–	–	–	–	–	1	–	–	5	–	BURY.
MANCHESTER	741.068	19·7	17·4	17·0	15·1	475	214	48	58	–	–	16	–	4	1	1	12	6	15	57	4	MANCHESTER.
SALFORD	226,225	18·9	15·2	14·3	16·4	161	71	15	12	–	–	2	1	1	1	1	3	5	6	20	–	SALFORD.
OLDHAM	137,668	17·8	18·2	22·7	15·2	73	40	10	11	–	–	–	–	–	–	2	2	3	4	4	–	OLDHAM.
ROCHDALE	90.051	21·4	21·4	19·1	17·4	37	30	4	8	–	–	1	–	–	–	–	5	–	1	2	–	ROCHDALE.
BURNLEY	101,005	24·3	17·0	17·0	15·0	52	29	5	7	–	–	1	–	–	–	–	–	–	–	7	–	BURNLEY.
BLACKBURN	125,992	22·3	27·7	18·2	25·2	57	61	12	24	–	–	–	–	–	1	3	10	–	1	4	–	BLACKBURN.
PRESTON	117,277	20·9	14·2	19·6	17·3	60	39	10	9	1	–	–	–	–	–	–	2	1	1	6	–	PRESTON.
BLACKPOOL	67,842	22·3	21·5	12·3	19·2	29	25	3	10	–	–	–	–	–	–	1	1	1	1	5	1	BLACKPOOL.
BARROW IN FURNESS	73,627	22·0	12·7	12·7	12·7	51	18	6	2	–	–	–	–	–	–	1	–	–	–	4	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	17·6	15·3	14·4	17·6	42	38	4	13	–	–	1	–	–	–	–	–	1	1	12	–	HUDDERSFIELD.
HALIFAX	101,791	22·5	25·1	23·6	22·5	49	44	6	15	–	–	1	–	1	–	–	9	–	3	5	–	HALIFAX.
BRADFORD	282,714	16·2	14·8	14·8	14·9	135	81	8	28	–	–	–	–	–	–	1	3	4	7	26	–	BRADFORD.
LEEDS†	431,999	21·2	16·8	18·1	18·1	250	150	23	50	–	–	1	–	5	4	–	5	5	9	34	–	LEEDS.†
DEWSBURY	52,969	19·7	20·7	18·7	14·8	25	15	5	3	–	–	–	–	–	–	–	1	1	1	1	–	DEWSBURY.
WAKEFIELD	49,208	20·1	17·0	22·3	20·1	28	19	3	1	–	–	2	–	–	–	–	–	1	3	2	–	WAKEFIELD.
BARNSLEY	51,680	20·2	19·2	14·1	17·2	39	17	4	3	–	–	–	–	–	–	–	–	–	2	2	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Causes. Week ended 27th Mar., 1920.	3rd April, 1920.	10th April, 1920.	17th April, 1920.	Week ended 17th April, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	15·2	13·9	14·8	15·0	290	136	36	26	–	–	2	–	1	–	2	3	5	9	40	–	Sheffield.
Rotherham	69,034	15·9	12·8	16·6	17·4	46	23	8	4	1	–	–	–	–	–	–	–	–	–	8	2	Rotherham.
York	74,531	19·6	18·9	9·1	15·4	44	22	1	5	–	–	–	–	–	–	–	1	–	–	8	–	York.
Hull	279,664	16·2	14·9	19·0	14·0	174	75	10	26	–	–	2	–	–	1	–	2	2	5	18	1	Hull.
Middlesbrough	127,142	23·4	21·3	17·6	16·8	101	41	11	9	–	–	1	–	–	–	4	1	1	1	1	1	Middlesbrough.
Darlington	64,658	20·4	17·9	18·7	22·0	32	27	8	8	–	–	–	–	2	–	–	1	1	1	3	3	Darlington.
Stockton on Tees	60,696	22·3	24·9	23·2	18·9	63	22	7	4	–	–	–	–	1	–	–	–	–	–	3	–	Stockton on Tees.
West Hartlepool	65,515	19·1	15·1	17·5	24·7	56	31	7	9	–	–	–	–	2	–	–	2	2	2	7	1	West Hartlepool.
Sunderland	149,263	16·8	18·2	21·0	26·5	121	76	23	9	–	–	1	–	2	–	–	3	1	1	6	2	Sunderland.
South Shields	111,502	28·1	21·5	19·6	19·6	88	42	10	13	–	–	–	–	–	–	–	1	–	–	12	1	South Shields.
Gateshead	123,392	22·0	23·2	16·1	19·0	101	45	12	12	–	–	–	1	–	–	–	1	–	1	8	–	Gateshead.
Newcastle on Tyne.	275,099	21·0	20·7	15·5	18·0	189	95	28	18	–	–	–	3	2	2	–	3	1	9	24	–	Newcastle on Tyne.
Tynemouth	58,007	18·0	13·5	21·6	32·4	46	36	4	9	–	–	–	–	–	–	–	5	2	2	12	–	Tynemouth.
Carlisle	55,198	15·1	5·7	18·9	17·9	24	19	6	4	–	–	–	–	–	–	2	1	1	1	2	–	Carlisle.
Newport (Mon.)	87,251	14·3	16·7	16·1	19·7	61	33	11	5	–	–	8	–	–	–	–	–	2	2	4	–	Newport (Mon.).
Cardiff	204,436	17·1	17·1	16·6	14·8	129	58	10	18	–	–	6	–	1	2	–	–	3	6	10	–	Cardiff.
Rhondda	177,911	14·1	14·1	12·9	14·1	106	48	12	7	–	–	3	2	–	–	–	4	1	1	3	–	Rhondda.
Merthyr Tydfil	71,638	24·0	13·8	9·5	10·2	49	14	4	1	–	–	–	–	–	2	–	–	2	2	3	–	Merthyr Tydfil.
Aberdare	51,384	17·3	10·1	21·3	17·3	33	17	5	1	–	–	–	1	1	–	–	1	–	–	–	–	Aberdare.
Swansea	160,810	12·3	15·9	13·3	14·3	99	44	10	11	–	–	2	–	–	–	–	2	–	1	3	–	Swansea.
Greater London	7,258,623	17·5	15·0	15·8	14·1	4203	1966	265	616	1	1	93	5	47	28	20	144	48	124	811	1	Greater London.
Outer Ring	2,900,314	14·9	13·1	13·1	11·2	1553	624	58	232	–	1	17	1	5	8	3	43	12	21	205	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	16·8	14·2	13·0	12·3	942	393	39	140	–	1	5	–	4	4	2	34	7	12	134	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	12·3	11·6	13·2	9·8	611	231	19	92	–	–	12	1	1	4	1	9	5	9	71	–	Remainder of Outer Ring.
Edinburgh†	342,300	14·2	17·9	15·7	16·5	185	108	16	30	–	–	1	–	–	1	–	8	5	?	?	?	Edinburgh.†
Glasgow†	1,115,500	19·4	17·6	17·8	19·4	737	414	76	81	2	–	25	2	2	5	1	29	9	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	23·9	23·2	26·8	31·5	261	251	65	54	–	–	15	1	16	1	2	5	2	3	80	4	Dublin (Registration Area).†
Belfast†	413,000	35·9	31·3	26·1	28·9	262	229	52	44	–	–	5	1	6	–	2	17	6	5	57	4	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FIFTEENTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2372	2032	2177	2035	2229	2311	1975	1707	1475	1292	2650
Males	1223	1043	1102	1036	1130	1191	993	839	760	667	1381
Females	1149	989	1075	999	1099	1120	982	868	715	625	1269
Deaths (of residents only).	1328	1359	1170	1288	1255	1760	1432*	1586*	1337*	1309*	1342*
Males		709	590	653	663	950	707	799	691	574	681
Females		650	580	635	592	810	725	787	646	735	661

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.
Births (as registered)	2971	2715	2966	2793	2746	2654	2771	2701	2672	2520	2078	2471	2650
Deaths (of residents only).	1163	1297	1332	1423	1384	1425	1456	1436	1484	1609	1365	1471	1342
Ages at Death: Under 1 year	228	284	290	359	271	284	264	240	244	233	208	196	207
1–2 years	43	57	64	78	77	80	72	66	84	101	73	99	75
2–5 "	44	56	54	55	72	78	82	83	64	59	61	56	78
5–10 "	33	33	48	36	35	38	42	41	44	46	35	39	29
10–15 "	16	12	24	12	20	21	16	17	19	26	26	22	20
15–20 "	27	24	13	26	19	25	23	25	29	34	32	40	34
20–25 "	17	25	23	26	29	22	26	33	37	44	39	42	27
25–35 "	59	62	57	63	66	58	74	89	85	109	107	105	86
35–45 "	68	84	79	74	86	100	99	87	106	131	94	105	97
45–55 "	93	115	128	127	113	123	124	146	145	154	141	158	139
55–65 "	167	172	159	150	175	184	182	182	187	210	180	175	166
65–75 "	180	173	194	223	184	205	217	213	215	237	182	230	191
75 years and upwards	188	200	199	194	237	207	235	214	225	225	187	204	193
Deaths from—													
Enteric fever	1	1	1	–	1	1	3	–	–	–	–	4	1
Small-pox	–	–	–	–	1	–	–	2	–	–	–	–	–
Measles	19	18	26	35	49	52	52	56	70	69	48	62	76
Scarlet fever	3	5	9	3	–	3	9	5	5	3	2	6	4
Whooping cough	18	28	26	37	42	52	34	41	37	35	34	31	42
Diphtheria	28	37	32	29	16	19	28	25	29	27	28	22	20
Diarrhœa and enteritis (under 2 years).	15	15	14	22	16	18	12	13	14	23	12	18	17
Pulmonary tuberculosis	85	86	73	104	97	118	92	94	100	124	97	114	97
Influenza	24	15	20	25	37	38	54	57	91	131	124	105	101
Pneumonia (all forms)	126	176	205	222	189	194	184	197	183	229	175	194	140
Bronchitis	102	139	151	193	147	166	199	161	156	185	142	123	103
Other dis. of resp. system	15	11	20	21	15	14	25	18	24	32	20	26	15
Dis. of circ. system	176	182	180	179	202	189	173	225	184	213	159	191	163
Violence	41	40	46	45	44	49	42	38	42	44	33	49	36
Inquest cases	104	107	110	129	124	117	103	111	96	114	72	114	103
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	28	27	24	16	16	33	37	39	42	37	40	37	35
Small-pox	–	–	–	3	2	4	7	7	8	14	20	26	24
Measles	49	47	59	78	97	96	90	78	90	85	88	85	66
Scarlet fever	2614	2550	2487	2459	2415	2316	2255	2182	2158	2101	2023	2012	1902
Whooping cough	22	21	21	18	17	18	15	15	16	17	19	19	22
Diphtheria	1994	2008	2014	2010	2000	2026	2006	2045	2066	2043	1983	1994	1960

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.
Deaths from Influenza	85	66	98	109	161	178	196	230	312	392	379	332	306

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTEENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 15th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
LL CAUSES	1309	1342	207	75	78	29	20	34	27	86	97	139	166	191	193
nteric fever	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
mall-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
easles	9	76	22	27	20	5	1	–	–	–	–	1	–	–	–
carlet fever	4	4	–	–	1	2	–	–	–	1	–	–	–	–	–
hooping cough	3	42	16	14	12	–	–	–	–	–	–	–	–	–	–
iphtheria	12	20	–	3	9	5	2	–	–	1	–	–	–	–	–
roup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
nfluenza	105	101	1	2	1	2	1	3	4	19	12	18	13	17	8
rysipelas	5	3	–	–	–	–	–	–	–	–	1	1	–	–	1
ther epidemic diseases	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
æmia and septicæmia	3	2	1	–	1	–	–	–	–	–	–	–	–	–	–
tanus	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
uberculosis:—															
Pulmonary tuberculosis	118	97	–	–	2	2	2	11	12	13	19	16	11	9	–
Tuberculous meningitis	5	11	3	1	3	3	1	–	–	–	–	–	–	–	–
Abdominal tuberculosis	5	3	–	–	1	1	1	–	–	–	–	–	–	–	–
Tuberculosis of the spine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–
Disseminated tuberculosis	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–
enereal diseases	9	5	2	–	–	–	–	–	–	–	–	–	3	–	–
ncer	112	121	–	–	–	–	–	1	1	4	9	26	35	31	14
umour, situation undefined	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
heumatic fever	3	6	–	–	–	1	1	1	–	–	2	1	–	–	–
iabetes	9	6	–	–	–	–	–	1	–	–	–	–	3	2	–
hæmia, leucocythaemia	6	6	–	–	–	–	1	–	–	1	1	1	1	1	–
ther general diseases	10	8	1	–	–	–	–	–	–	–	–	1	–	3	3
coholism	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
hronic poisonings	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
mple meningitis	12	7	1	2	3	–	–	–	–	–	–	1	–	–	–
erebral hæmorrhage, Apoplexy	56	39	–	–	–	–	–	–	–	–	1	2	11	12	13
ftening of brain	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
ralysis, without specified cause	3	4	–	–	–	–	–	–	–	–	–	–	1	1	2
pilepsy	3	5	–	–	–	–	–	2	–	1	1	–	–	1	–
Convulsions" (not puerperal)	8	6	6	–	–	–	–	–	–	–	–	–	–	–	–
ther diseases of nervous system	24	20	–	–	–	–	2	1	1	3	5	5	1	1	1
ericarditis	1	3	2	–	–	–	–	–	–	–	–	–	–	1	–
cute endocarditis	5	4	–	–	–	–	–	–	–	–	–	3	1	–	–
rganic disease of heart	159	110	–	–	–	2	2	2	2	9	10	11	24	25	23
mbolism and thrombosis (including cerebral).	12	13	–	–	–	–	–	–	–	2	–	1	5	2	3
ther diseases of circulatory system.	53	38	1	–	–	–	–	–	–	–	2	3	4	14	14
iseases of the larynx	1	3	1	2	–	–	–	–	–	–	–	–	–	–	–
ronchitis	159	103	4	4	2	–	–	–	1	–	3	7	16	33	33
roncho-pneumonia	43	75	30	15	10	–	–	–	–	2	4	3	3	4	4
obar pneumonia	22	38	2	–	2	1	–	5	1	5	6	5	6	3	2
neumonia (type not distinguished)	22	27	2	1	2	–	–	1	–	5	4	4	4	2	2
leurisy	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–
ulmonary congestion, Pulmonary apoplexy.	6	3	–	–	–	–	–	–	–	–	–	–	–	1	2
ther diseases of respiratory system.	12	8	–	–	2	–	–	–	–	1	2	1	1	–	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FIFTEENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 15th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	2	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Diseases of stomach	8	12	2	–	–	–	–	–	1	1	2	3	–	1	2
Diarrhœa and enteritis	14	23	17	–	1	–	–	–	–	–	–	3	1	–	1
Appendicitis and typhlitis	6	8	–	–	3	–	1	2	–	–	–	2	–	–	–
Hernia and Intestinal obstruction.	7	5	1	–	–	–	–	–	–	–	–	–	–	3	1
Cirrhosis of liver	5	4	–	–	–	–	–	–	–	–	–	2	2	–	–
Other diseases of liver	3	4	–	–	–	–	–	–	–	2	–	–	–	1	1
Peritonitis (cause unknown)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	3	6	–	–	–	–	–	–	–	–	1	3	2	–	–
Acute nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	32	31	–	–	–	–	–	–	1	2	1	6	7	8	6
Urinary calculi	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Other diseases of genito-urinary system.	6	17	–	–	–	–	–	–	–	–	–	3	3	3	8
Puerperal fever, &c.	–	3	–	–	–	–	–	–	–	3	–	–	–	–	–
Other causes incident to childbirth.	3	4	–	–	–	–	–	–	1	2	1	–	–	–	–
Diseases of skin and cellular tissues.	10	5	1	–	–	–	–	–	–	1	1	1	–	1	–
Diseases of locomotor system	2	2	–	–	–	–	–	1	–	1	–	–	–	–	–
Congenital malformations	10	12	9	1	–	1	–	–	1	–	–	–	–	–	–
Premature birth	33	44	44	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	7	20	20	–	–	–	–	–	–	–	–	–	–	–	–
Old age	65	49	–	–	–	–	–	–	–	–	–	–	–	9	40
ACCIDENT.															
Poisons or poisonous vapours	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–
Conflagration	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	7	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	1	3	–	–	–	–	–	1	–	1	–	1	–	–	–
Suffocation in bed	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	22	19	2	–	–	1	3	–	–	2	2	–	2	1	6
Total deaths from accident	36	26	3	–	1	2	3	1	–	3	3	1	2	1	6
Included in above are deaths in connection with:—															
Railways	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	6	–	–	–	1	2	–	–	–	1	–	1	–	1
Ships, boats, docks	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Building operations	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	10	–	–	–	–	–	–	–	1	3	2	3	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	7	20	13	2	–	1	2	–	–	2	–	–	–	–	–
Ill-defined Causes	1	4	–	1	1	–	–	–	–	–	–	2	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Apr. 17	2,650	1,342	16·1	1	–	76	4	42	20	17	101
CALCUTTA	896,067	Mar. 13	–	1,003§	58·2	?	242	?	?	?	?	?	64
BOMBAY	979,445	„ 13	284	900§	47·8	3	27	7	–	–	–	33	49
MADRAS	518,660	„ 6	300	463§	46·4	–	1	2	?	5	–	40	6
PARIS	2,847,229	(10 days) Mar. 10	–	–	–	–	–	–	–	–	–	–	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	309,156	Jan. 17	–	–	–	–	–	–	–	–	–	–	–
AMSTERDAM	649,341	Apr. 3	310	173	13·9	–	–	2	–	2	2	1	11
COPENHAGEN	552,000	„ 3	234	165	15·6	–	–	2	1	1	2	3	6
STOCKHOLM	408,456	Mar. 27	109	134	17·1	–	–	–	3	2	1	1	13
GOTHENBURG	200,578	„ 13	–	59	15·3	1	–	–	–	–	–	–	1
		„ 20	–	57	14·8	1	–	3	–	–	–	4	–
CHRISTIANIA	258,615	Apr. 3	143	65	13·1	1	–	–	–	1	–	–	1‖
BERLIN	1,924,185	Mar. 20	702	661	17·9	–	?	3	1	9	8	20	42
BRESLAU	493,393	„ 20	300	217	22·9	–	?	–	2	1	5	6	12
COLOGNE	631,005	„ 20	358	231	19·0	–	?	–	–	4	–	6	?
DRESDEN	534,880	„ 20	241	238	23·1	–	?	–	–	–	–	4	30
FRANKFORT-ON-MAIN.	470,124	„ 20	165	160	17·7	–	?	1	1	5	1	1	?
HAMBURG	1,050,300	„ 20	443	368	18·2	–	?	5	–	1	4	9	62
LEIPZIG	676,289	„ 20	313	226	17·4	–	?	3	–	3	2	3	?
MUNICH	670,000	„ 20	283	264	20·5	–	?	1	–	4	–	10	?
VIENNA	1,838,708	„ 20	?	944	26·7	1	–	15	3	10	5	14	79
		„ 27	486	799	22·6	–	–	8	4	10	5	16	77
PRAGUE	524,496	„ 6	181	262	26·0	–	–	3	–	–	1	7	37
BUDAPEST	1,071,492	Jan. 31	–	–	–	–	–	–	–	–	–	–	–
TRIESTE	229,810	Apr. 3	–	–	–	–	–	–	–	–	–	–	–
CAIRO	761,300	Feb. 11	637	482	32·9	4	4	2	–	?	–	22	?
ALEXANDRIA	445,700	„ 11	321	290	33·8	1	10	–	1	?	1	13	?
NEW YORK	6,141,445	Mar. 6	2,603	1,712	14·5	1	–	29	3	11	28	36	82
		„ 13	2,717	1,676	14·2	1	–	31	1	17	36	35	74
CHICAGO	2,596,681	„ 13	–	764	15·4	1	–	3	11	7	9	46	29

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 2 deaths from *plague* in Calcutta and 8 in Bombay, and from *Asiatic cholera* 85 deaths in Calcutta, and 1 in Madras.
‖ Influenzal Pneumonia death.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 17th April, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	60	42	58·0	44·6	25
BRIGHTON	57	48	54·7	48·7	28
PORTSMOUTH	57	45	55·4	47·4	27
NORWICH (Southwell Lodge)§	60	41	55·3	43·7	28
PLYMOUTH	57	45	54·4	47·0	29
BRISTOL (Clifton)	56	41	53·6	45·1	49
BIRMINGHAM	55	41	53·4	43·1	36
NOTTINGHAM	58	37	54·4	42·7	26
BIRKENHEAD (Bidston)	56	40	53·1	43·0	19
MANCHESTER (Whitworth Park)	57	38	53·1	44·0	29
BURNLEY	55	30	50·9	39·7	32
HUDDERSFIELD	55	35	51·7	41·4	28
BRADFORD	55	34	51·1	40·9	33
SHEFFIELD	55	36	52·6	41·9	32
YORK (Museum)	56	37	52·9	42·3	19
HULL (Pearson Park)	58	35	52·9	41·6	21
TYNEMOUTH	58	36	48·9	40·6	19
CARDIFF	55	43	53·6	45·1	49
EDINBURGH	53·0	34·0	48·4	38·9	8
GLASGOW	51·8	34·3	48·4	39·9	20
DUBLIN:— Phœnix Park	57·2	27·1	54·0	40·7	24
†Fitzwilliam Square	56·2	35·0	52·0	42·8	26
BELFAST	57·0	38·0	50·5	42·3	25

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly: 1 inch = 25·4 millimetres exactly.
§ Observations taken at Eaton not available this week.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 17th April 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 11	Last Quarter.	29·229	59·2	46·0	13·2	49·6	+ 3·8	49·0	0·6	8·3	0·0	98	96·2	41·2	46·3	Calm & ESE.	SE., S. & SSW.	2·1	0·0	0·1	182	−115	0·35
MONDAY - - 12	..	29·009	54·8	43·3	11·5	47·6	+ 1·7	45·7	1·9	5·7	1·3	93	87·0	35·8	46·6	S., SSE. & SE.	SSE., S. & SSW.	3·5	0·0	0·2	253	− 38	0·13
TUESDAY - - 13	..	29·106	60·0	42·6	17·4	49·8	+ 3·7	47·1	2·7	11·3	2·0	91	121·9	34·6	46·8	SSE., S. & SSW.	SSW., WSW. & SW.	3·9	0·0	0·4	338	+ 49	0·13
WEDNESDAY - 14	..	29·345	58·0	42·2	15·8	49·5	+ 3·1	41·4	8·1	12·9	2·0	74	122·0	37·8	46·9	SSW. & SW.	SSW., S. & SSE.	5·5	0·0	0·6	400	+112	0·08
THURSDAY - - 15	..	29·120	59·6	50·1	9·5	53·2	+ 6·4	46·0	7·2	12·6	2·0	77	96·5	46·2	47·0	SSW.	SSW. & SW.	18·0	0·0	1·8	638	+349	0·17
FRIDAY - - 16	In Equator.	29·355	58·8	45·6	13·2	50·8	+ 3·6	44·1	6·7	13·4	2·4	78	118·2	37·8	47·1	SSW. & SW.	SSW. & SW.	11·0	0·0	1·3	552	+261	0·13
SATURDAY - - 17	..	29·675	55·4	42·5	12·9	49·4	+ 1·8	43·4	6·0	10·2	1·1	80	97·5	34·2	47·2	Calm, NE. & E.	E. & ENE.	1·9	0·0	0·1	195	− 97	0·00
MEANS - - -	- - -	29·263	58·0	44·6	13·4	50·0	+ 3·4	45·2	4·7	10·6	1·5	84	105·6	38·2	46·8	SSW.		..	..	..	Sum 2558	Sum +521	Sum 0·99
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. April, 1920.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	General Remarks.
Sunday -	11	v.P. till 6h., v.P. and v.N. afterwards.	0·3	13·5	Cloudy to overcast by 2h.; slight breaks during the day, becoming cloudy from 19h.; frequent rain from 5h. to 21h.; very heavy 14h. to 15h.
Monday -	12	v.P. and v.N. till 15h., s.P. generally afterwards.	0·7	13·6	Cloudless at first becoming overcast by 4h.; cloud decreasing from 15h. to 18h. 30m., nearly cloudless from 21h.; frequent rain from 5h. till 15h. 30m.
Tuesday -	13	v.P. generally, occasional v.N. between 11h. and 18h.	3·4	13·7	Cloudless till 2h., becoming overcast by 4h.; variably cloudy from 9h. to 21h.; then cloudless; frequent rain from 9h. to 17h.; heavy after 16h.; solar halo at noon.
Wednesday -	14	v.P. generally, v.N. at times.	6·6	13·7	Cloudless generally till 6h.; variably cloudy till 15h., becoming overcast with few exceptions soon afterwards; showers in forenoon, rain generally 17h. 30m. to 22h.; brisk wind 8h. to 16h.
Thursday -	15	v.P. generally, v.N. at times.	1·8	13·8	Overcast generally with occasional cloudy intervals; frequent rain; heavy shower 14h. 40m.; brisk wind from 3h.
Friday - -	16	v.P. generally, v.N. at times.	5·6	13·8	Overcast generally till 9h.; very cloudy generally till 18h. 30m., becoming cloudless by 19h. 30m.; occasional rain till 19h.; brisk wind till 15h.
Saturday -	17	v.P. throughout	0·0	13·9	Variably cloudy till 1h., then overcast with slight exceptions; slight rain about 21h.; solar halo 7h. 30m.
			Sum 18·4	Sum 96·0	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·41 in. at the beginning of the week to 28·97 in. by 16h. on 12th; increased to 29·41 in. by 11h. on 14th; decreased to 29·10 in. by 8h. on 15th, and increased to 29·68 in. by midnight on 17th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 10th April, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,471	4	–	62	6	31	22	18	114	196
Western										
PADDINGTON	47	–	–	1	–	–	1	2	4	6
KENSINGTON	43	–	–	1	1	–	1	2	2	5
HAMMERSMITH	41	–	–	3	–	–	1	–	2	5
FULHAM	36	1	–	1	–	2	2	–	1	6
CHELSEA	7	–	–	–	–	–	–	–	–	–
CITY OF WESTMINSTER	30	–	–	–	–	–	–	–	1	2
Northern.										
ST. MARYLEBONE	32	–	–	–	1	–	–	–	4	4
HAMPSTEAD	19	–	–	–	–	–	–	–	–	1
ST. PANCRAS	68	–	–	7	–	1	–	–	5	11
ISLINGTON	103	–	–	3	–	5	3	2	7	13
STOKE NEWINGTON	16	–	–	–	–	1	–	–	1	2
HACKNEY	79	–	–	7	–	3	–	1	8	8
Central.										
HOLBORN	13	–	–	–	–	–	–	1	–	–
FINSBURY	30	–	–	1	–	–	–	–	6	5
CITY OF LONDON	4	–	–	–	–	–	–	1	–	1
Eastern.										
SHOREDITCH	47	–	–	2	–	–	2	1	2	7
BETHNAL GREEN	65	–	–	5	1	3	–	–	6	13
STEPNEY	116	–	–	3	–	5	–	1	11	13
POPLAR	58	–	–	1	1	1	–	–	3	4
Southern.										
SOUTHWARK	62	1	–	4	1	–	1	1	4	10
BERMONDSEY	56	–	–	3	–	4	–	–	3	9
LAMBETH	107	–	–	4	–	1	1	1	11	17
BATTERSEA	54	1	–	2	–	–	1	–	4	5
WANDSWORTH	92	–	–	2	–	1	4	3	4	13
CAMBERWELL	92	–	–	7	1	2	3	–	8	18
DEPTFORD	38	–	–	1	–	–	–	1	5	5
GREENWICH	35	–	–	1	–	2	–	–	6	5
LEWISHAM	44	–	–	–	–	–	1	–	5	4
WOOLWICH	37	1	–	3	–	–	1	1	1	4

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 10th April, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
dington	143,938	1	-	-	-	6	5	-	1	-	-	1	-	-	1	-
nsington	157,886	-	-	-	-	12	5	-	4	1	-	1	-	-	-	-
mmersmith	130,981	-	-	-	-	4	5	-	3	-	-	1	-	-	-	-
ham	152,543	-	-	-	-	10	4	-	3	-	-	1	-	-	-	-
lsea	60,573	1	-	-	-	5	3	-	1	-	-	1	-	-	-	-
of Westminster	127,533	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-
NORTHERN.																
Marylebone	97,953	-	-	-	-	6	2	-	3	-	-	-	-	-	-	-
mpstead	88,012	-	-	-	-	2	4	-	1	-	-	-	-	-	-	-
Pancras	219,434	1	-	-	-	10	22	-	4	-	-	1	-	-	2	-
ngton	323,034	1	-	-	-	18	17	-	3	2	2	-	-	-	-	-
e Newington	50,954	-	-	-	-	2	6	-	-	-	-	1	-	-	-	-
kney	216,736	1	-	-	-	8	23	-	4	-	-	1	-	-	-	-
CENTRAL.																
born	38,156	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
bury	75,291	-	-	-	-	2	4	-	4	-	-	-	-	-	-	-
of London	13,893	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
EASTERN.																
editch	98,134	-	-	-	-	11	6	-	-	-	-	-	-	-	-	-
nal Green	110,085	-	-	-	-	7	12	-	1	-	-	-	-	-	-	-
ney	232,506	-	-	-	-	20	16	-	2	-	-	1	-	-	-	-
lar	153,644	-	-	-	-	17	6	-	2	1	-	1	-	-	-	-
SOUTHERN.																
lhwark	179,971	-	-	-	-	21	10	-	4	1	-	1	-	-	-	-
mondsey	124,239	-	-	-	-	8	5	-	3	-	1	1	-	-	-	-
lbeth	282,322	1	-	-	-	14	15	-	2	-	3	1	1	-	-	-
ersea	159,316	-	-	-	-	7	9	-	4	-	-	-	-	-	1	-
dsworth	333,693	1	-	-	-	34	25	-	6	-	4	1	-	-	-	-
lberwell	273,802	-	-	-	-	17	26	-	3	-	-	-	-	-	-	-
tford	111,205	1	-	-	-	19	8	-	2	-	-	-	-	-	-	-
nwich	98,484	-	-	-	-	11	6	-	4	-	-	-	-	-	-	-
isham	167,754	-	-	-	-	18	9	-	1	-	-	-	-	-	-	-
lwich	136,237	-	-	-	-	13	8	-	5	1	1	1	-	-	-	-
of London	—	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
OTAL	4,358,309	9	-	-	1	305	262	-	73	6	11	15	1	-	4	-
Ages 0-1		-	-	-	-	2	4	-	4	1	-	15	-	-	-	-
„ 1-5		1	-	-	-	61	75	-	3	1	-	-	-	-	-	-
„ 5-		-	-	-	-	134	111	-	1	1	-	-	-	-	1	-
„ 10-		2	-	-	-	57	35	-	4	1	-	-	-	-	-	-
„ 15-		1	-	-	-	18	11	-	4	-	-	-	-	-	1	-
„ 20-		-	-	-	-	14	13	-	2	1	1	-	-	-	-	-
„ 25-		3	-	-	-	11	6	-	4	-	6	-	1	-	-	-
„ 35-		1	-	-	-	5	7	-	13	-	4	-	-	-	1	-
„ 45-		1	-	-	-	3	-	-	23	1	-	-	-	-	1	-
„ 55-		-	-	-	1	-	-	-	5	-	-	-	-	-	-	-
„ 65-		-	-	-	-	-	-	-	8	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 16. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, APRIL 24.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
April 27th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,645, and corresponded to an annual rate of 29·9 per 1,000. The deaths* among the civilian population only numbered 4,967, and corresponded to an annual rate of 14·5 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended April 3rd, April 10th, and April 17th the rates had been 16·7, 16·6, and 15·8 respectively. The infant mortality was 92, against 128, 110, and 93, in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10583—4 Wt 167–840 625 4/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 22·3 in Stockton-on-Tees and in West Hartlepool, 23·3 in Newport (Mon.), 24·4 in Blackburn, and 26·1 in Halifax; from *measles*, 2·1 in Stockport, 2·4 in Brighton, 2·9 in Rhondda, 4·2 in Wigan, and 4·8 in Newport (Mon.); from *scarlet fever*, 1·1 in Stoke-on-Trent; from *whooping cough*, 4·1 in Darlington; and from *influenza*, 3·0 in West Bromwich, 3·6 in Halifax and in Tynemouth, and 3·7 in Blackburn. One death from *small-pox* was registered in London and one in Liverpool.

London.* (The Administrative County, including the City of London.)

For London there were 2,665 births, corresponding to a rate of 30·6 per 1,000, and 1,185 deaths of civilians, corresponding to a rate of 14·2, as against 16·3, 17·6, and 16·1 per 1,000 in the three weeks ended April 3rd, April 10th, and April 17th. The death-rate in the four weeks ended last Saturday averaged 16·1 per 1,000. The infant mortality was 73 against 100, 79, and 78 in the preceding three weeks.

There was 1 death from *enteric fever*, against, 0, 4, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The death from *small-pox* was that of a Norwegian sailor, and occurred at the South Wharf Shelter of the Metropolitan Asylums Board, situated in the Borough of Bermondsey. The deaths from *measles*, which had been 48, 62, and 76 in the preceding three weeks, fell to 40 last week, and were 17 below the average; 5 deaths belonged to the Borough of Bermondsey, 4 to Battersea and 3 to Camberwell. The deaths from *scarlet fever*, which had been 2, 6, and 4 in the preceding three weeks, were again 4 last week, and were 2 below the average. The deaths from *whooping-cough*, which had been 34, 31, and 42 in the preceding three weeks, fell to 29 last week, and were 7 below the average; 3 deaths belonged each to St. Pancras, Islington, Hackney, Stepney, and Lambeth. The deaths from *diphtheria*, which had been 28, 22, and 20 in the preceding three weeks, fell to 12 last week, and were 1 below the average. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 12, 18, and 17 in the preceding three weeks, fell to 15 last week, but were 1 above the average. The deaths from *influenza* numbered 59, as against 124, 105, and 101, in the preceding three weeks, and an average of 31.

Different forms of violence caused 44 deaths, all of which were the subject of coroners' inquests. Of these 44 deaths, 10 were cases of suicide, while the remaining 34 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 2 to burns or scalds, 6 to drowning, and 4 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 30 cases of enteric fever, 23 of small-pox, 66 of measles, 1,845 of scarlet fever, 22 of whooping-cough, and 1,965 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 2 cases, against 9, 4, and 5; of small-pox, 3 cases, against 7, 9, and 0; of measles, 19 cases, against 28, 16, and 15; of scarlet fever, 225 cases, against 222, 241, and 203; of whooping-cough, 1 case, against 5, 1, and 3; and of diphtheria, 205 cases, against 227, 219, and 234. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended April 17th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 24th April, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 3rd Apr., 1920.	10th Apr., 1920.	17th Apr., 1920.	24th Apr., 1920.	Week ended 24th Apr., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	**17,807,258**	**16·7**	**16·6**	**15·8**	**14·5**	**10645**	**4967**	**978**	**1435**	**7**	**2**	**145**	**18**	**85**	**42**	**55**	**259**	**146**	**292**	**1568**	**28**	**96 GREAT TOWNS.**
LONDON†	4,358,309	16·3	17·6	16·1	14·2	2665	1185	195	389	1	1	40	4	29	12	15	59	44	93	577	1	LONDON.†
‡ CROYDON	184,239	14·4	10·5	13·9	11·3	93	40	4	16	–	–	1	–	–	–	–	–	2	2	6	–	CROYDON.
WIMBLEDON	59,791	7·8	7·8	10·5	13·5	22	4	1	2	–	–	–	–	–	1	–	–	–	–	3	–	WIMBLEDON.
EALING	73,212	15·0	10·0	12·1	5·0	30	7	–	4	–	–	–	–	–	–	–	–	2	1	4	–	EALING.
ACTON	61,732	13·5	10·1	11·0	11·0	22	13	1	3	–	–	1	–	–	–	1	2	–	–	5	–	ACTON.
WILLESDEN	160,917	11·7	11·3	9·1	9·7	102	30	5	6	–	–	1	–	2	–	–	1	–	1	13	–	WILLESDEN.
HORNSEY	94,348	13·3	9·4	16·0	13·8	28	25	3	6	–	–	–	–	1	1	–	3	–	3	7	–	HORNSEY.
TOTTENHAM	141,338	11·8	15·1	11·1	11·1	72	30	5	12	–	–	–	–	1	1	1	2	1	1	8	–	TOTTENHAM.
EDMONTON	70,711	19·2	18·4	11·8	10·3	47	14	2	6	–	–	–	1	–	–	–	–	–	2	2	–	EDMONTON.
ENFIELD	58,442	16·1	9·8	5·4	11·6	27	13	1	4	–	–	–	–	–	–	–	1	–	–	3	–	ENFIELD.
WEST HAM	287,966	16·1	16·5	15·0	13·8	217	76	13	26	–	–	1	–	2	–	1	7	4	5	22	–	WEST HAM.
EAST HAM	144,451	14·4	14·1	10·8	10·8	71	30	5	6	–	–	–	–	–	–	–	3	–	2	12	–	EAST HAM.
LEYTON	123,896	14·7	16·4	13·9	9·3	80	22	3	9	–	–	–	–	1	–	–	–	1	1	8	–	LEYTON.
WALTHAMSTOW	127,684	15·9	13·5	13·1	12·7	71	31	3	14	–	–	1	–	–	–	–	5	–	1	15	–	WALTHAMSTOW.
ILFORD	79,524	11·1	8·5	9·8	7·9	38	12	2	5	–	–	–	–	–	–	–	3	–	–	3	–	ILFORD.
GILLINGHAM	43,501	13·2	10·8	16·8	12·0	27	10	–	4	–	–	–	–	–	–	–	–	–	–	3	–	GILLINGHAM.
HASTINGS	57,674	17·2	21·7	14·5	15·4	19	17	2	12	–	–	–	–	–	–	–	1	–	–	4	–	HASTINGS.
EASTBOURNE	48,424	21·5	14·0	12·9	9·7	27	9	2	4	–	–	–	–	–	–	–	1	–	–	1	–	EASTBOURNE.
BRIGHTON	132,409	15·4	20·5	15·8	9·5	55	24	3	10	–	–	6	–	–	–	–	1	1	2	6	–	BRIGHTON.
PORTSMOUTH	224,846	14·4	17·6	13·7	11·8	126	51	5	26	–	–	–	–	1	1	–	3	1	5	8	1	PORTSMOUTH.
BOURNEMOUTH	82,627	9·5	15·8	9·5	16·4	24	26	4	13	–	–	–	–	–	–	–	1	–	1	1	–	BOURNEMOUTH
SOUTHAMPTON	126,033	15·	17·4	13·2	16·1	77	39	6	14	–	–	3	–	–	–	–	1	1	3	13	–	SOUTHAMPTON.
READING	91,365	13·1	10·8	8·0	12·0	51	21	2	8	–	–	–	–	1	–	–	–	–	–	6	–	READING.
OXFORD	57,666	6·3	11·8	7·2	7·2	24	8	2	5	–	–	–	–	1	–	–	1	–	–	2	–	OXFORD.
NORTHAMPTON	88,944	17·6	19·3	10·6	11·7	47	20	4	8	–	–	–	–	–	–	–	–	2	2	2	–	NORTHAMPTON.
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	14	2	6	–	–	–	–	–	–	–	1	1	1	2	–	CAMBRIDGE.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Causes. Week ended 3rd Apr., 1920.	10th Apr., 1920.	17th Apr., 1920.	24th Apr., 1920.	Week ended 24th Apr. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	12·4	16·1	10·5	8·7	41	14	2	5	–	–	–	–	–	–	–	2	1	1	3	1	Southend on Sea.
Ipswich	78,011	12·0	14·7	16·0	10·7	54	16	3	7	–	–	2	–	–	–	–	2	–	–	5	–	Ipswich.
Great Yarmouth	53,078	16·7	15·7	13·8	13·8	22	14	2	8	–	–	–	–	–	–	–	2	–	–	–	–	Great Yarmouth.
Norwich	119,993	16·9	18·3	11·7	16·9	85	39	10	12	1	–	3	–	1	–	1	–	2	6	4	–	Norwich.
Swindon	51,527	10·1	14·2	11·1	14·2	28	14	1	4	–	–	–	–	–	–	–	–	1	2	3	–	Swindon.
Exeter	59,014	14·1	14·1	12·4	13·3	40	15	1	5	–	–	–	–	–	–	–	–	1	1	4	–	Exeter.
Plymouth	181,967	19·2	17·8	16·9	16·9	112	59	9	26	–	–	1	–	1	–	–	8	2	3	8	–	Plymouth.
Bath	65,919	12·7	14·2	10·3	13·4	39	17	2	8	–	–	–	–	–	–	–	1	1	2	4	–	Bath.
Bristol	361,247	13·4	13·1	12·3	13·4	210	93	21	33	–	–	5	–	–	1	2	–	3	5	25	–	Bristol.
Gloucester	50,100	15·6	12·5	13·5	12·5	36	12	1	1	–	–	–	–	–	–	–	1	–	–	3	–	Gloucester.
Stoke on Trent	239,316	18·5	17·6	16·8	14·4	142	66	13	13	–	–	1	5	–	–	3	1	3	4	13	2	Stoke on Trent.
Wolverhampton	98,403	23·8	14·3	15·9	17·0	54	32	13	7	–	–	1	–	1	–	–	–	–	–	1	–	Wolverhampton.
Walsall	92,724	18·0	23·6	18·0	16·3	57	29	7	7	–	–	–	–	1	–	3	3	1	1	4	–	Walsall.
West Bromwich	69,899	16·4	18·6	23·9	19·4	40	26	15	4	–	–	–	–	1	–	–	4	–	–	2	–	West Bromwich.
Dudley	54,017	43·4	26·1	23·2	18·3	33	19	5	4	1	–	–	–	–	–	–	–	–	–	1	–	Dudley.
Birmingham	861,585	17·2	18·2	17·2	15·3	578	253	75	63	–	–	1	2	7	2	2	11	9	14	57	5	Birmingham.
Smethwick	72,152	16·6	7·9	15·2	11·6	61	16	8	4	–	–	–	–	–	–	–	–	1	1	3	–	Smethwick.
Coventry	132,048	11·8	11·5	12·2	13·0	74	33	11	4	–	–	–	–	–	–	–	3	1	2	12	1	Coventry.
Leicester	236,059	16·1	11·0	12·4	9·7	120	44	11	13	–	–	1	–	1	1	1	–	–	4	7	–	Leicester.
Lincoln	60,581	13·8	19·8	8·6	14·6	20	17	3	8	–	–	1	–	1	–	–	–	1	1	3	–	Lincoln.
Grimsby	78,813	15·9	11·2	15·2	13·9	53	21	5	1	–	–	–	–	–	–	1	1	2	2	2	1	Grimsby.
Nottingham	257,573	16·6	14·0	14·6	20·2	170	100	25	23	–	–	–	–	3	1	–	1	3	6	36	1	Nottingham.
Derby	123,930	13·5	14·7	10·9	13·5	78	32	5	8	–	–	1	–	–	–	–	1	–	4	13	–	Derby.

* See note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 24th April, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 3rd Apr., 1920.	10th Apr., 1920.	17th Apr., 1920.	24th Apr., 1920.	Week ended 24th Apr., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	21·6	15·8	16·2	16·2	53	39	5	9	–	–	5	–	1	3	–	1	–	1	13	–	STOCKPORT.
BIRKENHEAD	148,052	16·6	14·8	16·2	12·3	92	35	8	10	–	–	1	–	–	–	1	–	1	2	10	1	BIRKENHEAD.
WALLASEY	95,424	13·7	11·5	11·5	7·1	36	13	–	4	–	–	–	–	–	–	–	1	2	3	2	–	WALLASEY.
LIVERPOOL	772,665	23·8	20·0	18·6	17·9	554	265	53	63	–	1	15	2	7	3	3	11	9	15	132	–	LIVERPOOL.
BOOTLE	76,962	19·6	21·7	17·6	17·6	37	26	2	5	–	–	–	–	–	1	–	–	2	2	4	–	BOOTLE.
ST. HELENS	100,805	18·6	21·7	21·7	13·4	61	26	6	3	–	–	2	–	–	–	–	5	2	2	8	1	ST. HELENS.
SOUTHPORT	70,144	12·6	10·4	16·4	8·9	14	12	3	3	–	–	1	–	–	–	–	–	–	–	2	1	SOUTHPORT.
WIGAN	87,384	29·8	32·8	23·9	21·5	43	36	11	9	–	–	7	–	–	–	–	2	1	1	3	–	WIGAN.
WARRINGTON	74,952	13·9	13·2	16·0	20·2	59	29	9	8	–	–	–	–	–	–	2	2	–	–	9	2	WARRINGTON.
BOLTON	177,462	17·6	16·5	17·3	19·1	95	65	2	23	–	–	–	–	–	2	–	8	1	1	20	–	BOLTON.
BURY	54,248	13·5	13·5	20·2	13·5	25	14	4	4	–	–	–	–	–	–	–	1	–	–	2	1	BURY.
MANCHESTER	741,068	17·4	17·0	15·1	14·8	453	210	49	43	1	–	8	2	2	–	1	7	4	6	68	2	MANCHESTER.
SALFORD	226,225	15·2	14·3	16·4	14·8	134	64	18	14	–	–	1	–	2	–	3	1	1	1	24	–	SALFORD.
OLDHAM	137,668	18·2	22·7	15·2	15·5	74	41	9	9	–	–	–	–	1	–	–	–	3	4	14	–	OLDHAM.
ROCHDALE	90,051	21·4	19·1	17·4	13·3	45	23	3	6	–	–	–	–	–	–	–	1	1	2	6	–	ROCHDALE.
BURNLEY	101,005	17·0	17·0	15·0	14·5	68	28	6	8	–	–	–	–	–	–	–	2	1	3	8	–	BURNLEY.
BLACKBURN	125,992	27·7	18·2	25·2	24·4	56	59	16	21	–	–	–	–	–	–	2	9	1	4	12	–	BLACKBURN.
PRESTON	117,277	14·2	19·6	17·3	17·8	70	40	9	10	–	–	–	–	–	–	1	2	2	3	9	2	PRESTON.
BLACKPOOL	67,842	21·5	12·3	19·2	12·3	29	16	2	7	–	–	1	–	–	–	–	–	–	–	3	1	BLACKPOOL.
BARROW IN FURNESS	73,627	12·7	12·7	12·7	7·8	57	11	3	3	–	–	–	–	–	–	–	–	–	–	3	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	15·3	14·4	17·6	15·8	53	34	5	9	–	–	–	–	1	–	–	–	2	3	5	–	HUDDERSFIELD.
HALIFAX	101,791	25·1	23·6	22·5	26·1	37	51	4	15	–	–	1	–	–	–	1	7	–	1	10	–	HALIFAX.
BRADFORD	282,714	14·8	14·8	14·9	14·9	129	81	8	24	–	–	–	–	1	1	–	6	–	7	29	–	BRADFORD.
LEEDS†	431,999	16·8	18·1	18·1	15·9	263	132	20	46	1	–	3	–	5	4	1	6	4	7	38	–	LEEDS.†
DEWSBURY	52,969	20·7	18·7	14·8	19·7	26	20	4	7	–	–	–	–	–	–	–	2	–	1	3	–	DEWSBURY.
WAKEFIELD	49,208	17·0	22·3	20·1	19·1	29	18	2	9	1	–	–	1	–	–	–	–	–	–	5	–	WAKEFIELD.
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	44	15	3	3	1	–	1	–	–	–	–	–	–	1	2	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Causes. Week ended 3rd April, 1920.	10th April, 1920.	17th April, 1920.	24th April, 1920.	Week ended 24th April, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	13·9	14·8	15·0	13·4	302	122	25	23	–	–	1	–	1	1	2	10	4	8	39	–	Sheffield.
Rotherham	69,034	12·8	16·6	17·4	12·1	36	16	2	4	–	–	–	–	–	–	–	1	1	2	3	–	Rotherham.
York	74,531	18·9	9·1	15·4	15·4	40	22	4	8	–	–	–	–	–	–	–	2	–	–	9	–	York.
Hull	279,664	14·9	19·0	14·0	15·3	197	82	16	23	–	–	–	–	–	–	2	2	4	5	29	–	Hull.
Middlesbrough	127,142	21·3	17·6	16·8	12·7	73	31	12	4	–	–	–	–	–	2	1	–	1	1	5	–	Middlesbrough.
Darlington	64,658	17·9	18·7	22·0	13·8	35	17	7	3	–	–	–	–	5	–	–	1	1	1	4	–	Darlington.
Stockton on Tees	60,696	24·9	23·2	18·9	22·3	40	26	11	7	–	–	–	–	2	–	–	1	–	–	4	–	Stockton on Tees.
West Hartlepool	65,515	15·1	17·5	24·7	22·3	48	28	5	5	–	–	2	–	–	–	–	–	–	–	3	–	West Hartlepool.
Sunderland	149,263	18·2	21·0	26·5	21·0	119	60	25	7	–	–	3	–	–	–	–	3	2	3	7	1	Sunderland.
South Shields	111,502	21·5	19·6	19·6	11·2	88	24	5	6	–	–	–	–	–	–	–	3	1	1	4	1	South Shields.
Gateshead	123,392	23·2	16·1	19·0	20·7	76	49	9	13	–	–	–	–	–	–	–	4	–	–	11	2	Gateshead.
Newcastle on Tyne.	275,099	20·7	15·5	18·0	14·0	189	74	19	19	–	–	1	1	1	–	2	3	1	6	14	–	Newcastle on Tyne.
Tynemouth	58,007	13·5	21·6	32·4	20·7	37	23	1	8	–	–	–	–	–	–	–	4	–	–	6	–	Tynemouth.
Carlisle	55,198	5·7	18·9	17·9	12·3	42	13	4	4	–	–	–	–	–	–	–	2	–	–	2	–	Carlisle.
Newport (Mon.)	87,251	16·7	16·1	19·7	23·3	41	39	8	9	–	–	8	–	–	–	1	–	–	3	4	–	Newport (Mon.).
Cardiff	204,436	17·1	16·6	14·8	9·9	130	39	8	8	–	–	1	–	–	1	–	–	–	2	10	–	Cardiff.
Rhondda	177,911	14·1	12·9	14·1	18·8	120	64	17	8	–	–	10	–	–	2	–	5	1	1	5	–	Rhondda.
Merthyr Tydfil	71,638	13·8	9·5	10·2	10·2	52	14	5	3	–	–	1	–	–	–	–	–	1	2	4	–	Merthyr Tydfil.
Aberdare	51,384	10·1	21·3	17·3	19·3	28	19	2	3	–	–	–	–	–	–	1	–	–	–	4	–	Aberdare.
Swansea	160,810	15·9	13·3	14·3	16·2	79	50	6	9	–	–	1	–	–	1	–	7	–	2	8	–	Swansea.
Greater London	7,258,623	15·0	15·8	14·1	12·9	4181	1793	277	601	1	1	51	5	41	17	19	102	66	135	767	1	Greater London.
Outer Ring	2,900,314	13·1	13·1	11·2	10·9	1516	608	82	212	–	–	11	1	12	5	4	43	22	42	190	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	14·2	13·0	12·3	10·8	920	347	48	119	–	–	5	1	7	3	3	27	10	19	111	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	11·6	13·2	9·8	11·0	596	261	34	93	–	–	6	–	5	2	1	16	12	23	79	–	Remainder of Outer Ring.
Edinburgh†	342,300	17·9	15·7	16·5	14·4	180	94	19	32	–	–	2	–	–	2	–	4	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	17·6	17·8	19·4	19·2	770	410	96	81	1	3	20	1	4	3	7	31	19	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	23·2	26·8	31·5	28·5	277	227	48	46	–	–	9	–	9	–	2	5	6	6	72	4	Dublin (Registration Area).†
Belfast†	413,000	31·3	26·1	28·9	27·6	283	219	53	41	–	–	1	–	–	–	5	13	3	4	57	4	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE **2.** LONDON.—**Births** and **Deaths** registered during the SIXTEENTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2334	2133	2308	2235	2288	2193	1866	1853	1281	1148	2665
Males	1170	1062	1214	1145	1197	1108	1011	929	672	557	1418
Females	1164	1071	1094	1090	1091	1085	855	924	609	591	1247
Deaths (of residents only).	1175	1488	1240	1421	1248	1619	1322*	1576*	1245*	1091*	1185*
Males		758	639	739	640	851	651	828	650	536	597
Females		730	601	682	608	768	671	748	595	555	588

* Deaths in civilian population only.

TABLE **3.** LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.
Births (as registered)	2715	2966	2793	2746	2654	2771	2701	2672	2520	2078	2471	2650	2665
Deaths (of residents only).	1297	1332	1423	1384	1425	1456	1436	1484	1609	1365	1471	1342	1185
Ages at Death: Under 1 year	284	290	359	271	284	264	240	244	233	208	196	207	195
1–2 years	57	64	78	77	80	72	66	84	101	73	99	75	42
2–5 "	56	54	55	72	78	82	83	64	59	61	56	78	39
5–10 "	33	48	36	35	38	42	41	44	46	35	39	29	24
10–15 "	12	24	12	20	21	16	17	19	26	26	22	20	14
15–20 "	24	13	26	19	25	23	25	29	34	32	40	34	29
20–25 "	25	23	26	29	22	26	33	37	44	39	42	27	37
25–35 "	62	57	63	66	58	74	89	85	109	107	105	86	60
35–45 "	84	79	74	86	100	99	87	106	131	94	105	97	78
45–55 "	115	128	127	113	123	124	146	145	154	141	158	139	127
55–65 "	172	159	150	175	184	182	182	187	210	180	175	166	151
65–75 "	173	194	223	184	205	217	213	215	237	182	230	191	192
75 years and upwards	200	199	194	237	207	235	214	225	225	187	204	193	197
Deaths from—													
Enteric fever	1	1	–	1	1	3	–	–	–	–	4	1	1
Small-pox	–	–	–	1	–	–	2	–	–	–	–	–	1
Measles	18	26	35	49	52	52	56	70	69	48	62	76	40
Scarlet fever	5	9	3	–	3	9	5	5	3	2	6	4	4
Whooping cough	28	26	37	42	52	34	41	37	35	34	31	42	29
Diphtheria	37	32	29	16	19	28	25	29	27	28	22	20	12
Diarrhœa and enteritis (under 2 years).	15	14	22	16	18	12	13	14	23	12	18	17	15
Pulmonary tuberculosis	86	73	104	97	118	92	94	100	124	97	114	97	91
Influenza	15	20	25	37	38	54	57	91	131	124	105	101	59
Pneumonia (all forms)	176	205	222	189	194	184	197	183	229	175	194	140	113
Bronchitis	139	151	193	147	166	199	161	156	185	142	123	103	95
Other dis. of resp. system	11	20	21	15	14	25	18	24	32	20	26	15	16
Dis. of circ. system	182	180	179	202	189	173	225	184	213	159	191	168	174
Violence	40	46	45	44	49	42	38	42	44	33	49	36	44
Inquest cases	107	110	129	124	117	103	111	96	114	72	114	103	93
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	27	24	16	16	33	37	39	42	37	40	37	35	30
Small-pox	–	–	3	2	4	7	7	8	14	20	26	24	23
Measles	47	59	78	97	96	90	78	90	85	88	85	66	66
Scarlet fever	2550	2487	2459	2415	2316	2255	2182	2158	2101	2023	2012	1904	1845
Whooping cough	21	21	18	17	18	15	15	16	17	19	19	22	22
Diphtheria	2008	2014	2010	2000	2026	2006	2045	2066	2043	1983	1994	1958	1965

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE **3A.** **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.
Deaths from Influenza	66	98	109	161	178	196	230	312	392	379	332	306	259

TABLE 4. LONDON.—DEATHS REGISTERED in the SIXTEENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 16th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
L CAUSES	1091	1185	195	42	39	24	14	29	37	60	78	127	151	192	197
teric fever	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
hall-pox	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
easles	10	40	13	14	11	2	–	–	–	–	–	–	–	–	–
arlet fever	2	4	–	–	3	–	1	–	–	–	–	–	–	–	–
hooping cough	5	29	13	6	10	–	–	–	–	–	–	–	–	–	–
phtheria	14	12	1	1	5	4	–	1	–	–	–	–	–	–	–
oup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
fluenza	71	59	–	–	–	–	1	3	2	8	10	16	2	7	10
ysipelas	1	3	–	–	–	–	–	–	–	–	–	–	1	2	–
her epidemic diseases	3	3	–	–	–	–	–	–	–	–	2	–	–	–	1
æmia and septicæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
tanus	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
berculosis :—															
Pulmonary tuberculosis	103	91	–	1	1	–	2	7	15	15	12	22	11	4	1
Tuberculous meningitis	6	8	3	1	–	2	1	1	–	–	–	–	–	–	–
Abdominal tuberculosis	7	2	–	–	–	1	–	–	–	1	–	–	–	–	–
Tuberculosis of the spine	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–
Tuberculosis of the joints	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Tuberculosis of other organs	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	3	3	–	–	–	1	1	1	–	–	–	–	–	–	–
nereal diseases	4	6	4	–	–	–	–	–	–	–	–	2	–	–	–
ncer	99	97	–	–	–	1	–	–	–	4	10	15	27	27	13
mour, situation undefined	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
eumatic fever	4	5	–	–	–	1	1	2	–	1	–	–	–	–	–
abetes	5	7	–	–	–	–	1	1	–	–	–	–	3	2	–
æmia, leucocythaemia	2	8	–	–	–	–	–	1	2	–	–	1	–	2	2
her general diseases	12	14	1	3	1	–	–	–	–	–	1	–	1	2	5
coholism	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
ronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
nple meningitis	3	7	2	1	–	2	–	–	1	–	–	–	1	–	–
rebral hæmorrhage, Apoplexy	47	48	–	–	–	–	–	–	–	–	1	4	11	18	14
ftening of brain	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ralysis, without specified cause	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1
ilepsy	3	4	–	–	–	–	–	–	–	–	–	3	1	–	–
onvulsions" (not puerperal)	7	5	4	1	–	–	–	–	–	–	–	–	–	–	–
her diseases of nervous system	24	34	–	1	–	–	–	–	–	4	9	5	7	5	3
ricarditis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
ute endocarditis	1	10	–	–	–	–	1	–	3	1	4	1	–	–	–
ganic disease of heart	118	120	–	–	–	–	1	2	4	3	8	18	12	39	33
bolism and thrombosis (including cerebral).	9	11	–	–	–	–	–	–	–	–	–	–	5	3	3
her diseases of circulatory ystem.	39	32	–	–	–	–	–	–	–	–	–	1	10	8	13
seases of the larynx	–	2	1	–	–	–	–	–	–	–	1	–	–	–	–
onchitis	129	95	12	1	–	–	–	–	–	1	1	10	11	29	30
oncho-pneumonia	57	57	28	8	4	1	–	1	2	2	–	–	5	3	3
obar pneumonia	22	27	5	–	1	1	–	2	–	8	1	3	3	2	1
eumonia (type not distinguished)	33	29	6	2	1	2	–	2	1	2	2	3	4	1	3
urisy	3	5	1	1	–	–	–	–	1	1	–	–	–	1	–
monary congestion, Pulmonary poplexy.	6	4	–	–	–	–	–	–	–	–	–	–	–	1	3
her diseases of respiratory ystem.	9	5	–	–	–	–	–	–	–	–	1	2	1	1	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the SIXTEENTH Week of the Year 1920.

Causes of Death.	Deaths in the 16th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	11	7	1	–	–	–	–	–	–	–	1	1	4	–	–
Diarrhœa and enteritis	12	18	14	1	–	–	–	–	–	1	–	1	1	–	–
Appendicitis and typhlitis	7	6	–	–	–	1	1	1	–	1	2	–	–	–	–
Hernia and Intestinal obstruction.	6	13	1	–	–	–	–	–	–	1	–	3	2	4	2
Cirrhosis of liver	4	6	–	–	–	–	–	–	–	–	–	2	3	1	–
Other diseases of liver	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Peritonitis (cause unknown)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	1	4	–	–	–	–	–	–	–	–	1	2	1	–	–
Acute nephritis	3	3	–	–	1	–	–	–	–	–	–	–	2	–	–
Chronic Bright's disease	25	28	–	–	–	–	–	1	–	–	3	1	9	10	4
Urinary calculi	–	2	–	–	–	–	–	–	–	1	–	–	–	–	1
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian tumour (")	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	9	10	–	–	–	–	–	–	1	–	1	–	3	1	4
Puerperal fever, &c.	2	3	–	–	–	–	–	–	1	2	–	–	–	–	–
Other causes incident to childbirth.	3	5	–	–	–	–	–	1	–	2	2	–	–	–	–
Diseases of skin and cellular tissues.	8	5	1	–	–	–	–	–	–	–	–	–	1	2	1
Diseases of locomotor system		1	–	–	–	–	1	–	–	–	–	–	–	–	–
Congenital malformations	6	9	9	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	26	49	49	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	7	8	8	–	–	–	–	–	–	–	–	–	–	–	–
Old age	40	55	–	–	–	–	–	–	–	–	–	–	1	9	45
ACCIDENT.															
Poisons or poisonous vapours	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	2	2	–	–	–	1	–	–	–	–	–	–	–	1	–
Drowning	–	6	–	–	–	1	1	–	1	–	–	1	1	1	–
Suffocation in bed	1	4	4	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	20	21	1	–	–	3	1	1	2	1	3	4	–	4	1
Total deaths from accident	23	34	5	–	1	5	2	1	3	1	3	5	1	6	1
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	8	–	–	–	2	1	–	1	–	1	2	–	1	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	10	–	–	–	–	–	–	–	–	1	5	3	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	8	10	10	–	–	–	–	–	–	–	–	–	–	–	–
Ill-defined Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Apr. 24	2,665	1,185	14·2	1	1	40	4	29	12	15	59
CALCUTTA	896,067	Mar. 20	–	828§	48·0	?	173	?	?	?	?	?	53
BOMBAY	979,445	„ 20	306	824§	43·7	3	25	5	–	–	1	33	62
MADRAS	518,660	„ 13	376	409§	41·0	1	3	2	?	5	–	35	8
PARIS	2,847,229	(10 days) Mar. 10	–	–	–	–	–	–	–	–	–	–	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	325,160	Mar. 27	137	83	13·4	–	–	–	–	–	2	2	5
AMSTERDAM	650,109	Apr. 10	278	157	12·6	–	–	4	–	–	2	2	15
COPENHAGEN	552,000	„ 10	252	164	15·5	–	–	–	2	1	1	–	2
STOCKHOLM	408,456	Apr. 3	164	114	14·5	–	–	–	2	1	2	–	14
GOTHENBURG	200,578	Mar. 27	–	54	14·0	–	–	2	–	–	–	–	1
CHRISTIANIA	258,615	Apr. 10	98	57	11·5	–	–	1	–	–	–	1	–
BERLIN	1,924,185	Mar. 27	747	831	22·5	–	?	2	3	7	1	19	40
BRESLAU	493,393	„ 27	282	201	21·2	–	?	–	1	2	–	3	10
COLOGNE	631,005	„ 27	400	202	16·6	1	?	–	–	5	1	2	?
DRESDEN	534,880	„ 27	236	193	18·8	–	?	–	–	1	2	2	29
FRANKFORT-ON-MAIN.	470,124	„ 27	148	152	16·8	–	?	1	–	6	1	3	?
HAMBURG	1,050,300	„ 27	444	309	15·3	–	?	1	4	1	5	4	50
LEIPZIG	676,289	„ 27	261	260	20·0	–	?	3	1	1	1	5	?
MUNICH	670,000	„ 27	286	249	19·3	–	?	3	–	1	2	8	?
VIENNA	1,838,708	Apr. 3	437	846	23·9	3	–	9	5	5	5	10	36
PRAGUE	524,496	Mar. 13	149	267	26·5	1	–	–	–	–	–	3	33
BUDAPEST	1,071,492	Feb. 14	577	915	44·4	–	–	–	3	4	2	28	289
		„ 21	486	689	33·4	1	1	–	1	6	2	33	182
TRIESTE	229,810	Apr. 3	–	–	–	–	–	–	–	–	–	–	–
CAIRO	761,300	Feb. 18	693	530	36·2	–	3	2	–	?	–	18	?
ALEXANDRIA	445,000	„ 18	378	246	28·7	–	9	1	–	?	–	8	?
NEW YORK	6,141,445	Mar. 20	2,674	1,554	13·2	1	–	33	5	17	27	40	46
		„ 27	2,627	1,535	13·0	5	–	25	3	19	31	38	44
CHICAGO	2,596,681	„ 20	–	733	14·7	–	–	1	7	7	12	45	26

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 4 deaths from *plague* in Calcutta and 7 in Bombay, and from *Asiatic cholera* 69 deaths in Calcutta, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 24th April, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	66	35	57·4	41·3	15
BRIGHTON	56	39	53·6	44·4	17
PORTSMOUTH	60	40	54·9	44·0	14
NORWICH (Eaton)	64	34	57·7	41·9	8
PLYMOUTH	59	41	54·4	45·3	20
BRISTOL (Clifton)	Not received.				
BIRMINGHAM	62	37	54·4	41·6	29
NOTTINGHAM	61	36	55·0	40·9	19
BIRKENHEAD (Bidston)	58	38	53·0	41·3	22
MANCHESTER (Whitworth Park)	58	37	54·3	43·1	19
BURNLEY	56	31	52·6	38·6	31
HUDDERSFIELD	56	37	52·7	40·4	15
BRADFORD	56	38	52·4	40·6	22
SHEFFIELD	61	38	54·1	41·4	16
YORK (Museum)	58	38	54·4	41·9	22
HULL (Pearson Park)	57	36	54·6	41·1	17
TYNEMOUTH	57	34	49·7	37·1	12
CARDIFF	59	37	53·3	43·0	21
EDINBURGH	58·0	38·0	53·6	40·1	3
GLASGOW	56·2	36·6	52·4	40·6	11
DUBLIN:— Phœnix Park	58·0	29·1	54·7	37·8	10
†Fitzwilliam Square	58·0	36·8	55·3	42·1	10
BELFAST	54·0	30·0	52·3	36·8	18

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 24th April 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	18	New	29·740	51·6	40·0	11·6	46·1	− 1·9	43·6	2·5	5·4	1·7	91	65·1	35·0	47·2	NE. & NNE.	NNE., calm & SW.	0·6	0·0	0·0	128	−164	0·02
MONDAY	19	..	29·647	59·4	37·3	22·1	48·1	− 0·2	44·1	4·0	12·3	1·7	86	118·3	32·3	47·5	Calm & SW.	SW. & WSW.	4·6	0·0	0·3	305	+ 12	0·05
TUESDAY	20	..	29·362	54·0	39·4	14·6	46·4	− 2·1	38·5	7·9	10·7	1·4	74	120·8	34·0	47·5	WSW. & SW.	SW., W. & WNW.	11·0	0·0	1·0	489	+197	0·21
WEDNESDAY	21	Perigee	29·822	54·9	39·8	15·1	45·8	− 2·9	36·4	9·4	15·5	3·2	70	110·3	35·0	47·5	WNW. & NW.	NW., NNW. & W.	7·7	0·0	0·7	477	+186	0·01
THURSDAY	22	Greatest declination N.	29·899	57·0	35·1	21·9	46·6	− 2·1	39·1	7·5	15·2	0·0	75	116·8	32·4	47·8	WSW. & SW.	SSW. & S.	3·8	0·0	0·3	273	− 16	0·28
FRIDAY	23	..	29·999	58·2	44·4	13·8	50·1	+ 1·5	47·2	2·9	8·6	1·1	90	91·7	35·4	47·4	S. & calm	N., S. & calm.	0·4	0·0	0·0	114	−173	0·00
SATURDAY	24	..	29·991	66·2	44·1	22·1	53·7	+ 5·1	46·9	6·8	15·7	0·7	78	112·3	35·1	47·5	WSW. & W.	WSW. & W.	3·3	0·0	0·3	316	+ 30	0·00
MEANS		. . .	29·780	57·3	40·0	17·3	48·1	− 0·4	42·3	5·9	11·9	1·4	81	105·0	34·2	47·5	WSW.		..	..	..	Sum 2102	Sum + 72	Sum 0·57
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. April, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	18	s.P. generally, a little v.P. and v.N. at times.	0·0	14·0	Overcast till 20h. with slight rain at times from 5h., becoming cloudless generally by 20h. 30m.; gloom in afternoon.
MONDAY -	19	v.P. generally, a little v.N. at times.	1·5	14·1	Cloudless till 3h., becoming nearly overcast by 5h.; overcast or very cloudy till 16h. 15m.; cloudy till 22h., becoming cloudless by 23h.; rain between 13h. and 16h. 15m.
TUESDAY -	20	v.P. and v.N. throughout.	5·3	14·1	Cloudless till 4h., nearly overcast by 5h.; variably cloudy from 7h. to 11h. 30m.; overcast generally afterwards with few breaks in afternoon; frequent rain from 5h.; brisk wind from 10h.
WEDNESDAY -	21	s.P. generally, a little v.P. and v.N. in morning.	2·7	14·2	Overcast generally with occasional slight rain until 12h. 30m.; very cloudy till 17h. 30m., clearing to cloudless by 20h.; brisk wind till 9h.
THURSDAY -	23	Loss of register till 9h., v.P. and v.N. afterwards.	3·5	14·2	Cloudless generally till 6h. 30m., variably cloudy to overcast by 11h.; rain generally from 14h.
FRIDAY - -	23	v.P. till 7h., s.P. till 16h., v.P. afterwards.	1·5	14·3	Overcast with few cloudy intervals till 15h., becoming cloudless generally but hazy by 16h. 30m.
SATURDAY -	24	m.P. till 8h., s.P. generally afterwards.	2·5	14·3	Cloudless till 6h. 30m., then overcast or nearly so with few exceptions, but cloud generally thin; slight damping about noon.
			Sum 17·0	Sum 99·2	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·68 in. at the beginning of the week to 29·78 in. by 23h. on 18th; decreased to 29·29 in. by 16h. on 20th; increased to 30·00 in. by 23h. on 21st; decreased to 29·84 in. by 19h. on 22nd; increased to 30·06 in. by 23h. on 23rd, and decreased to 29·92 in. by midnight on 24th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 17th April, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,342	1	–	76	4	42	20	17	97	207
Western										
Paddington	41	–	–	1	–	–	1	2	3	9
Kensington	57	–	–	6	–	2	1	1	2	8
Hammersmith	36	–	–	2	–	1	2	–	–	4
Fulham	41	–	–	4	–	1	1	–	4	9
Chelsea	11	1	–	–	–	–	–	–	3	–
City of Westminster	36	–	–	2	–	–	–	–	–	3
Northern.										
St. Marylebone	25	–	–	–	–	–	–	–	3	1
Hampstead	19	–	–	–	–	–	–	–	–	1
St. Pancras	72	–	–	5	1	3	1	1	4	14
Islington	121	–	–	5	–	5	1	1	7	14
Stoke Newington	21	–	–	–	–	2	–	–	3	7
Hackney	73	–	–	5	–	3	2	1	7	14
Central.										
Holborn	21	–	–	–	–	–	–	1	–	4
Finsbury	19	–	–	–	–	1	–	–	1	–
City of London	8	–	–	–	–	–	–	–	1	2
Eastern.										
Shoreditch	46	–	–	1	–	1	2	–	1	3
Bethnal Green	37	–	–	5	–	6	–	1	3	11
Stepney	90	–	–	4	1	5	–	2	4	11
Poplar	70	–	–	4	–	2	2	1	4	15
Southern.										
Southwark	53	–	–	6	–	2	–	–	6	9
Bermondsey	33	–	–	3	–	1	–	–	1	5
Lambeth	83	–	–	5	1	1	2	1	8	10
Battersea	42	–	–	5	1	3	1	1	2	7
Wandsworth	75	–	–	2	–	–	1	–	9	10
Camberwell	71	–	–	6	–	1	1	1	2	7
Deptford	30	–	–	1	–	–	1	1	2	6
Greenwich	34	–	–	1	–	1	–	–	4	7
Lewisham	36	–	–	–	–	–	–	–	5	8
Woolwich	41	–	–	3	–	1	1	2	8	8

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 17th April, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
ngton	143,938	-	-	-	-	11	7	-	1	-	-	-	-	-	-	-
ngton	157,886	1	-	-	-	8	16	-	1	-	-	2	-	-	-	-
hersmith	130,981	1	-	-	-	5	4	-	-	1	-	1	-	-	-	-
m	152,543	-	-	-	-	9	9	-	4	-	1	1	-	-	-	-
a	60,573	-	-	-	-	3	3	-	1	-	-	-	-	-	-	-
Westminster	127,533	-	-	-	-	8	3	-	1	-	-	1	-	-	-	-
NORTHERN.																
rylebone	97,953	1	-	-	-	4	3	-	1	-	-	1	-	-	-	-
stead	88,012	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-
hcras	219,434	-	-	-	-	9	20	-	-	-	-	2	-	-	1	-
on	323,034	1	-	-	-	13	20	-	2	-	1	2	-	-	-	-
Newington	50,954	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
ey	216,736	-	-	-	-	7	11	-	1	-	1	-	-	-	-	-
CENTRAL.																
n	38,156	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ry	75,291	-	-	-	-	3	4	-	1	-	-	1	-	-	-	-
London	13,893	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																
itch	98,134	1	-	-	-	7	6	-	-	-	-	-	-	-	-	-
l Green	110,085	-	-	-	-	13	7	-	2	-	-	-	-	-	-	-
y	232,506	-	-	-	-	18	10	-	4	-	-	1	-	-	1	-
	153,644	-	-	-	-	17	7	-	3	-	-	-	-	-	-	-
OUTHERN.																
vark	179,971	-	-	-	-	8	7	-	4	-	-	-	-	-	-	-
ndsey	124,239	-	-	-	-	5	4	-	1	-	1	-	-	-	-	-
th	282,322	-	-	-	-	13	21	-	1	-	1	4	-	-	-	-
sea	159,316	1	-	-	-	10	9	-	1	-	-	1	-	-	-	-
worth	333,693	-	-	-	-	19	35	-	4	-	2	5	-	-	-	-
rwell	273,802	-	-	-	-	12	13	-	1	1	2	-	-	-	-	-
rd	111,205	-	-	-	-	11	6	-	1	-	-	-	-	-	-	-
vich	98,484	-	-	-	-	5	8	-	1	1	-	-	-	-	-	-
am	167,754	-	-	-	-	7	12	-	2	-	-	-	-	-	-	-
ich	136,237	-	-	-	-	8	5	-	3	-	-	1	-	-	-	-
London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AL	4,358,309	6	-	-	-	235	254	-	44	3	9	23	-	-	2	-
ges 0-1		-	-	-	-	1	3	-	1	-	-	23	-	-	-	-
„ 1-5		-	-	-	-	49	62	-	1	2	-	-	-	-	-	-
„ 5-		-	-	-	-	100	93	-	1	-	-	-	-	-	1	-
„ 10-		-	-	-	-	49	40	-	2	-	-	-	-	-	-	-
„ 15-		-	-	-	-	17	24	-	1	-	-	-	-	-	1	-
„ 20-		1	-	-	-	5	10	-	2	-	1	-	-	-	-	-
„ 25-		4	-	-	-	11	11	-	6	-	5	-	-	-	-	-
„ 35-		1	-	-	-	3	4	-	8	-	3	-	-	-	-	-
„ 45-		-	-	-	-	-	6	-	6	-	-	-	-	-	-	-
„ 55-		-	-	-	-	-	1	-	9	1	-	-	-	-	-	-
„ 65-		-	-	-	-	-	-	-	5	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
ge not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

his table is supplied by the Medical Officer of Health of the Administrative County of London, and piled from returns which the London County Council receives from the Metropolitan Asylums under Section 55 (4) of the Public Health (London) Act, 1891.]

ee Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 17. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, MAY 1.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
May 4th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,249, and corresponded to an annual rate of 28·8 per 1,000. The deaths* among the civilian population only numbered 4,846, and corresponded to an annual rate of 14·2 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended April 10th, April 17th, and April 24th the rates had been 16·6, 15·8, and 14·5 respectively. The infant mortality was 86, against 110, 93, and 92, in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10898—1 Wt 167–840 625 5/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 21·7 in Bolton, 22·3 in Wakefield and in Stockton-on-Tees, 23·7 in Burnley, 24·1 in Sunderland, 24·3 in Tynemouth, and 26·3 in West Hartlepool; from *measles*, 1·7 in Norwich, 2·4 in Newport (Mon.), and 3·0 in Wigan; from *whooping cough*, 1·3 in Norwich, 1·4 in Bootle, 1·6 in Darlington, and 2·6 in Stockton-on-Tees; and from *influenza*, 4·0 in West Hartlepool, and 4·1 in Halifax. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,518 births, corresponding to a rate of 28·9 per 1,000, and 1,147 deaths of civilians, corresponding to a rate of 13·7, as against 17·6, 16·1 and 14·2 per 1,000 in the three weeks ended April 10th, April 17th, and April 24th. The death-rate in the four weeks ended last Saturday averaged 15·4 per 1,000. The infant mortality was 63 against 79, 78, and 73 in the preceding three weeks.

The deaths from *enteric fever*, which had been 4, 1, and 1 in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 62, 76, and 40 in the preceding three weeks, rose again to 45 last week, but were 14 below the average; 9 deaths belonged to the Borough of Wandsworth, 6 to Battersea, 5 to Islington, and 4 to Lambeth. The deaths from *scarlet fever*, which had been 6, 4, and 4 in the preceding three weeks, were again 4 last week, and were equal to the average. The deaths from *whooping-cough*, which had been 31, 42, and 29 in the preceding three weeks, fell last week to 23, and were 7 below the average; 5 deaths belonged to Stepney, and 3 each to St. Pancras and Poplar. The deaths from *diphtheria*, which had been 22, 20, and 12 in the preceding three weeks, rose last week to 15, and were 5 above the average; 3 deaths belonged to Wandsworth. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 18, 17, and 15 in the preceding three weeks, fell last week to 12, and were 2 below the average. The deaths from *influenza* numbered 45, as against 105, 101, and 59 in the preceding three weeks, and an average of 28.

Different forms of violence caused 42 deaths, all of which were the subject of coroners' inquests. Of these 42 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 30 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 3 to burns or scalds, 2 to drowning, and 3 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 29 cases of enteric fever, 12 of small-pox, 66 of measles, 1,831 of scarlet fever, 20 of whooping-cough, and 1,951 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 4 cases, against 4, 5, and 2; of small-pox, 0 case, against 9, 0, and 3; of measles, 18 cases, against 16, 15, and 19; of scarlet fever, 240 cases, against 241, 203, and 225; of whooping-cough, 0 case, against 1, 3, and 1; and of diphtheria, 239 cases, against 219, 234, and 205. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended April 24th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 1st May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 10th Apr., 1920.	17th Apr., 1920.	24th Apr., 1920.	1st May, 1920.	Week ended 1st May, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	**17,807,258**	**16·6**	**15·8**	**14·5**	**14·2**	**10,249**	**4846**	**877**	**1365**	**7**	**-**	**123**	**12**	**80**	**44**	**55**	**202**	**162**	**311**	**1513**	**27**	**96 GREAT TOWNS.**
LONDON†	4,358,309	17·6	16·1	14·2	13·7	2518	1147	158	366	3	-	45	4	23	15	12	45	42	83	555	4	LONDON.†
‡ CROYDON	184,239	10·5	13·9	11·3	14·2	97	50	6	17	-	-	1	-	1	-	-	2	2	3	13	-	CROYDON.
‡ WIMBLEDON	59,791	7·8	10·5	3·5§	9·6	21	11	-	6	-	-	-	-	-	1	-	-	1	1	3	-	WIMBLEDON.
‡ EALING	73,212	10·0	12·1	5·0	17·1	22	24	2	11	-	-	-	-	-	-	-	2	-	1	11	-	EALING.
‡ ACTON	61,732	10·1	11·0	11·0	11·0	34	13	2	7	-	-	1	-	-	-	-	-	-	-	2	-	ACTON.
‡ WILLESDEN	160,917	11·3	9·1	9·7	10·0	111	31	1	13	-	-	-	-	2	1	-	-	-	-	21	-	WILLESDEN.
‡ HORNSEY	94,348	9·4	16·0	13·8	11·1	38	20	3	7	-	-	-	-	-	1	-	1	-	1	6	-	HORNSEY.
‡ TOTTENHAM	141,338	15·1	11·1	11·1	11·1	94	30	4	15	-	-	-	-	-	-	-	2	3	4	7	-	TOTTENHAM.
‡ EDMONTON	70,711	18·4	11·8	10·3	10·3	39	14	2	2	-	-	-	1	-	1	1	2	-	1	6	-	EDMONTON.
‡ ENFIELD	58,442	9·8	5·4	11·6	8·0	30	9	-	2	-	-	-	-	-	-	-	-	-	1	3	-	ENFIELD.
‡ WEST HAM	287,966	16·5	15·0	13·8	14·5	190	80	9	19	-	-	2	1	2	-	-	3	5	12	37	-	WEST HAM.
‡ EAST HAM	144,451	14·1	10·8	10·8	11·2	58	31	3	6	-	-	1	-	-	-	-	1	1	4	12	-	EAST HAM.
‡ LEYTON	123,896	16·4	13·9	9·3	11·8	53	28	4	3	-	-	1	-	1	1	1	3	3	6	10	-	LEYTON.
‡ WALTHAMSTOW	127,684	13·5	13·1	12·7	12·7	74	31	4	7	-	-	-	-	-	-	-	1	1	2	11	-	WALTHAMSTOW.
‡ ILFORD	79,524	8·5	9·8	7·9	5·9	37	9	-	2	-	-	-	-	1	-	-	-	1	1	3	-	ILFORD.
GILLINGHAM	43,501	10·8	16·8	12·0	13·2	36	11	1	3	-	-	-	-	-	-	-	-	-	1	3	-	GILLINGHAM.
HASTINGS	57,674	21·7	14·5	15·4	10·8	26	12	1	5	-	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.
EASTBOURNE	48,424	14·0	12·9	9·7	14·0	16	13	1	7	-	-	-	-	-	-	-	2	-	-	4	-	EASTBOURNE.
BRIGHTON	132,409	20·5	15·8	9·5	15·4	73	39	8	14	-	-	2	-	-	1	-	-	-	2	10	-	BRIGHTON.
PORTSMOUTH	224,846	17·6	13·7	11·8	8·3	133	36	5	9	-	-	-	-	-	1	-	1	-	1	15	-	PORTSMOUTH.
BOURNEMOUTH	82,627	15·8	9·5	16·4	13·3	38	21	2	10	-	-	-	-	-	-	-	-	1	1	6	-	BOURNEMOUTH
SOUTHAMPTON	126,033	17·4	13·2	16·1	9·5	69	23	3	9	-	-	1	-	-	-	1	-	1	1	11	-	SOUTHAMPTON.
READING	91,365	10·8	8·0	12·0	10·8	57	19	4	7	-	-	-	-	-	-	-	-	-	1	1	-	READING.
OXFORD	57,666	11·8	7·2	7·2	5·4	36	6	1	4	-	-	-	-	1	-	-	-	-	-	-	-	OXFORD.
NORTHAMPTON	88,944	19·3	10·6	11·7	12·3	69	21	4	7	-	-	-	-	-	-	-	1	-	1	7	-	NORTHAMPTON.
CAMBRIDGE	57,849	6·3	9·9	12·6	9·0	24	10	1	5	-	-	-	-	-	-	-	-	-	-	2	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 8 (*contd.*): 96 GREAT TOWNS, GREATER LONDON, AND FOUR SCOTTISH OF THESE TOWNS: BIRTHS AND DEATHS REGISTERED, AND DEATH RATES in the Week ended Saturday, 1st May 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 10th Apr., 1920.	17th Apr., 1920.	24th Apr., 1920.	1st May, 1920.	Week ended 1st May 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	16·1	10·5	8·7	13·0	35	21	1	9	–	–	–	–	–	1	–	–	–	1	4	–	Southend on Sea.
Ipswich	78,011	14·7	16·0	10·7	12·7	54	19	6	6	–	–	–	–	1	–	–	–	1	1	5	–	Ipswich.
Great Yarmouth	53,078	15·7	13·8	13·8	11·8	27	12	4	3	–	–	–	–	–	–	–	–	–	–	4	1	Great Yarmouth.
Norwich	119,993	18·3	11·7	16·9	15·6	78	36	6	8	–	–	4	–	3	–	–	–	–	–	14	–	Norwich.
Swindon	51,527	14·2	11·1	14·2	12·1	18	12	1	7	–	–	–	–	–	1	–	–	–	–	2	–	Swindon.
Exeter	59,014	14·1	12·4	13·3	8·8	28	10	1	4	–	–	–	–	–	–	–	–	–	1	1	–	Exeter.
Plymouth	181,967	17·8	16·9	16·9	16·0	106	56	10	21	–	–	–	–	2	–	–	2	2	3	11	–	Plymouth.
Bath	65,919	14·2	10·3	13·4	7·1	28	9	1	4	–	–	–	–	–	–	–	1	2	3	3	–	Bath.
Bristol	361,247	13·1	12·3	13·4	12·8	208	89	18	27	–	–	6	–	1	1	1	–	2	8	28	–	Bristol.
Gloucester	50,100	12·5	13·5	12·5	11·4	27	11	1	3	–	–	–	–	1	–	–	–	–	–	5	–	Gloucester.
Stoke on Trent	239,316	17·6	16·8	14·4	14·2	163	65	23	16	–	–	2	1	1	–	4	1	2	3	12	1	Stoke on Trent.
Wolverhampton	98,403	14·3	15·9	17·0	15·9	48	30	9	6	–	–	2	–	1	–	–	–	2	3	2	–	Wolverhampton.
Walsall	92,724	23·6	18·0	16·3	12·9	68	23	10	2	–	–	–	–	–	–	–	1	–	3	6	–	Walsall.
West Bromwich	69,899	18·6	23·9	19·4	17·2	46	23	12	5	–	–	–	–	1	–	–	1	–	–	–	–	West Bromwich.
Dudley	54,017	26·1	23·2	18·3	8·7	40	9	3	2	–	–	–	–	–	–	–	1	–	1	1	–	Dudley.
Birmingham	861,585	18·2	17·2	15·3	13·4	563	222	56	51	–	–	2	1	4	3	3	11	10	12	64	2	Birmingham.
Smethwick	72,152	7·9	15·2	11·6	14·5	36	20	6	5	–	–	–	–	–	–	–	–	–	–	3	–	Smethwick.
Coventry	132,048	11·5	12·2	13·0	7·9	80	20	4	4	–	–	–	–	–	–	–	–	–	1	6	–	Coventry.
Leicester	236,059	11·0	12·4	9·7	13·0	103	59	9	14	–	–	2	–	–	1	–	1	2	5	18	–	Leicester.
Lincoln	60,581	19·8	8·6	14·6	12·9	26	15	1	6	–	–	1	–	–	–	–	–	–	–	1	–	Lincoln.
Grimsby	78,813	11·2	15·2	13·9	13·9	60	21	2	3	–	–	1	–	–	–	–	–	2	2	2	–	Grimsby.
Nottingham	257,573	14·0	14·6	20·2	11·9	128	59	11	14	–	–	3	–	–	1	2	2	4	5	16	–	Nottingham.
Derby	123,930	14·7	10·9	13·5	13·5	77	32	5	16	–	–	–	–	–	1	–	1	–	2	7	–	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 1st May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 10th Apr., 1920.	17th Apr., 1920.	24th Apr., 1920.	1st May, 1920.	Week ended 1st May, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	15·8	16·2	16·2	14·9	65	36	10	10	–	–	3	–	1	–	–	1	2	2	11	–	STOCKPORT.
BIRKENHEAD	148,052	14·8	16·2	12·3	15·5	85	44	8	15	–	–	1	–	2	–	2	–	–	–	11	–	BIRKENHEAD.
WALLASEY	95,424	11·5	11·5	7·1	13·7	42	25	5	11	–	–	–	–	–	–	1	2	2	2	5	–	WALLASEY.
LIVERPOOL	772,665	20·0	18·6	17·9	15·7	533	232	48	36	–	–	8	1	7	1	7	4	10	17	105	2	LIVERPOOL.
BOOTLE	76,962	21·7	17·6	17·6	10·2	51	15	4	5	–	–	–	–	2	1	–	–	–	–	4	1	BOOTLE.
ST. HELENS	100,805	21·7	21·7	13·4	15·5	65	30	13	3	–	–	2	–	1	–	1	1	–	–	7	2	ST. HELENS.
SOUTHPORT	70,144	10·4	16·4	8·9	12·6	35	17	2	10	1	–	–	–	–	–	–	–	–	–	2	1	SOUTHPORT.
WIGAN	87,384	32·8	23·9	21·5	20·9	49	35	6	7	–	–	5	–	–	–	–	2	–	1	3	–	WIGAN.
WARRINGTON	74,952	13·2	16·0	20·2	11·8	44	17	4	2	–	–	–	–	–	–	3	2	–	–	2	1	WARRINGTON.
BOLTON	177,462	16·5	17·3	19·1	21·7	94	74	10	22	1	–	2	–	2	–	1	10	–	3	21	–	BOLTON.
BURY	54,248	13·5	20·2	13·5	19·2	21	20	–	7	–	–	–	–	–	–	–	2	–	–	8	–	BURY.
MANCHESTER	741,068	17·0	15·1	14·8	15·1	397	215	37	53	–	–	8	–	2	1	1	6	5	8	64	–	MANCHESTER.
SALFORD	226,225	14·3	16·4	14·8	15·9	140	69	18	16	2	–	–	–	3	1	1	3	1	3	24	–	SALFORD.
OLDHAM	137,668	22·7	15·2	15·5	16·7	55	44	6	10	–	–	–	–	–	–	–	3	1	5	6	–	OLDHAM.
ROCHDALE	90,051	19·1	17·4	13·3	13·3	43	23	4	8	–	–	–	–	–	–	–	–	–	2	5	1	ROCHDALE.
BURNLEY	101,005	17·0	15·0	14·5	23·7	40	46	10	15	–	–	–	–	–	–	2	–	–	3		–	BURNLEY.
BLACKBURN	125,992	18·2	25·2	24·4	18·2	50	44	5	17	–	–	2	–	–	–	–	6	1		5	–	BLACKBURN.
PRESTON	117,277	19·6	17·3	17·8	16·0	64	36	6	12	–	–	–	–	–	–	–	3	2	4	4	1	PRESTON.
BLACKPOOL	67,842	12·3	19·2	12·3	10·0	25	13	–	6	–	–	–	–	–	1	–	1	–	–		–	BLACKPOOL.
BARROW IN FURNESS	73,627	12·7	12·7	7·8	12·0	40	17	2	6	–	–	–	–	1	–	–	–	1	1	3	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	14·4	17·6	15·8	14·4	54	31	4	9	–	–	–	–	–	–	–	1	1	1	6	–	HUDDERSFIELD.
HALIFAX	101,791	23·6	22·5	26·1	20·5	45	40	5	9	–	–	1	–	–	1	–	8	–	–	5	–	HALIFAX.
BRADFORD	282,714	14·8	14·9	14·9	16·0	132	87	11	25	–	–	–	–	–	1	–	9	6	7	20	–	BRADFORD.
LEEDS†	431,999	18·1	18·1	15·9	17·4	236	144	28	41	–	–	1	1	2	1	2	3	10	17	35	–	LEEDS.†
DEWSBURY	52,969	18·7	14·8	19·7	17·7	31	18	3	4	–	–	–	–	–	–	–	1	1	1	3	–	DEWSBURY.
WAKEFIELD	49,208	22·3	20·1	19·1	22·3	33	21	7	5	–	–	–	–	–	–	1	–	–	–	4	–	WAKEFIELD.
BARNSLEY	51,680	14·1	17·2	15·1	17·2	42	17	3	5	–	–	1	–	–	–	–	1	–	1	3	1	BARNSLEY.

† The figures for Leeds from 1st April relate to the City as extended on that date.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 10th April, 1920.	17th April, 1920.	24th April, 1920.	1st May, 1920.	Week ended 1st May, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	14·8	15·0	13·4	16·7	254	152	34	43	–	–	–	–	2	1	3	11	7	11	40	1	Sheffield.
Rotherham	69,034	16·6	17·4	12·1	12·1	42	16	4	2	–	–	–	–	–	–	–	2	2	2	3	1	Rotherham.
York	74,531	9·1	15·4	15·4	10·5	54	15	2	8	–	–	–	–	–	–	–	1	–	3	6	–	York.
Hull	279,664	19·0	14·0	15·3	10·8	177	58	12	17	–	–	–	–	–	1	1	1	3	4	14	–	Hull.
Middlesbrough	127,142	17·6	16·8	12·7	19·3	90	47	15	4	–	–	–	–	–	1	–	2	–	3	3	1	Middlesbrough.
Darlington	64,058	18·7	22·0	13·8	19·5	33	24	6	10	–	–	–	–	2	–	–	–	–	–	2	1	Darlington.
Stockton on Tees	60,696	23·2	18·9	22·3	22·3	54	26	9	9	–	–	–	–	3	–	–	1	–	–	1	–	Stockton on Tees.
West Hartlepool	65,515	17·5	24·7	22·3	26·3	37	33	5	6	–	–	1	–	–	–	–	5	1	1	8	–	West Hartlepool.
Sunderland	149,263	21·0	26·5	21·0	24·1	139	69	20	13	–	–	1	–	–	–	1	4	2	3	13	2	Sunderland.
South Shields	111,502	19·6	19·6	11·2	17·3	77	37	11	10	–	–	–	–	–	–	1	3	1	2	3	–	South Shields.
Gateshead	123,392	16·1	19·0	20·7	13·5	75	32	4	11	–	–	–	–	–	–	–	–	2	2	5	1	Gateshead.
Newcastle on Tyne.	275,099	15·5	18·0	14·0	17·4	182	92	19	20	–	–	–	2	1	–	1	2	–	–	27	–	Newcastle on Tyne.
Tynemouth	58,007	21·6	32·4	20·7	24·3	41	27	5	7	–	–	–	–	–	–	–	2	2	3	6	–	Tynemouth.
Carlisle	55,198	18·9	17·9	12·3	14·2	24	15	2	3	–	–	–	–	1	–	–	–	2	2	5	–	Carlisle.
Newport (Mon.)	87,251	16·1	19·7	23·3	9·0	51	15	2	6	–	–	4	–	–	–	–	1	1	1	2	–	Newport (Mon.).
Cardiff	204,436	16·6	14·8	9·9	12·2	124	48	9	12	–	–	–	–	–	–	–	1	1	3	10	–	Cardiff.
Rhondda	177,911	12·9	14·1	18·8	15·5	98	53	16	4	–	–	4	–	1	1	–	6	2	2	3	1	Rhondda.
Merthyr Tydfil	71,638	9·5	10·2	10·2	12·4	47	17	5	2	–	–	–	–	1	1	–	–	1	2	2	1	Merthyr Tydfil.
Aberdare	51,384	21·3	17·3	19·3	9·1	33	9	3	2	–	–	–	–	–	–	–	1	1	1	–	–	Aberdare.
Swansea	160,810	13·3	14·3	16·2	12·6	66	39	6	8	–	–	2	–	–	–	1	2	1	1	8	–	Swansea.
Greater London	7,258,623	15·8	14·1	12·9	12·8	4032	1784	229	574	3	–	58	7	31	23	15	72	72	140	771	4	Greater London.
Outer Ring	2,900,314	13·1	11·2	10·9	11·5	1514	637	71	208	–	–	13	3	8	8	3	27	30	57	216	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	13·0	12·3	10·8	11·9	898	381	40	117	–	–	6	2	7	5	2	17	17	37	145	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	13·2	9·8	11·0	10·8	616	256	31	91	–	–	7	1	1	3	1	10	13	20	71	–	Remainder of Outer Ring.
Edinburgh†	342,300	15·7	16·5	14·4	15·3	192	100	23	30	–	–	3	–	1	–	1	2	4	?	?	?	Edinburgh.†
Glasgow†	1,115,500	17·8	19·4	19·2	20·5	686	438	74	82	1	3	24	2	3	3	4	33	11	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	26·8	31·5	28·5	27·0	270	215	42	48	–	–	7	1	13	2	3	4	3	3	76	5	Dublin (Registration Area).†
Belfast†	413,000	26·1	28·9	27·6	19·9	288	158	40	33	–	–	1	2	4	2	3	10	–	1	48	–	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the SEVENTEENTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2372	2309	2302	2204	2252	2268	2124	1865	1571	1275	2518
Males	1220	1163	1157	1122	1137	1133	1095	949	811	645	1294
Females	1152	1146	1145	1082	1115	1135	1029	916	760	630	1224
Deaths (of residents only).	1160	1279	1154	1285	1115	1571	1450*	1369*	1351*	976*	1147*
Males		693	595	671	586	827	749	699	694	513	592
Females		586	559	614	529	744	701	670	657	463	555

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.
Births (as registered)	2966	2793	2746	2654	2771	2701	2672	2520	2078	2471	2650	2665	2518
Deaths (of residents only).	1332	1423	1384	1425	1456	1436	1484	1609	1365	1471	1342	1185	1147
Ages at Death: Under 1 year	290	359	271	284	264	240	244	233	208	196	207	195	158
1–2 years	64	78	77	80	72	66	84	101	73	99	75	42	55
2–5 "	54	55	72	78	82	83	64	59	61	56	78	39	40
5–10 "	48	36	35	38	42	41	44	46	35	39	29	24	34
10–15 "	24	12	20	21	16	17	19	26	26	22	20	14	14
15–20 "	13	26	19	25	23	25	29	34	32	40	34	29	28
20–25 "	23	26	29	22	26	33	37	44	39	42	27	37	31
25–35 "	57	63	66	58	74	89	85	109	107	105	86	60	55
35–45 "	79	74	86	100	99	87	106	131	94	105	97	78	91
45–55 "	128	127	113	123	124	146	145	154	141	158	139	127	126
55–65 "	159	150	175	184	182	182	187	210	180	175	166	151	149
65–75 "	194	223	184	205	217	213	215	237	182	230	191	192	170
75 years and upwards	199	194	237	207	235	214	225	225	187	204	193	197	196
Deaths from—													
Enteric fever	1	–	1	1	3	–	–	–	–	4	1	1	3
Small-pox	–	–	1	–	–	2	–	–	–	–	–	1	–
Measles	26	35	49	52	52	56	70	69	48	62	76	40	45
Scarlet fever	9	3	–	3	9	5	5	3	2	6	4	4	4
Whooping cough	26	37	42	52	34	41	37	35	34	31	42	29	23
Diphtheria	32	29	16	19	28	25	29	27	28	22	20	12	15
Diarrhœa and enteritis (under 2 years).	14	22	16	18	12	13	14	23	12	18	17	15	12
Pulmonary tuberculosis	73	104	97	118	92	94	100	124	97	114	97	91	106
Influenza	20	25	37	38	54	57	91	131	124	105	101	59	45
Pneumonia (all forms)	205	222	189	194	184	197	183	229	175	194	140	113	96
Bronchitis	151	193	147	166	199	161	156	185	142	123	103	95	79
Other dis. of resp. system	20	21	15	14	25	18	24	32	20	26	15	16	14
Dis. of circ. system	180	179	202	189	173	225	184	213	159	191	168	174	189
Violence	46	45	44	49	42	38	42	44	33	49	36	44	42
Inquest cases	110	129	124	117	103	111	96	114	72	114	103	93	83
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	24	16	16	33	37	39	42	37	40	37	35	30	29
Small-pox	–	3	2	4	7	7	8	14	20	26	24	23	12
Measles	59	78	97	96	90	78	90	85	88	85	66	66	66
Scarlet fever	2487	2459	2415	2316	2255	2182	2158	2101	2023	2012	1904	1845	1831
Whooping cough	21	18	17	18	15	15	16	17	19	19	22	22	20
Diphtheria	2014	2010	2000	2026	2006	2045	2066	2043	1983	1994	1958	1965	1951

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.
Deaths from Influenza	98	109	161	178	196	230	312	392	379	332	306	259	202

TABLE 4. LONDON.—DEATHS REGISTERED in the SEVENTEENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 17th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	976	1147	158	55	40	34	14	28	31	55	91	126	149	170	196
Enteric fever	2	3	–	–	–	1	–	–	–	–	1	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	45	12	20	11	1	–	1	–	–	–	–	–	–	–
Scarlet fever	2	4	1	–	1	1	–	1	–	–	–	–	–	–	–
Whooping cough	1	23	8	9	6	–	–	–	–	–	–	–	–	–	–
Diphtheria	8	15	3	1	6	5	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	43	45	2	–	1	1	–	4	2	9	7	3	7	3	6
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Other epidemic diseases	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Pyæmia and septicæmia	–	3	–	–	–	1	–	–	–	–	–	1	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	123	106	3	1	–	1	3	7	11	15	26	25	11	2	1
Tuberculous meningitis	3	8	1	1	1	2	1	1	–	1	–	–	–	–	–
Abdominal tuberculosis	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculosis of the spine	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	4	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Disseminated tuberculosis	4	3	–	–	–	1	–	2	–	–	–	–	–	–	–
Venereal diseases	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	80	106	–	–	–	–	–	–	2	3	4	18	35	30	14
Tumour, situation undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	2	2	–	–	–	1	–	–	–	–	1	–	–	–	–
Diabetes	6	6	–	–	–	–	–	–	–	–	1	1	2	2	–
Anæmia, leucocythaemia	7	6	–	–	–	–	–	–	1	1	–	1	2	1	–
Other general diseases	9	8	–	–	–	1	–	–	–	–	–	2	2	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	10	4	2	–	1	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	46	36	–	–	–	–	–	–	1	1	–	2	7	12	13
Softening of brain	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Paralysis, without specified cause	–	4	–	–	–	–	–	–	–	–	–	–	–	3	1
Epilepsy	4	9	–	–	–	–	1	1	–	2	2	–	1	2	–
"Convulsions" (not puerperal)	3	11	9	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	21	21	–	–	–	–	1	–	–	1	7	5	5	1	1
Pericarditis	1	3	–	–	–	–	–	–	–	–	–	2	1	–	–
Acute endocarditis	7	6	–	–	–	–	–	1	1	1	1	1	1	–	–
Organic disease of heart	117	132	–	–	–	1	2	3	3	2	12	15	23	38	33
Embolism and thrombosis (including cerebral).	6	6	1	–	–	–	–	–	–	–	–	–	–	2	3
Other diseases of circulatory system.	50	42	–	–	–	–	–	–	–	–	1	1	11	12	17
Diseases of the larynx	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Bronchitis	94	79	8	1	–	1	–	–	–	–	1	3	8	24	33
Broncho-pneumonia	35	47	15	12	4	2	–	–	–	2	3	3	2	–	4
Lobar pneumonia	20	34	1	1	2	1	1	4	–	2	3	9	3	3	4
Pneumonia (type not distinguished)	28	15	1	–	–	–	–	–	1	–	2	1	3	4	3
Pleurisy	1	4	–	–	1	1	–	–	–	1	–	–	1	–	–
Pulmonary congestion, Pulmonary apoplexy.	5	4	1	–	–	–	–	–	–	–	–	–	–	2	1
Other diseases of respiratory system.	10	5	–	–	1	–	–	–	1	–	–	–	–	2	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the SEVENTEENTH Week of the Year 1920.

Causes of Death.	Deaths in the 17th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach	9	14	3	-	-	-	-	-	-	1	2	5	3	-	-
Diarrhœa and enteritis	12	18	8	4	1	-	-	-	1	1	-	1	1	-	1
Appendicitis and typhlitis	4	4	-	-	-	1	-	1	1	-	-	-	1	-	-
Hernia and Intestinal obstruction.	10	18	2	1	-	1	-	-	-	2	1	2	2	4	3
Cirrhosis of liver	2	4	-	-	-	-	-	-	-	-	-	2	1	1	-
Other diseases of liver	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Peritonitis (cause unknown)	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Other diseases of digestive system	-	4	-	-	-	-	1	-	1	-	1	-	1	-	-
Acute nephritis	3	4	-	1	-	-	-	-	1	-	1	-	-	-	1
Chronic Bright's disease	24	25	-	-	-	-	-	-	1	-	4	6	7	3	4
Urinary calculi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (")	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases of genito-urinary system.	7	16	1	-	-	-	-	-	-	1	1	3	1	2	7
Puerperal fever, &c.	1	4	-	-	-	-	-	-	1	3	-	-	-	-	-
Other causes incident to childbirth.	2	6	-	-	-	-	-	-	-	2	4	-	-	-	-
Diseases of skin and cellular tissues.	5	8	2	-	-	-	-	-	-	-	-	1	-	3	2
Diseases of locomotor system	3	4	-	1	-	2	-	-	-	-	-	-	-	1	-
Congenital malformations	4	7	7	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	23	37	37	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	11	11	11	-	-	-	-	-	-	-	-	-	-	-	-
Old age	28	42	-	-	-	-	-	-	-	-	-	-	-	7	35
Accident.															
Poisons or poisonous vapours	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conflagration	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	4	3	-	-	1	-	-	-	-	-	-	1	-	1	-
Drowning	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-
Suffocation in bed	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	19	22	2	-	1	6	2	1	-	1	-	5	-	1	3
Total deaths from accident	28	30	5	-	2	7	3	1	-	1	-	6	-	2	3
Included in above are deaths in connection with:—															
Railways	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Vehicles and horses	11	10	-	-	-	5	2	-	-	-	-	2	-	-	1
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Violence other than Accidental.															
Homicide	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Suicide	9	11	-	-	-	-	-	-	-	2	1	4	3	1	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	9	17	14	1	-	-	-	1	1	-	-	-	-	-	-
Ill-defined Causes	2	3	-	-	1	-	-	-	1	-	-	-	1	-	-

Table 5.—Births and Deaths and Rate of Mortality in London and in certain Indian and Foreign Cities.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,358,309	May 1	2,518	1,147	13·7	3	–	45	4	23	15	12	45
Calcutta	896,067	Mar. 27	–	667§	38·7	?	103	?	?	?	?	?	45
Bombay	979,445	„ 27	357	849§	45·1	5	18	5	–	–	–	30	55
Madras	518,660	„ 20	341	446§	44·7	4	9	3	?	5	–	42	7
Paris	2,847,229	(10 days) Mar. 10	1,591	1,400	?	3	–	17	8	16	7	26	31
Brussels	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
Antwerp	326,071	Apr. 3	121	56	9·0	–	–	–	–	1	–	2	1
		„ 10	150	77	12·4	–	–	–	–	–	1	4	1
Amsterdam	650,109	„ 17	297	135	10·8	–	–	–	–	–	1	2	13
Copenhagen	552,000	„ 17	249	153	14·4	–	–	1	–	–	2	1	1
Stockholm	408,456	„ 10	133	145	18·2	1	–	–	–	1	–	–	14
Gothenburg	200,578	„ 3	–	48	12·4	1	–	2	–	1	–	–	–
		„ 10	–	42	10·8	–	–	2	–	–	1	–	–
Christiania	258,615	„ 17	131	62	12·5	–	–	1	–	–	1	1	–
Berlin	1,924,185	„ 10	637	660	17·8	–	?	7	1	2	5	18	12
Breslau	493,393	„ 3	283	172	18·1	–	?	–	–	1	1	3	9
		„ 10	270	163	17·2	1	?	–	1	2	5	4	4
Cologne	631,005	„ 3	337	215	17·7	1	?	1	1	2	2	8	?
		„ 10	328	208	17·1	–	?	–	–	5	–	8	?
Dresden	534,880	„ 3	248	142	13·8	–	?	–	1	1	1	1	?
		„ 10	215	144	14·0	–	?	–	–	–	–	3	?
Frankfort-on-Main	470,124	„ 3	177	100	11·1	–	?	–	–	–	1	1	?
		„ 10	175	123	13·6	–	?	2	–	2	1	5	?
Hamburg	1,050,300	„ 3	334	215	10·6	–	?	2	–	–	2	5	17
		„ 10	445	319	15·8	–	?	–	3	2	6	7	15
Leipzig	676,289	„ 3	276	160	12·3	–	?	2	–	–	–	2	?
		„ 10	291	166	12·8	–	?	1	–	–	1	2	?
Vienna	1,838,708	„ 10	569	783	22·1	2	–	3	4	5	3	10	29
Prague	524,496	Mar. 20	208	222	22·1	–	1	1	–	1	–	6	19
		„ 27	162	218	21·7	2	1	5	–	–	2	2	14
Budapest	1,071,492	Feb. 28	457	678	32·9	–	2	–	2	3	5	25	122
Trieste	229,810	Apr. 3	75	60	13·7	–	–	–	–	1	1	–	–
Cairo	761,300	Feb. 25	629	494	33·7	3	3	3	–	?	–	24	?
Alexandria	445,700	„ 25	388	268	31·3	3	10	1	–	?	–	10	?
New York	6,141,445	Apr. 3	2,542	1,445	12·3	–	–	20	4	13	29	45	30
Chicago	2,596,681	Mar. 27	–	721	14·4	–	–	1	6	2	6	54	18
		Apr. 3	–	691	13·9	–	1	3	7	3	10	41	8

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria
‡ The estimated population and deaths refer to the civilian population only.
§ Including 3 deaths from *plague* in Calcutta and 6 in Bombay, and from *Asiatic cholera* 47 deaths in Calcutta, and 1 in Madras.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 1st May, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich)	63	33	57·9	40·9	10
Brighton	59	39	55·3	43·4	9
Portsmouth	58	37	55·4	44·0	9
Norwich (Eaton)	61	34	54·3	41·0	15
Plymouth	57	38	54·7	44·0	13
Bristol (Clifton)	Not received.				
Birmingham	56	34	52·3	39·6	22
Nottingham	57	34	52·3	40·6	19
Birkenhead (Bidston)	53	37	50·0	41·1	24
Manchester (Whitworth Park)	54	38	50·3	41·6	43
Burnley	53	31	49·6	37·7	41
Huddersfield	53	36	50·4	39·4	31
Bradford	58	35	51·1	39·1	25
Sheffield	55	35	51·1	40·3	22
York (Museum)	54	35	51·6	40·0	15
Hull (Pearson Park)	57	35	52·9	39·3	22
Tynemouth	53	35	51·0	39·0	17
Cardiff	56	36	52·3	41·4	20
Edinburgh	52·0	34·0	49·7	37·1	9
Glasgow	52·0	34·9	50·3	38·1	32
Dublin:— Phœnix Park	54·9	31·9	53·3	37·4	17
†Fitzwilliam Square	54·7	35·9	52·4	41·0	23
Belfast	52·0	32·0	49·9	33·3	21

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 1st May 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	25	First Quarter.	29·812	61·0	45·2	15·8	51·2	+ 2·6	39·8	11·4	18·9	1·2	65	111·1	38·7	47·7	W., WNW. & NW.	WNW., NW. & W.	5·5	0·0	0·7	497	+211	0·00
MONDAY	26	..	29·803	56·8	44·3	12·5	49·8	+ 1·2	39·5	10·3	15·1	5·2	68	112·0	38·0	47·7	W., NW. & N.	NNW., NW. & W.	4·0	0·0	0·5	395	+109	0·04
TUESDAY	27	..	29·460	52·9	43·0	9·9	47·4	− 1·3	43·0	4·4	8·3	3·1	84	66·4	37·8	47·8	W.	W., WNW. & NW.	6·3	0·0	0·7	475	+189	0·20
WEDNESDAY	28	In Equator.	29·457	55·2	36·9	18·3	43·3	− 5·5	35·9	7·4	16·7	1·2	75	107·8	29·8	47·8	W., NW. & N.	NNW., SW. & W.	4·2	0·0	0·3	323	+ 36	0·10
THURSDAY	29	..	29·692	56·5	36·1	20·4	45·1	− 3·9	35·8	9·3	18·3	1·2	70	110·0	31·0	47·8	W. & WNW.	NW. & W.	5·7	0·0	0·3	334	+ 48	0·02
FRIDAY	30	..	29·781	58·8	32·9	25·9	46·5	− 2·6	36·1	10·4	19·3	2·4	67	121·2	28·0	47·7	W.	W. & WSW.	4·4	0·0	0·3	282	− 3	0·00
MAY. SATURDAY	1	..	29·614	63·1	40·9	22·2	52·7	+ 3·4	43·1	9·6	17·2	1·1	70	119·2	32·4	47·7	Calm, SW. & S.	S., SSE. & SE.	3·4	0·0	0·1	194	− 90	0·01
MEANS		- - -	29·660	57·8	49·9	17·9	48·0	− 0·9	39·0	9·0	16·3	2·2	71	106·8	33·7	47·7	W.		..	..	..	Sum 2500	Sum +500	Sum 0·37
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. April, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	25	m.P. generally, a little s.P. at times.	6·0	14·4	Overcast till 7h. 30m., then cloudy generally, becoming cloudless about 22h.; damping about 5h.; brisk wind 7h. to 15h.; lunar halo in evening.
MONDAY -	26	v.P. with little v.N. till 10h. s.P. afterwards.	2·2	14·5	Overcast by 1h. and generally till 10h., cloudy till noon; nearly overcast till 17h. 30m.; overcast with thin cloud generally afterwards; occasional rain between 3h. and 9h.; lunar halo from 20h. to 23h.
TUESDAY -	27	v.P. and v.N. till 3h., v.P. till noon, v.P. and v.N. till 16h. 30m., s.P. afterwards.	0·0	14·5	Overcast till 18h., slowly clearing to variably cloudy by 21h.; brisk wind 5h. to 16h.; damping or rain at times till 18h.
WEDNESDAY -	28	v.P. and v.N. till 21h., v.N. afterwards.	7·6	14·6	Cloudless till 8h., then cloudy with overcast intervals till 19h., then clearing to cloudless soon after 21h.; heavy rain with snow at 14h., and shower with thunder and lightning about 18h.
THURSDAY -	29	v.N. generally till 18h. 30m., m.P. afterwards.	6·2	14·7	Cloudless till 5h.; variably cloudy till 15h. 30m., with overcast intervals; overcast generally 15h. 30m. to 20h., clearing to cloudless about 21h.; rain at 17h.
FRIDAY - -	30	m.P. generally, w.P. at times.	8·1	14·7	Cloudless till 8h., variably cloudy afterwards, with nearly overcast intervals; slight rain about 19h.; lunar halo from 20h. 30m.
MAY. SATURDAY -	1	v.P. and v.N. generally.	1·2	14·8	Nearly overcast generally, but cloud usually thin; lunar halo before 1h.; frequent slight rain between 16h. and 20h.
			Sum 31·3	Sum 102·2	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·92 in. at the beginning of the week to 29·68 in. by 4h. on April 26th; increased to 29·85 in. by 20h. on the same day; decreased to 29·39 in. by 15h. on April 27th; increased to 29·81 in. by 21h. on April 30th, and decreased to 29·38 in. by midnight on May 1st.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 24th April, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,185	1	1	40	4	29	12	15	91	195
Western										
Paddington	32	–	–	1	–	–	–	1	4	6
Kensington	37	–	–	–	–	–	1	1	3	1
Hammersmith	31	–	–	1	–	1	–	–	1	9
Fulham	34	–	–	1	–	1	–	1	3	7
Chelsea	11	–	–	–	–	–	–	–	1	2
City of Westminster	37	–	–	1	–	–	–	1	2	3
Northern.										
St. Marylebone	38	–	–	1	–	–	2	–	2	3
Hampstead	19	–	–	1	–	1	–	–	1	1
St. Pancras	75	–	–	3	–	3	1	1	10	15
Islington	94	–	–	1	–	3	2	1	14	19
Stoke Newington	14	–	–	–	–	–	–	1	–	2
Hackney	71	–	–	2	–	3	–	–	3	15
Central.										
Holborn	8	–	–	–	–	1	–	–	–	4
Finsbury	23	–	–	1	–	–	2	–	1	3
City of London	3	1	–	–	–	–	–	–	1	–
Eastern.										
Shoreditch	35	–	–	1	–	1	–	1	1	7
Bethnal Green	41	–	–	3	–	1	1	1	7	6
Stepney	71	–	–	1	–	3	–	–	6	12
Poplar	40	–	–	2	–	1	–	–	6	5
Southern.										
Southwark	46	–	–	3	–	1	–	–	3	7
Bermondsey	44	–	1*	5	–	–	1	–	7	3
Lambeth	75	–	–	2	2	3	–	2	5	16
Battersea	44	–	–	4	–	1	–	–	2	9
Wandsworth	72	–	–	–	1	1	2	1	3	7
Camberwell	77	–	–	3	1	2	–	1	4	14
Deptford	25	–	–	1	–	1	–	2	1	5
Greenwich	20	–	–	–	–	–	–	–	–	5
Lewisham	45	–	–	–	–	–	–	–	–	5
Woolwich	23	–	–	2	–	1	–	–	–	4

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

* A Norwegian sailor who died at the South Wharf Shelter of the Metropolitan Asylums Board.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 24th April, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	–	–	–	–	3	8	–	–	–	–	–	–	–	–	–
Kensington	157,886	–	–	–	–	4	6	–	–	–	–	1	–	–	–	–
Hammersmith	130,981	–	–	–	–	4	4	–	2	–	–	1	–	–	–	–
Fulham	152,543	1	–	–	–	5	9	–	–	–	1	–	–	–	–	–
Chelsea	60,573	–	–	–	–	4	1	–	–	–	–	–	–	–	–	–
City of Westminster	127,533	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–
NORTHERN.																
St. Marylebone	97,953	–	–	–	–	4	2	–	1	–	–	–	–	–	–	–
Hampstead	88,012	–	–	–	–	5	6	–	–	–	–	–	–	–	1	–
St. Pancras	219,434	–	–	–	–	4	11	–	1	–	–	1	–	–	–	–
Islington	323,034	1	–	–	–	9	15	–	1	–	–	1	–	–	–	–
Stoke Newington	50,954	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Hackney	216,736	–	–	–	–	6	11	–	3	–	1	–	–	–	–	–
CENTRAL.																
Holborn	38,156	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
Finsbury	75,291	–	–	–	–	5	3	–	1	1	–	–	–	–	–	–
City of London	13,893	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
EASTERN.																
Shoreditch	98,134	–	–	–	–	6	7	–	–	1	–	–	–	–	–	–
Bethnal Green	110,085	–	–	–	–	15	12	–	3	3	–	–	–	–	–	–
Stepney	232,506	–	–	–	–	9	7	–	4	–	1	3	–	–	–	–
Poplar	153,644	–	–	–	–	10	22	–	–	–	–	–	–	–	–	–
SOUTHERN.																
Southwark	179,971	–	–	–	–	12	7	–	1	1	–	–	–	–	–	–
Bermondsey	124,239	–	–	–	–	7	3	–	–	–	–	–	–	–	–	–
Lambeth	282,322	1	–	–	–	18	12	–	2	–	–	3	–	–	–	–
Battersea	159,316	–	–	–	–	10	11	–	2	–	2	–	–	–	–	–
Wandsworth	333,693	–	–	–	–	24	23	–	4	–	–	–	–	–	–	–
Camberwell	273,802	–	–	–	–	12	14	–	3	–	–	–	–	–	–	–
Deptford	111,205	–	–	–	–	7	4	–	3	–	–	–	–	–	–	–
Greenwich	98,484	–	–	–	–	8	2	–	1	–	–	–	–	–	–	–
Lewisham	167,754	–	–	–	–	8	4	–	–	1	–	–	–	–	–	–
Woolwich	136,237	–	–	–	–	9	9	–	1	–	–	1	–	–	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,358,309	3	–	–	–	217	222	–	33	7	5	11	–	–	1	–
Ages 0–1		–	–	–	–	3	8	–	–	3	–	11	–	–	–	–
„ 1–5		–	–	–	–	37	51	–	2	2	–	–	–	–	–	–
„ 5–		–	–	–	–	96	91	–	–	–	–	–	–	–	–	–
„ 10–		–	–	–	–	46	35	–	–	1	–	–	–	–	–	–
„ 15–		1	–	–	–	13	13	–	1	–	–	–	–	–	–	–
„ 20–		–	–	–	–	9	12	–	2	1	1	–	–	–	–	–
„ 25–		2	–	–	–	7	10	–	6	–	3	–	–	–	–	–
„ 35–		–	–	–	–	5	1	–	7	–	1	–	–	–	–	–
„ 45–		–	–	–	–	1	1	–	7	–	–	–	–	–	–	–
„ 55–		–	–	–	–	–	–	–	6	–	–	–	–	–	–	–
„ 65–		–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 18. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, MAY 8.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
May 11th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,245, and corresponded to an annual rate of 28·8 per 1,000. The deaths* among the civilian population only numbered 4,703, and corresponded to an annual rate of 13·8 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended April 17th, April 24th, and May 1st the rates had been 15·7, 14·5, and 14·2 respectively. The infant mortality was 83, against 93, 92, and 86, in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10898—2 Wt 167–840 625 5/20 E & S

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 20·0 in Stoke-on-Trent, 20·2 in Bury, 20·9 in West Bromwich, 21·0 in South Shields, 21·3 in Sunderland, 23·2 in Stockton-on-Tees, and 26·3 in West Hartlepool; from *measles*, 1·6 in St. Helens, 1·7 in Acton and in Lincoln, 2·1 in Rhondda, and 2·2 in Norwich; and from *influenza*, 3·5 in Bolton, 3·8 in Bury, 4·6 in Huddersfield, and 4·8 in West Hartlepool. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,552 births, corresponding to a rate of 29·3 per 1,000, and 1,084 deaths of civilians, corresponding to a rate of 13·0, as against 16·1, 14·2, and 13·7 per 1,000 in the three weeks ended April 17th, April 24th, and May 1st. The death-rate in the four weeks ended last Saturday averaged 14·3 per 1,000. The infant mortality was 61 against 78, 73, and 63 in the preceding three weeks.

There was no death from *enteric fever*, the numbers having been 1, 1, and 3 in the preceding three weeks, and the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 76, 40, and 45 in the preceding three weeks, fell last week to 41, but were 18 below the average; 5 deaths belonged to the Borough of Paddington, 5 to Battersea, 5 to Camberwell, and 4 each to Lambeth and to Wandsworth. The deaths from *scarlet fever*, which had been 4, 4, and 4 in the preceding three weeks, were again 4 last week, the average being 3. The deaths from *whooping-cough*, which had been 42, 29, and 23 in the preceding three weeks, fell last week to 19, and were 10 below the average; 4 deaths belonged to Islington and 3 to St. Pancras. The deaths from *diphtheria*, which had been 20, 12, and 15 in the preceding three weeks, rose last week to 24, and were 13 above the average; 3 deaths belonged to Fulham and 3 to Hackney. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 17, 15, and 12 in the preceding three weeks, rose last week to 15, and were equal to the average. The deaths from *influenza* numbered 31, as against 101, 59, and 45 in the preceding three weeks, and an average of 19.

Different forms of violence caused 40 deaths, of which 38 were the subject of coroners' inquests. Of these 40 deaths, 13 were cases of suicide, and 1 of homicide, while the remaining 26 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 3 to burns or scalds, 2 to drowning, and 2 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 32 cases of enteric fever, 11 of small-pox, 72 of measles, 1,794 of scarlet fever, 19 of whooping-cough, and 1,947 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 5 cases, against 5, 2, and 4; of small-pox, 1 case, against 0, 3, and 0; of measles, 29 cases, against 15, 19, and 18; of scarlet fever, 223 cases, against 203, 225, and 240; of whooping-cough, 0 case, against 3, 1, and 0; and of diphtheria, 233 cases, against 234, 205, and 239. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended May 1st, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 8th May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 17th Apr., 1920.	24th Apr., 1920.	1st May, 1920.	8th May, 1920.	Week ended 8th May, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	15·8	14·5	14·2	13·7	10,245	4703	846	1300	4	–	139	18	67	67	78	201	142	279	1470	43	96 GREAT TOWNS
LONDON†	4,358,309	16·1	14·2	13·7	13·0	2552	1084	155	354	–	–	41	4	19	24	15	31	40	77	542	3	LONDON.†
‡ CROYDON	184,239	13·9	11·3	14·2	11·0	82	39	5	13	–	–	1	–	–	–	–	1	2	6	12	–	CROYDON.
WIMBLEDON	59,791	10·5	3·5	9·6	7·8	27	9	2	3	–	–	–	–	–	1	–	–	1	1	3	–	WIMBLEDON.
EALING	73,212	12·1	5·0	17·1	12·8	34	18	2	8	–	–	–	–	–	–	1	1	–	1	3	–	EALING.
ACTON	61,732	11·0	11·0	11·0	11·8	40	14	2	3	–	–	2	–	–	1	1	–	–	–	4	–	ACTON.
WILLESDEN	160,917	9·1	9·7	10·0	7·1	95	22	2	5	–	–	–	–	–	2	–	1	–	2	12	–	WILLESDEN.
HORNSEY	94,348	16·0	13·8	11·1	6·1	56	11	1	4	–	–	–	–	–	1	–	–	1	1	8	–	HORNSEY.
TOTTENHAM	141,338	11·1	11·1	11·1	8·1	100	22	3	4	–	–	–	–	–	–	1	3	1	4	10	–	TOTTENHAM.
EDMONTON	70,711	11·8	10·3	10·3	8·8	34	12	3	5	–	–	–	–	–	–	1	–	–	–	8	–	EDMONTON.
ENFIELD	58,442	5·4	11·6	8·0	9·8	45	11	2	2	–	–	1	–	–	1	–	–	–	–	4	–	ENFIELD.
WEST HAM	287,966	15·0	13·8	14·5	9·2	182	51	9	12	–	–	2	–	1	–	–	3	1	2	19	–	WEST HAM.
EAST HAM	144,451	10·8	10·8	11·2	8·7	74	24	1	7	–	–	1	–	–	1	–	–	1	4	7	–	EAST HAM.
LEYTON	123,896	13·9	9·3	11·8	11·4	67	27	5	9	–	–	–	–	–	–	2	3	1	4	13	–	LEYTON.
WALTHAMSTOW	127,684	13·1	12·7	12·7	8·2	81	20	3	5	–	–	1	–	–	–	1	3	–	1	4	–	WALTHAMSTOW.
ILFORD	79,524	9·8	7·9	5·9	8·5	34	13	1	5	–	–	–	–	2	–	–	–	–	1	2	–	ILFORD.
GILLINGHAM	43,501	16·8	12·0	13·2	15·6	36	13	–	5	–	–	–	–	–	–	–	–	2	2	4	2	GILLINGHAM.
HASTINGS	57,674	14·5	15·4	10·8	13·6	21	15	2	8	–	–	1	–	–	–	–	–	1	1	2	–	HASTINGS.
EASTBOURNE	48,424	12·9	9·7	14·0	4·3	22	4	1	1	–	–	–	–	–	–	–	–	1	1	–	–	EASTBOURNE.
BRIGHTON	132,409	15·8	9·5	15·4	10·6	56	27	5	10	–	–	2	–	–	–	–	1	1	1	5	–	BRIGHTON.
PORTSMOUTH	224,846	13·7	11·8	8·3	10·4	135	45	11	9	–	–	2	–	–	1	1	1	1	1	9	–	PORTSMOUTH.
BOURNEMOUTH	82,627	9·5	16·4	13·3	7·6	33	12	2	7	–	–	–	–	–	–	–	–	–	1	–	–	BOURNEMOUTH
SOUTHAMPTON	126,033	13·2	16·1	9·5	11·2	81	27	6	4	–	–	3	–	–	–	1	–	–	–	11	–	SOUTHAMPTON.
READING	91,365	8·0	12·0	10·8	9·1	41	16	1	5	–	–	–	–	–	–	–	–	1	2	4	–	READING.
OXFORD	57,666	7·2	7·2	5·4	11·8	18	13	1	4	–	–	–	–	1	2	–	–	–	–	2	–	OXFORD.
NORTHAMPTON	88,944	10·6	11·7	12·3	14·7	57	25	4	11	–	–	–	–	1	–	–	1	–	–	2	–	NORTHAMPTON.
CAMBRIDGE	57,849	9·9	12·6	9·0	11·7	27	13	3	4	–	–	–	–	–	–	–	–	1	2	4	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 8th May 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 17th Apr., 1920.	24th Apr., 1920.	1st May, 1920.	8th May, 1920.	Week ended 8th May 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	10·5	8·7	13·0	5·6	47	9	2	3	–	–	–	–	–	–	–	–	–	–	1	–	SOUTHEND ON SEA.
IPSWICH	78,011	16·0	10·7	12·7	12·0	44	18	6	6	–	–	–	–	–	–	–	1	–	–	5	–	IPSWICH.
GREAT YARMOUTH	53,078	13·8	13·8	11·8	14·7	29	15	–	3	–	–	–	–	–	–	–	–	2	2	3	–	GREAT YARMOUTH.
NORWICH	119,993	11·7	16·9	15·6	13·0	69	30	4	10	–	–	5	–	–	–	–	1	1	1	3	–	NORWICH.
SWINDON	51,527	11·1	14·2	12·1	10·1	21	10	1	4	–	–	–	–	–	1	–	1	–	–	2	–	SWINDON.
EXETER	59,014	12·4	13·3	8·8	18·6	23	21	3	9	–	–	–	–	–	–	–	1	–	1	4	–	EXETER.
PLYMOUTH	181,967	16·9	16·9	16·0	14·6	107	51	6	22	–	–	1	–	–	2	1	3	3	7	8	–	PLYMOUTH.
BATH	65,919	10·3	13·4	7·1	9·5	22	12	–	6	–	–	–	–	–	–	–	1	–	1	3	–	BATH.
BRISTOL	361,247	12·3	13·4	12·8	13·0	215	90	13	26	–	–	8	–	1	5	1	1	3	11	26	–	BRISTOL.
GLOUCESTER	50,100	13·5	12·5	11·4	14·6	29	14	3	1	–	–	–	–	1	–	1	–	1	1	4	–	GLOUCESTER.
STOKE ON TRENT	239,316	16·8	14·4	14·2	20·0	164	92	35	18	–	–	4	1	–	1	3	2	2	6	9	1	STOKE ON TRENT.
WOLVERHAMPTON	98,403	15·9	17·0	15·9	12·2	55	23	2	3	–	–	1	–	–	–	–	–	1	1	3	–	WOLVERHAMPTON.
WALSALL	92,724	18·0	16·3	12·9	13·5	62	24	8	5	–	–	–	–	–	–	2	1	1	3	2	–	WALSALL.
WEST BROMWICH	69,899	23·9	19·4	17·2	20·9	54	28	8	8	–	–	–	–	–	–	1	1	–	–	10	1	WEST BROMWICH.
DUDLEY	54,017	23·2	18·3	8·7	18·3	33	19	4	2	–	–	1	–	–	–	1	2	–	–	1	–	DUDLEY.
BIRMINGHAM	861,585	17·2	15·3	13·4	15·4	557	254	55	77	–	–	3	–	6	5	2	8	4	3	81	11	BIRMINGHAM.
SMETHWICK	72,152	15·2	11·6	14·5	14·5	43	20	7	6	–	–	–	–	2	–	–	–	1	2	2	–	SMETHWICK.
COVENTRY	132,048	12·2	13·0	7·9	11·5	71	29	5	9	–	–	–	–	1	–	–	–	1	3	11	–	COVENTRY.
LEICESTER	236,059	12·4	9·7	13·0	9·3	134	42	8	11	–	–	1	–	1	–	1	–	–	–	12	1	LEICESTER.
LINCOLN	60,581	8·6	14·6	12·9	13·8	37	16	3	4	–	–	2	–	–	–	–	–	–	–	3	–	LINCOLN.
GRIMSBY	78,813	15·2	13·9	13·9	13·9	51	21	5	6	–	–	–	–	–	–	–	1	1	1	2	–	GRIMSBY.
NOTTINGHAM	257,573	14·6	20·2	11·9	15·2	147	75	17	17	–	–	2	2	–	4	–	1	2	6	23	1	NOTTINGHAM.
DERBY	123,930	10·9	13·5	13·5	8·4	80	20	5	4	–	–	–	–	–	–	1	1	–	2	9	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 8th May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 17th Apr., 1920.	24th Apr., 1920.	1st May, 1920.	8th May, 1920.	Week ended 8th May, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	16·2	16·2	14·9	10·0	54	24	6	4	–	–	2	–	1	–	–	–	–	1	7	–	STOCKPORT.
BIRKENHEAD	148,052	16·2	12·3	15·5	11·3	81	32	9	10	–	–	–	–	2	–	2	2	–	–	8	–	BIRKENHEAD.
WALLASEY	95,424	11·5	7·1	13·7	12·0	30	22	3	7	–	–	–	–	1	–	–	–	1	2	1	–	WALLASEY.
LIVERPOOL	772,665	18·6	17·9	15·7	17·7	567	263	78	45	–	–	10	3	4	1	9	3	13	26	114	4	LIVERPOOL.
BOOTLE	76,962	17·6	17·6	10·2	12·2	40	18	2	2	–	–	1	–	1	–	–	1	1	1	4	1	BOOTLE.
ST. HELENS	100,805	21·7	13·4	15·5	16·0	69	31	9	5	–	–	3	–	–	–	1	1	–	–	7	1	ST. HELENS.
SOUTHPORT	70,144	16·4	8·9	12·6	17·1	32	23	2	11	–	–	–	–	–	–	–	–	1	1	3	3	SOUTHPORT.
WIGAN	87,384	23·9	21·5	20·9	17·3	66	29	6	7	–	–	2	–	1	–	1	–	–	2	5	–	WIGAN.
WARRINGTON	74,952	16·0	20·2	11·8	9·7	43	14	3	6	–	–	–	–	1	–	–	1	–	–	2	1	WARRINGTON.
BOLTON	177,462	17·3	19·1	21·7	19·7	85	67	8	24	–	–	–	–	–	1	1	12	1	3	18	–	BOLTON.
BURY	54,248	20·2	13·5	19·2	20·2	23	21	1	8	–	–	–	–	–	–	–	4	–	–	4	–	BURY.
MANCHESTER	741,068	15·1	14·8	15·1	13·5	410	192	31	52	–	–	7	–	1	–	6	7	3	9	63	2	MANCHESTER.
SALFORD	226,225	16·4	14·8	15·9	12·0	119	52	5	16	1	–	1	–	–	–	2	1	2	3	16	–	SALFORD.
OLDHAM	137,668	15·2	15·5	16·7	17·8	64	47	4	15	–	–	–	–	–	–	1	2	1	3	4	–	OLDHAM.
ROCHDALE	90,051	17·4	13·3	13·3	9·8	35	17	3	6	–	–	–	–	–	–	–	1	1	1	2	1	ROCHDALE.
BURNLEY	101,005	15·0	14·5	23·7	17·0	51	33	7	6	1	–	1	–	–	–	–	–	2	2	4	–	BURNLEY.
BLACKBURN	125,992	25·2	24·4	18·2	16·1	45	39	8	16	–	–	1	–	–	1	1	1	1	2	8	1	BLACKBURN.
PRESTON	117,277	17·3	17·8	16·0	13·3	56	30	7	7	–	–	–	–	1	–	1	1	–	–	6	1	PRESTON.
BLACKPOOL	67,842	19·2	12·3	10·0	10·0	15	13	3	4	–	–	–	–	–	–	1	–	–	–	2	–	BLACKPOOL.
BARROW IN FURNESS	73,627	12·7	7·8	12·0	16·3	34	23	5	5	1	–	–	–	–	–	–	–	1	1	6	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	17·6	15·8	14·4	19·5	30	42	6	11	–	–	–	2	1	1	–	10	1	3	5	–	HUDDERSFIELD.
HALIFAX	101,791	22·5	26·1	20·5	19·0	45	37	3	16	–	–	2	–	–	–	–	5	–	1	6	–	HALIFAX.
BRADFORD	282,714	14·9	14·9	16·0	15·5	115	84	13	20	–	–	1	–	1	1	1	7	4	7	28	–	BRADFORD.
LEEDS	431,999	18·1	15·9	17·4	15·4	208	128	27	29	–	–	3	1	–	1	3	4	9	12	32	–	LEEDS.†
DEWSBURY	52,969	14·8	19·7	17·7	16·7	26	17	2	5	–	–	1	–	–	1	–	–	–	–	3	–	DEWSBURY.
WAKEFIELD	49,208	20·1	19·1	22·3	13·8	34	13	4	3	–	–	–	–	–	–	–	–	–		4	–	WAKEFIELD.
BARNSLEY	51,680	17·2	15·1	17·2	19·2	44	19	11	1	–	–	–	–	1	–	1	–	1	1	3	–	BARNSLEY.

in the Week ended Saturday, 8th May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 17th April, 1920.	24th April, 1920.	1st May, 1920.	8th May, 1920.	Week ended 8th May, 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SHEFFIELD	473,695	15·0	13·4	16·7	18·8	269	171	27	32	–	–	3	–	3	1	4	26	3	5	51	–	SHEFFIELD.
ROTHERHAM	69,034	17·4	12·1	12·1	12·8	44	17	7	4	–	–	–	–	–	–	1	–	–	–	2	–	ROTHERHAM.
YORK	74,531	15·4	15·4	10·5	14·7	40	21	3	6	–	–	–	–	–	1	–	–	–	–	9	–	YORK.
HULL	279,664	14·0	15·3	10·8	16·8	182	90	14	29	1	–	1	–	–	1	–	3	3	4	31	–	HULL.
MIDDLESBROUGH	127,142	16·8	12·7	19·3	12·7	95	31	8	10	–	–	–	1	2	–	–	1	–	–	7	–	MIDDLESBROUGH.
DARLINGTON	64,658	22·0	13·8	19·5	15·5	25	19	4	4	–	–	–	–	–	–	–	1	–	–	1	1	DARLINGTON.
STOCKTON ON TEES	60,696	18·9	22·3	22·3	23·2	51	27	8	7	–	–	–	1	2	–	2	1	–	–	2	1	STOCKTON ON TEES.
WEST HARTLEPOOL	65,515	24·7	22·3	26·3	26·3	44	33	6	9	–	–	1	–	1	1	–	6	–	–	6	1	WEST HARTLEPOOL.
SUNDERLAND	149,263	26·5	21·0	24·1	21·3	141	61	19	12	–	–	–	–	–	1	–	1	–	1	11	1	SUNDERLAND.
SOUTH SHIELDS	111,502	19·6	11·2	17·3	21·0	64	45	10	5	–	–	–	–	–	–	–	3	1	1	10	2	SOUTH SHIELDS.
GATESHEAD	123,392	19·0	20·7	13·5	16·1	89	38	9	5	–	–	–	–	2	–	2	–	–	–	7	–	GATESHEAD.
NEWCASTLE ON TYNE.	275,099	18·0	14·0	17·4	15·7	173	83	13	25	–	–	–	–	2	–	–	11	4	6	19	–	NEWCASTLE ON TYNE.
TYNEMOUTH	58,007	32·4	20·7	24·3	18·0	51	20	2	4	–	–	–	–	–	–	–	2	–	–	1	1	TYNEMOUTH.
CARLISLE	55,198	17·9	12·3	14·2	17·0	25	18	1	6	–	–	–	–	–	–	–	–	–	–	–	1	CARLISLE.
NEWPORT (MON.)	87,251	19·7	23·3	9·0	14·3	56	24	1	6	–	–	2	1	–	1	–	–	2	3	6	–	NEWPORT (MON.).
CARDIFF	204,436	14·8	9·9	12·2	8·2	92	32	2	3	–	–	3	–	1	–	–	1	–	–	4	–	CARDIFF.
RHONDDA	177,911	14·1	18·8	15·5	13·8	105	47	6	7	–	–	7	1	1	–	–	2	5	5	6	–	RHONDDA.
MERTHYR TYDFIL	71,638	10·2	10·2	12·4	19·7	38	27	1	5	–	–	–	–	–	1	–	–	–	1	6	–	MERTHYR TYDFIL.
ABERDARE	51,384	17·3	19·3	9·1	13·2	27	13	–	5	–	–	–	1	–	1	–	–	1	1	1	–	ABERDARE.
SWANSEA	160,810	14·3	15·6	12·6	11·7	89	36	7	8	–	–	2	–	1	–	–	5	1	3	4	–	SWANSEA.
GREATER LONDON	7,258,623	14·1	12·9	12·8	11·8	4159	1649	245	531	–	–	51	4	28	34	25	55	66	125	744	5	GREATER LONDON.
OUTER RING	2,900,314	11·2	10·9	11·5	10·2	1607	565	90	177	–	–	10	–	9	10	10	24	26	48	202	2	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,668,251	12·3	10·8	11·9	9·2	951	293	41	85	–	–	8	–	3	7	7	15	8	27	109	–	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,232,063	9·8	11·0	10·8	11·5	656	272	49	92	–	–	2	–	6	3	3	9	18	21	93	2	REMAINDER OF OUTER RING.
EDINBURGH†	342,300	16·5	14·4	15·3	15·9	168	104	19	23	–	–	3	–	–	–	3	–	5	?	?	?	EDINBURGH.†
GLASGOW†	1,115,500	19·4	19·2	20·5	20·1	699	428	74	87	–	1	18	–	4	5	2	22	16	?	?	?	GLASGOW.†
DUBLIN (Registration Area).†	415,000	31·5	28·5	27·0	22·9	259	182	58	41	–	–	4	–	14	1	9	3	2	–	67	4	DUBLIN (Registration Area).†
BELFAST†	413,000	28·9	27·6	19·9	21·2	256	168	34	36	1	–	–	2	2	1	4	9	2	2	49	1	BELFAST.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the EIGHTEENTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2229	2282	2149	2098	2189	2140	2279	1771	1433	1386	2552
Males	1143	1151	1107	1084	1100	1093	1156	883	745	684	1315
Females	1086	1131	1042	1014	1089	1047	1123	888	688	702	1237
Deaths (of residents only).	1107	1197	1186	1229	1196	1384	1241*	1252*	1150*	1085*	1084*
Males		615	659	647	637	723	647	641	581	531	541
Females		582	527	582	559	661	594	611	569	554	543

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.
Births (as registered)	2793	2746	2654	2771	2701	2672	2520	2078	2471	2650	2665	2518	2552
Deaths (of residents only).	1423	1384	1425	1456	1436	1484	1609	1365	1471	1342	1185	1147	1084
Ages at Death: Under 1 year	359	271	284	264	240	244	233	208	196	207	195	158	155
1–2 years	78	77	80	72	66	84	101	73	99	75	42	55	50
2–5 "	55	72	78	82	83	64	59	61	56	78	39	40	47
5–10 "	36	35	38	42	41	44	46	35	39	29	24	34	30
10–15 "	12	20	21	16	17	19	26	26	22	20	14	14	17
15–20 "	26	19	25	23	25	29	34	32	40	34	29	28	24
20–25 "	26	29	22	26	33	37	44	39	42	27	37	31	32
25–35 "	63	66	58	74	89	85	109	107	105	86	60	55	58
35–45 "	74	86	100	99	87	106	131	94	105	97	78	91	72
45–55 "	127	113	123	124	146	145	154	141	158	139	127	126	106
55–65 "	150	175	184	182	182	187	210	180	175	166	151	149	139
65–75 "	223	184	205	217	213	215	237	182	230	191	192	170	185
75 years and upwards	194	237	207	235	214	225	225	187	204	193	197	196	169
Deaths from—													
Enteric fever	–	1	1	3	–	–	–	–	4	1	1	3	–
Small-pox	–	1	–	–	2	–	–	–	–	–	1	–	–
Measles	35	49	52	52	56	70	69	48	62	76	40	45	41
Scarlet fever	3	–	3	9	5	5	3	2	6	4	4	4	4
Whooping cough	37	42	52	34	41	37	35	34	31	42	29	23	19
Diphtheria	29	16	19	28	25	29	27	28	22	20	12	15	24
Diarrhœa and enteritis (under 2 years).	22	16	18	12	13	14	23	12	18	17	15	12	15
Pulmonary tuberculosis	104	97	118	92	94	100	124	97	114	97	91	106	87
Influenza	25	37	38	54	57	91	131	124	105	101	59	45	31
Pneumonia (all orms)	222	189	194	184	197	183	229	175	194	140	113	96	95
Bronchitis	193	147	166	199	161	156	185	142	123	103	95	79	79
Other dis. of resp. system	21	15	14	25	18	24	32	20	26	15	16	14	18
Dis. of circ. system	179	202	189	173	225	184	213	159	191	168	174	189	138
Violence	45	44	49	42	38	42	44	33	49	36	44	42	40
Inquest cases	129	124	117	103	111	96	114	72	114	103	93	83	77
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	16	16	33	37	39	42	37	40	37	35	30	29	32
Small-pox	3	2	4	7	7	8	14	20	26	24	23	12	11
Measles	78	97	96	90	78	90	85	88	85	66	66	66	72
Scarlet fever	2459	2415	2316	2255	2182	2158	2101	2023	2012	1904	1845	1831	1794
Whooping cough	18	17	18	15	15	16	17	19	19	22	22	20	19
Diphtheria	2010	2000	2026	2006	2045	2066	2043	1983	1994	1958	1965	1951	1947

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.
Deaths from Influenza	109	161	178	196	230	312	392	379	332	306	259	202	201

TABLE 4. LONDON.—DEATHS REGISTERED in the EIGHTEENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 18th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1085	1084	155	50	47	30	17	24	32	58	72	106	139	185	169
Enteric fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	41	7	19	13	2	–	–	–	–	–	–	–	–	–
Scarlet fever	–	4	–	–	1	1	1	–	–	1	–	–	–	–	–
Whooping cough	3	19	12	4	3	–	–	–	–	–	–	–	–	–	–
Diphtheria	17	24	3	2	7	9	3	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	44	31	–	–	1	–	–	3	2	7	5	5	3	3	2
Erysipelas	3	3	–	–	–	–	–	1	–	1	–	–	–	1	–
Other epidemic diseases	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Pyæmia and septicæmia	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	113	87	2	1	–	–	–	7	10	17	15	20	12	2	1
Tuberculous meningitis	17	6	2	2	–	–	–	–	–	–	1	1	–	–	–
Abdominal tuberculosis	3	4	–	1	–	3	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	3	3	–	–	–	–	–	–	1	–	–	–	1	1	–
Disseminated tuberculosis	2	6	–	–	3	1	–	–	–	–	–	–	1	–	1
Venereal diseases	9	4	3	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	99	113	–	1	1	1	1	2	1	2	7	18	33	33	13
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic fever	1	3	–	–	–	–	1	1	–	–	–	–	1	–	–
Diabetes	11	10	–	–	–	–	–	–	–	–	–	2	3	2	3
Anæmia, leucocythaemia	4	8	–	–	1	1	–	1	–	–	2	2	1	–	–
Other general diseases	13	11	–	2	–	1	1	–	–	–	–	–	2	4	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	11	4	1	–	1	1	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	41	37	–	–	–	–	–	–	–	–	2	1	7	18	9
Softening of brain	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	3	4	–	–	–	–	–	–	–	–	–	2	–	–	2
Epilepsy	4	3	–	–	–	–	–	–	–	1	–	–	–	2	–
"Convulsions" (not puerperal)	4	8	6	–	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	17	20	–	–	–	–	–	1	1	7	2	3	1	2	3
Pericarditis	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Acute endocarditis	5	2	–	–	–	–	1	–	–	–	–	1	–	–	–
Organic disease of heart	108	98	–	–	–	1	1	1	2	2	4	7	20	34	26
Embolism and thrombosis (including cerebral).	7	6	–	–	–	–	–	–	1	1	1	–	2	–	1
Other diseases of circulatory system.	36	31	–	–	–	–	–	–	–	–	2	1	4	12	12
Diseases of the larynx	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	102	79	6	2	–	–	–	–	–	2	3	9	6	24	27
Broncho-pneumonia	37	47	15	10	5	–	1	1	–	–	4	1	2	4	4
Lobar pneumonia	22	26	1	–	1	1	1	–	2	3	5	1	5	4	2
Pneumonia (type not distinguished)	23	22	2	1	2	–	–	–	1	3	2	4	1	4	2
Pleurisy	4	6	1	–	–	–	–	–	–	1	–	1	3	–	–
Pulmonary congestion, Pulmonary apoplexy.	3	5	–	–	1	–	–	–	–	–	–	–	–	1	3
Other diseases of respiratory system.	9	6	1	–	–	–	1	–	–	–	–	1	1	1	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the EIGHTEENTH Week of the Year 1920.

Causes of Death.	Deaths in the 18th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	–	4	–	1	1	–	–	–	–	–	1	1	–	–	–
Diseases of stomach	17	9	3	–	–	–	–	–	1	–	1	–	1	1	2
Diarrhœa and enteritis	21	21	13	2	1	–	–	–	2	1	–	–	–	–	2
Appendicitis and typhlitis	7	4	–	–	–	2	–	2	–	–	–	–	–	–	–
Hernia and Intestinal obstruction.	12	13	1	2	–	–	–	–	–	–	–	3	1	2	4
Cirrhosis of liver	3	7	–	–	–	–	1	–	–	–	–	3	1	2	–
Other diseases of liver	3	4	–	–	–	–	–	–	–	–	–	1	1	2	–
Peritonitis (cause unknown)	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	2	8	2	–	1	1	–	1	–	–	1	1	–	–	1
Acute nephritis	1	5	–	–	–	1	1	–	–	–	–	2	1	–	–
Chronic Bright's disease	33	39	–	–	–	–	–	–	3	–	2	8	12	11	3
Urinary calculi	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	13	12	2	–	–	–	–	1	–	–	–	1	3	2	3
Puerperal fever, &c.	4	3	–	–	–	–	–	–	–	1	2	–	–	–	–
Other causes incident to childbirth.	4	3	–	–	–	–	–	–	–	1	2	–	–	–	–
Diseases of skin and cellular tissues.	12	7	1	–	–	–	–	–	–	1	–	–	–	3	2
Diseases of locomotor system	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	7	7	7	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	33	32	32	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	9	18	18	–	–	–	–	–	–	–	–	–	–	–	–
Old age	54	42	–	–	–	–	–	–	–	–	–	–	–	7	35
ACCIDENT.															
Poisons or poisonous vapours	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	4	3	–	–	1	–	–	–	–	–	–	–	–	–	2
Drowning	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Suffocation in bed	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	29	18	1	–	–	2	1	1	2	2	–	2	3	3	1
Total deaths from accident	35	26	3	–	1	2	1	1	2	2	1	4	3	3	3
Included in above are deaths in connection with:—															
Railways	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	13	8	–	–	–	1	1	1	2	1	–	–	1	1	–
Ships, boats, docks	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Suicide	6	13	–	–	–	–	–	1	1	1	3	1	5	–	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	6	16	11	–	–	–	1	–	1	1	1	–	1	–	–
Ill-defined Causes	1	2	–	–	–	1	–	–	–	–	1	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	May 8	2,552	1,084	13·0	-	-	41	4	19	24	15	31
CALCUTTA	896,067	Apr. 3	-	707§	41·0	?	114	?	?	?	?	?	36
BOMBAY	979,445	" 3	348	839§	44·5	2	16	4	-	-	-	34	40
MADRAS	518,660	Mar. 27	383	427§	42·8	2	1	1	?	7	-	35	3
PARIS	2,847,229	(10 days) Mar. 20	-	-	-	-	-	-	-	-	-	-	-
BRUSSELS	792,919	Feb. 14	-	-	-	-	-	-	-	-	-	-	-
ANTWERP	326,071	Apr. 17	165	64	10·2	-	-	-	-	-	-	1	-
		" 24	138	71	11·5	-	-	-	-	1	-	4	2
AMSTERDAM	650,109	" 24	284	135	10·8	-	-	1	-	1	-	-	5
COPENHAGEN	552,000	" 24	249	168	15·9	-	-	-	2	-	2	-	1
STOCKHOLM	408,456	" 17	157	96	12·0	-	-	-	1	-	2	-	6
GOTHENBURG	200,578	" 17	-	52	13·5	-	-	2	-	-	-	2	2
CHRISTIANIA	258,615	" 24	115	59	11·9	-	-	-	1	-	-	1	-
BERLIN	1,924,185	" 17	616	500	13·5	-	?	6	1	3	4	19	5
BRESLAU	493,393	" 17	-	-	-	-	-	-	-	-	-	-	-
COLOGNE	631,005	" 17	396	185	15·2	1	?	-	-	6	-	4	?
DRESDEN	534,880	" 17	209	135	13·1	-	?	-	-	1	2	-	?
FRANKFORT-ON-MAIN.	470,124	" 17	-	-	-	-	?	-	-	-	-	-	-
HAMBURG	1,050,300	" 17	446	278	13·8	-	?	-	-	-	2	5	?
LEIPZIG	676,289	" 17	269	155	11·9	1	?	-	-	1	2	3	?
MUNICH	670,000	" 17	-	-	-	-	-	-	-	-	-	-	-
VIENNA	1,838,708	Mar. 17	583	854	24·1	1	-	11	5	9	-	16	11
		" 24	582	812	23·0	1	-	3	1	5	4	18	23
PRAGUE	524,496	Apr. 3	183	216	21·5	-	-	3	1	-	1	7	8
BUDAPEST	1,071,492	Mar. 6	499	494	24·0	1	1	-	3	4	1	28	60
		" 13	502	524	25·4	1	1	-	4	2	3	25	36
TRIESTE	229,810	Apr. 10	77	67	15·2	-	-	1	-	-	-	-	-
CAIRO	761,300	Mar. 3	796	531	36·9	3	3	7	-	?	1	17	?
ALEXANDRIA	445,700	" 3	455	313	32·1	-	14	-	-	?	2	11	?
NEW YORK	6,141,445	Apr. 10	-	-	-	-	-	-	-	-	-	-	-
CHICAGO	2,596,681	" 10	-	640	12·9	-	-	3	4	2	12	53	4
		" 17	-	660	13·2	-	-	-	3	1	13	43	5

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria
‡ The estimated population and deaths refer to the civilian population only.
§ Including 4 deaths from *plague* in Calcutta and 10 in Bombay, and from *Asiatic cholera* 48 deaths in Calcutta, and 3 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 8th May, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	67	32	59·4	43·3	9
BRIGHTON	57	37	54·9	45·9	12
PORTSMOUTH	60	39	57·7	45·6	15
NORWICH (Eaton)	66	34	57·4	42·6	11
PLYMOUTH	58	40	55·0	45·1	12
BRISTOL (Clifton)	53	40	55·4	45·0	15
BIRMINGHAM	57	38	53·7	42·1	12
NOTTINGHAM	62	35	56·0	41·3	10
BIRKENHEAD (Bidston)	59	40	54·3	42·9	13
MANCHESTER (Whitworth Park)	60	40	54·1	44·7	29
BURNLEY	61	34	52·4	39·9	27
HUDDERSFIELD	61	39	54·9	42·0	10
BRADFORD	62	30	53·6	?	13
SHEFFIELD	62	38	55·1	42·3	?
YORK (Museum)	65	36	56·3	42·6	7
HULL (Pearson Park)	60	37	56·7	42·1	12
TYNEMOUTH	61	37	55·6	40·9	11
CARDIFF	60	39	54·7	43·9	44
EDINBURGH	58·0	36·0	53·7	39·7	11
GLASGOW	57·5	38·0	53·3	41·2	28
DUBLIN:— Phœnix Park	61·6	34·1	55·2	39·4	14
†Fitzwilliam Square	61·0	37·0	56·1	44·5	11
BELFAST	60·5	33·0	55·9	42·2	40

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 8th May 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 2	..	29·361	67·4	48·0	19·4	55·0	+ 5·5	49·9	5·1	13·9	4·9	83	122·0	40·3	47·8	SW. & WSW.	WSW. & W.	5·8	0·0	0·7	419	+137	0·01
MONDAY - - 3	Full	29·827	63·2	43·9	19·3	51·3	+ 1·5	38·3	13·0	22·8	7·3	61	130·7	34·1	47·8	W. & WNW.	W., WSW. & WNW.	7·5	0·0	1·0	530	+250	0·00
TUESDAY - - 4	..	30·225	56·2	38·7	17·5	46·9	− 3·1	33·8	13·1	20·0	3·0	60	113·0	25·8	48·1	W., NW. & N.	N. & NNW.	3·5	0·0	0·3	297	+ 19	0·00
WEDNESDAY - 5	..	30·372	59·2	32·0	27·2	47·0	− 3·3	37·9	9·1	18·5	1·3	71	108·2	20·4	48·0	N., W. & WSW.	WSW.	2·7	0·0	0·3	255	− 21	0·00
THURSDAY - - 6	Greatest declination S. Apogee.	29·963	55·6	47·2	8·4	50·3	− 0·2	42·3	8·0	13·9	1·9	74	78·2	45·0	48·1	WSW.	WSW.	6·3	0·0	0·5	367	+ 94	0·19
FRIDAY - - 7	..	29·888	61·0	42·7	18·3	51·3	+ 0·6	42·2	9·1	16·6	2·1	71	119·7	35·2	48·2	W. & WNW.	WNW. & W.	7·7	0·0	0·6	446	+176	0·05
SATURDAY - - 8	..	29·950	54·4	40·6	13·8	47·1	− 3·9	43·5	3·6	9·7	1·6	87	83·0	34·9	48·1	W.	W. & WNW.	2·4	0·0	0·1	220	− 44	0·08
MEANS - - -	- - -	29·941	59·6	41·9	17·7	49·8	− 0·4	41·1	8·7	16·5	3·2	72	107·8	33·7	48·0	W.		..	..	..	Sum 2534	Sum +611	Sum 0·33
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. May, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	2	w.P. generally, a little v.P. and v.N.	2·4	14·8	Overcast with few exceptions till 16h. 30m., becoming fine with few clouds from 17h.; damping 3h. to 5h., and slight rain between 14h. and 16h. 30m.
MONDAY -	3	v.P. till 18h., s.P. generally afterwards.	11·2	14·9	Few clouds till 3h.; cloudless till 6h., partially cloudy generally till 20h., then cloudless; brisk wind 9h. to 15h.
TUESDAY -	4	m.P. generally, v.P. and v.N. about noon.	8·0	14·9	Cloudless generally till 8h.; variably cloudy till 17h., then cloudless; few spots of rain shortly before 15h.
WEDNESDAY -	5	w.P. generally, a little v.P. in forenoon.	3·9	15·0	Cloudless generally with hoar frost till 8h., then becoming overcast with few exceptions; solar halo 7h. 30m.
THURSDAY -	6	w.P. till noon, v.P. afterwards.	0·0	15·1	Overcast till 22h., then cloudy; rain generally from 2h. to 21h. 30m.
FRIDAY - -	7	s.P. generally, v.P. at times, with little v.N.	9·8	15·1	Cloudless till 3h., then partially cloudy with overcast intervals; frequent showers between 9h. and 15h.; nearly cloudless 21h. to 23h.
SATURDAY -	8	v.P. generally, a little v.N. in afternoon.	0·	15·2	Variably cloudy to overcast by 7h. 30m.: very few breaks afterwards; frequen rain between 10h. and 17h.
			Sum 35·6	Sum 105·0	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·38 in. at the beginning of the week to 29·29 in. by 7h. on 2nd; increased to 30·45 in. by 6h. on 5th; decreased to 29·80 in. by 1h. 30m. on 7th; increased to 30·00 in. by 1h. on 8th, and decreased to 29·92 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 1st May, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,147	3	–	45	4	23	15	12	106	158
Western										
Paddington	33	–	–	–	–	1	–	–	2	5
Kensington	39	–	–	–	–	–	–	1	6	7
Hammersmith	39	–	–	1	–	–	1	1	2	4
Fulham	43	–	–	–	–	1	1	–	4	5
Chelsea	14	–	–	1	–	–	–	–	–	3
City of Westminster	26	1	–	1	–	–	–	1	2	2
Northern.										
St. Marylebone	29	–	–	–	1	1	–	–	4	3
Hampstead	12	–	–	–	–	1	–	–	–	3
St. Pancras	54	–	–	3	–	3	–	–	3	6
Islington	90	–	–	5	–	1	2	1	4	9
Stoke Newington	12	–	–	–	–	–	–	–	1	–
Hackney	55	–	–	3	1	–	1	–	4	5
Central.										
Holborn	15	–	–	–	–	–	–	–	1	2
Finsbury	22	–	–	–	–	–	–	–	2	3
City of London	3	–	–	–	–	–	–	–	–	–
Eastern.										
Shoreditch	40	–	–	–	–	1	–	1	5	10
Bethnal Green	25	–	–	3	–	–	–	–	3	5
Stepney	58	–	–	2	–	5	–	1	6	12
Poplar	31	–	–	–	–	3	–	1	1	8
Southern.										
Southwark	67	–	–	3	–	–	–	–	7	14
Bermondsey	42	–	–	1	–	–	–	–	4	5
Lambeth	79	–	–	4	–	1	2	1	6	10
Battersea	41	–	–	6	–	–	–	1	8	7
Wandsworth	83	1	–	9	1	2	3	1	3	12
Camberwell	68	1	–	–	1	1	1	2	13	4
Deptford	22	–	–	–	–	1	–	–	2	3
Greenwich	29	–	–	2	–	1	2	–	3	5
Lewisham	45	–	–	1	–	–	2	–	2	3
Woolwich	31	–	–	–	–	–	–	–	8	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 1st May, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	–	–	–	–	3	5	–	1	–	1	2	–	–	–	–
Kensington	157,886	2	–	–	–	8	13	–	2	–	–	3	–	–	–	–
Hammersmith	130,981	–	–	–	–	4	2	–	2	–	2	–	–	–	–	–
Fulham	152,543	–	–	–	–	14	7	–	1	–	–	2	–	–	–	–
Chelsea	60,573	–	–	–	–	2	3	–	1	–	–	1	–	–	–	–
City of Westminster	127,533	–	–	–	–	8	4	–	1	–	–	–	–	–	–	–
NORTHERN.																
St. Marylebone	97,953	1	–	–	–	2	3	–	3	–	–	1	–	–	–	–
Hampstead	88,012	–	–	–	–	2	4	–	1	–	–	1	–	–	–	–
St. Pancras	219,434	–	–	–	–	8	6	–	2	1	1	1	–	–	–	–
Islington	323,034	–	–	–	–	11	24	–	3	1	–	3	–	–	–	–
Stoke Newington	50,954	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Hackney	216,736	–	–	–	–	14	10	–	4	–	–	–	–	–	–	–
CENTRAL.																
Holborn	38,156	–	–	–	–	4	3	–	1	–	–	–	–	–	–	–
Finsbury	75,291	–	–	–	–	3	2	–	4	–	–	–	–	–	–	–
City of London	13,893	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EASTERN.																
Shoreditch	98,134	–	–	–	–	10	9	–	1	–	–	–	–	–	–	–
Bethnal Green	110,085	–	–	–	–	11	7	–	3	–	2	–	–	–	–	–
Stepney	232,506	–	–	–	–	16	6	–	3	1	1	–	–	–	–	–
Poplar	153,644	–	–	–	–	5	8	–	1	–	2	1	–	–	–	–
SOUTHERN.																
Southwark	179,971	–	–	–	–	13	12	–	2	–	1	1	–	–	–	–
Bermondsey	124,239	–	–	–	–	8	4	–	–	–	–	–	–	–	–	–
Lambeth	282,322	–	–	–	–	30	17	–	1	1	–	5	1	–	–	–
Battersea	159,316	–	–	–	–	10	18	–	–	–	3	–	–	–	–	–
Wandsworth	333,693	1	–	–	–	10	24	–	4	1	1	–	–	–	–	–
Camberwell	273,802	–	–	–	–	9	14	–	1	–	–	1	–	–	1	–
Deptford	111,205	–	–	–	–	5	5	–	2	–	–	–	–	–	–	–
Greenwich	98,484	–	–	–	–	4	4	–	2	–	–	–	–	–	–	–
Lewisham	167,754	–	–	–	–	13	11	–	2	–	–	–	–	–	–	–
Woolwich	136,237	–	–	–	–	6	4	–	3	–	–	2	–	–	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,358,309	4	–	–	–	233	231	–	51	5	14	24	1	–	1	–
Ages 0–1		–	–	–	–	–	6	–	–	1	–	24	–	–	–	–
" 1–5		–	–	–	–	53	67	–	–	1	–	–	1	–	–	–
" 5–		–	–	–	–	101	94	–	3	2	–	–	–	–	–	–
10–		1	–	–	–	48	33	–	2	–	–	–	–	–	–	–
" 15–		–	–	–	–	15	11	–	3	1	2	–	–	–	1	–
" 20–		–	–	–	–	8	5	–	4	–	1	–	–	–	–	–
" 25–		–	–	–	–	8	7	–	6	–	6	–	–	–	–	–
" 35–		2	–	–	–	–	5	–	5	–	5	–	–	–	–	–
" 45–		1	–	–	–	–	1	–	14	–	–	–	–	–	–	–
" 55–		–	–	–	–	–	2	–	7	–	–	–	–	–	–	–
" 65–		–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
" 75 and upwards		–	–	–	–	–	–	–	4	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 19. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, MAY 15.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
May 18th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,481, and corresponded to an annual rate of 29·5 per 1,000. The deaths* among the civilian population only numbered 4,708, and corresponded to an annual rate of 13·8 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended April 24th, May 1st, and May 8th the rates had been 14·5, 14·2, and 13·8 respectively. The infant mortality was 83, against 92, 86, and 83 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10898—3 Wt 167-840 625 5/20 E & S

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 21·5 in Stockton-on-Tees, 22·6 in Dewsbury, 23·1 in West Hartlepool, 23·3 in Wigan, 26·6 in Sheffield, and 28·8 in Tynemouth; from *measles*, 1·6 in Brighton and in Swansea, 1·7 in Walsall, 2·4 in Wigan, 3·8 in Rhondda, and 3·9 in Norwich; from *whooping cough* 2·4 in Darlington; and from *influenza*, 3·2 in West Hartlepool, 5·6 in Sheffield, and 6·3 in Tynemouth. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,648 births, corresponding to a rate of 30·6 per 1,000, and 1,046 deaths of civilians, corresponding to a rate of 12·5, as against 14·2, 13·7, and 13·0 per 1,000 in the three weeks ended April 24th, May 1st, and May 8th. The death-rate in the four weeks ended last Saturday averaged 13·4 per 1,000. The infant mortality was 60 against 73, 63, and 61 in the preceding three weeks.

The deaths from *enteric fever*, which had been 1, 3, and 0 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 40, 45, and 41 in the preceding three weeks, fell last week to 25, and were 18 below the average; 4 deaths belonged to the Borough of Stepney, 4 to Wandsworth, 3 to Islington and 3 to Southwark. There was 1 death from *scarlet fever*, against 4, 4, and 4 in the preceding three weeks, and an average of 3. The deaths from *whooping-cough*, which had been 29, 23, and 19 in the preceding three weeks, rose again last week to 35, and were 7 above the average; 5 deaths belonged to St. Pancras and 4 to Battersea. The deaths from *diphtheria*, which had been 12, 15, and 24 in the preceding three weeks, fell last week to 11, the average being 10. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 15, 12, and 15 in the preceding three weeks, were 14 last week, the average being 13; 4 deaths belonged to Stepney. The deaths from *influenza* numbered 32, as against 59, 45, and 31 in the preceding three weeks, and an average of 14.

Different forms of violence caused 32 deaths, all of which were the subject of coroners' inquests. Of these 32 deaths, 8 were cases of suicide and 4 of homicide, while the remaining 20 were attributed to other forms of violence. Four of these latter were referred to vehicles in the streets, 3 to drowning, and 2 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 29 cases of enteric fever, 6 of small-pox, 70 of measles, 1,757 of scarlet fever, 20 of whooping-cough, and 1,916 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 4 cases, against 2, 4, and 5; of small-pox, 1 case, against 3, 0, and 1; of measles, 13 cases, against 19, 18, and 29; of scarlet fever, 264 cases, against 225, 240, and 223; of whooping-cough, 1 case, against 1, 0, and 0; and of diphtheria, 226 cases, against 205, 239, and 233. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended May 8th, 1920.

Table 1.—96 GREAT TOWNS, Greater London, and Four Scottish or Irish Towns.—Births and Deaths Registered, and Death Rates in the Week ended Saturday, 15th May, 1920, and Death-Rates in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 24th Apr., 1920.	1st May, 1920.	8th May, 1920.	15th May, 1920.	Week ended 15th May, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 Great Towns	**17,807,258**	**14·5**	**14·2**	**13·8**	**13·8**	**10,481**	**4708**	**871**	**1336**	**9**	**–**	**116**	**20**	**78**	**41**	**75**	**216**	**134**	**289**	**1433**	**41**	**96 Great Towns.**
London†	4,358,309	14·2	13·7	13·0	12·5	2648	1046	158	338	2	–	25	1	35	11	14	32	32	94	504	2	London.†
‡ Croydon	184,239	11·3	14·2	11·0	9·3	81	33	2	16	–	–	–	1	–	1	1	1	2	3	10	–	Croydon.
Wimbledon	59,791	3·5	9·6	7·8	7·0	21	8	–	3	–	–	–	–	–	–	–	1	–	–	2	–	Wimbledon.
Ealing	73,212	5·0	17·1	12·8	6·4	40	9	2	3	–	–	–	–	–	–	–	–	–	–	2	–	Ealing.
Acton	61,732	11·0	11·0	11·8	11·8	29	14	4	5	–	–	1	–	–	–	–	–	1	1	7	–	Acton.
Willesden	160,917	9·7	10·0	7·1	10·4	97	32	5	11	–	–	1	–	–	1	1	1	–	–	13	–	Willesden.
Hornsey	94,343	13·8	11·1	6·1	11·1	29	29	1	10	–	–	–	–	–	–	–	1	–	–	4	–	Hornsey.
Tottenham	141,338	11·1	11·1	8·1	8·1	64	22	–	10	–	–	–	–	–	1	–	–	–	1	11	–	Tottenham.
Edmonton	70,711	10·3	10·3	8·8	6·6	44	9	1	3	–	–	–	–	–	1	–	–	1	1	2	–	Edmonton.
Enfield	58,442	11·6	8·0	9·8	8·9	28	10	4	1	–	–	–	–	–	–	1	–	–	1	3	–	Enfield.
West Ham	287,966	13·8	14·5	9·2	13·9	190	77	16	19	1	–	1	–	2	–	1	4	3	4	32	–	West Ham.
East Ham	144,451	10·8	11·2	8·7	9·0	70	25	4	8	–	–	–	–	1	–	–	2	1	1	11	–	East Ham.
Leyton	123,896	9·3	11·8	11·4	9·3	68	22	3	7	–	–	–	–	–	1	1	1	1	3	8	–	Leyton.
Walthamstow	127,684	12·7	12·7	8·2	10·6	68	26	5	6	–	–	–	–	1	–	1	2	–	1	14	–	Walthamstow.
Ilford	79,524	7·9	5·9	8·5	12·5	34	19	–	9	–	–	–	–	2	1	–	1	–	–	3	–	Ilford.
Gillingham	43,501	12·0	13·2	15·6	7·2	23	6	1	3	–	–	–	–	–	–	–	–	–	–	–	–	Gillingham.
Hastings	57,674	15·4	10·8	13·6	10·8	30	12	1	3	–	–	–	–	–	1	1	–	1	1	2	–	Hastings.
Eastbourne	48,424	9·7	14·0	4·3	7·5	20	7	–	5	–	–	–	1	–	–	–	–	–	1	1	–	Eastbourne.
Brighton	132,409	9·5	15·4	10·6	11·8	70	30	5	11	–	–	4	–	1	–	–	–	1	4	9	–	Brighton.
Portsmouth	224,846	11·8	8·3	10·4	15·8	137	68	10	26	–	–	1	–	1	2	–	–	1	3	24	–	Portsmouth.
Bournemouth	82,627	16·4	13·3	7·6	10·7	21	17	2	7	–	–	–	–	–	–	–	1	–	–	3	–	Bournemouth
Southampton	126,033	16·1	9·5	11·2	12·4	73	30	5	5	1	–	1	–	–	–	–	1	–	1	11	–	Southampton.
Reading	91,365	12·0	10·8	9·1	6·8	57	12	4	3	–	–	–	–	–	–	–	–	–	–	2	–	Reading.
Oxford	57,666	7·2	5·4	11·8	7·2	38	8	1	3	–	–	–	–	–	–	–	–	–	2	–	–	Oxford.
Northampton	88,944	11·7	12·3	14·7	12·3	50	21	5	9	–	–	–	–	–	–	–	–	–	–	5	–	Northampton.
Cambridge	57,849	12·6	9·0	11·7	8·1	39	9	2	3	–	–	–	–	–	–	–	–	–	1	–	–	Cambridge.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 15th May 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 24th Apr., 1920.	1st May, 1920.	8th May, 1920.	15th May, 1920.	Week ended 15th May 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	3.	4.	5.	2.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	8·7	13·0	5·6	5·0	36	8	1	3	–	–	–	–	–	–	–	–	–	–	–	–	SOUTHEND ON SEA.
IPSWICH	78,011	10·7	12·7	12·0	8·7	36	13	1	4	–	–	1	–	–	1	–	–	–	–	3	–	IPSWICH.
GREAT YARMOUTH	53,078	13·8	11·8	14·7	7·9	37	8	4	1	–	–	–	–	–	–	–	–	–	–	2	–	GREAT YARMOUTH.
NORWICH	119,993	16·9	15·6	13·0	16·1	51	37	8	7	–	–	9	–	–	–	1	–	1	1	8	–	NORWICH.
SWINDON	51,527	14·2	12·1	10·1	13·2	27	13	4	2	–	–	–	–	1	–	–	–	–	–	2	–	SWINDON.
EXETER	59,014	13·3	8·8	18·6	13·3	31	15	2	3	–	–	–	–	–	–	–	1	2	2	7	–	EXETER.
PLYMOUTH	181,967	16·9	16·0	14·6	13·5	112	47	3	22	–	–	1	–	–	–	–	3	1	3	7	–	PLYMOUTH.
BATH	65,919	13·4	7·1	9·5	14·2	34	18	2	8	–	–	–	–	–	2	–	–	–	–	7	–	BATH.
BRISTOL	361,247	13·4	12·8	13·0	13·4	215	93	16	32	–	–	5	–	–	–	1	3	3	9	28	–	BRISTOL.
GLOUCESTER	50,100	12·5	11·4	14·6	9·4	33	9	4	3	–	–	–	–	1	–	1	–	–	–	2	–	GLOUCESTER.
STOKE ON TRENT	239,316	14·4	14·2	20·0	15·0	147	69	28	12	–	–	1	3	1	–	5	1	1	2	13	3	STOKE ON TRENT.
WOLVERHAMPTON	98,403	17·0	15·9	12·2	11·1	53	21	4	7	–	–	2	–	–	–	1	–	–	1	4	–	WOLVERHAMPTON.
WALSALL	92,724	16·3	12·9	13·5	18·6	73	33	14	8	–	–	3	–	–	1	1	1	–	1	3	–	WALSALL.
WEST BROMWICH	69,899	19·4	17·2	20·9	12·7	50	17	5	3	–	–	–	–	–	–	–	1	–	2	1	2	WEST BROMWICH.
DUDLEY	54,017	18·3	8·7	18·3	15·4	34	16	1	4	1	–	–	–	–	–	–	–	–	1	2	–	DUDLEY.
BIRMINGHAM	861,585	15·3	13·4	15·4	14·6	601	242	52	73	–	–	5	3	4	4	6	7	12	13	69	7	BIRMINGHAM.
SMETHWICK	72,152	11·6	14·5	14·5	10·1	40	14	5	3	–	–	–	–	–	–	–	1	–	–	2	–	SMETHWICK.
COVENTRY	132,048	13·0	7·9	11·5	7·9	74	20	5	4	–	–	–	–	–	–	–	1	1	1	2	–	COVENTRY.
LEICESTER	236,059	9·7	13·0	9·3	10·2	128	46	6	14	–	–	4	–	–	–	2	–	2	3	14	–	LEICESTER.
LINCOLN	60,581	14·6	12·9	13·8	14·6	26	17	4	8	–	–	–	–	–	–	–	–	–	–	1	1	LINCOLN.
GRIMSBY	78,813	13·9	13·9	13·9	11·2	54	17	3	3	–	–	–	–	–	–	–	–	–	–	1	–	GRIMSBY.
NOTTINGHAM	257,573	20·2	11·9	15·2	14·2	132	70	17	18	–	–	–	1	–	–	1	2	1	2	23	–	NOTTINGHAM.
DERBY	123,930	13·5	13·5	8·4	8·4	83	20	2	6	–	–	–	–	–	–	1	–	2	2	5	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 15th May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 24th Apr., 1920.	1st May, 1920.	8th May, 1920.	15th May, 1920.	Week ended 15th May, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	16·2	14·9	10·0	10·8	63	26	5	8	–	–	1	1	–	–	–	3	2	2	9	–	STOCKPORT.
BIRKENHEAD	148,052	12·3	15·5	11·3	14·4	88	41	8	11	–	–	–	–	1	–	1	1	2	3	7	–	BIRKENHEAD.
WALLASEY	95,424	7·1	13·7	12·0	7·7	36	14	5	2	–	–	1	–	–	–	–	3	–	1	1	–	WALLASEY.
LIVERPOOL	772,665	17·9	15·7	17·7	15·9	534	236	59	51	–	–	4	3	5	1	13	4	6	14	98	8	LIVERPOOL.
BOOTLE	76,962	17·6	10·2	12·2	12·2	51	18	2	3	–	–	–	–	–	1	–	–	1	1	7	2	BOOTLE.
ST. HELENS	100,805	13·4	15·5	16·0	17·1	61	33	11	5	–	–	1	–	1	–	–	2	–	–	6	2	ST. HELENS.
SOUTHPORT	70,144	8·9	12·6	17·1	12·6	26	17	1	3	–	–	–	–	–	–	–	–	1	1	4	–	SOUTHPORT.
WIGAN	87,384	21·5	20·9	17·3	23·3	59	39	9	5	–	–	4	–	–	–	–	3	–	2	5	–	WIGAN.
WARRINGTON	74,952	20·2	11·8	9·7	11·8	58	17	3	3	–	–	–	–	–	–	–	1	1	1	2	2	WARRINGTON.
BOLTON	177,462	19·1	21·7	19·7	20·6	102	70	11	17	–	–	2	–	–	2	–	3	2	5	12	1	BOLTON.
BURY	54,248	13·5	19·2	20·2	10·6	23	11	1	3	–	–	–	–	–	–	–	–	–	–	–	1	BURY.
MANCHESTER	741,068	14·8	15·1	13·5	13·9	434	198	43	45	1	–	2	1	2	4	4	9	3	11	62	3	MANCHESTER.
SALFORD	226,225	14·8	15·9	12·0	14·3	159	62	8	14	1	–	2	–	–	1	–	6	1	1	18	–	SALFORD.
OLDHAM	137,668	15·5	16·7	17·8	17·4	80	46	10	8	–	–	–	–	–	–	1	1	3	3	10	–	OLDHAM.
ROCHDALE	90,051	13·3	13·3	9·8	11·6	42	20	2	11	–	–	–	–	–	–	–	1	1	2	4	–	ROCHDALE.
BURNLEY	101,005	14·5	23·7	17·0	15·0	45	29	5	7	–	–	–	–	–	–	1	–	1	1	9	–	BURNLEY.
BLACKBURN	125,992	24·4	18·2	16·1	20·7	55	50	9	20	–	–	3	–	–	–	1	1	1	2	9	–	BLACKBURN.
PRESTON	117,277	17·8	16·0	13·3	10·7	70	24	10	3	–	–	–	–	–	–	–	–	–	1	2	–	PRESTON.
BLACKPOOL	67,842	12·3	10·0	10·0	13·1	23	17	1	6	–	–	–	–	–	–	–	1	2	2	2	–	BLACKPOOL.
BARROW IN FURNESS	73,627	7·8	12·0	16·3	14·9	35	21	7	3	–	–	–	–	1	–	–	1	–	–	1	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	15·8	14·4	19·5	16·3	28	35	3	8	–	–	–	1	–	–	–	5	–	–	5	–	HUDDERSFIELD.
HALIFAX	101,791	26·1	20·5	19·0	19·0	38	37	6	11	–	–	–	–	1	–	–	5	–	2	7	–	HALIFAX.
BRADFORD	282,714	14·9	16·0	15·5	17·0	144	92	10	28	–	–	1	1	3	1	–	3	1	6	34	–	BRADFORD.
LEEDS	431,999	15·9	17·4	15·4	14·0	264	116	17	45	–	–	1	–	2	–	2	3	8	10	32	–	LEEDS.
DEWSBURY	52,969	19·7	17·7	16·7	22·6	28	23	2	5	–	–	–	–	–	–	–	2	–	–	4	–	DEWSBURY.
WAKEFIELD	49,208	19·1	22·3	13·8	18·0	27	17	4	3	–	–	1	–	–	–	–	–	–	2	1	–	WAKEFIELD.
BARNSLEY	51,680	15·1	17·2	19·2	9·1	31	19	–	3	–	–	1	–	–	–	–	–	–	–	2	–	BARNSLEY.

[illegible] 14 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 15th May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 24th April, 1920.	1st May, 1920.	8th May, 1920.	15th May, 1920.	Week ended 15th May, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	13·4	16·7	18·8	26·6	258	242	37	60	–	–	3	–	2	–	1	51	8	14	55	–	Sheffield.
Rotherham	69,034	12·1	12·1	12·8	15·1	53	20	5	4	–	–	–	–	–	–	1	2	–	1	3	–	Rotherham.
York	74,531	15·4	10·5	14·7	11·9	50	17	5	5	–	–	1	–	–	–	–	–	–	1	3	–	York.
Hull	279,664	15·3	10·8	16·8	13·6	180	73	15	27	–	–	–	–	–	–	–	–	3	9	17	–	Hull.
Middlesbrough	127,142	12·7	19·3	12·7	17·6	87	43	9	11	–	–	–	–	–	–	–	–	–	2	6	–	Middlesbrough.
Darlington	64,058	13·8	19·5	15·5	19·5	34	24	7	6	–	–	–	–	3	–	–	–	–	–	2	1	Darlington.
Stockton on Tees	60,696	22·3	22·3	23·2	21·5	53	25	9	6	–	–	1	1	2	–	–	–	–	–	3	–	Stockton on Tees.
West Hartlepool	65,515	22·3	26·3	26·3	23·1	45	29	9	5	–	–	–	1	–	–	–	4	–	–	5	–	West Hartlepool.
Sunderland	149,263	21·0	24·1	21·3	16·4	87	47	14	9	–	–	–	–	–	–	1	5	2	3	7	2	Sunderland.
South Shields	111,502	11·2	17·3	21·0	17·3	68	37	9	10	2	–	–	–	–	–	2	–	1	1	4	1	South Shields.
Gateshead	123,392	20·7	13·5	16·1	14·8	84	35	6	8	–	–	–	–	1	–	–	–	1	1	6	1	Gateshead.
Newcastle on Tyne.	275,099	14·0	17·4	15·7	17·6	178	93	16	31	–	–	–	–	2	–	1	10	1	5	44	–	Newcastle on Tyne.
Tynemouth	58,007	20·7	24·3	18·0	28·8	38	32	2	9	–	–	–	–	–	–	–	7	–	–	6	1	Tynemouth.
Carlisle	55,198	12·3	14·2	17·0	10·4	25	11	2	3	–	–	–	–	–	–	1	1	2	2	–	1	Carlisle.
Newport (Mon.)	87,251	23·3	9·0	14·3	15·5	62	26	5	5	–	–	2	–	–	–	–	–	1	1	5	–	Newport (Mon.).
Cardiff	204,436	9·9	12·2	8·2	10·5	126	41	7	9	–	–	2	–	–	2	–	–	2	2	8	–	Cardiff.
Rhondda	177,911	18·8	15·5	13·8	18·2	114	62	16	5	–	–	13	1	1	–	2	7	1	1	3	–	Rhondda.
Merthyr Tydfil	71,638	10·2	12·4	19·7	10·9	45	15	4	2	–	–	–	–	–	–	1	–	1	1	2	–	Merthyr Tydfil.
Aberdare	51,384	19·3	9·1	13·2	10·1	31	10	3	1	–	–	–	–	–	–	–	–	3	3	–	–	Aberdare.
Swansea	160,810	15·6	12·6	11·7	17·2	83	53	7	14	–	–	5	–	1	1	1	2	2	3	12	–	Swansea.
Greater London	7,258,623	12·9	12·8	11·8	11·6	4153	1617	241	547	4	–	31	2	46	23	22	49	50	128	686	2	Greater London.
Outer Ring	2,900,314	10·9	11·5	10·2	10·3	1505	571	83	209	2	–	6	1	11	12	8	17	18	34	182	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	10·8	11·9	9·2	10·2	863	326	47	111	1	–	3	1	6	6	6	14	9	16	122	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	11·0	10·8	11·5	10·4	642	245	36	98	1	–	3	–	5	6	2	3	9	18	60	–	Remainder of Outer Ring.
Edinburgh†	342,300	14·4	15·3	15·9	12·1	202	79	10	29	–	–	–	–	–	1	1	5	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	19·2	20·5	20·1	18·6	641	397	77	81	–	9	27	–	2	4	4	22	13	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	28·5	27·0	22·9	20·6	268	164	37	46	–	–	11	–	10	–	1	1	3	3	54	5	Dublin (Registration Area).†
Belfast†	413,000	27·6	19·9	21·2	16·9	253	134	32	22	–	–	–	–	1	–	6	8	4	4	51	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the NINETEENTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2529	2160	2173	2185	2328	2001	2212	1750	1533	1539	2648
Males	1293	1111	1116	1131	1227	1005	1147	930	782	780	1369
Females	1236	1049	1057	1054	1101	996	1065	820	751	759	1279
Deaths (of residents only).	1234	1147	1224	1175	1158	1255	1115*	1254*	1135*	964*	1046*
Males		587	669	603	607	650	599	659	569	490	517
Females		560	555	572	551	605	516	595	566	474	529

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.
Births (as registered)	2746	2654	2771	2701	2672	2520	2078	2471	2650	2665	2518	2552	2648
Deaths (of residents only).	1384	1425	1456	1436	1484	1609	1365	1471	1342	1185	1147	1084	1046
Ages at Death: Under 1 year	271	284	264	240	244	233	208	196	207	195	158	155	158
1–2 years	77	80	72	66	84	101	73	99	75	42	55	50	45
2–5 „	72	78	82	83	64	59	61	56	78	39	40	47	26
5–10 „	35	38	42	41	44	46	35	39	29	24	34	30	20
10–15 „	20	21	16	17	19	26	26	22	20	14	14	17	13
15–20 „	19	25	23	25	29	34	32	40	34	29	28	24	20
20–25 „	29	22	26	33	37	44	39	42	27	37	31	32	19
25–35 „	66	58	74	89	85	109	107	105	86	60	55	58	61
35–45 „	86	100	99	87	106	131	94	105	97	78	91	72	76
45–55 „	113	123	124	146	145	154	141	158	139	127	126	106	120
55–65 „	175	184	182	182	187	210	180	175	166	151	149	139	150
65–75 „	184	205	217	213	215	237	182	230	191	192	170	185	178
75 years and upwards	237	207	235	214	225	225	187	204	193	197	196	169	160
Deaths from—													
Enteric fever	1	1	3	–	–	–	–	4	1	1	3	–	2
Small-pox	1	–	–	2	–	–	–	–	–	1	–	–	–
Measles	49	52	52	56	70	69	48	62	76	40	45	41	25
Scarlet fever	–	3	9	5	5	3	2	6	4	4	4	4	1
Whooping cough	42	52	34	41	37	35	34	31	42	29	23	19	35
Diphtheria	16	19	28	25	29	27	28	22	20	12	15	24	11
Diarrhœa and enteritis (under 2 years).	16	18	12	13	14	23	12	18	17	15	12	15	14
Pulmonary tuberculosis	97	118	92	94	100	124	97	114	97	91	106	87	98
Influenza	37	38	54	57	91	131	124	105	101	59	45	31	32
Pneumonia (all forms)	189	194	184	197	183	229	175	194	140	113	96	95	82
Bronchitis	147	166	199	161	156	185	142	123	103	95	79	79	63
Other dis. of resp. system	15	14	25	18	24	32	20	26	15	16	14	18	14
Dis. of circ. system	202	189	173	225	184	213	159	191	168	174	189	138	203
Violence	44	49	42	38	42	44	33	49	36	44	42	40	32
Inquest cases	124	117	103	111	96	114	72	114	103	93	83	77	94
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	16	33	37	39	42	37	40	37	35	30	29	32	29
Small-pox	2	4	7	7	8	14	20	26	24	23	12	11	6
Measles	97	96	90	78	90	85	88	85	66	66	66	72	70
Scarlet fever	2415	2316	2255	2182	2158	2101	2023	2012	1904	1845	1831	1794	1757
Whooping cough	17	18	15	15	16	17	19	19	22	22	20	19	20
Diphtheria	2000	2026	2006	2045	2066	2043	1983	1994	1958	1965	1951	1947	1916

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.
Deaths from Influenza	161	178	196	230	312	392	379	332	306	259	202	201	216

TABLE 4. LONDON.—DEATHS REGISTERED in the NINETEENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 19th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	964	1046	158	45	26	20	13	20	19	61	76	120	150	178	160
Enteric fever	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	25	7	12	5	1	–	–	–	–	–	–	–	–	–
Scarlet fever	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Whooping cough	2	35	15	12	7	1	–	–	–	–	–	–	–	–	–
Diphtheria	13	11	–	1	5	5	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	29	32	1	1	1	–	–	1	2	2	7	6	3	7	1
Erysipelas	1	3	–	–	–	–	–	–	–	1	–	–	–	1	1
Other epidemic diseases	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	91	98	–	1	1	1	1	9	9	22	15	27	9	3	–
Tuberculous meningitis	10	9	1	3	1	4	–	–	–	–	–	–	–	–	–
Abdominal tuberculosis	1	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	–	3	–	–	–	–	–	1	–	–	–	1	1	–	–
Tuberculosis of the joints	1	2	–	–	–	–	–	1	–	–	–	–	–	–	1
Tuberculosis of other organs	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Disseminated tuberculosis	9	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Venereal diseases	3	6	4	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	96	106	–	–	–	–	–	–	–	–	7	24	38	22	15
Tumour, situation undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	–	3	–	–	–	–	–	1	–	1	1	–	–	–	–
Diabetes	4	6	–	–	–	–	–	–	2	1	1	–	1	–	1
Anæmia, leucocythaemia	4	3	–	–	–	–	–	1	–	–	–	1	–	1	–
Other general diseases	12	6	2	–	–	–	1	–	–	–	–	–	1	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	3	1	1	–	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	48	32	–	–	–	–	–	–	–	–	–	5	11	11	5
Softening of brain	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Paralysis, without specified cause	6	3	–	–	–	–	–	–	–	–	–	–	–	2	1
Epilepsy	6	4	–	–	–	–	–	–	–	2	–	1	1	–	–
"Convulsions" (not puerperal)	8	10	10	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	12	10	–	–	–	1	1	–	–	–	3	3	1	1	1
Pericarditis	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Organic disease of heart	107	150	–	–	–	–	3	2	2	8	11	14	33	42	35
Embolism and thrombosis (including cerebral).	6	8	–	–	–	–	–	–	–	–	–	1	3	2	2
Other diseases of circulatory system.	39	42	1	–	–	–	–	–	1	–	2	3	7	13	15
Diseases of the larynx	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	96	63	4	3	–	–	–	–	–	–	1	1	11	22	21
Broncho-pneumonia	28	41	19	4	1	1	–	–	–	3	1	1	2	5	4
Lobar pneumonia	18	24	2	–	1	–	–	1	1	5	4	3	4	3	–
Pneumonia (type not distinguished)	24	17	1	3	–	1	–	–	–	4	2	–	–	2	4
Pleurisy	6	7	–	–	–	–	2	–	–	–	–	–	2	3	–
Pulmonary congestion, Pulmonary apoplexy.	5	3	–	–	–	–	–	–	–	–	–	–	–	2	1
Other diseases of respiratory system.	8	4	–	–	–	–	–	–	–	–	–	1	1	1	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the NINETEENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 19th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Diseases of stomach	8	7	–	–	–	–	1	–	–	1	3	–	–	2	–
Diarrhœa and enteritis	15	18	14	–	–	–	–	–	–	–	–	1	2	1	–
Appendicitis and typhlitis	7	6	–	–	1	1	–	1	–	1	–	1	1	–	–
Hernia and Intestinal obstruction.	11	6	1	–	–	–	–	–	–	–	–	1	1	2	1
Cirrhosis of liver	4	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Other diseases of liver	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Peritonitis (cause unknown)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	1	2	1	–	–	–	–	–	–	–	–	–	1	–	–
Acute nephritis	5	2	–	–	–	–	–	–	–	–	–	2	–	–	–
Chronic Bright's disease	27	30	–	–	–	–	–	–	–	1	4	6	5	8	6
Urinary calculi	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	18	15	–	–	–	–	–	–	1	1	3	1	3	4	2
Puerperal fever, &c.	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth.	3	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Diseases of skin and cellular tissues.	8	6	1	–	–	–	–	–	–	–	–	1	2	2	–
Diseases of locomotor system	1	3	–	–	–	–	1	–	–	1	–	1	–	–	–
Congenital malformations	2	10	9	1	–	–	–	–	–	–	–	–	–	–	–
Premature birth	19	42	42	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	8	7	7	–	–	–	–	–	–	–	–	–	–	–	–
Old age	53	48	–	–	–	–	–	–	–	–	–	–	1	8	39
ACCIDENT.															
Poisons or poisonous vapours	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning		3	–	–	–	–	–	1	–	–	1	–	–	1	–
Suffocation in bed	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	25	14	–	–	1	–	1	–	–	–	2	5	1	3	1
Total deaths from accident	35	20	2	–	1	–	1	1	–	–	3	6	1	4	1
Included in above are deaths in connection with:—															
Railways	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	4	–	–	1	–	1	–	–	–	–	1	1	–	–
Ships, boats, docks	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	4	–	–	–	–	–	–	–	1	2	1	–	–	–
Suicide	7	8	–	–	–	–	–	–	1	2	1	3	1	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	8	14	10	–	–	–	1	–	–	1	1	–	–	–	1
Ill-defined Causes	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	May 15	2,648	1,046	12·5	2	–	25	1	35	11	14	32
CALCUTTA	896,067	Apr. 10	–	716§	41·6	?	80	?	?	?	?	?	30
BOMBAY	979,445	„ 10	329	847§	45·4	3	23	5	–	1	–	35	40
MADRAS	518,660	„ 3	348	378§	37·8	1	3	3	?	3	–	28	3
PARIS	2,847,229	(10 days) Mar. 20	1,558	1,374	?	2	–	16	9	19	6	22	27
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	326,071	May 1	145	56	9·0	–	–	1	–	–	–	3	1
AMSTERDAM	650,109	„ 1	267	144	11·6	1	–	–	–	2	1	2	1
COPENHAGEN	552,000	„ 1	281	133	12·6	1	–	1	–	–	1	2	2
STOCKHOLM	408,456	Apr. 24	154	92	11·5	–	–	–	–	–	1	–	5
GOTHENBURG	200,578	„ 24	–	53	13·7	–	–	–	–	1	1	–	1
CHRISTIANIA	258,615	May 1	113	57	11·5	1	–	–	–	–	1	–	–
BERLIN	1,924,185	Apr. 24	–	–	–	–	–	–	–	–	–	–	–
BRESLAU	493,393	„ 24	273	140	14·8	–	?	–	–	2	–	4	4
COLOGNE	631,005	„ 24	309	175	14·4	–	?	–	–	4	2	4	?
DRESDEN	534,880	„ 24	224	134	13·0	–	?	–	–	–	2	3	?
FRANKFORT-ON-MAIN.	470,124	„ 24	179	90	10·0	–	?	–	–	2	–	1	?
HAMBURG	1,050,300	„ 24	462	251	12·4	–	?	1	1	2	2	6	?
LEIPZIG	676,289	„ 24	277	150	11·5	–	?	–	1	1	–	7	?
MUNICH	670,000	„ 24	261	201	15·6	–	?	2	1	–	–	10	?
VIENNA	1,838,708	May 1	539	721	20·4	1	–	3	2	4	–	15	15
PRAGUE	524,496	Apr. 10	161	228	22·7	–	8	5	–	–	1	6	5
BUDAPEST	1,071,492	Mar. 20	475	433	21·0	1	1	–	1	–	1	15	27
TRIESTE	229,810	Apr. 17	202	69	15·7	–	–	–	–	–	1	1	–
CAIRO	761,300	Mar. 10	–	–	–	–	–	–	–	?	–	–	–
ALEXANDRIA	445,700	„ 10	–	–	–	–	–	–	–	?	–	–	–
NEW YORK	6,141,445	Apr. 17	2,916	1,553	13·2	–	–	45	5	16	24	22	29
CHICAGO	2,596,681	„ 24	–	711	14·3	–	–	2	1	3	7	47	6

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 13 deaths from *plague* in Calcutta and 9 in Bombay, and from *Asiatic cholera* 64 deaths in Calcutta, 1 in Bombay, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 15th May, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	72	39	65·1	43·9	0
BRIGHTON	70	45	62·1	48·1	1
PORTSMOUTH	67	42	63·7	46·9	3
NORWICH (Eaton)	73	37	63·9	43·6	1
PLYMOUTH	62	41	60·1	47·4	7
BRISTOL (Clifton)	65	40	61·7	46·4	11
BIRMINGHAM	65	38	60·6	43·1	12
NOTTINGHAM	65	34	61·7	41·9	7
BIRKENHEAD (Bidston)	68	41	58·6	44·7	6
MANCHESTER (Whitworth Park)	70	40	60·3	45·9	8
BURNLEY	61	36	57·0	41·7	9
HUDDERSFIELD	66	39	58·9	42·7	8
BRADFORD	64	36	57·6	42·0	2
SHEFFIELD	65	40	59·7	43·1	7
YORK (Museum)	66	37	60·4	43·1	2
HULL (Pearson Park)	68	37	61·4	43·6	1
TYNEMOUTH	59	39	56·0	43·1	7
CARDIFF	65	39	60·4	44·4	16
EDINBURGH	64·0	36·0	55·3	41·3	7
GLASGOW	65·0	38·3	55·0	42·3	13
DUBLIN:— Phœnix Park	62·4	32·5	58·1	40·3	9
†Fitzwilliam Square	61·9	39·2	57·8	44·3	6
BELFAST	58·5	34·5	56·2	40·5	20

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 15th May 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 9	..	29·998	62·0	41·2	20·8	50·6	− 0·6	40·6	10·0	19·9	3·8	69	108·1	28·5	48·2	WNW., NNW. & N.	N. & NNE.	1·1	0·0	0·1	202	− 57	0·04
MONDAY - - 10	..	30·114	61·8	39·3	22·5	50·9	− 0·6	39·9	11·0	19·0	2·4	66	120·0	27·2	48·4	NE., E. & ESE.	SE. & ESE.	1·2	0·0	0·1	179	− 76	0·00
TUESDAY - - 11	Last Quarter.	29·853	64·6	41·1	23·5	54·5	+ 2·7	41·5	13·0	21·8	1·6	62	130·6	30·7	48·6	ESE. & SE.	ESE.	3·3	0·0	0·3	237	− 16	0·00
WEDNESDAY - 12	..	29·640	72·3	49·6	22·7	60·8	+ 8·7	52·9	7·9	16·4	0·6	75	129·3	42·5	48·8	Calm & SW.	SW. & WSW.	5·1	0·0	0·3	272	+ 16	0·01
THURSDAY - - 13	In Equator.	29·951	65·5	45·3	20·2	54·4	+ 2·0	40·0	14·4	21·2	2·6	58	122·6	36·2	48·8	WSW., W. & WNW.	WNW. & NNW.	4·7	0·0	0·5	400	+138	0·00
FRIDAY - - 14	..	30·105	67·0	39·3	27·7	53·8	+ 1·2	42·1	11·7	18·5	0·0	65	128·5	30·4	49·0	Calm, W. & NW.	N., NNE. & NE.	1·5	0·0	0·1	185	− 86	0·00
SATURDAY - - 15	..	29·986	62·0	43·9	18·1	53·4	+ 0·6	39·5	13·9	21·1	1·3	59	129·8	33·0	49·3	ENE., E. & SE.	ESE. & E.	4·8	0·0	0·5	307	+ 27	0·00
MEANS - - -	- - -	29·950	65·0	42·8	22·2	54·1	+ 2·0	42·4	11·7	19·7	1·8	65	124·1	32·6	48·7	W. and ESE.		..	..	..	Sum 1782	Sum − 54	Sum 0·05
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	9	v.P. till 5h., v.P. and v.N. till 10h.	7·2	15·2	Clearing by 1h., few clouds till 5h.; overcast by 5h.; cloudy 10h. to 14h.; nearly cloudless till 18h., then cloudless; rain 5h. 30m. to 9h.
MONDAY	10	v.P. throughout	8·5	15·3	Cloudless generally till 10h.; very cloudy to overcast 10h. to 13h. 30m., then clearing; little cloud till 21h., then becoming cloudless; hoar frost in morning.
TUESDAY	11	s.P. generally, v.P. and v.N. after 23h.	7·4	15·3	Cloudless generally till 6h., partially cloudy till 13h., then overcast or nearly so, with few exceptions.
WEDNESDAY	12	v.P. throughout	7·2	15·4	Nearly overcast till 3h.; cloudless till 6h.; variably cloudy with overcast intervals till 18h.; nearly overcast till 23h., becoming cloudless by midnight; rain 8h. to 8h. 30m.
THURSDAY	13	s.P. generally, a little v.P.	10·4	15·4	Cloudless till 1h., variably cloudy till 5h., with overcast interval at 3h.; cloudless till 7h., then variably cloudy till 20h. 30m.; nearly cloudless afterwards; brisk wind 8h. to 15h.
FRIDAY	14	s.P. generally	9·5	15·5	Cloudless till 5h.; thin cloud till 10h.; nearly overcast till 16h. 30m.; clearing to nearly cloudless by 18h.
SATURDAY	15	v.P. till noon, m.P. afterwards.	11·5	15·5	Cloudless generally till 13h., then cloudy to overcast by 16h. 30m.; cloudless interval about 23h.
			Sum 61·7	Sum 107·6	
No. of Col.		26		28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·92 in. at the beginning of the week to 29·90 in. by 4h. on 9th; increased to 30·15 in. by 9h. on 10th; decreased to 29·58 in. by 5h. on 12th; increased to 30·12 in. by 9h. on 14th, and decreased to 29·84 in. by midnight on 15th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 8th May, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,084	-	-	41	4	19	24	15	87	155
Western										
Paddington	35	-	-	5	-	-	-	1	4	4
Kensington	33	-	-	1	-	-	-	2	2	5
Hammersmith	33	-	-	-	-	-	1	1	5	4
Fulham	42	-	-	-	-	1	3	-	2	10
Chelsea	18	-	-	-	-	-	-	-	3	-
City of Westminster	33	-	-	-	1	-	-	-	3	3
Northern.										
St. Marylebone	20	-	-	-	-	-	-	-	2	1
Hampstead	15	-	-	-	-	-	-	1	-	2
St. Pancras	65	-	-	1	1	3	1	-	5	8
Islington	90	-	-	2	1	4	1	1	5	9
Stoke Newington	13	-	-	-	-	-	1	-	1	-
Hackney	54	-	-	2	-	2	3	-	4	13
Central.										
Holborn	10	-	-	-	-	-	-	-	-	-
Finsbury	22	-	-	-	-	-	-	-	2	2
City of London	7	-	-	-	-	-	-	-	1	1
Eastern.										
Shoreditch	34	-	-	-	-	-	1	2	6	9
Bethnal Green	30	-	-	-	-	2	1	1	2	6
Stepney	55	-	-	3	-	-	1	-	5	8
Poplar	34	-	-	1	-	2	2	-	6	7
Southern.										
Southwark	50	-	-	2	-	-	-	2	3	7
Bermondsey	28	-	-	1	-	1	-	1	2	7
Lambeth	66	-	-	4	-	1	-	1	6	7
Battersea	53	-	-	5	-	1	1	2	3	12
Wandsworth	65	-	-	4	-	-	2	-	4	4
Camberwell	51	-	-	5	-	-	2	-	2	8
Deptford	21	-	-	2	1	-	1	-	4	3
Greenwich	32	-	-	2	-	-	-	-	2	2
Lewisham	44	-	-	1	-	-	2	-	-	6
Woolwich	31	-	-	-	-	2	1	-	3	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 8th May, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polioencephalitis.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	1	-	-	-	4	10	2	2	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	12	5	-	-	-	-	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	3	5	1	-	-	-	3	-	-	-	-
Fulham	152,543	-	-	-	-	12	15	4	-	-	1	1	-	-	-	-
Chelsea	60,573	-	-	-	-	4	3	3	2	-	1	-	-	-	-	-
City of Westminster	127,533	2	1	-	-	6	4	-	2	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	-	-	-	-	9	4	1	3	-	-	-	-	-	-	-
Hampstead	88,012	1	2	-	-	4	5	1	1	-	-	1	-	1	-	-
St. Pancras	219,434	-	1	-	-	10	18	7	3	-	-	2	-	-	-	-
Islington	323,034	-	-	-	-	14	14	3	-	-	1	4	-	-	-	-
Stoke Newington	50,954	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	14	19	2	2	-	1	1	-	-	2	-
CENTRAL.																
Holborn	38,156	-	1	-	-	2	4	-	1	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	3	2	2	3	-	-	1	-	-	-	-
City of London	13,893	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-
Bethnal Green	110,085	-	-	-	-	12	4	-	2	1	1	1	-	-	-	-
Stepney	232,506	2	1	-	-	17	7	11	4	-	-	1	-	-	-	-
Poplar	153,644	-	-	-	-	13	12	7	2	-	-	1	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	1	-	-	7	7	4	2	2	-	2	-	-	-	-
Bermondsey	124,239	-	-	-	-	4	4	-	1	-	-	1	-	-	-	-
Lambeth	282,322	-	-	-	-	7	10	2	4	-	1	1	-	-	-	-
Battersea	159,316	-	-	-	-	6	19	6	1	-	1	1	-	-	-	-
Wandsworth	333,693	1	2	-	-	19	22	8	1	-	-	1	-	-	-	-
Camberwell	273,802	-	2	-	-	16	17	1	1	-	-	1	-	-	-	-
Deptford	111,205	-	2	-	-	5	4	2	-	-	-	1	-	-	-	-
Greenwich	98,484	1	-	-	1	4	-	-	1	-	-	1	-	-	-	-
Lewisham	167,754	-	1	-	-	12	22	2	2	-	-	-	-	-	-	-
Woolwich	136,237	-	2	-	-	7	3	3	2	-	-	1	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	8	18	-	1	229	244	72	42	3	7	27	-	1	2	-
Ages 0-1		-	-	-	-	3	6	9	1	-	-	27	-	-	-	-
" 1-5		1	-	-	-	38	73	9	1	1	-	-	-	-	-	-
" 5-		2	-	-	-	112	95	5	2	1	-	-	-	-	1	-
10-		1	-	-	-	47	36	-	3	1	-	-	-	-	-	-
" 15-		2	1	-	-	13	9	3	1	-	-	-	-	-	1	-
" 20-		-	8	-	-	2	12	8	2	-	1	-	-	1	-	-
" 25-		-	6	-	-	11	6	14	2	-	4	-	-	-	-	-
" 35-		-	2	-	1	1	5	10	9	-	2	-	-	-	-	-
" 45-		2	1	-	-	1	2	6	5	-	-	-	-	-	-	-
" 55-		-	-	-	-	-	-	3	4	-	-	-	-	-	-	-
" 65-		-	-	-	-	-	-	4	8	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	1	-	1	4	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 20. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, MAY 22.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
May 25th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,607, and corresponded to an annual rate of 27·0 per 1,000. The deaths* among the civilian population only numbered 4,491, and corresponded to an annual rate of 13·2 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended May 1st, May 8th, and May 15th the rates had been 14·2, 13·8, and 13·8 respectively. The infant mortality was 82, against 86, 83, and 83 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)10898—4 Wt 167–840 625 5/20 E & S

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 19·0 in Hastings and in Halifax, 19·6 in South Shields, 20·3 in Blackburn, 23·7 in Sheffield, and 25·2 in Tynemouth; from *measles*, 1·6 in Swansea, 1·7 in Wimbledon and in Blackburn, 1·8 in Newport (Mon.), and 3·0 in Wigan; from *whooping cough*, 1·6 in Middlesbrough, and 1·9 in Carlisle; and from *influenza*, 3·8 in Bury and 7·9 in Sheffield. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,369 births, corresponding to a rate of 27·2 per 1,000, and 1,005 deaths of civilians, corresponding to a rate of 12·0, as against 13·7, 13·0, and 12·5, per 1,000 in the three weeks ended May 1st, May 8th, and May 15th. The death-rate in the four weeks ended last Saturday averaged 12·8 per 1,000. The infant mortality was 68 against 63, 61, and 60 in the preceding three weeks.

The deaths from *enteric fever*, which had been 3, 0, and 2 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 45, 41, and 25 in the preceding three weeks, were again 25 last week, and were 18 below the average; 3 deaths belonged to the Borough of Southwark and 3 to Wandsworth. The deaths from *scarlet fever*, which had been 4, 4, and 1 in the preceding three weeks, rose last week to 3, the average being 2. The deaths from *whooping-cough*, which had been 23, 19, and 35 in the preceding three weeks, fell last week to 17, and were 8 below the average. The deaths from *diphtheria*, which had been 15, 24, and 11 in the preceding three weeks, rose last week to 15, and were 6 above the average; 3 deaths belonged to Camberwell. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 12, 15, and 14 in the preceding three weeks, rose last week to 19, and were 5 above the average; 3 deaths belonged to Deptford. The deaths from *influenza* numbered 31, as against 45, 31, and 32 in the preceding three weeks, and an average of 10.

Different forms of violence caused 52 deaths, of which 50 were the subject of coroners' inquests. Of these 52 deaths, 14 were cases of suicide and 1 of homicide, while the remaining 37 were attributed to other forms of violence. Twelve of these latter were referred to vehicles in the streets, 4 to burns or scalds, 3 to drowning, and 5 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 21 cases of enteric fever, 1 of small-pox, 56 of measles, 1,734 of scarlet fever, 25 of whooping-cough, and 1,894 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of enteric fever, 3 cases, against 4, 5, and 4; of measles, 12 cases, against 18, 29, and 13; of scarlet fever, 242 cases, against 240, 223, and 264; of whooping-cough, 5 cases, against 0, 0, and 1; and of diphtheria, 218 cases, against 239, 233, and 226 Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended May 15th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 22nd May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 1st May, 1920.	8th May, 1920.	15th May, 1920.	22nd May, 1920.	Week ended 22nd May, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	14·2	13·8	13·8	13·2	9607	4491	787	1230	5	-	103	14	60	56	53	211	191	354	1363	31	96 GREAT TOWNS.
LONDON†	4,358,309	13·7	13·0	12·5	12·0	2369	1005	161	299	2	-	25	3	17	15	19	31	52	95	469	3	LONDON.†
‡ CROYDON	184,239	14·2	11·0	9·3	9·9	111	35	7	10	-	-	3	-	-	1	-	2	-	1	3	-	CROYDON.
WIMBLEDON	59,791	9·6	7·8	7·0	14·8	25	17	2	7	-	-	2	-	-	-	-	-	-	2	3	-	WIMBLEDON.
EALING	73,212	17·1	12·8	6·4	12·8	32	18	-	8	-	-	-	-	-	1	-	1	-	-	5	-	EALING.
ACTON	61,732	11·0	11·8	11·8	9·3	27	11	3	2	-	-	-	-	1	-	-	-	-	1	4	-	ACTON.
WILLESDEN	160,917	10·0	7·1	10·4	10·4	91	32	3	11	-	-	-	-	-	1	-	-	1	3	12	-	WILLESDEN.
HORNSEY	94,348	11·1	6·1	11·1	6·6	34	12	-	7	-	-	-	1	-	-	-	-	1	1	4	-	HORNSEY.
TOTTENHAM	141,338	11·1	8·1	8·1	8·1	61	22	3	11	-	-	-	1	-	-	-	1	-	3	12	-	TOTTENHAM.
EDMONTON	70,711	10·3	8·8	6·6	9·6	45	13	-	3	-	-	1	-	-	-	-	1	-	1	5	-	EDMONTON.
ENFIELD	58,442	8·0	9·8	8·9	4·5	33	5	-	3	-	-	-	-	-	-	-	-	-	1	1	-	ENFIELD.
WEST HAM	287,966	14·5	9·2	13·9	10·9	208	60	9	15	-	-	1	-	-	-	1	2	3	6	26	-	WEST HAM.
EAST HAM	144,451	11·2	8·7	9·0	7·2	79	20	5	3	-	-	-	-	1	-	1	-	-	-	8	-	EAST HAM.
LEYTON	123,896	11·8	11·4	9·3	9·7	60	23	5	9	-	-	-	-	1	-	-	1	1	1	9	-	LEYTON.
WALTHAMSTOW	127,684	12·7	8·2	10·6	6·5	58	16	2	5	-	-	-	-	-	-	-	3	2	2	6	-	WALTHAMSTOW.
ILFORD	79,524	5·9	8·5	12·5	5·9	30	9	1	4	-	-	1	-	2	-	-	-	1	1	4	-	ILFORD.
GILLINGHAM	43,501	13·2	15·6	7·2	7·2	26	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	GILLINGHAM.
HASTINGS	57,674	10·8	13·6	10·8	19·0	20	21	-	13	-	-	-	-	-	-	-	-	-	2	5	-	HASTINGS.
EASTBOURNE	48,424	14·0	4·3	7·5	4·3	20	4	1	-	-	-	-	-	-	-	-	1	2	2	1	-	EASTBOURNE.
BRIGHTON	132,409	15·4	10·6	11·8	8·7	65	22	4	6	-	-	-	-	-	-	-	-	-	-	8	-	BRIGHTON.
PORTSMOUTH	224,846	8·3	10·4	15·8	9·3	123	40	4	12	-	-	-	-	1	-	-	1	2	2	12	-	PORTSMOUTH.
BOURNEMOUTH	82,627	13·3	7·6	10·7	10·7	26	17	3	8	-	-	-	-	-	-	1	-	-	1	2	-	BOURNEMOUTH
SOUTHAMPTON	126,033	9·5	11·2	12·4	9·9	77	24	3	4	-	-	-	-	-	-	2	-	-	-	12	-	SOUTHAMPTON.
READING	91,365	10·8	9·1	6·8	7·4	40	13	4	2	-	-	1	-	-	-	-	-	-	-	4	-	READING.
OXFORD	57,666	5·4	11·8	7·2	5·4	18	6	1	4	-	-	-	-	-	-	-	-	-	-	2	-	OXFORD.
NORTHAMPTON	88,944	12·3	14·7	12·3	10·6	55	18	3	6	-	-	1	-	-	-	-	-	1	1	2	-	NORTHAMPTON.
CAMBRIDGE	57,849	9·0	11·7	8·1	7·2	24	8	2	2	-	-	-	-	-	-	-	-	-	-	1	-	CAMBRIDGE.

in the Week ended Saturday, 22nd May 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 1st May, 1920.	8th May, 1920.	15th May, 1920.	22nd May, 1920.	Week ended 22nd May 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	13·0	5·6	5·0	6·8	30	11	1	5	-	-	-	-	-	1	-	-	-	-	4	-	SOUTHEND ON SEA.
IPSWICH	78,011	12·7	12·0	8·7	8·0	40	12	1	5	-	-	-	-	1	-	-	-	1	1	3	-	IPSWICH.
GREAT YARMOUTH	53,078	11·8	14·7	7·9	13·8	37	14	-	10	-	-	-	-	-	-	-	-	1	2	5	-	GREAT YARMOUTH.
NORWICH	119,993	15·6	13·0	16·1	12·2	61	28	2	8	-	-	3	-	-	-	-	-	2	3	9	-	NORWICH.
SWINDON	51,527	12·1	10·1	13·2	9·1	30	9	-	2	1	-	-	-	-	-	-	-	-	-	1	-	SWINDON.
EXETER	59,014	8·8	18·6	13·3	12·4	22	14	1	8	-	-	-	-	-	-	-	-	-	-	4	-	EXETER.
PLYMOUTH	181,967	16·0	14·6	13·5	15·5	103	54	5	19	-	-	-	-	1	2	-	-	3	5	15	1	PLYMOUTH.
BATH	65,919	7·1	9·5	14·2	5·5	27	7	-	7	-	-	-	-	-	-	-	-	-	-	-	-	BATH.
BRISTOL	361,247	12·8	13·0	13·4	11·1	185	77	17	19	-	-	7	-	-	4	-	1	3	10	21	-	BRISTOL.
GLOUCESTER	50,100	11·4	14·6	9·4	13·5	31	13	1	7	-	-	-	-	-	-	-	-	-	-	3	-	GLOUCESTER.
STOKE ON TRENT	239,316	14·2	20·0	15·0	13·1	134	60	13	12	-	-	2	-	-	-	1	1	1	3	11	-	STOKE ON TRENT.
WOLVERHAMPTON	98,403	15·9	12·2	11·1	18·5	58	35	11	8	-	-	-	-	2	-	-	-	1	4	5	-	WOLVERHAMPTON.
WALSALL	92,724	12·9	13·5	18·6	14·6	52	26	4	7	1	-	1	-	-	-	-	-	2	4	3	-	WALSALL.
WEST BROMWICH	69,899	17·2	20·9	12·7	14·9	49	20	11	3	-	-	-	-	-	-	1	1	-	-	2	1	WEST BROMWICH.
DUDLEY	54,017	8·7	18·3	15·4	9·7	27	10	2	4	-	-	-	-	-	-	-	-	-	-	2	-	DUDLEY.
BIRMINGHAM	861,585	13·4	15·4	14·6	13·7	504	226	36	61	-	-	2	1	7	2	1	10	14	14	68	4	BIRMINGHAM.
SMETHWICK	72,152	14·5	14·5	10·1	7·2	40	10	3	2	-	-	-	-	-	-	-	1	-	-	-	-	SMETHWICK.
COVENTRY	132,048	7·9	11·5	7·9	9·1	53	23	5	5	-	-	1	1	-	-	1	1	2	3	6	1	COVENTRY.
LEICESTER	236,059	13·0	9·3	10·2	15·9	121	72	17	15	-	-	5	-	1	2	-	-	6	9	18	1	LEICESTER.
LINCOLN	60,581	12·9	13·8	14·6	17·2	27	20	3	4	-	-	-	-	-	1	-	-	2	2	3	-	LINCOLN.
GRIMSBY	78,813	13·9	13·9	11·2	13·9	54	21	4	5	-	-	-	-	-	-	-	1	1	3	2	-	GRIMSBY.
NOTTINGHAM	257,573	11·9	15·2	14·2	14·0	126	69	11	14	-	-	-	-	-	5	-	1	3	5	22	-	NOTTINGHAM.
DERBY	123,930	13·5	8·4	8·4	9·7	78	23	6	11	-	-	-	-	-	-	1	-	-	2	4	-	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 22nd May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 1st May, 1920.	8th May, 1920.	15th May, 1920.	22nd May, 1920.	Week ended 22nd May, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	14·9	10·0	10·8	12·9	69	31	7	10	–	–	2	–	–	–	–	–	1	1	6	–	STOCKPORT.
BIRKENHEAD	148,052	15·5	11·3	14·4	15·8	76	45	15	14	–	–	–	–	1	–	–	1	5	8	13	–	BIRKENHEAD.
WALLASEY	95,424	13·7	12·0	7·7	11·5	38	21	2	8	–	–	2	–	1	–	–	–	–	–	5	–	WALLASEY.
LIVERPOOL	772,665	15·7	17·7	15·9	14·6	470	217	53	41	–	–	10	2	3	4	7	2	4	14	100	3	LIVERPOOL.
BOOTLE	76,962	10·2	12·2	12·2	17·6	46	26	4	8	–	–	1	–	–	1	–	–	1	1	5	2	BOOTLE.
ST. HELENS	100,805	15·5	16·0	17·1	15·0	56	29	11	2	–	–	–	–	–	2	–	2	1	1	6	2	ST. HELENS.
SOUTHPORT	70,144	12·6	17·1	12·6	13·4	20	18	–	8	–	–	–	–	–	–	–	–	–	–	2	–	SOUTHPORT.
WIGAN	87,384	20·9	17·3	23·3	13·7	57	23	4	5	–	–	5	–	–	–	–	1	1	4	2	–	WIGAN.
WARRINGTON	74,952	11·8	9·7	11·8	10·4	40	15	1	5	–	–	–	–	–	–	–	–	–	–	4	–	WARRINGTON.
BOLTON	177,462	21·7	19·7	20·6	17·3	99	59	9	16	–	–	–	–	–	3	2	4	1	4	13	–	BOLTON.
BURY	54,248	19·2	20·2	10·6	13·5	20	14	3	5	–	–	–	–	–	–	–	4	1	1	2	–	BURY.
MANCHESTER	741,068	15·1	13·5	13·9	15·3	389	217	33	47	–	–	6	1	–	2	6	10	10	17	60	2	MANCHESTER.
SALFORD	226,225	15·9	12·0	14·3	13·4	114	58	14	11	–	–	–	1	1	–	–	1	6	7	20	–	SALFORD.
OLDHAM	137,668	16·7	17·8	17·4	11·7	59	31	14	8	–	–	–	–	1	–	–	1	1	2	6	–	OLDHAM.
ROCHDALE	90,051	13·3	9·8	11·6	15·6	53	27	3	6	–	–	–	–	1	–	–	2	–	1	7	–	ROCHDALE.
BURNLEY	101,005	23·7	17·0	15·0	18·1	50	35	7	13	–	–	–	–	–	–	–	–	1	2	4	–	BURNLEY.
BLACKBURN	125,992	18·2	16·1	20·7	20·3	54	49	10	18	–	–	4	–	–	–	–	3	2	4	6	–	BLACKBURN.
PRESTON	117,277	16·0	13·3	10·7	16·9	63	38	8	9	–	–	–	–	–	–	–	2	–	1	5	2	PRESTON.
BLACKPOOL	67,842	10·0	10·0	13·1	16·1	27	21	1	6	–	–	–	–	–	–	–	–	2	2	3	–	BLACKPOOL.
BARROW IN FURNESS	73,627	12·0	16·3	14·9	14·2	35	20	1	7	–	–	–	–	–	–	–	1	–	–	4	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	14·4	19·5	16·3	18·1	37	39	3	14	–	–	–	–	1	1	–	2	2	3	15	–	HUDDERSFIELD.
HALIFAX	101,791	20·5	19·0	19·0	19·0	33	37	7	14	–	–	1	–	–	–	–	–	5	6	14	–	HALIFAX.
BRADFORD	282,714	16·0	15·5	17·0	18·1	116	98	9	30	–	–	1	1	1	3	1	5	5	9	36	1	BRADFORD.
LEEDS	431,999	17·4	15·4	14·0	15·2	230	126	21	34	–	–	–	–	–	2	1	2	4	11	33	–	LEEDS.
DEWSBURY	52,969	17·7	16·7	22·6	10·8	19	11	1	4	–	–	–	–	–	–	–	–	1	2	2	–	DEWSBURY.
WAKEFIELD	49,208	22·3	13·8	18·0	12·7	26	12	2	3	–	–	–	–	–	–	–	–	–	3	5	–	WAKEFIELD.
BARNSLEY	51,680	17·2	19·2	9·1	11·1	45	11	1	5	–	–	–	–	–	–	–	–	–	–	–	–	BARNSLEY.

In the week ended Saturday, 22nd May, 1920, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 1st May, 1920.	8th May, 1920.	15th May, 192 .	22nd May, 1920.	Week ended 22nd May, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	16·7	18·8	26·6	23·7	234	215	31	35	–	–	3	–	2	–	1	72	4	9	45	–	Sheffield.
Rotherham	69,034	12·1	12·8	15·1	11·3	42	15	3	2	–	–	–	–	2	–	–	1	1	1	1	–	Rotherham.
York	74,531	10·5	14·7	11·9	14·0	42	20	3	8	–	–	–	–	–	–	–	–	–	3	8	–	York.
Hull	279,664	10·8	16·8	13·6	11·7	145	63	16	18	1	–	–	–	–	–	1	2	2	3	19	1	Hull.
Middlesbrough	127,142	19·3	12·7	17·6	15·2	90	37	7	8	–	–	–	–	4	–	–	–	2	3	7	–	Middlesbrough.
Darlington	64,058	19·5	15·5	19·5	14·7	36	18	4	5	–	–	–	–	1	–	–	–	1	1	4	–	Darlington.
Stockton on Tees	60,696	22·3	23·2	21·5	15·5	36	18	6	2	–	–	–	–	–	–	1	–	2	2	2	–	Stockton on Tees.
West Hartlepool	65,515	26·3	26·3	23·1	13·5	43	17	5	4	–	–	–	–	–	–	–	2	1	3	3	–	West Hartlepool.
Sunderland	149,263	24·1	21·3	16·4	17·5	112	50	10	12	–	–	–	–	–	–	–	4	2	4	8	–	Sunderland.
South Shields	111,502	17·3	21·0	17·3	19·6	88	42	9	12	–	–	–	–	–	–	–	4	1	1	3	1	South Shields.
Gateshead	123,392	13·5	16·1	14·8	17·3	92	41	11	9	–	–	–	1	1	–	–	2	–	–	4	3	Gateshead.
Newcastle on Tyne.	275,099	17·4	15·7	17·6	13·1	168	69	10	21	–	–	–	–	1	1	1	4	5	7	18	1	Newcastle on Tyne.
Tynemouth	58,007	24·3	18·0	28·8	25·2	35	28	7	6	–	–	–	–	–	–	1	2	1	1	8	1	Tynemouth.
Carlisle	55,198	14·2	17·0	10·4	14·2	25	15	4	2	–	–	–	–	2	–	–	1	–	–	5	–	Carlisle.
Newport (Mon.)	87,251	9·0	14·3	15·5	11·4	44	19	4	5	–	–	3	–	–	–	–	1	–	4	–	–	Newport (Mon.).
Cardiff	204,436	12·2	8·2	10·5	9·7	118	38	7	9	–	–	1	–	2	–	–	1	4	6	7	–	Cardiff.
Rhondda	177,911	15·5	13·8	18·2	15·2	108	52	19	6	–	–	2	–	–	–	–	8	1	1	2	–	Rhondda.
Merthyr Tydfil	71,638	12·4	19·7	10·9	8·0	57	11	–	4	–	–	–	–	–	–	–	–	1	2	1	–	Merthyr Tydfil.
Aberdare	51,384	9·1	13·2	10·1	16·2	35	16	3	3	–	–	1	–	–	1	1	1	–	–	2	–	Aberdare.
Swansea	160,810	12·6	11·7	17·2	15·6	70	48	4	12	–	–	5	1	–	1	1	2	1	3	7	–	Swansea.
Greater London	7,258,623	12·8	11·8	11·6	10·9	3844	1511	223	471	3	–	35	5	24	21	21	46	70	128	638	3	Greater London.
Outer Ring	2,900,314	11·5	10·2	10·3	9·1	1475	506	62	172	1	–	10	2	7	6	2	15	18	33	169	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	11·9	9·2	10·2	9·2	894	293	40	98	–	–	8	2	5	3	2	11	9	23	102	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	10·8	11·5	10·4	9·0	581	213	22	74	1	–	2	–	2	3	–	4	9	10	67	–	Remainder of Outer Ring.
Edinburgh†	342,300	15·3	15·9	12·1	11·6	164	76	15	27	–	–	–	–	–	1	1	–	4	?	?	?	Edinburgh.†
Glasgow†	1,115,500	20·5	20·1	18·6	17·6	642	375	79	71	–	6	12	3	4	5	6	17	19	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	27·0	22·9	20·6	21·5	267	171	44	38	–	–	6	–	15	–	2	2	3	4	70	3	Dublin (Registration Area).†
Belfast†	413,000	19·9	21·2	16·9	15·7	298	124	26	21	–	–	1	3	1	2	6	3	3	3	46	3	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWENTIETH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	1610	2239	2117	2014	2110	1962	2225	1639	1432	1376	2369
Males	827	1135	1111	1015	1100	1050	1163	880	721	682	1172
Females	783	1104	1006	999	1010	912	1062	759	711	694	1197
Deaths (of residents only).	1002	1026	1018	1038	1094	1288	1098*	1131*	1025*	871*	1005*
Males		541	523	535	544	688	586	613	526	424	539
Females		485	495	503	550	600	512	518	499	447	466

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.
Births (as registered)	2654	2771	2701	2672	2520	2078	2471	2650	2665	2518	2552	2648	2369
Deaths (of residents only).	1425	1456	1436	1484	1609	1365	1471	1342	1185	1147	1084	1046	1005
Ages at Death: Under 1 year	284	264	240	244	233	208	196	207	195	158	155	158	161
1–2 years	80	72	66	84	101	73	99	75	42	55	50	45	46
2–5 „	78	82	83	64	59	61	56	78	39	40	47	26	35
5–10 „	38	42	41	44	46	35	39	29	24	34	30	20	23
10–15 „	21	16	17	19	26	26	22	20	14	14	17	13	19
15–20 „	25	23	25	29	34	32	40	34	29	28	24	20	11
20–25 „	22	26	33	37	44	39	42	27	37	31	32	19	18
25–35 „	58	74	89	85	109	107	105	86	60	55	58	61	51
35–45 „	100	99	87	106	131	94	105	97	78	91	72	76	67
45–55 „	123	124	146	145	154	141	158	139	127	126	106	120	126
55–65 „	184	182	182	187	210	180	175	166	151	149	139	150	149
65–75 „	205	217	213	215	237	182	230	191	192	170	185	178	155
75 years and upwards	207	235	214	225	225	187	204	193	197	196	169	160	144
Deaths from—													
Enteric fever	1	3	–	–	–	–	4	1	1	3	–	2	2
Small-pox	–	–	2	–	–	–	–	–	1	–	–	–	–
Measles	52	52	56	70	69	48	62	76	40	45	41	25	25
Scarlet fever	3	9	5	5	3	2	6	4	4	4	4	1	3
Whooping cough	52	34	41	37	35	34	31	42	29	23	19	35	17
Diphtheria	19	28	25	29	27	28	22	20	12	15	24	11	15
Diarrhœa and enteritis (under 2 years).	18	12	13	14	23	12	18	17	15	12	15	14	19
Pulmonary tuberculosis	118	92	94	100	124	97	114	97	91	106	87	98	79
Influenza	38	54	57	91	131	124	105	101	59	45	31	32	31
Pneumonia (all forms)	194	184	197	183	229	175	194	140	113	96	95	82	88
Bronchitis	166	199	161	156	185	142	123	103	95	79	79	63	59
Other dis. of resp. system	14	25	18	24	32	20	26	15	16	14	18	14	16
Dis. of circ. system	189	173	225	184	213	159	191	168	174	189	138	203	154
Violence	49	42	38	42	44	33	49	36	44	42	40	32	52
Inquest cases	117	103	111	96	114	72	114	103	93	83	77	94	95
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	33	37	39	42	37	40	37	35	30	29	32	29	21
Small-pox	4	7	7	8	14	20	26	24	23	12	11	6	1
Measles	96	90	78	90	85	88	85	66	66	66	72	70	56
Scarlet fever	2316	2255	2182	2158	2101	2023	2012	1904	1845	1831	1794	1757	1734
Whooping cough	18	15	15	16	17	19	19	22	22	20	19	20	25
Diphtheria	2026	2006	2045	2066	2043	1983	1994	1958	1965	1951	1947	1916	1894

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.
Deaths from Influenza	178	196	230	312	392	379	332	306	259	202	201	216	211

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTIETH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 20th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	871	1005	161	46	35	23	19	11	18	51	67	126	149	155	144
Enteric fever	2	2	–	–	1	–	–	–	–	–	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	11	25	8	10	2	3	–	1	–	1	–	–	–	–	–
Scarlet fever	3	3	–	1	2	–	–	–	–	–	–	–	–	–	–
Whooping cough	1	17	6	9	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	8	15	3	–	7	4	1	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	18	31	–	–	–	–	3	1	1	6	4	2	5	7	2
Erysipelas	5	2	–	–	–	–	–	–	–	–	–	1	–	–	1
Other epidemic diseases	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	87	79	–	3	2	1	1	5	6	16	16	19	8	2	–
Tuberculous meningitis	12	15	4	2	3	3	2	1	–	–	–	–	–	–	–
Abdominal tuberculosis	5	3	–	–	1	1	–	–	–	1	–	–	–	–	–
Tuberculosis of the spine	1	3	–	–	–	1	1	–	–	–	–	–	1	–	–
Tuberculosis of the joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Venereal diseases	2	4	3	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	104	112	–	–	1	–	1	–	–	2	8	26	28	33	13
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic fever	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	6	11	–	–	–	–	–	–	1	–	–	4	1	4	1
Anæmia, leucocythaemia	6	6	–	–	–	1	1	–	–	1	–	1	2	–	–
Other general diseases	13	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	10	6	1	2	–	–	–	–	1	–	2	–	–	–	–
Cerebral hæmorrhage, Apoplexy	31	43	–	–	–	–	–	–	–	–	1	8	11	16	7
Softening of brain	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	6	6	–	–	–	–	–	–	–	–	–	–	2	3	1
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
"Convulsions" (not puerperal)	7	11	9	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	11	28	–	–	–	1	1	1	2	2	5	7	6	2	1
Pericarditis	1	2	–	–	–	–	1	–	–	–	–	–	–	–	1
Acute endocarditis	8	8	–	–	–	–	1	–	1	2	3	1	–	–	–
Organic disease of heart	83	101	–	–	–	–	1	–	–	2	6	16	23	32	21
Embolism and thrombosis (including cerebral).	4	4	–	–	–	–	–	–	–	1	–	1	1	–	1
Other diseases of circulatory system.	43	39	–	–	–	–	–	–	–	–	–	3	10	11	15
Diseases of the larynx	1	3	–	1	1	–	–	1	–	–	–	–	–	–	–
Bronchitis	67	59	9	2	–	–	–	–	–	–	2	2	13	9	22
Broncho-pneumonia	20	40	20	11	2	–	–	–	–	–	–	1	1	2	3
Lobar pneumonia	15	22	–	–	1	2	–	–	2	1	4	3	3	3	3
Pneumonia (type not distinguished)	15	26	3	–	1	1	–	–	1	4	2	5	3	4	2
Pleurisy	1	4	1	–	–	–	–	–	–	–	–	1	1	1	–
Pulmonary congestion, Pulmonary apoplexy.	4	5	2	–	–	–	–	–	–	–	–	–	–	2	1
Other diseases of respiratory system.	6	4	1	–	–	–	–	–	–	–	–	2	1	–	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTIETH Week of the Year 1920.

Causes of Death.	Deaths in the 20th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	12	12	2	–	–	–	–	–	1	1	3	1	3	–	1
Diarrhœa and enteritis	12	26	18	1	2	–	–	–	1	–	2	1	–	1	–
Appendicitis and typhlitis	7	2	–	–	1	–	–	–	–	–	–	–	1	–	–
Hernia and Intestinal obstruction.	9	9	1	–	–	–	–	–	–	–	–	2	2	3	1
Cirrhosis of liver	4	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Other diseases of liver	3	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Peritonitis (cause unknown)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	1	2	–	–	–	–	1	–	–	–	1	–	–	–	–
Acute nephritis	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Chronic Bright's disease	21	18	–	–	–	–	–	–	–	2	1	3	4	8	–
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Ovarian tumour (")	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	7	10	–	–	–	–	–	–	–	2	1	1	2	2	2
Puerperal fever, &c.	1	2	–	–	–	–	–	–	1	1	–	–	–	–	–
Other causes incident to childbirth.	1	3	–	–	–	–	–	–	–	2	1	–	–	–	–
Diseases of skin and cellular tissues.	6	6	1	–	–	–	–	1	–	–	–	1	–	–	3
Diseases of locomotor system	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Congenital malformations	7	5	4	–	–	1	–	–	–	–	–	–	–	–	–
Premature birth	26	34	34	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	10	12	12	–	–	–	–	–	–	–	–	–	–	–	–
Old age	44	43	–	–	–	–	–	–	–	–	–	–	1	4	38
Accident.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	5	4	–	1	2	1	–	–	–	–	–	–	–	–	–
Drowning	2	3	–	–	–	–	1	–	–	–	1	–	1	–	–
Suffocation in bed	1	5	5	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	19	25	–	–	1	2	2	–	–	2	2	4	5	3	4
Total deaths from accident	27	37	5	1	3	3	3	–	–	2	3	4	6	3	4
Included in above are deaths in connection with:—															
Railways	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	8	12	–	–	1	2	2	–	–	1	1	2	3	–	–
Ships, boats, docks	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Building operations	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Violence other than Accidental.															
Homicide	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	14	–	–	–	–	–	–	–	1	1	6		–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	12	16	13	–	–	1	1	–	–	–	–	1	–	–	–
Ill-defined Causes	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	May 22	2,369	1,005	12·0	2	–	25	3	17	15	19	31
CALCUTTA	896,067	Apr. 17	–	722§	41·9	?	97	?	?	?	?	?	32
BOMBAY	979,445	„ 17	304	870§	46·2	4	16	9	–	1	–	37	30
MADRAS	518,660	„ 10	356	431§	43·2	3	6	2	?	4	–	35	1
PARIS	2,847,229	(11 days) Mar. 31	1,798	1,457	?	5	–	26	4	21	8	29	12
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	327,653	May 8	134	50	8·0	–	–	–	–	2	–	1	1
AMSTERDAM	650,301	„ 8	331	134	10·7	1	–	–	–	–	–	1	1
COPENHAGEN	552,000	„ 8	282	185	17·5	–	–	–	1	1	1	1	4
STOCKHOLM	415,201	„ 1	143	98	12·3	–	–	1	–	–	2	1	3
GOTHENBURG	200,578	„ 1	–	42	10·8	–	–	–	–	–	–	–	1
CHRISTIANIA	258,615	„ 8	105	49	9·9	–	–	–	–	–	–	–	–
BERLIN	1,924,185	„ 1	–	–	–	–	–	–	–	–	–	–	–
BRESLAU	493,393	„ 1	?	185	19·5	–	?	–	2	1	–	4	1
COLOGNE	631,005	„ 1	328	177	14·6	–	?	–	–	5	4	1	?
DRESDEN	534,880	„ 1	229	151	14·7	–	?	–	–	3	1	4	?
FRANKFORT-ON-MAIN.	470,124	„ 1	–	–	–	–	–	–	–	–	–	–	–
HAMBURG	1,050,300	„ 1	361	207	10·2	–	?	3	1	–	1	7	?
LEIPZIG	676,289	„ 1	259	159	12·2	–	?	3	–	–	–	12	?
MUNICH	670,000	„ 1	291	168	13·0	–	?	1	–	–	–	8	?
VIENNA	1,838,708	„ 8	569	685	19·3	2	–	1	1	5	2	11	11
PRAGUE	524,496	Apr. 17	149	199	19·8	–	10	6	–	2	1	2	8
BUDAPEST	1,071,492	„ 10	415	471	22·9	–	1	–	1	4	4	28	4
TRIESTE	233,064	„ 24	128	74	16·6	–	–	1	1	–	–	1	–
CAIRO	761,300	Mar. 10	–	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA	445,700	„ 10	–	–	–	–	–	–	–	–	–	–	–
NEW YORK	6,141,445	Apr. 24	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,596,681	May 1	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 7 deaths from *plague* in Calcutta and 22 in Bombay, and from *Asiatic cholera* 78 deaths in Calcutta, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd May, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	73	41	66·6	46·1	3
BRIGHTON	67	43	60·0	49·0	8
PORTSMOUTH	67	45	60·9	48·6	5
NORWICH (Eaton)	69	41	63·6	45·7	5
PLYMOUTH	60	41	57·7	48·0	8
BRISTOL (Clifton)	64	45	59·8	46·6	2
BIRMINGHAM	67	43	59·7	44·3	6
NOTTINGHAM	68	42	69·7	45·1	8
BIRKENHEAD (Bidston)	64	44	56·7	45·7	18
MANCHESTER (Whitworth Park)	68	41	59·0	45·3	22
BURNLEY	67	35	57·3	42·1	42
HUDDERSFIELD	66	39	57·3	43·6	25
BRADFORD	66	38	57·0	43·7	16
SHEFFIELD	68	42	59·7	44·4	10
YORK (Museum)	68	41	59·0	44·7	6
HULL (Pearson Park)	69	43	60·1	44·3	10
TYNEMOUTH	62	42	56·7	44·0	6
CARDIFF	61	41	57·7	45·6	17
EDINBURGH	60·0	41·0	55·3	44·4	11
GLASGOW	60·0	42·8	54·4	45·7	33
DUBLIN:— Phœnix Park	69·0	38·8	59·0	45·3	20
†Fitzwilliam Square	69·3	43·8	59·8	48·0	14
BELFAST	64·0	40·5	58·2	45·0	25

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 22nd May 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 16	..	29·655	61·5	48·8	12·7	53·9	+ 0·9	44·8	9·1	16·0	3·9	71	135·3	42·5	49·3	E. & ESE.	ESE. & E.	6·7	0·0	0·5	364	+ 78	0·01
MONDAY - - 17	..	29·506	64·7	50·3	14·4	55·0	+ 1·9	49·9	5·1	11·1	2·6	83	107·0	43·5	49·6	E., SW. & WSW.	SW. & WSW.	5·1	0·0	0·4	304	+ 17	0·11
TUESDAY - - 18	New	29·459	64·6	46·9	17·7	54·2	+ 0·9	44·5	9·7	20·1	2·1	70	125·9	39·0	49·7	SW. & SSW.	SW.	25·7	0·0	1·1	476	+196	0·00
WEDNESDAY - 19	Perigee. Greatest declination N.	29·814	64·6	45·6	19·0	54·1	+ 0·6	39·6	14·5	23·5	4·3	58	130·8	35·3	49·9	WSW.	WSW. & SW.	6·7	0·0	0·8	487	+207	0·00
THURSDAY - - 20	..	30·019	66·0	41·3	24·7	53·5	− 0·3	41·0	12·5	23·5	1·6	63	123·2	30·2	50·0	SW. & WSW.	Calm, S. & SW.	0·7	0·0	0·0	157	−118	0·00
FRIDAY - - 21	..	30·115	70·4	46·6	23·8	57·3	+ 3·1	44·5	12·8	24·4	2·3	63	133·6	33·3	50·2	Calm & W.	W.	3·1	0·0	0·1	218	− 52	0·00
SATURDAY - - 22	..	30·237	72·9	41·8	31·1	57·9	+ 3·3	45·7	12·2	24·5	0·6	64	131·9	29·0	50·2	Calm & W.	W. & calm	1·8	0·0	0·1	187	− 79	0·00
MEANS - - -	- - -	29·829	66·4	45·9	20·5	55·1	+ 1·5	44·3	10·8	20·4	2·5	67	126·8	36·1	49·8	WSW.		..	..	..	Sum 2193	Sum +249	Sum 0·12
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. May, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	16	m.P. generally, a little v.P. and v.N. in evening.	5·6	15·6	Nearly overcast till 3h.; variably cloudy with overcast intervals afterwards; cloudless period about 21h.; slight rain 19h. and 23h.
MONDAY -	17	v.P. generally, a little v.N. between 19h. and 22h.	1·5	15·6	Overcast generally with cloudy intervals; slight rain from 17h. 30m.
TUESDAY -	18	v.P. generally, v.N. at times.	6·0	15·7	Becoming overcast generally by 2h., with cloudy intervals, clearing from 12h. 30m. to variably cloudy; nearly cloudless by 21h.; few drops of rain at times; brisk wind from 11h.
WEDNESDAY -	19	v.P. throughout	13·4	15·7	Cloudless or nearly cloudless till 7h. 30m.; partially cloudy generally till 19h., then cloudless.
THURSDAY -	20	v.P. generally	3·7	15·8	Cloudless till 3h., then gradually clouding up; overcast generally by 9h. 30m.; solar halo generally 8h. to 14h. 30m.
FRIDAY - -	21	v.P. throughout	9·6	15·8	Nearly overcast till 5h. 30m., becoming partially cloudy but hazy by 9h. 30m.; nearly cloudless by 18h. 30m.
SATURDAY -	22	v.P. till 10h., loss of register afterwards.	13·0	15·9	Nearly cloudless throughout; dew in evening.
			Sum 52·8	Sum 110·1	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·84 in. at the beginning of the week to 29·40 in. by 11h. on 18th; increased to 30·27 in. by 9h. on 22nd, and decreased generally to 30·22 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 15th May, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,046	2	–	25	1	35	11	14	98	158
Western										
PADDINGTON	40	–	–	1	–	–	2	–	4	2
KENSINGTON	33	–	–	–	–	1	1	1	3	3
HAMMERSMITH	24	–	–	1	–	–	–	–	3	7
FULHAM	44	–	–	1	–	1	–	–	4	5
CHELSEA	16	–	–	1	–	–	1	–	1	1
CITY OF WESTMINSTER	33	–	–	–	–	–	–	–	5	2
Northern.										
ST. MARYLEBONE	18	–	–	–	1	–	–	–	1	1
HAMPSTEAD	11	1	–	–	–	–	–	–	2	–
ST. PANCRAS	53	–	–	1	–	5	1	1	6	9
ISLINGTON	70	–	–	3	–	–	1	–	8	7
STOKE NEWINGTON	16	–	–	–	–	–	–	–	3	2
HACKNEY	47	–	–	–	–	3	1	1	5	8
Central.										
HOLBORN	13	–	–	–	–	–	–	–	–	3
FINSBURY	26	–	–	–	–	1	1	2	2	6
CITY OF LONDON	6	–	–	–	–	–	–	–	–	–
Eastern.										
SHOREDITCH	26	–	–	–	–	1	–	1	2	5
BETHNAL GREEN	31	–	–	–	–	3	–	–	2	9
STEPNEY	78	–	–	4	–	1	–	4	9	14
POPLAR	41	–	–	–	–	3	–	–	4	6
Southern.										
SOUTHWARK	27	–	–	3	–	1	–	–	4	6
BERMONDSEY	30	–	–	–	–	3	1	–	2	7
LAMBETH	77	–	–	2	–	–	1	–	8	8
BATTERSEA	47	–	–	1	–	4	–	2	3	10
WANDSWORTH	48	–	–	4	–	3	1	–	3	10
CAMBERWELL	58	–	–	2	–	3	–	–	4	4
DEPTFORD	28	–	–	–	–	–	–	2	1	6
GREENWICH	21	–	–	–	–	1	–	–	2	1
LEWISHAM	47	1	–	–	–	1	–	–	3	9
WOOLWICH	37	–	–	1	–	–	–	–	4	7

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 15th May, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	–	–	–	–	10	7	7	3	–	–	2	–	–	–	–
Kensington	157,886	–	–	–	–	10	9	5	2	–	–	1	–	–	1	–
Hammersmith	130,981	–	1	–	–	2	2	2	1	–	–	1	–	–	–	–
Fulham	152,543	–	–	–	–	16	10	8	3	–	2	1	–	–	–	–
Chelsea	60,573	–	–	–	‡1	4	2	–	–	–	1	–	–	–	–	–
City of Westminster	127,533	1	–	–	–	11	5	6	3	–	–	1	–	–	–	–
NORTHERN.																
St. Marylebone	97,953	–	–	–	–	4	3	3	–	–	1	3	–	–	–	–
Hampstead	88,012	1	1	–	–	2	2	2	1	–	–	–	–	–	–	–
St. Pancras	219,434	1	3	–	–	11	22	4	4	–	–	2	–	–	1	–
Islington	323,034	–	–	–	–	9	23	5	4	1	1	2	–	2	–	–
Stoke Newington	50,954	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–
Hackney	216,736	1	1	–	–	14	5	1	3	–	–	1	–	–	–	–
CENTRAL.																
Holborn	38,156	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–
Finsbury	75,291	–	–	–	–	2	5	1	1	–	–	2	–	–	–	–
City of London	13,893	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
EASTERN.																
Shoreditch	98,134	–	–	–	–	17	6	–	–	–	–	1	–	–	–	–
Bethnal Green	110,085	–	–	–	–	15	12	2	–	–	–	–	–	–	–	–
Stepney	232,506	1	2	–	–	19	13	7	3	–	–	1	–	–	–	–
Poplar	153,644	1	–	–	–	8	7	6	2	–	3	–	–	–	–	–
SOUTHERN.																
Southwark	179,971	–	2	–	–	6	8	4	4	–	–	5	–	–	–	–
Bermondsey	124,239	–	–	–	–	8	5	–	1	–	–	–	–	–	–	–
Lambeth	282,322	–	1	–	–	20	10	7	4	–	–	2	–	–	3	–
Battersea	159,316	2	1	–	–	8	12	14	1	–	2	6	–	–	–	–
Wandsworth	333,693	–	4	–	–	20	18	11	4	–	–	2	–	–	1	–
Camberwell	273,802	–	1	–	–	17	8	10	2	–	–	1	–	–	–	–
Deptford	111,205	–	1	–	–	12	7	1	2	–	1	1	–	–	–	–
Greenwich	98,484	–	–	–	–	6	5	4	–	–	–	1	–	–	–	–
Lewisham	167,754	1	–	–	–	9	8	2	3	–	–	–	–	1	–	–
Woolwich	136,237	–	–	–	–	5	5	3	–	–	–	1	–	–	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,358,309	9	18	–	1	271	224	117	51	1	11	37	–	3	6	–
Ages 0–1		–	–	–	–	–	5	4	1	–	–	37	–	–	–	–
„ 1–5		1	–	–	–	52	56	13	1	1	–	–	–	1	–	–
„ 5–		–	–	–	–	106	96	15	–	–	–	–	–	–	1	–
10–		1	–	–	–	71	31	8	3	–	–	–	–	–	–	–
„ 15–		–	–	–	1	15	16	7	–	–	–	–	–	–	2	–
„ 20–		1	5	–	–	13	6	8	4	–	2	–	–	1	–	–
„ 25–		–	11	–	–	7	5	22	4	–	6	–	–	–	–	–
„ 35–		2	2	–	–	6	5	16	10	–	2	–	–	1	–	–
„ 45–		3	–	–	–	1	2	12	12	–	1	–	–	–	2	–
„ 55–		1	–	–	–	–	2	6	9	–	–	–	–	–	1	–
„ 65–		–	–	–	–	–	–	5	5	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* Note † on first page of this return.

‡ Subsequently found not to be a case of small-pox.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 21. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, MAY 29.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
June 1st, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,872, and corresponded to an annual rate of 22·1 per 1,000. The deaths* among the civilian population only numbered 4,380, and corresponded to an annual rate of 12·8 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended May 8th, May 15th, and May 22nd the rates had been 13·8, 13·8, and 13·2 respectively. The infant mortality was 100, against 83, 83, and 82 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11225—1 Wt 167–840 625 6/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 18·9 in Carlisle, 19·2 in Bury and in Sunderland, 19·3 in Middlesbrough, 25·5 in West Hartlepool, and 26·5 in Sheffield; from *measles*, 1·8 in Leicester, in Wigan and in Newport (Mon.), 1·9 in Dudley, 2·5 in Acton and in Blackburn, and 2·6 in Rhondda; and from *influenza*, 4·7 in Carlisle and 8·5 in Sheffield. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,096 births, corresponding to a rate of 24·1 per 1,000, and 1,010 deaths of civilians, corresponding to a rate of 12·1, as against 13·0, 12·5, and 12·0 per 1,000 in the three weeks ended May 8th, May 15th, and May 22nd. The death-rate in the four weeks ended last Saturday averaged 12·4 per 1,000. The infant mortality was 79 against 61, 60, and 68 in the preceding three weeks.

The deaths from *enteric fever*, which had been 0, 2, and 2 in the preceding three weeks, numbered 3, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 41, 25, and 25 in the preceding three weeks, were 24 last week, and were 8 below the average; 3 deaths belonged to the Borough of Islington and 3 to Bermondsey. The deaths from *scarlet fever*, which had been 4, 1, and 3 in the preceding three weeks, were again 3 last week, and were equal to the average. The deaths from *whooping-cough*, which had been 19, 35, and 17 in the preceding three weeks, fell last week to 14, and were 8 below the average; 3 deaths belonged to Poplar. The deaths from *diphtheria*, which had been 24, 11, and 15 in the preceding three weeks, rose last week to 17, and were 9 above the average; 3 deaths belonged to Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 15, 14, and 19 in the preceding three weeks, fell last week to 17, but were 6 above the average; 3 deaths belonged to Kensington. The deaths from *influenza* numbered 26, as against 31, 32, and 31 in the preceding three weeks, and an average of 8.

Different forms of violence caused 41 deaths, of which 39 were the subject of coroners' inquests. Of these 41 deaths, 10 were cases of suicide and 2 of homicide, while the remaining 29 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 4 to burns or scalds, 3 to drowning, and 2 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 20 cases of enteric fever, 52 of measles, 1,703 of scarlet fever, 22 of whooping-cough, and 1,797 of diphtheria under treatment in these hospitals on

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :— Of enteric fever, 3 cases, against 5, 4, and 3; of measles, 17 cases, against 29, 13, and 12; of scarlet fever, 205 cases, against 223, 264, and 242; of whooping-cough, 0 case, against 0, 1, and 5; and of diphtheria, 191 cases, against 233, 226, and 218. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended May 22nd, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 29th May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 8th May, 1920.	15th May, 1920.	22nd May, 1920.	29th May, 1920.	Week ended 29th May, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	13·8	13·8	13·2	12·8	7872	4380	791	1246	6	-	108	15	45	40	61	188	161	271	1402	31	96 GREAT TOWNS.
LONDON†	4,358,309	13·0	12·5	12·0	12·1	2096	1010	166	301	3	-	24	3	14	17	17	26	41	68	537	2	LONDON.†
‡ CROYDON	184,239	11·0	9·3	9·9	11·9	64	42	3	16	-	-	-	-	-	-	-	-	2	3	10	-	CROYDON.
‡ WIMBLEDON	59,791	7·8	7·0	14·8	7·8	20	9	2	4	-	-	-	-	-	-	-	-	-	-	2	-	WIMBLEDON.
‡ EALING	73,212	12·8	6·4	12·8	7·1	16	10	1	2	-	-	-	-	-	-	-	1	1	1	2	-	EALING.
‡ ACTON	61,732	11·8	11·8	9·3	11·0	24	13	2	5	-	-	3	-	-	-	-	-	-	-	7	-	ACTON.
‡ WILLESDEN	160,917	7·1	10·4	10·4	9·4	56	29	4	7	-	-	2	-	-	1	-	-	2	2	13	-	WILLESDEN.
‡ HORNSEY	94,348	6·1	11·1	6·6	3·3	26	6	1	2	-	-	-	-	-	1	-	-	-	-	3	-	HORNSEY.
‡ TOTTENHAM	141,338	8·1	8·1	8·1	10·7	66	29	5	12	-	-	1	-	-	1	-	1	1	4	10	-	TOTTENHAM.
‡ EDMONTON	70,711	8·8	6·6	9·6	8·1	44	11	2	2	-	-	-	-	-	-	-	-	-	-	6	-	EDMONTON.
‡ ENFIELD	58,442	9·8	8·9	4·5	5·4	22	6	-	3	-	-	-	-	-	-	-	-	-	-	1	-	ENFIELD.
‡ WEST HAM	287,966	9·2	13·9	10·9	10·9	146	60	12	17	-	-	2	-	-	-	1	2	3	5	18	-	WEST HAM.
‡ EAST HAM	144,451	8·7	9·0	7·2	10·8	55	30	4	10	-	-	-	-	-	-	-	1	1	2	7	-	EAST HAM.
‡ LEYTON	123,896	11·4	9·3	9·7	9·3	52	22	2	10	-	-	3	-	-	-	1	-	1	3	5	-	LEYTON.
‡ WALTHAMSTOW	127,684	8·2	10·6	6·5	9·0	45	22	4	6	-	-	-	-	-	-	-	-	-	2	8	-	WALTHAMSTOW.
‡ ILFORD	79,524	8·5	12·5	5·9	6·6	28	10	1	4	-	-	-	-	-	-	-	1	-	-	3	-	ILFORD.
GILLINGHAM	43,501	15·6	7·2	7·2	9·6	32	8	-	5	-	-	-	-	-	-	-	-	-	-	1	-	GILLINGHAM.
HASTINGS	57,674	13·6	10·8	19·0	12·7	21	14	1	7	-	-	-	-	-	-	-	1	-	-	5	-	HASTINGS.
EASTBOURNE	48,424	4·3	7·5	4·3	9·7	23	9	3	4	-	-	-	-	-	-	-	-	-	-	1	1	EASTBOURNE.
BRIGHTON	132,409	10·6	11·8	8·7	9·1	52	23	3	10	-	-	-	-	-	-	2	-	-	-	7	-	BRIGHTON.
PORTSMOUTH	224,846	10·4	15·8	9·3	8·6	117	37	5	12	-	-	1	-	2	-	-	1	1	3	13	-	PORTSMOUTH.
BOURNEMOUTH	82,627	7·6	10·7	10·7	10·1	24	16	1	9	-	-	-	-	-	-	-	2	-	-	3	-	BOURNEMOUTH
SOUTHAMPTON	126,033	11·2	12·4	9·9	16·1	59	39	4	16	-	-	-	-	1	-	3	1	1	1	14	-	SOUTHAMPTON.
READING	91,365	9·1	6·8	7·4	9·7	41	17	3	7	-	-	1	-	-	-	-	-	-	1	4	-	READING.
OXFORD	57,666	11·8	7·2	5·4	9·0	7	10	1	3	-	-	-	-	-	-	1	-	-	1	3	-	OXFORD.
NORTHAMPTON	88,944	14·7	12·3	10·6	11·7	53	20	8	6	-	-	-	-	-	-	-	-	-	-	5	2	NORTHAMPTON.
CAMBRIDGE	57,849	11·7	8·1	7·2	11·7	21	13	-	4	-	-	-	-	-	-	-	-	1	1	5	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 29th May 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 8th May, 1920.	15th May, 1920.	22nd May 1920.	29th May, 1920.	Week ended 29th May 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	5·6	5·0	6·8	11·2	34	18	1	7	-	-	-	-	-	-	-	2	-	-	3	-	SOUTHEND ON SEA.
IPSWICH	78,011	12·0	8·7	8·0	10·7	37	16	-	8	-	-	-	-	-	-	-	-	1	2	3	-	IPSWICH.
GREAT YARMOUTH	53,078	14·7	7·9	13·8	9·8	18	10	-	7	-	-	-	-	-	-	-	-	-	-	5	-	GREAT YARMOUTH.
NORWICH	119,993	13·0	16·1	12·2	13·5	66	31	6	10	-	-	2	-	2	-	-	-	3	5	10	-	NORWICH.
SWINDON	51,527	10·1	13·2	9·1	10·1	16	10	2	2	-	-	-	-	-	-	-	-	1	1	2	-	SWINDON.
EXETER	59,014	18·6	13·3	12·4	9·7	26	11	1	4	-	-	-	-	-	-	-	-	2	2	1	-	EXETER.
PLYMOUTH	181,967	14·6	13·5	15·5	16·9	92	59	12	24	-	-	-	1	2	-	1	1	-	2	11	-	PLYMOUTH.
BATH	65,919	9·5	12·7	5·5	8·7	24	11	3	7	-	-	-	-	-	-	-	-	-	-	-	-	BATH.
BRISTOL	361,247	13·0	13·4	11·1	11·8	127	82	11	31	-	-	2	-	1	3	2	2	3	6	23	-	BRISTOL.
GLOUCESTER	50,100	14·6	9·4	13·5	11·4	30	11	-	3	-	-	-	-	-	-	-	1	-	-	1	-	GLOUCESTER.
STOKE ON TRENT	239,316	20·0	15·0	13·1	12·9	133	59	21	11	-	-	2	1	-	1	1	-	2	3	12	-	STOKE ON TRENT.
WOLVERHAMPTON	98,403	12·2	11·1	18·5	11·1	42	21	3	4	-	-	1	-	-	-	1	1	3	3	4	-	WOLVERHAMPTON.
WALSALL	92,724	13·5	18·6	14·6	14·6	45	26	7	4	-	-	2	-	2	-	-	-	1	2	4	-	WALSALL.
WEST BROMWICH	69,899	20·9	12·7	14·9	9·7	38	13	2	3	-	-	-	-	-	-	-	1	-	-	3	-	WEST BROMWICH.
DUDLEY	54,017	18·3	15·4	9·7	13·5	25	14	1	2	-	-	2	-	-	-	-	-	1	1	1	-	DUDLEY.
BIRMINGHAM	861,585	15·4	14·6	13·7	12·0	375	198	45	63	-	-	3	-	3	2	3	3	6	5	60	9	BIRMINGHAM.
SMETHWICK	72,152	14·5	10·1	7·2	10·8	26	15	1	5	-	-	-	-	-	-	-	-	-	1	3	-	SMETHWICK.
COVENTRY	132,048	11·5	7·9	9·1	7·9	48	20	2	6	-	-	-	-	-	-	-	-	2	3	6	-	COVENTRY.
LEICESTER	236,059	9·3	10·2	15·9	11·7	93	53	3	13	-	-	8	1	1	-	1	1	2	4	14	-	LEICESTER.
LINCOLN	60,581	13·8	14·6	17·2	10·3	25	12	2	4	-	-	1	-	-	1	-	-	-	-	2	-	LINCOLN.
GRIMSBY	78,813	13·9	11·2	13·9	9·9	39	15	5	4	-	-	-	-	-	-	-	1	-	-	3	1	GRIMSBY.
NOTTINGHAM	257,573	15·2	14·2	14·0	13·2	98	65	12	18	-	-	-	-	-	2	-	2	3	4	26	-	NOTTINGHAM.
DERBY	123,930	8·4	8·4	9·7	8·4	52	20	3	10	-	-	-	-	-	-	-	-	-	1	6	-	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 29th May, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 8th May, 1920.	15th May, 1920.	22nd May, 1920.	29th May, 1920.	Week ended 29th May, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	10·0	10·8	12·9	11·6	60	28	5	9	–	–	1	–	–	–	1	–	1	1	6	–	STOCKPORT.
BIRKENHEAD	148,052	11·3	14·4	15·8	13·4	57	38	9	6	–	–	–	–	–	–	2	–	2	2	19	–	BIRKENHEAD.
WALLASEY	95,424	12·0	7·7	11·5	7·7	42	14	–	2	–	–	–	–	–	–	–	–	–	1	2	–	WALLASEY.
LIVERPOOL	772,665	17·7	15·9	14·6	14·0	418	208	38	43	–	–	6	4	3	3	3	1	5	9	78	1	LIVERPOOL.
BOOTLE	76,962	12·2	12·2	17·6	15·6	40	23	7	2	–	–	–	1	–	1	–	–	–	–	5	1	BOOTLE.
ST. HELENS	100,805	16·0	17·6	15·0	13·4	49	26	11	3	–	–	–	–	–	1	–	–	2	2	6	1	ST. HELENS.
SOUTHPORT	70,144	17·1	12·6	13·4	14·1	21	19	–	12	–	–	–	–	–	–	–	–	–	–	1	1	SOUTHPORT.
WIGAN	87,384	17·3	23·3	13·7	17·9	47	30	6	8	–	–	3	–	–	–	–	–	–	1	1	–	WIGAN.
WARRINGTON	74,952	9·7	11·8	10·4	9·7	39	14	4	3	–	–	–	–	–	–	1	–	–	–	4	1	WARRINGTON.
BOLTON	177,462	19·7	20·6	17·3	13·5	76	46	11	8	–	–	–	–	2	–	–	4	–	–	9	–	BOLTON.
BURY	54,248	20·2	10·6	13·5	19·2	17	20	2	9	–	–	–	–	1	–	–	2	–	–	3	–	BURY.
MANCHESTER	741,068	13·5	13·9	15·3	13·4	231	190	32	50	–	–	4	–	–	–	4	12	6	13	58	3	MANCHESTER.
SALFORD	226,225	12·0	14·3	13·4	12·9	63	56	13	12	1	–	1	–	–	–	–	1	3	4	22	–	SALFORD.
OLDHAM	137,668	17·8	17·4	11·7	15·2	58	40	6	12	–	–	–	–	–	1	–	2	3	3	7	–	OLDHAM.
ROCHDALE	90,051	9·8	11·6	15·6	11·0	21	19	1	8	–	–	–	–	–	–	–	1	3	3	5	–	ROCHDALE.
BURNLEY	101,005	17·0	15·0	18·1	16·5	48	32	9	6	–	–	–	–	–	–	–	1	3	7	8	–	BURNLEY.
BLACKBURN	125,992	16·1	20·7	20·3	14·9	43	36	10	9	–	–	6	–	–	–	–	–	2	4	9	–	BLACKBURN.
PRESTON	117,277	13·3	10·7	16·9	17·8	60	40	9	8	–	–	–	–	–	–	–	1	–	2	8	2	PRESTON.
BLACKPOOL	67,842	10·0	13·1	16·1	10·8	17	14	3	3	–	–	–	–	–	–	1	–	–	–	1	–	BLACKPOOL.
BARROW IN FURNESS	73,627	16·3	14·9	14·2	17·0	37	24	3	6	–	–	–	–	–	–	–	1	1	1	6	2	BARROW IN FURNESS.
HUDDERSFIELD	112,301	19·5	16·3	18·1	16·3	25	35	3	17	–	–	–	–	–	–	–	1	–	1	6	1	HUDDERSFIELD.
HALIFAX	101,791	19·0	19·0	19·0	13·8	25	27	4	11	–	–	–	–	–	–	–	–	3	3	12	–	HALIFAX.
BRADFORD	282,714	15·5	17·0	18·1	14·8	80	80	10	33	–	–	–	–	–	–	–	5	1	6	16	–	BRADFORD.
LEEDS	431,999	15·4	14·0	15·2	13·8	156	114	17	32	1	–	1	1	–	–	1	2	7	12	27	–	LEEDS.
DEWSBURY	52,969	16·7	22·6	10·8	15·8	26	16	4	5	–	–	–	–	–	–	1	1	–	2	1	–	DEWSBURY.
WAKEFIELD	49,208	13·8	18·0	12·7	7·4	20	7	1	2	–	–	–	–	–	–	–	–	–	–	1	–	WAKEFIELD.
BARNSLEY	51,680	19·2	9·1	11·1	16·1	36	16	7	2	–	–	–	–	–	–	–	–	–	1	3	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 8th May, 1920.	15th May, 192	22nd May, 1920.	29th May, 1920.	Week ended 29th May, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	18·8	26·6	23·7	26·5	227	241	46	60	–	–	2	–	1	1	2	77	8	12	72	–	Sheffield.
Rotherham	69,034	12·8	15·1	11·3	12·1	24	16	3	6	–	–	–	–	–	–	–	1	–	–	4	–	Rotherham.
York	74,531	14·7	11·9	14·0	10·5	43	15	3	1	–	–	–	–	–	–	–	–	1	2	6	–	York.
Hull	279,664	16·8	13·6	11·7	9·5	132	51	10	16	–	–	–	–	–	–	3	1	5	7	11	–	Hull.
Middlesbrough	127,142	12·7	17·6	15·2	19·3	73	47	18	3	–	–	–	–	3	–	–	–	1	2	8	–	Middlesbrough.
Darlington	64,058	15·5	19·5	14·7	9·0	28	11	–	3	–	–	–	–	–	–	–	1	–	–	1	1	Darlington.
Stockton on Tees	60,696	23·2	21·5	15·5	12·9	31	15	2	8	–	–	–	–	–	–	1	–	–	–	2	–	Stockton on Tees.
West Hartlepool	65,515	26·3	23·1	13·5	25·5	32	32	11	3	–	–	1	–	–	–	2	2	3	3	2	–	West Hartlepool.
Sunderland	149,263	21·3	16·4	17·5	19·2	103	55	10	15	–	–	–	–	–	–	–	2	3	5	18	1	Sunderland.
South Shields	111,502	21·0	17·3	19·6	16·4	57	35	9	9	–	–	–	–	–	–	3	–	1	1	4	–	South Shields.
Gateshead	123,392	16·1	14·8	17·3	13·9	66	33	4	7	–	–	–	1	1	–	–	1	1	1	4	1	Gateshead.
Newcastle on Tyne.	275,099	15·7	17·6	13·1	13·6	132	72	11	16	–	–	2	–	3	1	–	1	2	5	16	–	Newcastle on Tyne.
Tynemouth	58,007	18·0	28·8	25·2	17·1	31	19	4	7	–	–	–	–	–	–	–	–	–	–	3	–	Tynemouth.
Carlisle	55,198	17·0	10·4	14·2	18·9	25	20	3	5	–	–	1	–	–	–	–	5	1	1	4	–	Carlisle.
Newport (Mon.)	87,251	14·3	15·5	11·4	16·1	51	27	7	7	–	–	3	–	–	–	–	2	–	–	4	–	Newport (Mon.).
Cardiff	204,436	8·2	10·5	9·7	11·2	77	44	8	9	–	–	2	–	–	–	–	1	2	4	7	–	Cardiff.
Rhondda	177,911	13·8	18·2	15·2	16·4	84	56	14	6	1	–	9	1	1	1	–	6	4	4	2	–	Rhondda.
Merthyr Tydfil	71,638	19·7	10·9	8·0	13·1	24	18	5	3	–	–	–	–	–	1	–	–	1	1	5	–	Merthyr Tydfil.
Aberdare	51,384	13·2	10·1	16·2	12·2	14	12	5	–	–	–	1	1	1	1	1	–	–	–	2	–	Aberdare.
Swansea	160,810	11·7	17·2	15·6	14·3	87	44	12	7	–	–	5	–	1	–	1	1	1	3	7	–	Swansea.
Greater London	7,258,623	11·8	11·6	10·9	11·0	3217	1532	236	480	3	–	38	4	17	22	21	39	57	102	689	3	Greater London.
Outer Ring	2,900,314	10·2	10·3	9·1	9·4	1121	522	70	179	–	–	14	1	3	5	4	13	16	34	152	1	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	9·2	10·2	9·2	9·3	664	299	43	100	–	–	11	–	–	3	2	6	11	22	95	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	11·5	10·4	9·0	9·4	457	223	27	79	–	–	3	1	3	2	2	7	5	12	57	1	Remainder of Outer Ring.
Edinburgh†	342,300	15·9	12·1	11·6	14·1	179	92	16	36	–	–	1	1	–	–	3	–	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	20·1	18·6	17·6	14·8	632	316	67	74	–	2	10	1	1	4	2	8	16	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	22·9	20·6	21·5	19·1	231	152	32	29	–	–	7	–	12	2	6	4	4	3	57	1	Dublin (Registration Area).†
Belfast†	413,000	21·2	16·9	15·7	15·4	223	122	30	20	1	–	2	2	–	–	2	3	4	6	40	3	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWENTY-FIRST Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2701	2267	2192	2340	2290	1933	2103	1633	1161	1423	2096
Males	1357	1191	1119	1133	1160	979	1085	852	606	731	1081
Females	1344	1076	1073	1207	1130	954	1018	781	555	692	1015
Deaths (of residents only).	1059	1060	1066	1155	1025	1138	964*	1048*	1034*	797*	1010*
Males		559	560	613	523	595	495	571	538	374	514
Females		501	506	542	502	543	469	477	496	423	496

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.
Births (as registered)	2771	2701	2672	2520	2078	2471	2650	2665	2518	2552	2648	2369	2096
Deaths (of residents only).	1456	1436	1484	1609	1365	1471	1342	1185	1147	1084	1046	1005	1010
Ages at Death: Under 1 year	264	240	244	233	208	196	207	195	158	155	158	161	166
1–2 years	72	66	84	101	73	99	75	42	55	50	45	46	28
2–5 "	82	83	64	59	61	56	78	39	40	47	26	35	35
5–10 "	42	41	44	46	35	39	29	24	34	30	20	23	23
10–15 "	16	17	19	26	26	22	20	14	14	17	13	19	20
15–20 "	23	25	29	34	32	40	34	29	28	24	20	11	20
20–25 "	26	33	37	44	39	42	27	37	31	32	19	18	23
25–35 "	74	89	85	109	107	105	86	60	55	58	61	51	58
35–45 "	99	87	106	131	94	105	97	78	91	72	76	67	86
45–55 "	124	146	145	154	141	158	139	127	126	106	120	126	129
55–65 "	182	182	187	210	180	175	166	151	149	139	150	149	121
65–75 "	217	213	215	237	182	230	191	192	170	185	178	155	151
75 years and upwards	235	214	225	225	187	204	193	197	196	169	160	144	150
Deaths from—													
Enteric fever	3	–	–	–	–	4	1	1	3	–	2	2	3
Small-pox	–	2	–	–	–	–	–	1	–	–	–	–	–
Measles	52	56	70	69	48	62	76	40	45	41	25	25	24
Scarlet fever	9	5	5	3	2	6	4	4	4	4	1	3	3
Whooping cough	34	41	37	35	34	31	42	29	23	19	35	17	14
Diphtheria	28	25	29	27	28	22	20	12	15	24	11	15	17
Diarrhœa and enteritis (under 2 years).	12	13	14	23	12	18	17	15	12	15	14	19	17
Pulmonary tuberculosis	92	94	100	124	97	114	97	91	106	87	98	79	95
Influenza	54	57	91	131	124	105	101	59	45	31	32	31	26
Pneumonia (all forms)	184	197	183	229	175	194	140	113	96	95	82	88	59
Bronchitis	199	161	156	185	142	123	103	95	79	79	63	59	58
Other dis. of resp. system	25	18	24	32	20	26	15	16	14	18	14	16	14
Dis. of circ. system	173	225	184	213	159	191	168	174	189	138	203	154	158
Violence	42	38	42	44	33	49	36	44	42	40	32	52	41
Inquest cases	103	111	96	114	72	114	103	93	83	77	94	95	68
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	37	39	42	37	40	37	35	30	29	32	29	21	20
Small-pox	7	7	8	14	20	26	24	23	12	11	6	1	–
Measles	90	78	90	85	88	85	66	66	66	72	70	56	52
Scarlet fever	2255	2182	2158	2101	2023	2012	1904	1845	1831	1794	1757	1734	1703
Whooping cough	15	15	16	17	19	19	22	22	20	19	20	25	22
Diphtheria	2006	2045	2066	2043	1983	1994	1958	1965	1951	1947	1916	1894	1797

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.
Deaths from Influenza	196	230	312	392	379	332	306	259	202	201	216	211	188

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-FIRST Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 21st week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	797	1010	166	28	35	23	20	20	23	58	86	129	121	151	150
Enteric fever	–	3	–	–	–	–	–	–	–	2	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	24	16	3	4	1	–	–	–	–	–	–	–	–	–
Scarlet fever	4	3	–	–	1	2	–	–	–	–	–	–	–	–	–
Whooping cough	1	14	6	3	5	–	–	–	–	–	–	–	–	–	–
Diphtheria	11	17	1	2	6	5	2	–	–	1	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	10	26	2	1	1	1	–	1	–	3	2	7	4	1	3
Erysipelas	1	3	2	–	–	–	–	1	–	–	–	–	–	–	–
Other epidemic diseases	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	2	3	–	1	–	1	–	–	–	–	1	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	90	95	–	3	2	2	4	6	8	19	21	15	10	5	–
Tuberculous meningitis	13	10	–	2	4	–	1	1	–	–	2	–	–	–	–
Abdominal tuberculosis	1	2	–	1	–		–	–	–	1	–	–	–	–	–
Tuberculosis of the spine	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	1	3	–	–	–	–	–	1	–	–	–	1	–	1	–
Disseminated tuberculosis	4	3		–	–	–	–	–	1	1	–	–	–	–	–
Venereal diseases	2	7	5	–	–	–	–	–	–	1	–	1	–	–	–
Cancer	97	104	–	–	–	–	–	–	–	1	11	27	26	32	7
Tumour, situation undefined	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Rheumatic fever	2	5	–	–	–	–	–	1	–	–	2	–	2	–	–
Diabetes	9	3	–	–	–	–	–	–	–	–	–	1	1	1	–
Anæmia, leucocythaemia	2	7	–	–	–	1	–	–	–	1	2	2	–	1	–
Other general diseases	7	8	1	–	–	–	–	–	–	1	–	1	2	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	12	4	3	–	–	–	–	–	–	–	–	–	1	–	–
Cerebral hæmorrhage, Apoplexy	32	39	–	–	–	–	–	–	–	–	1	6	5	11	16
Softening of brain	2	2	–	–		–	–	–	–	–	–	–	–	–	2
Paralysis, without specified cause	2	7	–	–	1	–	–	–	–	–	–	1	–	–	5
Epilepsy	7	3	–	–	–	–	–	–	1	–	–	–	1	–	1
"Convulsions" (not puerperal)	4	5	4	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	16	22	1	–	–	–	1	–	–	1	8	4	3	2	2
Pericarditis	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
Acute endocarditis	3	10	–	–	–	2	–	–	2	2	2	2	–	–	–
Organic disease of heart	105	105	–	–	–	2	3	2	3	5	4	16	17	31	22
Embolism and thrombosis (including cerebral).	9	8	–	–	–	–	–	–	–	–	–	1	1	2	4
Other diseases of circulatory system.	28	33	–	–	–	–	–	–	–	–	2	3	5	11	12
Diseases of the larynx	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	50	58	9	1	–	–	–	–	–	1	1	6	10	6	24
Broncho-pneumonia	17	29	12	6	2	–	–	–	1	–	–	3	2	2	1
Lobar pneumonia	15	11	–	1	–	–	–	1	1	2	1	2	1	2	–
Pneumonia (type not distinguished)	20	19	4	–	1	–	–	–	1	–	5	1	1	6	–
Pleurisy	2	6	–	–	–	–	–	1	–	1	1	2	1	–	–
Pulmonary congestion, Pulmonary apoplexy.	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Other diseases of respiratory system.	5	4	–	–	–	–	–	–	–	1	–	–	–	3	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-FIRST Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 21st week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	–	5	–	–	1	–	1	–	–	–	1	1	–	–	1
Diseases of stomach	13	14	2	–	–	–	–	–	–	–	3	3	–	4	2
Diarrhœa and enteritis	10	23	17	–	1	–	–	1	–	–	1	1	–	1	1
Appendicitis and typhlitis	10	10	–	–	–	–	4	–	–	3	–	1	1	1	–
Hernia and Intestinal obstruction.	8	17	1	–	1	–	–	–	1	1	2	2	3	4	2
Cirrhosis of liver	5	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Other diseases of liver	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Peritonitis (cause unknown)	1	3	–	–	–	1	–	–	1	1	–	–	–	–	–
Other diseases of digestive system	3	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Acute nephritis	1	3	–	–	–	–	–	–	–	–	1	–	2	–	–
Chronic Bright's disease	18	31	–	–	–	–	1	–	2	1	6	5	8	6	2
Urinary calculi	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	6	12	–	–	–	–	–	–	–	1	–	1	1	5	4
Puerperal fever, &c.	1	2	–	–	–	–	–	–	1	1	–	–	–	–	–
Other causes incident to childbirth.	3	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Diseases of skin and cellular tissues.	8	8	2	–	1	–	–	–	–	–	–	1	2	1	1
Diseases of locomotor system	2	7	2	–	–	–	3	–	–	–	–	1	1	–	–
Congenital malformations	4	15	13	1	–	1	–	–	–	–	–	–	–	–	–
Premature birth	23	37	37	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	6	14	14	–	–	–	–	–	–	–	–	–	–	–	–
Old age	28	38	–	–	–	–	–	–	–	–	–	–	–	4	34
ACCIDENT.															
Poisons or poisonous vapours	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	3	4	–	1	3	–	–	–	–	–	–	–	–	–	–
Drowning	6	3	–	–	–	1	–	1	–	–	–	1	–	–	–
Suffocation in bed	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	15	19	1	–	1	2	–	3	–	2	1	3	2	3	1
Total deaths from accident	25	29	3	1	4	3	–	4	–	3	1	4	2	3	1
Included in above are deaths in connection with:—															
Railways	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Vehicles and horses	7	6	–	–	–	2	–	2	–	1	–	–	–	–	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	2	1	–	–	–	–	–	–	–	1	–	–	–	–
Suicide	5	10	–	–	–	–	–	–	–	1	1	3	3	2	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	13	8	6	–	–	1	–	–	–	–	1	–	–	–	–
Ill-defined Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	May 29	2,096	1,010	12·1	3	–	24	3	14	17	17	26
CALCUTTA	896,067	Apr. 24	–	629§	36·5	?	53	?	?	?	?	?	24
BOMBAY	979,445	„ 24	332	950§	50·4	5	12	5	–	–	–	48	39
MADRAS	518,660	„ 17	353	417	41·8	2	6	–	?	6	–	32	3
PARIS	2,847,229	(10 days) Apr. 10	1,551	1,283	?	1	–	28	3	23	3	21	9
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	327,653	May 15	143	66	10·6	–	–	–	–	2	–	3	–
AMSTERDAM	650,301	„ 15	319	125	10·0	–	–	–	–	3	–	4	1
COPENHAGEN	552,000	„ 15	238	128	12·1	1	–	–	–	1	2	–	–
STOCKHOLM	415,201	„ 8	160	100	12·5	–	–	–	–	–	1	–	3
GOTHENBURG	200,578	„ 8	–	37	9·5	1	–	–	–	–	1	–	–
CHRISTIANIA	258,615	„ 15	93	54	10·9	–	–	1	–	–	1	–	–
BERLIN	1,924,185	„ 8	–	–	–	–	–	–	–	–	–	–	–
BRESLAU	493,393	„ 8	275	165	17·4	–	?	–	–	1	–	11	1
COLOGNE	631,005	„ 8	328	168	13·8	–	?	–	–	3	3	4	?
DRESDEN	534,880	„ 8	208	118	11·5	–	?	–	–	–	–	3	?
FRANKFORT-ON-MAIN.	470,124	„ 8	181	92	10·2	–	?	1	–	–	–	5	?
HAMBURG	1,050,300	„ 8	446	255	12·6	–	?	1	1	3	6	6	?
LEIPZIG	676,289	„ 8	288	166	12·8	–	?	2	–	1	2	6	?
MUNICH	670,000	„ 8	–	–	–	–	?	–	–	–	–	–	?
VIENNA	1,838,708	„ 15	510	610	17·2	–	–	1	1	3	1	8	5
PRAGUE	524,496	Apr. 24	219	203	20·2	–	7	2	–	–	1	4	3
BUDAPEST	1,071,492	„ 17	511	416	20·2	2	1	–	3	4	–	22	2
TRIESTE	233,064	May 15	129	77	17·3	–	–	–	–	–	–	–	–
CAIRO	761,300	Mar. 11	633	427	29·2	1	3	6	–	?	1	13	?
ALEXANDRIA	445,700	„ 11	387	247	28·8	–	16	–	–	?	–	13	?
NEW YORK	6,141,445	Apr. 24	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,596,681	May 1	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 3 deaths from *plague* in Calcutta and 22 in Bombay, and from *Asiatic cholera* 71 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 29th May, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
LONDON (Greenwich)	87	45	76·8	52·7	1
BRIGHTON	77	46	66·7	54·1	6
PORTSMOUTH	78	48	68·7	55·0	8
NORWICH (Eaton)	78	47	72·1	53·9	22
PLYMOUTH	74	46	67·0	54·1	0
BRISTOL (Clifton)	79	46	70·9	53·9	3
BIRMINGHAM	77	47	70·7	52·9	27
NOTTINGHAM	79	44	71·0	52·0	19
BIRKENHEAD (Bidston)	78	48	65·7	51·6	25
MANCHESTER (Whitworth Park)	81	48	71·4	53·4	72
BURNLEY	75	43	67·6	49·4	46
HUDDERSFIELD	77	45	67·1	50·6	48
BRADFORD	74	45	67·0	50·6	42
SHEFFIELD	Not received.				
YORK (Museum)	76	48	69·0	51·6	31
HULL (Pearson Park)	72	45	66·6	50·4	41
TYNEMOUTH	66	47	58·7	48·4	41
CARDIFF	77	41	68·7	50·4	10
EDINBURGH	72·0	47·0	60·4	49·0	21
GLASGOW	72·4	47·8	64·0	50·8	17
DUBLIN:— Phœnix Park	71·8	37·1	64·8	46·9	9
†Fitzwilliam Square	68·5	45·1	63·6	51·4	18
BELFAST	72·5	46·0	64·8	51·0	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 29th May 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	23	..	30·094	71·9	45·1	26·8	60·1	+ 5·2	45·6	14·5	20·9	0·9	59	135·8	34·7	50·8	Calm & SE.	SE. & ESE.	2·7	0·0	0·2	207	− 56	0·00
MONDAY	24	First Quarter.	29·752	74·1	50·1	24·0	63·3	+ 8·0	52·4	10·9	18·5	2·3	68	136·9	35·9	50·9	E. & ESE.	ESE.	4·4	0·0	0·3	260	− 1	0·00
TUESDAY	25	..	29·724	86·5	52·2	34·3	69·5	+14·0	57·3	12·2	27·2	0·8	65	147·2	39·8	51·0	E., calm & SE.	WSW. & E.	1·6	0·0	0·1	161	− 96	0·00
WEDNESDAY	26	In Equator.	29·824	78·6	54·3	24·3	64·2	+ 8·4	57·2	7·0	19·6	1·6	78	146·5	44·3	51·1	Calm & WSW.	SW.	1·8	0·0	0·1	168	− 86	0·00
THURSDAY	27	..	29·839	75·3	53·5	21·8	61·5	+ 5·5	56·1	5·4	18·2	1·2	83	138·4	43·5	51·5	WSW. & W.	WSW.	1·4	0·0	0·1	196	− 56	0·00
FRIDAY	28	..	29·833	76·0	53·1	22·9	63·1	+ 6·9	54·2	8·9	19·8	1·2	73	141·3	45·5	51·8	WSW. & W.	WSW. & calm.	1·1	0·0	0·1	175	− 76	0·00
SATURDAY	29	..	29·720	74·9	52·1	22·8	63·2	+ 6·8	55·4	7·8	13·6	2·0	76	138·5	45·2	52·0	Calm & SSE.	SW. & WSW.	3·8	0·0	0·2	207	− 43	0·03
MEANS			29·827	76·8	51·5	25·3	63·6	+ 7·8	54·0	9·5	19·7	1·4	72	140·7	41·3	51·3	WSW.		..	..	..	Sum 1374	Sum −414	Sum 0·03
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. May, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	23	Loss of register till 11h., m.P. afterwards.	13·0	15·9	Cloudless throughout.
MONDAY -	24	v.P. throughout	13·2	15·9	Cloudless generally, a little cloud between 7h. and 8h. 30m., and between 19h. and 21h. 30m.
TUESDAY -	25	m.P. generally, a little v.N.	10·6	16·0	Cloudless till 6h. 30m.; nearly cloudless generally till 14h.; cloudy generally afterwards, clearing partially after 23h.; thunder in afternoon.
WEDNESDAY -	26	v.P. throughout	3·9	16·0	Nearly overcast generally with cloudy intervals; very slight rain about 4h. and 10h.; thunder in afternoon.
THURSDAY -	27	v.P. throughout	4·6	16·1	Overcast with few intervals till 10h., then cloudy generally; lunar halo at night.
FRIDAY - -	28	v.P. throughout	4·3	16·1	Cloudy to overcast by 4h.; few cloudy intervals during the day; slight rain about 5h. and from 23h.
SATURDAY -	29	v.P. throughout	5·3	16·1	Overcast generally with cloudy intervals; nearly cloudless 18h. 30m. to 22h.; rain till 0h. 45m. and slight rain between 11h. 45m. and 15h.
			Sum 54·9	Sum 112·1	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·22 in. at the beginning of the week to 29·67 in. by 4h. on 25th; increased generally to 29·86 in. by 10h. on 27th; decreased generally to 29·70 in. by 16h. on 29th, and increased to 29·75 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 22nd May, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,005	2	-	25	3	17	15	19	79	161
Western										
Paddington	35	-	-	2	-	1	-	-	5	4
Kensington	52	-	-	2	-	-	2	2	5	7
Hammersmith	33	-	-	1	-	-	2	1	2	6
Fulham	28	-	-	1	-	-	-	-	2	4
Chelsea	12	-	-	-	-	-	-	-	2	1
City of Westminster	24	-	-	-	-	-	-	-	3	2
Northern.										
St. Marylebone	34	-	-	1	-	2	-	2	3	8
Hampstead	7	-	-	-	-	-	-	-	1	-
St. Pancras	42	-	-	2	-	1	1	1	5	10
Islington	89	-	-	-	-	-	2	2	6	15
Stoke Newington	11	-	-	-	-	-	-	-	-	2
Hackney	39	-	-	-	-	1	1	1	-	7
Central.										
Holborn	8	-	-	-	-	-	-	-	-	2
Finsbury	19	-	-	2	1	1	1	-	1	3
City of London	4	-	-	-	-	-	-	-	1	-
Eastern.										
Shoreditch	19	-	-	-	-	1	-	-	2	4
Bethnal Green	32	-	-	1	1	-	2	1	2	5
Stepney	53	1	-	2	-	2	1	1	1	12
Poplar	40	1	-	-	-	1	-	1	1	6
Southern.										
Southwark	44	-	-	3	-	-	-	1	3	7
Bermondsey	39	-	-	1	-	-	-	1	5	6
Lambeth	68	-	-	-	-	-	-	2	4	9
Battersea	34	-	-	2	-	2	-	-	1	4
Wandsworth	60	-	-	3	1	-	-	-	5	6
Camberwell	56	-	-	1	-	2	3	-	5	6
Deptford	29	-	-	-	-	2	-	3	4	9
Greenwich	29	-	-	-	-	1	-	-	5	5
Lewisham	32	-	-	-	-	-	-	-	2	8
Woolwich	33	-	-	1	-	-	-	-	3	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 22nd May, 1920.*

BOROUGHS.	*ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	-	2	-	-	4	8	2	1	-	-	-	-	-	-	-
Kensington	157,886	1	-	-	-	12	7	4	1	-	-	1	-	-	-	-
Hammersmith	130,981	-	3	-	-	3	5	7	-	-	-	2	-	-	-	-
Fulham	152,543	1	-	-	-	10	14	5	-	-	-	5	-	-	1	-
Chelsea	60,573	-	1	-	-	2	2	1	-	-	1	-	-	-	-	-
City of Westminster	127,533	-	1	-	-	9	7	4	-	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	-	-	-	-	3	1	-	2	-	-	2	-	-	-	-
Hampstead	88,012	-	-	-	-	3	1	3	-	-	-	-	-	-	-	-
St. Pancras	219.434	-	4	-	-	8	13	12	-	-	-	-	-	-	-	-
Islington	323,034	-	1	-	-	13	15	11	5	-	-	3	-	1	-	-
Stoke Newington	50,954	-	-	-	-	3	1	-	-	-	-	1	-	-	-	-
Hackney	216,736	2	2	-	-	8	11	1	2	-	2	1	-	-	-	-
CENTRAL.																
Holborn	38,156	-	1	-	-	-	6	1	-	-	-	-	-	-	-	-
Finsbury	75,291	-	1	-	-	7	1	1	2	-	-	1	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	-	-	-	7	10	3	-	-	1	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	8	6	3	-	-	-	2	-	-	-	-
Stepney	232,506	-	1	-	-	23	10	8	1	-	1	-	-	-	1	-
Poplar	153,644	-	-	-	-	12	11	14	1	-	-	1	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	2	-	-	6	6	3	6	1	-	5	-	-	-	1
Bermondsey	124,239	-	2	-	-	4	4	3	2	-	1	1	-	-	-	-
Lambeth	282,322	-	2	-	-	23	20	11	3	-	1	2	-	-	-	-
Battersea	159,316	1	-	-	-	3	10	6	1	2	-	-	-	-	-	-
Wandsworth	333,693	1	-	-	-	11	15	10	4	-	2	2	-	-	-	-
Camberwell	273,802	-	2	-	-	16	13	8	2	-	1	5	-	-	-	-
Deptford	111,205	-	-	-	-	11	4	2	-	-	-	1	-	-	-	-
Greenwich	98,484	-	-	-	-	8	2	2	1	-	-	1	-	-	1	-
Lewisham	167,754	-	-	-	-	5	7	1	3	-	-	-	-	-	-	-
Woolwich	136,237	-	1	-	-	7	2	6	2	-	-	2	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	6	26	-	-	229	212	132	39	3	10	38	-	1	3	1
Ages 0–1		-	-	-	-	3	4	9	2	-	-	38	-	-	-	-
„ 1–5		-	-	-	-	39	63	15	-	-	-	-	-	-	-	-
„ 5–		-	-	-	-	103	81	22	3	2	-	-	-	-	-	-
„ 10–		1	-	-	-	62	33	5	1	-	-	-	-	-	-	-
„ 15–		-	3	-	-	10	5	11	1	-	-	-	-	-	-	-
„ 20–		1	5	-	-	3	13	11	-	-	4	-	-	-	2	-
„ 25–		2	13	-	-	7	8	18	6	-	5	-	-	1	-	1
„ 35–		1	4	-	-	2	4	19	8	1	1	-	-	-	-	-
„ 45–		-	1	-	-	-	1	13	7	-	-	-	-	-	-	-
„ 55–		1	-	-	-	-	-	5	6	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	2	3	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	2	2	-	-	-	-	-	1	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General,

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 22. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JUNE 5.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
June 8th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 10,515, and corresponded to an annual rate of 29·6 per 1,000. The deaths* among the civilian population only numbered 3,962, and corresponded to an annual rate of 11·6 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended May 15th, May 22nd, and May 29th the rates had been 13·8, 13·2, and 12·8 respectively. The infant mortality was 63, against 83, 82, and 100 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11225—2 Wt 167–840 625 6/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 17·7 in Gloucester and in Sheffield, 18·9 in Carlisle, 20·5 in Barrow-in-Furness, and 20·7 in West Hartlepool; from *measles*, 1·5 in Rhondda, and 2·0 in Great Yarmouth; and from *influenza*, 4·0 in West Hartlepool, and 4·6 in Sheffield. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,558 births, corresponding to a rate of 29·4 per 1,000, and 920 deaths of civilians, corresponding to a rate of 11·0, as against 12·5, 12·0, and 12·1 per 1,000 in the three weeks ended May 15th, May 22nd, and May 29th. The death-rate in the four weeks ended last Saturday averaged 11·9 per 1,000. The infant mortality was 48, against 60, 68, and 79 in the preceding three weeks.

The deaths from *enteric fever*, which had been 2, 2, and 3 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 25, 25, and 24 in the preceding three weeks, fell last week to 19, and were 17 below the average; 3 deaths belonged to the Borough of Paddington, and 3 each to Southwark, Bermondsey, and Battersea. The deaths from *scarlet fever*, which had been 1, 3, and 3 in the preceding three weeks, were again 3 last week, and were equal to the average. The deaths from *whooping-cough*, which had been 35, 17, and 14 in the preceding three weeks, were 13 last week, and 6 below the average; 4 deaths belonged to Camberwell. The deaths from *diphtheria*, which had been 11, 15, and 17 in the preceding three weeks, fell last week to 11, but were 3 above the average. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 14, 19, and 17 in the preceding three weeks, fell last week to 11, and were 2 below the average. The deaths from *influenza* numbered 19, as against 32, 31, and 26 in the preceding three weeks, and an average of 7.

Different forms of violence caused 44 deaths, of which 43 were the subject of coroners' inquests. Of these 44 deaths, 12 were cases of suicide, while the remaining 32 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, and 7 to drowning.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 23 cases of enteric fever, 1 of smallpox, 55 of measles, 1,635 of scarlet fever, 24 of whooping-cough, and 1,747 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 4, 3, and 3; of small-pox, 1 case, against 1, 0, 0; of measles, 19 cases, against 13, 12, and 17; of scarlet fever, 200 cases, against 264, 242, and 205; of whooping-cough, 4 cases, against 1, 5, and 0; and of diphtheria, 186 cases, against 226, 218, and 191. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended May 29th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 5th June, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 15th May, 1920.	22nd May, 1920.	29th May, 1920.	5th June, 1920.	Week ended 5th June, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from: Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	13·8	13·2	12·8	11·6	10,515	3962	658	1166	4	-	69	14	41	38	54	148	156	281	1272	30	96 GREAT TOWNS.
LONDON†	4,358,309	12·5	12·0	12·1	11·0	2558	920	123	300	2	-	19	3	13	11	11	19	44	88	434	3	LONDON.†
‡ CROYDON	184,239	9·3	9·9	11·9	12·2	91	43	4	18	-	-	-	-	-	1	-	-	1	4	13	-	CROYDON.
WIMBLEDON	59,791	7·0	14·8	7·8	8·7	17	10	-	4	-	-	-	-	-	1	-	-	-	1	6	-	WIMBLEDON.
EALING	73,212	6·4	12·8	7·1	8·5	35	12	1	8	-	-	-	-	-	-	-	1	-	-	1	-	EALING.
ACTON	61,732	11·8	9·3	11·0	1·7	24	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	ACTON.
WILLESDEN	160,917	10·4	10·4	9·4	9·4	82	29	3	15	-	-	-	-	-	1	-	1	1	-	17	-	WILLESDEN.
HORNSEY	94,348	11·1	6·6	3·3	8·3	31	15	-	7	-	-	-	-	-	-	-	-	-	-	3	-	HORNSEY.
TOTTENHAM	141,338	8·1	8·1	10·7	5·9	79	16	6	3	-	-	-	-	-	1	-	-	-	2	8	-	TOTTENHAM.
EDMONTON	70,711	6·6	9·6	8·1	6·6	44	9	2	2	-	-	-	-	-	-	-	1	1	1	3	-	EDMONTON.
ENFIELD	58,442	8·9	4·5	5·4	6·2	26	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-	ENFIELD.
WEST HAM	287,966	13·9	10·9	10·9	12·1	197	67	15	12	-	-	4	-	-	3	-	4	4	6	27	-	WEST HAM.
EAST HAM	144,451	9·0	7·2	10·8	9·0	52	25	4	10	1	-	1	-	-	-	-	-	-	-	7	-	EAST HAM.
LEYTON	123,896	9·3	9·7	9·3	5·5	45	13	2	2	-	-	-	-	-	-	-	-	1	1	3	-	LEYTON.
WALTHAMSTOW	127,684	10·6	6·5	9·0	9·0	64	22	1	5	-	-	-	-	-	-	-	2	2	3	11	-	WALTHAMSTOW.
ILFORD	79,524	12·5	5·9	6·6	12·5	18	19	4	3	-	-	-	-	2	-	-	-	1	3	4	-	ILFORD.
GILLINGHAM	43,501	7·2	7·2	9·6	13·2	33	11	1	6	-	-	-	-	-	-	1	-	-		5	-	GILLINGHAM.
HASTINGS	57,674	10·8	19·0	12·7	11·8	25	13	2	4	-	-	-	-	-	-	-	1	1	2	3	-	HASTINGS.
EASTBOURNE	48,424	7·5	4·3	9·7	4·3	18	4	1	3	-	-	-	-	-	-	-	-	-	-	1	-	EASTBOURNE.
BRIGHTON	132,409	11·8	8·7	9·1	9·5	55	24	-	11	-	-	-	-	-	-	-	1	-	2	7	-	BRIGHTON.
PORTSMOUTH	224,846	15·8	9·3	8·6	10·4	129	45	5	19	-	-	2	-	-	1	-	-	2	3	15	-	PORTSMOUTH.
BOURNEMOUTH	82,627	10·7	10·7	10·1	11·4	41	18	2	7	-	-	-	-	-	-	-	-	1	1		-	BOURNEMOUTH
SOUTHAMPTON	126,033	12·4	9·9	16·1	12·8	52	31	5	12	-	-	-	-	3	1	-	-	-	-	13	-	SOUTHAMPTON.
READING	91,365	6·8	7·4	9·7	9·1	51	16	3	6	-	-	2	-	1	-	-	-	1	1	2	-	READING.
OXFORD	57,666	7·2	5·4	9·0	10·9	27	12	2	3	-	-	-	-	-	-	-	-	1	1	4	-	OXFORD.
NORTHAMPTON	88,944	12·3	10·6	11·7	10·6	51	18	4	7	-	-	-	-	-	-	1	-	1	2	7	-	NORTHAMPTON.
CAMBRIDGE	57,849	8·1	7·2	11·7	9·0	31	10	-	5	-	-	-	-	-	-	-	-	-	1	1	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London, see end of Table

TABLE 2 (*cont.*). 96 GREAT TOWNS, GREATER LONDON, AND FOUR COUNTIES OF THEIR TOWNS

in the Week ended Saturday, 5th June 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 15th May, 1920.	22nd May, 1920.	29th May, 1920.	5th June, 1920.	Week ended 5th June 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	5·0	6·8	11·2	10·5	34	17	3	9	–	–	–	–	–	–	–	–	–	–	3	1	SOUTHEND ON SEA.
IPSWICH	78,011	8·7	8·0	10·7	10·7	30	16	4	7	–	–	1	–	–	–	–	–	–	–	6	–	IPSWICH.
GREAT YARMOUTH	53,078	7·9	13·8	9·8	6·9	34	7	2	–	–	–	2	–	–	–	–	–	1	1	1	–	GREAT YARMOUTH.
NORWICH	119,993	16·1	12·2	13·5	8·3	80	19	4	9	–	–	1	–	–	–	–	–	–	1	6	–	NORWICH.
SWINDON	51,527	13·2	9·1	10·1	8·1	23	8	–	4	–	–	–	–	–	–	–	–	–	–	–	–	SWINDON.
EXETER	59,014	13·3	12·4	9·7	8·0	34	9	2	2	–	–	–	–	–	–	–	–	–	1	2	–	EXETER.
PLYMOUTH	181,967	13·5	15·5	16·9	14·6	119	51	6	19	–	–	–	–	3	1	1	–	1	3	3	–	PLYMOUTH.
BATH	65,919	12·7	5·5	8·7	11·1	48	14	3	6	–	–	–	–	–	–	–	–	–	–	2	–	BATH.
BRISTOL	361,247	13·4	11·1	11·8	10·8	211	75	17	20	–	–	5	1	–	3	–	1	4	7	29	–	BRISTOL.
GLOUCESTER	50,100	9·4	13·5	11·4	17·7	30	17	1	8	–	–	–	–	–	–	–	1	–	–	6	1	GLOUCESTER.
STOKE ON TRENT	239,316	15·0	13·1	12·9	14·6	171	67	17	16	–	–	–	1	–	1	1	1	3	5	12	1	STOKE ON TRENT.
WOLVERHAMPTON	98,403	11·1	18·5	11·1	11·1	54	21	5	6	–	–	1	1	–	–	–	–	–	–	6	–	WOLVERHAMPTON.
WALSALL	92,724	18·6	14·6	14·6	13·5	72	24	7	7	–	–	1	–	–	–	2	1	–	1	2	–	WALSALL.
WEST BROMWICH	69,899	12·7	14·9	9·7	14·2	49	19	5	3	–	–	–	–	–	–	1	–	–	–	2	–	WEST BROMWICH.
DUDLEY	54,017	15·4	9·7	13·5	11·6	41	12	2	2	–	–	–	–	–	–	–	–	1	1	2	–	DUDLEY.
BIRMINGHAM	861,585	14·6	13·7	12·0	9·4	587	156	33	40	–	–	1	–	2	1	2	2	8	7	54	6	BIRMINGHAM.
SMETHWICK	72,152	10·1	7·2	10·8	10·1	50	14	4	1	–	–	–	–	–	–	–	–	1	1	3	–	SMETHWICK.
COVENTRY	132,048	7·9	9·1	7·9	9·1	70	23	1	9	–	–	–	–	–	–	–	–	–	1	7	–	COVENTRY.
LEICESTER	236,059	10·2	15·9	11·7	9·1	125	41	4	17	–	–	1	–	–	–	–	–	–	1	12	–	LEICESTER.
LINCOLN	60,581	14·6	17·2	10·3	14·6	30	17	2	5	–	–	1	–	–	1	–	–	–	–	5	–	LINCOLN.
GRIMSBY	78,813	11·2	13·9	9·9	13·2	50	20	7	2	–	–	–	–	–	–	–	–	1	1	7	1	GRIMSBY.
NOTTINGHAM	257,573	14·2	14·0	13·2	10·3	137	51	7	16	–	–	–	–	–	–	1	2	3	3	20	1	NOTTINGHAM.
DERBY	123,930	8·4	9·7	8·4	6·3	70	15	2	4	–	–	–	–	–	–	–	–	–	4	4	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 5th June, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 15th May, 1920.	22nd May, 1920.	29th May, 1920.	5th June, 1920.	Week ended 5th June, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	10·8	12·9	11·6	13·3	64	32	3	13	1	–	1	–	1	–	–	–	2	4	6	1	STOCKPORT.
BIRKENHEAD	148,052	14·4	15·8	13·4	10·2	98	29	6	6	–	–	–	–	–	–	2	–	–	2	5	–	BIRKENHEAD.
WALLASEY	95,424	7·7	11·5	7·7	7·1	43	13	3	1	–	–	1	–	1	–	–	–	–	1	5	–	WALLASEY.
LIVERPOOL	772,665	15·9	14·6	14·0	14·2	486	211	43	51	–	–	2	–	2	5	5	6	5	10	87	4	LIVERPOOL.
BOOTLE	76,962	12·2	17·6	15·6	11·5	42	17	4	3	–	–	–	–	1	2	–	–	2	2	7	–	BOOTLE.
ST. HELENS	100,805	17·6	15·0	13·4	14·0	80	27	9	3	–	–	–	–	–	–	–	2	1	1	5	–	ST. HELENS.
SOUTHPORT	70,144	12·6	13·4	14·1	10·4	21	14	1	5	–	–	–	–	–	–	–	1	–	–	6	–	SOUTHPORT.
WIGAN	87,384	23·3	13·7	17·9	11·9	64	20	6	4	–	–	1	–	–	–	–	1	–	1	4	–	WIGAN.
WARRINGTON	74,952	11·8	10·4	9·7	9·0	44	13	3	4	–	–	–	–	–	–	–	–		2	3	1	WARRINGTON.
BOLTON	177,462	20·6	17·3	13·5	15·3	73	52	9	15	–	–	–	–	–	1	–	3	1	5	15	–	BOLTON.
BURY	54,248	10·6	13·5	19·2	10·6	21	11	1	1	–	–	–	–	1	–	–	–	–	–	2	–	BURY.
MANCHESTER	741,068	13·9	15·3	13·4	13·9	499	197	32	44	–	–	6	3	1	1	3	13	3	7	59	1	MANCHESTER.
SALFORD	226,225	14·3	13·4	12·9	9·9	172	43	8	12	–	–	2	–	1	–	–	3	1	3	10	–	SALFORD.
OLDHAM	137,668	17·4	11·7	15·2	14·4	63	38	10	8	–	–	1	–	1	–	1	1	3	4	13	–	OLDHAM.
ROCHDALE	90,051	11·6	15·6	11·0	15·6	51	27	6	12	–	–	–	–	–	–	–	2	–	–	7	2	ROCHDALE.
BURNLEY	101,005	15·0	18·1	16·5	9·3	47	18	2	4	–	–	–	–	–	–	–	–	1	1	3	–	BURNLEY.
BLACKBURN	125,992	20·7	20·3	14·9	16·6	65	40	6	15	–	–	–	1	–	–	1	1	1	1	16	–	BLACKBURN.
PRESTON	117,277	10·7	16·9	17·8	10·2	66	23	3	9	–	–	–	–	–	–	–	–	2	2	8	–	PRESTON.
BLACKPOOL	67,842	13·1	16·1	10·8	10·8	32	14	1	7	–	–	–	–	–	–	–	–	–	–	2	3	BLACKPOOL.
BARROW IN FURNESS	73,627	14·9	14·2	17·0	20·5	39	29	2	14	–	–	–	–	–	–	–	1	1	1	4	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	16·3	18·1	16·3	9·8	36	21	3	7	–	–	–	–	–	–	–	–	2	2	6	–	HUDDERSFIELD.
HALIFAX	101,791	19·0	19·0	13·8	10·8	42	21	3	5	–	–	–	–	–	–	–	1	2	3	8	–	HALIFAX.
BRADFORD	282,714	17·0	18·1	14·8	14·4	154	78	13	27	–	–	–	–	1	–	–	5	5	9	20	–	BRADFORD.
LEEDS	431,999	14·0	15·2	13·8	12·3	285	102	20	30	–	–	–	–	4	1	5	–	4	5	29	–	LEEDS.
DEWSBURY	52,969	22·6	10·8	15·8	12·8	31	13	3	2	–	–	–	1	–	–	–	1	–	1	1	–	DEWSBURY.
WAKEFIELD	49,208	18·0	12·7	7·4	10·6	34	10	–	5	–	–	1	–	–	–	–	–	–	–	2	–	WAKEFIELD.
BARNSLEY	51,680	9·1	11·1	16·1	7·1	33	7	2	–	–	–	–	–	–	–	–	–	–	–	1	–	BARNSLEY.

in the Week ended Saturday, 5th June, 1920, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 15th May, 1920.	22nd May, 1920.	29th May, 1920.	5th June, 1920.	Week ended 5th June, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	26·6	23·7	26·5	17·7	313	161	24	34	–	–	4	–	1	–	1	42	4	6	43	–	Sheffield.
Rotherham	69,034	15·1	11·3	12·1	7·6	52	10	2	5	–	–	–	–	–	1	–	2	–	–	4	–	Rotherham.
York	74,531	11·9	14·0	10·5	10·5	55	15	2	8	–	–	–	–	–	–	–	–	–	–	6	–	York.
Hull	279,664	13·6	11·7	9·5	10·8	150	58	9	18	–	–	–	–	–	–	2	1	5	8	17	–	Hull.
Middlesbrough	127,142	17·6	15·2	19·3	10·3	92	25	3	2	–	–	–	–	–	–	–	1	2	2	3	–	Middlesbrough.
Darlington	64,058	19·5	14·7	9·0	14·7	38	18	3	9	–	–	–	–	–	–	–	–	–	–	4	–	Darlington.
Stockton on Tees	60,696	21·5	15·5	12·9	13·7	47	16	4	3	–	–	–	–	1	–	–	1	1	1	1	–	Stockton on Tees.
West Hartlepool	65,515	23·1	13·5	25·5	20·7	49	26	7	3	–	–	–	–	–	–	1	5	1	1	5	–	West Hartlepool.
Sunderland	149,263	16·4	17·5	19·2	14·0	93	40	7	11	–	–	–	–	–	–	–	–	2	2	5	–	Sunderland.
South Shields	111,502	17·3	19·6	16·4	14·0	71	30	4	8	–	–	–	–	–	–	2	2	–	–	2	2	South Shields.
Gateshead	123,392	14·8	17·3	13·9	11·4	70	27	5	4	–	–	–	–	–	–	1	–	2	2	4	1	Gateshead.
Newcastle on Tyne.	275,099	17·6	13·1	13·6	14·2	196	75	11	23	–	–	–	1	–	–	2	2	5	8	22	–	Newcastle on Tyne.
Tynemouth	58,007	28·8	25·2	17·1	10·8	32	12	5	5	–	–	–	–	–	–	1	–	1	1	1	–	Tynemouth.
Carlisle	55,198	10·4	14·2	18·9	18·9	35	20	1	4	–	–	–	–	–	–	–	3	1	1	7	–	Carlisle.
Newport (Mon.)	87,251	15·5	11·4	16·1	11·4	77	19	8	4	–	–	–	–	–	–	1	1	1	2	2	–	Newport (Mon.).
Cardiff	204,436	10·5	9·7	11·2	11·2	116	44	7	10	–	–	–	–	–	–	2	1	4	12	7	–	Cardiff.
Rhondda	177,911	18·2	15·2	16·4	14·1	136	48	11	4	–	–	5	2	–	–	2	4	–	1	2	–	Rhondda.
Merthyr Tydfil	71,638	10·9	8·0	13·1	16·7	57	23	2	4	–	–	–	–	–	–	1	1	1	2	3	–	Merthyr Tydfil.
Aberdare	51,384	10·1	16·2	12·2	13·2	38	13	3	2	–	–	–	–	1	–	–	–	2	2	3	–	Aberdare.
Swansea	160,810	17·2	15·6	14·3	12·3	88	38	9	9	–	–	3	–	–	–	–	3	1	2	4	–	Swansea.
Greater London	7,258,623	11·6	10·9	11·0	10·0	3963	1394	178	458	3	–	28	3	15	21	11	32	62	126	598	3	Greater London.
Outer Ring	2,900,314	10·3	9·1	9·4	8·5	1405	474	55	158	1	–	9	–	2	10	–	13	18	38	164	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	10·2	9·2	9·3	9·0	805	289	43	94	1	–	5	–	2	7	–	9	11	21	104	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	10·4	9·0	9·4	7·8	600	185	12	64	–	–	4	–	–	3	–	4	7	17	60	–	Remainder of Outer Ring.
Edinburgh†	342.300	12·1	11·6	14·1	14·2	140	93	19	28	–	–	–	–	–	2	1	1	8	?	?	?	Edinburgh.†
Glasgow†	1.115.500	18·6	17·6	14·8	13·5	664	289	61	59	–	7	10	1	4	1	4	3	11	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	20·6	21·5	19·1	18·7	286	149	35	38	–	–	3	1	11	–	3	3	–	1	52	4	Dublin (Registration Area).†
Belfast†	413,000	16·9	15·7	15·4	14·6	262	116	14	20	2	–	–	–	2	2	3	1	3	4	35	–	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWENTY-SECOND Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2434	2110	1901	2154	1880	2273	2116	1454	1550	1403	2558
Males	1239	1078	995	1038	972	1120	1087	756	804	713	1278
Females	1195	1032	906	1116	908	1153	1029	698	746	690	1280
Deaths (of residents only).	1020	1052	1001	1117	1096	1150	919*	949*	962*	794*	920
Males		565	525	596	581	609	496	471	512	390	501
Females		487	476	521	515	541	423	478	450	404	419

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.
Births (as registered)	2701	2672	2520	2078	2471	2650	2665	2518	2552	2648	2369	2096	2558
Deaths (of residents only).	1436	1484	1609	1365	1471	1342	1185	1147	1084	1046	1005	1010	920
Ages at Death: Under 1 year	240	244	233	208	196	207	195	158	155	158	161	166	123
1–2 years	66	84	101	73	99	75	42	55	50	45	46	28	37
2–5 "	83	64	59	61	56	78	39	40	47	26	35	35	21
5–10 "	41	44	46	35	39	29	24	34	30	20	23	23	23
10–15 "	17	19	26	26	22	20	14	14	17	13	19	20	18
15–20 "	25	29	34	32	40	34	29	28	24	20	11	20	19
20–25 "	33	37	44	39	42	27	37	31	32	19	18	23	23
25–35 "	89	85	109	107	105	86	60	55	58	61	51	58	46
35–45 "	87	106	131	94	105	97	78	91	72	76	67	86	70
45–55 "	146	145	154	141	158	139	127	126	106	120	126	129	98
55–65 "	182	187	210	180	175	166	151	149	139	150	149	121	142
65–75 "	213	215	237	182	230	191	192	170	185	178	155	151	161
75 years and upwards	214	225	225	187	204	193	197	196	169	160	144	150	139
Deaths from—													
Enteric fever	–	–	–	–	4	1	1	3	–	2	2	3	2
Small-pox	2	–	–	–	–	–	1	–	–	–	–	–	–
Measles	56	70	69	48	62	76	40	45	41	25	25	24	19
Scarlet fever	5	5	3	2	6	4	4	4	4	1	3	3	3
Whooping cough	41	37	35	34	31	42	29	23	19	35	17	14	13
Diphtheria	25	29	27	28	22	20	12	15	24	11	15	17	11
Diarrhœa and enteritis (under 2 years).	13	14	23	12	18	17	15	12	15	14	19	17	11
Pulmonary tuberculosis	94	100	124	97	114	97	91	106	87	98	79	95	86
Influenza	57	91	131	124	105	101	59	45	31	32	31	26	19
Pneumonia (all forms)	197	183	229	175	194	140	113	96	95	82	88	59	66
Bronchitis	161	156	185	142	123	103	95	79	79	63	59	58	43
Other dis. of resp. system	18	24	32	20	26	15	16	14	18	14	16	14	6
Dis. of circ. system	225	184	213	159	191	168	174	189	138	203	154	158	156
Violence	38	42	44	33	49	36	44	42	40	32	52	41	44
Inquest cases	111	96	114	72	114	103	93	83	77	94	95	68	88
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	39	42	37	40	37	35	30	29	32	29	21	20	23
Small-pox	7	8	14	20	26	24	23	12	11	6	1	–	1
Measles	78	90	85	88	85	66	66	66	72	70	56	52	55
Scarlet fever	2182	2158	2101	2023	2012	1904	1845	1831	1794	1757	1734	1703	1635
Whooping cough	15	16	17	19	19	22	22	20	19	20	25	22	24
Diphtheria	2045	2066	2043	1983	1994	1958	1965	1951	1947	1916	1894	1797	1747

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.
Deaths from Influenza	230	312	392	379	332	306	259	202	201	216	211	188	148

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-SECOND Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 22nd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	794	920	123	37	21	23	18	19	23	46	70	98	142	161	139
Enteric fever	2	2	–	–	–	1	–	–	–	–	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	19	5	11	2	–	–	–	–	–	–	1	–	–	–
Scarlet fever	3	3	–	1	–	1	–	–	–	–	1	–	–	–	–
Whooping cough	2	13	7	6	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	9	11	1	2	4	3	1	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	9	19	–	–	1	–	–	–	–	3	4	4	4	2	1
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other epidemic diseases	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Pyæmia and septicæmia	–	5	–	1	1	1	–	–	–	–	–	–	1	–	1
Tetanus	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	78	86	1	2	–	1	3	5	10	13	18	17	11	3	2
Tuberculous meningitis	13	6	2	1	1	1	–	1	–	–	–	–	–	–	–
Abdominal tuberculosis	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Disseminated tuberculosis	–	4	1	–	–	1	–	1	–	–	1	–	–	–	–
Venereal diseases	1	3	2	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	87	100	–	–	–	–	–	–	–	5	4	16	31	29	15
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic fever	2	6	–	–	–	2	3	–	–	–	–	–	1	–	–
Diabetes	7	10	–	–	–	–	–	1	1	1	–	1	2	2	2
Anæmia, leucocythaemia	5	4	1	–	–	–	–	–	–	–	1	–	–	2	–
Other general diseases	3	6	1	–	–	–	–	–	–	–	1	–	1	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	8	5	1	–	1	1	–	1	1	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	39	38	–	–	–	–	–	–	–	–	–	3	15	14	6
Softening of brain	1	3	–	–	–	–	–	–	–	–	–	–	–	–	3
Paralysis, without specified cause	5	7	–	–	–	–	–	–	–	–	–	–	3	1	3
Epilepsy	2	6	–	–	–	–	–	1	1	–	1	2	1	–	–
"Convulsions" (not puerperal)	2	6	5	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	20	23	–	–	–	2	–	2	–	2	–	5	5	3	4
Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	11	–	–	–	–	1	–	3	4	1	1	1	–	–
Organic disease of heart	111	109	–	–	–	1	–	3	2	4	12	6	18	32	31
Embolism and thrombosis (including cerebral).	10	6	–	–	–	–	2	–	–	–	–	–	1	2	1
Other diseases of circulatory system.	25	30	–	–	–	–	–	–	–	–	–	1	7	8	14
Diseases of the larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	54	43	2	–	1	1	–	–	–	1	1	–	8	17	12
Broncho-pneumonia	19	28	7	4	4	1	–	1	–	–	2	5	–	3	1
Lobar pneumonia	10	23	–	–	1	1	–	–	–	–	4	7	4	4	2
Pneumonia (type not distinguished)	20	15	–	–	–	1	–	–	–	–	3	3	6	1	1
Pleurisy	1	3	–	–	–	1	–	–	–	1	1	–	–	–	–
Pulmonary congestion, Pulmonary apoplexy.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of respiratory system.	3	3	1	–	–	–	–	–	–	–	–	1	1	–	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-SECOND Week of the Year 1920.

Causes of Death.	Deaths in the 22nd week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	2	2	–	–	–	–	–	–	1	–	1	–	–	–	–
Diseases of stomach	10	11	3	1	–	–	1	–	–	–	1	1	1	3	–
Diarrhœa and enteritis	14	18	9	2	1	–	–	–	–	–	–	2	–	1	3
Appendicitis and typhlitis	5	5	–	–	–	–	1	1	1	–	–	–	1	1	–
Hernia and Intestinal obstruction.	6	13	7	–	–	–	–	–	–	–	1	1	–	3	1
Cirrhosis of liver	6	8	–	–	–	–	–	–	–	–	1	3	–	3	1
Other diseases of liver	2	3	–	–	–	–	–	–	–	1	–	–	1	–	1
Peritonitis (cause unknown)	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of digestive system	4	4	–	–	–	–	–	–	–	–	–	2	2	–	–
Acute nephritis	1	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Chronic Bright's disease	12	17	–	–	–	–	2	–	–	–	3	2	5	5	–
Urinary calculi	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	8	12	–	1	–	–	1	–	1	1	–	3	1	2	2
Puerperal fever, &c.	3	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth.	2	4	–	–	–	–	–	–	1	1	2	–	–	–	–
Diseases of skin and cellular tissues.	8	5	–	–	1	–	–	–	–	–	–	–	1	1	2
Diseases of locomotor system	3	3	1	–	–	–	–	–	–	1	–	–	–	1	–
Congenital malformations	4	6	5	1	–	–	–	–	–	–	–	–	–	–	–
Premature birth	25	35	35	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	11	15	15	–	–	–	–	–	–	–	–	–	–	–	–
Old age	36	32	–	–	–	–	–	–	–	–	–	–	2	7	23
ACCIDENT.															
Poisons or poisonous vapours	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	7	–	–	–	1	–	–	–	2	1	2	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	15	23	–	–	2	2	2	1	1	–	2	2	2	4	5
Total deaths from accident	23	32	–	1	2	3	2	1	1	2	3	4	3	5	5
Included in above are deaths in connection with:—															
Railways	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	11	–	–	1	1	2	–	1	–	1	1	1	2	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	16	12	–	–	–	–	–	–	–	2	2	5	2	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	8	14	11	1	1	–	–	–	–	1	–	–	–	–	–
Ill-defined Causes	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	June 5	2,558	920	11·0	2	–	19	3	13	11	11	19
CALCUTTA	896,067	May 1	–	570§	33·0	?	41	?	?	?	?	?	10
BOMBAY	979,445	„ 1	369	856§	45·4	3	20	4	–	–	–	35	31
MADRAS	518,660	Apr. 24	402	368§	36·9	4	6	2	?	4	–	32	5
PARIS	2,847,229	(10 days) Apr. 20	1,646	1,214	?	3	–	15	–	12	7	20	4
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	327,653	May 22	143	47	7·5	–	–	–	–	2	–	2	–
AMSTERDAM	650,301	„ 22	294	102	8·2	–	–	–	–	–	1	1	–
COPENHAGEN	552,000	„ 22	220	164	15·5	–	–	2	–	–	3	3	–
STOCKHOLM	415,201	„ 15	154	119	14·9	–	–	–	1	–	2	–	6
GOTHENBURG	200,578	„ 15	–	46	11·9	2	–	–	–	1	1	–	–
CHRISTIANIA	258,615	„ 22	106	64	12·9	–	–	1	–	–	–	–	–
BERLIN	1,924,185	„ 15	697	430	11·6	–	?	6	1	1	2	12	1
BRESLAU	493,393	„ 15	211	142	15·0	–	?	1	–	–	1	4	1
COLOGNE	631,005	„ 15	352	170	14·0	–	?	2	–	2	4	5	?
DRESDEN	534,880	„ 15	200	121	11·8	–	?	–	–	–	–	1	?
FRANKFORT-ON-MAIN.	470,124	„ 15	179	87	9·6	–	?	–	–	1	–	2	?
HAMBURG	1,050,300	„ 15	412	253	12·5	–	?	6	–	2	2	2	?
LEIPZIG	676,289	„ 15	240	140	10·8	–	?	2	1	1	2	3	?
MUNICH	670,000	„ 15	–	–	–	–	–	–	–	–	–	–	–
VIENNA	1,838,708	„ 22	466	700	19·8	–	–	2	–	4	1	12	12
PRAGUE	524,496	„ 1	199	178	17·7	–	6	2	–	1	–	4	2
BUDAPEST	1,071,492	Apr. 24	–	–	–	–	–	–	–	–	–	–	–
TRIESTE	233,064	May 22	93	73	16·4	–	–	–	2	2	–	3	–
CAIRO	761,300	Mar. 18	705	396	27·0	1	2	6	–	?	–	21	?
ALEXANDRIA	445,700	„ 18	365	261	30·5	–	10	–	–	?	1	11	?
NEW YORK	6,141,445	May 8	2,506	1,385	11·8	2	–	22	10	7	23	20	13
CHICAGO	2,596,681	„ 1	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 4 deaths from *plague* in Calcutta and 18 in Bombay, and from *Asiatic cholera* 63 deaths in Calcutta, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 5th June, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	79	46	68·6	50·3	4
BRIGHTON	74	46	65·7	51·9	0
PORTSMOUTH	77	42	66·9	50·6	0
NORWICH (Eaton)	71	46	62·7	51·3	6
PLYMOUTH	73	44	64·4	51·0	0
BRISTOL (Clifton)	76	43	65·7	50·1	1
BIRMINGHAM	71	40	62·1	48·3	3
NOTTINGHAM	71	44	62·7	49·9	3
BIRKENHEAD (Bidston)	67	43	59·1	49·0	4
MANCHESTER (Whitworth Park)	69	41	61·3	49·3	6
BURNLEY	64	34	58·9	46·9	6
HUDDERSFIELD	69	41	61·0	48·1	3
BRADFORD	66	39	59·4	47·4	2
SHEFFIELD	71	43	61·6	48·7	7
YORK (Museum)	72	44	61·9	50·0	2
HULL (Pearson Park)	72	45	62·9	48·9	3
TYNEMOUTH	67	44	58·4	48·9	8
CARDIFF	74	40	64·0	48·4	0
EDINBURGH	62·0	40·0	57·3	45·7	3
GLASGOW	65·4	42·8	58·8	48·5	9
DUBLIN:— Phœnix Park	66·7	31·7	61·9	46·8	3
†Fitzwilliam Square	65·6	42·6	62·3	50·7	4
BELFAST	62·0	46·8	60·9	49·9	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 5th June 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	30	..	29·844	69·4	50·1	19·3	58·2	+ 1·5	48·9	9·3	20·1	2·4	71	129·0	45·1	52·2	WSW., W. & WNW.	W. & WNW.	3·6	0·0	0·5	411	+162	0·13
MONDAY	31	..	30·071	67·0	47·9	19·1	57·1	− 0·0	44·0	13·1	19·8	1·7	62	134·1	41·8	52·5	W., NW. & N.	NW. & W.	3·3	0·0	0·3	308	+ 59	0·03
JUNE. TUESDAY	1	Full	30·167	74·2	51·2	23·0	60·8	+ 3·4	54·4	6·4	16·3	2·0	80	130·2	43·4	52·5	W. & NW.	W. & N.	1·3	0·0	0·1	202	− 47	0·00
WEDNESDAY	2	Greatest declination S.	30·107	78·7	51·1	27·6	65·4	+ 7·6	53·6	11·8	21·1	0·4	66	143·7	40·9	52·8	W. & N.	N. & NNE.	3·0	0·0	0·2	226	− 24	0·00
THURSDAY	3	Perigee	30·001	73·0	54·7	18·3	62·4	+ 4·3	50·5	11·9	21·4	5·7	65	132·0	54·3	52·8	N. & NNE.	NNE. & ENE.	1·5	0·0	0·1	199	− 53	0·00
FRIDAY	4	..	30·001	60·1	47·4	12·7	51·4	− 6·9	39·6	11·8	18·8	7·1	64	119·9	40·6	52·8	ENE. & NE.	NNE.	3·8	0·0	0·5	413	+159	0·01
SATURDAY	5	..	29·939	58·0	43·0	15·0	48·7	− 9·7	38·9	9·8	17·3	5·5	69	107·0	30·0	52·8	NNE.	NE. & ENE.	3·6	0·0	0·4	323	+ 65	0·00
MEANS		- - -	30·019	68·6	49·3	19·3	57·7	− 0·0	47·1	10·6	19·3	3·5	68	128·0	42·3	52·6	W. and NNE.		..	..	..	Sum 2082	Sum +321	Sum 0·17
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	30	v.P. generally, a little v.P. about 21h.	5·1	16·2	Cloudy generally; nearly overcast 7h. to 12h. and after 18h.; rain 13h. and between 20h. and 22h.; brisk wind 8h. to 17h.
MONDAY -	31	s.P. generally, a little v.P. and v.N. at night.	7·7	16·2	Nearly overcast till 3h., nearly cloudless 4h. to 8h., then very cloudy generally; overcast at times; slight rain from 20h.
JUNE. TUESDAY -	1	s.P. generally, v.P. at times.	4·6	16·2	Overcast with few exceptions till 15h. 30m., becoming nearly cloudless by 18h.
WEDNESDAY -	2	s.P. throughout	12·3	16·3	Nearly cloudless till 6h.; variably cloudy with nearly cloudless intervals till 20h. 30m., becoming nearly overcast by 21h.
THURSDAY -	3	s.P. generally, a little v.P. at times.	6·2	16·3	Overcast till 10h. 30m.; variably cloudy till 18h., becoming overcast by 18h. 30m.
FRIDAY - -	4	v.P. till 9h., s.P. generally afterwards.	4·1	16·3	Overcast generally till noon; very cloudy with fine intervals till 20h. 30m., then overcast generally; rain or damping till 3h.
SATURDAY -	5	s.P. generally	4·2	16·4	Nearly overcast till noon; very cloudy till 18h., becoming cloudless by 19h.
			Sum 44·2	Sum 113·9	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·74 in. at the beginning of the week to 30·19 in. by 11h. on June 1st; decreased to 29·93 in. by 20h. on June 3rd; increased to 30·01 in. by 21h. on June 4th, and decreased to 29·92 in. by midnight on June 5th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 29th May, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,010	3	–	24	3	14	17	17	95	166
Western										
PADDINGTON	35	–	–	1	–	1	1	–	6	6
KENSINGTON	34	–	–	–	–	–	–	3	2	9
HAMMERSMITH	37	–	–	–	–	–	1	2	3	6
FULHAM	26	1	–	–	–	–	1	–	5	3
CHELSEA	11	–	–	–	–	–	–	–	–	1
CITY OF WESTMINSTER	24	–	–	1	–	–	–	–	2	5
Northern.										
ST. MARYLEBONE	16	–	–	–	–	–	–	1	–	1
HAMPSTEAD	18	1	–	–	–	–	–	–	1	–
ST. PANCRAS	54	–	–	2	–	2	–	2	4	15
ISLINGTON	80	–	–	4	1	1	3	–	10	12
STOKE NEWINGTON	14	–	–	–	–	–	–	1	1	3
HACKNEY	45	–	–	1	–	1	2	1	3	10
Central.										
HOLBORN	7	–	–	–	–	–	–	–	–	1
FINSBURY	13	–	–	–	–	–	–	–	4	1
CITY OF LONDON	8	–	–	–	–	–	–	–	–	1
Eastern.										
SHOREDITCH	17	–	–	–	–	–	–	–	1	3
BETHNAL GREEN	32	1	–	1	–	–	1	–	3	5
STEPNEY	79	–	–	2	–	2	1	1	6	9
POPLAR	39	–	–	1	–	3	1	1	1	8
Southern.										
SOUTHWARK	58	–	–	1	–	1	–	2	5	10
BERMONDSEY	32	–	–	3	–	1	2	1	2	7
LAMBETH	60	–	–	1	–	1	1	–	7	10
BATTERSEA	44	–	–	2	1	–	1	–	2	7
WANDSWORTH	68	–	–	–	–	–	–	–	6	6
CAMBERWELL	59	–	–	2	1	–	1	1	6	7
DEPTFORD	22	–	–	–	–	–	–	–	2	6
GREENWICH	24	–	–	–	–	1	–	1	3	5
LEWISHAM	27	–	–	1	–	–	1	–	1	4
WOOLWICH	27	–	–	1	–	–	–	–	9	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 29th May, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	-	-	-	-	2	7	1	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	2	6	3	4	-	-	3	-	-	-	-
Hammersmith	130,981	-	1	-	-	2	7	2	1	-	-	-	-	-	-	-
Fulham	152,543	1	2	-	-	14	8	4	3	-	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	6	1	1	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	5	1	1	2	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	-	1	-	-	-	3	1	-	-	1	1	-	-	-	-
Hampstead	88,012	-	-	-	-	3	3	4	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	1	-	-	3	4	3	2	1	-	1	-	-	-	-
Islington	323,034	1	-	-	-	17	13	6	3	-	2	5	-	-	-	-
Stoke Newington	50,954	-	-	-	-	-	5	1	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	12	16	1	3	1	-	3	-	-	-	-
CENTRAL.																
Holborn	38,156	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-
Finsbury	75,291	-	-	-	-	6	5	1	1	-	-	1	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	1	-	-	8	2	3	1	-	-	1	-	-	-	-
Bethnal Green	110,085	-	-	-	1†	9	7	2	2	-	1	-	-	-	-	-
Stepney	232,506	1	-	-	-	16	17	6	-	1	1	-	-	-	1	-
Poplar	153,644	-	-	-	-	13	10	7	3	-	-	-	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	-	-	-	7	7	7	4	-	-	3	-	-	-	-
Bermondsey	124,239	-	1	-	-	6	4	-	1	-	-	1	-	-	-	-
Lambeth	282,322	-	-	-	-	23	19	8	2	1	1	6	-	-	-	-
Battersea	159,316	1	-	-	-	5	8	10	-	1	-	3	-	-	-	-
Wandsworth	333,693	-	1	-	-	22	12	7	5	-	1	1	-	-	-	-
Camberwell	273,802	-	-	-	-	14	13	1	1	-	-	1	-	-	-	-
Deptford	111,205	-	-	-	-	3	3	2	1	-	1	2	-	-	-	-
Greenwich	98,484	-	1	-	-	5	4	1	4	-	-	1	-	-	-	-
Lewisham	167,754	-	1	-	-	14	9	1	3	-	-	-	-	-	-	-
Woolwich	136,237	1	-	-	-	4	8	4	-	-	1	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	5	10	-	1	221	204	89	46	5	10	34	-	-	2	-
Ages 0-1		-	-	-	-	1	5	7	1	2	-	34	-	-	-	-
„ 1-5		-	-	-	1	37	55	12	-	-	-	-	-	-	-	-
„ 5-		1	1	-	-	91	88	10	3	1	-	-	-	-	-	-
„ 10-		-	-	-	-	53	20	1	-	-	-	-	-	-	1	-
„ 15-		1	-	-	-	13	9	5	1	2	-	-	-	-	-	-
„ 20-		-	-	-	-	8	11	6	2	-	5	-	-	-	-	-
„ 25-		3	8	-	-	8	11	11	8	-	4	-	-	-	1	-
„ 35-		-	1	-	-	9	3	10	7	-	1	-	-	-	-	-
„ 45-		-	-	-	-	1	2	15	7	-	-	-	-	-	-	-
„ 55-		-	-	-	-	-	-	5	5	-	-	-	-	-	-	-
„ 65-		-	-	-	-	-	-	5	8	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	2	4	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† Subsequently found not to be a case of smallpox.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 23. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JUNE 12.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
June 15*th*, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,701, and corresponded to an annual rate of 27·3 per 1,000. The deaths* among the civilian population only numbered 3,770, and corresponded to an annual rate of 11·0 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended May 22nd, May 29th, and June 5th the rates had been 13·2, 12·8, and 11·6 respectively. The infant mortality was 67, against 82, 101, and 63 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11225—3 Wt 167–840 625 6/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·4 in Sunderland, 16·7 in Dewsbury, 17·0 in Carlisle, 17·2 in Hastings, 17·4 in Blackburn, and 19·6 in Bootle ; from *measles*, 2·2 in Leicester, 2·8 in Walsall, and 3·6 in Swansea ; and from *influenza*, 2·3 in Sheffield, and 5·7 in Carlisle. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,452 BIRTHS, corresponding to a rate of 28·2 per 1,000, and 888 DEATHS of civilians, corresponding to a rate of 10·6, as against 12·0, 12·1, and 11·0 per 1,000 in the three weeks ended May 22nd, May 29th, and June 5th. The death-rate in the four weeks ended last Saturday averaged 11·4 per 1,000. The infant mortality was 50, against 68, 79 and 48, in the preceding three weeks.

There was 1 death from *enteric fever*, against 2, 3, and 2 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 25, 24, and 19 in the preceding three weeks, were 18 last week, and were 15 below the average ; 3 deaths belonged to the Borough of Southwark. The deaths from *scarlet fever*, which had been 3, 3, and 3 in the preceding three weeks, were again 3 last week, the average being 2. The deaths from *whooping-cough*, which had been 17, 14, and 13 in the preceding three weeks, fell last week to 10, and were 5 below the average ; 3 deaths belonged to Poplar. The deaths from *diphtheria*, which had been 15, 17, and 11 in the preceding three weeks, rose last week to 13, and were 4 above the average. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 19, 17, and 11 in the preceding three weeks, rose last week to 20, and were 7 above the average ; 5 deaths belonged to Islington. The deaths from *influenza* numbered 13, as against 31, 26, and 19 in the preceding three weeks, and an average of 6.

Different forms of violence caused 46 deaths, of which 45 were the subject of coroners' inquests. Of these 46 deaths, 12 were cases of suicide, and 3 of homicide, while the remaining 31 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 2 to burns or scalds, and 3 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 20 cases of enteric fever, 4 of smallpox, 54 of measles, 1,642 of scarlet fever, 20 of whooping-cough, and 1,722 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases ; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 1 case, against 3, 3, and 3; of small-pox, 3 cases, against 0, 0, 1; of measles, 14 cases, against 12, 17, and 19; of scarlet fever, 228 cases, against 242, 205, and 200; of whooping-cough, 0 case, against 5, 0, and 4; and of diphtheria, 197 cases, against 218, 191, and 186. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended June 5th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 12th June, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 22nd May, 1920.	29th May, 1920.	5th June, 1920.	12th June, 1920.	Week ended 12th June, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	13·2	12·8	11·6	11·0	9701	3770	646	1074	5	-	89	14	46	48	70	86	140	269	1230	28	96 GREAT TOWNS.
LONDON†	4,358,309	12·0	12·1	11·0	10·6	2452	888	122	275	1	-	18	3	10	13	20	13	46	89	431	1	LONDON.†
‡ CROYDON	184,239	9·9	11·9	12·2	9·3	89	33	4	12	-	-	1	-	-	-	1	2	-	1	12	-	‡ CROYDON.
‡ WIMBLEDON	59,791	14·8	7·8	8·7	9·6	23	11	1	5	-	-	1	-	-	-	-	1	-	1	4	-	‡ WIMBLEDON.
‡ EALING	73,212	12·8	7·1	8·5	5·0	35	7	1	2	-	-	1	1	-	-	-	-	-	-	2	-	‡ EALING.
‡ ACTON	61,732	9·3	11·0	1·7	8·4	40	10	-	5	-	-	-	-	-	-	-	-	-	1	3	-	‡ ACTON.
‡ WILLESDEN	160,917	10·4	9·4	9·4	7·1	63	22	-	5	-	-	1	1	-	1	-	-	2	2	12	-	‡ WILLESDEN.
‡ HORNSEY	94,348	6·6	3·3	8·3	7·7	32	14	1	5	-	-	-	-	-	-	-	-	1	2	6	-	‡ HORNSEY.
‡ TOTTENHAM	141,338	8·1	10·7	5·9	5·2	80	14	1	1	-	-	-	-	-	2	-	-	-	2	9	-	‡ TOTTENHAM.
‡ EDMONTON	70,711	9·6	8·1	6·6	5·2	50	7	1	1	-	-	-	1	-	-	-	-	1	1	5	-	‡ EDMONTON.
‡ ENFIELD	58,442	4·5	5·4	6·2	11·6	21	13	2	6	-	-	-	-	-	-	1	-	-	-	3	-	‡ ENFIELD.
‡ WEST HAM	287,966	10·9	10·9	12·1	8·1	190	45	6	5	-	-	3	-	1	3	2	1	5	5	13	-	‡ WEST HAM.
‡ EAST HAM	144,451	7·2	10·8	9·0	10·1	76	28	6	9	-	-	2	-	-	-	-	-	-	2	5	-	‡ EAST HAM.
‡ LEYTON	123,896	9·7	9·3	5·5	7·2	70	17	4	4	-	-	-	-	-	-	-	-	1	2	10	-	‡ LEYTON.
‡ WALTHAMSTOW	127,684	6·5	9·0	9·0	6·9	66	17	3	3	-	-	-	-	-	-	-	-	-	-	7	1	‡ WALTHAMSTOW.
‡ ILFORD	79,524	5·9	6·6	12·5	7·9	39	12	2	3	-	-	-	-	1	1	-	-	-	1	4	-	‡ ILFORD.
GILLINGHAM	43,501	7·2	9·6	13·2	8·4	27	7	1	2	-	-	-	-	-	-	-	-	-	1	1	-	GILLINGHAM.
HASTINGS	57,674	19·0	12·7	11·8	17·2	17	19	3	7	-	-	-	-	-	-	2	1	-	-	10	-	HASTINGS.
EASTBOURNE	48,424	4·3	9·7	4·3	12·9	27	12	1	5	-	-	-	-	-	-	-	1	1	2	4	-	EASTBOURNE.
BRIGHTON	132,409	8·7	9·1	9·5	11·8	51	30	5	15	-	-	1	-	-	-	-	-	-	1	12	-	BRIGHTON.
PORTSMOUTH	224,846	9·3	8·6	10·4	8·8	114	38	7	10	-	-	-	-	-	1	1	-	1	3	13	1	PORTSMOUTH.
BOURNEMOUTH	82,627	10·7	10·1	11·4	10·7	26	17	3	9	-	-	-	-	-	-	1	-	1	3	5	-	BOURNEMOUTH
SOUTHAMPTON	126,033	9·9	16·1	12·8	12·0	58	29	4	12	-	-	1	-	1	1	1	1	-	1	10	-	SOUTHAMPTON.
READING	91,365	7·4	9·7	9·1	13·7	44	24	4	10	-	-	-	-	-	-	-	-	1	1	6	-	READING.
OXFORD	57,666	5·4	9·0	10·9	7·2	14	8	-	5	-	-	-	-	-	-	-	-	-	-	1	-	OXFORD.
NORTHAMPTON	88,944	10·6	11·7	10·6	11·7	48	20	6	4	-	-	-	-	-	-	1	1	-	-	4	-	NORTHAMPTON.
CAMBRIDGE	57,849	7·2	11·7	9·0	9·0	23	10	1	4	-	-	-	-	-	-	-	-	-	1	1	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—90 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 12th June 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 22nd May, 1920.	29th May, 1920.	5th June, 1920.	12th June, 1920.	Week ended 12th June 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	6·8	11·2	10·5	12·4	38	20	1	6	–	–	–	–	–	1	–	–	–	1	4	–	Southend on Sea.
Ipswich	78,011	8·0	10·7	10·7	9·4	33	14	1	6	–	–	–	–	–	–	–	–	–	1	2	–	Ipswich.
Great Yarmouth	53,078	13·8	9·8	6·9	7·9	28	8	1	2	–	–	–	–	–	–	–	1	–	–	5	–	Great Yarmouth.
Norwich	119,993	12·2	13·5	8·3	10·4	57	24	4	10	–	–	1	–	–	–	–	1	–	–	8	–	Norwich.
Swindon	51,527	9·1	10·1	8·1	11·1	21	11	1	3	–	–	1	–	–	–	–	–	–	–	–	–	Swindon.
Exeter	59,014	12·4	9·7	8·0	13·3	42	15	4	5	–	–	–	–	–	–	1	–	1	1	2	–	Exeter.
Plymouth	181,967	15·5	16·9	14·6	13·8	117	48	2	19	1	–	2	–	1	1	–	–	1	1	11	–	Plymouth.
Bath	65,919	5·5	8·7	11·1	9·5	21	12	–	6	–	–	–	–	–	–	–	1	–	–	1	–	Bath.
Bristol	361,247	11·1	11·8	10·8	10·7	182	74	17	20	–	–	2	–	–	2	1	2	5	11	16	–	Bristol.
Gloucester	50,100	13·5	11·4	17·7	11·4	28	11	3	2	–	–	–	–	–	–	–	–	1	1	1	–	Gloucester.
Stoke on Trent	239,316	13·1	12·9	14·6	11·8	144	54	12	7	–	–	–	–	–	1	2	1	2	6	11	–	Stoke on Trent.
Wolverhampton	98,403	18·5	11·1	11·1	9·0	63	17	5	1	–	–	2	–	–	1	–	–	–	–	6	–	Wolverhampton.
Walsall	92,724	14·6	14·6	13·5	12·4	47	22	4	4	–	–	5	–	–	1	1	–	–	3	2	–	Walsall.
West Bromwich	69,899	14·9	9·7	14·2	9·0	49	12	3	3	–	–	2	–	1	–	1	–	–	–	1	–	West Bromwich.
Dudley	54,017	9·7	13·5	11·6	12·5	31	13	1	4	–	–	–	–	–	–	–	–	–	–	3	–	Dudley.
Birmingham	861,585	13·7	12·0	9·4	9·9	499	164	33	42	–	–	2	–	3	3	3	1	8	8	52	8	Birmingham.
Smethwick	72,152	7·2	10·8	10·1	7·9	33	11	3	–	–	–	–	–	–	1	–	–	–	–	7	–	Smethwick.
Coventry	132,048	9·1	7·9	9·1	7·5	54	19	4	7	–	–	–	–	1	1	–	–	–	–	5	–	Coventry.
Leicester	236,059	15·9	11·7	9·1	11·9	100	54	14	13	–	–	10	–	1	–	1	–	1	3	10	–	Leicester.
Lincoln	60,581	17·2	10·3	14·6	9·5	29	11	1	6	–	–	–	–	1	–	–	–	–	–	2	–	Lincoln.
Grimsby	78,813	13·9	9·9	13·2	7·9	50	12	2	3	–	–	–	–	–	–	–	–	1	2	2	–	Grimsby.
Nottingham	257,573	14·0	13·2	10·3	9·7	139	48	13	11	–	–	–	–	1	2	1	–	2	3	12	–	Nottingham.
Derby	123,930	9·7	8·4	6·3	8·4	62	20	5	7	–	–	–	–	–	–	1	–	–	1	6	–	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 12th June, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 22nd May, 1920.	29th May, 1920.	5th June, 1920.	12th June, 1920.	Week ended 12th June, 1920 Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	12·9	11·6	13·3	10·0	55	24	1	8	1	–	–	–	–	–	–	2	–	–	4	–	STOCKPORT.
BIRKENHEAD	148,052	15·8	13·4	10·2	9·2	88	26	6	7	–	–	–	–	–	–	–	–	2	3	7	–	BIRKENHEAD.
WALLASEY	95,424	11·5	7·7	7·1	6·0	36	11	1	5	–	–	–	–	–	–	–	–	–	1	–	–	WALLASEY.
LIVERPOOL	772,665	14·6	14·0	14·2	14·2	463	211	53	55	–	–	2	1	5	4	7	–	5	16	85	2	LIVERPOOL.
BOOTLE	76,962	17·6	15·6	11·5	19·6	41	29	4	9	–	–	–	–	1	2	–	–	–	–	1	–	BOOTLE.
ST. HELENS	100,805	15·0	13·4	14·0	12·4	62	24	4	5	–	–	–	–	–	1	–	2	1	1	7	1	ST. HELENS.
SOUTHPORT	70,144	13·4	14·1	10·4	13·4	21	18	2	7	–	–	–	–	1	–	–	–	1	1		1	SOUTHPORT.
WIGAN	87,384	13·7	17·9	11·9	8·4	46	14	3	3	–	–	1	–	–	–	–	–	–	–	2	–	WIGAN.
WARRINGTON	74,952	10·4	9·7	9·0	11·8	48	17	2	2	–	–	–	–	–	–	–	2	–	–	8	2	WARRINGTON.
BOLTON	177,462	17·3	13·5	15·3	15·0	100	51	6	18	–	–	–	–	1	–	–	4	–	1	8	–	BOLTON.
BURY	54,248	13·5	19·2	10·6	15·4	31	16	–	7	–	–	–	–	–	–	–	–	–	–	6	–	BURY.
MANCHESTER	741,068	15·3	13·4	13·9	12·5	419	177	35	56	–	–	5	–	2	–	2	–	6	7	52	2	MANCHESTER.
SALFORD	226,225	13·4	12·9	9·9	11·5	128	50	13	9	1	–	–	–	–	1	5	–	3	6	13	–	SALFORD.
OLDHAM	137,668	11·7	15·2	14·4	12·9	77	34	4	8	–	–	–	2	–	–	1	–	3	3	13	–	OLDHAM.
ROCHDALE	90,051	15·6	11·0	15·6	8·7	37	15	1	3	–	–	–	–	–	–	–	2	1	1	4	–	ROCHDALE.
BURNLEY	101,005	18·1	16·5	9·3	16·0	53	31	4	9	–	–	–	1	–	–	–	–	2	2	5	–	BURNLEY.
BLACKBURN	125,992	20·3	14·9	16·6	17·4	58	42	13	13	–	–	2	–	–	–	1	1	3	6	10	1	BLACKBURN.
PRESTON	117,277	16·9	17·8	10·2	9·3	62	21	2	5	–	–	–	–	–	–	–	1	–	–	6	–	PRESTON.
BLACKPOOL	67,842	16·1	10·8	10·8	11·5	15	15	1	8	–	–	–	–	–	–	–	–	1	1	5	–	BLACKPOOL.
BARROW IN FURNESS	73,627	14·2	17·0	20·5	13·5	41	19	6	6	–	–	–	–	2	–	–	1	–	–	3	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	18·1	16·3	9·8	9·3	54	20	1	6	–	–	–	–	–	–	–	1	–	–	7	–	HUDDERSFIELD.
HALIFAX	101,791	19·0	13·8	10·8	10·8	31	21	3	10	–	–	–	–	–	–	–	–	1	2	5	–	HALIFAX.
BRADFORD	282,714	18·1	14·8	14·4	11·8	108	64	8	24	–	–	–	1	1	–	1	1	3	5	21	–	BRADFORD.
LEEDS	431,999	15·2	13·8	12·3	10·6	221	88	16	26	–	–	–	1	1	–	1	2	3	8	29	–	LEEDS.
DEWSBURY	52,969	10·8	15·8	12·8	16·7	26	17	1	6	–	–	–	–	–	–	–	1	–	–	3	–	DEWSBURY.
WAKEFIELD	49,208	12·7	7·4	10·6	11·7	29	11	1	3	1	–	1	–	–	–	–	–	–	2	4	–	WAKEFIELD.
BARNSLEY	51,680	11·1	16·1	7·1	7·1	29	7	1	2	–	–	–	–	–	–	–	–	1	1	–	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 22nd May, 1920.	29th May, 1920.	5th June, 1920.	12th June, 1920.	Week ended 12th June, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	23·7	26·5	17·7	15·5	261	141	30	23	–	–	4	–	2	–	1	21	2	5	45	–	Sheffield.
Rotherham	69,034	11·3	12·1	7·6	12·8	31	17	2	3	–	–	–	–	–	–	–	–	1	2	3	–	Rotherham.
York	74,531	14·0	10·5	10·5	9·8	51	14	3	3	–	–	–	–	–	–	–	–	–	–	5	–	York.
Hull	279,664	11·7	9·5	10·8	8·9	188	48	10	13	–	–	–	1	1	–	–	2	2	3	16	1	Hull.
Middlesbrough	127,142	15·2	19·3	10·3	13·9	99	34	8	9	–	–	–	–	–	1	–	–	2	3	8	–	Middlesbrough.
Darlington	64,058	14·7	9·0	14·7	12·2	40	15	1	4	–	–	–	1	1	–	–	–	–	–	7	1	Darlington.
Stockton on Tees	60,696	15·5	12·9	13·7	15·5	44	18	3	3	–	–	1	–	–	1	1	–	–	–	2	2	Stockton on Tees.
West Hartlepool	65,515	13·5	25·5	20·7	10·3	47	13	4	5	–	–	–	–	–	–	1	–	1	1	1	–	West Hartlepool.
Sunderland	149,263	17·5	19·2	14·0	16·4	119	47	13	13	–	–	2	–	1	–	–	1	–	1	7	–	Sunderland.
South Shields	111,502	19·6	16·4	14·0	13·6	77	29	8	8	–	–	–	–	–	–	1	–	1	1	3	2	South Shields.
Gateshead	123,392	17·3	13·9	11·4	9·7	80	23	5	4	–	–	–	–	1	–	–	–	–	–	3	1	Gateshead.
Newcastle on Tyne.	275,099	13·1	13·6	14·2	12·1	168	64	13	10	–	–	–	–	2	1	3	–	3	5	14	–	Newcastle on Tyne.
Tynemouth	58,007	25·2	17·1	10·8	15·3	40	17	4	4	–	–	–	–	–	1	–	–	–	–	3	1	Tynemouth.
Carlisle	55,198	14·2	18·9	18·9	17·0	24	18	1	3	–	–	–	–	–	–	–	6	1	2	1	–	Carlisle.
Newport (Mon.)	87,251	11·4	16·1	11·4	8·4	59	14	3	6	–	–	–	–	–	–	–	–	2	4	3	–	Newport (Mon.).
Cardiff	204,436	9·7	11·2	11·2	9·4	118	37	6	8	–	–	2	–	–	–	–	–	2	5	8	–	Cardiff.
Rhondda	177,911	15·2	16·4	14·1	9·7	83	33	6	9	–	–	2	–	1	–	1	3	1	1	4	–	Rhondda.
Merthyr Tydfil	71,638	8·0	13·1	16·7	8·0	38	11	–	3	–	–	–	–	–	–	1	–	2	2	4	–	Merthyr Tydfil.
Aberdare	51,384	16·2	12·2	13·2	11·2	30	11	3	4	–	–	–	–	–	–	–	1	–	–	3	–	Aberdare.
Swansea	160,810	15·6	14·3	12·3	15·2	83	47	8	8	–	–	11	–	1	–	1	4	2	3	6	–	Swansea.
Greater London	7,258,623	10·9	11·0	10·0	9·6	3910	1334	174	413	1	–	28	6	12	21	25	17	61	121	593	2	Greater London.
Outer Ring	2,900,314	9·1	9·4	8·5	8·0	1458	446	52	138	–	–	10	3	2	8	5	4	15	32	162	1	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	9·2	9·3	9·0	7·8	874	250	32	66	–	–	9	3	2	7	4	4	10	20	95	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	9·0	9·4	7·8	8·3	584	196	20	72	–	–	1	–	–	1	1	–	5	12	67	–	Remainder of Outer Ring.
Edinburgh†	342,300	11·6	14·1	14·2	11·5	137	75	12	26	–	–	–	–	1	–	1	–	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	17·6	14·8	13·5	13·6	682	291	69	62	1	7	8	2	2	3	7	2	14	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	21·5	19·1	18·7	16·2	260	129	27	32	1	–	5	1	10	1	4	–	2	3	51	9	Dublin (Registration Area).†
Belfast†	413,000	15·7	15·4	14·6	13·8	302	109	32	22	–	–	–	1	4	–	1	1	1	1	37	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWENTY-THIRD Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2243	2051	2016	2144	2380	1958	2080	1782	1473	1399	2452
Males	1133	1052	1030	1109	1187	1014	1040	896	769	756	1261
Females	1110	999	986	1035	1193	944	1040	886	704	643	1191
Deaths (of residents only).	919	1001	959	1004	1108	1103	967*	986*	862*	807*	888*
Males		529	520	531	603	589	518	520	455	417	440
Females		472	439	473	505	514	449	466	407	390	448

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.
Births (as registered)	2672	2520	2078	2471	2650	2665	2518	2552	2648	2369	2096	2558	2452
Deaths (of residents only).	1484	1609	1365	1471	1342	1185	1147	1084	1046	1005	1010	920	888
Ages at Death: Under 1 year	244	233	208	196	207	195	158	155	158	161	166	123	122
1–2 years	84	101	73	99	75	42	55	50	45	46	28	37	23
2–5 "	64	59	61	56	78	39	40	47	26	35	35	21	35
5–10 "	44	46	35	39	29	24	34	30	20	23	23	23	26
10–15 "	19	26	26	22	20	14	14	17	13	19	20	18	22
15–20 "	29	34	32	40	34	29	28	24	20	11	20	19	20
20–25 "	37	44	39	42	27	37	31	32	19	18	23	23	22
25–35 "	85	109	107	105	86	60	55	58	61	51	58	46	51
35–45 "	106	131	94	105	97	78	91	72	76	67	86	70	65
45–55 "	145	154	141	158	139	127	126	106	120	126	129	98	94
55–65 "	187	210	180	175	166	151	149	139	150	149	121	142	133
65–75 "	215	237	182	230	191	192	170	185	178	155	151	161	136
75 years and upwards	225	225	187	204	193	197	196	169	160	144	150	139	139
Deaths from—													
Enteric fever	–	–	–	4	1	1	3	–	2	2	3	2	1
Small-pox	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	70	69	48	62	76	40	45	41	25	25	24	19	18
Scarlet fever	5	3	2	6	4	4	4	4	1	3	3	3	3
Whooping cough	37	35	34	31	42	29	23	19	35	17	14	13	10
Diphtheria	29	27	28	22	20	12	15	24	11	15	17	11	13
Diarrhœa and enteritis (under 2 years).	14	23	12	18	17	15	12	15	14	19	17	11	20
Pulmonary tuberculosis	100	124	97	114	97	91	106	87	98	79	95	86	67
Influenza	91	131	124	105	101	59	45	31	32	31	26	19	13
Pneumonia (all forms)	183	229	175	194	140	113	96	95	82	88	59	66	62
Bronchitis	156	185	142	123	103	95	79	79	63	59	58	43	56
Other dis. of resp. system	24	32	20	26	15	16	14	18	14	16	14	6	16
Dis. of circ. system	184	213	159	191	168	174	189	138	203	154	158	156	139
Violence	42	44	33	49	36	44	42	40	32	52	41	44	46
Inquest cases	96	114	72	114	103	93	83	77	94	95	68	88	89
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	42	37	40	37	35	30	29	32	29	21	20	23	20
Small-pox	8	14	20	26	24	23	12	11	6	1	–	1	4
Measles	90	85	88	85	66	66	66	72	70	56	52	55	54
Scarlet fever	2158	2101	2023	2012	1904	1845	1831	1794	1757	1734	1703	1635	1642
Whooping cough	16	17	19	19	22	22	20	19	20	25	22	24	20
Diphtheria	2066	2043	1983	1994	1958	1965	1951	1947	1916	1894	1797	1746	1722

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.
Deaths from Influenza	312	392	380	332	306	259	202	201	216	211	188	148	86

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-THIRD Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 23rd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	807	888	122	23	35	26	22	20	22	51	65	94	133	136	139
Enteric fever	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	18	2	5	9	1	–	–	–	–	–	–	–	1	–
Scarlet fever	1	3	–	1	1	1	–	–	–	–	–	–	–	–	–
Whooping cough	–	10	7	1	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	7	13	–	1	6	3	2	1	–	–	–	–	–	–	–
Croup	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	12	13	–	–	–	–	1	1	1	3	–	3	2	–	2
Erysipelas	3	4	1	–	–	–	–	–	1	–	–	–	–	–	2
Other epidemic diseases	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Pyæmia and septicæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	89	67	1	–	1	2	3	4	8	10	12	15	8	2	1
Tuberculous meningitis	15	9	–	–	5	2	2	–	–	–	–	–	–	–	–
Abdominal tuberculosis	5	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Tuberculosis of the spine	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of the joints	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Disseminated tuberculosis	2	4	1	–	–	–	–	1	1	1	–	–	–	–	–
Venereal diseases	5	5	2	–	–	–	–	–	–	1	1	–	–	1	–
Cancer	100	103	–	–	–	–	–	–	–	5	9	18	28	33	10
Tumour, situation undefined	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–
Rheumatic fever	2	3	–	–	–	1	1	1	–	–	–	–	–	–	–
Diabetes	6	6	–	–	–	–	1	–	–	1	–	–	3	1	–
Anæmia, leucocythaemia	2	3	–	–	–	–	–	–	–	–	1	–	1	1	–
Other general diseases	9	8	3	–	–	–	–	–	–	–	1	1	1	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	12	4	2	–	–	–	–	1	–	–	–	1	–	–	–
Cerebral hæmorrhage, Apoplexy	32	39	–	–	–	–	–	–	–	–	–	8	10	10	11
Softening of brain	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Epilepsy	5	4	–	–	–	1	–	–	–	1	–	1	–	1	–
"Convulsions" (not puerperal)	3	9	8	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	14	15	–	–	–	–	–	2	–	1	1	6	2	2	1
Pericarditis	3	3	–	–	–	1	–	–	1	–	–	–	1	–	–
Acute endocarditis	6	6	–	–	–	–	–	–	1	3	1	1	–	–	–
Organic disease of heart	97	98	–	–	–	1	3	2	1	3	2	11	24	23	28
Embolism and thrombosis (including cerebral).	6	6	1	–	–	–	–	–	–	–	–	–	2	1	2
Other diseases of circulatory system.	28	26	1	–	–	–	–	–	–	–	1	1	5	7	11
Diseases of the larynx	–	3	–	–	1	–	–	–	–	1	–	–	1	–	–
Bronchitis	27	56	4	2	1	1	–	–	–	–	2	5	12	8	21
Broncho-pneumonia	19	26	10	5	1	–	–	–	–	–	–	1	2	4	3
Lobar pneumonia	16	19	–	1	–	1	1	2	–	1	1	4	5	2	1
Pneumonia (type not distinguished)	15	17	–	2	–	–	–	1	–	2	6	2	1	2	1
Pleurisy	2	4	–	–	–	–	–	–	–	1	1	–	2	–	–
Pulmonary congestion, Pulmonary apoplexy.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2
Other diseases of respiratory system.	3	7	–	–	–	–	1	–	–	–	1	–	3	1	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-THIRD Week of the Year 1920.

Causes of Death.	Deaths in the 23rd week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Diseases of stomach	9	10	2	–	–	–	–	–	–	1	2	1	2	–	2
Diarrhœa and enteritis	14	27	18	2	–	–	1	–	1	2	1	–	1	–	1
Appendicitis and typhlitis	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia and Intestinal obstruction.	7	5	–	–	1	1	–	–	–	–	1	1	–	–	1
Cirrhosis of liver	2	6	–	–	–	–	–	–	–	–	–	1	1	4	–
Other diseases of liver	5	3	–	–	–	–	–	–	–	–	–	–	1	1	1
Peritonitis (cause unknown)	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	2	4	–	–	–	–	–	–	–	1	–	1	1	–	1
Acute nephritis	2	4	–	–	2	–	2	–	–	–	–	–	–	–	–
Chronic Bright's disease	21	23	–	–	–	1	–	–	1	2	3	2	3	10	1
Urinary calculi	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian tumour („)	1	3	–	–	–	–	–	–	–	–	2	1	–	–	–
Other diseases of genito-urinary system.	13	10	–	–	–	–	–	1	–	2	1	1	1	3	1
Puerperal fever, &c.	1	3	–	–	–	–	–	–	2	1	–	–	–	–	–
Other causes incident to childbirth.	3	9	–	–	–	–	–	–	4	2	2	1	–	–	–
Diseases of skin and cellular tissues.	9	2	–	–	–	–	–	–	–	1	–	–	–	–	1
Diseases of locomotor system	1	5	–	1	1	1	1	–	–	–	–	–	–	–	1
Congenital malformations	5	9	7	1	1	–	–	–	–	–	–	–	–	–	–
Premature birth	31	29	29	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	13	11	11	–	–	–	–	–	–	–	–	–	–	–	–
Old age	39	33	–	–	–	–	–	–	–	–	–	–	–	7	26
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	2	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	3	3	–	–	–	–	1	–	–	–	1	–	1	–	–
Suffocation in bed	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	23	26	2	–	–	5	–	1	–	3	3	3	2	3	4
Total deaths from accident	29	31	2	–	2	5	1	1	–	3	4	3	3	3	4
Included in above are deaths in connection with:—															
Railways	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Vehicles and horses	14	7	–	–	–	4	–	–	–	1	–	1	1	–	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	2	3	1	–	–	–	–	–	–	–	1	–	–	1	–
Suicide	5	12	–	–	–	–	–	–	–	1	1	1	5	3	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	9	16	9	–	–	–	1	2	–	1	3	–	–	–	–
Ill-defined Causes	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	June 12	2,452	888	10·6	1	–	18	3	10	14	20	13
CALCUTTA	896,067	May 8	–	590§	34·2	?	44	?	?	?	?	?	11
BOMBAY	979,445	„ 8	329	820§	43·5	5	11	4	–	–	–	28	28
MADRAS	518,660	„ 1	332	327	32·8	3	4	1	?	6	–	31	6
PARIS	2,847,229	(10 days) Apr. 30	–	–	–	–	–	–	–	–	–	–	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	327,653	May 29	149	73	11·7	–	–	1	–	1	2	2	1
AMSTERDAM	650,301	„ 29	334	106	8·5	2	–	–	–	–	1	–	3
COPENHAGEN	552,000	„ 29	300	125	11·8	–	–	–	–	–	–	–	1
STOCKHOLM	415,201	„ 22	172	87	10·9	–	–	1	1	1	–	–	1
GOTHENBURG	200,578	„ 22	–	41	10·6	–	–	–	–	–	–	–	–
CHRISTIANIA	258,615	„ 29	120	53	10·7	–	–	–	–	–	–	1	–
BERLIN	1,924,185	„ 22	647	426	11·5	–	?	4	1	2	1	30	3
BRESLAU	493,393	„ 22	262	151	15·9	1	?	1	2	2	1	7	1
COLOGNE	631,005	„ 22	326	198	16·3	–	?	–	–	4	1	8	?
DRESDEN	534,880	„ 22	230	123	12·0	–	?	–	1	3	–	5	?
FRANKFORT-ON-MAIN.	470,124	„ 22	147	64	7·1	–	?	–	1	2	–	–	?
HAMBURG	1,050,300	„ 22	441	229	11·3	–	?	1	–	2	2	11	?
LEIPZIG	676,289	„ 22	253	165	12·7	–	?	–	–	2	1	8	?
MUNICH	670,000	„ 22	–	–	–	–	–	–	–	–	–	–	–
VIENNA	1,838,708	„ 29	722	667	18·8	2	–	1	1	1	1	20	6
PRAGUE	524,496	„ 8	172	233	23·2	–	3	1	–	–	1	3	3
BUDAPEST	1,071,492	Apr. 24	472	471	22·9	–	1	–	2	2	1	24	5
TRIESTE	233,064	May 29	113	61	13·7	–	–	–	–	–	–	2	–
CAIRO	761,300	Mar. 25	723	414	28·3	1	–	6	–	?	2	18	?
ALEXANDRIA	445,700	„ 25	342	222	25·9	2	10	–	–	?	1	14	?
NEW YORK	6,141,445	May 15	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,596,681	„ 1	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 2 deaths from *plague* in Calcutta and 11 in Bombay, and from *Asiatic cholera* 76 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 12th June, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
LONDON (Greenwich)	76	36	65·9	43·7	19
BRIGHTON	67	40	62·1	46·7	21
PORTSMOUTH	64	45	61·3	50·3	26
NORWICH (Eaton)	77	35	63·1	43·9	2
PLYMOUTH	64	44	62·7	49·9	8
BRISTOL (Clifton)	68	43	65·6	48·3	29
BIRMINGHAM	66	41	62·1	45·3	38
NOTTINGHAM	75	37	62·7	41·6	6
BIRKENHEAD (Bidston)	69	43	64·4	46·9	34
MANCHESTER (Whitworth Park)	72	39	64·1	45·1	8
BURNLEY	72	33	61·9	42·3	7
HUDDERSFIELD	71	37	61·3	42·6	16
BRADFORD	70	38	60·1	42·9	5
SHEFFIELD	71	38	60·7	43·6	16
YORK (Museum)	73	37	61·9	43·0	0
HULL (Pearson Park)	70	36	58·9	42·0	0
TYNEMOUTH	57	41	54·1	44·6	0·3
CARDIFF	67	42	63·3	46·6	20
EDINBURGH	61·0	39·0	57·1	42·4	0
GLASGOW	68·8	43·8	63·0	45·7	1
DUBLIN:— Phœnix Park	64·1	36·1	62·0	41·5	21
†Fitzwilliam Square	66·3	46·2	62·4	49·0	20
BELFAST	65·0	40·0	61·3	45·8	12

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 12th June 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 6	..	29·878	63·0	40·2	22·8	50·1	− 8·2	39·4	10·7	21·6	1·8	67	133·2	29·0	53·0	NNE.	NNE. & NE.	2·0	0·0	0·1	172	− 87	0·00
MONDAY - - 7	..	29·867	65·0	36·5	28·5	50·8	− 7·4	40·0	10·8	23·5	1·5	67	136·0	26·8	53·0	Calm & NNE.	NE. & SE.	1·6	0·0	0·1	162	− 97	0·00
TUESDAY - - 8	..	29·892	63·6	39·9	23·7	51·7	− 6·4	39·5	12·2	20·1	2·1	63	141·5	25·0	52·9	Calm & E.	ESE. & SE.	2·0	0·0	0·1	182	− 75	0·00
WEDNESDAY - 9	Last Quarter. In Equator.	29·846	64·2	38·2	26·0	52·4	− 5·6	42·6	9·8	19·9	2·4	69	139·2	26·0	53·0	E. & ESE.	ESE. & E.	3·3	0·0	0·3	282	+ 27	0·00
THURSDAY - - 10	..	29·758	59·9	46·1	13·8	52·0	− 6·1	49·8	2·2	7·8	1·0	92	99·2	39·0	52·7	E. & ESE.	ESE.	2·2	0·0	0·2	235	− 17	0·07
FRIDAY - - 11	..	29·642	69·4	50·9	18·5	58·5	+ 0·3	55·8	2·7	12·8	0·0	91	127·6	44·0	52·7	ESE., SE. & S.	S.	1·5	0·0	0·1	167	− 83	0·02
SATURDAY - - 12	..	29·599	75·7	52·6	23·1	63·6	+ 5·2	55·9	7·7	17·1	0·0	76	143·2	43·4	52·9	Calm & SE.	SE. & SW.	4·8	0·0	0·2	157	− 91	0·64
MEANS - - -	- - -	29·783	65·8	43·5	22·3	54·2	− 4·0	46·1	8·0	17·5	1·3	75	131·4	33·3	52·9	ESE.		..	..	..	Sum 1357	Sum −423	Sum 0·73
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. June, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	6	v.P. throughout	6·0	16·4	Few clouds till 3h., cloudy till 7h. 30m.; few clouds till 12h. 30m.; nearly overcast generally till 20h. 30m., then nearly cloudless.
MONDAY -	7	v.P. throughout	10·4	16·4	Nearly cloudless till 4h., then partially cloudy generally; nearly overcast occasionally.
TUESDAY -	8	v.P. throughout	13·6	16·4	Very cloudy generally till 4h., then fine with little cloud generally; cloudless from 17h.
WEDNESDAY -	9	v.P. throughout	13·7	16·4	Nearly cloudless generally, with cloudy interval 8h. to 10h.
THURSDAY -	10	w.P. generally, m.P. at times.	2·7	16·4	Overcast or nearly overcast generally till 15h.; variably cloudy afterwards; nearly cloudless 18h. to 21h.; rain between 9h. and 13h. 30m.
FRIDAY - -	11	v.P. generally, a little v.N.	3·7	16·5	Becoming cloudless by 1h., clouding from 3h. to overcast by 4h., clearing slowly from 14h. 30m.; partially cloudy 16h. to 20h., then nearly overcast generally; frequent slight rain 7h. to 15h. and before 21h.
SATURDAY -	12	v.P. generally, v.P. and v.N. between 13h. and 21h.	3·7	16·5	Overcast generally with cloudy intervals; thunderstorms with heavy rain 15h. 30m. to 16h. 30m.; hail 17h.; rain till 20h. 30m.
			Sum 53·8	Sum 115·0	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·92 in. at the beginning of the week to 29·55 in. by 15h. on 12th., and increased to 29·61 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 5th June, 1920.

BOROUGHS.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	920	2	-	19	3	13	11	11	86	123
Western										
PADDINGTON	33	-	-	3	-	1	-	1	-	4
KENSINGTON	31	-	-	-	-	-	-	1	4	5
HAMMERSMITH	35	-	-	-	-	1	-	1	5	4
FULHAM	34	-	-	-	-	-	-	-	3	3
CHELSEA	7	-	-	-	-	-	-	-	-	-
CITY OF WESTMINSTER	33	-	-	1	1	-	-	1	2	8
Northern.										
ST. MARYLEBONE	19	-	-	-	-	1	-	-	-	3
HAMPSTEAD	17	-	-	-	-	1	-	-	-	1
ST. PANCRAS	39	-	-	-	1	-	1	-	5	8
ISLINGTON	67	-	-	2	-	1	2	-	6	6
STOKE NEWINGTON	5	-	-	-	-	-	-	-	1	-
HACKNEY	45	-	-	-	-	-	-	-	5	3
Central.										
HOLBORN	9	-	-	-	-	-	-	-	2	-
FINSBURY	10	-	-	-	-	-	1	-	-	1
CITY OF LONDON	2	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	25	-	-	-	-	-	1	1	3	2
BETHNAL GREEN	25	-	-	1	-	-	-	-	2	3
STEPNEY	59	1	-	1	-	1	1	2	5	6
POPLAR	32	-	-	-	-	2	-	1	7	5
Southern.										
SOUTHWARK	48	-	-	3	-	-	1	-	7	10
BERMONDSEY	23	-	-	3	-	-	1	-	-	4
LAMBETH	59	-	-	-	-	-	1	2	6	6
BATTERSEA	41	-	-	3	-	1	-	-	2	7
WANDSWORTH	64	-	-	-	1	-	1	-	6	10
CAMBERWELL	65	1	-	2	-	4	1	-	3	11
DEPTFORD	27	-	-	-	-	-	-	1	4	5
GREENWICH	22	-	-	-	-	-	-	-	4	4
LEWISHAM	29	-	-	-	-	-	-	-	2	4
WOOLWICH	15	-	-	-	-	-	-	-	2	-

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 5th June, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	-	-	-	-	2	7	1	2	-	-	-	-	-	1	-
Kensington	157,886	1	1	-	-	3	2	2	1	-	-	2	-	-	-	-
Hammersmith	130,981	1	1	-	-	4	6	3	1	-	-	-	-	-	-	-
Fulham	152,543	1	1	-	-	5	3	4	-	-	-	2	-	-	-	-
Chelsea	60,573	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	6	5	1	-	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	-	-	-	-	2	5	-	-	-	-	1	-	-	-	-
Hampstead	88,012	-	-	-	-	4	3	-	-	1	-	-	-	-	-	-
St. Pancras	219,434	-	2	-	-	11	7	4	1	-	1	2	-	-	-	-
Islington	323,034	-	1	-	-	9	15	6	3	-	-	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	3	3	1	1	-	-	-	-	-	-	-
Hackney	216,736	1	1	-	-	13	9	2	-	-	1	-	-	-	-	-
CENTRAL.																
Holborn	38,156	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-
Finsbury	75,291	1	1	-	-	4	5	2	4	-	-	2	-	-	-	-
City of London	13,893	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	-	-	-	11	14	2	-	-	-	1	-	-	-	-
Bethnal Green	110,085	-	-	-	-	13	9	4	-	-	-	1	-	-	-	-
Stepney	232,506	-	2	-	-	10	12	9	3	1	-	-	-	-	-	-
Poplar	153,644	1	-	-	-	12	11	4	1	-	1	2	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	1	-	-	11	5	1	1	-	1	5	-	-	-	-
Bermondsey	124,239	1	1	-	-	7	7	-	-	-	-	-	-	-	-	-
Lambeth	282,322	-	2	-	-	15	10	4	2	-	3	1	-	-	-	-
Battersea	159,316	-	-	-	-	5	11	7	1	-	1	6	-	-	-	-
Wandsworth	333,693	-	3	1	-	19	9	4	-	-	-	1	-	-	-	-
Camberwell	273,802	-	1	-	-	6	11	5	2	-	3	-	-	-	-	-
Deptford	111,205	-	1	-	-	2	6	4	1	-	-	1	-	-	-	-
Greenwich	98,484	-	-	-	-	7	3	4	2	-	-	-	-	-	-	-
Lewisham	167,754	-	1	-	-	5	10	1	-	-	-	1	-	1	1	-
Woolwich	136,237	-	-	-	-	4	3	4	2	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	7	20	1	-	198	194	79	30	2	11	29	-	1	2	-
Ages 0-1		-	-	-	-	-	8	3	2	-	-	29	-	-	1	-
" 1-5		-	-	-	-	45	51	13	1	-	-	-	-	-	-	-
" 5-		-	-	-	-	76	69	12	-	1	-	-	-	1	-	-
" 10-		-	-	-	-	44	39	7	2	-	-	-	-	-	-	-
" 15-		3	-	-	-	17	8	5	-	1	1	-	-	-	-	-
" 20-		-	5	-	-	3	9	2	2	-	2	-	-	-	-	-
" 25-		1	12	1	-	8	6	12	3	-	4	-	-	-	1	-
" 35-		2	3	-	-	2	4	7	4	-	4	-	-	-	-	-
" 45-		1	-	-	-	3	-	9	3	-	-	-	-	-	-	-
" 55-		-	-	-	-	-	-	5	6	-	-	-	-	-	-	-
" 65-		-	-	-	-	-	-	3	4	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 24. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JUNE 19.
[Price 1½*d.* Net.]

General Register Office, Somerset House.
June 22nd, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,428, and corresponded to an annual rate of 26·5 per 1,000. The deaths* among the civilian population only numbered 3,629, and corresponded to an annual rate of 10·6 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended May 29th, June 5th, and June 12th, the rates had been 12·8, 11·6, and 11·1 respectively. The infant mortality was 62, against 101, 63, and 67 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11225—4 Wt 167–840 625 6/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 16·0 in Merthyr Tydfil, 16·5 in Newcastle-on-Tyne, 16·7 in West Hartlepool, 16·9 in Blackpool, 17·0 in Carlisle, and 19·0 in Bootle; from *measles*, 1·8 in Leicester and in Wigan, 2·0 in Aberdare, and 2·4 in Newport (Mon.); and from *whooping cough*, 1·7 in Walsall. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,293 births, corresponding to a rate of 26·3 per 1,000, and 839 deaths of civilians, corresponding to a rate of 10·0, as against 12·1, 11·0, and 10·6 per 1,000 in the three weeks ended May 29th, June 5th, and June 12th. The death-rate in the four weeks ended last Saturday averaged 10·9 per 1,000. The infant mortality was 50, against 79, 48, and 50, in the preceding three weeks.

The deaths from *enteric fever*, which had been 3, 2, and 1 in the preceding three weeks, numbered 1, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 24, 19, and 18 in the preceding three weeks, fell last week to 15, and were 13 below the average. The deaths from *scarlet fever*, which had been 3, 3, and 3 in the preceding three weeks, were 2 last week, the average being 3. The deaths from *whooping-cough*, which had been 14, 13, and 10 in the preceding three weeks, fell last week to 7, and were 9 below the average. The deaths from *diphtheria*, which had been 17, 11, and 13 in the preceding three weeks, rose last week to 15, and were 8 above the average. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 17, 11, and 20 in the preceding three weeks, rose last week to 23, and were 13 above the average; 4 deaths belonged to the Borough of Poplar, and 4 to Southwark. The deaths from *influenza* numbered 7, as against 26, 19, and 13 in the preceding three weeks, and an average of 7.

Different forms of violence caused 40 deaths, of which 39 were the subject of coroners' inquests. Of these 40 deaths, 4 were cases of suicide, and 1 of homicide, while the remaining 35 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, 3 to burns or scalds, 3 to drowning, and 1 of an infant under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 20 cases of enteric fever, 5 of small-pox, 60 of measles, 1,654 of scarlet fever, 20 of whooping-cough, and 1,705 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 2 cases, against 3, 3, and 1; of small-pox, 2 cases, against 0, 1, and 3; of measles, 22 cases, against 17, 19, and 14; of scarlet fever, 270 cases, against 205, 200, and 228; of whooping-cough, 0 case, against 0, 4, and 0; and of diphtheria, 190 cases, against 191, 186, and 197. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended June 12th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 19th June, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 29th May, 1920.	5th June, 1920.	12th June, 1920.	19th June, 1920.	Week ended 19th June, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	12·8	11·6	11·1	10·6	9428	3629	585	1103	5	-	64	6	42	46	73	65	164	277	1265	26	96 GREAT TOWNS.
LONDON†	4,358,309	12·1	11·0	10·6	10·0	2293	839	115	268	1	-	15	2	7	15	23	7	40	81	431	1	LONDON.†
‡ CROYDON	184,239	11·9	12·2	9·3	9·6	69	34	3	13	-	-	-	-	-	1	1	2	1	1	11	-	‡ CROYDON.
WIMBLEDON	59,791	7·8	8·7	9·6	7·0	20	8	1	4	-	-	-	-	-	-	-	-	-	-	4	-	WIMBLEDON.
EALING	73,212	7·1	8·5	5·0	4·3	26	6	-	2	-	-	-	-	-	-	-	-	1	1	2	-	EALING.
ACTON	61,732	11·0	1·7	8·4	7·6	36	9	1	2	-	-	-	-	-	-	1	-	1	1	1	-	ACTON.
WILLESDEN	160,917	9·4	9·4	7·1	9·4	87	29	3	12	-	-	-	-	-	-	-	-	-	-	13	-	WILLESDEN.
HORNSEY	94,343	3·3	8·3	7·7	9·9	25	18	1	3	-	-	1	-	-	-	-	-	-	1	6	-	HORNSEY.
TOTTENHAM	141,338	10·7	5·9	5·2	6·6	81	18	3	6	-	-	-	-	1	-	-	-	-	-	6	-	TOTTENHAM.
EDMONTON	70,711	8·1	6·6	5·2	5·9	57	8	1	2	-	-	-	-	-	1	-	-	-	-	5	-	EDMONTON.
ENFIELD	58,442	5·4	6·2	11·6	12·5	27	14	3	4	-	-	-	-	-	1	-	-	1	1	3	-	ENFIELD.
WEST HAM	287,966	10·9	12·1	8·1	8·9	162	49	8	11	-	-	1	-	-	1	2	-	5	8	25	-	WEST HAM.
EAST HAM	144,451	10·8	9·0	10·1	9·4	59	26	5	10	-	-	-	-	-	1	1	-	1	1	17	-	EAST HAM.
LEYTON	123,896	9·3	5·5	7·2	6·7	57	16	-	8	-	-	-	-	-	-	-	-	1	1	8	-	LEYTON.
WALTHAMSTOW	127,684	9·0	9·0	6·9	4·9	51	12	1	6	-	-	-	-	-	-	-	1	1	1	5	-	WALTHAMSTOW.
ILFORD	79,524	6·6	12·5	7·9	6·6	24	10	1	4	-	-	-	-	1	-	-	-	-	1	1	-	ILFORD.
GILLINGHAM	43,501	9·6	13·2	8·4	12·0	22	10	1	3	-	-	-	-	-	-	-	2	1	1	3	-	GILLINGHAM.
HASTINGS	57,674	12·7	11·8	17·2	12·7	25	14	4	4	-	-	-	-	-	-	1	-	-	-	3	-	HASTINGS.
EASTBOURNE	48,424	9·7	4·3	12·9	5·4	18	5	1	3	-	-	-	-	-	-	-	1	-	-	-	-	EASTBOURNE.
BRIGHTON	132,409	9·1	9·5	11·8	8·7	59	22	1	11	-	-	1	-	1	-	-	-	-	-	7	-	BRIGHTON.
PORTSMOUTH	224,846	8·6	10·4	8·8	9·0	116	39	3	16	-	-	-	-	-	2	1	1	-	3	15	-	PORTSMOUTH.
BOURNEMOUTH	82,627	10·1	11·4	10·7	8·2	25	13	2	6	-	-	-	-	-	-	1	-	1	1	3	-	BOURNEMOUTH
SOUTHAMPTON	126,033	16·1	12·8	12·0	8·3	67	20	1	6	-	-	-	-	1	-	1	-	2	2	9	-	SOUTHAMPTON.
READING	91,365	9·7	9·1	13·7	9·1	40	16	4	4	-	-	1	-	-	-	1	1	-	2	6	1	READING.
OXFORD	57,666	9·0	10·9	7·2	10·9	24	12	2	6	-	-	1	-	-	-	-	-	-	1	1	-	OXFORD.
NORTHAMPTON	88,944	11·7	10·6	11·7	12·9	44	22	1	7	-	-	1	-	1	-	-	1	-	-	5	-	NORTHAMPTON.
CAMBRIDGE	57,849	11·7	9·0	9·0	8·1	20	9	2	3	-	-	1	-	-	-	-	-	-	1	1	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 2 (*contd.*). 50 GREATER TOWNS, ENGLAND AND WALES, TWO SCOTTISH OF IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 19th June 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 29th May, 1920.	5th June, 1920.	12th June, 1920.	19th June, 1920.	Week ended 19th June 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	11·2	10·5	12·4	8·7	29	14	1	4	–	–	–	–	–	–	–	–	–	–	3	–	Southend on Sea.
Ipswich	78,011	10·7	10·7	9·4	11·4	46	17	2	3	–	–	–	–	–	–	1	–	1	1	8	–	Ipswich.
Great Yarmouth	53,078	9·8	6·9	7·9	11·8	33	12	4	4	–	–	–	–	–	–	–	–	–	–	2	–	Great Yarmouth.
Norwich	119,993	13·5	8·3	10·4	9·1	65	21	3	7	–	–	–	–	–	–	–	–	1	1	6	–	Norwich.
Swindon	51,527	10·1	8·1	11·1	9·1	18	9	–	4	–	–	–	–	–	–	–	–	–	–	4	–	Swindon.
Exeter	59,014	9·7	8·0	13·3	10·6	33	12	4	2	–	–	–	–	–	–	–	–	1	2	1	–	Exeter.
Plymouth	181,967	16·9	14·6	13·8	10·0	93	35	5	13	1	–	–	–	1	–	–	–	1	5	9	–	Plymouth.
Bath	65,919	8·7	11·1	9·5	14·2	19	18	1	11	–	–	–	–	–	–	–	–	2	3	3	–	Bath.
Bristol	361,247	11·8	10·8	10·7	11·1	203	77	12	24	–	–	4	–	–	2	–	–	1	6	24	–	Bristol.
Gloucester	50,100	11·4	17·7	11·4	12·5	23	12	2	5	–	–	–	–	–	–	–	–	–	2	2	–	Gloucester.
Stoke on Trent	239,316	12·9	14·6	11·8	10·9	189	50	14	9	–	–	–	–	–	1	2	2	1	1	12	3	Stoke on Trent.
Wolverhampton	98,403	11·1	11·1	9·0	7·4	49	14	3	5	–	–	1	–	1	–	–	–	–	–	6	–	Wolverhampton.
Walsall	92,724	14·6	13·5	12·4	11·2	44	20	3	5	–	–	–	–	3	–	–	1	2	2	3	–	Walsall.
West Bromwich	69,899	9·7	14·2	9·0	9·0	52	12	2	4	–	–	–	–	–	1	1	–	3	3	2	1	West Bromwich.
Dudley	54,017	13·5	11·6	12·5	6·8	35	7	–	2	–	–	1	–	–	–	–	–	–	–	2	–	Dudley.
Birmingham	861,585	12·0	9·4	9·9	9·3	461	153	28	53	–	–	1	–	2	1	–	–	7	7	60	7	Birmingham.
Smethwick	72,152	10·8	10·1	7·9	7·2	35	10	–	6	–	–	–	–	–	–	–	–	2	2	3	–	Smethwick.
Coventry	132,048	7·9	9·1	7·5	9·5	67	24	3	7	–	–	–	–	1	–	–	–	–	2	4	–	Coventry.
Leicester	236,059	11·7	9·1	11·9	15·7	109	71	15	19	–	–	8	–	2	–	2	–	1	2	17	1	Leicester.
Lincoln	60,581	10·3	14·6	9·5	6·0	27	7	1	2	–	–	–	–	–	–	–	–	–	–	2	–	Lincoln.
Grimsby	78,813	9·9	13·2	7·9	15·9	50	24	6	9	–	–	–	–	–	–	–	–	2	2	4	1	Grimsby.
Nottingham	257,573	13·2	10·3	9·7	11·3	139	56	8	18	–	–	–	–	–	1	2	1	2	2	15	–	Nottingham.
Derby	123,930	8·4	6·3	8·4	8·4	50	20	2	5	–	–	–	–	–	1	–	–	1	2	7	–	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 19th June, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 29th May, 1920.	5th June, 1920.	12th June, 1920.	19th June, 1920.	Week ended 19th June, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	11·6	13·3	10·0	7·1	53	17	4	4	–	–	1	–	1	–	–	–	–	–	3	–	STOCKPORT.
BIRKENHEAD	148,052	13·4	10·2	9·2	8·8	85	25	6	6	–	–	–	–	–	1	1	–	–	2	8	–	BIRKENHEAD.
WALLASEY	95,424	7·7	7·1	6·0	8·7	49	16	2	7	–	–	–	–	–	–	–	–	–	–	5	–	WALLASEY.
LIVERPOOL	772,665	14·0	14·2	14·2	11·7	495	173	35	42	1	–	–	2	2	2	5	1	11	20	80	2	LIVERPOOL.
BOOTLE	76,962	15·6	11·5	19·6	19·0	40	28	4	8	–	–	–	–	1	–	–	1	1	1	5	1	BOOTLE.
ST. HELENS	100,805	13·4	14·0	12·4	11·4	51	22	8	4	–	–	–	–	–	1	1	1	1	1	7	–	ST. HELENS.
SOUTHPORT	70,144	14·1	10·4	13·4	13·4	32	18	1	8	–	–	–	–	–	–	–	1	–	–	1	–	SOUTHPORT.
WIGAN	87,384	17·9	11·9	8·4	10·1	54	17	3	4	–	–	3	–	–	–	–	–	3	3	5	–	WIGAN.
WARRINGTON	74,952	9·7	9·0	11·8	7·7	40	11	–	2	–	–	1	–	–	–	–	3	1	1	1	–	WARRINGTON.
BOLTON	177,462	13·5	15·3	15·0	11·8	81	40	7	10	2	–	–	–	1	1	1	1	–	1	7	–	BOLTON.
BURY	54,248	19·2	10·6	15·4	7·7	19	8	2	1	–	–	–	–	–	–	–	–	–	1	2	–	BURY.
MANCHESTER	741,068	13·4	13·9	12·5	12·2	371	174	27	37	–	–	2	–	–	3	5	4	3	8	68	1	MANCHESTER.
SALFORD	226,225	12·9	9·9	11·5	9·2	128	40	8	9	–	–	1	–	1	–	1	–	1	2	17	–	SALFORD.
OLDHAM	137,668	15·2	14·4	12·9	11·4	61	30	1	11	–	–	1	–	–	1	–	1	2	2	14	–	OLDHAM.
ROCHDALE	90,051	11·0	15·6	8·7	9·8	40	17	1	9	–	–	–	–	–	–	1	–	–	1	4	–	ROCHDALE.
BURNLEY	101,005	16·5	9·3	16·0	9·3	50	18	5	6	–	–	–	1	–	–	–	–	–	–	7	–	BURNLEY.
BLACKBURN	125,992	14·9	16·6	17·4	9·1	50	22	3	5	–	–	2	–	–	–	–	–	–	–	5	–	BLACKBURN.
PRESTON	117,277	17·8	10·2	9·3	7·6	69	17	1	3	–	–	–	–	1	–	–	–	4	3	2	–	PRESTON.
BLACKPOOL	67,842	10·8	10·8	11·5	16·9	23	22	2	10	–	–	–	–	–	–	–	–	3	3	5	–	BLACKPOOL.
BARROW IN FURNESS	73,627	17·0	20·5	13·5	10·6	41	15	1	4	–	–	–	–	–	–	–	1	3	3	3	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	16·3	9·8	9·3	11·1	45	24	3	6	–	–	–	–	–	–	–	–	2	2	2	–	HUDDERSFIELD.
HALIFAX	101,791	13·8	10·8	10·8	13·8	43	27	6	10	–	–	–	–	–	–	1	1	–	2	4	–	HALIFAX.
BRADFORD	282,714	14·8	14·4	11·8	12·0	132	65	12	22	–	–	–	–	3	1	–	2	3	4	17	–	BRADFORD.
LEEDS	431,999	13·8	12·3	10·6	11·2	232	93	18	40	–	–	–	–	–	4	2	1	3	6	31	–	LEEDS.
DEWSBURY	52,969	15·8	12·8	16·7	12·8	25	13	3	6	–	–	–	–	–	–	–	–	–	–	1	–	DEWSBURY.
WAKEFIELD	49,208	7·4	10·6	11·7	13·8	29	13	2	6	–	–	–	–	–	–	1	–	–	–	2	–	WAKEFIELD.
BARNSLEY	51,680	16·1	7·1	7·1	14·1	32	14	5	2	–	–	–	–	1	–	–	–	–	2	1	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 29th May, 1920.	5th June, 1920.	12th June, 1920.	19th June, 1920.	Week ended 19th June, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	26·5	17·7	15·5	12·0	238	109	15	23	–	–	5	–	3	–	1	14	4	6	37	–	Sheffield.
Rotherham	69,034	12·1	7·6	12·8	13·6	30	18	5	7	–	–	–	–	1	–	1	1	–	1	5	–	Rotherham.
York	74,531	10·5	10·5	13·3	11·2	41	16	3	6	–	–	–	–	–	–	–	–	1	1	6	–	York.
Hull	279,664	9·5	10·8	8·9	11·9	169	64	9	25	–	–	–	–	–	–	2	–	4	5	20	–	Hull.
Middlesbrough	127,142	19·3	10·3	13·9	14·4	88	35	10	10	–	–	–	–	–	–	2	–	2	2	8	–	Middlesbrough.
Darlington	64,058	9·0	14·7	12·2	12·2	31	15	4	4	–	–	–	–	–	–	–	1	1	1	2	–	Darlington.
Stockton on Tees	60,696	12·9	13·7	15·5	14·6	51	17	4	4	–	–	1	–	1	–	–	–	–	1	1	–	Stockton on Tees.
West Hartlepool	65,515	25·5	20·7	10·3	16·7	62	21	5	4	–	–	–	–	–	1	–	1	1	1	6	–	West Hartlepool.
Sunderland	149,263	19·2	14·0	16·4	12·6	118	36	5	10	–	–	–	–	–	–	–	1	3	3	11	1	Sunderland.
South Shields	111,502	16·4	14·0	13·6	15·9	80	34	9	8	–	–	–	–	–	–	–	–	1	1	10	1	South Shields.
Gateshead	123,392	13·9	11·4	9·7	13·9	91	33	7	9	–	–	–	1	–	–	1	1	2	2	9	3	Gateshead.
Newcastle on Tyne.	275,099	13·6	14·2	12·1	16·5	161	87	16	22	–	–	–	–	2	–	4	1	3	8	23	–	Newcastle on Tyne.
Tynemouth	58,007	17·1	10·8	15·3	15·3	29	17	3	2	–	–	–	–	–	–	–	–	1	2	4	1	Tynemouth.
Carlisle	55,198	18·9	18·9	17·0	17·0	36	18	3	7	–	–	–	–	–	–	–	3	1	1	4	1	Carlisle.
Newport (Mon.)	87,251	16·1	11·4	8·4	9·6	61	16	–	2	–	–	4	–	–	–	–	–	1	2	4	–	Newport (Mon.).
Cardiff	204,436	11·2	11·2	9·4	6·4	107	25	4	10	–	–	–	–	–	–	1	1	3	5	2	–	Cardiff.
Rhondda	177,911	16·4	14·1	9·7	12·3	101	42	16	5	–	–	2	–	2	–	–	1	2	2	2	–	Rhondda.
Merthyr Tydfil	71,638	13·1	16·7	8·0	16·0	40	22	3	6	–	–	–	–	–	1	–	–	7	7	4	–	Merthyr Tydfil.
Aberdare	51,384	12·2	13·2	11·2	11·2	27	11	–	2	–	–	2	–	–	–	–	1	–	–	1	–	Aberdare.
Swansea	160,810	14·3	12·3	15·2	13·3	94	41	7	10	–	–	2	–	–	1	1	1	2	4	9	–	Swansea.
Greater London	7,258,623	11·0	10·0	9·6	9·3	3660	1288	171	428	2	–	19	4	9	22	30	12	62	114	589	1	Greater London.
Outer Ring	2,900,314	9·4	8·5	8·0	8·1	1367	449	56	160	1	–	4	2	2	7	7	5	22	33	158	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	9·3	9·0	7·8	8·0	781	257	31	87	–	–	2	–	2	5	5	3	12	17	107	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	9·4	7·8	8·3	8·1	586	192	25	73	1	–	2	2	–	2	2	2	10	16	51	–	Remainder of Outer Ring.
Edinburgh†	342,300	14·1	14·2	11·5	11·2	157	73	8	29	–	–	–	–	–	3	–	–	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	14·8	13·5	13·6	14·5	658	309	72	94	–	1	11	–	1	2	8	2	10	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	19·1	18·7	16·2	17·1	254	136	32	36	–	–	–	–	7	1	4	2	2	1	55	7	Dublin (Registration Area).†
Belfast†	413,000	15·4	14·6	13·8	14·1	276	112	23	24	–	–	1	–	1	1	3	–	3	6	42	–	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE **2.** LONDON.—**Births** and **Deaths** registered during the TWENTY-FOURTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2424	2454	2297	2211	2191	2033	2027	1561	1373	1324	2293
Males	1214	1245	1165	1103	1134	1066	1009	809	658	711	1165
Females	1210	1209	1132	1108	1057	967	1018	752	715	613	1128
Deaths (of residents only).	938	974	1012	987	1053	996	906*	996*	849*	745*	839*
Males		529	511	528	558	545	471	518	453	414	460
Females		445	501	459	495	451	435	478	396	331	379

* Deaths in civilian population only.

TABLE **3.** LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.
Births (as registered)	2520	2078	2471	2650	2665	2518	2552	2648	2369	2096	2558	2452	2293
Deaths (of residents only).	1609	1365	1471	1342	1185	1147	1084	1046	1005	1010	920	888	839
Ages at Death: Under 1 year	233	208	196	207	195	158	155	158	161	166	123	122	115
1–2 years	101	73	99	75	42	55	50	45	46	28	37	23	21
2–5 "	59	61	56	78	39	40	47	26	35	35	21	35	18
5–10 "	46	35	39	29	24	34	30	20	23	23	23	26	28
10–15 "	26	26	22	20	14	14	17	13	19	20	18	22	22
15–20 "	34	32	40	34	29	28	24	20	11	20	19	20	20
20–25 "	44	39	42	27	37	31	32	19	18	23	23	22	25
25–35 "	109	107	105	86	60	55	58	61	51	58	46	51	44
35–45 "	131	94	105	97	78	91	72	76	67	86	70	65	80
45–55 "	154	141	158	139	127	126	106	120	126	129	98	94	87
55–65 "	210	180	175	166	151	149	139	150	149	121	142	133	111
65–75	237	182	230	191	192	170	185	178	155	151	161	136	150
75 years and upwards	225	187	204	193	197	196	169	160	144	150	139	139	118
Deaths from—													
Enteric fever	–	–	4	1	1	3	–	2	2	3	2	1	1
Small-pox	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	69	48	62	76	40	45	41	25	25	24	19	18	15
Scarlet fever	3	2	6	4	4	4	4	1	3	3	3	3	2
Whooping cough	35	34	31	42	29	23	19	35	17	14	13	10	7
Diphtheria	27	28	22	20	12	15	24	11	15	17	11	13	15
Diarrhœa and enteritis (under 2 years).	23	12	18	17	15	12	15	14	19	17	11	20	23
Pulmonary tuberculosis	124	97	114	97	91	106	87	98	79	95	86	67	77
Influenza	131	124	105	101	59	45	31	32	31	26	19	13	7
Pneumonia (all forms)	229	175	194	140	113	96	95	82	88	59	66	62	54
Bronchitis	185	142	123	103	95	79	79	63	59	58	43	56	40
Other dis. of resp. system	32	20	26	15	16	14	18	14	16	14	6	16	14
Dis. of circ. system	213	159	191	168	174	189	138	203	154	158	156	139	129
Violence	44	33	49	36	44	42	40	32	52	41	44	46	40
Inquest cases	114	72	114	103	93	83	77	94	95	68	88	89	81
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	37	40	37	35	30	29	32	29	21	20	23	20	20
Small-pox	14	20	26	24	23	12	11	6	1	–	1	4	5
Measles	85	88	85	66	66	66	72	70	56	52	55	54	60
Scarlet fever	2101	2023	2012	1904	1845	1831	1794	1757	1734	1703	1635	1642	1654
Whooping cough	17	19	19	22	22	20	19	20	25	22	24	20	20
Diphtheria	2043	1983	1994	1958	1965	1951	1947	1916	1894	1797	1746	1722	1705

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE **3A.** **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.
Deaths from Influenza	392	380	332	306	259	202	201	216	211	188	148	86	65

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-FOURTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 24th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	745	839	115	21	18	28	22	20	25	44	80	87	111	150	118
Enteric fever	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	15	5	5	4	–	1	–	–	–	–	–	–	–	–
Scarlet fever	1	2	–	1	–	–	–	1	–	–	–	–	–	–	–
Whooping cough	–	7	6	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	7	15	–	2	5	4	4	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	13	7	–	–	–	1	–	–	–	1	2	1	1	1	–
Erysipelas	3	3	2	–	–	–	–	–	–	–	1	–	–	–	–
Other epidemic diseases	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Pyæmia and septicæmia	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	92	77	–	–	1	3	4	3	10	9	22	14	8	3	–
Tuberculous meningitis	10	10	–	–	1	4	1	3	–	1	–	–	–	–	–
Abdominal tuberculosis	5	4	1	–	–	1	–	–	–	1	1	–	–	–	–
Tuberculosis of the spine	1	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Tuberculosis of the joints	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
Tuberculosis of other organs	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Disseminated tuberculosis	–	3	–	–	1	1	1	–	–	–	–	–	–	–	–
Venereal diseases	4	10	5	–	–	–	–	1	1	–	–	2	1	–	–
Cancer	97	102	–	–	–	–	–	1	–	2	9	20	31	35	4
Tumour, situation undefined	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic fever	1	8	–	–	–	1	2	1	–	1	1	–	1	–	1
Diabetes	6	7	–	–	–	–	–	1	–	–	2	1	1	2	–
Anæmia, leucocythaemia	6	12	–	–	–	1	–	1	1	1	1	–	2	5	–
Other general diseases	5	10	–	–	–	1	–	–	–	–	1	2	1	2	3
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	8	5	1	–	–	2	–	1	–	1	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	21	30	–	–	–	–	–	–	–	1	2	1	6	13	7
Softening of brain	3	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Paralysis, without specified cause	5	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Epilepsy	1	2	–	–	–	–	–	–	–	1	–	–	–	1	–
"Convulsions" (not puerperal)	3	4	3	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	20	14	–	1	–	1	–	–	2	1	3	2	–	1	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	7	–	–	–	–	–	1	2	4	–	–	–	–	–
Organic disease of heart	91	92	–	–	–	1	–	–	1	2	4	10	20	30	24
Embolism and thrombosis (including cerebral).	4	6	–	–	–	–	–	–	–	–	–	1	1	1	3
Other diseases of circulatory system.	25	24	1	–	–	–	–	–	–	–	1	2	6	6	8
Diseases of the larynx	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	33	40	2	1	–	–	–	–	–	1	–	5	3	15	13
Broncho-pneumonia	13	20	6	5	–	2	1	1	1	–	1	–	1	1	1
Lobar pneumonia	7	16	–	–	–	–	–	–	–	6	5	3	1	1	–
Pneumonia (type not distinguished)	7	18	1	1	1	1	–	–	–	3	1	3	2	3	2
Pleurisy	2	6	–	1	1	–	–	–	1	–	–	1	2	–	–
Pulmonary congestion, Pulmonary apoplexy.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Other diseases of respiratory system.	4	6	–	–	–	–	–	–	–	1	2	–	1	1	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-FOURTH Week of the Year 1920.

Causes of Death.	Deaths in the 24th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Diseases of stomach	6	8	2	–	–	–	–	1	–	–	1	2	1	1	–
Diarrhœa and enteritis	9	25	23	–	–	–	–	–	–	–	–	1	1	–	–
Appendicitis and typhlitis	9	3	–	–	–	–	1	–	2	–	–	–	–	–	–
Hernia and Intestinal obstruction.	8	11	2	–	–	–	–	–	–	–	2	1	2	1	3
Cirrhosis of liver	4	2	–	–	–	–	1	–	–	–	–	–	–	1	–
Other diseases of liver	2	6	–	–	–	–	–	–	–	–	–	1	–	2	3
Peritonitis (cause unknown)	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	2	7	–	–	–	–	–	–	–	–	1	3	3	–	–
Acute nephritis	4	3	–	–	–	–	–	1	–	–	2	–	–	–	–
Chronic Bright's disease	31	27	–	–	–	–	–	–	1	3	4	5	5	8	1
Urinary calculi	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Other diseases of genito-urinary system.	12	9	–	–	–	–	–	–	–	–	2	–	1	2	4
Puerperal fever, &c.	4	2	–	–	–	–	–	–	1	–	1	–	–	–	–
Other causes incident to childbirth.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of skin and cellular tissues.	7	3	–	–	–	–	–	–	–	–	–	–	2	1	–
Diseases of locomotor system	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Congenital malformations	12	9	8	–	–	–	–	1	–	–	–	–	–	–	–
Premature birth	15	21	21	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	12	17	17	–	–	–	–	–	–	–	–	–	–	–	–
Old age	28	36	–	–	–	–	–	–	–	–	–	–	1	5	30
ACCIDENT.															
Poisons or poisonous vapours	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	5	3	–	1	1	–	–	–	–	–	–	–	–	–	1
Drowning	5	3	–	–	–	–	–	–	–	1	1	1	–	–	–
Suffocation in bed	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	22	27	1	–	1	4	5	1	–	–	6	1	2	3	3
Total deaths from accident	32	35	2	1	2	4	5	1	–	1	7	2	2	4	4
Included in above are deaths in connection with:—															
Railways	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Vehicles and horses	6	11	–	–	–	2	3	–	–	–	3	1	–	1	1
Ships, boats, docks	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Suicide	7	4	–	–	–	–	–	–	–	–	1	1	2	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	17	7	6	–	–	–	–	–	1	–	–	–	–	–	–
Ill-defined Causes	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	June 19	2,293	839	10·0	1	–	15	2	7	15	23	7
CALCUTTA	896,067	May 15	–	520§	30·1	?	30	?	?	?	?	?	10
BOMBAY	979,445	„ 15	323	794§	42·2	2	9	3	–	–	–	34	41
MADRAS	518,660	„ 8	398	349	35·0	–	3	1	?	3	–	36	1
PARIS	2,847,229	(10 days) Apr. 30	–	–	–	–	–	–	–	–	–	–	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	327,653	June 5	123	47	7·5	–	–	–	–	–	–	6	1
AMSTERDAM	650,301	„ 5	278	85	6·8	–	–	1	–	–	–	2	–
COPENHAGEN	552,000	„ 5	238	105	9·9	–	–	–	–	–	–	1	–
STOCKHOLM	415,201	May 29	148	100	12·5	–	–	–	1	–	1	–	3
GOTHENBURG	200,578	„ 29	–	–	–	–	–	–	–	–	–	–	–
CHRISTIANIA	258,615	June 5	122	57	11·5	–	–	–	–	1	–	–	–
BERLIN	1,904,590	May 29	709	532	14·5	–	?	4	2	5	3	15	1
BRESLAU	531,347	„ 29	271	161	15·8	–	?	–	1	1	1	8	3
COLOGNE	642,899	„ 29	331	176	14·2	–	?	–	–	7	3	5	?
DRESDEN	537,127	„ 29	227	133	12·9	–	?	–	1	1	3	4	?
FRANKFORT-ON-MAIN.	435,103	„ 29	176	93	11·1	–	?	1	–	–	–	1	?
HAMBURG	1,002,933	„ 29	350	252	13·1	–	?	3	1	2	1	6	?
LEIPZIG	610,686	„ 29	279	153	13·0	–	?	–	–	–	1	6	?
MUNICH	647,030	„ 29	286	176	14·1	–	?	4	–	1	1	9	?
VIENNA	1,838,708	June 5	590	618	17·4	4	–	–	2	1	1	9	7
PRAGUE	524,496	May 15	174	173	17·2	1	–	–	–	1	–	–	1
BUDAPEST	1,071,492	„ 1	510	378	18·3	1	–	–	3	–	–	26	2
TRIESTE	233,064	June 5	109	58	13·0	–	–	–	1	3	–	4	–
CAIRO	761,300	Apr. 1	–	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA	445,700	„ 1	–	–	–	–	–	–	–	–	–	–	–
NEW YORK	6,141,445	May 15	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,596,681	„ 1	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Calcutta and 8 in Bombay, and from *Asiatic cholera* 56 deaths in Calcutta, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 19th June, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
LONDON (Greenwich)	78	46	75·3	50·7	9
BRIGHTON	72	53	65·4	54·7	2
PORTSMOUTH	69	50	66·1	53·6	7
NORWICH (Eaton)	78	51	71·7	53·9	19
PLYMOUTH	68	50	65·1	53·6	26
BRISTOL (Clifton)	72	51	67·7	53·3	20
BIRMINGHAM	76	50	69·3	52·4	27
NOTTINGHAM	77	49	71·3	53·0	39
BIRKENHEAD (Bidston)	71	51	68·1	53·7	40
MANCHESTER (Whitworth Park)	80	52	71·6	54·3	35
BURNLEY	76	49	69·9	51·4	19
HUDDERSFIELD	77	48	69·4	50·7	38
BRADFORD	75	47	68·9	50·6	19
SHEFFIELD	77	49	69·7	52·3	55
YORK (Museum)	78	48	72·7	52·0	39
HULL (Pearson Park)	77	47	71·4	49·9	6
TYNEMOUTH	65	50	62·9	51·7	0
CARDIFF	72	48	67·9	52·7	19
EDINBURGH	76·0	47·0	67·9	49·1	6
GLASGOW	74·9	50·8	70·6	52·7	13
DUBLIN:— Phœnix Park	67·7	43·6	65·2	48·6	6
†Fitzwilliam Square	67·2	51·1	65·8	54·0	9
BELFAST	70·0	49·4	64·4	52·5	18

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 19th June 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			bs.	lbs.	bs.	Miles.	Miles.	in.
SUNDAY - - 13	..	29·747	71·7	48·4	23·3	58·8	+ 0·3	51·8	7·0	19·6	0·0	78	133·3	37·8	53·0	W., calm & S.	SSW. & calm.	0·5	0·0	0·0	108	−140	0·00
MONDAY - - 14	..	29·823	73·3	46·1	27·2	59·6	+ 0·9	53·0	6·6	17·0	0·0	79	149·0	35·2	53·2	Calm	ESE.	1·4	0·0	0·1	126	−121	0·03
TUESDAY - - 15	..	29·823	73·2	51·3	21·9	62·6	+ 3·8	51·5	11·1	22·9	0·6	67	131·8	40·6	53·1	ENE. & E.	E. & ESE.	3·5	0·0	0·2	195	− 50	0·12
WEDNESDAY - 16	Greatest declination N. New. Apogee.	29·724	76·8	53·4	23·4	65·9	+ 7·0	54·9	11·0	20·1	1·3	68	145·5	44·1	53·4	E. & ESE.	SSE. & SE.	2·9	0·0	0·1	190	− 54	0·03
THURSDAY - - 17	..	29·757	76·8	51·9	24·9	62·7	+ 3·7	55·3	7·4	22·4	0·4	77	138·3	41·4	53·5	Calm, E. & SE.	SE. & SW.	4·3	0·0	0·1	140	−103	0·11
FRIDAY - - 18	..	29·765	77·0	49·1	27·9	63·8	+ 4·6	51·7	12·1	21·7	0·4	65	147·0	38·2	53·8	Calm, W. & SW.	SW.	1·5	0·0	0·1	175	− 68	0·00
SATURDAY - - 19	..	29·748	77·9	49·9	28·0	62·7	+ 3·2	54·6	8·1	22·6	0·4	75	150·0	41·9	53·9	Calm & SW.	WSW. & W.	1·3	0·0	0·1	156	− 88	0·00
MEANS - - -	- - -	29·770	75·2	50·0	25·2	62·3	+ 3·4	53·3	9·0	20·9	0·4	73	142·1	39·9	53·4	ESE. and SW.		..	..	..	Sum 1090	Sum −624	Sum 0·29
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. June, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	13	w.P. throughout	3·1	16·5	Overcast generally till 4h.; cloudy till 8h.; overcast with slight exceptions till 19h. 30m., afterwards nearly cloudless.
MONDAY -	14	w.P. generally, v.P. and v.N. 13h. to 18h.	7·5	16·5	Nearly cloudless till 4h., partially cloudy till 11h., becoming overcast generally by noon till 17h., then clearing nearly cloudless 18h. to 23h., then becoming overcast; solar halo in forenoon; slight thunderstorm 16h. 30m.; showers 13h. 15h.
TUESDAY -	15	v.P. generally, a little v.N. in early morning.	8·5	16·5	Nearly overcast generally till 9h., cloudy till 14h.; little cloud till 19h., then nearly overcast; rain 3h. 45m. to 5h. 30m.; solar halo in afternoon.
WEDNESDAY -	16	v.P. generally, v.N. at 21h.	9·9	16·5	Becoming nearly cloudless by 2h., cloudy by 7h. 15m.; nearly overcast by 15h.; overcast from 20h. 30m., clearing about 23h.; slight rain about 0h. and 21h.; thunder in evening.
THURSDAY -	17	v.P. generally, v.N. 12h. to 15h. and about 20h.	10·1	16·5	Nearly cloudless with mist and haze till 8h.; partially cloudy to overcast by 12h. 30m.; clearing partially from 14h. 30m.; little cloud 16h. to 20h.; cloudy till 23h., then cloudless; thunderstorm and incessant rain 12h. 20m. to 14h. 30m.
FRIDAY -	18	w.P. throughout	15·4	16·6	Fine throughout with little cloud generally.
SATURDAY -	19	w.P. throughout	9·2	16·6	Variably cloudy till 5h., nearly overcast generally from 5h. 30m.; partially cloudy from 11h. 30m., and nearly cloudless from 19h. 30m.; clouding-up just before midnight.
			Sum 63·7	Sum 115·7	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·61 in. at the beginning of the week to 29·87 in. by 22h. on 14th.; decreased to 29·71 in. by 15h. on 16th, increased to 29·81 in. by 20h. on 17th; decreased to 29·73 in. by 3h. on 19th, and increased generally to 29·76 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 12th June, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	888	1	-	18	3	10	13	20	67	122
Western										
PADDINGTON	20	-	-	-	-	-	-	-	1	2
KENSINGTON	40	-	-	1	1	-	-	1	2	5
HAMMERSMITH	20	-	-	-	-	-	1	-	5	2
FULHAM	30	-	-	1	-	1	1	1	3	4
CHELSEA	17	-	-	2	-	-	-	1	2	3
CITY OF WESTMINSTER	26	-	-	-	-	-	-	1	2	3
Northern.										
ST. MARYLEBONE	17	-	-	-	-	-	1	-	-	2
HAMPSTEAD	17	-	-	-	-	-	-	-	1	1
ST. PANCRAS	38	-	-	-	-	-	-	-	3	5
ISLINGTON	78	-	-	1	-	-	2	5	5	14
STOKE NEWINGTON	11	-	-	-	-	-	-	-	-	-
HACKNEY	30	-	-	1	-	-	-	2	2	4
Central.										
HOLBORN	11	-	-	-	-	-	-	-	-	1
FINSBURY	24	-	-	-	-	-	1	1	3	6
CITY OF LONDON	6	-	-	-	-	-	-	-	2	1
Eastern.										
SHOREDITCH	18	-	-	-	-	-	1	2	-	3
BETHNAL GREEN	24	-	-	-	-	2	-	-	-	5
STEPNEY	52	1	-	2	-	1	-	-	4	7
POPLAR	37	-	-	1	-	3	2	3	3	10
Southern.										
SOUTHWARK	38	-	-	3	-	-	-	-	-	2
BERMONDSEY	26	-	-	1	-	-	-	-	2	7
LAMBETH	71	-	-	2	-	-	-	-	5	7
BATTERSEA	34	-	-	-	1	1	2	-	2	2
WANDSWORTH	69	-	-	1	-	-	2	1	4	8
CAMBERWELL	51	-	-	1	-	1	-	-	7	5
DEPTFORD	16	-	-	-	-	-	-	-	2	-
GREENWICH	17	-	-	1	-	-	-	1	1	2
LEWISHAM	31	-	-	-	-	-	-	-	4	7
WOOLWICH	19	-	-	-	1	1	-	1	2	4

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 12th June, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	1	1	-	-	1	6	1	1	-	1	1	-	-	-	-
Kensington	157,886	-	-	-	-	11	6	2	1	-	1	2	-	-	1	-
Hammersmith	130,981	-	-	-	-	8	7	2	1	-	-	3	-	1	-	-
Fulham	152,543	-	-	-	-	15	3	2	2	-	-	1	-	-	-	-
Chelsea	60,573	-	-	-	-	4	1	-	1	-	-	1	-	-	-	-
City of Westminster	127,533	-	1	-	-	6	3	2	1	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	-	-	-	-	5	1	-	1	-	-	2	-	-	-	-
Hampstead	88,012	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	1	-	-	6	12	1	1	-	-	2	-	-	-	-
Islington	323,034	1	-	-	-	12	18	2	2	1	-	2	-	-	-	-
Stoke Newington	50,954	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Hackney	216,736	-	1	-	-	12	6	2	1	-	-	1	-	-	-	-
CENTRAL.																
Holborn	38,156	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	5	9	-	3	-	-	1	1	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	-	-	-	7	11	2	1	-	-	1	-	-	-	-
Bethnal Green	110,085	-	-	-	-	16	11	1	3	-	-	-	-	-	2	-
Stepney	232,506	2	-	-	-	16	4	11	-	1	-	-	-	-	2	-
Poplar	153,644	-	1	-	-	6	5	5	2	-	-	2	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	1	-	-	11	7	-	2	-	-	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	1	4	-	-	-	-	1	-	-	-	-
Lambeth	282,322	-	-	-	-	14	16	2	3	-	1	5	-	-	-	-
Battersea	159,316	-	-	-	-	5	2	8	2	-	-	2	-	-	-	-
Wandsworth	333,693	1	2	-	-	22	18	12	1	1	-	1	-	-	-	-
Camberwell	273,802	1	1	-	-	8	14	3	2	-	-	-	-	-	-	-
Deptford	111,205	-	-	-	-	8	5	-	2	-	-	1	-	-	-	-
Greenwich	98,484	-	-	-	-	4	10	1	-	-	-	-	-	-	-	-
Lewisham	167,754	-	-	-	-	6	10	1	2	-	1	1	-	-	-	-
Woolwich	136,237	-	-	-	-	3	8	1	2	-	-	2	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	6	9	-	-	217	202	61	37	3	4	32	1	1	5	-
Ages 0–1		-	-	-	-	-	5	-	3	1	-	32	-	-	-	-
" 1–5		-	-	-	-	48	51	10	2	-	-	-	-	-	-	-
" 5–		-	-	-	-	82	85	7	1	-	-	-	1	-	-	-
" 10–		2	-	-	-	58	33	2	-	1	-	-	-	-	3	-
" 15–		-	-	-	-	16	12	3	1	1	1	-	-	-	-	-
" 20–		1	2	-	-	3	4	4	2	-	-	-	-	1	1	-
" 25–		1	7	-	-	7	6	7	5	-	2	-	-	-	-	-
" 35–		2	-	-	-	3	2	13	5	-	1	-	-	-	1	-
" 45–		-	-	-	-	-	4	6	5	-	-	-	-	-	-	-
" 55–		-	-	-	-	-	-	5	7	-	-	-	-	-	-	-
" 65–		-	-	-	-	-	-	2	4	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 25. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JUNE 26.
[Price 1½*d.* Net.]

General Register Office, Somerset House
June 29th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,743, and corresponded to an annual rate of 27·4 per 1,000. The deaths* among the civilian population only numbered 3,455, and corresponded to an annual rate of 10·1 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended June 5th, June 12th, and June 19th, the rates had been 11·6, 11·1, and 10·6 respectively. The infant mortality was 53, against 63, 67, and 62 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11225—5 Wt 167–840 625 6/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·0 in Warrington, 16·1 in Wigan, 16·3 in Stockton-on-Tees, 16·7 in Great Yarmouth, 16·8 in Exeter, and 19·1 in West Hartlepool ; from *measles*, 1·1 in Wolverhampton, 1·6 in Swansea, 1·8 in Leicester, and 2·0 in Great Yarmouth. One death from *small-pox* was registered in East Ham, but none in any other of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,406 births, corresponding to a rate of 27·6 per 1,000, and 864 deaths of civilians, corresponding to a rate of 10·3, as against 11·0, 10·6, and 10·0 per 1,000 in the three weeks ended June 5th, June 12th, and June 19th. The death-rate in the four weeks ended last Saturday averaged 10·5 per 1,000. The infant mortality was 54, against 48, 50, and 50, in the preceding three weeks.

There was no death from *enteric fever*, the numbers having been 2, 1, and 1 in the preceding three weeks, and the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 19, 18, and 15 in the preceding three weeks, fell last week to 7, and were 17 below the average. There was no death from *scarlet fever*, the numbers having been 3, 3, and 2 in the preceding three weeks, and the average being 3. The deaths from *whooping-cough*, which had been 13, 10, and 7 in the preceding three weeks, were 11 last week, being equal to the average. The deaths from *diphtheria*, which had been 11, 13, and 15 in the preceding three weeks, were 13 last week, being 3 above the average. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 11, 20, and 23 in the preceding three weeks, fell last week to 15, but were 2 above the average; 3 deaths belonged to the Borough of Lambeth. The deaths from *influenza* numbered 6, as against 19, 13, and 7 in the preceding three weeks, and an average of 5.

Different forms of violence caused 50 deaths, all of which were the subject of coroners' inquests. Of these 50 deaths, 9 were cases of suicide, and 2 of homicide, while the remaining 39 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 8 to drowning, and 4 to burns or scalds.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 17 cases of enteric fever, 3 of small-pox, 58 of measles, 1,646 of scarlet fever, 20 of whooping-cough, and 1,668 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 1 case, against 3, 1, and 2; of measles, 16 cases, against 19, 14, and 22; of scarlet fever, 279 cases, against 200, 228, and 270; of whooping-cough, 4 cases, against 4, 0, and 0; and of diphtheria, 206 cases, against 186, 197, and 190. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended June 19th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 26th June, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 5th June, 1920.	12th June, 1920.	19th June, 1920.	26th June, 1920.	Week ended 26th June, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from: Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	11·6	11·1	10·6	10·1	9743	3455	517	1007	-	1	50	7	33	40	69	37	151	269	1170	14	96 GREAT TOWNS.
LONDON†	4.358.309	11·0	10·6	10·0	10·3	2406	864	131	260	-	-	7	-	11	13	15	6	50	88	438	1	LONDON.†
‡ CROYDON	184,239	12·2	9·3	9·6	9·6	87	34	10	14	-	-	-	-	-	-	2	-	-	2	9	-	CROYDON.
‡ WIMBLEDON	59.791	8·7	9·6	7·0	11·3	22	13	2	4	-	-	1	-	-	1	1	-	1	1	5	-	WIMBLEDON.
‡ EALING	73,212	8·5	5·0	4·3	5·7	30	8	1	4	-	-	-	-	-	-	1	-	-	-	1	-	EALING.
‡ ACTON	61,732	1·7	8·4	7·6	7·6	37	9	-	5	-	-	-	-	-	-	-	-	-	1	2	-	ACTON.
‡ WILLESDEN	160,917	9·4	7·1	9·4	9·1	96	28	3	10	-	-	-	1	-	-	-	-	2	3	13	-	WILLESDEN.
‡ HORNSEY	94.348	8·3	7·7	9·9	8·3	31	15	2	5	-	-	1	-	-	-	-	-	3	3	4	-	HORNSEY.
‡ TOTTENHAM	141,338	5·9	5·2	6·6	8·9	74	24	4	6	-	-	-	-	1	1	1	-	1	1	10	-	TOTTENHAM.
‡ EDMONTON	70,711	6·6	5·2	5·9	8·8	45	12	-	3	-	-	-	-	-	-	-	-	2	2	4	-	EDMONTON.
‡ ENFIELD	58.442	6·2	11·6	12·5	4·5	19	5	-	1	-	-	-	-	-	-	-	-	-	-	2	-	ENFIELD.
‡ WEST HAM	287,966	12·1	8·1	8·9	9·2	204	51	6	16	-	-	2	-	-	-	-	1	3	4	20	-	WEST HAM.
‡ EAST HAM	144,451	9·0	10·1	9·4	7·9	74	22	2	5	-	1	2	-	-	-	-	-	1	1	11	-	EAST HAM.
‡ LEYTON	123,896	5·5	7·2	6·7	7·2	62	17	2	7	-	-	-	-	-	-	1	-	1	2	7	-	LEYTON.
‡ WALTHAMSTOW	127,684	9·0	6·9	4·9	7·8	62	19	3	5	-	-	-	-	-	-	-	-	-	2	7	-	WALTHAMSTOW.
‡ ILFORD	79,524	12·5	7·9	6·6	7·2	28	11	1	3	-	-	-	-	-	1	-	-	-	-	3	-	ILFORD.
GILLINGHAM	43,501	13·2	8·4	12·0	10·8	37	9	-	3	-	-	-	-	-	-	-	-	-	-	1	1	GILLINGHAM.
HASTINGS	57,674	11·8	17·2	12·7	9·9	25	11	1	6	-	-	-	-	-	-	1	-	1	1	6	-	HASTINGS.
EASTBOURNE	48,424	4·3	12·9	5·4	5·4	12	5	-	2	-	-	-	-		-	-	-	2	2	-	-	EASTBOURNE.
BRIGHTON	132.409	9·5	11·8	8·7	9·8	66	25	4	10	-	-	-	-	-	-	-	1	1	2	8	-	BRIGHTON.
PORTSMOUTH	224,846	10·4	8·8	9·0	9·0	123	39	4	11	-	-	-	-	-	-	-	-	1	6	8	-	PORTSMOUTH.
BOURNEMOUTH	82,627	11·4	10·7	8·2	12·0	33	19	1	6	-	-	-	-	-	-	-	-	1	3	3	-	BOURNEMOUTH
SOUTHAMPTON	126.033	12·8	12·0	8·3	10·3	54	25	3	11	-	-	-	-	-	-	-	-	-	1	12	-	SOUTHAMPTON.
READING	91,365	9·1	13·7	9·1	6·3	41	11	3	3	-	-	-	-	-	1	-	-	-	-	2	-	READING.
OXFORD	57,666	10·9	7·2	10·9	5·4	20	6	-	2	-	-	-	-	-	-	-	-	-	-	2	-	OXFORD.
NORTHAMPTON	88,944	10·6	11·7	12·9	9·4	50	16	1	8	-	-	1	-	-	-	-	-	-	-	3	-	NORTHAMPTON.
CAMBRIDGE	57.849	9·0	9·0	8·1	8·1	26	9	1	5	-	-	-	-	-	-	-	-	2	1	1	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 26th June 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 5th June, 1920.	12th June, 1920.	19th June, 1920.	26th June, 1920.	Week ended 26th June 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	10·5	12·4	8·7	8·1	35	13	1	7	-	-	-	-	-	-	-	-	-	-	4	-	SOUTHEND ON SEA.
IPSWICH	78,011	10·7	9·4	11·4	8·7	45	13	1	6	-	-	-	-	-	1	1	-	1	1	4	-	IPSWICH.
GREAT YARMOUTH	53,078	6·9	7·9	11·8	16·7	25	17	1	4	-	-	2	-	-	-	-	-	-	-	3	-	GREAT YARMOUTH.
NORWICH	119,993	8·3	10·4	9·1	9·6	61	22	4	8	-	-	1	-	-	1	1	-	-	2	6	-	NORWICH.
SWINDON	51,527	8·1	11·1	9·1	5·1	21	5	-	2	-	-	-	-	-	-	-	-	1	1	1	-	SWINDON.
EXETER	59,014	8·0	13·3	10·6	16·8	24	19	-	11	-	-	-	-	-	-	-	-	1	4	3	-	EXETER.
PLYMOUTH	181,967	14·6	13·8	10·0	12·0	95	42	7	11	-	-	1	-	-	1	2	1	1	2	12	-	PLYMOUTH.
BATH	65,919	11·1	9·5	14·2	11·9	23	15	-	10	-	-	-	-	-	-	-	-	-	-	2	-	BATH.
BRISTOL	361,247	10·8	10·7	11·1	9·2	216	64	6	20	-	-	1	-	-	1	1	1	-	2	22	-	BRISTOL.
GLOUCESTER	50,100	17·7	11·4	12·5	6·2	27	6	-	2	-	-	-	-	-	-	-	1	-	-	-	-	GLOUCESTER.
STOKE ON TRENT	239,316	14·6	11·8	10·9	9·8	158	45	11	6	-	-		1	-	-	-	-	3	4	9	-	STOKE ON TRENT.
WOLVERHAMPTON	98,403	11·1	9·0	7·4	7·9	60	15	3	3	-	-	2	-	-	-	-	-	1	1	7	-	WOLVERHAMPTON.
WALSALL	92,724	13·5	12·4	11·2	10·1	68	18	4	5	-	-	-	-	-	-	-	1	-	1	2	-	WALSALL.
WEST BROMWICH	69,899	14·2	9·0	9·0	10·4	54	14	3	1	-	-	-	-	-	-	-	1	-	-	3	-	WEST BROMWICH.
DUDLEY	54,017	11·6	12·5	6·8	11·6	32	12	3	4	-	-	1	-	-	-	-	-	-	-	-	-	DUDLEY.
BIRMINGHAM	861,585	9·4	9·9	9·3	10·4	524	172	26	40	-	-	2	1	4	8	3	2	5	5	60	6	BIRMINGHAM.
SMETHWICK	72,152	10·1	7·9	7·2	8·7	42	12	1	3	-	-	-	-	-	-	1	-	-	-	2	-	SMETHWICK.
COVENTRY	132,048	9·1	7·5	9·5	6·7	76	17	4	6	-	-	-	-	-	-	-	-	-	-	3	-	COVENTRY.
LEICESTER	236,059	9·1	11·9	15·7	10·8	108	49	3	14	-	-	8	1	-	2	-	-	3	2	14	-	LEICESTER.
LINCOLN	60,581	14·6	9·5	6·0	8·6	33	10	3	3	-	-	-	-	-	-	-	-	-	-	6	-	LINCOLN.
GRIMSBY	78,813	13·2	7·9	15·9	11·9	40	18	3	4	-	-	-	-	-	-	-	-	1	1	4	-	GRIMSBY.
NOTTINGHAM	257,573	10·3	9·7	11·3	9·7	162	48	8	18	-	-	-	-	-	1	1	-	2	1	12	-	NOTTINGHAM.
DERBY	123,930	6·3	8·4	8·4	8·4	72	20	1	8	-	-	-	-	-	-	-	-	1	1	8	-	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 26th June, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 5th June, 1920.	12th June, 1920.	19th June, 1920.	26th June, 1920.	Week ended 26th June, 1920. Births.	Deaths.	The Deaths in the Week included. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	13·3	10·0	7·1	10·4	63	25	6	8	–	–	–	–	–	–	–	–	–	1	4	–	STOCKPORT.
BIRKENHEAD	148,052	10·2	9·2	8·8	6·0	90	17	–	8	–	–	–	–	–	–	–	–	–	1	3	–	BIRKENHEAD.
WALLASEY	95,424	7·1	6·0	8·7	7·1	40	13	1	5	–	–	–	–	–	–	–	–	–	–	2	–	WALLASEY.
LIVERPOOL	772,665	14·2	14·2	11·7	12·0	490	178	30	41	–	–	1	1	2	2	4	–	8	12	74	–	LIVERPOOL.
BOOTLE	76,962	11·5	19·6	19·0	10·2	52	15	2	4	–	–	–	–	1	–	–	1	–	–	–	–	BOOTLE.
ST. HELENS	100,805	14·0	12·4	11·4	12·4	65	24	7	4	–	–	–	–	–	–	1	–	2	2	5	–	ST. HELENS.
SOUTHPORT	70,144	10·4	13·4	13·4	11·2	22	15	3	7	–	–	–	–	–	–	–	–	–	–	2	1	SOUTHPORT.
WIGAN	87,384	11·9	8·4	10·1	16·1	64	27	5	6	–	–	–	–	–	–	1	–	1	2	5	–	WIGAN.
WARRINGTON	74,952	9·0	11·8	7·7	16·0	49	23	1	8	–	–	1	–	–	–	–	1	–	1	11	–	WARRINGTON.
BOLTON	177,462	15·3	15·0	11·8	11·2	87	38	7	8	–	–	–	–	3	–	–	–	3	8	9	–	BOLTON.
BURY	54,248	10·6	15·4	7·7	10·6	24	11	–	6	–	–	–	–	–	–	–	1	–	1	3	–	BURY.
MANCHESTER	741,068	13·9	12·5	12·2	10·6	411	150	18	46	–	–	1	–	1	2	5	2	5	12	62	–	MANCHESTER.
SALFORD	226,225	9·9	11·5	9·2	10·6	127	46	11	12	–	–	1	–	1	–	3	–	–	2	15	–	SALFORD.
OLDHAM	137,668	14·4	12·9	11·4	11·0	70	29	6	7	–	–	–	–	–	1	–	–	1	2	7	–	OLDHAM.
ROCHDALE	90,051	15·6	8·7	9·8	11·0	28	19	4	8	–	–	–	–	–	–	–	1	–	–	7	1	ROCHDALE.
BURNLEY	101,005	9·3	16·0	9·3	7·2	48	14	3	5	–	–	–	–	–	–	1	–	1	1	5	–	BURNLEY.
BLACKBURN	125,992	16·6	17·4	9·1	12·0	61	29	6	3	–	–	1	–	–	–	1	–	2	4	6	–	BLACKBURN.
PRESTON	117,277	10·2	9·3	7·6	8·9	57	20	4	7	–	–	–	–	–	–	2	–	1	1	3	–	PRESTON.
BLACKPOOL	67,842	10·8	11·5	16·9	8·5	25	11	–	4	–	–	–	–	–	–	–	–	–	–	2	–	BLACKPOOL.
BARROW IN FURNESS	73,627	20·5	13·5	10·6	9·9	42	14	5	3	–	–	–	–	–	–	–	–	–	–	3	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	9·8	9·3	11·1	10·2	39	22	3	10	–	–	–	–	–	–	–	1	2	2	6	–	HUDDERSFIELD.
HALIFAX	101,791	10·8	10·8	13·8	10·8	41	21	5	7	–	–	–	–	–	–	–	–	1	2	5	–	HALIFAX.
BRADFORD	282,714	14·4	11·8	12·0	9·4	136	51	6	14	–	–	–	–	–	–	–	1	2	6	18	–	BRADFORD.
LEEDS	431,999	12·3	10·6	11·2	9·5	228	79	11	16	–	–	–	–	2	–	2	1	1	7	18	–	LEEDS.
DEWSBURY	52,969	12·8	16·7	12·8	11·8	23	12	1	4	–	–	–	–	–	–	–	1	1	1	4	–	DEWSBURY.
WAKEFIELD	49,208	10·6	11·7	13·8	9·5	23	9	2	3	–	–	–	–	–	–	–	–	1	3	3	–	WAKEFIELD.
BARNSLEY	51,680	7·1	7·1	14·1	9·1	26	9	–	2	–	–	–	–	–	–	–	–	–	–	3	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Causes. Week ended 5th June, 1920.	12th June, 1920.	19th June, 1920.	26th June, 1920.	Week ended 26th June, 1920. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	17·7	15·5	12·0	10·2	237	93	12	26	–	–	4	–	2	–	2	7	9	13	27	–	Sheffield.
Rotherham	69,034	7·6	12·8	13·6	12·8	28	17	2	5	–	–	–	–	–	1	–	–	–	–	2	–	Rotherham.
York	74,531	10·5	13·3	11·2	8·4	40	12	2	2	–	–	–	–	–	–	–	–	1	1	3	–	York.
Hull	279,664	10·8	8·9	11·9	9·3	167	50	6	16	–	–	–	1	–	1	–	–	–	2	11	1	Hull.
Middlesbrough	127,142	10·3	13·9	14·4	11·5	77	28	4	4	–	–	–	–	1	–	2	–	1	1	8	2	Middlesbrough.
Darlington	64,058	14·7	12·2	12·2	12·2	41	15	2	5	–	–	–	–	–	–	–	–	–	–	5	–	Darlington.
Stockton on Tees	60,696	13·7	15·5	14·6	16·3	54	19	5	3	–	–	–	–	–	–	1	1	2	2	3	–	Stockton on Tees.
West Hartlepool	65,515	20·7	10·3	16·7	19·1	59	24	7	8	–	–	–	–	–	–	1	1	2	3	5	–	West Hartlepool.
Sunderland	149,263	14·0	16·4	12·6	11·5	108	33	4	10	–	–	–	–	–	–	–	–	2	3	11	–	Sunderland.
South Shields	111,502	14·0	13·6	15·9	10·8	58	23	3	2	–	–	–	–	–	–	2	–	–	–	3	1	South Shields.
Gateshead	123,392	11·4	9·7	13·9	8·0	55	19	3	4	–	–	–	–	–	1	1	–	1	2	3	–	Gateshead.
Newcastle on Tyne.	275,099	14·2	12·1	16·5	8·7	132	46	7	11	–	–	1	–	2	–	1	–	1	2	11	–	Newcastle on Tyne.
Tynemouth	58,007	10·8	15·3	15·3	12·6	22	14	4	3	–	–	–	–	–	–	1	–	1	1	2	–	Tynemouth.
Carlisle	55,198	18·9	17·0	17·0	11·3	23	12	1	6	–	–	–	–	–	–	–	–	–	–	1	–	Carlisle.
Newport (Mon.)	87,251	11·4	8·4	9·6	9·0	64	15	4	2	–	–	1	–	–	–	1	–	–	1	1	–	Newport (Mon.).
Cardiff	204,436	11·2	9·4	6·4	8·2	105	32	4	10	–	–	–	1	–	–	1	–	2	5	11	–	Cardiff.
Rhondda	177,911	14·1	9·7	12·3	12·6	109	43	12	4	–	–	2	–	–	–	2	–	4	5	1	–	Rhondda.
Merthyr Tydfil	71,638	16·7	8·0	16·0	12·4	39	17	2	5	–	–	–	–	–	–	1	2	–	–	2	–	Merthyr Tydfil.
Aberdare	51,384	13·2	11·2	11·2	10·1	29	10	1	4	–	–	–	–	–	–	1	–	–	–	–	–	Aberdare.
Swansea	160,810	12·3	15·2	13·3	12·6	100	39	7	10	–	–	5	–	2	–	–	1	1	3	6	–	Swansea.
Greater London	7,258,623	10·0	9·6	9·3	9·6	3881	1337	190	429	–	2	13	1	13	18	23	8	78	132	584	1	Greater London.
Outer Ring	2,900,314	8·5	8·0	8·1	8·5	1475	473	59	169	–	2	6	1	2	5	8	2	28	44	146	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	9·0	7·8	8·0	8·4	871	268	36	88	–	1	6	1	1	3	6	1	14	22	98	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	7·8	8·3	8·1	8·7	604	205	23	81	–	1	–	–	1	2	2	1	14	22	48	–	Remainder of Outer Ring.
Edinburgh†	342,300	14·2	11·5	11·2	11·3	153	74	10	24	–	–	–	–	1	3	–	2	1	?	?	?	Edinburgh.†
Glasgow†	1,115,500	13·5	13·6	14·5	12·5	646	266	54	55	1	5	5	1	3	2	15	5	13	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	18·7	16·2	17·1	14·6	265	116	26	23	1	–	1	–	4	1	2	1	5	3	52	3	Dublin (Registration Area).†
Belfast†	413,000	14·6	13·8	14·1	13·8	214	109	20	24	–	–	–	1	2	1	1	–	3	4	31	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWENTY-FIFTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	2260	1778	2157	2099	2271	1879	2108	1585	1341	1487	2406
Males	1147	895	1150	1038	1160	923	1071	795	705	785	1227
Females	1113	883	1007	1061	1111	956	1037	790	636	702	1179
Deaths (of residents only).	923	921	916	954	1045	1022	1011*	991*	927*	763*	864*
Males		467	493	494	561	551	543	534	474	405	492
Females		454	423	460	484	471	468	457	453	358	372

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.
Births (as registered)	2078	2471	2650	2665	2518	2552	2648	2369	2096	2558	2452	2293	2406
Deaths (of residents only).	1365	1471	1342	1185	1147	1084	1046	1005	1010	920	888	838	864
Ages at Death: Under 1 year	208	196	207	195	158	155	158	161	166	123	122	115	131
1–2 years	73	99	75	42	55	50	45	46	28	37	23	21	19
2–5 "	61	56	78	39	40	47	26	35	35	21	35	18	19
5–10 "	35	39	29	24	34	30	20	23	23	23	26	28	28
10–15 "	26	22	20	14	14	17	13	19	20	18	22	22	8
15–20 "	32	40	34	29	28	24	20	11	20	19	20	20	24
20–25 "	39	42	27	37	31	32	19	18	23	23	22	25	19
25–35 "	107	105	86	60	55	58	61	51	58	46	51	44	51
35–45 "	94	105	97	78	91	72	76	67	86	70	65	80	76
45–55 "	141	158	139	127	126	106	120	126	129	98	94	86	111
55–65 "	180	175	166	151	149	139	150	149	121	142	133	111	118
65–75 "	182	230	191	192	170	185	178	155	151	161	136	150	108
75 years and upwards	187	204	193	197	196	169	160	144	150	139	139	118	152
Deaths from—													
Enteric fever	–	4	1	1	3	–	2	2	3	2	1	1	–
Small-pox	–	–		1	–		–	–	–	–	–	–	–
Measles	48	62	76	40	45	41	25	25	24	19	18	15	7
Scarlet fever	2	6	4	4	4	4	1	3	3	3	3	2	–
Whooping cough	34	31	42	29	23	19	35	17	14	13	10	7	11
Diphtheria	28	22	20	12	15	24	11	15	17	11	13	15	13
Diarrhœa and enteritis (under 2 years).	12	18	17	15	12	15	14	19	17	11	20	23	15
Pulmonary tuberculosis	97	114	97	91	106	87	98	79	95	86	67	77	105
Influenza	124	105	101	59	45	31	32	31	26	19	13	7	6
Pneumonia (all forms)	175	194	140	113	96	95	82	88	59	66	62	54	40
Bronchitis	142	123	103	95	79	79	63	59	58	43	56	40	43
Other dis. of resp. system	20	26	15	16	14	18	14	16	14	6	16	14	10
Dis. of circ. system	159	191	168	174	189	138	203	154	158	156	139	129	155
Violence	33	49	36	44	42	40	32	52	41	44	46	40	50
Inquest cases	72	114	103	93	83	77	94	95	68	88	89	81	88
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	40	37	35	30	29	32	29	21	20	23	20	20	17
Small-pox	20	26	24	23	12	11	6	1	–	1	4	5	3
Measles	88	85	66	66	66	72	70	56	52	55	54	60	58
Scarlet fever	2023	2012	1904	1845	1831	1794	1757	1734	1703	1635	1642	1654	1646
Whooping cough	19	19	22	22	20	19	20	25	22	24	20	20	20
Diphtheria	1983	1994	1958	1965	1951	1947	1916	1894	1797	1746	1722	1705	1668

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.
Deaths from Influenza	380	332	306	259	202	201	216	211	188	148	86	65	37

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-FIFTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 25th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	763	864	131	19	19	28	8	24	19	51	76	111	118	108	152
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	7	–	4	3	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	1	11	6	3	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	10	13	2	3	3	4	–	–	–	–	–	–	1	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	6	–	–	–	–	–	1	–	–	1	–	2	2	–
Erysipelas	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1
Other epidemic diseases	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	84	105	2	2	1	1	–	8	9	22	22	22	12	3	1
Tuberculous meningitis	14	8	1	2	1	2	1	1	–	–	–	–	–	–	–
Abdominal tuberculosis	2	3	–	–	–	1	1	1	–	–	–	–	–	–	–
Tuberculosis of the spine	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	1	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Disseminated tuberculosis	6	3	–	–	–	1	1	–	–	1	–	–	–	–	–
Venereal diseases	7	6	3	–	–	–	–	–	–	–	–	3	–	–	–
Cancer	106	92	–	–	–	–	–	1	–	–	8	27	25	17	14
Tumour, situation undefined	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatic fever	4	4	–	1	–	1	1	–	–	–	1	–	–	–	–
Diabetes	9	6	–	–	–	–	–	–	–	–	1	–	2	1	2
Anæmia, leucocythaemia	6	5	–	–	–	1	–	–	–	–	1	–	2	–	1
Other general diseases	5	7	1	1	–	–	–	–	–	2	–	–	1	1	1
Alcoholism	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Chronic poisonings	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Simple meningitis	11	9	3	–	2	1	1	–	–	–	–	–	2	–	–
Cerebral hæmorrhage, Apoplexy	27	36	–	–	–	1	–	–	–	–	–	5	11	7	12
Softening of brain	1	3	–	–		–	–	–	–	–	–	–	1	2	–
Paralysis, without specified cause	2	3	–	–	–	–	–	–	–	–	1	–	–	1	1
Epilepsy	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–
"Convulsions" (not puerperal)	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	14	19	–	1	–	1	1	–	–	1	5	2	5	2	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	7	–	–	–	1	–	1	–	2	1	2	–	–	–
Organic disease of heart	94	104	–	–	–	1	–	3	1	3	9	16	19	23	29
Embolism and thrombosis (including cerebral).	6	10	–	–	–	–	–	–	–	–	–	2	1	3	4
Other diseases of circulatory system.	35	34	–	–	–	–	–	–	–	1	1	7	4	10	11
Diseases of the larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	35	43	5	1	–	–	–	1	–	1	4	2	3	8	18
Broncho-pneumonia	22	16	8	–	–	2	–	–	1	2	–	–	–	2	1
Lobar pneumonia	7	13	3	–	1	–	–	1	–	–	2	3	1	–	2
Pneumonia (type not distinguished)	4	11	1	–	–	–	–	1	1	1	–	1	5	–	1
Pleurisy	2	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Pulmonary congestion, Pulmonary apoplexy.	3	4	–	–	–	–	–	–	–	–	–	–	–	1	3
Other diseases of respiratory system.	5	4	–	–	–	–	1	–	–	–	1	1	–	1	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-FIFTH Week of the Year 1920.

Causes of Death.	Deaths in the 25th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Diseases of stomach	7	4	–	–	–	–	–	–	–	–	2	2	–	–	–
Diarrhœa and enteritis	17	20	15	–	1	1	–	–	–	1	–	1	1	–	–
Appendicitis and typhlitis	7	10	–	–	1	–	1	2	1	1	1	2	1	–	–
Hernia and Intestinal obstruction.	6	6	1	–	–	–	–	–	–	1	–	1	1	2	–
Cirrhosis of liver	7	4	–	–	–	–	–	–	–	–	2	–	–	–	2
Other diseases of liver	4	3	–	–	–	–	–	–	–	–	–	–	1	1	1
Peritonitis (cause unknown)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	2	3	1	–	–	–	–	–	–	–	–	–	–	1	1
Acute nephritis	1	3	–	–	–	–	–	–	–	–	–	–	3	–	–
Chronic Bright's disease	16	18	–	–	–	–	–	–	1	1	1	3	3	3	6
Urinary calculi	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Uterine tumour (non-cancerous)	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	9	9	–	–	–	–	–	–	–	–	–	2	2	4	1
Puerperal fever, &c.	1	3	–	–	–	–	–	–	–	3	–	–	–	–	–
Other causes incident to childbirth.	2	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Diseases of skin and cellular tissues.	3	5	2	–	–	–	–	–	–	–	–	–	–	–	3
Diseases of locomotor system	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	2	10	9	–	1	–	–	–	–	–	–	–	–	–	–
Premature birth	25	38	38	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	6	13	13	–	–	–	–	–	–	–	–	–	–	–	–
Old age	34	38	–	–	–	–	–	–	–	–	–	–	–	7	31
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	5	4	–	–	2	–	–	–	–	–	–	–	–	–	2
Drowning	8	8	–	–	–	3	–	–	1	1	1	–	2	–	–
Suffocation in bed	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	21	27	2	1	–	4	–	2	3	1	1	4	4	4	1
Total deaths from accident	36	39	2	1	2	7	–	2	4	2	2	4	6	4	3
Included in above are deaths in connection with:—															
Railways	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	8	10	–	–	–	3	–	1	2	–	1	2	1	–	–
Ships, boats, docks	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Building operations	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
Suicide	6	9	–	–	–	–	–	–	–	1	4	1	2	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	12	12	12	–	–	–	–	–	–	–	–	–	–	–	–
Ill-defined Causes	2	2	–	–	–	–	–	–	–	1	–	1	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
NDON‡	4,358,309	June 26	2,406	864	10·3	–	–	7	–	11	13	15	6
LCUTTA	896,067	May 22	–	476§	27·6	?	18	?	?	?	?	?	7
MBAY	979,445	„ 22	326	793§	42·1	5	5	5	–	–	–	24	19
ADRAS	518,660	„ 15	402	390	39·1	1	3	2	–	–	–	56	2
		„ 22	399	370	37·1	2	2	1	–	5	–	37	–
RIS	2,847,229	(10 days) Apr. 30	1,824	1,065	–	2	–	12	2	15	4	30	2
USSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
TWERP	327,653	June 12	117	59	9·4	–	–	–	–	–	1	5	1
ISTERDAM	650,301	„ 12	308	125	10·0	–	–	1	–	1	1	1	1
PENHAGEN	552,000	„ 12	188	128	12·1	–	–	1	–	1	2	1	1
OCKHOLM	415,201	„ 5	160	87	10·9	–	–	–	1	–	–	–	1
THENBURG	200,578	May 29	–	–	–	–	–	–	–	–	–	–	–
RISTIANIA	258,615	June 12	93	61	12·3	–	–	–	–	–	–	–	–
RLIN	1,904,590	„ 5	665	445	12·1	–	–	1	–	1	4	23	3
ESLAU	531,347	„ 5	250	157	15·4	–	–	–	–	3	1	13	3
LOGNE	642,899	„ 5	331	142	11·5	–	–	–	–	1	1	16	?
ESDEN	537,127	„ 5	289	117	11·3	–	–	–	1	–	1	4	?
ANKFORT-ON-MAIN.	435,103	„ 5	199	92	11·0	–	–	1	–	1	–	6	?
AMBURG	1,002,933	„ 5	505	223	11·6	–	–	3	–	–	1	6	?
IPZIG	610,686	„ 5	287	124	10·6	–	–	4	–	1	–	3	?
UNICH	647,030	„ 5	–	–	–	–	–	–	–	–	–	–	?
ENNA	1,838,708	June 12	512	574	16·3	2	–	3	1	3	1	13	6
AGUE	524,496	May 22	247	221	22·0	–	2	–	1	–	–	4	–
		„ 29	170	188	18·7	–	1	–	–	–	–	9	3
DAPEST	1,071,492	„ 8	–	–	–	–	–	–	–	–	–	–	–
IESTE	233,064	June 12	–	–	–	–	–	–	–	–	–	–	–
IRO	761,300	Apr. 1	–	–	–	–	–	–	–	–	–	–	–
EXANDRIA	445,700	„ 1	–	–	–	–	–	–	–	–	–	–	–
EW YORK	6,141,445	May 15	–	–	–	–	–	–	–	–	–	–	–
ICAGO	2,596,681	„ 22	–	690	13·9	–	–	–	3	5	10	36	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under ear of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Calcutta and 12 in Bombay, and from *Asiatic cholera* 59 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 26th June, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
ONDON (Greenwich)	76	52	72·4	54·0	11
RIGHTON	68	52	65·3	55·4	20
ORTSMOUTH	72	53	68·0	55·9	22
DRWICH (Eaton)	71	47	68·0	53·4	19
YMOUTH	69	50	66·6	53·9	3
RISTOL (Clifton)	72	50	67·7	55·4	8
RMINGHAM	69	49	66·3	51·1	4
OTTINGHAM	70	45	67·0	50·6	9
RKENHEAD (Bidston)	67	50	62·7	52·7	0
ANCHESTER (Whitworth Park)	69	45	65·0	49·4	2
URNLEY	67	41	63·4	50·1	3
UDDERSFIELD	69	45	65·7	50·1	2
BRADFORD	66	45	63·4	51·3	3
SHEFFIELD	68	45	65·1	50·9	6
YORK (Museum)	70	45	66·3	52·0	3
HULL (Pearson Park)	72	45	67·1	51·6	18
TYNEMOUTH	69	46	64·1	51·7	4
CARDIFF	69	48	66·1	53·4	11
EDINBURGH	66·0	48·0	62·6	50·4	1
GLASGOW	69·6	49·1	61·5	51·8	3
DUBLIN:— Phœnix Park	68·0	49·0	63·7	51·3	9
†Fitzwilliam Square	68·8	52·1	64·1	54·4	7
BELFAST	71·5	49·6	65·8	51·4	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 26th June 1920

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	bs.	Miles.	Miles.	in.
SUNDAY	20	..	29·683	62·2	54·1	8·1	58·2	− 1·7	57·6	0·6	8·6	0·0	98	80·0	45·8	53·9	WSW. & SW.	SW., WSW. & W.	2·1	0·0	0·2	251	+ 5	0·48
MONDAY	21	..	29·973	73·0	51·9	21·1	61·7	+ 1·4	50·7	11·0	21·2	1·4	67	131·2	45·6	54·1	WNW. & NW.	W.	1·6	0·0	0·2	258	+ 11	0·00
TUESDAY	22	In Equator. First Quarter.	30·135	75·9	52·1	23·8	64·4	+ 3·8	49·2	15·2	22·9	2·4	58	139·0	44·7	54·2	WNW. & W.	W.	1·4	0·0	0·1	220	− 29	0·00
WEDNESDAY	23		30·159	73·8	56·9	16·9	64·0	+ 3·1	50·8	13·2	20·9	6·7	62	125·0	49·0	54·4	W. & NW.	N., NNE. & NE.	1·4	0·0	0·1	244	− 6	0·00
THURSDAY	24	..	30·077	74·6	52·1	22·5	61·7	+ 0·5	48·7	13·0	22·7	1·2	63	130·8	43·3	54·6	NE.	Calm, NW. & E.	1·0	0·0	0·1	150	−102	0·00
FRIDAY	25	..	29·924	74·0	53·3	20·7	64·2	+ 2·8	49·7	14·5	19·2	1·4	59	129·0	42·8	54·7	Calm & W.	W. & WNW.	2·5	0·0	0·2	269	+ 16	0·00
SATURDAY	26	..	29·892	70·7	56·9	13·8	62·6	+ 1·1	54·8	7·8	13·7	3·6	76	105·2	47·9	54·9	WNW. & W.	W. & WNW.	2·1	0·0	0·1	242	− 10	0·00
MEANS		- - -	29·978	72·0	53·9	18·1	62·4	+ 1·6	51·6	10·8	18·5	2·4	69	120·0	45·6	54·4	WNW.		..	..	..	Sum 1634	Sum −115	Sum 0·48
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE. 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	20	w.P. and w.N. throughout.	0·0	16·6	Overcast soon after midnight, clearing after 23h.; rain from 7h. to 22h. 45m.
MONDAY	21	v.P. throughout	10·6	16·6	Fine with little cloud till 11h., nearly overcast afterwards with cloudy intervals; slight rain about 20h.
TUESDAY	22	v.P. throughout	13·6	16·6	Nearly overcast till 7h., becoming nearly cloudless by 8h., clouding up 19h. to overcast generally by 20h.
WEDNESDAY	23	s.P. generally	5·9	16·6	Nearly overcast generally till 15h., cloudy till 21h., then fine with little cloud; thunder about 18h.
THURSDAY	24	s.P. generally, v.P. after 20h.	10·1	16·6	Few clouds generally till 9h.; variably cloudy afterwards, with nearly overcast interval 21h. to 23h.
FRIDAY	25	v.P. throughout	6·3	16·5	Cloudless till 1h.; overcast till 3h.; variably cloudy till 10h., then nearly overcast with few breaks; solar halo 7h. to 8h.
SATURDAY	26	v.P. throughout	0·2	16·5	Overcast with slight exceptions; few drops of rain in afternoon; slight shower 21h. 30m.
			Sum 46·7	Sum 116·0	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and — "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·76 in. at the beginning of the week to 29·64 in. by 17h. on 20th.; increased to 30·17 in. by 21h. on 23rd, and decreased generally to 29·89 in. by midnight on 26th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 19th June, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	838	1	-	15	2	7	15	23	77	115
Western										
PADDINGTON	21	-	-	1	-	-	-	-	3	1
KENSINGTON	28	-	-	2	-	-	1	1	-	4
HAMMERSMITH	21	-	-	-	-	-	-	-	-	3
FULHAM	31	-	-	-	-	-	-	-	6	4
CHELSEA	5	-	-	-	-	-	-	1	1	1
CITY OF WESTMINSTER	35	1	-	-	-	-	-	-	3	-
Northern.										
ST. MARYLEBONE	21	-	-	1	-	-	-	-	1	2
HAMPSTEAD	17	-	-	1	-	-	-	-	2	1
ST. PANCRAS	36	-	-	-	-	-	-	2	2	4
ISLINGTON	78	-	-	1	-	1	2	1	7	7
STOKE NEWINGTON	12	-	-	1	-	-	-	-	-	3
HACKNEY	37	-	-	-	-	-	1	1	2	2
Central.										
HOLBORN	13	-	-	-	-	-	-	-	1	-
FINSBURY	14	-	-	1	-	-	2	-	-	2
CITY OF LONDON	4	-	-	1	-	-	-	-	-	-
Eastern.										
SHOREDITCH	15	-	-	-	-	-	1	1	3	1
BETHNAL GREEN	23	-	-	-	-	1	1	-	6	5
STEPNEY	40	-	-	2	1	-	-	1	2	5
POPLAR	38	-	-	1	-	-	-	4	4	12
Southern.										
SOUTHWARK	41	-	-	-	-	1	1	4	1	6
BERMONDSEY	25	-	-	-	1	-	-	-	3	4
LAMBETH	60	-	-	1	-	2	1	2	7	9
BATTERSEA	30	-	-	1	-	1	-	2	3	9
WANDSWORTH	47	-	-	-	-	-	1	-	1	4
CAMBERWELL	48	-	-	-	-	-	2	2	6	11
DEPTFORD	22	-	-	-	-	-	1	-	4	3
GREENWICH	19	-	-	-	-	-	-	-	3	3
LEWISHAM	33	-	-	-	-	-	1	1	3	6
WOOLWICH	24	-	-	1	-	1	-	-	3	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 19th June, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	-	-	-	-	3	7	-	2	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	7	6	-	-	-	-	2	-	-	-	-
Hammersmith	130,981	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-
Fulham	152,543	-	-	-	-	5	6	3	4	1	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	4	2	-	-	-	1	-	-	-	-	-
City of Westminster	127,533	1	2	-	-	6	4	-	3	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	1	-	-	-	9	2	-	1	-	-	2	-	-	-	-
Hampstead	88,012	-	-	-	-	8	1	2	2	-	-	1	-	-	-	-
St. Pancras	219,434	-	2	-	-	17	8	1	4	-	-	1	-	-	1	-
Islington	323,034	-	1	-	-	10	17	2	1	-	-	4	-	-	1	-
Stoke Newington	50,954	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	17	4	1	-	-	-	1	-	-	-	1
CENTRAL.																
Holborn	38,156	-	-	-	-	4	-	-	-	-	-	1	-	-	-	-
Finsbury	75,291	-	1	-	-	2	3	-	2	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	1	-	-	8	7	1	3	-	-	1	-	-	-	-
Bethnal Green	110,085	-	-	-	-	8	6	1	3	-	-	1	-	-	-	-
Stepney	232,506	1	-	-	-	30	6	4	1	-	-	2	-	-	-	-
Poplar	153,644	1	1	-	-	12	12	7	1	-	2	-	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	1	-	-	13	8	1	5	-	1	3	-	-	1	-
Bermondsey	124,239	-	-	-	-	10	7	1	-	-	-	-	-	-	-	-
Lambeth	282,322	-	2	-	-	23	14	2	2	-	-	1	-	-	-	-
Battersea	159,316	-	1	-	-	5	6	2	1	-	-	5	-	-	1	-
Wandsworth	333,693	1	2	-	-	18	18	2	5	-	1	-	-	-	-	-
Camberwell	273,802	-	1	-	-	16	5	1	3	-	-	-	-	-	-	-
Deptford	111,205	-	-	-	-	7	2	1	1	-	-	-	-	-	-	-
Greenwich	98,484	-	-	-	-	2	12	1	-	-	-	-	-	-	-	-
Lewisham	167,754	-	1	-	-	11	8	1	-	-	-	-	-	-	-	-
Woolwich	136,237	-	1	-	-	4	9	2	1	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	5	17	-	-	264	182	37	47	1	6	25	-	-	4	1
Ages 0-1		-	-	-	-	2	5	-	-	-	-	25	-	-	-	-
" 1-5		-	-	-	-	43	52	8	2	-	-	-	-	-	-	-
" 5-		-	-	-	-	123	77	5	1	-	-	-	-	-	-	-
" 10-		-	-	-	-	54	25	1	1	-	-	-	-	-	1	-
" 15-		2	-	-	-	18	6	-	1	-	-	-	-	-	1	-
" 20-		-	5	-	-	9	5	1	1	-	2	-	-	-	-	-
" 25-		1	5	-	-	10	8	8	3	1	3	-	-	-	-	-
" 35-		1	7	-	-	4	2	5	5	-	1	-	-	-	1	1
" 45-		-	-	-	-	-	2	6	13	-	-	-	-	-	-	-
" 55-		1	-	-	-	1	-	2	8	-	-	-	-	-	1	-
" 65-		-	-	-	-	-	-	1	9	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 26. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JULY 3.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
July 6th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,210, and corresponded to an annual rate of 25·9 per 1,000. The deaths* among the civilian population only numbered 3,391, and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended June 12th, June 19th, and June 26th, the rates had been 11·1, 10·6, and 10·1 respectively. The infant mortality was 63, against 67, 62, and 53 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11580—1 Wt 167–840 625 7/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 14·5 in Hastings, 14·6 in Grimsby, 14·8 in Newcastle-on-Tyne, 14·9 in Wigan, 15·6 in Gillingham, 17·3 in Aberdare, and 20·0 in Blackpool; from *measles*, 1·2 in Northampton, 2·4 in Leicester, and 3·0 in Wigan; and from *diphtheria*, 1·7 in Stockton-on-Tees. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,337 births, corresponding to a rate of 26·8 per 1,000, and 749 deaths of civilians, corresponding to a rate of 9·0, as against 10·6, 10·0, and 10·3 per 1,000 in the three weeks ended June 12th, June 19th, and June 26th. The death-rate in the four weeks ended last Saturday averaged 10·0 per 1,000. The infant mortality was 46, against 50, 50, and 54 in the preceding three weeks.

There was no death from *enteric fever*, the numbers having been 1, 1, and 0 in the preceding three weeks, and the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 18, 15, and 7 in the preceding three weeks, were again 7 last week, and were 15 below the average. The deaths from *scarlet fever*, which had been 3, 2, and 0 in the preceding three weeks, were 2 last week, being equal to the average. The deaths from *whooping-cough*, which had been 10, 7, and 11 in the preceding three weeks, fell to 7 last week, being 7 below the average. The deaths from *diphtheria*, which had been 13, 15, and 13 in the preceding three weeks, were again 13 last week, being 5 above the average; 3 deaths belonged to the Borough of Islington, and 3 to that of Hackney. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 20, 23, and 15 in the preceding three weeks, further fell to 11 last week, being equal to the average. The deaths from *influenza* numbered 4, as against 13, 7, and 6 in the preceding three weeks, and an average of 16.

Different forms of violence caused 42 deaths, all but 1 of which were the subject of coroners' inquests. Of these 42 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 34 were attributed to other forms of violence. Six of these latter were referred to vehicles in the streets, 3 to poisons or poisonous vapours, 3 to drowning, and 2 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 21 cases of enteric fever, 3 of small-pox, 58 of measles, 1,705 of scarlet fever, 18 of whooping-cough, and 1,603 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 6 cases, against 1, 2, and 1; of measles, 12 cases, against 14, 22, and 16; of scarlet fever, 302 cases, against 228, 270, and 279; of whooping-cough, 2 cases, against 0, 0, and 4; and of diphtheria, 174 cases, against 197, 190, and 206. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended June 26th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 3rd July, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 12th June, 1920.	19th June, 1920.	26th June, 1920.	3rd July, 1920.	Week ended 3rd July, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	11·1	10·6	10·1	9·9	9210	3391	578	975	2	-	50	8	40	45	88	34	144	268	1179	21	96 GREAT TOWNS.
LONDON†	4,358,309	10·6	10·0	10·3	9·0	2337	749	107	220	-	-	7	2	7	13	11	4	42	83	386	1	LONDON.†
‡ CROYDON	184,239	9·3	9·6	9·6	8·5	85	30	5	12	-	-	-	-	-	-	1	1	-	2	6	-	CROYDON.
WIMBLEDON	59,791	9·6	7·0	11·3	10·5	16	12	3	3	-	-	-	-	1	-	-	-	-	-	6	-	WIMBLEDON.
EALING	73,212	5·0	4·3	5·7	5·7	31	8	-	4	-	-	-	-	-	-	-	-	-	-	4	-	EALING.
ACTON	61,732	8·4	7·6	7·6	2·5	22	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	ACTON.
WILLESDEN	160,917	7·1	9·4	9·1	9·1	82	28	4	8	-	-	-	-	-	3	1	-	1	1	13	-	WILLESDEN.
HORNSEY	94,348	7·7	9·9	8·3	6·1	32	11	1	5	-	-	-	-	-	-	1	-	-	2	5	-	HORNSEY.
TOTTENHAM	141,338	5·2	6·6	8·9	6·6	61	18	4	4	-	-	-	-	-	-	1	-	1	1	6	-	TOTTENHAM.
EDMONTON	70,711	5·2	5·9	8·8	8·1	37	11	-	6	-	-	-	1	-	1	-	-	1	2	5	-	EDMONTON.
ENFIELD	58,442	11·6	12·5	4·5	8·0	20	9	2	1	-	-	-	-	-	1	-	-	-	-	3	-	ENFIELD.
WEST HAM	287,966	8·1	8·9	9·2	10·3	175	57	10	17	-	-	2	-	1	4	2	2	3	7	26	-	WEST HAM.
EAST HAM	144,451	10·1	9·4	7·9	6·1	78	17	2	3	-	-	-	-	-	-	-	1	1	2	7	-	EAST HAM.
LEYTON	123,896	7·2	6·7	7·2	9·7	63	23	7	6	-	-	1	-	-	-	2	-	-	2	8	-	LEYTON.
WALTHAMSTOW	127,684	6·9	4·9	7·	6·5	62	16	-	6	-	-	-	-	-	-	-	-	-	1	10	-	WALTHAMSTOW.
ILFORD	79,524	7·9	6·6	7·2	5·2	34	8	2	1	-	-	-	1	-	-	-	-	-	1	3	-	ILFORD.
GILLINGHAM	43,501	8·4	12·0	10·8	15·6	34	13	2	2	-	-	-	-	-	-	-	-	-	-	5	-	GILLINGHAM.
HASTINGS	57,674	17·2	12·7	9·9	14·5	19	16	3	10	-	-	-	-	-	-	-	-	-	1	3	-	HASTINGS.
EASTBOURNE	48,424	12·9	5·4	5·4	1·1	15	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	EASTBOURNE.
BRIGHTON	132,409	11·8	8·7	9·8	11·8	52	30	2	11	1	-	-	-	-	-	1	-	1	2	7	-	BRIGHTON.
PORTSMOUTH	224,846	8·8	9·0	9·0	7·7	103	33	4	16	-	-	-	-	1	-	-	-	-	-	8	-	PORTSMOUTH.
BOURNEMOUTH	82,627	10·7	8·2	12·0	7·6	33	12	1	8	-	-	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH
SOUTHAMPTON	126,033	12·0	8·3	10·3	9·5	49	23	-	11	-	-	-	-	-	-	-	-	1	1	9	-	SOUTHAMPTON.
READING	91,365	13·7	9·1	6·3	9·1	51	16	2	5	-	-	-	-	-	-	-	-	1	2	5	-	READING.
OXFORD	57,666	7·2	10·9	5·4	6·3	23	7	1	5	-	-	-	-	-	-	-	-	1	2	-	-	OXFORD.
NORTHAMPTON	88,944	11·7	12·9	9·4	11·7	44	20	2	3	-	-	2	-	-	-	-	-	2	2	5	-	NORTHAMPTON.
CAMBRIDGE	57,849	9·0	8·1	8·1	7·2	26	8	-	2	-	-	-	-	-	-	-	-	-	-	2	-	CAMBRIDGE.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 12th June, 1920.	19th June, 1920.	26th June, 1920.	3rd July, 1920.	Week ended 3rd July 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	12·4	8·7	8·1	8·7	40	14	1	9	-	-	-	-	-	-	-	-	-	-	4	-	Southend on Sea.
Ipswich	78,011	9·4	11·4	8·7	8·0	41	12	-	8	-	-	-	-	-	1	-	-	-	-	4	-	Ipswich.
Great Yarmouth	53,078	7·9	11·8	16·7	8·8	32	9	1	3	-	-	-	-	-	1	-	-	-	-	6	-	Great Yarmouth.
Norwich	119,993	10·4	9·1	9·6	9·6	62	22	3	10	-	-	-	-	-	-	1	-	1	2	6	-	Norwich.
Swindon	51,527	11·1	9·1	5·1	10·1	27	10	2	4	-	-	-	-	-	-	-	-	-	-	1	-	Swindon.
Exeter	59,014	13·3	10·6	16·8	11·5	26	13	3	3	-	-	-	-	-	-	-	-	1	1	4	1	Exeter.
Plymouth	181,967	13·8	10·0	12·0	10·3	103	36	7	14	-	-	-	-	-	-	1	2	2	2	7	-	Plymouth.
Bath	65,919	9·5	14·2	11·9	7·1	29	9	1	6	-	-	-	-	-	-	-	1	-	-	3	-	Bath.
Bristol	361,247	10·7	11·1	9·2	10·7	167	74	9	30	-	-	1	1	-	1	1	-	3	5	23	-	Bristol.
Gloucester	50,100	11·4	12·5	6·2	8·3	27	8	2	2	-	-	-	-	-	-	-	-	-	-	2	-	Gloucester.
Stoke on Trent	239,316	11·8	10·9	9·8	10·9	135	50	11	8	-	-	-	-	-	1	-	3	1	1	12	2	Stoke on Trent.
Wolverhampton	98,403	9·0	7·4	7·9	5·8	71	11	2	4	-	-	1	-	-	-	1	-	-	-	4	-	Wolverhampton.
Walsall	92,724	12·4	11·2	10·1	10·1	50	18	5	4	-	-	1	-	-	-	3	-	-	1	5	-	Walsall.
West Bromwich	69,899	9·0	9·0	10·4	13·4	42	18	5	4	-	-	-	-	-	-	3	1	-	-	-	-	West Bromwich.
Dudley	54,017	12·5	6·8	11·6	9·7	34	10	3	4	-	-	1	-	-	-	-	-	-	-	2	-	Dudley.
Birmingham	861,585	9·9	9·3	10·4	11·6	462	191	40	45	-	-	3	2	4	2	5	1	13	15	74	5	Birmingham.
Smethwick	72,152	7·9	7·2	8·7	10·8	31	15	3	5	-	-	-	-	1	-	1	-	1	1	3	-	Smethwick.
Coventry	132,048	7·5	9·5	6·7	8·3	73	21	4	3	-	-	-	-	-	-	-	-	2	2	7	-	Coventry.
Leicester	236,059	11·9	15·7	10·8	12·8	108	58	9	17	-	-	11	-	2	3	2	-	1	1	18	-	Leicester.
Lincoln	60,581	9·5	6·0	8·6	10·3	26	12	3	2	-	-	-	-	-	-	-	-	-	-	1	-	Lincoln.
Grimsby	78,813	7·9	15·9	11·9	14·6	49	22	5	6	-	-	-	-	-	-	1	-	1	2	5	-	Grimsby.
Nottingham	257,573	9·7	11·3	9·7	10·5	134	52	8	18	-	-	1	-	-	-	-	-	2	3	16	-	Nottingham.
Derby	123,930	8·4	8·4	8·4	10·9	68	26	3	7	-	-	-	-	-	-	-	-	2	4	6	-	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 3rd July, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 12th June, 1920.	19th June, 1920.	26th June, 1920.	3rd July, 1920.	Week ended 3rd July, 1920. Births.	Deaths.	The Deaths in the Week included. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	10·0	7·1	10·4	10·0	56	24	3	9	–	–	–	–	–	–	1	–	–	2	6	–	STOCKPORT.
BIRKENHEAD	148,052	9·2	8·8	6·0	9·2	81	26	5	6	–	–	–	–	–	–	–	–	2	4	9	–	BIRKENHEAD.
WALLASEY	95,424	6·0	8·7	7·1	9·3	36	17	2	4	–	–	–	–	–	1	–	–	2	2	6	–	WALLASEY.
LIVERPOOL	772,665	14·4	11·7	12·1	11·3	486	168	41	32	–	–	1	1	5	2	7	–	4	11	60	3	LIVERPOOL.
BOOTLE	76,962	19·6	19·0	10·2	9·5	45	14	2	4	–	–	–	–	–	1	–	–	2	2	6	1	BOOTLE.
ST. HELENS	100,805	12·4	11·4	12·4	5·7	86	11	4	–	–	–	–	–	–	–	2	–	–	–	4	–	ST. HELENS.
SOUTHPORT	70,144	13·4	13·4	11·2	9·7	26	13	1	2	–	–	–	–	–	–	1	1	–	–	5	–	SOUTHPORT.
WIGAN	87,384	8·4	10·1	16·1	14·9	49	25	3	5	–	–	5	–	–	–	–	1	1	4	5	–	WIGAN.
WARRINGTON	74,952	11·8	7·7	16·0	10·4	37	15	1	3	–	–	–	–	–	–	2	–	–	–	4	–	WARRINGTON.
BOLTON	177,462	15·0	11·8	11·2	10·6	34	36	8	15	–	–	–	–	2	–	1	–	–	1	10	–	BOLTON.
BURY	54,248	15·4	7·7	10·6	6·7	12	7	3	1	–	–	–	–	–	–	–	–	–	–	1	–	BURY.
MANCHESTER	741,068	12·5	12·2	10·6	10·3	355	147	29	31	–	–	2	–	2	1	7	1	7	12	61	–	MANCHESTER.
SALFORD	226,225	11·5	9·2	10·6	12·0	115	52	11	15	–	–	–	–	1	–	2	–	1	2	15	–	SALFORD.
OLDHAM	137,668	12·9	11·4	11·0	8·0	72	21	2	6	–	–	–	–	–	–	–	1	1	2	7	–	OLDHAM.
ROCHDALE	90,051	8·7	9·8	11·0	10·4	29	18	4	2	–	–	–	–	–	–	–	–	1	2	8	–	ROCHDALE.
BURNLEY	101,005	16·0	9·3	7·2	12·9	35	25	2	9	–	–	–	–	–	–	–	–	2	4	4	–	BURNLEY.
BLACKBURN	125,992	17·4	9·1	12·0	12·0	55	29	3	9	–	–	–	–	–	–	–	–	2	2	9	–	BLACKBURN.
PRESTON	117,277	9·3	7·6	8·9	12·9	35	29	7	9	–	–	1	–	–	–	1	–	–	–	7	–	PRESTON.
BLACKPOOL	67,842	11·5	16·9	8·5	20·0	29	26	–	12	–	–	–	–	–	–	–	–	–	–	7	–	BLACKPOOL.
BARROW IN FURNESS	73,627	13·5	10·6	9·9	11·3	32	16	2	3	–	–	1	–	–	–	–	–	3	4	4	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	9·3	11·1	10·2	11·1	39	24	–	8	–	–	–	–	–	–	–	–	3	3	6	–	HUDDERSFIELD.
HALIFAX	101,791	10·8	13·8	10·8	9·2	32	18	2	7	–	–	–	–	–	–	–	–	1	1	6	–	HALIFAX.
BRADFORD	282,714	11·8	12·0	9·4	9·8	127	53	8	19	–	–	–	–	1	1	–	–	1	6	19	–	BRADFORD.
LEEDS	431,999	10·6	11·2	9·5	11·1	198	92	18	32	–	–	–	–	–	1	6	–	2	8	31	–	LEEDS.
DEWSBURY	52,969	16·7	12·8	11·8	8·9	19	9	–	3	–	–	–	–	–	–	–	1	1	1	2	–	DEWSBURY.
WAKEFIELD	49,208	11·7	13·8	9·5	9·5	25	9	–	3	–	–	–	–	–	–	–	–	–	–	4	–	WAKEFIELD.
BARNSLEY	51,680	7·1	14·1	9·1	9·1	33	9	2	1	–	–	–	–	–	–	1	–	–	1	2	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes. Week ended 12th June, 1920.	19th June, 1920.	26th June, 1920.	3rd July, 1920.	Week ended 3rd July, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	15·5	12·0	10·2	9·6	275	87	19	18	–	–	3	–	1	1	4	5	4	8	40	–	Sheffield.
Rotherham	69,034	12·8	13·6	12·8	12·8	39	17	3	7	–	–	–	–	–	–	–	1	1	1	5	–	Rotherham.
York	74,531	13·3	11·2	8·4	11·2	38	16	–	7	–	–	–	–	–	–	–	–	–	–	4	–	York.
Hull	279,664	8·9	11·9	9·3	10·4	158	56	11	21	–	–	–	–	–	–	2	–	3	5	10	–	Hull.
Middlesbrough	127,142	13·9	14·4	11·5	9·4	86	23	5	5	–	–	1	–	1	–	1	–	–	–	4	2	Middlesbrough.
Darlington	64,058	12·2	12·2	12·2	12·2	39	15	3	–	–	–	–	–	1	–	–	1	1	1	1	1	Darlington.
Stockton on Tees	60,696	15·5	14·6	16·3	12·9	39	15	1	3	–	–	1	–	–	2	–	–	2	2	3	–	Stockton on Tees.
West Hartlepool	65,515	10·3	16·7	19·1	12·7	41	16	2	6	–	–	–	–	–	–	–	1	–	–	2	–	West Hartlepool.
Sunderland	149,263	16·4	12·6	11·5	13·3	93	38	8	6	–	–	–	–	2	–	–	1	3	4	5	–	Sunderland.
South Shields	111,502	13·6	15·9	10·8	13·1	91	28	7	8	–	–	–	–	–	1	2	–	1	1	8	–	South Shields.
Gateshead	123,392	9·7	13·9	8·0	10·1	97	24	9	2	–	–	–	–	1	–	1	–	–	–	2	2	Gateshead.
Newcastle on Tyne.	275,099	12·1	16·5	8·7	14·8	162	78	12	25	–	–	–	–	1	–	1	2	2	6	15	–	Newcastle on Tyne.
Tynemouth	58,007	15·3	15·3	12·6	10·8	46	12	4	2	1	–	–	–	1	–	–	–	–	–	3	1	Tynemouth.
Carlisle	55,198	17·0	17·0	11·3	7·6	23	8	–	4	–	–	–	–	1	–	–	–	–	–	1	2	Carlisle.
Newport (Mon.)	87,251	8·4	9·6	9·0	7·8	46	13	2	3	–	–	–	–	–	–	–	1	1	2	3	–	Newport (Mon.).
Cardiff	204,436	9·4	6·4	8·2	8·2	86	32	10	6	–	–	–	–	–	–	1	–	2	5	5	–	Cardiff.
Rhondda	177,911	9·7	12·3	12·6	8·5	96	29	8	4	–	–	1	–	2	1	1	1	1	1	2	–	Rhondda.
Merthyr Tydfil	71,638	8·0	16·0	12·4	10·9	55	15	4	2	–	–	1	–	–	1	–	–	1	2	2	–	Merthyr Tydfil.
Aberdare	51,384	11·2	11·2	10·1	17·3	34	17	6	4	–	–	–	–	–	–	2	–	1	1	1	–	Aberdare.
Swansea	160,810	15·2	13·3	12·6	9·4	67	29	7	5	–	–	2	–	–	1	3	–	–	1	8	–	Swansea.
Greater London	7,258,623	9·6	9·3	9·6	8·5	3698	1187	166	367	1	–	10	4	10	23	21	10	54	114	552	1	Greater London.
Outer Ring	2,900,314	8·0	8·1	8·5	7·9	1361	438	59	147	1	–	3	2	3	10	10	6	12	31	166	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	7·8	8·0	8·4	7·8	798	251	40	77	–	–	3	2	2	9	8	4	7	21	103	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,063	8·3	8·1	8·7	7·9	563	187	19	70	1	–	–	–	1	1	2	2	5	10	63	–	Remainder of Outer Ring.
Edinburgh†	342,300	11·5	11·2	11·3	9·6	142	63	12	21	–	–	–	–	–	–	1	–	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	13·6	14·5	12·5	11·9	607	254	51	63	–	3	5	–	2	2	9	2	10	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	16·2	17·1	14·6	13·3	202	106	19	24	–	–	2	–	2	1	3	1	–	1	43	4	Dublin (Registration Area).†
Belfast†	413,000	13·8	14·1	13·8	12·4	225	98	22	17	–	–	–	–	2	–	3	1	1	2	26	4	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWENTY-SIXTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2329	2571	2041	2333	2087	1883	1974	1672	1340	1607	2337
Males	1200	1289	1019	1209	1040	966	998	848	698	822	1206
Females	1129	1282	1022	1124	1047	917	976	824	642	785	1131
Deaths (of residents only).	905	962	933	891	1148	1010	904*	919	1017*	696*	749
Males		506	508	467	583	546	460	502	537	370	418
Females		456	425	424	565	464	444	417	480	326	331

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.
Births (as registered)	2471	2650	2665	2518	2552	2648	2369	2096	2558	2452	2293	2406	2337
Deaths (of residents only).	1471	1342	1185	1147	1084	1046	1005	1010	920	888	838	864	749
Ages at Death: Under 1 year	196	207	195	158	155	158	161	166	123	122	115	131	107
1–2 years	99	75	42	55	50	45	46	28	37	23	21	19	20
2–5 "	56	78	39	40	47	26	35	35	21	35	18	19	25
5–10 "	39	29	24	34	30	20	23	23	23	26	28	28	26
10–15 "	22	20	14	14	17	13	19	20	18	22	22	8	9
15–20 "	40	34	29	28	24	20	11	20	19	20	20	24	23
20–25 "	42	27	37	31	32	19	18	23	23	22	25	19	21
25–35 "	105	86	60	55	58	61	51	58	46	51	44	51	37
35–45 "	105	97	78	91	72	76	67	86	70	65	80	76	59
45–55 "	158	139	127	126	106	120	126	129	98	94	86	111	95
55–65 "	175	166	151	149	139	150	149	121	142	133	111	118	107
65–75 "	230	191	192	170	185	178	155	151	161	136	150	108	109
75 years and upwards	204	193	197	196	169	160	144	150	139	139	118	152	111
Deaths from—													
Enteric fever	4	1	1	3	-	2	2	3	2	1	1	-	-
Small-pox	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	62	76	40	45	41	25	25	24	19	18	15	7	7
Scarlet fever	6	4	4	4	4	1	3	3	3	3	2	-	2
Whooping cough	31	42	29	23	19	35	17	14	13	10	7	11	7
Diphtheria	22	20	12	15	24	11	15	17	11	13	15	13	13
Diarrhœa and enteritis (under 2 years).	18	17	15	12	15	14	19	17	11	20	23	15	11
Pulmonary tuberculosis	114	97	91	106	87	98	79	95	86	67	77	105	59
Influenza	105	101	59	45	31	32	31	26	19	13	7	6	4
Pneumonia (all forms)	194	140	113	96	95	82	88	59	66	62	54	40	38
Bronchitis	123	103	95	79	79	63	59	58	43	56	40	43	39
Other dis. of resp. system	26	15	16	14	18	14	16	14	6	16	14	10	13
Dis. of circ. system	191	168	174	189	138	203	154	158	156	139	129	155	129
Violence	49	36	44	42	40	32	52	41	44	46	40	50	42
Inquest cases	114	103	93	83	77	94	95	68	88	89	81	88	83
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	37	35	30	29	32	29	21	20	23	20	20	17	21
Small-pox	26	24	23	12	11	6	1	-	1	4	5	3	3
Measles	85	66	66	66	72	70	56	52	55	54	60	58	58
Scarlet fever	2012	1904	1845	1831	1794	1757	1734	1703	1635	1642	1654	1646	1705
Whooping cough	19	22	22	20	19	20	25	22	24	20	20	20	18
Diphtheria	1994	1958	1965	1951	1947	1916	1894	1797	1746	1722	1705	1668	1603

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.
Deaths from Influenza	332	306	259	202	201	216	211	188	148	86	65	37	34

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-SIXTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 26th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	696	749	107	20	25	26	9	23	21	37	59	95	107	109	111
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	7	–	5	2	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–
Whooping cough	5	7	6	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	13	13	1	1	5	4	2	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	4	–	–	–	–	–	–	–	–	1	1	–	2	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Other epidemic diseases	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Pyæmia and septicæmia	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	69	59	1	–	2	–	1	7	11	13	9	9	4	2	–
Tuberculous meningitis	11	7	–	1	3	3	–	–	–	–	–	–	–	–	–
Abdominal tuberculosis	1	4	–	–	2	–	–	2	–	–	–	–	–	–	–
Tuberculosis of the spine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
Tuberculosis of other organs	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Disseminated tuberculosis	4	4	1	1	1	1	–	–	–	–	–	–	–	–	–
Venereal diseases	3	8	5	–	–	–	–	–	–	–	2	1	–	–	–
Cancer	98	90	–	–	–	–	–	–	–	–	7	22	28	18	15
Tumour, situation undefined	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatic fever	4	2	–	–	–	–	–	1	–	–	1	–	–	–	–
Diabetes	3	6	–	–	–	–	1	–	–	–	2	1	–	1	1
Anæmia, leucocythaemia	2	6	–	–	–	–	–	–	–	1	–	2	3	–	–
Other general diseases	6	4	–	–	–	–	–	–	–	–	–	–	2	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	9	3	1	–	2	1	–	–	1	–	–	–	1	–
Cerebral hæmorrhage, Apoplexy	31	35	–	–	1	–	–	–	–	–	–	3	11	12	8
Softening of brain	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	4	4	–	–	–	–	–	–	2	–	1	–	1	–	–
"Convulsions" (not puerperal)	3	5	4	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	9	18	–	–	–	3	–	–	1	2	5	2	2	2	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	8	–	–	–	–	–	–	2	3	–	3	–	–	–
Organic disease of heart	75	84	–	–	1	–	–	4	–	5	8	9	15	22	20
Embolism and thrombosis (including cerebral).	6	5	–	–	–	–	–	–	–	–	–	1	2	1	1
Other diseases of circulatory system.	24	32	–	–	–	–	1	–	–	–	–	7	7	5	12
Diseases of the larynx	1	2	1	–	–	–	–	–	–	–	–	–	–	1	–
Bronchitis	39	39	6	–	–	–	–	1	–	–	–	5	9	7	11
Broncho-pneumonia	13	21	4	7	2	2	–	1	–	–	–	1	–	3	1
Lobar pneumonia	10	10	1	–	–	2	–	–	–	1	–	1	3	1	1
Pneumonia (type not distinguished)	9	7	1	2	–	–	–	1	–	–	1	–	–	–	2
Pleurisy	–	7	–	1	1	–	–	–	1	–	1	2	1	–	–
Pulmonary congestion, Pulmonary apoplexy.	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
Other diseases of respiratory system.	4	2	–	–	–	–	–	–	–	–	–	–	1	–	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-SIXTH Week of the Year 1920.

Causes of Death.	Deaths in the 26th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Diseases of stomach	8	7	–	–	–	–	–	–	–	3	–	3	–	–	1
Diarrhœa and enteritis	10	16	11	–	–	1	–	–	–	1	–	–	1	2	–
Appendicitis and typhlitis	3	3	–	–	1	1	1	–	–	–	–	–	–	–	–
Hernia and Intestinal obstruction.	10	8	1	–	–	–	–	1	–	–	1	1	2	1	1
Cirrhosis of liver	3	5	–	–	–	–	–	–	–	–	1	3	–	–	1
Other diseases of liver	4	3	–	–	–	–	–	–	–	–	–	–	1	2	–
Peritonitis (cause unknown)	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Other diseases of digestive system	3	3	–	–	–	–	–	–	–	–	–	2	1	–	–
Acute nephritis	2	5	–	–	–	–	–	1	1	2	–	–	1	–	–
Chronic Bright's disease	18	18	–	–	–	1	–	–	–	–	1	5	5	2	4
Urinary calculi	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Uterine tumour (non-cancerous)	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian tumour (")	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	7	9	–	–	–	–	–	–	–	–	1	–	–	5	3
Puerperal fever, &c.	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth.	3	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Diseases of skin and cellular tissues.	3	9	1	–	–	–	–	–	–	–	1	–	1	6	–
Diseases of locomotor system	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	6	12	11	–	1	–	–	–	–	–	–	–	–	–	–
Premature birth	27	20	20	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	7	15	15	–	–	–	–	–	–	–	–	–	–	–	–
Old age	44	28	–	–	–	–	–	–	–	–	–	–	–	6	22
Accident.															
Poisons or poisonous vapours	2	3	–	–	–	1	–	–	–	–	1	1	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	4	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	6	3	–	–	–	–	–	–	–	–	2	1	–	–	–
Suffocation in bed	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	16	25	1	–	–	1	2	4	1	3	5	1	4	2	1
Total deaths from accident	29	34	3	–	1	2	2	4	1	3	8	3	4	2	1
Included in above are deaths in connection with:—															
Railways	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Vehicles and horses	5	6	–	–	–	1	2	1	–	–	–	–	1	1	–
Ships, boats, docks	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Building operations	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Violence other than Accidental.															
Homicide	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Suicide	9		–	–	–	–	–	–	–	–	3	2	–	–	2
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	12	13	10	–	1	2	–	–	–	–	–	–	–	–	–
Ill-defined Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	July 3	2,337	749	9·0	–	–	7	2	7	13	11	4
CALCUTTA	896,067	May 29	–	491§	28·5	?	14	?	?	?	?	?	10
BOMBAY	979,445	„ 29	330	761§	40·4	2	7	3	–	1	–	34	26
MADRAS	518,660	„ 29	367	358	35·9	–	5	–	?	3	–	45	1
PARIS	2,847,229	(10 days) May 10	1,646	1,216	–	5	–	21	2	6	5	28	2
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	327,653	June 19	126	51	8·2	–	–	–	–	–	–	6	–
AMSTERDAM	650,460	„ 19	288	106	8·5	–	–	–	–	–	1	–	–
COPENHAGEN	552,000	„ 19	289	111	10·5	–	–	–	1	–	–	2	–
STOCKHOLM	415,201	„ 12	146	93	11·6	–	–	–	–	–	1	1	1
GOTHENBURG	200,578	May 29	–	48	12·4	–	–	–	–	–	–	3	–
CHRISTIANIA	258,615	June 19	105	58	11·7	–	–	–	–	1	–	–	–
BERLIN	1,904,590	„ 12	621	496	13·5	–	–	3	2	2	6	29	–
BRESLAU	531,347	„ 12	261	134	13·1	–	–	–	–	–	–	7	1
COLOGNE	642,899	„ 12	323	163	13·2	–	–	–	1	3	1	14	?
DRESDEN	537,127	„ 12	223	123	11·9	–	–	1	1	1	1	1	?
FRANKFORT-ON-MAIN.	435,103	„ 12	150	79	9·4	–	–	–	–	2	1	–	?
HAMBURG	1,002,933	„ 12	–	–	–	–	–	–	–	–	–	–	–
LEIPZIG	610,686	„ 12	259	135	11·5	–	–	–	–	3	–	3	?
MUNICH	647,030	„ 12	266	170	13·7	–	–	2	–	–	–	9	?
VIENNA	1,838,708	June 19	496	587	16·6	2	–	–	–	3	1	16	1
PRAGUE	524,496	„ 5	181	159	15·8	1	–	–	–	–	1	6	1
		„ 12	156	179	17·8	2	–	–	–	–	–	8	2
BUDAPEST	1,071,492	May 8	448	430	20·9	2	–	–	1	–	2	26	–
TRIESTE	233,064	June 19	117	73	16·4	1	–	–	–	–	–	6	–
CAIRO	761,300	Apr. 1	637	483	33·0	2	2	6	–	?	–	29	?
ALEXANDRIA	445.700	„ 1	365	227	26·5	2	8	–	–	?	1	13	?
NEW YORK	6,141,445	May 15	–	–	–	–	–	–	–	–	–	–	–
CHICAGO	2,596,681	„ 29	–	600	12·0	–	–	1	4	4	11	36	4

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Calcutta and 4 in Bombay, and from *Asiatic cholera* 64 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 3rd July, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
LONDON (Greenwich)	76	54	71·6	56·7	12
BRIGHTON	65	57	63·7	58·0	10
PORTSMOUTH	67	55	64·7	57·3	18
NORWICH (Eaton)	73	54	70·6	56·1	19
PLYMOUTH	65	54	62·4	56·0	31
BRISTOL (Clifton)	68	55	65·6	57·4	54
BIRMINGHAM	69	49	63·7	52·3	41
NOTTINGHAM	71	50	66·6	54·7	42
BIRKENHEAD (Bidston)	68	50	63·6	52·3	43
MANCHESTER (Whitworth Park)	70	47	65·7	52·9	50
BURNLEY	70	40	64·1	50·1	39
HUDDERSFIELD	69	45	65·7	51·7	59
BRADFORD	66	44	62·7	50·7	93
SHEFFIELD	69	47	65·6	52·4	37
YORK (Museum)	71	44	66·4	52·6	52
HULL (Pearson Park)	73	41	70·1	52·7	25
TYNEMOUTH	66	47	61·4	50·7	27
CARDIFF	66	53	63·3	55·7	57
EDINBURGH	62·0	45·0	59·0	49·7	67
GLASGOW	61·7	46·5	59·5	51·3	50
DUBLIN:— Phœnix Park	65·6	45·7	62·8	49·1	29
†Fitzwilliam Square	64·3	50·6	62·1	52·4	26
BELFAST	66·6	48·0	60·3	50·2	41

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 3rd July 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	27	..	29·822	72·0	56·5	15·5	62·1	+ 0·5	57·1	5·0	13·1	1·5	84	111·6	55·8	55·0	WNW.	W. & WSW.	1·6	0·0	0·1	188	− 64	0·15
MONDAY	28	..	29·706	75·6	56·8	18·8	64·2	+ 2·6	55·2	9·0	19·8	1·7	73	139·8	56·0	55·0	W., WNW. & NW.	WNW., W. & WSW.	3·2	0·0	0·3	314	+ 63	0·06
TUESDAY	29	Greatest declination S.	29·709	71·0	55·0	16·0	61·5	− 0·1	54·8	6·7	13·9	2·6	79	118·2	47·5	55·0	WSW. & W.	WSW. & W.	4·8	0·0	0·5	337	+ 88	0·00
WEDNESDAY	30	Apogee	29·764	74·4	53·8	20·6	62·8	+ 1·3	47·3	15·5	24·0	2·0	57	145·8	46·4	55·2	WSW., W. & WNW.	W. & WSW.	3·0	0·0	0·3	324	+ 76	0·00
JULY. THURSDAY	1	Full	29·662	66·0	55·8	10·2	59·0	− 2·5	55·0	4·0	9·3	0·0	87	101·0	51·7	55·3	W. & WSW.	WSW. & SW.	3·2	0·0	0·3	295	+ 47	0·17
FRIDAY	2	..	29·539	69·9	55·6	14·3	60·8	− 0·8	52·8	8·0	14·1	1·6	75	131·4	50·8	55·4	SSW., SW. & WSW.	WSW.	4·0	0·0	0·4	338	+ 90	0·10
SATURDAY	3	..	29·676	72·0	49·4	22·6	58·7	− 3·1	50·8	7·9	20·1	1·7	75	151·0	41·7	55·8	WSW. & SW.	WSW., W. & calm.	1·7	0·0	0·1	208	− 42	0·00
MEANS		- - -	29·697	71·6	54·7	16·9	61·3	− 0·3	53·3	8·0	16·3	1·6	76	128·4	50·0	55·2	W.		..	..	..	Sum 2004	Sum +258	Sum 0·48
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. June, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	27	w.P. generally	0·0	16·5	Overcast with slight exceptions; occasional slight rain from noon; heavy rain about 15h.
MONDAY -	28	w.P. till 9h., v.P. afterwards.	4·5	16·5	Overcast with rain till about 3h.; nearly overcast till 11h. 30m.; partially cloudy till 13h. 30m., then overcast with slight exceptions.
TUESDAY -	29	v.P. throughout	3·8	16·5	Overcast till 10h. and with few exceptions till 16h., then clearing to cloudless generally by 18h.; slight rain in early morning.
WEDNESDAY -	30	w.P. till 8h., v.P. afterwards.	11·5	16·5	Cloudless generally till 9h., partially cloudy till 17h., then becoming overcast with slight exceptions; slight rain between 21h. and 22h.
JULY. THURSDAY -	1	w.P. generally, w.N. at times.	0·0	16·5	Overcast generally till 22h., then cloudy; rain or damping generally from 7h. to 20h. 30m.
FRIDAY - -	2	w.P. till 9h., v.P. afterwards.	5·1	16·5	Overcast or nearly overcast generally with cloudy intervals; frequent rain between 3h. 30m. and 8h.; slight shower 15h. 30m.
SATURDAY -	3	w.P. till 6h., v.P. afterwards.	4·4	16·4	Very cloudy generally; overcast at times, clearing from 20h.; slight showers between 11h. and 17h.; lightning at midnight.
			Sum 29·3	Sum 115·4	
No. of Col. - -		26	2	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·89 in. at the beginning of the week to 29·67 in. by 4h. on June 28th.; increased to 29·75 in. by 22h. on the same day; decreased to 29·68 in. by 18h. on June 29th; increased to 29·79 in. by 22h. on June 30th; decreased to 29·50 in. by 7h. on July 2nd, and increased to 29·73 in. by midnight on July 3rd.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 26th June, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	864	-	-	7	-	11	13	15	105	131
Western										
PADDINGTON	30	-	-	-	-	1	-	-	3	5
KENSINGTON	37	-	-	-	-	-	-	-	2	4
HAMMERSMITH	14	-	-	-	-	-	-	2	1	4
FULHAM	27	-	-	-	-	-	2	-	4	4
CHELSEA	8	-	-	-	-	-	1	-	-	1
CITY OF WESTMINSTER	30	-	-	-	-	-	-	-	6	4
Northern.										
ST. MARYLEBONE	21	-	-	-	-	-	-	-	1	1
HAMPSTEAD	18	-	-	-	-	1	-	-	-	5
ST. PANCRAS	38	-	-	1	-	-	2	-	6	2
ISLINGTON	75	-	-	-	-	1	2	2	9	9
STOKE NEWINGTON	12	-	-	-	-	-	-	-	-	2
HACKNEY	40	-	-	1	-	-	-	-	6	4
Central.										
HOLBORN	11	-	-	-	-	-	-	-	1	-
FINSBURY	28	-	-	-	-	-	-	-	3	4
CITY OF LONDON	2	-	-	-	-	-	-	-	1	-
Eastern.										
SHOREDITCH	27	-	-	-	-	1	1	-	6	7
BETHNAL GREEN	15	-	-	1	-	-	-	-	3	1
STEPNEY	49	-	-	-	-	2	1	-	6	10
POPLAR	34	-	-	1	-	2	1	1	4	4
Southern.										
SOUTHWARK	28	-	-	-	-	-	1	1	4	5
BERMONDSEY	31	-	-	1	-	-	-	1	2	6
LAMBETH	64	-	-	1	-	-	-	3	9	10
BATTERSEA	26	-	-	1	-	-	-	-	5	2
WANDSWORTH	60	-	-	-	-	-	1	1	7	8
CAMBERWELL	48	-	-	-	-	1	1	2	6	15
DEPTFORD	21	-	-	-	-	-	-	1	4	3
GREENWICH	18	-	-	-	-	2	-	-	2	4
LEWISHAM	26	-	-	-	-	-	-	-	1	2
WOOLWICH	26	-	-	-	-	-	-	1	3	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 26th June, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	-	-	-	-	4	10	2	1	-	-	-	-	-	-	-
Kensington	157,886	-	1	-	-	8	6	4	-	-	-	-	-	-	-	-
Hammersmith	130,981	-	1	-	-	7	9	2	-	-	-	-	-	-	-	-
Fulham	152,543	1	1	-	-	11	8	5	3	-	1	2	-	-	-	-
Chelsea	60,573	-	-	-	-	5	3	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	1	-	-	12	2	-	-	-	-	1	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	1	-	-	-	6	2	-	2	-	-	1	-	-	-	-
Hampstead	88,012	-	-	-	-	7	1	-	1	-	-	-	-	-	-	-
St. Pancras	219,434	-	1	-	-	8	20	-	1	-	-	-	-	-	-	-
Islington	323,034	-	1	-	-	16	15	1	5	-	-	4	1	-	-	-
Stoke Newington	50,954	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	16	2	-	-	-	1	-	-	-	1	-
CENTRAL.																
Holborn	38,156	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	1	1	1	4	-	-	2	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	1	-	-	12	4	-	-	-	-	-	-	-	2	-
Bethnal Green	110,085	-	-	-	-	17	9	3	1	-	-	1	-	-	-	-
Stepney	232,506	-	-	-	-	25	17	1	1	1	1	-	-	-	-	-
Poplar	153,644	-	-	-	-	15	10	12	3	-	-	1	-	-	1	-
SOUTHERN.																
Southwark	179,971	-	1	-	-	7	10	2	3	-	1	-	-	-	2	-
Bermondsey	124,239	-	1	-	-	10	2	-	-	-	-	1	-	-	2	-
Lambeth	282,322	1	-	-	-	15	19	6	1	-	-	5	-	-	-	-
Battersea	159,316	-	-	-	-	7	8	-	-	-	-	-	-	-	-	-
Wandsworth	333,693	-	1	-	-	19	15	11	-	-	-	2	-	-	-	-
Camberwell	273,802	-	-	-	-	14	10	1	-	-	1	-	-	-	-	-
Deptford	111,205	-	-	-	-	7	7	-	-	-	-	2	-	-	-	-
Greenwich	98,484	-	-	-	-	7	-	1	-	-	-	-	-	-	-	-
Lewisham	167,754	-	1	-	-	10	3	-	2	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	4	4	1	3	-	-	1	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	3	11	-	-	274	199	54	32	2	5	23	1	-	8	-
Ages 0-1		-	-	-	-	4	2	4	1	1	-	23	-	-	-	-
" 1-5		-	-	-	-	59	49	6	-	1	-	-	-	-	-	-
" 5-		-	-	-	-	122	73	8	2	-	-	-	1	-	3	-
" 10-		1	-	-	-	68	42	1	4	-	-	-	-	-	-	-
" 15-		-	-	-	-	9	12	9	-	-	-	-	-	-	2	-
" 20-		1	1	-	-	3	9	1	2	-	1	-	-	-	-	-
" 25-		-	7	-	-	2	8	6	3	-	4	-	-	-	-	-
" 35-		1	2	-	-	6	3	6	4	-	-	-	-	-	2	-
" 45-		-	1	-	-	1	-	7	9	-	-	-	-	-	1	-
" 55-		-	-	-	-	-	1	3	2	-	-	-	-	-	-	-
" 65-		-	-	-	-	-	-	2	3	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 27. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JULY 10.
[Price 1½*d*. Net.]

General Register Office, Somerset House,
July 13th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,179, and corresponded to an annual rate of 25·8 per 1,000. The deaths* among the civilian population only numbered 3,367, and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended June 19th, June 26th, and July 3rd, the rates had been 10·6, 10·1, and 9·9 respectively. The infant mortality was 62, against 62, 53, and 63 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11579—2 Wt 167–840 625 7/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 14·2 in West Bromwich, 14·3 in West Hartlepool, 15·2 in Aberdare, 15·4 in South Shields, 16·9 in Swansea, 17·0 in Burnley, and 19·7 in Wigan; and from *measles*, 1·4 in Warrington, 1·5 in West Bromwich, and 1·8 in Northampton and in Wigan. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,187 births, corresponding to a rate of 25·1 per 1,000, and 799 deaths of civilians, corresponding to a rate of 9·6, as against 10·0, 10·3, and 9·0 per 1,000 in the three weeks ended June 19th, June 26th, and July 3rd. The death-rate in the four weeks ended last Saturday averaged 9·7 per 1,000. The infant mortality was 58, against 50, 54, and 46 in the preceding three weeks.

The deaths from *enteric fever*, which had been 1, 0, and 0 in the preceding three weeks, numbered 1, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 15, 7, and 7 in the preceding three weeks, rose to 20 last week, but were 3 below the average; 3 deaths belonged to the Borough of Islington. The deaths from *scarlet fever*, which had been 2, 0, and 2 in the preceding three weeks, were 3 last week, being equal to the average. The deaths from *whooping-cough*, which had been 7, 11, and 7 in the preceding three weeks, fell to 3 last week, and were 12 below the average. The deaths from *diphtheria*, which had been 15, 13, and 13 in the preceding three weeks, fell to 8 last week, and were 3 below the average. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 23, 15, and 11 in the preceding three weeks, rose to 19 last week, and were 5 above the average; 3 deaths belonged to Kensington. The deaths from *influenza* numbered 3, as against 7, 6, and 4 in the preceding three weeks, and an average of 45.

Different forms of violence caused 38 deaths, all of which were the subject of coroners' inquests. Of these 38 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 28 were attributed to other forms of violence. Nine of these latter were referred to vehicles in the streets, 6 to drowning, and 1 of an infant under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 24 cases of enteric fever, 3 of small-pox, 56 of measles, 1,755 of scarlet fever, 18 of whooping-cough, and 1,599 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 8 cases, against 2, 1, and 6; of small-pox, 1 case, against 2, 1, and 0; of measles, 10 cases, against 22, 16, and 12; of scarlet fever, 272 cases, against 270, 279, and 302; of whooping-cough, 2 cases, against 0, 4, and 2; and of diphtheria, 192 cases, against 190, 206, and 174. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 3rd, 1920.

Table 1.—96 GREAT TOWNS, Greater London, and Four Scottish or Irish Towns.—Births and Deaths Registered, and Death Rates in the Week ended Saturday, 10th July, 1920, and Death-Rates in each of the preceding three Weeks.

Towns.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 19th June, 1920.	26th June, 1920.	3rd July, 1920.	10th July, 1920.	Week ended 10th July, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 Great Towns	17,807,258	10·6	10·1	9·9	9·9	9179	3367	568	947	6	-	48	14	22	31	71	44	148	275	1141	33	96 Great Towns.
London†	4,358,309	10·0	10·3	9·0	9·6	2187	799	126	231	1	-	20	3	3	8	19	3	38	72	417	4	London.†
‡ Croydon	184,239	9·6	9·6	8·5	5·1	85	18	2	11	-	-	-	-	-	-	-	-	1	1	5	-	Croydon.
Wimbledon	59,791	7·0	11·3	10·5	5·2	23	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	Wimbledon.
Ealing	73,212	4·3	5·7	5·7	10·7	25	15	3	6	-	-	-	-	-	1	-	-	1	1	5	-	Ealing.
Acton	61,732	7·6	7·6	2·5	7·6	29	9	1	2	-	-	-	-	-	-	-	-	-	-	2	-	Acton.
Willesden	160,917	9·4	9·1	9·1	8·4	74	26	3	8	-	-	-	-	1	-	-	-	-	1	11	-	Willesden.
Hornsey	94,348	9·9	8·3	6·1	5·5	36	10	3	2	-	-	1	-	-	1	-	-	-	-	3	-	Hornsey.
Tottenham	141,338	6·6	8·9	6·6	7·4	64	20	4	3	-	-	-	-	-	-	1	-	-	-	7	-	Tottenham.
Edmonton	70,711	5·9	8·8	8·1	5·2	26	7	-	2	-	-	-	-	-	-	-	-	-	-	3	-	Edmonton.
Enfield	58,442	12·5	4·5	8·0	9·8	30	11	2	5	-	-	-	-	-	1	1	-	2	2	4	-	Enfield.
West Ham	287,966	8·9	9·2	10·3	11·0	173	61	13	21	-	-	-	-	-	-	2	1	3	6	22	-	West Ham.
East Ham	144,451	9·4	7·9	6·1	6·5	57	18	-	3	-	-	1	-	-	-	-	-	2	3	6	-	East Ham.
Leyton	123,896	6·7	7·2	9·7	8·0	57	19	2	10	-	-	-	1	-	-	-	-	-	-	7	-	Leyton.
Walthamstow	127,684	4·9	7·8	6·5	5·7	74	14	-	5	-	-	-	-	-	-	1	-	2	2	6	-	Walthamstow.
Ilford	79,524	6·6	7·2	5·2	7·9	32	12	-	5	-	-	1	-	-	-	-	1	-	1	2	-	Ilford.
Gillingham	43,501	12·0	10·8	15·6	8·4	32	7	2	2	-	-	-	-	1	1	1	-	-	-	2	-	Gillingham.
Hastings	57,674	12·7	9·9	14·5	8·1	20	9	1	2	-	-	-	-	-	-	1	-	-	-	3	-	Hastings.
Eastbourne	48,424	5·4	5·4	1·1	12·9	18	12	4	5	-	-	-	-	-	-	-	-	2	3	2	-	Eastbourne.
Brighton	132,409	8·7	9·8	11·8	11·8	52	30	2	22	-	-	-	-	-	-	-	-	1	2	9	-	Brighton.
Portsmouth	224,846	9·0	9·0	7·7	7·7	123	33	4	9	-	-	-	-	-	1	-	1	2	3	13	-	Portsmouth.
Bournemouth	82,627	8·2	12·0	7·6	7·6	25	12	1	7	-	-	-	-	-	-	-	-	1	2	2	1	Bournemouth
Southampton	126,033	8·3	10·3	9·5	9·9	64	24	3	6	-	-	-	-	2	-	-	1	-	1	13	-	Southampton.
Reading	91,365	9·1	6·3	9·1	12·6	33	22	3	9	-	-	-	-	-	-	1	-	1	4	3	-	Reading.
Oxford	57,666	10·9	5·4	6·3	5·4	20	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-	Oxford.
Northampton	88,944	12·9	9·4	11·7	11·7	33	20	3	6	-	-	3	-	-	-	-	-	-	1	1	-	Northampton.
Cambridge	57,849	8·1	8·1	7·2	5·4	26	6	-	2	-	-	-	-	-	-	-	-	3	3	1	-	Cambridge.

* *See* note † on first page of this return. † For Greater London, see end of Table.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 19th June, 1920.	26th June, 1920.	3rd July, 1920.	10th July, 1920.	Week ended 10th July 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	3.	4.	5.	2.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	8·7	8·1	8·7	8·7	42	14	–	5	–	–	–	–	–	–	–	–	–	–	1	1	Southend on Sea.
Ipswich	78,011	11·4	8·7	8·0	10·0	35	15	1	4	–	–	–	–	–	–	–	–	2	2	6	–	Ipswich.
Great Yarmouth	53,078	11·8	16·7	8·8	12·8	31	13	3	6	–	–	1	–	–	–	–	–	–	1	1	–	Great Yarmouth.
Norwich	119,993	9·1	9·6	9·6	9·6	46	22	3	8	–	–	–	–	–	–	1	–	1	3	6	–	Norwich.
Swindon	51,527	9·1	5·1	10·1	5·1	16	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	Swindon.
Exeter	59,014	10·6	16·8	11·5	8·8	15	10	1	3	–	–	–	–	–	–	–	–	–	1	3	–	Exeter.
Plymouth	181,967	10·0	12·0	10·3	12·0	119	42	5	11	–	–	–	–	1	–	1	–	4	7	6	–	Plymouth.
Bath	65,919	14·2	11·9	7·1	8·7	11	11	1	6	–	–	–	–	–	–	–	–	–	2	2	–	Bath.
Bristol	361,247	11·1	9·2	10·7	8·9	191	62	6	17	–	–	–	1	–	1	1	–	2	5	26	–	Bristol.
Gloucester	50,100	12·5	6·2	8·3	10·4	31	10	3	3	–	–	–	–	–	–	–	–	1	1	2	1	Gloucester.
Stoke on Trent	239,316	10·9	9·8	10·9	10·2	142	47	9	10	–	–	–	–	–	–	1	3	1	5	12	2	Stoke on Trent.
Wolverhampton	98,403	7·4	7·9	5·8	12·7	44	24	3	8	–	–	1	–	–	–	–	–	3	3	5	–	Wolverhampton.
Walsall	92,724	11·2	10·1	10·1	10·7	52	19	6	4	–	–	2	–	–	–	1	–	1	2	6	–	Walsall.
West Bromwich	69,899	9·0	10·4	13·4	14·2	36	19	5	4	–	–	2	–	1	–	–	–	1	1	4	–	West Bromwich.
Dudley	54,017	6·8	11·6	9·7	8·7	28	9	2	2	–	–	–	–	–	–	–	–	–	–	1	–	Dudley.
Birmingham	861,585	9·3	10·4	11·6	10·0	506	165	27	49	–	–	–	3	1	2	7	1	9	9	53	3	Birmingham.
Smethwick	72,152	7·2	8·7	10·8	7·2	33	10	4	1	–	–	–	–	–	1	–	–	–	2	1	–	Smethwick.
Coventry	132,048	9·5	6·7	8·3	5·9	59	15	4	4	–	–	–	–	–	1	–	–	–	–	5	1	Coventry.
Leicester	236,059	15·7	10·8	12·8	10·8	121	49	6	17	–	–	2	–	–	2	–	1	3	3	16	2	Leicester.
Lincoln	60,581	6·0	8·6	10·3	6·0	19	7	1	4	–	–	–	–	–	–	–	–	–	–	–	–	Lincoln.
Grimsby	78,813	15·9	11·9	14·6	11·9	56	18	2	7	–	–	–	–	–	–	–	–	–	1	7	1	Grimsby.
Nottingham	257,573	11·3	9·7	10·5	11·1	108	55	11	17	–	–	–	–	2	2	–	–	1	1	21	–	Nottingham.
Derby	123,930	8·4	8·4	10·9	7·2	56	17	2	6	–	–	–	–	–	–	–	1	–	2	4	–	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 10th July, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 19th June, 1920.	26th June, 1920.	3rd July, 1920.	10th July, 1920.	Week ended 10th July, 1920. Births.	Deaths.	The Deaths in the Week included: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	7·1	10·4	10·0	8·7	48	21	3	8	–	–	–	–	–	1	–	–	–	–	4	–	STOCKPORT.
BIRKENHEAD	148,052	8·8	6·0	9·2	8·8	90	25	6	4	–	–	–	–	–	1	4	–	–	2	3	–	BIRKENHEAD.
WALLASEY	95,424	8·7	7·1	9·3	8·2	31	15	–	4	–	–	–	–	–	–	–	–	–	1	2	–	WALLASEY.
LIVERPOOL	772,665	11·7	12·1	11·3	11·7	490	174	41	37	–	–	1	2	3	1	2	–	5	11	79	2	LIVERPOOL.
BOOTLE	76,962	19·0	10·2	9·5	5·4	47	8	1	2	–	–	–	–	–	1	–	–	–	–	2	–	BOOTLE.
ST. HELENS	100,805	11·4	12·4	5·7	8·8	71	17	6	2	–	–	–	–	–	–	–	–	1	1	4	1	ST. HELENS.
SOUTHPORT	70,144	13·4	11·2	9·7	8·2	28	11	–	6	–	–	–	–	–	–	–	–	–	–	2	1	SOUTHPORT.
WIGAN	87,384	10·1	16·1	14·9	19·7	60	33	12	3	–	–	3	–	–	–	1	1	–	1	5	–	WIGAN.
WARRINGTON	74,952	7·7	16·0	10·4	10·4	39	15	6	–	–	–	2	–	–	–	1	–	1	1	3	1	WARRINGTON.
BOLTON	177,462	11·8	11·2	10·6	12·0	97	41	9	11	–	–	–	–	1	–	1	–	1	4	7	1	BOLTON.
BURY	54,248	7·7	10·6	6·7	9·6	24	10	2	5	–	–	–	–	–	–	–	1	1	1	1	–	BURY.
MANCHESTER	741,068	12·2	10·6	10·3	10·0	363	142	19	35	1	–	1	1	1	–	2	8	1	5	50	1	MANCHESTER.
SALFORD	226,225	9·2	10·6	12·0	7·4	112	32	10	8	–	–	–	–	1	1	2	1	–	–	10	–	SALFORD.
OLDHAM	137,668	11·4	11·0	8·0	13·6	58	36	4	5	–	–	–	–	–	–	1	–	3	4	11	–	OLDHAM.
ROCHDALE	90,051	9·8	11·0	10·4	7·5	47	13	1	1	–	–	–	–	–	–	–	–	1	2	2	–	ROCHDALE.
BURNLEY	101,005	9·3	7·2	12·9	17·0	29	33	3	6	1	–	–	–	–	–	–	2	2	2	7	–	BURNLEY.
BLACKBURN	125,992	9·1	12·0	12·0	9·9	65	24	1	11	–	–	–	–	–	–	–	1	2	2	7	–	BLACKBURN.
PRESTON	117,277	7·6	8·9	12·9	12·0	49	27	6	8	–	–	–	–	–	–	–	2	1	2	7	–	PRESTON.
BLACKPOOL	67,842	16·9	8·5	20·0	10·0	19	13	–	9	–	–	–	–	–	–	–	–	–	–	1	2	BLACKPOOL.
BARROW IN FURNESS	73,627	10·6	9·9	11·3	10·6	39	15	3	4	–	–	–	–	–	–	1	–	1	1	3	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	11·1	10·2	11·1	8·8	49	19	1	4	–	–	–	–	–	–	–	1	1	1	3	–	HUDDERSFIELD.
HALIFAX	101,791	13·8	10·8	9·2	11·8	42	23	6	8	–	–	–	–	–	–	–	–	–	4	5	–	HALIFAX.
BRADFORD	282,714	12·0	9·4	9·8	8·5	129	46	7	10	–	–	–	–	–	–	–	–	3	5	16	–	BRADFORD.
LEEDS	431,999	11·2	9·5	11·1	9·8	247	81	20	29	–	–	–	–	–	–	1	1	3	12	20	–	LEEDS.
DEWSBURY	52,969	12·8	11·8	8·9	8·9	25	9	2	1	–	–	–	–	–	–	–	–	2	2	1	–	DEWSBURY.
WAKEFIELD	49,208	13·8	9·5	9·5	9·5	32	9	2	3	–	–	–	–	–	–	1	–	–	1	4	–	WAKEFIELD.
BARNSLEY	51,680	14·1	9·1	9·1	8·1	38	8	3	–	–	–	–	–	–	–	1	1	1	1	1	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 19th June, 1920.	26th June, 1920.	3rd July, 1920.	10th July, 1920.	Week ended 10th July, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	12·0	10·2	9·6	11·9	262	108	21	25	–	–	1	–	1	–	–	8	5	9	28	–	Sheffield.
Rotherham	69,034	13·6	12·8	12·8	4·5	37	6	–	3	–	–	–	–	–	–	–	–	–	–	2	–	Rotherham.
York	74,531	11·2	8·4	11·2	12·6	45	18	2	7	–	–	–	–	–	–	–	–	2	3	5	–	York.
Hull	279,664	11·9	9·3	10·4	10·6	166	57	16	10	1	–	1	–	–	1		–	2	6	21	2	Hull.
Middlesbrough	127,142	14·4	11·5	9·4	13·1	82	32	6	4	–	–	1	–	1	–	1	–	2	3	7	–	Middlesbrough.
Darlington	64,058	12·2	12·2	12·2	5·7	39	7	–	3	1	–	–	–	–	–	–	–	–	–	2	–	Darlington.
Stockton on Tees	60,696	14·6	16·3	12·9	9·4	38	11	2	4	–	–	–	–	–	–	2	–	1	1	2	1	Stockton on Tees.
West Hartlepool	65,515	16·7	19·1	12·7	14·3	39	18	2	2	–	–	–	–	–	1	–	–	4	4	4	–	West Hartlepool.
Sunderland	149,263	12·6	11·5	13·3	12·6	100	36	9	11	–	–	–	–	–	–	–	–	–	3	9	1	Sunderland.
South Shields	111,502	15·9	10·8	13·1	15·4	85	33	6	9	–	–	–	–	–	–	2	–	2	3	6	2	South Shields.
Gateshead	123,392	13·9	8·0	10·1	10·1	85	24	5	7	–	–	–	–	2	–	–	–	–	–	–	1	Gateshead.
Newcastle on Tyne.	275,099	16·5	8·7	14·8	10·8	176	57	11	11	–	–	–	–	–	–	2	–	1	4	15	–	Newcastle on Tyne.
Tynemouth	58,007	15·3	12·6	10·8	12·6	34	14	1	3	–	–	–	–	–	–	–	–	1	1	4	–	Tynemouth.
Carlisle	55,198	17·0	11·3	7·6	10·4	39	11	2	4	–	–	–	–	–	–	–	1	–	–	3	–	Carlisle.
Newport (Mon.)	87,251	9·6	9·0	7·8	6·6	34	11	2	2	–	–	–	–	–	–	2	–	1	3	2	–	Newport (Mon.).
Cardiff	204,436	6·4	8·2	8·2	8·2	93	32	4	4	–	–	–	2	–	1	1	–	4	5	10	–	Cardiff.
Rhondda	177,911	12·3	12·6	8·5	8·5	82	29	4	4	1	–	–	–	–	–	1	1	–	–	5	–	Rhondda.
Merthyr Tydfil	71,638	16·0	12·4	10·9	8·7	44	12	2	3	–	–	1	–	–	1	–	–	1	1	3	–	Merthyr Tydfil.
Aberdare	51,384	11·2	10·1	17·3	15·2	22	15	2	5	–	–	–	1	–	–	–	–	1	1	3	–	Aberdare.
Swansea	160,810	13·3	12·6	9·4	16·9	94	52	10	17	–	–	3	–	–	–	–	2	3	3	12	–	Swansea.
Greater London	7,259,388	9·3	9·6	8·5	8·8	3498	1227	179	391	2	–	23	5	7	13	24	6	58	102	556	4	Greater London.
Outer Ring	2,901,079	8·1	8·5	7·9	7·7	1311	428	53	160	1	–	3	2	4	5	5	3	20	30	139	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	8·0	8·4	7·8	7·7	785	246	33	85	–	–	3	1	1	3	5	2	11	17	83	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·1	8·7	7·9	7·7	526	182	20	75	1	–	–	1	3	2	–	1	9	13	56	–	Remainder of Outer Ring.
Edinburgh†	342,300	11·2	11·3	9·6	12·8	176	84	14	27	–	–	–	–	–	3	–	2	6	?	?	?	Edinburgh.†
Glasgow†	1,115,500	14·5	12·5	11·9	10·6	609	227	31	51	1	1	6	1	2	1	8	–	14	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	17·1	14·6	13·3	14·2	232	113	17	26	–	–	3	–	5	–	3	–	2	2	51	1	Dublin (Registration Area).†
Belfast†	413,000	14·1	13·8	12·4	13·1	228	104	25	20	1	–	–	–	2	–	5	–	4	5	30	5	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWENTY-SEVENTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2272	2223	2095	2137	2225	1909	1903	1492	1305	1448	2187
Males	1176	1108	1106	1126	1125	964	987	784	663	755	1102
Females	1096	1115	989	1011	1100	945	916	708	642	693	1085
Deaths (of residents only).	922	953	890	921	920	1000	887*	847*	1338*	773*	799
Males		478	490	494	489	523	484	431	674	406	428
Females		475	400	427	431	477	403	416	664	367	371

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.
Births (as registered)	2650	2665	2518	2552	2648	2369	2096	2558	2452	2293	2406	2337	2187
Deaths (of residents only).	1342	1185	1147	1084	1046	1005	1010	920	888	838	864	749	799
Ages at Death: Under 1 year	207	195	158	155	158	161	166	123	122	115	131	107	126
1–2 years	75	42	55	50	45	46	28	37	23	21	19	20	21
2–5 "	78	39	40	47	26	35	35	21	35	18	19	25	20
5–10 "	29	24	34	30	20	23	23	23	26	28	28	26	15
10–15 "	20	14	14	17	13	19	20	18	22	22	8	9	18
15–20 "	34	29	28	24	20	11	20	19	20	20	24	23	23
20–25 "	27	37	31	32	19	18	23	23	22	25	19	21	14
25–35 "	86	60	55	58	61	51	58	46	51	44	51	37	48
35–45 "	97	78	91	72	76	67	86	70	65	80	76	59	69
45–55 "	139	127	126	106	120	126	129	98	94	86	111	95	101
55–65 "	166	151	149	139	150	149	121	142	133	111	118	107	113
65–75 "	191	192	170	185	178	155	151	161	136	150	108	109	123
75 years and upwards	193	197	196	169	160	144	150	139	139	118	152	111	108
Deaths from—													
Enteric fever	1	1	3	–	2	2	3	2	1	1	–	–	1
Small-pox	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	76	40	45	41	25	25	24	19	18	15	7	7	20
Scarlet fever	4	4	4	4	1	3	3	3	3	2	–	2	3
Whooping cough	42	29	23	19	35	17	14	13	10	7	11	7	3
Diphtheria	20	12	15	24	11	15	17	11	13	15	13	13	8
Diarrhœa and enteritis (under 2 years).	17	15	12	15	14	19	17	11	20	23	15	11	19
Pulmonary tuberculosis	97	91	106	87	98	79	95	86	67	77	105	59	82
Influenza	101	59	45	31	32	31	26	19	13	7	6	4	3
Pneumonia (all forms)	140	113	96	95	82	88	59	66	62	54	40	38	44
Bronchitis	103	95	79	79	63	59	58	43	56	40	43	39	30
Other dis. of resp. system	15	16	14	18	14	16	14	6	16	14	10	13	9
Dis. of circ. system	168	174	189	138	203	154	158	156	139	129	155	129	132
Violence	36	44	42	40	32	52	41	44	46	40	50	42	38
Inquest cases	103	93	83	77	94	95	68	88	89	81	88	83	72
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	35	30	29	32	29	21	20	23	20	20	17	21	24
Small-pox	24	23	12	11	6	1	–	1	4	5	3	3	3
Measles	66	66	66	72	70	56	52	55	54	60	58	58	56
Scarlet fever	1904	1845	1831	1794	1757	1734	1703	1635	1642	1654	1646	1705	1755
Whooping cough	22	22	20	19	20	25	22	24	20	20	20	18	18
Diphtheria	1958	1965	1951	1947	1916	1894	1797	1746	1722	1705	1668	1603	1599

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.
Deaths from Influenza	306	259	202	201	216	211	188	148	86	65	37	34	44

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-SEVENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 27th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	773	799	126	21	20	15	18	23	14	48	69	101	113	123	108
Enteric fever	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	20	6	7	7	-	-	-	-	-	-	-	-	-	-
Scarlet fever	6	3	-	-	1	-	-	2	-	-	-	-	-	-	-
Whooping cough	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	9	8	-	2	3	3	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	1	3	-	-	-	-	-	-	-	-	-	2	-	1	-
Erysipelas	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other epidemic diseases	2	2	-	-	-	-	-	-	-	1	-	-	-	1	-
Pyæmia and septicæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	86	82	-	1	-	1	4	9	5	16	16	16	11	3	-
Tuberculous meningitis	9	10	1	1	2	2	3	-	1	-	-	-	-	-	-
Abdominal tuberculosis	3	5	2	-	-	1	-	-	1	-	1	-	-	-	-
Tuberculosis of the spine	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1
Tuberculosis of the joints	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-
Tuberculosis of other organs	2	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Disseminated tuberculosis	5	5	-	-	-	-	-	1	-	2	-	1	-	-	1
Venereal diseases	3	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Cancer	91	89	-	-	-	-	-	1	-	1	11	19	20	24	13
Tumour, situation undefined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever	5	4	-	-	-	-	-	1	1	2	-	-	-	-	-
Diabetes	8	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Anæmia, leucocythaemia	4	7	-	-	-	-	2	-	1	-	-	-	2	2	-
Other general diseases	5	6	-	-	-	-	-	-	-	-	1	-	3	-	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, Apoplexy	35	37	-	-	-	-	-	-	-	-	1	8	7	13	8
Softening of brain	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Paralysis, without specified cause	3	5	-	-	-	-	-	-	-	-	-	-	1	3	1
Epilepsy	4	7	-	-	1	1	1	-	-	-	-	1	1	1	1
"Convulsions" (not puerperal)	3	8	8	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	16	16	4	1	-	1	-	-	-	4	-	2	1	2	1
Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	6	9	-	-	-	-	1	1	-	5	1	1	-	-	-
Organic disease of heart	93	94	-	-	-	-	3	3	2	5	8	12	22	21	18
Embolism and thrombosis (including cerebral).	3	6	-	-	-	-	-	-	-	-	-	-	2	2	2
Other diseases of circulatory system.	41	23	-	-	-	-	-	-	-	-	4	2	3	5	9
Diseases of the larynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	34	30	2	1	-	-	-	-	-	-	2	4	5	5	11
Broncho-pneumonia	11	17	5	3	1	-	-	-	-	2	-	2	2	2	-
Lobar pneumonia	8	13	-	-	-	-	-	-	-	1	4	5	2	-	1
Pneumonia (type not distinguished)	12	14	1	1	-	-	-	-	1	-	3	3	2	2	1
Pleurisy	5	3	-	1	-	-	-	-	-	-	-	-	2	-	-
Pulmonary congestion, Pulmonary apoplexy.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases of respiratory system.	2	5	-	-	-	-	-	-	-	1	-	2	1	1	-

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-SEVENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 27th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	2	1	–	–	–	–	–	–	–	–	–	1	–	–
Diseases of stomach	8	8	–	–	–	–	–	–	–	–	–	3	2	2	1
Diarrhœa and enteritis	25	26	18	1	1	–	–	–	–	–	1	–	2	2	1
Appendicitis and typhlitis	4	7	–	–	1	2	1	–	–	–	–	1	2	–	–
Hernia and Intestinal obstruction.	13	5	1	–	–	–	–	–	–	–	–	–	2	1	1
Cirrhosis of liver	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Other diseases of liver	6	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Peritonitis (cause unknown)	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Other diseases of digestive system	3	5	1	–	–	–	–	–	–	–	–	1	1	–	2
Acute nephritis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	19	23	–	–	–	–	–	–	–	1	1	5	4	11	1
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian tumour (")	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	13	9	–	–	–	–	–	–	–	1	1	–	3	3	1
Puerperal fever, &c.	2	3	–	–	–	–	–	–	–	1	2	–	–	–	–
Other causes incident to childbirth.	6	4	–	–	–	–	–	–	–	2	2	–	–	–	–
Diseases of skin and cellular tissues.	10	5	–	–	–	–	–	–	–	–	1	–	1	1	2
Diseases of locomotor system	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–
Congenital malformations	5	16	15	–	–	–	–	–	1	–	–	–	–	–	–
Premature birth	25	31	31	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	3	17	17	–	–	–	–	–	–	–	–	–	–	–	–
Old age	37	32	–	–	–	–	–	–	–	–	–	–	2	6	24
ACCIDENT.															
Poisons or poisonous vapours	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Conflagration	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	3	6	–	–	–	–	3	–	–	–	1	1	1	–	–
Suffocation in bed	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	22	19	–	–	1	2	–	1	1	1	2	3	2	2	4
Total deaths from accident	31	28	1	–	2	2	3	1	1	1	3	5	3	2	4
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Vehicles and horses	11	9	–	–	–	2	–	1	1	–	–	1	1	2	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Suicide	12	9	–	–	–	–	–	2	–	–	–	4	–	3	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	6	9	9	–	–	–	–	–	–	–	–	–	–	–	–
Ill-defined Causes	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,358,309	July 10	2,187	799	9·6	1	–	20	3	3	8	19	3
Calcutta	896,067	June 5	–	523§	30·3	?	9	?	?	?	?	?	7
Bombay	979,445	„ 5	–	–	–	–	–	–	–	–	–	–	–
Madras	518,660	„ 5	391	317	31·8	2	2	–	?	4	–	38	1
Paris	2,847,229	(10 days) May 20	1,714	1,168	?	3	–	31	4	14	8	20	3
Brussels	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
Antwerp	327,653	June 26	130	56	9·0	–	–	–	–	–	–	7	2
Amsterdam	650,460	„ 26	273	104	8·3	–	–	1	–	–	1	1	–
Copenhagen	552,000	„ 26	212	128	12·1	–	–	–	–	–	–	1	–
Stockholm	415,201	„ 19	112	87	10·9	–	–	–	–	2	1	–	–
Gothenburg	200,578	„ 5	–	49	12·7	–	–	–	–	–	1	–	–
		„ 12	–	36	9·3	1	–	–	–	–	–	1	–
Christiania	258,615	„ 26	104	62	12·5	–	–	–	–	–	1	1	–
Berlin	1,904,590	„ 19	663	447	12·2	1	?	2	1	2	4	21	2
Breslau	531,347	„ 19	238	139	13·6	–	?	1	1	–	–	14	–
Cologne	642,899	„ 19	312	139	11·2	–	?	–	–	1	1	12	?
Dresden	537,127	„ 19	240	111	10·7	–	?	1	–	–	1	2	?
Frankfort-on-Main	435,103	„ 19	163	81	9·7	–	?	1	–	1	1	3	?
Hamburg	1,002,933	„ 19	–	–	–	–	–	–	–	–	–	–	–
Leipzig	610,686	„ 19	290	118	10·0	–	?	3	1	–	1	8	?
Munich	647,030	„ 19	270	157	12·6	1	?	1	1	–	1	2	?
Vienna	1,838,708	„ 26	494	531	15·6	1	–	1	1	1	1	11	1
Prague	524,496	„ 19	–	–	–	–	–	–	–	–	–	–	–
Budapest	1,071,492	May 15	438	388	18·8	1	3	–	2	3	1	20	–
Trieste	233,064	June 26	–	–	–	–	–	–	–	–	–	–	–
Cairo	761,300	Apr. 8	734	554	37·8	4	2	12	–	?	1	37	?
Alexandria	445,700	„ 8	377	254	29·6	1	9	–	–	?	–	21	?
New York	6,141,445	May 29	2,467	1,261	10·7	–	–	17	3	13	21	26	13
Chicago	2,596,681	June 5	–	531	10·7	1	–	3	2	3	11	35	1
		„ 12	–	596	12·0	–	–	3	4	4	11	36	1

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 3 deaths from *plague* in Calcutta, and from *Asiatic cholera* 68 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th July, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
London (Greenwich)	71	48	66·1	49·7	31
Brighton	66	51	62·1	53·7	69
Portsmouth	66	50	62·0	53·1	59
Norwich (Eaton)	67	49	63·3	51·4	22
Plymouth	65	51	62·9	53·3	43
Bristol (Clifton)	68	43	63·3	51·4	44
Birmingham	63	47	59·1	49·0	28
Nottingham	65	47	61·0	50·1	29
Birkenhead (Bidston)	66	50	60·1	50·9	24
Manchester (Whitworth Park)	66	48	61·1	50·4	43
Burnley	64	45	58·1	48·9	34
Huddersfield	64	46	59·0	49·1	45

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
Bradford	63	46	58·7	49·4	44
Sheffield	63	47	59·1	49·7	34
York (Museum)	66	48	60·9	50·1	41
Hull (Pearson Park)	67	47	62·4	50·7	27
Tynemouth	63	46	56·9	49·1	40
Cardiff	65	50	62·0	51·3	31
Edinburgh	63·0	45·0	59·3	48·6	19
Glasgow	68·0	44·8	61·8	49·2	30
Dublin:— Phœnix Park	67·3	40·7	63·2	48·2	35
†Fitzwilliam Square	67·2	48·2	62·5	50·4	42
Belfast	66·0	45·0	62·0	50·2	25

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 10th July 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 4	..	29·776	71·2	48·1	23·1	59·5	− 2·6	50·7	8·8	18·0	1·6	73	157·1	40·3	55·8	Calm, E. & SE.	E., ENE. & NE.	3·9	0·0	0·3	289	+ 37	0·00
MONDAY - - 5	..	29·640	53·3	49·1	4·2	49·5	−12·8	47·8	1·7	3·4	1·5	94	70·0	49·2	55·4	NNE., N. & NNW.	WNW. & W.	1·8	0·0	0·2	271	+ 18	0·61
TUESDAY - - 6	..	29·497	66·3	49·7	16·6	57·0	− 5·4	53·5	3·5	10·2	2·1	88	125·2	50·0	55·6	W. & WSW.	WSW. & WNW.	3·6	0·0	0·2	265	+ 10	0·15
WEDNESDAY - 7	In Equator.	29·518	66·4	51·7	14·7	57·1	− 5·3	52·9	4·2	11·9	0·0	86	127·0	50·0	55·7	Calm, SW. & S.	SSW., S. & WSW.	2·2	0·0	0·1	197	− 58	0·17
THURSDAY - - 8	..	29·565	64·0	49·2	14·8	55·9	− 6·5	49·7	6·2	14·4	0·0	80	119·0	42·1	55·4	Calm, SW. & SSW.	SW.	5·5	0·0	0·5	331	+ 77	0·22
FRIDAY - - 9	Last Quarter.	29·779	68·6	50·4	18·2	58·6	− 3·8	49·0	9·6	15·7	0·8	71	127·4	44·6	55·3	WSW., W. & WNW.	W. & WNW.	4·2	0·0	0·3	329	+ 76	0·00
SATURDAY - - 10	..	29·896	66·1	50·9	15·2	58·2	− 4·3	52·2	6·0	12·9	1·6	81	121·0	44·2	55·4	WSW.	W. & WSW.	4·8	0·0	0·3	309	+ 58	0·00
MEANS - - -	- - -	29·667	65·1	49·9	15·3	56·5	− 5·8	50·8	5·7	12·4	1·1	82	121·0	45·8	55·5	WSW.		..	..	..	Sum 1991	Sum +218	Sum 1·15
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. July, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	4	v.P. generally, with v.N. at times.	3·9	16·4	Cloudless till 1h., becoming overcast by 3h.; lightning till 2h.; few cloudy intervals during the day; frequent slight rain and occasional thunder 9h. and 15h.
MONDAY -	5	w.P. generally a little w.N.	0·0	16·4	Overcast throughout; rain 7h. to 15h. 15m., and at times afterwards.
TUESDAY -	6	w.P. generally, till 14h., then v.P.	1·2	16·4	Overcast except for a cloudy interval about 15h.; frequent rain or damping except between 18h. and 22h. 30m.
WEDNESDAY -	7	v.P. throughout	0·8	16·4	Overcast with few exceptions till 20h., then very cloudy; frequent rain before 11h. and after 16h. 30m.
THURSDAY -	8	w.P. and w.N. till 7h., then v.P. with little v.N.	6·9	16·3	Very cloudy with fine intervals and occasional showers till 10h.; overcast generally with frequent showers; fine intervals about 17h. and 21h.
FRIDAY - -	9	w.P. till 7h., v.P. afterwards, with little v.N.	7·5	16·3	Fine with little cloud till 3h., nearly overcast with cloudy intervals till 17h., then fine with little cloud generally; slight showers before 17h.
SATURDAY -	10	w.P. till 6h., v.P. till 18h., w.P. afterwards.	2·8	16·3	Variably cloudy with fine intervals till 9h., afterwards overcast with few exceptions; damping or slight rain generally 11h. 30m. to 23h.
			Sum 23·1	Sum 114·5	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·73 in. at the beginning of the week to 29·82 in. by 23h. on 4th; decreased to 29·44 in. by 13h. on 6th; increased to 29·59 in. by 1h. on 7th; decreased to 29·49 in. by 19h. on the same day; increased to 29·93 in. by 6h. on 10th, and was 29·90 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 3rd July, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	749	-	-	7	2	7	13	11	59	107
Western										
Paddington	28	-	-	-	-	1	1	2	3	6
Kensington	23	-	-	-	-	-	-	-	2	1
Hammersmith	19	-	-	1	-	-	-	-	4	2
Fulham	30	-	-	-	-	1	2	2	1	9
Chelsea	11	-	-	-	1	-	-	-	2	1
City of Westminster	18	-	-	-	-	-	-	-	-	1
Northern.										
St. Marylebone	19	-	-	-	-	-	-	-	1	3
Hampstead	15	-	-	-	-	1	-	-	-	2
St. Pancras	37	-	-	-	-	1	-	1	1	5
Islington	62	-	-	1	-	-	3	-	6	8
Stoke Newington	6	-	-	-	-	-	-	-	-	-
Hackney	40	-	-	-	-	2	3	1	3	8
Central.										
Holborn	6	-	-	-	-	-	-	-	-	-
Finsbury	15	-	-	-	-	-	-	1	2	2
City of London	2	-	-	-	-	-	-	-	-	-
Eastern.										
Shoreditch	19	-	-	-	-	-	-	-	1	4
Bethnal Green	23	-	-	1	-	-	-	-	4	-
Stepney	45	-	-	-	-	-	1	2	2	7
Poplar	20	-	-	1	-	-	-	-	3	3
Southern.										
Southwark	48	-	-	-	-	-	-	-	5	8
Bermondsey	29	-	-	-	-	1	-	1	-	8
Lambeth	50	-	-	2	1	-	-	-	4	4
Battersea	19	-	-	1	-	-	-	1	3	3
Wandsworth	41	-	-	-	-	-	1	-	2	6
Camberwell	40	-	-	-	-	-	1	-	4	5
Deptford	17	-	-	-	-	-	-	-	3	-
Greenwich	16	-	-	-	-	-	-	-	-	4
Lewisham	30	-	-	-	-	-	-	-	-	6
Woolwich	21	-	-	-	-	-	1	-	3	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 3rd July, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	-	-	-	-	8	7	2	4	-	-	-	-	-	-	-
Kensington	157,886	1	1	-	-	8	6	2	2	-	-	3	-	-	-	-
Hammersmith	130,981	1	1	-	-	8	4	2	1	-	-	1	-	-	-	-
Fulham	152,543	-	1	-	-	15	5	4	-	-	-	1	-	-	-	-
Chelsea	60,573	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	1	-	-	10	5	-	1	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	-	2	-	-	8	-	7	3	-	-	-	-	-	-	-
Hampstead	88,012	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	1	-	-	19	14	7	1	-	-	3	-	-	-	-
Islington	323,034	1	2	-	-	10	20	1	2	-	-	2	-	-	-	-
Stoke Newington	50,954	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
Hackney	216,736	-	2	-	-	19	13	1	1	-	-	1	-	-	-	-
CENTRAL.																
Holborn	38,156	-	-	-	-	3	2	-	-	-	-	-	1	-	-	-
Finsbury	75,291	-	1	-	-	-	1	1	5	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	-	-	-	8	6	2	-	-	-	2	-	-	1	-
Bethnal Green	110,085	1	-	-	-	21	9	3	2	-	-	-	-	-	-	-
Stepney	232,506	-	1	-	-	22	14	-	4	-	-	1	-	-	1	-
Poplar	153,644	1	-	-	-	19	6	6	3	-	1	3	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	-	-	-	15	6	4	1	-	-	1	-	-	-	-
Bermondsey	124,239	-	-	-	-	10	4	2	-	-	1	1	-	-	-	-
Lambeth	282,322	-	-	-	-	13	12	1	3	1	1	2	-	-	-	-
Battersea	159,316	-	-	-	-	3	6	7	2	-	1	2	-	-	2	-
Wandsworth	333,693	4	1	-	-	28	16	3	4	1	-	-	-	-	-	-
Camberwell	273,802	-	-	-	-	9	13	-	2	-	-	1	-	-	-	-
Deptford	111,205	-	-	-	-	5	9	2	1	-	-	-	-	-	-	-
Greenwich	98,484	-	-	-	-	13	2	-	-	-	-	1	-	-	-	-
Lewisham	167,754	-	-	-	-	12	2	1	2	1	-	-	-	-	-	-
Woolwich	136,237	1	-	-	-	5	10	1	1	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	10	14	-	-	302	195	59	45	3	4	25	1	-	4	-
Ages 0-1		-	-	-	-	2	3	1	1	1	-	25	-	-	-	-
„ 1-5		-	-	-	-	50	43	10	1	1	-	-	1	-	1	-
„ 5-		1	-	-	-	151	85	10	4	-	-	-	-	-	2	-
„ 10-		1	-	-	-	68	30	9	5	1	-	-	-	-	1	-
„ 15-		1	-	-	-	18	13	3	1	-	-	-	-	-	-	-
„ 20-		1	4	-	-	5	6	5	1	-	1	-	-	-	-	-
„ 25-		3	9	-	-	7	10	5	6	-	2	-	-	-	-	-
„ 35-		2	1	-	-	1	3	5	9	-	1	-	-	-	-	-
„ 45-		-	-	-	-	-	2	6	8	-	-	-	-	-	-	-
„ 55-		1	-	-	-	-	-	2	5	-	-	-	-	-	-	-
„ 65-		-	-	-	-	-	-	3	2	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 28. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JULY 17.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
July 20th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,448, and corresponded to an annual rate of 26·6 per 1,000. The deaths* among the civilian population only numbered 3,381, and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended June 26th, July 3rd, and July 10th, the rates had been 10·1, 9·9, and 9·9 respectively. The infant mortality was 57, against 53, 63, and 62 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11579—3 Wt 167–840 625 7/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 13·7 in Newport (Mon.), 13·8 in Blackpool and in Wakefield, 14·0 in Eastbourne, 15·3 in Merthyr Tydfil, 15·7 in Sunderland, and 17·5 in Wolverhampton; from *measles*, 1·6 in Wolverhampton, 1·7 in Stockton-on-Tees, and 1·8 in Northampton; and from *whooping cough*, 1·3 in Gateshead and 1·5 in Merthyr Tydfil. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,389 births, corresponding to a rate of 27·4 per 1,000, and 846 deaths of civilians, corresponding to a rate of 10·1, as against 10·3, 9·0, and 9·6 per 1,000 in the three weeks ended June 26th, July 3rd, and July 10th. The death-rate in the four weeks ended last Saturday averaged 9·8 per 1,000. The infant mortality was 52, against 54, 46, and 58 in the preceding three weeks.

The deaths from *enteric fever*, which had been 0, 0, and 1 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 7, 7, and 20 in the preceding three weeks, fell last week to 5, and were 14 below the average. The deaths from *scarlet fever*, which had been 0, 2, and 3 in the preceding three weeks, fell last week to 2, the average being 3. The deaths from *whooping-cough*, which had been 11, 7, and 3 in the preceding three weeks, were 4 last week, and were 11 below the average. The deaths from *diphtheria*, which had been 13, 13, and 8 in the preceding three weeks, rose last week to 10, but were 1 below the average; 3 deaths belonged to the Borough of Deptford. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 15, 11, and 19 in the preceding three weeks, fell last week to 16, the average being 15. The deaths from *influenza* numbered 6, as against 6, 4, and 3 in the preceding three weeks and an average of 61.

Different forms of violence caused 39 deaths, all of which were the subject of coroners' inquests. Of these 39 deaths, 7 were cases of suicide and 1 of homicide, while the remaining 31 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 4 to burns or scalds, 8 to drowning, and 1 of an infant under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 29 cases of enteric fever, 53 of measles, 1,855 of scarlet fever, 17 of whooping-cough, and 1,582 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 7 cases, against 1, 6, and 8; of measles, 10 cases, against 16, 12, and 10; of scarlet fever, 296 cases, against 279, 302, and 272; of whooping-cough, 0 case, against 4, 2, and 2; and of diphtheria, 199 cases, against 206, 174, and 192. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 10th, 1920.

Table 1.—96 GREAT TOWNS, Greater London, and Four Scottish or Irish Towns.—Births and Deaths Registered, and Death Rates in the Week ended Saturday, 17th July, 1920, and Death-Rates in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 26th June, 1920.	3rd July, 1920.	10th July, 1920.	17th July, 1920.	Week ended 17th July, 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from: Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 Great Towns	17,807,258	10·1	9·9	9·9	9·9	9,448	3,381	541	1010	3	-	33	12	30	34	68	33	136	261	1,149	22	96 Great Towns.
London†	4,358,309	10·3	9·0	9·6	10·1	2389	846	125	268	2	-	5	2	4	10	16	6	39	90	434	1	London.†
‡ Croydon	184,239	9·6	8·5	5·1	7·1	92	25	3	10	-	-	-	-	-	-	3	-	1	2	10	-	Croydon.
Wimbledon	59,791	11·3	10·5	5·2	7·8	17	9	1	4	-	-	-	-	-	-	-	-	2	3	3	-	Wimbledon.
Ealing	73,212	5·7	5·7	10·7	4·3	32	6	1	1	-	-	-	-	-	-	-	-	-	-	3	-	Ealing.
Acton	61,732	7·6	2·5	7·6	12·7	26	15	2	8	-	-	-	-	-	-	1	-	1	2	4	-	Acton.
Willesden	160,917	9·1	9·1	8·4	10·0	86	31	5	14	-	-	1	-	-	1	1	-	-	-	15	-	Willesden.
Hornsey	94,348	8·3	6·1	5·5	9·4	25	17	1	4	-	-	-	-	-	-	-	-	2	3	4	-	Hornsey.
Tottenham	141,338	8·9	6·6	7·4	7·4	77	20	4	6	-	-	-	-	-	1	2	-	-	2	4	-	Tottenham.
‡ Edmonton	70,711	8·8	8·1	5·2	5·9	41	8	1	2	-	-	-	-	1	-	-	-	-	-	3	-	‡ Edmonton.
Enfield	58,442	4·5	8·0	9·8	4·5	27	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	Enfield.
West Ham	287,966	9·2	10·3	11·0	10·9	180	60	11	15	-	-	1	-	1	1	2	-	3	6	24	-	West Ham.
East Ham	144,451	7·9	6·1	6·5	6·1	77	17	2	6	-	-	-	-	-	-	-	1	-	-	8	-	East Ham.
Leyton	123,896	7·2	9·7	8·0	8·8	54	21	2	10	-	-	-	-	-	-	-	2	-	1	8	-	Leyton.
Walthamstow	127,684	7·8	6·5	5·7	5·7	82	14	2	3	-	-	-	-	-	-	1	-	-	1	4	-	Walthamstow.
Ilford	79,524	7·2	5·2	7·9	3·9	33	6	1	5	-	-	-	-	-	-	-	-	1	1	1	-	Ilford.
Gillingham	43,501	10·8	15·6	8·4	8·4	30	7	2	3	-	-	-	-	-	-	2	-	-	-	-	-	Gillingham.
Hastings	57,674	9·9	14·5	8·1	6·3	24	7	1	3	-	-	-	-	-	1	-	-	-	-	2	-	Hastings.
Eastbourne	48,424	5·4	1·1	12·9	14·0	20	13	1	7	-	-	-	1	1	-	-	1	-	2	3	-	Eastbourne.
Brighton	132,409	9·8	11·8	11·8	7·1	57	18	2	7	-	-	-	-	-	-	-	-	-	-	6	-	Brighton.
Portsmouth	224,846	9·0	7·7	7·7	9·3	104	40	3	11	-	-	-	-	-	-	-	-	-	1	10	-	Portsmouth.
Bournemouth	82,627	12·0	7·6	7·6	10·7	27	17	1	9	-	-	-	-	-	-	-	-	-	1	5	-	Bournemouth
Southampton	126,033	10·3	9·5	9·9	7·9	74	19	1	5	-	-	-	-	-	-	-	-	1	2	10	-	Southampton.
Reading	91,365	6·3	9·1	12·6	6·8	40	12	2	4	-	-	-	-	-	-	-	-	-	-	6	-	Reading.
Oxford	57,666	5·4	6·3	5·4	13·6	20	15	1	6	-	-	-	-	-	-	-	-	-	1	3	-	Oxford.
Northampton	88,944	9·4	11·7	11·7	10·0	52	17	2	4	-	-	3	-	-	-	-	-	2	2	4	-	Northampton.
Cambridge	57,849	8·1	7·2	5·4	8·1	26	9	-	3	-	-	-	-	-	-	-	-	-	-	2	-	Cambridge.

in the Week ended Saturday, 17th July 1920, and Death-rates in each of the preceding weeks.

TOWNS.*	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 26th June, 1920.	3rd July, 1920.	10th July, 1920.	17th July, 1920.	Week ended 17th July 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	8·1	8·7	8·7	9·9	29	16	1	5	-	-	-	-	-	-	-	-	-	1	4	-	Southend on Sea.
Ipswich	78,011	8·7	8·0	10·0	10·7	32	16	2	3	-	-	1	-	-	1	-	-	-	-	3	-	Ipswich.
Great Yarmouth	53,078	16·7	8·8	12·8	5·9	31	6	1	3	-	-	-	-	-	-	-	-	-	-	2	-	Great Yarmouth.
Norwich	119,993	9·6	9·6	9·6	8·3	60	19	2	6	-	-	-	-	-	-	-	-	3	3	4	-	Norwich.
Swindon	51,527	5·1	10·1	5·1	10·1	17	10	-	5	-	-	-	-	-	-	-	-	-	-	1	-	Swindon.
Exeter	59,014	16·8	11·5	8·8	7·1	31	8	-	3	-	-	-	-	-	-	-	-	-	-	2	-	Exeter.
Plymouth	181,967	12·0	10·3	12·0	10·3	90	36	4	9	-	-	-	-	1	-	-	-	1	5	10	-	Plymouth.
Bath	65,919	11·9	7·1	8·7	8·7	29	11	2	7	-	-	-	-	-	-	-	-	-	-	1	-	Bath.
Bristol	361,247	9·2	10·7	8·9	8·7	178	60	9	24	-	-	-	-	-	1		-	2	5	17	-	Bristol.
Gloucester	50,100	6·2	8·3	10·4	9·4	28	9	1	3	-	-	-	-	-	-	-	-	-	-	2	-	Gloucester.
Stoke on Trent	239,316	9·8	10·9	10·2	10·5	150	48	8	12	-	-	-	1	-	-	-	-	4	5	9	-	Stoke on Trent.
Wolverhampton	98,403	7·9	5·8	12·7	17·5	58	33	7	11	-	-	3	-	-	-	-	-	3	4	7	-	Wolverhampton.
Walsall	92,724	10·1	10·1	10·7	12·4	60	22	5	3	-	-	-	-	-	1	-	-	1	2	7	-	Walsall.
West Bromwich	69,899	10·4	13·4	14·2	11·2	65	15	2	5	-	-	1	-	1	-	-	-	1	1	2	1	West Bromwich.
Dudley	54,017	11·6	9·7	8·7	8·7	30	9	2	5	-	-	-	-	-	-	-	1	-	2	1	-	Dudley.
Birmingham	861,585	10·4	11·6	10·0	10·8	475	179	26	57	-	-	4	1	4	4	2	4	2	4	55	4	Birmingham.
Smethwick	72,152	8·7	10·8	7·2	9·4	40	13	3	4	-	-	-	-	-	-	-	-	1	1	2	-	Smethwick.
Coventry	132,048	6·7	8·3	5·9	9·1	65	23	4	6	-	-	-	-	-	-	-	1	1	1	4	-	Coventry.
Leicester	236,059	10·8	12·8	10·8	9·9	117	45	10	11	-	-	4	-	2	-	1	-	1	2	12	1	Leicester.
Lincoln	60,581	8·6	10·3	6·0	3·4	31	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	Lincoln.
Grimsby	78,813	11·9	14·6	11·9	7·9	54	12	2	4	-	-	-	-	-	-	1	-	-	1	4	-	Grimsby.
Nottingham	257,573	9·7	10·5	11·1	10·3	136	51	13	16	1	-	-	-	-	-	-	-	2	2	18	1	Nottingham.
Derby	123,930	8·4	10·9	7·2	6·7	63	16	2	5	-	-	-	-	1	-	1	-	-	3	6	-	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 17th July, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 26th June, 1920.	3rd July, 1920.	10th July, 1920.	17th July, 1920.	Week ended 17th July, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	10·4	10·0	8·7	5·8	56	14	2	6	–	–	–	–	–	1	1	–	–	–	2	–	STOCKPORT.
BIRKENHEAD	148,052	6·0	9·2	8·8	8·1	79	23	3	4	–	–	–	–	–	2	–	–	–	–	12	–	BIRKENHEAD.
WALLASEY	95,424	7·1	9·3	8·2	8·7	36	16	3	6	–	–	–	–	–	–	–	–	1	1	4	–	WALLASEY.
LIVERPOOL	772,665	12·1	11·3	11·7	12·9	456	191	40	44	–	–	1	2	3	3	9	3	12	17	81	1	LIVERPOOL.
BOOTLE	76,962	10·2	9·5	5·4	4·7	35	7	–	3	–	–	–	1	–	–	–	–	1	1	3	–	BOOTLE.
ST. HELENS	100,805	12·4	5·7	8·8	8·3	58	16	4	1	–	–	–	–	–	1	–	–	2	2	3	–	ST. HELENS.
SOUTHPORT	70,144	11·2	9·7	8·2	10·4	16	14	1	10	–	–	–	–	–	–	–	–	–	–	2	–	SOUTHPORT.
WIGAN	87,384	16·1	14·9	19·7	11·9	47	20	5	3	–	–	2	–	–	–	–	–	–	–	–	–	WIGAN.
WARRINGTON	74,952	16·0	10·4	10·4	7·7	45	11	2	6	–	–	–	–	–	–	–	–	1	2	4	1	WARRINGTON.
BOLTON	177,462	11·2	10·6	12·0	6·2	90	21	6	7	–	–	–	1	–	–	1	1	–	–	4	–	BOLTON.
BURY	54,248	10·6	6·7	9·6	11·5	25	12	–	7	–	–	–	–	–	–	–	–	–	–	3	–	BURY.
MANCHESTER	741,068	10·6	10·3	10·0	8·9	374	127	19	34	–	–	–	1	–	–	2	1	4	10	48	–	MANCHESTER.
SALFORD	226,225	10·6	12·0	7·4	10·1	132	44	9	14	–	–	–	–	–	1	1	1	2	3	9	–	SALFORD.
OLDHAM	137,668	11·0	8·0	13·6	11·7	58	31	6	7	–	–	–	–	–	–	1	–	4	5	10	–	OLDHAM.
ROCHDALE	90,051	11·0	10·4	7·5	11·6	36	20	2	6	–	–	–	–	–	1	1	–	3	3	8	1	ROCHDALE.
BURNLEY	101,005	7·2	12·9	17·0	12·9	54	25	4	4	–	–	–	–	–	–	1	1	2	3	5	–	BURNLEY.
BLACKBURN	125,992	12·0	12·0	9·9	11·2	63	27	3	6	–	–	–	–	–	1	–	–	–	1	2	–	BLACKBURN.
PRESTON	117,277	8·9	12·9	12·0	8·9	56	20	4	4	–	–	–	–	–	–	1	–	1	1	5	1	PRESTON.
BLACKPOOL	67,842	8·5	20·0	10·0	13·8	18	18	–	3	–	–	–	–	–	–	–	2	–	–	–	1	BLACKPOOL.
BARROW IN FURNESS	73,627	9·9	11·3	10·6	9·9	43	14	2	4	–	–	–	–	–	–	–	–	–	–	1	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	10·2	11·1	8·8	10·2	42	22	5	5	–	–	–	1	–	–	1	–	–	–	7	–	HUDDERSFIELD.
HALIFAX	101,791	10·8	9·2	11·8	9·7	52	19	4	9	–	–	–	–	–	–	1	–	1	1	3	–	HALIFAX.
BRADFORD	282,714	9·4	9·8	8·5	10·3	120	56	4	27	–	–	–	–	–	–	–	–	1	4	14	–	BRADFORD.
LEEDS	431,999	9·5	11·1	9·8	11·6	205	96	13	34	–	–	–	–	–	–	2	–	7	9	30	–	LEEDS.
DEWSBURY	52,969	11·8	8·9	8·9	7·9	25	8	2	2	–	–	–	–	–	–	–	–	–	–	4	–	DEWSBURY.
WAKEFIELD	49,208	9·5	9·5	9·5	13·8	26	13	2	–	–	–	–	–	–	–	1	–	1	1	3	–	WAKEFIELD.
BARNSLEY	51,680	9·1	9·1	8·1	9·1	32	9	4	2	–	–	–	–	1	–	1	–	–	–	–	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 26th June, 1920.	3rd July, 1920.	10th July, 1920.	17th July, 1920.	Week ended 17th July, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	10·2	9·6	11·9	9·2	273	84	22	14	–	–	3	–	1	–	3	3	1	2	32	–	Sheffield.
Rotherham	69,034	12·8	12·8	4·5	7·6	39	10	3	2	–	–	–	–	–	–	–	–	–	–	–	–	Rotherham.
York	74,531	8·4	11·2	12·6	2·8	49	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	York.
Hull	279,664	9·3	10·4	10·6	10·6	137	57	13	17	–	–	–	–	–	–	2	–	3	3	15	1	Hull.
Middlesbrough	127,142	11·5	9·4	13·1	13·1	87	32	4	10	–	–	–	1	–	–	–	–	2	3	9	–	Middlesbrough.
Darlington	64,058	12·2	12·2	5·7	4·9	42	6	1	1	–	–	–	–	–	–	–	–	–	–	2	–	Darlington.
Stockton on Tees	60,696	16·3	12·9	9·4	8·6	45	10	2	2	–	–	2	–	–	–	–	–	–	–	1	–	Stockton on Tees.
West Hartlepool	65,515	19·1	12·7	14·3	10·3	43	13	2	3	–	–	–	–	–	–	–	–	–	–	4	–	West Hartlepool.
Sunderland	149,263	11·5	13·3	12·6	15·7	122	45	9	12	–	–	–	–	–	–	1	1	–	2	12	1	Sunderland.
South Shields	111,502	10·8	13·1	15·4	12·2	62	26	10	7	–	–	–	–	1	–	1	–	–	–	3	1	South Shields.
Gateshead	123,392	8·0	10·1	10·1	13·5	79	32	10	5	–	–	–	–	3	–	1	–	2	2	5	4	Gateshead.
Newcastle on Tyne.	275,099	8·7	14·8	10·8	11·4	164	60	8	13	–	–	1	–	2	–	1	3	2	3	13	–	Newcastle on Tyne.
Tynemouth	58,007	12·6	10·8	12·6	8·1	41	9	–	4	–	–	–	–	–	–	–	–	1	1	3	–	Tynemouth.
Carlisle	55,198	11·3	7·6	10·4	7·6	28	8	–	4	–	–	–	–	1	–	–	–	–	–	1	1	Carlisle.
Newport (Mon.)	87,251	9·0	7·8	6·6	13·7	58	23	1	3	–	–	–	–	–	1	–	–	2	3	7	–	Newport (Mon.).
Cardiff	204,436	8·2	8·2	8·2	10·7	89	42	7	7	–	–	–	–	–	–	1	–	4	12	8	–	Cardiff.
Rhondda	177,911	12·6	8·5	8·5	8·5	86	29	3	6	–	–	–	–	–	–	1	–	1	2	2	–	Rhondda.
Merthyr Tydfil	71,638	12·4	10·9	8·7	15·3	35	21	4	3	–	–	–	–	2	1	–	–	1	1	9	–	Merthyr Tydfil.
Aberdare	51,384	10·1	17·3	15·2	9·1	30	9	1	2	–	–	–	–	–	–	–	1	–	–	1	–	Aberdare.
Swansea	160,810	12·6	9·4	16·9	10·4	79	32	9	7	–	–	1	–	–	1	–	–	–	1	4	–	Swansea.
Greater London	7,259,388	9·6	8·5	8·8	9·2	3833	1285	186	431	2	–	7	2	6	16	29	10	50	117	566	1	Greater London.
Outer Ring	2,901,079	8·5	7·9	7·7	7·9	1444	439	61	161	–	–	2	–	2	6	13	4	11	27	132	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	8·4	7·8	7·7	7·9	849	254	36	89	–	–	2	–	2	3	10	3	10	21	92	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·7	7·9	7·7	7·8	595	185	25	74	–	–	–	–	–	3	3	1	1	6	40	–	Remainder of Outer Ring.
Edinburgh†	342,300	11·3	9·6	12·8	10·1	146	66	13	25	–	–	1	–	–	1	–	1	1	?	?	?	Edinburgh.†
Glasgow†	1,115,500	12·5	11·9	10·6	12·6	557	268	56	55	–	4	1	1	3	–	4	2	16	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	14·6	13·3	14·2	15·7	247	125	27	32	–	–	2	–	4	2	4	–	3	5	60	2	Dublin (Registration Area).†
Belfast†	413,000	13·8	12·4	13·1	11·9	193	94	21	11	2	–	–	1	–	–	2	–	–	2	30	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWENTY-EIGHTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2163	2242	2070	2295	2125	1751	1936	1578	1249	1612	2389
Males	1118	1169	1072	1168	1103	903	1035	797	676	846	1217
Females	1045	1073	998	1127	1022	848	901	781	573	766	1172
Deaths (of residents only).	982	982	980	958	1020	956	889*	979*	1423*	774*	846*
Males		538	495	523	554	506	491	553	697	402	434
Females		444	485	435	466	450	398	426	726	372	412

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.
Births (as registered)	2665	2518	2552	2648	2369	2096	2558	2452	2293	2406	2337	2187	2389
Deaths (of residents only).	1185	1147	1084	1046	1005	1010	920	888	838	864	749	799	846
Ages at Death: Under 1 year	195	158	155	158	161	166	123	122	115	131	107	126	125
1–2 years	42	55	50	45	46	28	37	23	21	19	20	21	10
2–5 "	39	40	47	26	35	35	21	35	18	19	25	20	24
5–10 "	24	34	30	20	23	23	23	26	28	28	26	15	21
10–15 "	14	14	17	13	19	20	18	22	22	8	9	18	14
15–20 "	29	28	24	20	11	20	19	20	20	24	23	23	24
20–25 "	37	31	32	19	18	23	23	22	25	19	21	14	16
25–35 "	60	55	58	61	51	58	46	51	44	51	37	48	35
35–45 "	78	91	72	76	67	86	70	65	80	76	59	69	81
45–55 "	127	126	106	120	126	129	98	94	86	111	95	101	95
55–65 "	151	149	139	150	149	121	142	133	111	118	107	113	133
65–75 "	192	170	185	178	155	151	161	136	150	108	109	123	140
75 years and upwards	197	196	169	160	144	150	139	139	118	152	111	108	128
Deaths from—													
Enteric fever	1	3	–	2	2	3	2	1	1	–	–	1	2
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	40	45	41	25	25	24	19	18	15	7	7	20	5
Scarlet fever	4	4	4	1	3	3	3	3	2	–	2	3	2
Whooping cough	29	23	19	35	17	14	13	10	7	11	7	3	4
Diphtheria	12	15	24	11	15	17	11	13	15	13	13	8	10
Diarrhœa and enteritis (under 2 years).	15	12	15	14	19	17	11	20	23	15	11	19	16
Pulmonary tuberculosis	91	106	87	98	79	95	86	67	77	105	59	82	78
Influenza	59	45	31	32	31	26	19	13	7	6	4	3	6
Pneumonia (all forms)	113	96	95	82	88	59	66	62	54	40	38	44	36
Bronchitis	95	79	79	63	59	58	43	56	40	43	39	30	32
Other dis. of resp. system	16	14	18	14	16	14	6	16	14	10	13	9	14
Dis. of circ. system	174	189	138	203	154	158	156	139	129	155	129	132	147
Violence	44	42	40	32	52	41	44	46	40	50	42	38	39
Inquest cases	93	83	77	94	95	68	88	89	81	88	83	72	90
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	30	29	32	29	21	20	23	20	20	17	21	24	29
Small-pox	23	12	11	6	1	–	1	4	5	3	3	3	–
Measles	66	66	72	70	56	52	55	54	60	58	58	56	53
Scarlet fever	1845	1831	1794	1757	1734	1703	1635	1642	1654	1646	1705	1755	1855
Whooping cough	22	20	19	20	25	22	24	20	20	20	18	18	17
Diphtheria	1965	1951	1947	1916	1894	1797	1746	1722	1705	1668	1603	1599	1582

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.
Deaths from Influenza	259	202	201	216	211	188	148	86	65	37	34	44	33

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-EIGHTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 28th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	774	846	125	10	24	21	14	24	16	35	81	95	133	140	128
Enteric fever	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	5	3	-	2	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough	3	4	2	-	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	8	10	-	1	5	3	1	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	8	6	-	-	-	-	-	-	-	-	2	-	-	3	1
Erysipelas	1	5	1	-	-	-	-	-	-	-	1	-	1	2	-
Other epidemic diseases	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Tetanus	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	73	78	-	-	2	1	3	11	7	10	15	18	5	6	-
Tuberculous meningitis	13	16	3	2	6	3	2	-	-	-	-	-	-	-	-
Abdominal tuberculosis	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the spine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the joints	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Tuberculosis of other organs	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Disseminated tuberculosis	4	4	-	-	2	-	-	-	-	1	-	1	-	-	-
Venereal diseases	5	3	2	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	111	110	-	-	1	-	-	-	-	1	7	17	42	27	15
Tumour, situation undefined	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Rheumatic fever	4	3	-	-	-	1	-	1	-	-	1	-	-	-	-
Diabetes	6	5	-	-	-	-	-	-	-	-	1	-	2	1	1
Anæmia, leucocythaemia	7	6	-	-	-	-	-	-	1	1	-	3	-	1	-
Other general diseases	7	11	1	-	-	-	-	-	-	2	2	1	1	4	-
Alcoholism	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	7	5	2	1	-	1	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, Apoplexy	31	47	-	-	-	-	-	-	-	-	1	3	7	23	13
Softening of brain	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Paralysis, without specified cause	2	5	-	-	-	-	-	-	-	-	-	1	1	1	2
Epilepsy	4	3	-	-	-	-	-	1	-	-	1	-	-	1	-
"Convulsions" (not puerperal)	7	6	5	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	16	14	1	-	-	1	-	1	-	1	3	4	3	-	-
Pericarditis	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	-	7	-	-	-	-	1	1	-	2	3	-	-	-	-
Organic disease of heart	103	97	-	-	-	1	2	-	2	1	10	11	20	27	23
Embolism and thrombosis (including cerebral).	6	10	-	-	-	-	-	-	-	-	1	1	1	1	6
Other diseases of circulatory system.	18	32	1	-	-	-	-	-	-	-	-	3	6	9	13
Diseases of the larynx	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Bronchitis	49	32	3	-	1	-	-	-	-	1	1	-	10	7	9
Broncho-pneumonia	17	14	10	1	1	-	-	-	-	-	-	-	1	1	-
Lobar pneumonia	7	15	2	-	-	1	-	1	-	-	2	1	3	3	2
Pneumonia (type not distinguished)	11	7	-	-	1	1	-	-	-	1	2	1	-	-	1
Pleurisy	-	3	-	1	-	-	-	-	-	1	-	-	1	-	-
Pulmonary congestion, Pulmonary apoplexy.	2	3	-	-	-	-	-	-	-	-	-	-	1	-	2
Other diseases of respiratory system.	4	7	-	-	-	-	1	-	-	-	2	1	2	1	-

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-EIGHTH Week of the Year 1920.

Causes of Death.	Deaths in the 28th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	9	9	–	–	–	–	–	–	–	1	3	4	1	–	–
Diarrhœa and enteritis	12	24	15	1	–	1	1	1	1	–	1	2	–	–	1
Appendicitis and typhlitis	4	8	–	–	1	–	1	2	–	–	2	2	–	–	–
Hernia and Intestinal obstruction.	9	14	6	–	–	–	–	–	–	2	–	–	1	1	4
Cirrhosis of liver	6	5	–	–	–	–	–	–	–	–	–	2	3	–	–
Other diseases of liver	3	4	–	–	–	–	–	–	1	–	2	–	–	1	–
Peritonitis (cause unknown)	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Other diseases of digestive system	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	19	26	–	–	–	–	–	–	–	2	3	6	7	5	3
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	9	9	–	–	–	–	–	–	–	1	2	1	–	4	1
Puerperal fever, &c.	1	4	–	–	–	–	–	–	–	–	4	–	–	–	–
Other causes incident to childbirth.	1	6	–	–	–	–	–	–	–	3	3	–	–	–	–
Diseases of skin and cellular tissues.	9	9	2	–	–	–	–	–	–	–	–	2	2	–	3
Diseases of locomotor system	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Congenital malformations	6	6	5	–	–	–	–	–	1	–	–	–	–	–	–
Premature birth	28	34	34	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	3	12	12	–	–	–	–	–	–	–	–	–	–	–	–
Old age	41	33	–	–	–	–	–	–	–	–	–	–	1	6	26
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	1	4	1	1	–	1	–	1	–	–	–	–	–	–	–
Drowning	4	8	–	–	–	2	1	2	–	–	1	1	1	–	–
Suffocation in bed	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	14	18	–	–	1	–	1	1	1	3	–	4	3	4	–
Total deaths from accident	19	31	2	1	1	3	2	4	1	3	1	5	4	4	–
Included in above are deaths in connection with:—															
Railways	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Vehicles and horses	7	8	–	–	1	–	1	–	1	1	–	2	–	2	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Suicide	13	7	–	–	–	–	–	–	2	1	–	1	3	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	8	14	12	–	–	1	–	1	–	–	–	–	–	–	–
Ill-defined Causes	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	July 17	2,389	846	10·1	2	–	5	2	4	10	16	6
CALCUTTA	896,067	June 12	–	517§	30·0	?	5	?	?	?	?	?	17
BOMBAY	979,445	" 5	328	776§	41·2	1	10	4	–	–	–	29	27
		" 12	280	805§	42·7	4	6	1	–	1	–	39	22
MADRAS	518,660	" 12	429	383	38·4	1	1	–	?	5	–	43	5
PARIS	2,847,229	(11 days) May 31	1,763	1,166	?	2	–	25	3	7	4	37	1
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	327,653	July 3	133	47	7·5	–	–	–	–	–	1	7	–
AMSTERDAM	650,460	" 3	323	117	9·4	–	–	–	–	1	–	3	–
COPENHAGEN	552,000	" 3	211	118	11·1	–	–	–	–	–	2	1	–
STOCKHOLM	415,201	June 26	163	96	12·0	–	–	–	2	–	1	2	–
GOTHENBURG	200,578	" 19	–	34	8·8	–	–	–	–	–	–	–	–
CHRISTIANIA	258,615	July 3	128	52	10·5	–	–	–	–	–	1	1	–
BERLIN	1,904,590	June 26	650	378	10·3	–	?	–	1	1	1	23	1
BRESLAU	531,347	" 26	236	132	12·9	–	?	3	–	–	–	12	2
COLOGNE	642,899	" 26	320	164	13·3	–	?	2	–	3	3	14	?
DRESDEN	537,127	" 26	234	121	11·7	–	?	–	–	–	–	2	?
FRANKFORT-ON-MAIN.	435,103	" 26	151	66	7·9	–	?	1	–	1	–	1	?
HAMBURG	1,002,933	" 26	448	220	11·4	–	?	–	1	1	2	8	?
LEIPZIG	610,686	" 26	252	112	9·5	–	?	1	1	–	–	9	?
MUNICH	647,030	" 26	253	177	14·2	–	?	1	–	–	1	13	?
VIENNA	1,842,005	July 3	476	502	14·1	1	–	2	–	2	1	19	3
PRAGUE	524,496	June 19	177	185	18·4	2	–	–	–	–	–	7	1
BUDAPEST	1,071,492	May 22	411	401	19·5	1	–	–	1	1	–	19	1
TRIESTE	233,064	June 26	–	–	–	–	–	–	–	–	–	–	–
CAIRO	761,300	Apr. 22	619	651	44·5	8	–	12	–	?	2	79	?
ALEXANDRIA	445,700	" 22	349	275	32·1	2	10	1	1	?	–	17	?
NEW YORK	6,141,445	June 5	2,545	1,266	10·8	–	–	18	11	9	21	42	8
		" 12	2,710	1,129	9·6	1	–	12	5	7	18	28	4
CHICAGO	2,596,681	" 19	–	553	11·1	–	–	3	2	4	2	29	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 8 and 2 deaths from *plague* in Bombay, and from *Asiatic cholera* 108 deaths in Calcutta, 0 and 37 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 17th July, 1920.

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
LONDON (Greenwich)	76	49	73·7	53·6	11
BRIGHTON	67	51	65·4	55·4	7
PORTSMOUTH	69	53	67·1	55·9	10
NORWICH (Southwell Lodge)§	78	49	71·3	52·8	5
PLYMOUTH	67	52	64·0	54·3	13
BRISTOL (Clifton)	67	53	62·0	54·1	9
BIRMINGHAM	68	49	65·7	51·6	8
NOTTINGHAM	69	48	66·6	52·3	9
BIRKENHEAD (Bidston)	67	51	63·6	52·0	20
MANCHESTER (Whitworth Park)	67	51	64·3	53·4	14
BURNLEY	64	51	61·3	52·1	24
HUDDERSFIELD	66	51	63·7	52·9	14
BRADFORD	65	51	62·7	52·9	17
SHEFFIELD	67	52	65·0	53·3	15
YORK (Museum)	68	52	65·4	53·6	24
HULL (Pearson Park)	74	52	68·9	53·7	13
TYNEMOUTH	68	50	64·7	52·9	16
CARDIFF	67	52	63·7	53·9	16
EDINBURGH	63·0	49·0	62·0	52·0	12
GLASGOW	65·0	50·7	61·8	52·2	12
DUBLIN:— Phœnix Park	67·0	46·7	64·1	51·7	10
†Fitzwilliam Square	67·2	52·0	64·9	53·8	10
BELFAST	66·0	48·0	64·3	51·5	12

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly: 1 inch = 25·4 millimetres exactly.
§ Observations taken at Eaton not available this week.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 17th July 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	11	..	29·882	75·0	55·1	19·9	63·1	+ 0·4	55·1	8·0	19·8	1·6	75	146·5	51·7	55·5	W.	WSW.	1·3	0·0	0·1	192	− 56	0·08
MONDAY	12	..	29·697	74·8	57·7	17·1	64·3	+ 1·4	58·8	5·5	13·6	0·0	82	134·0	52·9	55·6	Calm & SW.	WSW. & W.	3·0	0·0	0·2	223	− 22	0·44
TUESDAY	13	Greatest declination N.	29·887	70·6	53·1	17·5	60·7	− 2·4	48·0	12·7	19·7	2·6	63	130·9	44·7	55·6	W. & WNW.	WNW.	4·2	0·0	0·5	442	+199	0·00
WEDNESDAY	14	..	29·968	73·0	51·7	21·3	61·1	− 2·2	49·1	12·0	19·8	2·4	65	143·4	42·4	56·0	WNW. & W.	WSW.	2·6	0·0	0·2	265	+ 23	0·00
THURSDAY	15	Perigee. New.	29·845	72·2	53·1	19·1	61·8	− 1·6	52·3	9·5	16·6	1·8	71	129·7	45·0	56·0	Calm & WSW.	W. & WNW.	3·7	0·0	0·2	253	+ 10	0·00
FRIDAY	16	..	29·838	74·4	49·1	25·3	62·2	− 1·2	51·3	10·9	21·5	1·5	67	145·4	42·0	56·1	Calm & SW.	SW. & S.	3·2	0·0	0·2	214	− 30	0·00
SATURDAY	17	..	29·682	75·8	54·8	21·0	63·8	+ 0·4	57·0	6·8	15·9	2·0	79	142·3	45·7	56·2	S. & SW.	SW. & WSW.	3·6	0·0	0·2	269	+ 24	0·00
MEANS		- - -	29·828	73·7	53·5	20·2	62·4	− 0·7	53·1	9·3	18·1	1·7	72	138·9	46·3	55·9	WSW.		..	..	..	Sum 1858	Sum +148	Sum 0·52
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. July, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	11	w.P. and m.P. throughout.	5·6	16·3	Little cloud till 2h.; overcast generally till 7h., partially cloudy till 13h. 30m., then becoming overcast; rain 4h. to 7h. 30m.; shower 15h.; damping about 22h.
MONDAY -	12	v.P. throughout	3·7	16·2	Overcast or nearly overcast till noon; very cloudy afterwards; heavy rain 3h. 30m. to 5h., and occasional slight rain till 10h. and again 21h. 30m.
TUESDAY -	13	v.P. throughout	9·7	16·2	Variably cloudy with nearly overcast intervals till 20h., then becoming nearly cloudless; cloudless from 22h.; brisk wind in afternoon.
WEDNESDAY -	14	v.P. throughout	12·4	16·2	Cloudless till 2h. becoming nearly overcast by 4h.; fine and partially cloudy from 7h.
THURSDAY -	15	v.P. and v.N. till noon, m.P. and s.P. afterwards.	6·1	16·1	Little cloud till 2h., nearly overcast generally till 14h.; cloudy till 17h., then nearly cloudless; occasional showers between 2h. and 8h., and at 14h.
FRIDAY - -	16	m.P. and s.P. throughout.	14·2	16·1	Partially cloudy generally, nearly overcast at times; solar halo at noon.
SATURDAY -	17	v.P. throughout	5·3	16·0	Little cloud till 5h.; cloudy generally with nearly overcast intervals till 18h., little cloudy afterwards; occasional slight rain between 15h. 30m. and 17h.; damping by midnight.
			Sum 57·0	Sum 113·1	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·90 in. at the beginning of the week to 29·67 in. by 17h. on 12th; increased to 30·02 in. by 8h. on 14th; decreased to 29·83 in. by noon on 15th; increased to 29·91 in. by 23h. on the same day; decreased to 29·64 in. by 10h. on 17th, and increased generally to 29·78 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 10th July, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	799	1	-	20	3	3	8	19	82	126
Western										
PADDINGTON	22	-	-	-	-	-	-	-	2	1
KENSINGTON	33	-	-	1	-	-	-	3	1	7
HAMMERSMITH	23	-	-	2	-	-	-	-	3	4
FULHAM	18	-	-	-	-	-	-	-	1	1
CHELSEA	13	-	-	-	-	-	-	1	1	1
CITY OF WESTMINSTER	20	-	-	-	-	-	-	1	4	3
Northern.										
ST. MARYLEBONE	30	-	-	1	1	-	-	-	2	5
HAMPSTEAD	12	-	-	-	-	-	-	-	1	1
ST. PANCRAS	30	-	-	1	-	-	-	1	2	7
ISLINGTON	67	-	-	3	-	-	1	1	5	12
STOKE NEWINGTON	8	-	-	-	-	-	1	-	-	-
HACKNEY	42	-	-	2	-	-	2	1	5	5
Central.										
HOLBORN	8	-	-	-	-	-	-	-	1	1
FINSBURY	14	-	-	-	-	-	-	-	3	2
CITY OF LONDON	-	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	21	-	-	-	-	-	-	-	2	2
BETHNAL GREEN	23	-	-	-	1	-	-	1	2	3
STEPNEY	51	-	-	2	-	-	-	2	12	8
POPLAR	36	-	-	1	-	1	1	2	4	8
Southern.										
SOUTHWARK	35	-	-	2	-	-	-	-	1	8
BERMONDSEY	27	-	-	-	-	-	-	-	5	6
LAMBETH	45	-	-	-	1	-	1	-	6	5
BATTERSEA	22	-	-	2	-	1	-	1	-	8
WANDSWORTH	51	-	-	1	-	-	-	2	7	5
CAMBERWELL	57	1	-	1	-	-	-	2	3	10
DEPTFORD	23	-	-	1	-	1	-	-	1	5
GREENWICH	22	-	-	-	-	-	-	-	1	1
LEWISHAM	33	-	-	-	-	-	2	1	5	4
WOOLWICH	13	-	-	-	-	-	-	-	2	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 10th July, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	-	-	-	-	8	12	2	1	-	-	2	1	-	-	-
Kensington	157,886	3	1	-	-	11	8	2	1	1	1	1	-	-	-	-
Hammersmith	130,981	-	-	-	-	7	4	-	-	-	-	1	-	-	-	-
Fulham	152,543	2	-	-	-	13	16	5	2	-	-	-	-	-	-	-
Chelsea	60,573	1	-	-	-	-	2	-	-	-	-	1	-	-	1	-
City of Westminster	127,533	1	-	-	-	5	1	3	1	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	3	-	-	-	7	1	2	-	-	1	-	-	-	-	-
Hampstead	88,012	-	-	-	-	3	2	1	2	-	-	-	-	-	-	-
St. Pancras	219,434	-	2	-	-	14	6	2	3	-	-	-	-	-	1	-
Islington	323,034	-	-	-	-	19	16	1	3	-	1	1	-	-	1	-
Stoke Newington	50,954	1	-	-	-	5	4	-	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	17	7	-	1	-	1	-	-	-	-	-
CENTRAL.																
Holborn	38,156	1	-	-	-	2	1	-	2	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	7	1	-	5	-	1	1	-	-	-	-
City of London	13,893	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	-	-	-	5	4	-	-	-	-	2	-	-	-	-
Bethnal Green	110,085	-	-	-	-	14	12	3	2	-	-	1	-	-	-	-
Stepney	232,506	-	-	-	-	25	5	8	6	-	-	1	-	-	2	-
Poplar	153,644	-	1	-	-	4	5	5	2	1	-	3	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	2	-	-	14	11	-	3	-	-	1	-	-	-	-
Bermondsey	124,239	-	-	-	-	12	-	-	-	-	-	-	-	-	-	-
Lambeth	282,322	-	-	-	-	21	13	-	1	-	-	2	-	-	-	-
Battersea	159,316	-	-	-	-	9	8	2	1	-	1	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	16	17	2	2	2	1	1	-	-	-	-
Camberwell	273,802	1	1	-	-	13	15	-	6	-	-	1	-	1	-	-
Deptford	111,205	1	-	-	-	12	6	1	1	-	-	1	-	-	-	-
Greenwich	98,484	-	1	-	-	14	10	-	1	-	-	1	-	-	-	-
Lewisham	167,754	-	1	-	-	10	6	-	2	-	-	2	-	-	-	-
Woolwich	136,237	-		-	-	4	9	-	1	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	14	11	-	-	293	202	39	49	4	7	23	1	1	5	-
Ages 0-1		-	-	-	-	4	2	1	-	1	-	23	-	-	-	-
" 1-5		-	-	-	-	46	63	5	1	-	-	-	1	-	1	-
" 5-		2	-	-	-	147	88	4	-	2	-	-	-	-	-	-
" 10-			-	-	-	67	22	7	-	-	-	-	-	-	1	-
" 15-		4	-	-	-	15	8	2	2	1	-	-	-	-	-	-
" 20-		1	3	-	-	7	7	2	1	-	-	-	-	-	-	-
" 25-		4	6	-	-	4	6	3	8	-	4	-	-	1	1	-
" 35-		1	2	-	-	1	4	5	14	-	3	-	-	-	2	-
" 45-		-	-	-	-	2	1	6	11	-	-	-	-	-	-	-
" 55-		-	-	-	-	-	-	1	6	-	-	-	-	-	-	-
" 65-		-	-	-	-	-	-	3	3	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	1	-	3	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 29. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JULY 24.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
July 27th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,018, and corresponded to an annual rate of 25·4 per 1,000. The deaths* among the civilian population only numbered 3,342, and corresponded to an annual rate of 9·8 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended July 3rd, July 10th, and July 17th, the rates had been 9·9, 9·9 and 9·9, respectively. The infant mortality was 57, against 63, 62, and 57 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11579—4 Wt 167–840 625 7/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·1 in Barnsley, 16·7 in Merthyr Tydfil, 17·0 in Enfield, 17·1 in Tynemouth, and 17·7 in Great Yarmouth; and from *measles*, 1·2 in Rhondda and 1·4 in Warrington. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,229 births, corresponding to a rate of 25·6 per 1,000, and 762 deaths of civilians, corresponding to a rate of 9·1, as against 9·0, 9·6, and 10·1 per 1,000 in the three weeks ended July 3rd, July 10th, and July 17th. The death-rate in the four weeks ended last Saturday averaged 9·5 per 1,000. The infant mortality was 44, against 46, 58, and 52 in the preceding three weeks.

There was no death from *enteric fever*, the numbers in the preceding three weeks having been 0, 1, and 2, and the average for the corresponding weeks of the previous five years 2. The deaths from *measles*, which had been 7, 20, and 5 in the preceding three weeks, were 4 last week, and were 12 below the average. There was 1 death from *scarlet fever*, against 2, 3, and 2 in the preceding three weeks, and an average of 4. The deaths from *whooping-cough*, which had been 7, 3, and 4 in the preceding three weeks, were again 4 last week, and were 8 below the average. The deaths from *diphtheria*, which had been 13, 8, and 10 in the preceding three weeks, rose last week to 13, and were 5 above the average; 3 deaths belonged to the Borough of Camberwell. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 11, 19, and 16 in the preceding three weeks, rose last week to 20, and were 7 above the average; 4 deaths belonged to Shoreditch, and 3 to St. Pancras. The deaths from *influenza* numbered 2, as against 4, 3, and 6 in the preceding three weeks and an average of 42.

Different forms of violence caused 36 deaths, all of which were the subject of coroners' inquests. Of these 36 deaths, 5 were cases of suicide and 1 of homicide, while the remaining 30 were attributed to other forms of violence. Nine of these latter were referred to vehicles in the streets, 3 to burns or scalds, 6 to drowning, and 2 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 33 cases of enteric fever, 55 of measles, 1,911 of scarlet fever, 18 of whooping-cough, and 1,556 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 5 cases, against 6, 8, and 7; of measles, 19 cases, against 12, 10, and 10; of scarlet fever, 281 cases, against 302, 272, and 296; of whooping-cough, 4 cases, against 2, 2, and 0; and of diphtheria, 190 cases, against 174, 192, and 199. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 17th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 24th July, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 3rd July, 1920.	10th July, 1920.	17th July, 1920.	24th July, 1920.	Week ended 24th July, 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	9·9	9·9	9·9	9·8	9018	3342	518	980	3	-	29	7	20	42	91	21	152	279	1124	27	96 GREAT TOWNS.
LONDON†	4,358,309	9·0	9·6	10·1	9·1	2229	762	97	248	-	-	4	1	4	13	20	2	36	72	378	1	LONDON.†
‡ CROYDON	184,239	8·5	5·1	7·1	8·8	78	31	7	8	-	-	-	-	-	-	3	1	-	-	8	-	CROYDON.
WIMBLEDON	59,791	10·5	5·2	7·8	10·5	18	12	3	4	-	-	-	-	-	-	-	-	1	2	1	-	WIMBLEDON.
EALING	73,212	5·7	10·7	4·3	7·8	20	11	-	3	-	-	-	-	-	-	-	-	-	-	3	-	EALING.
ACTON	61,732	2·5	7·6	12·7	8·4	22	10	-	-	-	-	-	-	-	-	-	-	-	-	3	-	ACTON.
WILLESDEN	160,917	9·1	8·4	10·0	6·2	68	19	5	4	-	-	-	-	1	1	1	-	-	1	9	-	WILLESDEN.
HORNSEY	94,348	6·1	5·5	9·4	9·9	38	18	1	8	-	-	-	-	-	-	-	-	-	-	2	-	HORNSEY.
TOTTENHAM	141,338	6·6	7·4	7·4	5·9	61	16	1	5	-	-	-	-	-	-	-	-	2	3	8	-	TOTTENHAM.
EDMONTON	70,711	8·1	5·2	5·9	8·8	27	12	2	4	-	-	-	-	-	1	-	-	1	1	2	-	EDMONTON.
ENFIELD	58,442	8·0	9·8	4·5	17·0	18	19	1	5	-	-	-	-	-	-	-	-	2	3	4	-	ENFIELD.
WEST HAM	287,966	10·3	11·0	10·9	8·5	181	47	8	7	-	-	1	-	-	4	1	1	4	8	18	-	WEST HAM.
EAST HAM	144,451	6·1	6·5	6·1	7·6	52	21	1	7	-	-	-	-	-	-	-	-	-	-	8	-	EAST HAM.
LEYTON	123,896	9·7	8·0	8·8	7·6	62	18	4	6	-	-	-	-	-	-	-	-	1	3	4	-	LEYTON.
WALTHAMSTOW	127,684	6·5	5·7	5·7	6·5	51	16	5	4	-	-	-	-	-	-	3	1	1	1	11	-	WALTHAMSTOW.
ILFORD	79,524	5·2	7·9	3·9	5·2	35	8	-	2	-	-	1	-	-	-	-	-	-	-	3	-	ILFORD.
GILLINGHAM	43,501	15·6	8·4	8·4	8·4	32	7	2	2	-	-	-	-	-	-	-	-	-	-	2	-	GILLINGHAM.
HASTINGS	57,674	14·5	8·1	6·3	6·3	19	7	-	4	-	-	-	-	-	-	-	-	-	-	3	-	HASTINGS.
EASTBOURNE	48,424	1·1	12·9	14·0	11·8	18	11	1	8	-	-	-	-	-	-	-	-	1	2	3	-	EASTBOURNE.
BRIGHTON	132,409	11·8	11·8	7·1	10·6	56	27	2	11	-	-	-	-	-	-	-	-	-	2	6	-	BRIGHTON.
PORTSMOUTH	224,846	7·7	7·7	9·3	6·5	111	28	4	9	1	-	-	-	-	1	1	-	1	3	5	-	PORTSMOUTH.
BOURNEMOUTH	82,627	7·6	7·6	10·7	8·8	24	14	2	5	-	-	-	-	-	-	-	-	3	3	3	-	BOURNEMOUTH
SOUTHAMPTON	126,033	9·5	9·9	7·9	8·7	55	21	-	11	-	-	-	-	-	-	-	-	2	3	8	-	SOUTHAMPTON.
READING	91,365	9·1	12·6	6·8	7·4	32	13	1	4	-	-	-	-	-	-	-	-	1	-	6	1	READING.
OXFORD	57,666	6·3	5·4	13·6	5·4	26	6	1	4	-	-	-	-	-	-	-	-	-	1	-	-	OXFORD.
NORTHAMPTON	88,944	11·7	11·7	10·0	12·3	44	21	1	9	-	-	-	-	-	-	-	-	2	3	3	-	NORTHAMPTON.
CAMBRIDGE	57,849	7·2	5·4	8·1	1·8	25	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 3rd July, 1920.	10th July, 1920.	17th July, 1920.	24th July, 1920.	Week ended 24th July 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	8·7	8·7	9·9	9·3	34	15	–	7	–	–	–	–	–	–	–	1	–	–	3	–	Southend on Sea.
Ipswich	78,011	8·0	10·0	10·7	14·0	46	21	3	9	–	–	–	–	–	1	–	–	–	1	4	–	Ipswich.
Great Yarmouth	53,078	8·8	12·8	5·9	17·7	27	18	2	10	–	–	–	–	–	–	–	–	–	1	4	–	Great Yarmouth.
Norwich	119,993	9·6	9·6	8·3	5·6	65	13	1	4	–	–	–	–	–	–	–	–	2	2	3	–	Norwich.
Swindon	51,527	10·1	5·1	10·1	6·1	18	6	1	2	–	–	–	–	–	–	–	–	–	–	–	–	Swindon.
Exeter	59,014	11·5	8·8	7·1	8·8	29	10	1	4	–	–	–	–	–	–	–	–	1	1	2	–	Exeter.
Plymouth	181,967	10·3	12·0	10·3	10·6	82	37	5	12	–	–	–	–	–	–	1	–	2	3	9	–	Plymouth.
Bath	65,919	7·1	8·7	8·7	10·3	26	13	3	9	–	–	–	–	–	–	1	–	–	–	1	–	Bath.
Bristol	361,247	10·7	8·9	8·7	10·1	163	70	5	25	–	–	–	–	1	1	1	–	2	4	32	–	Bristol.
Gloucester	50,100	8·3	10·4	9·4	10·4	32	10	1	3	–	–	–	–	–	–	–	–	2	2	2	–	Gloucester.
Stoke on Trent	239,316	10·9	10·2	10·5	9·4	130	43	9	5	–	–	–	1	–	1	–	–	3	5	10	2	Stoke on Trent.
Wolverhampton	98,403	5·8	12·7	17·5	10·1	57	19	5	6	–	–	1	–	–	–	–	–	–	2	3	–	Wolverhampton.
Walsall	92,724	10·1	10·7	12·4	11·8	56	21	5	5	–	–	–	–	1	–	1	–	–	3	4	–	Walsall.
West Bromwich	69,899	13·4	14·2	11·2	13·4	46	18	5	7	–	–	–	–	–	–	2	–	1	2	5	–	West Bromwich.
Dudley	54,017	9·7	8·7	8·7	11·6	32	12	1	7	–	–	–	–	–	–	1	–	–	–	2	–	Dudley.
Birmingham	861,585	11·6	10·0	10·8	10·8	474	179	30	58	–	–	1	1	3	1	4	3	8	9	59	5	Birmingham.
Smethwick	72,152	10·8	7·2	9·4	9·4	22	13	1	3	–	–	–	–	–	–	–	–	–	–	3	–	Smethwick.
Coventry	132,048	8·3	5·9	9·1	11·1	62	28	6	6	–	–	–	–	1	–	–	–	1	1	9	–	Coventry.
Leicester	236,059	12·8	10·8	9·9	10·6	134	48	11	10	–	–	3	–	1	–	2	1	1	3	10	1	Leicester.
Lincoln	60,581	10·3	6·0	3·4	11·2	34	13	2	4	–	–	–	–	–	–	–	–	–	–	5	1	Lincoln.
Grimsby	78,813	14·6	11·9	7·9	10·6	40	16	2	4	–	–	–	–	–	–	–	–	2	2	8	–	Grimsby.
Nottingham	257,573	10·5	11·1	10·3	9·7	145	48	8	15	–	–	–	–	–	–	–	–	2	3	13	–	Nottingham.
Derby	123,930	10·9	7·2	6·7	7·2	54	17	–	5	–	–	–	–	–	–	–	–	–	2	4	–	Derby.

* *See* note † on first page of this return

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 24th July, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 3rd July, 1920.	10th July, 1920.	17th July, 1920.	24th July, 1920.	Week ended 24th July, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	10·0	8·7	5·8	10·0	40	24	5	5	–	–	1	–	–	–	–	–	–	2	6	–	STOCKPORT.
BIRKENHEAD	148,052	9·2	8·8	8·1	12·0	100	34	6	11	1	–	–	–	1	1	1	–	–	1	11	–	BIRKENHEAD.
WALLASEY	95,424	9·3	8·2	8·7	4·9	34	9	2	2	–	–	–	–	1	1	1	–	–	1	1	–	WALLASEY.
LIVERPOOL	772,665	11·3	11·7	12·9	11·2	452	166	43	36	–	–	–	2	2	5	10	–	5	13	64	2	LIVERPOOL.
BOOTLE	76,962	9·5	5·4	4·7	11·5	37	17	–	4	–	–	–	–	–	–	–	–	3	3	4	1	BOOTLE.
ST. HELENS	100,805	5·7	8·8	8·3	10·9	64	21	3	6	–	–	–	–	–	–	–	–	3	3	8	1	ST. HELENS.
SOUTHPORT	70,144	9·7	8·2	10·4	6·7	24	9	–	4	–	–	–	–	–	–	–	–	–	1	1	–	SOUTHPORT.
WIGAN	87,384	14·9	19·7	11·9	10·1	58	17	3	4	–	–	1	–	–	–	1	–	–	2	7	–	WIGAN.
WARRINGTON	74,952	10·4	10·4	7·7	13·9	51	20	3	2	–	–	2	–	–	–	–	–	2	2	6	–	WARRINGTON.
BOLTON	177,462	10·6	12·0	6·2	10·0	82	34	2	11	1	–	–	–	1	1	–	–	3	3	9	–	BOLTON.
BURY	54,248	6·7	9·6	11·5	5·8	17	6	1	1	–	–	–	–	–	–	1	–	1	1	1	–	BURY.
MANCHESTER	741,068	10·3	10·0	8·9	9·8	404	139	23	32	–	–	–	–	–	–	2	1	9	12	51	–	MANCHESTER.
SALFORD	226,225	12·0	7·4	10·1	10·6	112	46	5	12	–	–	–	–	–	3	1	–	2	3	22	–	SALFORD.
OLDHAM	137,668	8·0	13·6	11·7	11·0	52	29	5	6	–	–	–	–	–	–	2	–	1	3	6	–	OLDHAM.
ROCHDALE	90,051	10·4	7·5	11·6	12·2	38	21	1	5	–	–	–	–	–	–	–	–	–	–	6	–	ROCHDALE.
BURNLEY	101,005	12·9	17·0	12·9	8·8	65	17	4	4	–	–	–	–	–	–	1	1	1	2	2	–	BURNLEY.
BLACKBURN	125,992	12·0	9·9	11·2	11·6	42	28	6	9	–	–	–	–	–	–	–	–	3	4	3	–	BLACKBURN.
PRESTON	117,277	12·9	12·0	8·9	4·4	58	10	2	3	–	–	–	–	–	–	–	–	–	–	2	2	PRESTON.
BLACKPOOL	67,842	20·0	10·0	13·8	14·6	25	19	2	8	–	–	1	–	–	2	–	–	–	–	6	–	BLACKPOOL.
BARROW IN FURNESS	73,627	11·3	10·6	9·9	9·2	31	13	5	2	–	–	–	–	–	–	1	–	1	1	3	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	11·1	8·8	10·2	12·5	56	27	3	11	–	–	–	1	–	–	1	–	2	4	6	–	HUDDERSFIELD.
HALIFAX	101,791	9·2	11·8	9·7	10·2	34	20	3	5	–	–	–	–	–	–	–	–	1	1	6	–	HALIFAX.
BRADFORD	282,714	9·8	8·5	10·3	11·6	120	63	11	15	–	–	–	1	–	1	2	1	2	3	22	1	BRADFORD.
LEEDS	431,999	11·1	9·8	11·6	10·1	244	84	9	21	–	–	1	–	–	1	2	2	4	9	25	–	LEEDS.
DEWSBURY	52,969	8·9	8·9	7·9	4·9	32	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	DEWSBURY.
WAKEFIELD	49,208	9·5	9·5	13·8	13·8	20	13	4	5	–	–	–	–	–	–	1	–	2	2	5	–	WAKEFIELD.
BARNSLEY	51,680	9·1	8·1	9·1	16·1	28	16	5	2	–	–	–	–	–	–	2	1	1	4	1	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 3rd July, 1920.	10th July, 1920.	17th July, 1920.	24th July, 1920.	Week ended 24th July, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	9·6	11·9	9·2	10·6	265	96	18	29	–	–	5	–	1	–	3	2	2	7	39	–	Sheffield.
Rotherham	69,034	12·8	4·5	7·6	8·3	35	11	4	4	–	–	–	–	–	–	–	–	–	–	1	–	Rotherham.
York	74,531	11·2	12·6	2·8	7·7	36	11	2	4	–	–	–	–	–	–	–	1	–	3	1	–	York.
Hull	279,664	10·4	10·6	10·6	9·7	149	52	7	13	–	–	1	–	–	–	3	–	2	4	17	–	Hull.
Middlesbrough	127,142	9·4	13·1	13·1	10·3	77	25	4	4	–	–	1	–	1	–	2	–	–	1	4	–	Middlesbrough.
Darlington	64,058	12·2	5·7	4·9	9·0	37	11	1	4	–	–	–	–	–	–	–	–	–	–	2	1	Darlington.
Stockton on Tees	60,696	12·9	9·4	8·6	9·4	34	11	1	2	–	–	–	–	–	1	1	–	1	1	3	–	Stockton on Tees.
West Hartlepool	65,515	12·7	14·3	10·3	10·3	35	13	3	2	–	–	–	–	–	–	–	–	–	–	2	1	West Hartlepool.
Sunderland	149,263	13·3	12·6	15·7	12·9	111	37	9	8	–	–	–	–	–	–	1	–	1	1	12	2	Sunderland.
South Shields	111,502	13·1	15·4	12·2	10·3	78	22	5	7	–	–	–	–	–	–	1	–	–	–	3	2	South Shields.
Gateshead	123,392	10·1	10·1	13·5	11·0	81	26	9	6	–	–	–	–	1	–	2	–	1	1	2	–	Gateshead.
Newcastle on Tyne.	275,099	14·8	10·8	11·4	13·8	146	73	14	18	–	–	1	–	–	–	1	1	1	7	21	1	Newcastle on Tyne.
Tynemouth	58,007	10·8	12·6	8·1	17·1	28	19	2	9	–	–	–	–	–	–	2	1	1	2	4	–	Tynemouth.
Carlisle	55,198	7·6	10·4	7·6	8·5	24	9	1	4	–	–	–	–	–	–	–	–	1	1	3	1	Carlisle.
Newport (Mon.)	87,251	7·8	6·6	13·7	12·5	40	21	2	5	–	–	–	–	–	1	–	–	1	2	1	–	Newport (Mon.).
Cardiff	204,436	8·2	8·2	10·7	8·2	84	32	6	9	–	–	–	–	–	–	–	–	4	5	8	–	Cardiff.
Rhondda	177,911	8·5	8·5	8·5	10·6	80	36	7	5	–	–	4	–	–	–	2	–	3	3	6	–	Rhondda.
Merthyr Tydfil	71,638	10·9	8·7	15·3	16·7	52	23	5	5	–	–	–	–	–	1	–	–	1	1	4	–	Merthyr Tydfil.
Aberdare	51,384	17·3	15·2	9·1	14·2	28	14	1	3	–	–	–	–	–	–	–	–	1	2	1	–	Aberdare.
Swansea	160,810	9·4	16·9	10·4	9·1	68	28	3	9	–	–	–	–	–	–	2	–	–	–	10	–	Swansea.
Greater London	7,259,388	8·5	8·8	9·2	8·7	3471	1206	149	400	1	–	6	1	5	21	29	5	57	109	522	1	Greater London.
Outer Ring	2,901,079	7·9	7·7	7·9	8·0	1242	444	52	152	1	–	2	–	1	8	9	3	21	37	144	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	7·8	7·7	7·9	8·1	731	258	38	67	–	–	2	–	1	6	8	3	12	22	84	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·9	7·7	7·8	7·9	511	186	14	85	1	–	–	–	–	2	1	–	9	15	60	–	Remainder of Outer Ring.
Edinburgh†	342,300	9·6	12·8	10·1	13·3	142	87	18	34	–	–	–	–	–	1	2	–	7	?	?	?	Edinburgh.†
Glasgow†	1,115,500	11·9	10·6	12·6	12·8	577	274	58	65	1	9	2	–	1	2	11	1	12	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	13·3	14·2	15·7	12·8	209	102	19	28	–	–	1	–	3	–	1	1	3	4	43	1	Dublin (Registration Area).†
Belfast†	413,000	12·4	13·1	11·9	11·6	209	92	20	22	–	–	–	1	1	2	3	–	1	3	28	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the TWENTY-NINTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2176	2175	2072	2139	2066	1907	2031	1566	1327	1369	2229
Males	1133	1064	1010	1100	1047	983	1053	784	699	749	1128
Females	1043	1111	1062	1039	1019	924	978	782	628	620	1101
Deaths (of residents only).	899	985	1057	901	923	967	894*	861*	1171*	708*	762*
Males		516	524	483	500	536	468	466	587	369	408
Females		469	533	418	423	431	426	395	584	339	354

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.
Births (as registered)	2518	2552	2648	2369	2096	2558	2452	2293	2406	2337	2187	2389	2229
Deaths (of residents only).	1147	1084	1046	1005	1010	920	888	838	864	749	799	846	762
Ages at Death: Under 1 year	158	155	158	161	166	123	122	115	131	107	126	125	97
1–2 years	55	50	45	46	28	37	23	21	19	20	21	10	12
2–5 "	40	47	26	35	35	21	35	18	19	25	20	24	15
5–10 "	34	30	20	23	23	23	26	28	28	26	15	21	23
10–15 "	14	17	13	19	20	18	22	22	8	9	18	14	13
15–20 "	28	24	20	11	20	19	20	20	24	23	23	24	15
20–25 "	31	32	19	18	23	23	22	25	19	21	14	16	22
25–35 "	55	58	61	51	58	46	51	44	51	37	48	35	49
35–45 "	91	72	76	67	86	70	65	80	76	59	69	81	55
45–55 "	126	106	120	126	129	98	94	86	111	95	101	95	96
55–65 "	149	139	150	149	121	142	133	111	118	107	113	133	117
65–75	170	185	178	155	151	161	136	150	108	109	123	140	136
75 years and upwards	196	169	160	144	150	139	139	118	152	111	108	128	112
Deaths from—													
Enteric fever	3	–	2	2	3	2	1	1	–	–	1	2	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	45	41	25	25	24	19	18	15	7	7	20	5	4
Scarlet fever	4	4	1	3	3	3	3	2	–	2	3	2	1
Whooping cough	23	19	35	17	14	13	10	7	11	7	3	4	4
Diphtheria	15	24	11	15	17	11	13	15	13	13	8	10	13
Diarrhœa and enteritis (under 2 years).	12	15	14	19	17	11	20	23	15	11	19	16	20
Pulmonary tuberculosis	106	87	98	79	95	86	67	77	105	59	82	78	66
Influenza	45	31	32	31	26	19	13	7	6	4	3	6	2
Pneumonia (all forms)	96	95	82	88	59	66	62	54	40	38	44	36	41
Bronchitis	79	79	63	59	58	43	56	40	43	39	30	32	32
Other dis. of resp. system	14	18	14	16	14	6	16	14	10	13	9	14	9
Dis. of circ. system	189	138	203	154	158	156	139	129	155	129	132	147	142
Violence	42	40	32	52	41	44	46	40	50	42	38	39	36
Inquest cases	83	77	94	95	68	88	89	81	88	83	72	90	72
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	29	32	29	21	20	23	20	20	17	21	24	29	33
Small-pox	12	11	6	1	–	1	4	5	3	3	3	–	–
Measles	66	72	70	56	52	55	54	60	58	58	56	53	55
Scarlet fever	1831	1794	1757	1734	1703	1635	1642	1654	1646	1705	1755	1855	1911
Whooping cough	20	19	20	25	22	24	20	20	20	18	18	17	18
Diphtheria	1951	1947	1916	1894	1797	1746	1722	1705	1668	1603	1599	1582	1556

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.
Deaths from Influenza	202	201	216	211	188	148	86	65	37	34	44	33	21

TABLE 4. LONDON.—DEATHS REGISTERED in the TWENTY-NINTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 29th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	708	762	97	12	15	23	13	15	22	49	55	96	117	136	112
Enteric fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	4	–	2	2	–	–	–	–	–	–	–	–	–	–
Scarlet fever	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	3	4	1	2	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	8	13	–	1	2	7	2	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	2	–	–	–	–	–	–	–	1	–	–	–	1	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other epidemic diseases	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	60	66	–	1	2	–	2	5	11	16	12	7	6	4	–
Tuberculous meningitis	7	7	1	–	1	2	–	2	1	–	–	–	–	–	–
Abdominal tuberculosis	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Tuberculosis of the spine	2	4	–	–	–	1	–	–	–	1	–	2	–	–	–
Tuberculosis of the joints	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis of other organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	5	2	–	–	–	–	–	1	–	1	–	–	–	–	–
Venereal diseases	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	90	100	–	–	–	–	–	–	–	2	9	21	31	26	11
Tumour, situation undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	2	2	–	–	–	1	–	–	–	–	–	–	–	1	–
Diabetes	4	6	–	–	–	–	–	–	–	–	–	1	1	3	1
Anæmia, leucocythaemia	4	5	–	–	–	–	–	–	–	–	–	2	2	–	1
Other general diseases	5	3	–	–	–	–	–	–	1	–	–	–	–	–	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Simple meningitis	5	5	1	1	2	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	30	27	–	–	–	–	–	–	–	–	–	5	3	9	10
Softening of brain	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	3	3	–	–	–	–	–	–	–	–	–	–	1	1	1
Epilepsy	3	5	–	–	–	–	–	–	1	–	2	1	–	–	1
"Convulsions" (not puerperal)	2	5	5	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	16	25	1	–	1	1	–	–	–	2	1	6	5	8	–
Pericarditis	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Acute endocarditis	4	6	–	–	–	–	–	–	–	2	2	1	–	1	–
Organic disease of heart	98	100	–	–	–	1	3	1	2	4	7	21	17	27	17
Embolism and thrombosis (including cerebral).	7	6	–	–	–	–	–	–	–	–	–	–	2	2	2
Other diseases of circulatory system.	25	28	–	–	–	–	–	–	–	–	1	2	9	7	9
Diseases of the larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	39	32	4	–	–	–	–	–	–	–	–	1	9	9	9
Broncho-pneumonia	12	18	10	–	1	1	–	–	–	–	1	1	2	1	1
Lobar pneumonia	16	11	1	–	1	1	–	–	1	3	–	2	1	1	–
Pneumonia (type not distinguished)	14	12	–	–	–	2	–	–	1	–	1	5	2	–	1
Pleurisy	1	2	–	–	–	1	–	–	–	–	–	–	–	1	–
Pulmonary congestion, Pulmonary apoplexy.	2	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Other diseases of respiratory system.	2	5	–	–	–	–	–	–	–	–	1	1	1	2	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the TWENTY-NINTH Week of the Year 1920.

Causes of Death.	Deaths in the 29th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Diseases of stomach	7	10	1	–	–	–	–	–	–	–	2	2	1	4	–
Diarrhœa and enteritis	10	28	18	2	1	–	–	–	–	2	–	2	–	2	1
Appendicitis and typhlitis	5	2	–	–	–	–	1	–	–	–	–	–	1	–	–
Hernia and Intestinal obstruction.	17	8	1	–	–	1	–	–	–	–	–	2	1	3	–
Cirrhosis of liver	2	5	–	–	–	–	–	–	–	–	–	–	4	1	–
Other diseases of liver	3	3	–	–	–	–	–	–	1	1	–	–	1	–	–
Peritonitis (cause unknown)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	3	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Acute nephritis	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Chronic Bright's disease	28	23	–	–	–	–	1	–	–	–	4	3	4	7	4
Urinary calculi	1	4	–	–	–	–	–	–	1	2	–	–	–	–	1
Uterine tumour (non-cancerous)	4	3	–	–	–	–	–	–	–	–	1	1	1	–	–
Ovarian tumour (")	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	11	12	1	–	–	–	–	–	–	–	1	1	–	3	6
Puerperal fever, &c.	1	3	–	–	–	–	–	1	–	1	1	–	–	–	–
Other causes incident to childbirth.	1	3	–	–	–	–	–	–	–	2	1	–	–	–	–
Diseases of skin and cellular tissues.	7	11	2	–	–	–	–	–	–	2	1	1	2	–	3
Diseases of locomotor system	2	3	–	–	–	1	–	–	–	1	–	–	–	–	1
Congenital malformations	7	10	9	–	1	–	–	–	–	–	–	–	–	–	–
Premature birth	23	18	18	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	5	12	12	–	–	–	–	–	–	–	–	–	–	–	–
Old age	33	32	–	–	–	–	–	–	–	–	–	–	–	7	25
Accident.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	3	3	–	1	–	–	–	1	–	–	–	–	–	–	1
Drowning	4	6	–	–	–	–	2	2	1	1	–	–	–	–	–
Suffocation in bed	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	17	19	–	–	–	2	1	–	–	2	2	2	5	3	2
Total deaths from accident	25	30	2	1	–	2	3	3	1	3	2	2	5	3	3
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Vehicles and horses	5	9	–	–	–	2	–	–	–	2	1	1	1	2	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence other than Accidental.															
Homicide	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Suicide	10	5	–	–	–	–	–	–	–	–	1	2	–	1	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	9	12	8	–	–	–	1	–	–	–	2	1	–	–	–
Ill-defined Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	July 24	2,229	762	9·1	–	–	4	1	4	13	20	2
CALCUTTA	896,067	June 19	–	523§	30·3	?	8	?	?	?	?	?	9
BOMBAY	979,445	„ 19	354	717§	38·1	–	8	3	–	–	–	34	20
MADRAS	518,660	„ 19	338	349§	35·0	–	2	–	?	2	–	40	1
PARIS	2,847,229	(10 days) June 10	–	–	–	–	–	–	–	–	–	–	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	329,673	July 10	110	51	8·2	–	–	–	–	–	–	5	–
AMSTERDAM	650,758	„ 10	257	110	8·8	–	–	1	–	1	1	2	1
COPENHAGEN	552,000	„ 10	165	122	11·5	–	–	–	1	1	–	3	–
STOCKHOLM	415,201	„ 3	127	96	12·0	–	–	–	–	–	–	–	–
GOTHENBURG	200,578	June 26	–	38	9·9	–	–	–	–	1	–	1	–
CHRISTIANIA	258,615	July 10	108	57	11·5	–	–	–	–	–	–	1	–
BERLIN	1,904,590	„ 3	–	–	–	–	–	–	–	–	–	–	–
BRESLAU	531,347	„ 3	–	–	–	–	–	–	–	–	–	–	–
COLOGNE	642,899	„ 3	–	–	–	–	–	–	–	–	–	–	–
DRESDEN	537,127	„ 3	–	–	–	–	–	–	–	–	–	–	–
FRANKFORT-ON-MAIN.	435,103	„ 3	–	–	–	–	–	–	–	–	–	–	–
HAMBURG	1,002,933	„ 3	–	–	–	–	–	–	–	–	–	–	–
LEIPZIG	610,686	„ 3	–	–	–	–	–	–	–	–	–	–	–
MUNICH	647,030	„ 3	–	–	–	–	–	–	–	–	–	–	–
VIENNA	1,842,005	July 10	553	489	13·8	1	–	–	1	3	1	15	5
PRAGUE	524,496	June 26	185	153	15·2	–	–	–	–	–	–	9	1
BUDAPEST	1,071,492	May 29	–	–	–	–	–	–	–	–	–	–	–
TRIESTE	234,751	July 3	125	63	14·0	–	–	–	1	–	1	?	–
		„ 10	124	63	14·0	3	–	–	–	–	–	13	–
CAIRO	761,300	Apr. 29	650	754	51·5	3	1	26	–	?	1	99	?
ALEXANDRIA	445.700	„ 29	344	294	34·3	2	9	–	–	?	1	24	?
NEW YORK	6,141,445	June 19	2,550	1,171	10·0	–	–	7	1	14	18	28	8
CHICAGO	2,596,681	„ 26	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Calcutta and 2 in Bombay, and from *Asiatic cholera* 95 deaths in Calcutta, 8 in Bombay, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 24th July, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
LONDON (Greenwich)	76	49	72·7	54·4	22
BRIGHTON	68	50	64·6	56·4	21
PORTSMOUTH	70	50	67·0	55·4	33
NORWICH (Southwell Lodge) §	75	48	69·2	54·1	25
PLYMOUTH	68	49	64·1	54·4	5
BRISTOL (Clifton)	67	51	63·9	55·6	22
BIRMINGHAM	73	47	65·6	52·3	15
NOTTINGHAM	75	46	67·6	52·6	14
BIRKENHEAD (Bidston)	71	51	62·4	52·9	31
MANCHESTER (Whitworth Park)	69	49	64·7	52·9	32
BURNLEY	65	45	61·7	49·9	44
HUDDERSFIELD	70	47	63·9	51·4	36
BRADFORD	69	46	62·7	51·0	30
SHEFFIELD	75	48	66·4	52·4	19
YORK (Museum)	70	47	65·7	51·4	24
HULL (Pearson Park)	77	47	68·9	52·3	15
TYNEMOUTH	69	49	63·9	51·1	15
CARDIFF	65	49	62·6	53·3	18
EDINBURGH	64·0	47·0	62·3	50·1	5
GLASGOW	64·0	47·8	61·9	50·7	9
DUBLIN:— Phœnix Park	66·1	41·6	64·0	50·1	19
†Fitzwilliam Square	68·2	45·9	64·2	52·2	16
BELFAST	66·0	48·0	64·0	50·7	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly: 1 inch = 25·4 millimetres exactly.
§ Observations taken at Eaton not available this week.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 24th July 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	18	..	29·868	75·6	53·2	22·4	61·9	− 1·4	47·5	14·4	24·3	3·5	59	143·6	42·4	56·3	Calm & W.	W. & WSW.	2·0	0·0	0·2	245	− 0	0·00
MONDAY	19	In Equator.	30·129	75·6	48·9	26·7	62·3	− 0·9	49·8	12·5	23·3	1·7	64	140·3	39·1	56·4	WSW. & W.	W., WNW. & WSW.	1·5	0·0	0·1	213	− 33	0·00
TUESDAY	20	..	30·077	74·6	51·7	22·9	63·0	− 0·2	55·0	8·0	15·4	2·1	75	145·5	41·1	56·7	WSW.	WSW.	3·3	0·0	0·4	342	+ 95	0·00
WEDNESDAY	21	..	29·902	72·5	60·2	12·3	64·9	+ 1·7	61·4	3·5	11·2	0·9	89	102·8	52·6	56·7	WSW.	Calm & WSW.	1·0	0·0	0·0	166	− 83	0·40
THURSDAY	22	First Quarter.	29·664	74·8	58·1	16·7	64·0	+ 0·9	53·2	10·8	20·5	1·1	68	137·8	54·6	56·9	WSW. & W.	W. & WNW.	4·1	0·0	0·4	367	+115	0·19
FRIDAY	23	..	29·464	66·8	56·9	9·9	60·1	− 2·9	54·5	5·6	10·4	4·1	82	125·0	54·0	56·9	WSW. & S.W.	SW.	8·0	0·0	0·7	415	+161	0·00
SATURDAY	24	..	29·653	66·9	46·5	20·4	55·4	− 7·5	44·5	10·9	22·3	1·7	67	125·7	38·5	57·0	WSW., NNE. & NNW.	NNW., N. & WSW.	4·5	0·0	0·4	357	+103	0·26
MEANS		- - -	29·822	72·4	53·6	18·8	61·7	− 1·5	52·3	9·4	18·2	2·2	72	131·5	46·0	56·7	WSW.		..	..	..	Sum 2105	Sum +358	Sum 0·85
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. July, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	18	v.P. throughout	8·3	16·0	Variably cloudy generally till 19h. 30m., then nearly cloudless.
MONDAY	19	v.P. throughout	11·7	16·0	Partially cloudy generally, nearly cloudless from 18h. 30m.
TUESDAY	20	v.P. throughout	5·8	15·9	Cloudless till 6h. 30m., nearly overcast with few bright intervals 7h. to 23h.; partially cloudy afterwards.
WEDNESDAY	21	v.P. till 13h., then v.N. and v.P. generally.	0·0	15·9	Cloudy to overcast by 2h.; slight breaks about 8h.; damping from 10h. 30m., and rain generally from 13h. 15m.
THURSDAY	22	w.P. generally, with little v.N. till 8h., s.P. generally afterwards.	6·7	15·8	Overcast generally till 10h.; cloudy till 20h., then overcast; rain till 4h. and about 6h.; brisk wind in afternoon.
FRIDAY	23	v.P. till 20h. 30m., loss of register afterwards.	1·1	15·8	Overcast generally with few very cloudy intervals; occasional very slight rain or damping; brisk wind 11h. to 15h.
SATURDAY	24	Loss of register till 11h., s.P. generally afterwards.	8·6	15·8	Overcast with damping or rain till 7h.; variably cloudy from 7h. 30m. to 14h., partially cloudy to cloudless by 19h.
			Sum 42·2	Sum 111·2	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·78 in. at the beginning of the week to 30·17 in. by 23h. on 19th; decreased to 29·40 in. by 1h. on 24th, and increased to 29·84 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 17th July, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	846	2	–	5	2	4	10	16	78	125
Western										
PADDINGTON	33	–	–	1	–	–	1	1	4	4
KENSINGTON	32	–	–	1	–	1	–	–	3	6
HAMMERSMITH	16	–	–	–	–	–	–	–	–	5
FULHAM	19	–	–	–	–	–	–	–	3	2
CHELSEA	13	–	–	–	–	–	1	–	–	1
CITY OF WESTMINSTER	21	–	–	–	–	–	–	1	–	2
Northern.										
ST. MARYLEBONE	14	–	–	–	–	–	–	–	–	3
HAMPSTEAD	13	–	–	–	–	–	–	–	–	2
ST. PANCRAS	51	–	–		1	–	–	2	7	7
ISLINGTON	65	–	–	–	–	–	1	1	8	8
STOKE NEWINGTON	11	–	–	–	–	–	–	–	2	1
HACKNEY	44	–	–	–	–	–	–	2	2	3
Central.										
HOLBORN		–	–	–	–	–	–	–	–	1
FINSBURY	16	–	–	–	–	–	–	1	1	4
CITY OF LONDON	2	–	–	–	–	–	–	–	–	–
Eastern.										
SHOREDITCH	21	–	–	–	–	–	–	1	2	8
BETHNAL GREEN	26	–	–	–	–	–	–	1	4	2
STEPNEY	49	–	–	–	–	1	–	–	5	7
POPLAR	37	–	–	1	–	–	–	–	5	5
Southern.										
SOUTHWARK	37	1	–	–	–	–	2	–	6	4
BERMONDSEY	29	–	–	–	–	1	–	1	2	5
LAMBETH	47	–	–	–	–	–	–	2	5	6
BATTERSEA	36	–	–	1	1	–	1	–	1	9
WANDSWORTH	57	–	–	–	–	–	1	–	5	4
CAMBERWELL	49	–	–	–	–	1	–	1	6	9
DEPTFORD	23	1	–	–	–	–	3	–	1	8
GREENWICH	18	–	–	–	–	–	–	–	2	2
LEWISHAM	33	–	–	–	–	–	–	1	–	3
WOOLWICH	26	–	–	–	–	–	–	1	4	4

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 17th July, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	-	1	-	-	6	8	1	2	-	-	-	-	-	-	-
Kensington	157,886	3	-	-	-	6	3	-	-	-	-	1	-	-	-	-
Hammersmith	130,981	-	-	-	-	7	8	-	1	-	-	1	-	-	-	-
Fulham	152,543	2	-	-	-	17	12	3	2	-	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
City of Westminster	127,533	-	-	-	-	8	3	-	3	-	-	1	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	-	-	-	-	4	1	-	2	1	-	-	-	-	1	-
Hampstead	88,012	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	-	-	-	8	10	-	4	-	-	1	-	-	-	-
Islington	323,034	1	-	-	-	20	15	1	3	-	1	4	-	-	1	-
Stoke Newington	50,954	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-
Hackney	216,736	-	-	-	-	19	8	-	-	-	-	-	-	-	-	-
CENTRAL.																
Holborn	38,156	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
Finsbury	75,291	-	-	-	-	6	5	-	5	-	-	2	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	-	-	-	-	5	5	-	1	-	1	1	-	1	-	-
Bethnal Green	110,085	-	-	-	-	21	11	-	3	-	-	-	-	-	-	-
Stepney	232,506	-	1	-	-	30	9	3	4	-	1	3	-	-	-	-
Poplar	153,644	-	-	-	-	12	10	1	1	-	-	2	-	-	-	-
SOUTHERN.																
Southwark	179,971	-	-	-	-	17	12	2	2	-	-	2	-	-	-	-
Bermondsey	124,239	-	1	-	-	9	5	-	1	-	-	1	-	-	-	-
Lambeth	282,322	-	-	-	-	17	8	1	1	-	-	3	-	1	-	1
Battersea	159,316	-	-	-	-	9	10	5	-	-	1	2	-	-	-	-
Wandsworth	333,693	-	2	-	-	22	20	2	5	-	1	3	-	-	1	-
Camberwell	273,802	-	2	-	-	14	8	-	2	-	1	-	-	1	-	-
Deptford	111,205	-	-	-	-	4	7	-	1	-	-	1	-	-	-	-
Greenwich	98,484	-	-	-	-	7	2	-	1	-	-	1	-	-	-	-
Lewisham	167,754	1	-	-	-	10	7	1	2	1	-	-	-	-	-	-
Woolwich	136,237	1	2	-	-	18	10	2	2	-	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	8	9	-	-	303	201	22	48	2	8	31	-	3	4	1
Ages 0–1		-	-	-	-	1	7	-	6	1	-	31	-	-	-	-
" 1–5		-	-	-	-	56	63	5	-	-	-	-	-	-	-	-
" 5–		-	-	-	-	155	73	4	-	1	-	-	-	1	-	-
" 10–		3	-	-	-	61	30	3	2	-	-	-	-	-	-	-
" 15–		-	-	-	-	10	13	-	4	-	-	-	-	-	-	-
" 20–		-	-	-	-	10	5	-	1	-	2	-	-	-	-	-
" 25–		4	7	-	-	7	8	2	9	-	5	-	-	-	1	1
" 35–		1	2	-	-	3	1	3	2	-	1	-	-	2	-	-
" 45–		-	-	-	-	-	-	2	12	-	-	-	-	-	1	-
" 55–		-	-	-	-	-	-	1	4	-	-	-	-	-	2	-
" 65–		-	-	-	-	-	-	2	4	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	1	-	4	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 30. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JULY 31.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
August 3rd, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,515, and corresponded to an annual rate of 26·7 per 1,000. The deaths* among the civilian population only numbered 3,384, and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended July 10th, July 17th, and July 24th, the rates had been 9·9, 9·9 and 9·8, respectively. The infant mortality was 57, against 62, 57, and 57 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents, and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11933—1 Wt 167–840 625 8/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 14·8 in Wakefield, 14·9 in Bootle, 15·0 in Bolton, 15·4 in Blackpool, 16·1 in Barnsley, and 16·8 in South Shields; and from *measles*, 1·6 in Middlesbrough. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,297 births, corresponding to a rate of 26·4 per 1,000, and 796 deaths of civilians, corresponding to a rate of 9·5, as against 9·6, 10·1, and 9·1 per 1,000 in the three weeks ended July 10th, July 17th, and July 24th.. The death-rate in the four weeks ended last Saturday averaged 9·6 per 1,000. The infant mortality was 60, against 58, 52, and 44, in the preceding three weeks.

There was one death from *enteric fever*, against 1, 2, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 20, 5, and 4 in the preceding three weeks, were 5 last week, and were 7 below the average. The deaths from *scarlet fever*, which had been 3, 2, and 1 in the preceding three weeks, were 3 last week, and were equal to the average. The deaths from *whooping-cough*, which had been 3, 4, and 4 in the preceding three weeks, rose to 7 last week, and were equal to the average. The deaths from *diphtheria*, which had been 8, 10, and 13 in the preceding three weeks, were again 13 last week, and were 5 above the average; 3 deaths belonged to the Borough of Lambeth. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 19, 16, and 20 in the preceding three weeks, further rose last week to 28, and were 9 above the average; 4 deaths belonged to Stepney. The deaths from *influenza* numbered 5, as against 3, 6, and 2 in the preceding three weeks and an average of 20.

Different forms of violence caused 22 deaths, of which 21 were the subject of coroners' inquests. Of these 22 deaths, 5 were cases of suicide and 1 of homicide, while the remaining 16 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, and 1 of an infant under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 26 cases of enteric fever, 48 of measles, 1,956 of scarlet fever, 13 of whooping-cough, and 1,481 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 4 cases, against 8, 7, and 5; of measles, 4 cases, against 10, 10, and 19; of scarlet fever, 293 cases, against 272, 296, and 281; of whooping-cough, 1 case, against 2, 0, and 4; and of diphtheria, 140 cases, against 192, 199, and 190. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 24th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 31st July, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 10th July, 1920.	17th July, 1920.	24th July, 1920.	31st July, 1920.	Week ended 31st July, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	9·9	9·9	9·8	9·9	9515	3384	545	1004	6	-	33	9	24	37	90	33	133	263	1149	23	96 GREAT TOWNS.
LONDON†	4,358,309	9·6	10·1	9·1	9·5	2297	796	138	235	1	-	5	3	7	13	28	5	22	54	432	-	LONDON.†
‡ CROYDON	184,239	5·1	7·1	8·8	7·9	95	28	5	10	-	-	-	-	-	-	2	-	1	6	6	-	CROYDON.
‡ WIMBLEDON	59,791	5·2	7·8	10·5	9·6	21	11	-	3	-	-	-	-	-	-	-	-	1	2	3	-	WIMBLEDON.
‡ EALING	73,212	10·7	4·3	7·8	7·1	34	10	3	5	-	-	-	-	-	-	-	-	-	1	2	-	EALING.
‡ ACTON	61,732	7·6	12·7	8·4	9·3	28	11	1	6	-	-	-	-	-	1	1	-	-	-	4	-	ACTON.
‡ WILLESDEN	160,917	8·4	10·0	6·2	7·5	80	23	3	7	-	-	-	-	-	1	-	-	1	1	10	-	WILLESDEN.
‡ HORNSEY	94,348	5·5	9·4	9·9	8·8	28	16	2	7	-	-	-	-	-	1	-	-	-	-	2	-	HORNSEY.
‡ TOTTENHAM	141,338	7·4	7·4	5·9	5·9	60	16	2	2	-	-	-	-	-	-	-	-	-	-	7	-	TOTTENHAM.
‡ EDMONTON	70,711	5·2	5·9	8·8	2·9	46	4	2	1	-	-	-	-	2	-	-	-	-	-	1	-	EDMONTON.
‡ ENFIELD	58,442	9·8	4·5	17·0	10·7	21	12	1	4	-	-	-	-	-	-	-	-	-	2	4	-	ENFIELD.
‡ WEST HAM	287,966	11·0	10·9	8·5	10·3	189	57	9	12	-	-	3	-	-	1	3	-	5	6	14	-	WEST HAM.
‡ EAST HAM	144,451	6·5	6·1	7·6	7·9	52	22	-	6	-	-	-	-	-	-	-	-	-	1	12	-	EAST HAM.
‡ LEYTON	123,896	8·0	8·8	7·6	10·1	56	24	3	13	1	-	-	-	-	-	1	-	1	2	14	-	LEYTON.
‡ WALTHAMSTOW	127,684	5·7	5·7	6·5	7·8	67	19	2	11	-	-	-	-	-	1	-	-	-	1	7	-	WALTHAMSTOW.
‡ ILFORD	79,524	7·9	3·9	5·2	7·2	35	11	1	5	-	-	-	-	-	-	1	-	-	-	3	-	ILFORD.
GILLINGHAM	43,501	8·4	8·4	8·4	8·4	35	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	GILLINGHAM.
HASTINGS	57,674	8·1	6·3	6·3	10·8	16	12	1	7	-	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.
EASTBOURNE	48,424	12·9	14·0	11·8	10·8	18	10	1	6	-	-	-	-	-	-	-	1	-	1	2	-	EASTBOURNE.
BRIGHTON	132,409	11·8	7·1	10·6	10·2	58	26	4	10	-	-	-	-	-	-	-	-	1	2	5	-	BRIGHTON.
PORTSMOUTH	224,846	7·7	9·3	6·5	7·7	124	33	6	11	-	-	-	-	-	-	-	-	2	3	11	-	PORTSMOUTH.
BOURNEMOUTH	82,627	7·6	10·7	8·8	6·9	27	11	-	8	-	-	-	-	-	-	-	-	-	-	3	-	BOURNEMOUTH
SOUTHAMPTON	126,033	9·9	7·9	8·7	11·6	67	28	4	11	-	-	-	-	-	-	2	-	1	1	9	-	SOUTHAMPTON.
READING	91,365	12·6	6·8	7·4	12·0	63	21	5	8	-	-	-	-	-	-	-	-	-	-	6	-	READING.
OXFORD	57,666	5·4	13·6	5·4	7·2	19	8	-	3	-	-	-	-	-	-	-	-	-	-	2	-	OXFORD.
NORTHAMPTON	88,944	11·7	10·0	12·3	10·0	42	17	3	8	-	-	1	-	-	-	-	1	-	1	5	-	NORTHAMPTON.
CAMBRIDGE	57,849	5·4	8·1	1·8	9·0	21	10	2	3	-	-	-	-	-	-	-	-	-	1	4	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 31st July 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 10th July, 1920.	17th July, 1920.	24th July, 1920.	31st July, 1920.	Week ended 31st July 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	8·7	9·9	9·3	9·3	39	15	3	4	-	-	1	-	-	-	-	1	1	1	4	-	SOUTHEND ON SEA.
IPSWICH	78,011	10·0	10·7	14·0	10·7	30	16	1	4	-	-	-	-	-	1	-	-	5	5	6	-	IPSWICH.
GREAT YARMOUTH	53,078	12·8	5·9	17·7	10·8	35	11	1	8	-	-	-	-	-	-	-	-	-	-	3	-	GREAT YARMOUTH.
NORWICH	119,993	9·6	8·3	5·6	8·3	51	19	2	9	-	-	-	-	-	-	-	-	2	4	3	-	NORWICH.
SWINDON	51,527	5·1	10·1	6·1	12·1	19	12	2	5	-	-	-	-	-	-	-	-	-	-	4	-	SWINDON.
EXETER	59,014	8·8	7·1	8·8	8·8	26	10	-	5	-	-	-	-	1	-	-	-	1	2	1	-	EXETER.
PLYMOUTH	181,967	12·0	10·3	10·6	11·5	86	40	4	12	-	-	-	-	1	2	-	-	3	7	11	-	PLYMOUTH.
BATH	65,919	8·7	8·7	10·3	11·1	18	14	1	6	-	-	-	-	-	-	-	-	-	1	-	-	BATH.
BRISTOL	361,247	8·9	8·7	10·1	10·4	195	72	10	24	1	-	-	-	-	-	-	1	8	13	36	-	BRISTOL.
GLOUCESTER	50,100	10·4	9·4	10·4	10·4	27	10	1	1	-	-	-	-	-	1	-	-	1	1	1	-	GLOUCESTER.
STOKE ON TRENT	239,316	10·2	10·5	9·4	10·7	171	49	8	11	-	-	-	1	-	-	2	2	3	4	15	-	STOKE ON TRENT.
WOLVERHAMPTON	98,403	12·7	17·5	10·1	12·2	61	23	4	9	-	-	1	-	-	-	1	-	-	2	4	-	WOLVERHAMPTON.
WALSALL	92,724	10·7	12·4	11·8	6·7	78	12	5	-	-	-	-	-	-	-	-	-	2	3	2	-	WALSALL.
WEST BROMWICH	69,899	14·2	11·2	13·4	10·4	48	14	2	5	-	-	-	-	-	-	2	1	-	-	1	1	WEST BROMWICH.
DUDLEY	54,017	8·7	8·7	11·6	11·6	32	12	-	5	-	-	-	-	-	-	-	1	-	1	1	-	DUDLEY.
BIRMINGHAM	861,585	10·0	10·8	10·8	9·9	482	163	17	55	1	-	3	2	1	4	4	-	13	13	51	4	BIRMINGHAM.
SMETHWICK	72,152	7·2	9·4	9·4	10·1	46	14	2	4	-	-	-	-	1	-	-	-	-	1	3	-	SMETHWICK.
COVENTRY	132,048	5·9	9·1	11·1	7·5	69	19	5	3	-	-	-	-	1	-	2	-	-	-	6	-	COVENTRY.
LEICESTER	236,059	10·8	9·9	10·6	9·9	115	45	6	14	-	-	3	-	-	-	1	-	1	1	16	-	LEICESTER.
LINCOLN	60,581	6·0	3·4	11·2	5·2	21	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	LINCOLN.
GRIMSBY	78,813	11·9	7·9	10·6	11·2	50	17	1	6	-	-	-	-	-	-	-	-	1	2	1	-	GRIMSBY.
NOTTINGHAM	257,573	11·1	10·3	9·7	10·5	150	52	9	18	-	-	-	-	-	1	2	1	-	2	20	-	NOTTINGHAM.
DERBY	123,930	7·2	6·7	7·2	10·5	72	25	3	6	-	-	-	-	-	-	-	-	1	3	10	-	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 31st July, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 10th July, 1920.	17th July, 1920.	24th July, 1920.	31st July, 1920.	Week ended 31st July, 1920. Births.	Deaths.	The Deaths in the Week included. Deaths of: Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from: Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	8·7	5·8	10·0	8·3	54	20	5	5	–	–	–	–	–	–	2	–	–	–	8	–	STOCKPORT.
BIRKENHEAD	148,052	8·8	8·1	12·0	10·6	78	30	2	7	–	–	–	–	–	–	1	–	1	1	11	–	BIRKENHEAD.
WALLASEY	95,424	8·2	8·7	4·9	7·1	33	13	1	3	–	–	–	–	–	–	1	–	1	1	4	–	WALLASEY.
LIVERPOOL	772,665	11·7	12·9	11·2	11·1	504	164	30	32	–	–	1	–	5	3	5	–	9	17	75	2	LIVERPOOL.
BOOTLE	76,962	5·4	4·7	11·5	14·9	46	22	5	3	–	–	–	–	–	–	–	1	1	1	–	2	BOOTLE.
ST. HELENS	100,805	8·8	8·3	10·9	6·7	75	13	1	7	–	–	–	–	–	–	–	–	1	1	5	–	ST. HELENS.
SOUTHPORT	70,144	8·2	10·4	6·7	7·4	21	10	1	6	–	–	–	–	–	–	–	1	–	–	1	–	SOUTHPORT.
WIGAN	87,384	19·7	11·9	10·1	12·5	53	21	9	3	–	–	2	–	–	–	–	–	1	3	–	–	WIGAN.
WARRINGTON	74,952	10·4	7·7	13·9	5·6	37	8	–	3	–	–	–	–	–	–	–	–	–	–	1	–	WARRINGTON.
BOLTON	177,462	12·0	6·2	10·0	15·0	74	51	15	12	–	–	–	–	–	1	2	–	–	–	8	1	BOLTON.
BURY	54,248	9·6	11·5	5·8	14·4	23	15	2	7	–	–	–	–	–	–	–	1	–	–	4	–	BURY.
MANCHESTER	741,068	10·0	8·9	9·8	10·2	372	145	20	42	1	–	–	1	–	–	4	1	6	8	46	–	MANCHESTER.
SALFORD	226,225	7·4	10·1	10·6	9·2	147	40	7	14	–	–	–	–	1	–	1	–	–	3	10	–	SALFORD.
OLDHAM	137,668	13·6	11·7	11·0	11·7	66	31	7	6	–	–	–	–	–	–	2	–	1	3	7	–	OLDHAM.
ROCHDALE	90,051	7·5	11·6	12·2	9·8	25	17	1	3	–	–	–	–	–	–	–	1	4	5	6	–	ROCHDALE.
BURNLEY	101,005	17·0	12·9	8·8	8·3	56	16	2	4	–	–	–	–	–	–	–	–	–	2	1	–	BURNLEY.
BLACKBURN	125,992	9·9	11·2	11·6	10·8	66	26	5	9	–	–	–	–	–	–	1	–	3	3	8	–	BLACKBURN.
PRESTON	117,277	12·0	8·9	4·4	8·9	57	20	4	7	–	–	–	–	–	–	–	–	–	–	1	1	PRESTON.
BLACKPOOL	67,842	10·0	13·8	14·6	15·4	16	20	2	5	–	–	–	–	–	–	–	–	–	–	5	1	BLACKPOOL.
BARROW IN FURNESS	73,627	10·6	9·9	9·2	5·7	51	8	2	3	–	–	–	–	–	–	–	–	–	–	–	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	8·8	10·2	12·5	8·4	38	18	3	8	–	–	–	–	–	–	–	–	–	–	5	–	HUDDERSFIELD.
HALIFAX	101,791	11·8	9·7	10·2	6·1	30	12	1	4	–	–	–	–	–	–	–	–	1	4	3	–	HALIFAX.
BRADFORD	282,714	8·5	10·3	11·6	11·6	115	63	8	14	–	–	–	–	–	–	1	–	5	9	22	1	BRADFORD.
LEEDS	431,999	9·8	11·6	10·1	11·0	245	91	13	29	–	–	–	1	–	1	–	–	4	12	24	–	LEEDS.
DEWSBURY	52,969	8·9	7·9	4·9	13·8	17	14	4	3	–	–	–	–	–	1	–	–	–	–		–	DEWSBURY.
WAKEFIELD	49,208	9·5	13·8	13·8	14·8	34	14	4	3	–	–	–	–	–	–	1	–	2	3	3	–	WAKEFIELD.
BARNSLEY	51,680	8·1	9·1	16·1	16·1	32	16	5	4	–	–	1	–	–	–	1	1	–	1	4	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 10th July, 1920.	17th July, 1920.	24th July, 1920.	31st July, 1920.	Week ended 31st July, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	11·9	9·2	10·6	9·6	288	87	16	23	–	–	3	–	–	–	4	1	1	7	22	–	Sheffield.
Rotherham	69,034	4·5	7·6	8·3	9·1	32	12	3	2	–	–	–	–	–	–	–	–	1	1	4	–	Rotherham.
York	74,531	12·6	2·8	7·7	14·0	39	20	2	6	–	–	–	–	–	–	–	2	–	–	6	–	York.
Hull	279,664	10·6	10·6	9·7	12·1	168	65	13	13	–	–	–	–	1	1	3	–	5	7	14	2	Hull.
Middlesbrough	127,142	13·1	13·1	10·3	12·3	80	30	4	6	–	–	4	–	–	–	2	3	–	1	3	–	Middlesbrough.
Darlington	64,058	5·7	4·9	9·0	8·1	47	10	1	4	–	–	–	–	–	–	–	–	–	–	2	–	Darlington.
Stockton on Tees	60,696	9·4	8·6	9·4	8·6	32	10	–	5	–	–	–	–	–	–	–	–	–	–	1	–	Stockton on Tees.
West Hartlepool	65,515	14·3	10·3	10·3	10·3	23	13	2	5	–	–	–	–	–	–	–	–	1	1	–	1	West Hartlepool.
Sunderland	149,263	12·6	15·7	12·9	13·6	112	39	9	6	–	–	2	–	–	–	1	–	–	–	6	2	Sunderland.
South Shields	111,502	15·4	12·2	10·3	16·8	78	36	8	9	–	–	–	–	1	–	1	2	3	3	5	3	South Shields.
Gateshead	123,392	10·1	13·5	11·0	10·6	83	25	10	3	–	–	–	–	–	–	1	1	–	1	4	1	Gateshead.
Newcastle on Tyne.	275,099	10·8	11·4	13·8	9·1	168	48	6	17	–	–	–	–	–	–	1	1	–	1	11	–	Newcastle on Tyne.
Tynemouth	58,007	12·6	8·1	17·1	8·1	31	9	–	6	–	–	–	–	–	–	–	–	–	–	3	1	Tynemouth.
Carlisle	55,198	10·4	7·6	8·5	3·8	22	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–	Carlisle.
Newport (Mon.)	87,251	6·6	13·7	12·5	10·2	56	17	2	5	–	–	–	–	–	–	–	–	–	2	1	–	Newport (Mon.).
Cardiff	204,436	8·2	10·7	8·2	12·5	100	49	7	13	1	–	–	–	–	–	–	1	1	5	12	–	Cardiff.
Rhondda	177,911	8·5	8·5	10·6	9·7	96	33	11	4	–	–	1	–	–	1	2	1	3	3	6	–	Rhondda.
Merthyr Tydfil	71,638	8·7	15·3	16·7	8·7	53	12	2	2	–	–	–	1	–	1	–	–	–	1	4	–	Merthyr Tydfil.
Aberdare	51,384	15·2	9·1	14·2	11·2	30	11	–	2	–	–	1	–	2	–	–	–	–	–	2	–	Aberdare.
Swansea	160,810	16·9	10·4	9·1	7·5	92	23	3	7	–	–	1	–	–	1	1	1	1	2	7	–	Swansea.
Greater London	7,259,388	8·8	9·2	8·7	9·1	3681	1264	203	405	2	–	9	5	10	21	40	7	36	91	576	–	Greater London.
Outer Ring	2,901,079	7·7	7·9	8·0	8·4	1384	468	65	170	1	–	4	2	3	8	12	2	14	37	144	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	7·7	7·9	8·1	8·3	812	264	34	92	1	–	3	–	2	5	8	–	9	22	89	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·7	7·8	7·9	8·6	572	204	31	78	–	–	1	2	1	3	4	2	5	15	55	–	Remainder of Outer Ring.
Edinburgh†	342,300	12·8	10·1	13·3	8·3	149	54	3	28	–	–	–	–	–	–	–	1	–	?	?	?	Edinburgh.†
Glasgow†	1,115,500	10·6	12·6	12·8	11·0	643	235	35	59	–	13	1	1	2	1	6	1	14	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	14·2	15·7	12·8	13·4	232	107	17	22	–	–	1	1	3	–	3	2	3	2	49	4	Dublin (Registration Area).†
Belfast†	413,000	13·1	11·9	11·6	13·1	231	104	20	20	–	–	–	–	–	–	4	–	1	2	30	5	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTIETH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2429	2133	2309	2195	2307	1944	1935	1495	1289	1651	2297
Males	1195	1098	1173	1148	1159	965	983	752	639	873	1239
Females	1234	1035	1136	1047	1148	979	952	743	650	778	1058
Deaths (of residents only).	890	1184	968	918	1049	940	878*	848*	914*	809*	796*
Males		613	515	482	552	487	490	464	448	427	408
Females		571	453	436	497	453	388	384	466	382	388

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.
Births (as registered)	2552	2648	2369	2096	2558	2452	2293	2406	2337	2187	2389	2229	2297
Deaths (of residents only).	1084	1046	1005	1010	920	888	838	864	749	799	846	762	796
Ages at Death: Under 1 year	155	158	161	166	123	122	115	131	107	126	125	97	138
1–2 years	50	45	46	28	37	23	21	19	20	21	10	12	10
2–5 "	47	26	35	35	21	35	18	19	25	20	24	15	24
5–10 "	30	20	23	23	23	26	28	28	26	15	21	23	22
10–15 "	17	13	19	20	18	22	22	8	9	18	14	13	8
15–20 "	24	20	11	20	19	20	20	24	23	23	24	15	18
20–25 "	32	19	18	23	23	22	25	19	21	14	16	22	19
25–35 "	58	61	51	58	46	51	44	51	37	48	35	49	43
35–45 "	72	76	67	86	70	65	80	76	59	69	81	55	61
45–55 "	106	120	126	129	98	94	86	111	95	101	95	96	97
55–65 "	139	150	149	121	142	133	111	118	107	113	133	117	121
65–75 "	185	178	155	151	161	136	150	108	109	123	140	136	119
75 years and upwards	169	160	144	150	139	139	118	152	111	108	128	112	116
Deaths from—													
Enteric fever	-	2	2	3	2	1	1	-	-	1	2	-	1
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	41	25	25	24	19	18	15	7	7	20	5	4	5
Scarlet fever	4	1	3	3	3	3	2	-	2	3	2	1	3
Whooping cough	19	35	17	14	13	10	7	11	7	3	4	4	7
Diphtheria	24	11	15	17	11	13	15	13	13	8	10	13	13
Diarrhœa and enteritis (under 2 years).	15	14	19	17	11	20	23	15	11	19	16	20	28
Pulmonary tuberculosis	87	98	79	95	86	67	77	105	59	82	78	66	72
Influenza	31	32	31	26	19	13	7	6	4	3	6	2	5
Pneumonia (all forms)	95	82	88	59	66	62	54	40	38	44	36	41	43
Bronchitis	79	63	59	58	43	56	40	43	39	30	32	32	30
Other dis. of resp. system	18	14	16	14	6	16	14	10	13	9	14	9	14
Dis. of circ. system	138	203	154	158	156	139	129	155	129	132	147	142	136
Violence	40	32	52	41	44	46	40	50	42	38	39	36	22
Inquest cases	77	94	95	68	88	89	81	88	83	72	90	72	54
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	32	29	21	20	23	20	20	17	21	24	29	33	26
Small-pox	11	6	1	-	1	4	5	3	3	3	-	-	-
Measles	72	70	56	52	55	54	60	58	58	56	53	55	48
Scarlet fever	1794	1757	1734	1703	1635	1642	1654	1646	1705	1755	1855	1911	1956
Whooping cough	19	20	25	22	24	20	20	20	18	18	17	18	13
Diphtheria	1947	1916	1894	1797	1746	1722	1705	1668	1603	1599	1582	1556	1481

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.
Deaths from Influenza	201	216	211	188	148	86	65	37	34	44	33	21	33

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTIETH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 30th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	809	796	138	10	24	22	8	18	19	43	61	97	121	119	116
Enteric fever	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	5	2	2	1	–	–	–	–	–	–	–	–	–	–
Scarlet fever	4	3	–	–	2	1	–	–	–	–	–	–	–	–	–
Whooping cough	–	7	5	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	6	13	–	2	6	5	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	6	5	–	–	–	–	–	–	1	–	2	–	1	–	1
Erysipelas	–	4	1	–	–	–	–	–	–	–	–	–	2	1	–
Other epidemic diseases	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	91	72	–	–	–	–	1	7	9	13	15	18	7	2	–
Tuberculous meningitis	13	6	1	2	1	2	–	–	–	–	–	–	–	–	–
Abdominal tuberculosis	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis of the spine	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	1	2	–	–	–	–	1	–	–	–	1	–	–	–	–
Tuberculosis of other organs	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Disseminated tuberculosis	–	5	1	–	–	–	1	–	–	–	2	–	1	–	–
Venereal diseases	8	4	2	–	–	–	–	–	–	1	–	1	–	–	–
Cancer	100	107	–	–	1	–	–	1	–	5	8	25	39	18	10
Tumour, situation undefined	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatic fever	4	2	–	–	–	–	1	–	–	1	–	–	–	–	–
Diabetes	10	8	–	–	–	1	–	–	1	1	1	1	2	1	–
Anæmia, leucocythaemia	2	2	–	–	–	1	–	–	–	1	–	–	–	–	–
Other general diseases	3	3	–	–	–	–	–	–	–	–	1	–	1	1	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	8	6	4	–	1	–	–	–	–	–	–	–	–	1	–
Cerebral hæmorrhage, Apoplexy	44	33	–	–	–	–	–	–	–	1	1	6	7	11	7
Softening of brain	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis, without specified cause	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	3	–	–	–	–	–	–	–	1	1	–	1	–	–
"Convulsions" (not puerperal)	3	7	7	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	15	12	1	–	–	–	–	–	1	1	1	2	1	3	2
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	2	8	–	–	–	1	–	1	2	1	1	1	–	1	–
Organic disease of heart	108	95	–	–	–	1	2	3	2	5	9	13	20	22	18
Embolism and thrombosis (including cerebral).	1	7	–	–	–	–	–	–	–	–	–	1	2	2	2
Other diseases of circulatory system.	27	26	–	–	–	–	–	–	–	–	1	3	3	7	12
Diseases of the larynx	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	41	30	2	–	2	–	–	–	–	1	1	2	5	8	9
Broncho-pneumonia	21	19	6	2	4	2	–	–	–	–	1	–	2	1	1
Lobar pneumonia	8	17	1	–	–	–	–	1	–	2	2	3	4	3	1
Pneumonia (type not distinguished)	14	7	–	–	–	–	–	–	–	–	2	2	1	1	1
Pleurisy	2	5	–	–	–	1	–	–	–	–	1	1	1	–	1
Pulmonary congestion, Pulmonary apoplexy.	2	2	1	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of respiratory system.	8	6	–	–	–	–	–	–	–	2	–	–	2	1	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTIETH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 30th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	8	6	1	–	–	–	–	–	–	–	–	2	1	–	2
Diarrhœa and enteritis	20	38	27	1	2	–	–	–	–	–	1	–	1	3	3
Appendicitis and typhlitis	4	4	–	–	–	–	–	2	2	–	–	–	–	–	–
Hernia and Intestinal obstruction.	15	11	3	–	–	–	–	–	–	–	–	4	1	2	1
Cirrhosis of liver	9	3	–	–	–	–	–	–	–	–	–	2	–	1	–
Other diseases of liver	2	7	–	–	–	1	–	–	–	–	–	–	2	1	3
Peritonitis (cause unknown)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	4	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Acute nephritis	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Chronic Bright's disease	21	13	–	–	–	–	–	–	–	1	–	2	5	4	1
Urinary calculi	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of genito-urinary system.	6	13	–	–	–	–	–	–	–	–	1	2	3	4	3
Puerperal fever, &c.	4	6	–	–	–	–	–	–	1	1	4	–	–	–	–
Other causes incident to childbirth.	2	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Diseases of skin and cellular tissues.	3	5	–	–	–	1	–	1	–	–	–	–	–	1	2
Diseases of locomotor system	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Congenital malformations	11	4	3	–	–	–	–	1	–	–	–	–	–	–	–
Premature birth	26	44	44	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	8	11	11	–	–	–	–	–	–	–	–	–	–	–	–
Old age	30	42	–	–	–	–	–	–	–	–	–	–	–	11	31
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Suffocation in bed	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	19	14	–	–	–	2	1	–	–	2	1	2	3	1	2
Total deaths from accident	28	16	1	–	–	2	1	–	–	2	1	3	3	1	2
Included in above are deaths in connection with:—															
Railways	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	5	–	–	–		1	–	–	–	1	–	–	–	1
Ships, boats, docks	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Building operations	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	5	–	–	–	–	–	–	–	–	1	1	1	2	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	11	20	13	–	1	3	1	–	–	–	1	–	1	–	–
Ill-defined Causes	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	July 31	2,297	796	9·5	1	–	5	3	7	13	28	5
CALCUTTA	896,067	June 26	–	472§	27·4	?	7	?	?	?	?	?	8
BOMBAY	979,445	„ 26	317	641§	34·0	1	2	4	–	–	–	26	13
MADRAS	518,660	„ 26	358	351	35·2	1	–	–	?	1	–	42	4
PARIS	2,847,229	(10 days) June 10	1,484	1,050	?	1	–	16	–	11	8	27	1
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	329,673	July 17	137	44	7·0	–	–	–	–	–	1	10	–
AMSTERDAM	650,758	„ 17	284	101	8·1	–	–	1	–	–	1	2	–
COPENHAGEN	552,000	„ 17	267	153	14·4	–	–	–	–	–	–	3	–
STOCKHOLM	415,201	„ 10	151	76	9·5	–	–	–	–	–	–	1	–
GOTHENBURG	200,578	„ 3	–	34	8·8	–	–	–	–	–	–	–	–
CHRISTIANIA	258,615	July 17	89	40	8·0	–	–	–	–	–	–	1	–
BERLIN	1,904,590	„ 3	613	494	13·5	2	?	4	2	1	2	?	?
		„ 10	648	534	14·6	1	?	–	1	–	1	39	1
BRESLAU	531,347	„ 3	273	157	15·4	–	?	1	–	1	1	?	?
		„ 10	276	179	17·5	1	?	3	–	1	2	30	?
COLOGNE	642,899	„ 3	323	172	13·9	1	?	1	–	3	1	?	?
		„ 10	322	157	12·7	–	?	–	–	–	–	17	?
DRESDEN	537,127	„ 3	241	115	11·1	–	?	–	–	1	2	?	?
		„ 10	162	110	10·6	–	?	1	–	–	–	2	?
FRANKFORT-ON-MAIN.	435,103	„ 3	173	84	10·0	–	?	–	–	1	1	?	?
		„ 10	173	75	9·0	1	?	–	–	1	–	4	?
HAMBURG	1,002,933	„ 3	368	180	9·3	–	?	1	–	–	–	?	?
		„ 10	386	192	10·0	1	?	–	–	3	2	6	–
LEIPZIG	610,686	„ 3	270	134	11·4	3	?	3	–	1	–	?	–
MUNICH	647,030	„ 3	256	177	14·2	–	?	–	1	–	–	?	?
		„ 10	260	135	10·8	–	?	1	–	1	–	14	?
VIENNA	1,842,005	„ 17	481	523	14·8	2	–	2	–	1	3	21	2
PRAGUE	524,496	„ 3	177	170	16·9	–	–	2	–	–	–	9	1
BUDAPEST	1,071,492	May 29	–	–	–	–	–	–	–	–	–	–	–
TRIESTE	234,751	July 17	–	–	–	–	–	–	–	–	–	–	–
CAIRO	761,300	May 6	663	677	46·2	7	–	29	5	?	2	68	?
ALEXANDRIA	445,700	„ 6	393	295	34·4	1	11	–	–	?	–	39	?
NEW YORK	6,141,445	June 26	2,739	1,026	8·7	–	–	6	1	9	20	32	4
		July 3	2,333	1,034	8·8	2	–	5	2	12	13	28	3
CHICAGO	2,727,504	June 26	–	482	9·2	–	–	1	3	–	10	28	–
		July 3	–	534	10·2	1	–	2	4	1	7	29	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 5 deaths from *plague* in Bombay, and from *Asiatic cholera* 91 deaths in Calcutta and 1 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 31st July, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
LONDON (Greenwich)	74	44	67·0	49·9	11
BRIGHTON	68	46	63·6	52·4	14
PORTSMOUTH	69	47	64·0	51·7	14
NORWICH (Eaton)	70	44	64·7	48·7	19
PLYMOUTH	68	47	62·4	51·9	33
BRISTOL (Clifton)	69	48	63·4	51·9	30
BIRMINGHAM	70	46	63·9	49·4	14
NOTTINGHAM	70	41	63·7	47·1	32
BIRKENHEAD (Bidston)	66	49	61·4	51·4	38
MANCHESTER (Whitworth Park)	69	46	64·4	49·9	46
BURNLEY	64	45	61·0	49·1	28
HUDDERSFIELD	68	46	61·7	49·1	28
BRADFORD	67	45	61·4	48·6	22
SHEFFIELD	69	46	63·4	49·6	17
YORK (Museum)	69	45	64·1	49·0	24
HULL (Pearson Park)	70	42	65·4	48·6	35
TYNEMOUTH	65	47	61·1	50·7	10
CARDIFF	67	47	63·0	50·9	39
EDINBURGH	63·0	45·0	60·0	48·4	13
GLASGOW	61·0	45·8	59·1	49·4	21
DUBLIN:— Phœnix Park	66·4	40·3	62·9	48·1	47
†Fitzwilliam Square	67·8	44·6	62·3	50·4	49
BELFAST	62·5	44·0	60·9	48·3	14

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 31st July 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 50 years.	Rain collect in a Gang whose receivi surface 5 inche above the Groun
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 25	..	29·721	68·5	44·0	24·5	54·7	− 8·0	47·4	7·3	20·5	1·8	77	134·7	36·8	56·8	WSW. & W.	SSW. & S.	2·5	0·0	0·2	230	− 22	0·12
MONDAY - - 26	..	29·533	61·7	51·1	10·6	54·9	− 7·6	48·0	6·9	11·5	1·8	78	99·2	43·1	56·9	SSW., SW. & W.	NW. & WNW.	4·5	0·0	0·3	320	+ 70	0·02
TUESDAY - - 27	Greatest declination S. Apogee.	29·887	63·3	44·2	19·1	51·4	−11·0	49·0	2·4	13·6	0·9	92	100·7	37·4	56·8	Calm, N. & W.	Calm & variable.	0·5	0·0	0·0	134	−112	0·02
WEDNESDAY - 28	..	29·852	62·5	45·2	17·3	53·2	− 9·1	50·0	3·2	13·9	0·9	89	97·2	39·6	56·6	SW. & WSW.	SW.	3·5	0·0	0·2	257	+ 15	0·07
THURSDAY - - 29	..	29·920	70·7	53·2	17·5	60·2	− 2·1	49·5	10·7	19·4	1·0	68	127·1	46·4	56·5	NW. & N.	WNW., W. & WSW.	2·0	0·0	0·2	306	+ 66	0·00
FRIDAY - - 30	Full	29·744	66·8	56·2	10·6	60·6	− 1·7	59·5	1·1	6·7	0·0	96	94·0	52·0	56·2	W. & WSW.	WSW. & W.	2·9	0·0	0·3	317	+ 77	0·21
SATURDAY - - 31	..	29·647	74·1	54·2	19·9	62·9	+ 0·7	55·1	7·8	17·2	0·0	76	142·2	51·0	56·5	Calm	Calm & SW.	0·6	0·0	0·0	123	−118	0·00
MEANS - - -	- - -	29·758	66·8	49·7	17·1	56·8	− 5·5	51·2	5·6	14·7	0·9	82	113·6	43·8	56·6	WSW.		..	..	..	Sum 1687	Sum − 24	Sum 0·44
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. July, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	25	v.P. till 18h., v.P. and v.N. till 19h., w.P. afterwards.	5·8	15·7	Cloudless with few exceptions till 8h., clouding up to overcast generally by 11h.; slight rain generally from about 14h.
MONDAY -	26	w.P. till 5h., s.P. generally afterwards, v.P. at times.	2·7	15·7	Overcast generally, fine interval 5h. 30h. to 6h. 30m. and 19h. to 21h.; showery till 2h. 30m.: rain between 10h. and 11h., and occasional damping before 15h.
TUESDAY -	27	v.P. till 10h., s.P. and s.N. till 15h., s.P. generally afterwards.	0·9	15·6	Becoming nearly cloudless by 1h., clouding up from 3h., nearly overcast generally 3h. 30m. to 18h.; partially cloudy till 22h., then nearly cloudless; occasional rain between 5h. 30m. and 15h.; thunder about 12h.; misty at night.
WEDNESDAY -	28	v.P. generally	0·0	15·6	Cloudless till 2h. 30m., nearly overcast by 3h.; overcast 9h. to 19h., nearly overcast generally till 22h., becoming nearly cloudless by 23h.; light rain 10h. 30m. to 18h.
THURSDAY -	29	w.P. till 5h., s.P. generally 6h. to 16h., loss of register afterwards.	7·9	15·5	Very cloudy and nearly overcast till 12h. 30m.; partially cloudy till nearly 21h., then very cloudy to overcast.
FRIDAY - -	30	Loss of register till 15h., v.P. afterwards.	0·4	15·5	Overcast till 16h., nearly overcast till 9h., partially cloudy 20h. to 23h., then overcast generally; rain between 2h. 30m. and 5h. 30m. and generally from 9h. to 15h.
SATURDAY -	31	v.P. throughout	2·6	15·4	Overcast or nearly overcast till 11h., then variably cloudy with overcast intervals; nearly overcast from 17h.; few drops of rain 17h.
			Sum 20·3	Sum 109·0	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·84 in. at the beginning of the week to 29·37 in. by 8h. on 26th; increased to 29·97 in. by 23h. on 27th; decreased to 29·77 in. by 19h. on 28th; increased to 29·95 in. by noon on 29th, and decreased to 29·60 in. by midnight on 31st.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 24th July, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	762	–	–	4	1	4	13	20	66	97
Western										
Paddington	27	–	–	–	–	–	1	1	4	6
Kensington	26	–	–	–	–	–	2	–	–	5
Hammersmith	16	–	–	–	–	–	–	–	3	–
Fulham	25	–	–	–	–	–	1	–	–	5
Chelsea	11	–	–	–	–	–	–	–	1	1
City of Westminster	24	–	–	1	–	–	1	–	1	–
Northern.										
St. Marylebone	27	–	–	–	–	1	–	–	–	–
Hampstead	10	–	–	–	–	–	–	1	–	2
St. Pancras	41	–	–	–	–	–	–	3	4	7
Islington	54	–	–	–	–	–	1	1	6	8
Stoke Newington	11	–	–	–	–	–	1	1	–	1
Hackney	39	–	–	1	–	1	–	2	4	6
Central.										
Holborn	6	–	–	–	–	–	–	–	2	–
Finsbury	11	–	–	–	–	–	–	–	2	2
City of London	5	–	–	–	–	–	–	–	1	–
Eastern.										
Shoreditch	27	–	–	–	–	–	–	4	3	9
Bethnal Green	23	–	–	–	–	–	–	1	5	4
Stepney	56	–	–	1	1	–	–	2	3	6
Poplar	26	–	–	–	–	–	–	–	3	4
Southern.										
Southwark	33	–	–	–	–	–	1	2	2	8
Bermondsey	21	–	–	1	–	–	–	–	2	5
Lambeth	44	–	–	–	–	1	–	–	6	2
Battersea	30	–	–	–	–	–	–	1	–	4
Wandsworth	49	–	–	–	–	1	–	–	4	3
Camberwell	47	–	–	–	–	–	3	–	3	4
Deptford	12	–	–	–	–	–	–	–	2	1
Greenwich	17	–	–	–	–	–	–	–	1	–
Lewisham	27	–	–	–	–	–	1	1	3	3
Woolwich	17	–	–	–	–	–	1	–	1	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 24th July, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.
WESTERN.																
Paddington	143,938	2	-	-	-	6	4	1	-	-	-	-	-	-	-	-
Kensington	157,886	-	1	-	-	12	2	1	-	-	-	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	8	6	3	2	-	1	1	-	-	-	-
Fulham	152,543	-	-	-	-	9	17	3	2	1	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	9	3	-	-	-	-	-	-	-	-	-
NORTHERN.																
St. Marylebone	97,953	3	-	-	-	6	1	-	2	-	-	1	-	-	-	-
Hampstead	88,012	1	-	-	-	2	1	1	1	-	-	-	1	-	-	-
St. Pancras	219,434	-	-	-	-	14	11	2	1	-	1	1	-	-	-	-
Islington	323,034	1	-	-	-	16	21	-	1	-	-	3	-	-	1	-
Stoke Newington	50,954	-	-	-	-	3	2	-	1	-	1	-	-	-	-	-
Hackney	216,736	-	-	-	-	13	2	1	2	-	-	-	-	-	-	-
CENTRAL.																
Holborn	38,156	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Finsbury	75,291	-	-	-	-	3	2	-	4	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																
Shoreditch	98,134	1	-	-	-	5	9	-	2	-	1	-	-	1	1	-
Bethnal Green	110,085	-	-	-	-	21	10	1	2	-	-	2	-	-	1	-
Stepney	232,506	-	-	-	-	48	10	-	1	-	-	2	-	-	-	-
Poplar	153,644	-	-	-	-	14	11	3	1	-	-	2	-	1	-	-
SOUTHERN.																
Southwark	179,971	-	1	-	-	5	6	1	3	-	2	1	-	-	-	-
Bermondsey	124,239	-	-	-	-	10	6	2	2	-	1	-	-	-	-	-
Lambeth	282,322	-	-	-	-	20	14	4	1	-	-	3	-	1	-	-
Battersea	159,316	-	1	-	-	6	11	6	-	1	1	6	-	-	-	-
Wandsworth	333,693	1	2	-	-	13	22	5	3	-	-	3	-	-	1	-
Camberwell	273,802	-	-	-	-	12	8	-	3	-	-	-	-	-	-	-
Deptford	111,205	1	-	-	-	6	5	-	-	-	-	-	-	-	-	-
Greenwich	98,484	1	-	-	-	8	5	-	2	-	-	-	-	-	-	-
Lewisham	167,754	1	1	-	-	7	3	1	1	-	2	-	-	-	-	-
Woolwich	136,237	-	1	-	-	4	4	3	3	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	12	7	-	-	280	198	38	40	2	10	26	1	3	4	-
Ages 0–1		-	-	-	-	2	2	1	1	1	-	26	-	-	-	-
„ 1–5		-	-	-	-	57	44	1	-	-	-	-	-	1	-	-
„ 5–		-	-	-	-	139	82	6	3	1	-	-	-	-	-	-
„ 10–		2	-	-	-	61	34	6	3	-	-	-	-	-	2	-
„ 15–		2	-	-	-	9	13	5	5	-	2	-	-	-	-	-
„ 20–		3	-	-	-	5	7	2	1	-	-	-	-	-	-	-
„ 25–		2	4	-	-	5	7	3	3	-	4	-	1	1	-	-
„ 35–		3	3	-	-	1	8	5	6	-	4	-	-	1	1	-
„ 45–		-	-	-	-	-	1	4	6	-	-	-	-	-	1	-
„ 55–		-	-	-	-	1	-	5	4	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	-	7	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 31. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, AUG. 7.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
August 10*th*, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,269, and corresponded to an annual rate of 23·2 per 1,000. The deaths* among the civilian population only numbered 3,279, and corresponded to an annual rate of 9·6 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended July 17th, July 24th, and July 31st, the rates had been 9·9, 9·8 and 9·9, respectively. The infant mortality was 70, against 57, 57, and 57 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)11933—2 Wt 167–840 625 8/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 14·4 in Tynemouth, 14·6 in Blackpool, 15·4 in Bury, 16·3 in Stockton-on-Tees, and 17·2 in Hastings; and from *measles*, 2·0 in Aberdare. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,155 births, corresponding to a rate of 24·8 per 1,000, and 763 deaths of civilians, corresponding to a rate of 9·1, as against 10·1, 9·1, and 9·5 per 1,000 in the three weeks ended July 17th, July 24th, and July 31st. The death-rate in the four weeks ended last Saturday averaged 9·5 per 1,000. The infant mortality was 51, against 52, 44, and 60, in the preceding three weeks.

The deaths from *enteric fever*, which had been 2, 0, and 1 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 1. There was one death from *measles*, against 5, 4, and 5 in the preceding three weeks, and an average of 15. There was one death from *scarlet fever*, against 2, 1, and 3 in the preceding three weeks, and an average of 2. The deaths from *whooping-cough*, which had been 4, 4, and 7 in the preceding three weeks, fell last week to 3, and were 7 below the average. The deaths from *diphtheria*, which had been 10, 13, and 13 in the preceding three weeks, fell last week to 8, and were 4 below the average; 3 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 16, 20, and 28 in the preceding three weeks, fell last week to 17, and were 8 below the average; 3 deaths belonged to Islington and 3 to Shoreditch. The deaths from *influenza* numbered 9, as against 6, 2, and 5 in the preceding three weeks and an average of 10.

Different forms of violence caused 41 deaths, all of which were the subject of coroners' inquests. Of these 41 deaths, 8 were cases of suicide and 1 of homicide, while the remaining 32 were attributed to other forms of violence. Nine of these latter were referred to vehicles in the streets, 3 to drowning, and 3 of infants under 1 year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 29 cases of enteric fever, 42 of measles, 2,022 of scarlet fever, 13 of whooping-cough, and 1,469 of diphtheria under treatment in these

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 6 cases, against 7, 5, and 4; of measles, 6 cases, against 10, 19, and 4; of scarlet fever, 276 cases, against 296, 281, and 293; of whooping-cough, 0 case, against 0, 4, and 1; and of diphtheria, 150 cases, against 199, 190, and 140. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended July 31st, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 7th August, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 17th July, 1920.	24th July, 1920.	31st July, 1920.	7th Aug., 1920.	Week ended 7th Aug., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	9·9	9·8	9·9	9·6	8269	3279	580	969	5	-	22	9	17	28	87	26	159	279	1035	34	96 GREAT TOWNS.
LONDON†	4,358,309	10·1	9·1	9·5	9·1	2155	763	110	255	2	-	1	1	3	8	17	9	41	85	375	2	LONDON.†
‡ CROYDON	184,239	7·1	8·8	7·9	6·8	99	24	3	11	-	-	-	-	-	-	1	-	2	4	9	-	CROYDON.
‡ WIMBLEDON	59,791	7·8	10·5	9·6	14·0	25	16	4	7	-	-	-	-	-	-	-	-	-	-	4	-	WIMBLEDON.
‡ EALING	73,212	4·3	7·8	7·1	4·3	31	6	-	3	-	-	-	-	-	-	-	-	-	-	2	-	EALING.
‡ ACTON	61,732	12·7	8·4	9·3	9·3	24	11	-	4	-	-	-	-	-	-	-	-	1	1	3	-	ACTON.
‡ WILLESDEN	160,917	10·0	6·2	7·5	5·5	70	17	5	3	-	-	-	-	-	-	1	-	-	1	6	-	WILLESDEN.
‡ HORNSEY	94,348	9·4	9·9	8·8	9·9	39	18	4	8	-	-	-	-	-	-	-	1	1	2	6	-	HORNSEY.
‡ TOTTENHAM	141,338	7·4	5·9	5·9	7·0	68	19	2	5	-	-	-	-	-	-	1	-	-	3	4	-	TOTTENHAM.
‡ EDMONTON	70,711	5·9	8·8	2·9	5·9	31	8	3	1	-	-	-	-	-	-	-	-	1	1	3	-	EDMONTON.
‡ ENFIELD	58,442	4·5	17·0	10·7	2·7	40	3	1	1	-	-	-	-	-	-	-	-	1	1	1	-	ENFIELD.
‡ WEST HAM	287,966	10·9	8·5	10·3	10·1	173	56	10	13	-	-	1	1	-	-	3	1	4	8	15	-	WEST HAM.
‡ EAST HAM	144,451	6·1	7·6	7·9	8·3	63	23	3	4	-	-	-	-	-	-	-	-	3	4	7	-	EAST HAM.
‡ LEYTON	123,896	8·8	7·6	10·1	10·1	67	24	4	7	-	-	-	-	-	-	-	-	-	-	9	-	LEYTON.
‡ WALTHAMSTOW	127,684	5·7	6·5	7·8	4·9	61	12	3	2	-	-	-	-	-	-	-	-	-	2	7	-	WALTHAMSTOW.
‡ ILFORD	79,524	3·9	5·2	7·2	5·2	34	8	2	2	-	-	2	-	-	-	-	-	-	-	2	-	ILFORD.
GILLINGHAM	43,501	8·4	8·4	8·4	9·6	21	8	1	1	-	-	-	-	-	1	-	-	-	-	2	-	GILLINGHAM.
HASTINGS	57,674	6·3	6·3	10·8	17·2	22	19	2	8	-	-	-	-	-	-	-	1	2	2	2	-	HASTINGS.
EASTBOURNE	48,424	14·0	11·8	10·8	11·8	15	11	1	5	-	-	-	-	-	-	-	-	-	-	3	-	EASTBOURNE.
BRIGHTON	132,409	7·1	10·6	10·2	6·7	53	17	3	4	-	-	-	-	-	-	-	1	-	1	6	-	BRIGHTON.
PORTSMOUTH	224,846	9·3	6·5	7·7	7·9	116	34	10	9	-	-	-	-	-	-	2	-	1	1	6	-	PORTSMOUTH.
BOURNEMOUTH	82,627	10·7	8·8	6·9	6·3	27	10	-	2	-	-	-	-	-	-	-	-	1	1	1	-	BOURNEMOUTH
SOUTHAMPTON	126,033	7·9	8·7	11·6	8·3	42	20	1	6	-	-	-	-	1	-	-	-	1	1	10	-	SOUTHAMPTON.
READING	91,365	6·8	7·4	12·0	5·1	38	9	-	2	-	-	-	-	-	-	-	-	-	1	-	-	READING.
OXFORD	57,666	13·6	5·4	7·2	8·1	15	9	2	4	-	-	-	-	-	-	1	-	1	2	4	-	OXFORD.
NORTHAMPTON	88,944	10·0	12·3	10·0	10·0	32	17	2	7	-	-	2	-	-	-	-	-	-	-	4	-	NORTHAMPTON.
CAMBRIDGE	57,849	8·1	1·8	9·0	9·0	22	10	3	3	-	-	-	-	-	-	-	-	-	1	4	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 7th August 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 17th July, 1920.	24th July, 1920.	31st July, 1920.	7th Aug., 1920.	Week ended 7th Aug. 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	9·9	9·3	9·3	11·2	23	18	–	12	–	–	–	–	–	–	–	–	–	–	3	1	SOUTHEND ON SEA.
IPSWICH	78,011	10·7	14·0	10·7	10·7	31	16	1	6	–	–	–	–	–	–	–	–	–	–	7	–	IPSWICH.
GREAT YARMOUTH	53,078	5·9	17·7	10·8	11·8	22	12	–	8	–	–	1	–	–	–	–	1	1	1	3	–	GREAT YARMOUTH.
NORWICH	119,993	8·3	5·6	8·3	9·6	53	22	3	10	–	–	–	–	–	–	1	–	–	1	4	–	NORWICH.
SWINDON	51,527	10·1	6·1	12·1	12·1	22	12	–	4	–	–	–	–	–	–	–	–	–	–	–	–	SWINDON.
EXETER	59,014	7·1	8·8	8·8	7·1	17	8	1	3	–	–	–	–	–	1	–	–	–	–	3	–	EXETER.
PLYMOUTH	181,967	10·3	10·6	11·5	13·8	109	48	7	13	–	–	–	–	1	–	–	1	–	2	11	–	PLYMOUTH.
BATH	65,919	8·7	10·3	11·1	6·3	23	8	–	4	–	–	–	–	–	1	–	–	–	1	–	–	BATH.
BRISTOL	361,247	8·7	10·1	10·4	9·8	146	68	5	18	–	–	1	1	–	2	–	–	4	6	26	–	BRISTOL.
GLOUCESTER	50,100	9·4	10·4	10·4	9·4	29	9	2	3	–	–	–	–	–	–	1	–	–	–	–	–	GLOUCESTER.
STOKE ON TRENT	239,316	10·5	9·4	10·7	11·5	93	53	14	13	–	–	1	–	1	–	–	–	3	5	13	1	STOKE ON TRENT.
WOLVERHAMPTON	98,403	17·5	10·1	12·2	9·5	51	18	2	3	–	–	1	–	–	–	–	–	2	4	7	–	WOLVERHAMPTON.
WALSALL	92,724	12·4	11·8	6·7	8·4	43	15	3	6	–	–	–	–	–	–	1	1	–	1	2	–	WALSALL.
WEST BROMWICH	69,899	11·2	13·4	10·4	6·7	30	9	1	4	–	–	–	–	–	–	1	–	–	–	2	–	WEST BROMWICH.
DUDLEY	54,017	8·7	11·6	11·6	8·7	20	9	2	6	–	–	–	–	–	–	–	–	–	–	1	–	DUDLEY.
BIRMINGHAM	861,585	10·8	10·8	9·9	9·8	379	162	34	56	–	–	1	2	1	–	5	–	9	11	52	8	BIRMINGHAM.
SMETHWICK	72,152	9·4	9·4	10·1	8·7	26	12	5	–	–	–	–	–	–	–	–	–	–	–	1	–	SMETHWICK.
COVENTRY	132,048	9·1	11·1	7·5	6·7	64	17	3	3	–	–	–	–	–	–	1	–	–	–	2	2	COVENTRY.
LEICESTER	236,059	9·9	10·6	9·9	9·3	110	42	9	12	–	–	1	–	–	1	2	–	2	2	13	–	LEICESTER.
LINCOLN	60,581	3·4	11·2	5·2	6·0	24	7	3	1	–	–	–	–	–	–	–	–	–	–	–	1	LINCOLN.
GRIMSBY	78,813	7·9	10·6	11·2	13·2	44	20	1	9	–	–	–	–	–	–	–	–	1	1	6	–	GRIMSBY.
NOTTINGHAM	257,573	10·3	9·7	10·5	9·7	96	48	8	12	–	–	–	–	–	2	2	1	2	2	12	–	NOTTINGHAM.
DERBY	123,930	6·7	7·2	10·5	10·1	69	24	2	8	–	–	–	–	–	1	–	–	–	–	13	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 7th August, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 17th July, 1920.	24th July, 1920.	31st July, 1920.	7th Aug., 1920.	Week ended 7th Aug, 1920 Births.	Deaths.	The Deaths in the Week included: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	5·8	10·0	8·3	8·7	42	21	4	8	–	–	–	–	–	–	1	–	–	1	2	–	STOCKPORT.
BIRKENHEAD	148,052	8·1	12·0	10·6	11·3	74	32	4	9	–	–	–	–	–	1	–	–	2	2	15	–	BIRKENHEAD.
WALLASEY	95,424	8·7	4·9	7·1	5·5	19	10	2	5	–	–	–	–	–	–	–	–	–	–	–	–	WALLASEY.
LIVERPOOL	772,665	12·9	11·2	11·1	12·5	399	185	45	48	–	–	–	2	2	1	7	–	10	12	73	2	LIVERPOOL.
BOOTLE	76,962	4·7	11·5	14·9	9·5	49	14	4	3	–	–	–	–	2	–	1	–	1	1	2	3	BOOTLE.
ST. HELENS	100,805	8·3	10·9	6·7	8·3	43	16	5	5	–	–	–	–	–	–	1	–	2	2	–	–	ST. HELENS.
SOUTHPORT	70,144	10·4	6·7	7·4	7·4	28	10	1	1	–	–	–	–	–	–	–	–	1	1	–	1	SOUTHPORT.
WIGAN	87,384	11·9	10·1	12·5	7·2	42	12	3	4	–	–	1	–	–	–	1	–	–	–	1	–	WIGAN.
WARRINGTON	74,952	7·7	13·9	5·6	8·3	49	12	4	1	–	–	–	–	1	1	–	–	–	–	3	–	WARRINGTON.
BOLTON	177,462	6·2	10·0	15·0	12·0	94	41	4	12	–	–	–	–	–	–	1	–	6	7	12	–	BOLTON.
BURY	54,248	11·5	5·8	14·4	15·4	18	16	–	6	–	–	–	–	–	–	–	–	2	3	6	–	BURY.
MANCHESTER	741,068	8·9	9·8	10·2	11·1	308	158	33	35	1	–	–	1	1	3	6	1	9	15	42	1	MANCHESTER.
SALFORD	226,225	10·1	10·6	9·2	10·4	94	45	9	11	1	–	–	1	–	–	1	1	–	2	15	–	SALFORD.
OLDHAM	137,668	11·7	11·0	11·7	8·7	49	23	8	5	–	–	2	–	–	1	5	–	4	4	4	–	OLDHAM.
ROCHDALE	90,051	11·6	12·2	9·8	12·2	40	21	4	5	–	–	–	–	–	–	2	–	–	1	7	–	ROCHDALE.
BURNLEY	101,005	12·9	8·8	8·3	8·8	32	17	2	7	–	–	–	–	–	–	–	–	–	1	4	–	BURNLEY.
BLACKBURN	125,992	11·2	11·6	10·8	7·9	57	19	5	7	–	–	–	–	–	–	–	–	1	3	7	–	BLACKBURN.
PRESTON	117,277	8·9	4·4	8·9	11·1	50	25	2	6	–	–	–	–	–	1	–	2	2	2	5	1	PRESTON.
BLACKPOOL	67,842	13·8	14·6	15·4	14·6	26	19	1	7	–	–	–	–	–	–	–	–	–	–	4	–	BLACKPOOL.
BARROW IN FURNESS	73,627	9·9	9·2	5·7	7·8	28	11	1	2	–	–	–	–	–	–	–	–	–	2	–	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	10·2	12·5	8·4	10·7	39	23	4	11	–	–	–	–	–	–	1	–	–	1	4	–	HUDDERSFIELD.
HALIFAX	101,791	9·7	10·2	6·1	11·3	44	22	2	7	–	–	–	–	–	–	–	1	–	–	3	–	HALIFAX.
BRADFORD	282,714	10·3	11·6	11·6	10·1	83	55	10	17	–	–	–	–	1	–	2	–	3	4	22	–	BRADFORD.
LEEDS	431,999	11·6	10·1	11·0	12·4	180	103	22	23	–	–	–	–	–	–	2	–	4	6	19	–	LEEDS.
DEWSBURY	52,969	7·9	4·9	13·8	6·9	26	7	3	2	–	–	–	–	–	–	–	–	–	–	2	–	DEWSBURY.
WAKEFIELD	49,208	13·8	13·8	14·8	11·7	21	11	2	4	–	–	–	–	–	–	–	–	–	1	4	–	WAKEFIELD.
BARNSLEY	51,680	9·1	16·1	16·1	11·1	34	11	8	2	–	–	–	–	–	1	1	–	1	2	1	–	BARNSLEY.

* *See* note † on first page of this return.

in the Week ended Saturday, 7th August, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes. Week ended 17th July, 1920.	24th July, 1920.	31st July, 1920.	7th Aug., 1920.	Week ended 7th Aug., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	9·2	10·6	9·6	9·0	235	82	14	28	–	–	–	–	–	–	2	–	8	10	25	–	Sheffield.
Rotherham	69,034	7·6	8·3	9·1	6·8	29	9	2	2	–	–	–	–	–	–	–	–	1	2	–	–	Rotherham.
York	74,531	2·8	7·7	14·0	7·7	31	11	–	6	–	–	–	–	–	–	–	–	–	–	3	–	York.
Hull	279,664	10·6	9·7	12·1	8·8	152	47	13	12	1	–	–	–	–	1	1	–	1	2	10	4	Hull.
Middlesbrough	127,142	13·1	10·3	12·3	9·4	69	23	7	4	–	–	1	–	1	–	2	–	–	–	4	–	Middlesbrough.
Darlington	64,058	4·9	9·0	8·1	7·3	31	9	1	3	–	–	–	–	–	–	1	–	–	–	–	1	Darlington.
Stockton on Tees	60,696	8·6	9·4	8·6	16·3	33	19	4	3	–	–	1	–	–	–	–	–	1	1	4	1	Stockton on Tees.
West Hartlepool	65,515	10·3	10·3	10·3	8·8	40	11	3	6	–	–	–	–	–	–	–	–	–	–	1	–	West Hartlepool.
Sunderland	149,263	15·7	12·9	13·6	10·1	98	29	10	2	–	–	1	–	–	–	2	–	2	2	5	–	Sunderland.
South Shields	111,502	12·2	10·3	16·8	13·1	69	28	8	7	–	–	–	–	1	1	–	2	–	–	3	1	South Shields.
Gateshead	123,392	13·5	11·0	10·6	13·9	76	33	9	7	–	–	–	–	–	–	1	–	–	–	2	3	Gateshead.
Newcastle on Tyne.	275,099	11·4	13·8	9·1	10·8	159	57	8	7	–	–	1	–	–	–	1	1	4	11	18	–	Newcastle on Tyne.
Tynemouth	58,007	8·1	17·1	8·1	14·4	27	16	–	7	–	–	–	–	–	–	–	–	1	1		1	Tynemouth.
Carlisle	55,198	7·6	8·5	3·8	8·5	17	9	–	4	–	–	–	–	–	–	–	–	2	2	2	–	Carlisle.
Newport (Mon.)	87,251	13·7	12·5	10·2	9·6	34	16	2	2	–	–	–	–	–	–	2	–	2	4	4	–	Newport (Mon.).
Cardiff	204,436	10·7	8·2	12·5	9·4	96	37	4	9	–	–	–	–	–	–	–	–	2	6	3	–	Cardiff.
Rhondda	177,911	8·5	10·6	9·7	8·5	75	29	10	5	–	–	–	–	1	–	2	–	2	4	–	–	Rhondda.
Merthyr Tydfil	71,638	15·3	16·7	8·7	12·4	43	17	7	2	–	–	–	–	–	–	–	1	–	–	4	–	Merthyr Tydfil.
Aberdare	51,384	9·1	14·2	11·2	9·1	21	9	5	1	–	–	2	–	–	–	1	–	–	–	2	–	Aberdare.
Swansea	160,810	10·4	9·1	7·5	6·5	59	20	1	8	–	–	1	–	–	–	–	–	1	2	6	–	Swansea.
Greater London	7,259,388	9·2	8·7	9·1	8·5	3544	1189	177	400	2	–	5	3	3	8	28	12	59	122	512	4	Greater London.
Outer Ring	2,901,079	7·9	8·0	8·4	7·7	1389	426	67	145	–	–	4	2	–	–	11	3	18	37	137	2	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	7·9	8·1	8·3	7·7	825	245	44	71	–	–	3	1	–	–	6	2	13	27	78	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·8	7·9	8·6	7·7	564	181	23	74	–	–	1	1	–	–	5	1	5	10	59	2	Remainder of Outer Ring.
Edinburgh†	342,300	10·1	13·3	8·3	8·6	172	56	4	22	–	–	–	–	–	–	1	1	1	?	?	?	Edinburgh.†
Glasgow†	1,115,500	12·6	12·8	11·0	11·1	567	236	45	58	–	2	2	–	2	2	8	–	12	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	15·7	12·8	13·4	13·4	191	107	18	33	1	–	–	–	4	1	3	–	3	4	39	1	Dublin (Registration Area).†
Belfast†	413,000	11·9	11·6	13·1	12·4	223	98	24	18	1	–	1	2	1	–	10	–	2	6	30	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTY-FIRST WEEK of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	1854	2295	2148	2219	1813	1680	1893	1351	1399	1630	2155
Males	917	1162	1164	1068	904	816	953	690	709	824	1113
Females	937	1133	984	1151	909	864	940	661	690	806	1042
Deaths (of residents only).	907	1344	970	898	1033	936	936*	840*	878*	737*	763*
Males		710	519	446	541	521	463	437	446	403	406
Females		634	451	452	492	415	473	403	432	334	357

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.
Births (as registered)	2648	2369	2096	2558	2452	2293	2406	2337	2187	2389	2229	2297	2155
Deaths (of residents only).	1046	1005	1010	920	888	838	864	749	799	846	762	796	763
Ages at Death: Under 1 year	158	161	166	123	122	115	131	107	126	125	97	138	110
1–2 years	45	46	28	37	23	21	19	20	21	10	12	10	17
2–5 "	26	35	35	21	35	18	19	25	20	24	15	24	14
5–10 "	20	23	23	23	26	28	28	26	15	21	23	22	20
10–15 "	13	19	20	18	22	22	8	9	18	14	13	8	11
15–20 "	20	11	20	19	20	20	24	23	23	24	15	18	20
20–25 "	19	18	23	23	22	25	19	21	14	16	22	19	15
25–35 "	61	51	58	46	51	44	51	37	48	35	49	43	48
35–45 "	76	67	86	70	65	80	76	59	69	81	55	61	55
45–55 "	120	126	129	98	94	86	111	95	101	95	96	97	97
55–65 "	150	149	121	142	133	111	118	107	113	133	117	121	101
65–75	178	155	151	161	136	150	108	109	123	140	136	119	131
75 years and upwards	160	144	150	139	139	118	152	111	108	128	112	116	124
Deaths from—													
Enteric fever	2	2	3	2	1	1	–	–	1	2	–	1	2
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	25	25	24	19	18	15	7	7	20	5	4	5	1
Scarlet fever	1	3	3	3	3	2	–	2	3	2	1	3	1
Whooping cough	35	17	14	13	10	7	11	7	3	4	4	7	3
Diphtheria	11	15	17	11	13	15	13	13	8	10	13	13	8
Diarrhœa and enteritis (under 2 years).	14	19	17	11	20	23	15	11	19	16	20	28	17
Pulmonary tuberculosis	98	79	95	86	67	77	105	59	82	78	66	72	75
Influenza	32	31	26	19	13	7	6	4	3	6	2	5	9
Pneumonia (all forms)	82	88	59	66	62	54	40	38	44	36	41	43	35
Bronchitis	63	59	58	43	56	40	43	39	30	32	32	30	33
Other dis. of resp. system	14	16	14	6	16	14	10	13	9	14	9	14	8
Dis. of circ. system	203	154	158	156	139	129	155	129	132	147	142	136	141
Violence	32	52	41	44	46	40	50	42	38	39	36	22	41
Inquest cases	94	95	68	88	89	81	88	83	72	90	72	54	85
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	29	21	20	23	20	20	17	21	24	29	33	26	29
Small-pox	6	1	–	1	4	5	3	3	3	–	–	–	–
Measles	70	56	52	55	54	60	58	58	56	53	55	48	42
Scarlet fever	1757	1734	1703	1635	1642	1654	1646	1705	1755	1855	1911	1956	2022
Whooping cough	20	25	22	24	20	20	20	18	18	17	18	13	13
Diphtheria	1916	1894	1797	1746	1722	1705	1668	1603	1599	1582	1556	1481	1469

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.
Deaths from Influenza	216	211	188	148	86	65	37	34	44	33	21	33	26

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-FIRST Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 31st week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	737	763	110	17	14	20	11	20	15	48	55	97	101	131	124
Enteric fever	2	2	–	–	–	–	1	–	1	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Whooping cough	3	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	10	8	–	1	1	6	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	9	–	–	–	–	–	–	1	1	2	2	2	–	1
Erysipelas	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Other epidemic diseases	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	83	75	1	1	–	–	1	7	4	12	17	22	4	6	–
Tuberculous meningitis	9	8	1	1	2	2	1	–	–	–	–	1	–	–	–
Abdominal tuberculosis	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculosis of the joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Disseminated tuberculosis	3	4	–	–	–	–	–	1	–	2	–	–	1	–	–
Venereal diseases	3	4	2	–	–	–	–	–	–	–	1	1	–	–	–
Cancer	99	89	–	–	–	–	–	–	–	1	6	18	25	27	12
Tumour, situation undefined	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
Rheumatic fever	3	6	–	–	–	2	1	1	–	1	–	1	–	–	–
Diabetes	7	3	–	–	–	–	–	–	–	1	–	–	2	–	–
Anæmia, leucocythaemia	8	4	–	–	–	–	–	–	–	–	–	1	–	3	–
Other general diseases	2	7	1	1	–	–	–	1	–	–	–	–	3	–	1
Alcoholism	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	4	1	1	–	1	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	32	28	–	–	–	–	–	–	–	1	1	4	8	7	7
Softening of brain	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	1	4	–	–	–	–	–	–	–	1	–	1	1	–	1
Epilepsy	2	6	–	1	–	–	–	–	–	2	2	–	–	–	1
"Convulsions" (not puerperal)	3	5	3	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	16	10	–	1	–	1	–	–	–	–	2	3	2	–	1
Pericarditis	–	3	–	–	1	1	–	–	–	–	–	–	–	–	1
Acute endocarditis	2	3	–	–	–	–	–	–	–	2	–	1	–	–	–
Organic disease of heart	79	102	1	–	–	–	1	4	–	8	5	13	19	30	21
Embolism and thrombosis (including cerebral).	7	6	–	–	–	–	–	–	–	–	–	–	2	3	1
Other diseases of circulatory system.	43	27	–	–	–	–	–	–	–	–	–	4	7	7	9
Diseases of the larynx	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	32	33	2	–	–	–	–	–	–	–	–	4	3	10	14
Broncho-pneumonia	15	14	9	2	1	–	–	–	–	1	–	–	1	–	–
Lobar pneumonia	10	12	2	1	–	1	1	–	–	–	–	2	2	2	1
Pneumonia (type not distinguished)	13	9	3	–	–	–	–	–	–	1	1	3	1	–	–
Pleurisy	1	2	–	–	–	–	–	–	–	–	–	1	–	–	1
Pulmonary congestion, Pulmonary apoplexy.	3	3	–	–	–	–	–	–	–	–	–	–	1	–	2
Other diseases of respiratory system.	4	2	–	–	–	–	–	–	–	–	–	1	–	–	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-FIRST Week of the Year 1920.

Causes of Death.	Deaths in the 31st week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	2	–	–	–	–	–	–	–	–	–	2	–	–	–
Diseases of stomach	9	9	2	–	–	–	–	–	–	–	1	1	2	3	–
Diarrhœa and enteritis	24	22	14	3	1	–	–	–	–	–	2	–	–	–	2
Appendicitis and typhlitis	3	6	–	–	–	–	1	2	–	–	–	–	–	3	–
Hernia and Intestinal obstruction.	5	8	–	–	–	–	–	–	–	–	–	1	1	4	2
Cirrhosis of liver	3	4	–	–	–	–	–	–	–	–	–	1	2	1	–
Other diseases of liver	5	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Peritonitis (cause unknown)	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Acute nephritis	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Chronic Bright's disease	17	28	–	–	–	–	1	1	–	2	5	1	7	6	5
Urinary calculi	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Other diseases of genito-urinary system.	4	17	1	–	–	–	–	–	1	1	1	2	2	5	4
Puerperal fever, &c.	1	3	–	–	–	–	–	–	–	3	–	–	–	–	–
Other causes incident to childbirth.	3	3	–	–	–	–	–	–	2	–	1	–	–	–	–
Diseases of skin and cellular tissues.	5	3	–	–	–	–	–	1	–	–	–	–	–	–	2
Diseases of locomotor system	3	2	–	–	–	–	1	–	–	–	–	–	–	–	1
Congenital malformations	6	8	7	–	1	–	–	–	–	–	–	–	–	–	–
Premature birth	29	25	25	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	5	16	16	–	–	–	–	–	–	–	–	–	–	–	–
Old age	37	38	–	–	–	–	–	–	–	–	–	–	–	8	30
Accident.															
Poisons or poisonous vapours	–	3	–	–	–	–	1	–	–	1	–	–	–	1	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	4	3	–	–	–	2	–	–	1	–	–	–	–	–	–
Suffocation in bed	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	18	22	3	–	1	2	–	1	1	5	4	2	1	1	1
Total deaths from accident	22	32	6	–	2	4	1	1	2	6	4	2	1	2	1
Included in above are deaths in connection with:—															
Railways	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Vehicles and horses	8	9	–	–	1	2	–	–	–	3	2	–	1	–	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	3	–	–	–	–	–	–	1	–	1	1	–	–	–
Violence other than Accidental.															
Homicide	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Suicide	7	8	–	–	–	–	–	–	2	2	–	2	1	–	1
Execution	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	15	14	11	1	–	–	–	1	1	–	–	–	–	–	–
Ill-defined Causes	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–

TABLE **5.**—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Aug. 7	2,155	763	9·1	2	–	1	1	3	8	17	9
CALCUTTA	896,067	July 3	–	456§	26·4	?	2	?	?	?	?	?	10
BOMBAY	979,445	„ 3	336	684§	36·3	3	4	2	–	–	–	26	8
MADRAS	518,660	„ 3	464	319	32·0	–	1	1	?	3	–	33	3
PARIS	2,847,229	(10 days) June 20	1,493	1,125	?	4	–	18	1	13	4	35	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	329,673	July 24	113	54	8·8	–	–	–	–	1	–	12	–
AMSTERDAM	650,758	„ 24	256	105	8·4	–	–	–	–	–	–	–	–
COPENHAGEN	552,000	„ 24	248	99	9·3	–	–	–	–	–	–	1	1
STOCKHOLM	415,201	„ 17	122	71	8·9	–	–	–	–	–	–	–	–
GOTHENBURG	200,578	„ 10	–	37	9·5	1	–	–	–	–	1	1	1
CHRISTIANIA	258,615	„ 24	90	58	11·7	–	–	–	–	–	–	1	–
BERLIN	1,904,590	„ 17	639	423	11·5	–	?	1	–	1	6	37	–
BRESLAU	531,347	„ 17	258	151	14·8	–	?	2	–	–	1	20	–
COLOGNE	642,899	„ 17	320	174	14·1	–	?	–	–	2	1	31	?
DRESDEN	537,127	„ 17	241	105	10·2	–	?	–	–	1	–	5	?
FRANKFORT-ON-MAIN	435,103	„ 17	184	77	9·2	–	?	–	–	–	1	8	?
HAMBURG	1,002,933	„ 17	373	208	10·8	–	?	–	–	3	2	2	?
LEIPZIG	610,686	„ 17	246	159	13·5	–	?	1	–	2	–	18	?
MUNICH	647,030	„ 17	210	154	12·4	–	?	–	–	1	1	15	?
VIENNA	1,842,005	„ 24	479	505	14·3	1	–	1	1	2	–	20	1
PRAGUE	524,496	„ 10	149	157	15·6	2	–	–	–	2	–	5	3
BUDAPEST	1,071,492	May 29	–	–	–	–	–	–	–	–	–	–	–
TRIESTE	234,751	July 24	115	84	18·7	1	–	–	–	–	–	23	–
CAIRO	761,300	May 13	634	787	53·8	2	2	16	–	?	3	98	?
ALEXANDRIA	445,700	„ 13	347	295	34·4	2	7	–	1	?	–	37	?
NEW YORK	6,141,445	July 10	2,640	1,023	8·7	5	–	3	7	11	7	39	1
CHICAGO	2,727,504	„ 10	–	430	8·2	–	–	1	–	1	3	21	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 9 deaths from *plague* in Bombay, and from *Asiatic cholera* 74 deaths in Calcutta and 7 in Bombay.

TABLE **6.**—METEOROLOGY in certain Towns during the Week ended Saturday, 7th August, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	73	49	69·3	52·7	17
BRIGHTON	65	51	64·0	54·9	12
PORTSMOUTH	68	52	65·7	55·1	8
NORWICH (Eaton)	68	48	65·3	52·1	10
PLYMOUTH	65	47	63·0	52·4	19
BRISTOL (Clifton)	67	48	63·1	51·7	28
BIRMINGHAM	66	47	62·3	49·9	12
NOTTINGHAM	67	46	63·9	50·1	14
BIRKENHEAD (Bidston)	64	51	60·7	52·6	18
MANCHESTER (Whitworth Park)	65	49	62·1	52·0	28
BURNLEY	61	46	59·7	50·1	28
HUDDERSFIELD	63	49	61·0	50·6	14
BRADFORD	62	48	60·1	51·3	30
SHEFFIELD	64	49	62·0	51·0	9
YORK (Museum)	65	48	63·1	50·4	18
HULL (Pearson Park)	67	48	64·9	50·3	12
TYNEMOUTH	65	47	61·6	50·1	13
CARDIFF	68	48	62·0	51·3	46
EDINBURGH	62·0	44·0	58·9	49·0	28
GLASGOW	60·5	44·6	58·5	49·6	44
DUBLIN:— Phœnix Park	63·0	47·6	62·3	49·0	30
†Fitzwilliam Square	63·4	49·7	61·9	51·0	26
BELFAST	63·0	49·0	61·0	50·3	18

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 7th August 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	1	..	29·630	73·0	52·8	20·2	60·8	− 1·4	50·1	10·7	19·1	3·9	68	133·6	46·4	56·5	W.	W.	3·7	0·0	0·4	368	+125	0·00
MONDAY	2	..	29·702	67·1	51·7	15·4	56·8	− 5·3	55·5	1·3	9·0	0·0	95	112·2	45·7	56·3	WSW. & SW.	SW.	2·9	0·0	0·2	253	+ 6	0·45
TUESDAY	3	In Equator.	29·745	72·0	51·6	20·4	60·2	− 1·9	47·0	13·2	21·4	1·6	62	144·0	44·6	56·8	WSW. & W.	W.	4·1	0·0	0·2	300	+ 50	0·01
WEDNESDAY	4	..	29·755	66·8	50·7	16·1	57·7	− 4·4	49·1	8·6	15·5	4·4	73	116·5	43·9	56·7	WSW. & W.	SW. & S.	2·8	0·0	0·3	306	+ 54	0·00
THURSDAY	5	..	29·367	70·0	54·0	16·0	60·2	− 1·9	54·6	5·6	18·1	3·1	82	131·5	50·1	56·8	SSW. & WSW.	W. & WSW.	3·2	0·0	0·4	335	+ 81	0·17
FRIDAY	6	..	29·660	65·3	52·2	13·1	57·2	− 5·0	50·3	6·9	14·4	5·3	78	106·0	46·7	56·7	WSW., W. & WNW.	WNW. & NW.	3·6	0·0	0·5	422	+166	0·02
SATURDAY	7	Last Quarter.	29·982	70·5	48·7	21·8	58·7	− 3·5	49·8	8·9	19·0	1·0	72	133·8	41·1	56·8	W.	WSW. & SW.	1·0	0·0	0·1	199	− 57	0·00
MEANS		. . .	29·692	69·2	51·7	17·6	58·8	− 3·3	50·9	7·9	16·6	2·8	76	125·4	45·5	56·7	WSW.		..	..	..	Sum 2183	Sum +425	Sum 0·65
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. August, 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	1	m.P. generally a little v.N. at times.	9·0	15·4	Overcast generally till 11h., then partially cloudy generally; cloudless from 20h. to 23h.
MONDAY -	2	v.P. generally, register at times defective.	0·7	15·3	Little cloud till 2h., thin cloud becoming prevalent; overcast by 8h.; frequent slight rain 9h. to 18h., then heavier rain generally.
TUESDAY -	3	v.P. throughout	12·4	15·3	Overcast till 4h., with frequent rain before 2h., becoming nearly cloudless by 7h.; partially cloudy generally from 10h.
WEDNESDAY -	4	v.P. throughout	2·8	15·2	Cloudy to overcast by 8h., few exceptions afterwards; lunar halo before 1h.
THURSDAY -	5	v.P. till 11h., s.P. and s.N. till 17h., w.P. generally afterwards.	4·7	15·1	Overcast or nearly overcast till about 13h.; cloudy till 16h., becoming nearly cloudless by 17h. 30m.; rain before 3h.; heavy rain 11h.; slight thunderstorm about 16h.; slight rain also at other times.
FRIDAY - -	6	w.P. till 9h., m.P. generally afterwards, v.P. and v.N. 16h. to 18h.	1·5	15·1	Cloudy to overcast generally by 3h.; few breaks during the day, clearing from 22h.; nearly cloudless by midnight; occasional rain 3h. to 6h. and at 19h.
SATURDAY -	7	m.P. throughout	5·4	15·0	Nearly cloudless till 3h.; nearly overcast 4h. to 6h.; partially cloudy till 9h. 30m.; nearly overcast till 13h. 30m.; variably cloudy till 20h.; nearly overcast till 2h. 30m.; cloudless by 22h.
			Sum 36·5	Sum 106·4	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·60 in. at the beginning of the week to 29·58 in. by 3h. on 1st; increased to 29·82 in. by 7h. on 4th; decreased to 29·34 in. by 9h. on 5th; increased to 29·99 in. by 23h. on 7th, and was 29·98 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 31st July, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	796	1	–	5	3	7	13	28	72	138
Western										
PADDINGTON	22	–	–	–	–	–	–	1	–	2
KENSINGTON	33	–	–	1	–	–	–	2	1	6
HAMMERSMITH	23	–	–	–	–	–	1	–	–	2
FULHAM	28	–	–	–	–	–	–	–	3	6
CHELSEA	15	–	–	–	–	–	–	–	1	–
CITY OF WESTMINSTER	21	–	–	–	–	–	–	–	–	2
Northern.										
ST. MARYLEBONE	10	–	–	–	–	–	–	1	4	1
HAMPSTEAD	11	–	–	–	–	–	–	1	–	2
ST. PANCRAS	33	–	–	–	–	1	2	–	3	1
ISLINGTON	53	–	–	1	–	–	–	1	8	6
STOKE NEWINGTON	9	–	–	–	–	–	1	1	2	1
HACKNEY	34	–	–	–	–	–	–	–	4	6
Central.										
HOLBORN	6	–	–	–	–	–	–	–	1	–
FINSBURY	15	–	–	–	–	–	–	2	2	9
CITY OF LONDON	2	–	–	–	–	–	–	–	–	–
Eastern.										
SHOREDITCH	18	–	–	–	–	–	–	–	2	4
BETHNAL GREEN	26	–	–	–	–	–	–	3	2	8
STEPNEY	51	–	–	–	–	1	1	4	7	17
POPLAR	37	–	–	–	1	–	1	1	6	6
Southern.										
SOUTHWARK	41	–	–	–	–	1	–	2	5	5
BERMONDSEY	32	–	–	–	–	–	1	2	1	5
LAMBETH	53	–	–	1	–	–	3	–	4	8
BATTERSEA	27	–	–	–	–	1	1	–	4	5
WANDSWORTH	58	–	–	1	1	–	–	3	4	13
CAMBERWELL	50	–	–	–	–	1	1	2	2	8
DEPTFORD	23	1	–	–	–	–	1	2	2	2
GREENWICH	15	–	–	1	–	–	–	–	2	3
LEWISHAM	24	–	–	–	1	–	–	–	1	4
WOOLWICH	26	–	–	–	–	2	–	–	1	6

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 31st July, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143 938	-	1	-	-	7	9	2	2	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	18	3	3	-	-	-	1	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	6	2	2	-	-	1	-	-	-	-	-	-
Fulham	152,543	-	-	-	-	13	3	1	-	-	1	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	8	2	-	-	-	-	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	1	-	-	6	2	-	1	-	-	3	-	-	-	-	-
Hampstead	88,012	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	1	-	-	15	8	2	3	-	-	1	-	-	-	-	-
Islington	323,034	1	-	-	-	21	15	1	2	-	1	3	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Hackney	216,736	-	-	-	-	15	6	-	1	-	-	1	-	1	-	-	-
CENTRAL.																	
Holborn	38,156	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
Finsbury	75,291	1	-	-	-	3	3	1	5	-	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	4	4	2	2	-	-	-	1	-	-	-	-
Bethnal Green	110,085	-	-	-	-	8	8	-	2	-	-	-	-	-	-	-	-
Stepney	232 506	-	1	-	-	53	10	2	1	1	-	-	-	-	1	-	-
Poplar	153,644	1	-	-	-	6	11	6	-	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	4	3	2	4	-	-	2	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	12	6	-	-	1	-	-	-	-	-	-	-
Lambeth	282,322	1	-	-	-	26	11	5	3	-	-	1	2	-	-	-	-
Battersea	159,316	-	2	-	-	7	11	4	-	-	1	-	-	-	-	-	1
Wandsworth	333,693	1	1	-	-	12	11	4	1	-	-	1	-	-	-	-	-
Camberwell	273,802	1	-	-	-	10	6	-	3	-	-	1	-	-	-	1	-
Deptford	111,205	-	-	-	-	7	5	-	1	-	-	-	-	-	-	-	-
Greenwich	98,484	1	1	-	-	4	-	4	1	-	-	-	-	-	-	-	-
Lewisham	167,754	1	-	-	-	15	1	1	1	-	-	-	-	-	2	-	-
Woolwich	136,237	-	-	-	-	2	3	1	-	-	-	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	9	8	-	-	292	146	44	35	2	4	18	4	1	3	1	1
Ages 0–1		-	-	-	-	1	2	4	-	1	-	18	1	-	-	-	-
" 1–5		1	-	-	-	61	39	11	-	-	-	-	1	-	-	-	-
" 5–		-	-	-	-	142	59	6	2	1	-	-	-	-	1	-	1
" 10–		1	-	-	-	52	25	2	4	-	-	-	1	-	-	-	-
" 15–		1	-	-	-	17	5	1	-	-	-	-	1	-	1	-	-
" 20–		1	1	-	-	8	6	1	1	-	1	-	-	-	-	-	-
" 25–		1	5	-	-	7	5	4	2	-	2	-	-	1	-	1	-
" 35–		2	2	-	-	4	4	6	10	-	-	-	-	-	1	-	-
" 45–		2	-	-	-	-	1	6	5	-	1	-	-	-	-	-	-
" 55–		-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-
" 65–		-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 32. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, AUG. 14.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
August 17th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,532, and corresponded to an annual rate of 26·8 per 1,000. The deaths* among the civilian population only numbered 3,226, and corresponded to an annual rate of 9·4 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended July 24th, July 31st, and August 7th, the rates had been 9·8, 9·9 and 9·6, respectively. The infant mortality was 56, against 57, 57, and 70 in the preceding three three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)11933—3 Wt 167–840 625 8/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 15·0 in Ealing, 15·2 in Oldham and in Aberdare, 16·1 in Barnsley, and 17·3 in South Shields; and from *measles*, 2·2 in Merthyr Tydfil. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,335 births, corresponding to a rate of 26·8 per 1,000, and 710 deaths of civilians, corresponding to a rate of 8·5, as against 9·1, 9·5, and 9·1 per 1,000 in the three weeks ended July 24th, July 31st, and August 7th. The death-rate in the four weeks ended last Saturday averaged 9·1 per 1,000. The infant mortality was 43, against 44, 60, and 51, in the preceding three weeks.

There was no death from *enteric fever*, against 0, 1, and 2 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. There was one death from *measles*, against 4, 5, and 1 in the preceding three weeks, and an average of 13. The deaths from *scarlet fever*, which had been 1, 3, and 1 in the preceding three weeks, were 2 last week, and were equal to the average. The deaths from *whooping-cough*, which had been 4, 7, and 3 in the preceding three weeks, were 4 last week, and were 3 below the average. The deaths from *diphtheria*, which had been 13, 13, and 8 in the preceding three weeks, rose last week to 18, and were 11 above the average; 3 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 20, 28, and 17 in the preceding three weeks, rose to 20 last week, but were 15 below the average. The deaths from *influenza* numbered 6, as against 2, 5, and 9 in the preceding three weeks and an average of 6.

Different forms of violence caused 39 deaths, of which 38 were the subject of coroners' inquests. Of these 39 deaths, 10 were cases of suicide and 1 of homicide, while the remaining 28 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 2 to burns or scalds, and 3 to drowning.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 26 cases of enteric fever, 35 of measles, 2,106 of scarlet fever, 15 of whooping-cough, and 1,413 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 5, 4, and 6; of measles, 6 cases, against 19, 4, and 6; of scarlet fever, 332 cases, against 281, 293, and 281; of whooping-cough, 2 cases, against 4, 1, and 0; and of diphtheria, 173 cases, against 190, 140, and 150. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended August 7th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 14th August, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 24th July, 1920.	31st July, 1920.	7th Aug., 1920.	14th Aug., 1920.	Week ended 14th Aug., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	9·8	9·9	9·6	9·4	9532	3226	530	908	3	–	21	8	12	40	93	30	136	248	1097	30	96 GREAT TOWNS.
LONDON†	4,358,309	9·1	9·5	9·1	8·5	2335	710	101	236	–	–	1	2	4	18	20	6	39	71	352	1	LONDON.†
‡ CROYDON	184,239	8·8	7·9	6·8	9·9	101	35	5	13	–	–	–	–	–	–	–	1	–	1	11	–	‡ CROYDON.
‡ WIMBLEDON	59,791	10·5	9·6	14·0	5·2	17	6	1	1	–	–	–	–	–	–	–	–	–	–	3	–	‡ WIMBLEDON.
‡ EALING	73,212	7·8	7·1	4·3	15·0	34	21	4	6	–	–	–	–	–	–	–	–	–	–	4	–	‡ EALING.
‡ ACTON	61,732	8·4	9·3	9·3	11·0	21	13	2	4	–	–	–	–	–	–	1	–	–	1	6	–	‡ ACTON.
‡ WILLESDEN	160,917	6·2	7·5	5·5	11·3	90	35	7	7	–	–	–	–	–	1	–	–	3	3	20	–	‡ WILLESDEN.
‡ HORNSEY	94,348	9·9	8·8	9·9	4·4	43	8	2	1	–	–	–	–	–	–	1	–	–	–	1	–	‡ HORNSEY.
‡ TOTTENHAM	141,338	5·9	5·9	7·0	12·5	58	34	7	8	–	–	–	–	–	–	2	–	3	5	16	–	‡ TOTTENHAM.
‡ EDMONTON	70,711	8·8	2·9	5·9	5·2	40	7	3	–	–	–	–	–	–	–	–	–	–	1	5	–	‡ EDMONTON.
‡ ENFIELD	58,442	17·0	10·7	2·7	7·1	25	8	–	2	–	–	–	–	–	–	–	–	–	1	2	–	‡ ENFIELD.
‡ WEST HAM	287,966	8·5	10·3	10·1	9·8	192	54	10	11	–	–	1	–	–	1	1	1	4	5	22	–	‡ WEST HAM.
‡ EAST HAM	144,451	7·6	7·9	8·3	6·1	58	17	5	4	1	–	–	–	–	–	2	–	–	1	10	–	‡ EAST HAM.
‡ LEYTON	123,896	7·6	10·1	10·1	8·0	57	19	2	4	–	–	–	–	–	1	–	–	–	–	13	–	‡ LEYTON.
‡ WALTHAMSTOW	127,684	6·5	7·8	4·9	10·6	54	26	5	6	–	–	–	–	–	2	–	–	1	2	10	1	‡ WALTHAMSTOW.
‡ ILFORD	79,524	5·2	7·2	5·2	9·2	38	14	1	4	–	–	2	–	–	–	–	1	–	1	6	–	‡ ILFORD.
GILLINGHAM	43,501	8·4	8·4	9·6	7·2	38	6	–	2	–	–	–	–	–	–	–	1	–	–	3	–	GILLINGHAM.
HASTINGS	57,674	6·3	10·8	17·2	13·6	23	15	–	4	–	–	–	–	–	–	–	2	1	1	3	–	HASTINGS.
EASTBOURNE	48,424	11·8	10·8	11·8	9·7	21	9	–	3	–	–	–	–	–	1	–	–	–	–	2	–	EASTBOURNE.
BRIGHTON	132,409	10·6	10·2	6·7	7·9	58	20	4	6	–	–	–	–	–	–	1	–	–	1	7	–	BRIGHTON.
PORTSMOUTH	224,846	6·5	7·7	7·9	6·3	115	27	–	7	–	–	–	–	–	2	–	–	–	1	13	–	PORTSMOUTH.
BOURNEMOUTH	82,627	8·8	6·9	6·3	11·4	24	18	1	9	–	–	–	–	–	–	–	–	–	–	3	–	BOURNEMOUTH
SOUTHAMPTON	126,033	8·7	11·6	8·3	6·2	73	15	3	2	–	–	–	–	–	–	2	–	1	1	6	–	SOUTHAMPTON.
READING	91,365	7·4	12·0	5·1	6·8	42	12	2	3	–	–	–	–	–	–	–	–	–	1	5	–	READING.
OXFORD	57,666	5·4	7·2	8·1	8·1	17	9	1	5	–	–	–	–	–	1	–	–	–	–	2	–	OXFORD.
NORTHAMPTON	88,944	12·3	10·0	10·0	7·0	40	12	–	3	–	–	–	–	–	–	–	–	–	–	2	–	NORTHAMPTON.
CAMBRIDGE	57,849	1·8	9·0	9·0	6·3	24	7	–	2	–	–	–	–	–	–	–	–	1	1	1	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 14th August 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 24th July, 1920.	31st July, 1920.	7th Aug., 1920.	14th Aug., 1920.	Week ended 14th Aug. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	9·3	9·3	11·2	8·1	40	13	2	7	–	–	–	–	–	–	–	–	1	1	1	2	SOUTHEND ON SEA.
IPSWICH	78,011	14·0	10·7	10·7	11·4	27	17	2	5	–	–	–	–	–	1	–	–	–	–	9	–	IPSWICH.
GREAT YARMOUTH	53,078	17·7	10·8	11·8	5·9	26	6	1	3	–	–	–	–	–	–	–	–	–	–	1	–	GREAT YARMOUTH.
NORWICH	119,993	5·6	8·3	9·6	10·0	46	23	2	10	–	–	–	–	–	–	–	–	2	2	6	–	NORWICH.
SWINDON	51,527	6·1	12·1	12·1	10·1	19	10	–	6	–	–	–	–	–	–	–	–	–	–	–	–	SWINDON.
EXETER	59,014	8·8	8·8	7·1	8·0	24	9	–	6	–	–	–	–	–	–	–	–	–	–	3	–	EXETER.
PLYMOUTH	181,967	10·6	11·5	13·8	10·9	111	38	5	10	–	–	–	–	1	1	1	–	1	1	11	–	PLYMOUTH.
BATH	65,919	10·3	11·1	6·3	6·3	25	8	–	3	–	–	–	–	–	–	–	–	–	1	2	–	BATH.
BRISTOL	361,247	10·1	10·4	9·8	10·2	204	71	7	20	–	–	1	–	–	–	–	–	3	7	25	–	BRISTOL.
GLOUCESTER	50,100	10·4	10·4	9·4	5·2	30	5	–	3	–	–	–	–	–	–	–	–	–	–	–	–	GLOUCESTER.
STOKE ON TRENT	239,316	9·4	10·7	11·5	9·6	147	44	5	8	–	–	–	–	–	–	–	2	5	7	12	–	STOKE ON TRENT.
WOLVERHAMPTON	98,403	10·1	12·2	9·5	11·7	71	22	10	2	–	–	–	–	–	–	1	–	2	3	3	–	WOLVERHAMPTON.
WALSALL	92,724	11·8	6·7	8·4	11·2	47	20	7	3	–	–	2	–	–	–	2	–	–	1	3	–	WALSALL.
WEST BROMWICH	69,899	13·4	10·4	6·7	13·4	48	18	4	5	–	–	–	–	–	–	2	1	2	2	5	–	WEST BROMWICH.
DUDLEY	54,017	11·6	11·6	8·7	3·9	34	4	1	1	–	–	–	–	–	–	–	–	1	1	1	–	DUDLEY.
BIRMINGHAM	861,585	10·8	9·9	9·8	10·5	500	173	39	46	–	–	2	3	–	1	8	2	7	8	71	7	BIRMINGHAM.
SMETHWICK	72,152	9·4	10·1	8·7	5·8	34	8	3	1	–	–	–	–	–	–	–	–	–	1	2	–	SMETHWICK.
COVENTRY	132,048	11·1	7·5	6·7	5·1	74	13	4	7	–	–	–	–	–	–	1	–	1	2	–	3	COVENTRY.
LEICESTER	236,059	10·6	9·9	9·3	9·3	145	42	3	18	–	–	1	–	–	–	–	–	1	3	14	1	LEICESTER.
LINCOLN	60,581	11·2	5·2	6·0	9·5	30	11	2	3	–	–	–	–	–	–	–	–	–	–	1	–	LINCOLN.
GRIMSBY	78,813	10·6	11·2	13·2	6·6	47	10	1	1	–	–	–	–	–	1	–	1	1	1	3	–	GRIMSBY.
NOTTINGHAM	257,573	9·7	10·5	9·7	11·7	148	58	7	20	–	–	–	–	–	1	1	–	3	6	18	1	NOTTINGHAM.
DERBY	123,930	7·2	10·5	10·1	7·2	57	17	1	8	–	–	–	–	–	–	–	–	–	1	5	–	DERBY.

* *See note † on first page of this return.*

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 14th August, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.*	DEATH-RATES from all Causes. Week ended 24th July, 1920.	31st July, 1920.	7th Aug., 1920.	14th Aug., 1920.	Week ended 14th Aug. 1920 BIRTHS.	DEATHS.	The DEATHS in the Week included. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	10·0	8·3	8·7	7·5	33	18	3	4	–	–	–	–	–	1	–	1	1	1	4	–	STOCKPORT.
BIRKENHEAD	148,052	12·0	10·6	11·3	10·2	109	29	6	6	–	–	–	–	–	–	1	–	1	2	9	–	BIRKENHEAD.
WALLASEY	95,424	4·9	7·1	5·5	6·6	36	12	4	3	–	–	–	–	–	–	1	–	–	1	2	–	WALLASEY.
LIVERPOOL	772,665	11·2	11·1	12·5	9·0	494	134	27	30	–	–	–	1	2	3	3	–	6	14	59	3	LIVERPOOL.
BOOTLE	76,962	11·5	14·9	9·5	8·1	51	12	2	6	–	–	–	–	1	–	–	–	2	2	5	–	BOOTLE.
ST. HELENS	100,805	10·9	6·7	8·3	8·8	69	17	3	4	–	–	–	–	–	–	–	–	–	–	3	–	ST. HELENS.
SOUTHPORT	70,144	6·7	7·4	7·4	11·9	29	16	–	8	–	–	–	–	–	–	–	–	–	–	4	–	SOUTHPORT.
WIGAN	87,384	10·1	12·5	7·2	13·1	50	22	7	7	–	–	1	–	–	–	1	–	1	3	1	–	WIGAN.
WARRINGTON	74,952	13·9	5·6	8·3	13·2	49	19	4	4	–	–	1	–	–	–	1	1	1	1	8	2	WARRINGTON.
BOLTON	177,462	10·0	15·0	12·0	9·4	87	32	6	10	–	–	–	–	1	–	–	1	3	3	9	–	BOLTON.
BURY	54,248	5·8	14·4	15·4	6·7	11	7	1	3	–	–	–	–	–	–	–	–	–	–	1	–	BURY.
MANCHESTER	741,068	9·8	10·2	11·1	8·7	373	124	17	29	–	–	–	–	–	–	5	1	4	13	39	1	MANCHESTER.
SALFORD	226,225	10·6	9·2	10·4	10·1	119	44	10	9	–	–	–	–	–	–	–	1	1	2	11	–	SALFORD.
OLDHAM	137,668	11·0	11·7	8·7	15·2	82	40	5	11	–	–	–	–	–	–	1	–	2	3	6	–	OLDHAM.
ROCHDALE	90,051	12·2	9·8	12·2	9·8	35	17	1	6	–	–	–	–	–	–	1	–	–	–	5	–	ROCHDALE.
BURNLEY	101,005	8·8	8·3	8·8	7·2	42	14	3	4	–	–	–	–	–	–	–	–	–	1	3	–	BURNLEY.
BLACKBURN	125,992	11·6	10·8	7·9	9·1	78	22	2	6	–	–	–	–	–	1	–	–	–	2	6	–	BLACKBURN.
PRESTON	117,277	4·4	8·9	11·1	8·9	30	20	4	6	–	–	–	–	–	–	1	–	–	–	4	1	PRESTON.
BLACKPOOL	67,842	14·6	15·4	14·6	7·7	35	10	–	4	–	–	–	–	–	1	–	–	–	–	4	–	BLACKPOOL.
BARROW IN FURNESS	73,627	9·2	5·7	7·8	12·7	34	18	5	4	–	–	–	–	1	–	–	–	2	2	2	3	BARROW IN FURNESS.
HUDDERSFIELD	112,301	12·5	8·4	10·7	14·4	44	31	2	6	–	–	–	1	–	–	–	1	1	1	9	–	HUDDERSFIELD.
HALIFAX	101,791	10·2	6·1	11·3	6·7	25	13	1	4	–	–	–	–	–	–	–	–	–	1	4	–	HALIFAX.
BRADFORD	282,714	11·6	11·6	10·1	12·2	114	66	11	19	–	–	–	–	–	–	2	1	2	3	13	–	BRADFORD.
LEEDS	431,999	10·1	11·0	12·4	10·9	208	90	19	30	–	–	–	–	–	1	4	1	6	9	30	–	LEEDS.
DEWSBURY	52,969	4·9	13·8	6·9	10·8	25	11	4	2	–	–	–	–	–	–	–	–	–	–	–	–	DEWSBURY.
WAKEFIELD	49,208	13·8	14·8	11·7	10·6	21	10	2	1	–	–	–	–	–	–	–	–	–	–	2	–	WAKEFIELD.
BARNSLEY	51,680	16·1	16·1	11·1	16·1	34	16	4	4	–	–	–	–	–	–	–	–	–	–	2	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 24th July, 1920.	31st July, 1920.	7th Aug., 1920.	14th Aug., 1920.	Week ended 14th Aug., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	10·6	9·6	9·0	10·7	290	97	15	24	–	–	2	–	1	–	2	–	2	6	33	–	Sheffield.
Rotherham	69.034	8·3	9·1	6·8	13·6	45	18	3	7	–	–	1	–	–	–	–	–	2	2	5	–	Rotherham.
York	74,531	7·7	14·0	7·7	11·2	47	16	2	6	–	–	–	–	–	–	–	–	1	2	4	–	York.
Hull	279,664	9·7	12·1	8·8	9·9	161	53	8	15	–	–	–	–	1	–	2	–	1	3	18	–	Hull.
Middlesbrough	127.142	10·3	12·3	9·4	11·1	73	27	8	5	–	–	1	–	–	–	3	–	2	2	3	–	Middlesbrough.
Darlington	64,058	9·0	8·1	7·3	7·3	40	9	–	1	–	–	–	–	–	–	1	–	1	1	1	1	Darlington.
Stockton on Tees	60,696	9·4	8·6	16·3	12·0	46	14	–	5	–	–	–	–	–	1	–	1	–	–	1	1	Stockton on Tees.
West Hartlepool	65,515	10·3	10·3	8·8	9·6	38	12	4	4	–	–	–	–	–	–	–	–	–	–	1	–	West Hartlepool.
Sunderland	149,263	12·9	13·6	10·1	14·3	108	41	6	12	–	–	–	–	–	–	3	–	3	5	13	–	Sunderland.
South Shields	111,502	10·3	16·8	13·1	17·3	72	37	11	3	1	–	–	–	–	–	5	1	–	–	7	1	South Shields.
Gateshead	123,392	11·0	10·6	13·9	9·7	59	23	6	4	–	–	–	–	–	–	2	–	2	2	3	–	Gateshead.
Newcastle on Tyne.	275,099	13·8	9·1	10·8	10·0	163	53	8	9	–	–	–	–	–	–	1	–	1	4	11	–	Newcastle on Tyne.
Tynemouth	58,007	17·1	8·1	14·4	8·1	34	9	2	1	1	–	–	–	–	–	1	1	1	1	3	1	Tynemouth.
Carlisle	55,198	8·5	3·8	8·5	14·2	21	15	2	7	–	–	–	–	–	–	–	–	–	–	4	–	Carlisle.
Newport (Mon.)	87,251	12·5	10·2	9·6	10·2	44	17	2	2	–	–	–	–	–	–	1	1	1	1	1	–	Newport (Mon.).
Cardiff	204,436	8·2	12·5	9·4	8·7	106	34	10	4	–	–	–	–	–	–	1	–	1	3	11	–	Cardiff.
Rhondda	177,911	10·6	9·7	8·5	7·6	120	26	6	4	–	–	2	1	–	–	–	–	1	1	–	–	Rhondda.
Merthyr Tydfil	71,638	16·7	8·7	12·4	14·6	45	20	7	1	–	–	3	–	–	–	1	–	–	1	3	–	Merthyr Tydfil.
Aberdare	51,384	14·2	11·2	9·1	15·2	32	15	4	7	–	–	–	–	–	–	2	–	1	1	1	–	Aberdare.
Swansea	160,810	9·1	7·5	6·5	9·4	99	29	1	8	–	–	–	–	–	–	1	–	–	3	5	–	Swansea.
Greater London	7,259,388	8·7	9·1	8·5	8·6	3729	1193	191	379	1	–	4	2	5	27	31	9	59	108	545	3	Greater London.
Outer Ring	2,901,079	8·0	8·4	7·7	8·7	1394	483	90	143	1	–	3	–	1	9	11	3	20	37	193	2	Outer Ring.
14 Great Towns in Outer Ring.	1,668.251	8·1	8·3	7·7	9·3	828	297	54	71	1	–	3	–	–	5	7	3	11	21	129	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·9	8·6	7·7	7·9	566	186	36	72	–	–	–	–	1	4	4	–	9	16	64	1	Remainder of Outer Ring.
Edinburgh†	342.300	13·3	8·3	8·6	11·3	149	74	10	23	–	–	–	–	–	–	–	–	2	?	?	?	Edinburgh.†
Glasgow†	1.115.500	12·8	11·0	11·1	13·9	615	297	50	81	–	5	2	2	7	1	17	–	8	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	12·8	13·4	13·4	13·1	245	104	16	23	–	–	–	–	–	2	3	1	2	2	42	2	Dublin (Registration Area).†
Belfast†	413.000	11·6	13·1	12·4	13·5	229	107	15	22	2	–	1	–	–	–	2	–	13	15	34	–	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTY-SECOND WEEK of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2367	1880	2001	1894	2329	1962	1892	1473	1352	1538	2335
Males	1170	921	1015	927	1182	1008	985	747	707	769	1200
Females	1197	959	986	967	1147	954	907	726	645	769	1135
Deaths (of residents only).	904	1618	973	986	1056	1009	878*	838*	810*	730*	710*
Males		861	536	518	539	494	463	454	413	387	369
Females		757	437	468	517	515	415	384	397	343	341

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.
Births (as registered)	2369	2096	2558	2452	2293	2406	2337	2187	2389	2229	2297	2155	2335
Deaths (of residents only).	1005	1010	920	888	838	864	749	799	846	762	796	763	710
Ages at Death: Under 1 year	161	166	123	122	115	131	107	126	125	97	138	110	101
1–2 years	46	28	37	23	21	19	20	21	10	12	10	17	16
2–5 "	35	35	21	35	18	19	25	20	24	15	24	14	13
5–10 "	23	23	23	26	28	28	26	15	21	23	22	20	25
10–15 "	19	20	18	22	22	8	9	18	14	13	8	11	15
15–20 "	11	20	19	20	20	24	23	23	24	15	18	20	16
20–25 "	18	23	23	22	25	19	21	14	16	22	19	15	18
25–35 "	51	58	46	51	44	51	37	48	35	49	43	48	46
35–45 "	67	86	70	65	80	76	59	69	81	55	61	55	64
45–55 "	126	129	98	94	86	111	95	101	95	96	97	97	71
55–65 "	149	121	142	133	111	118	107	113	133	117	121	101	89
65–75 "	155	151	161	136	150	108	109	123	140	136	119	131	126
75 years and upwards	144	150	139	139	118	152	111	108	128	112	116	124	110
Deaths from—													
Enteric fever	2	3	2	1	1	–	–	1	2	–	1	2	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	25	24	19	18	15	7	7	20	5	4	5	1	1
Scarlet fever	3	3	3	3	2	–	2	3	2	1	3	1	2
Whooping cough	17	14	13	10	7	11	7	3	4	4	7	3	4
Diphtheria	15	17	11	13	15	13	13	8	10	13	13	8	18
Diarrhœa and enteritis (under 2 years).	19	17	11	20	23	15	11	19	16	20	28	17	20
Pulmonary tuberculosis	79	95	86	67	77	105	59	82	78	66	72	75	63
Influenza	31	26	19	13	7	6	4	3	6	2	5	9	6
Pneumonia (all forms)	88	59	66	62	54	40	38	44	36	41	43	35	24
Bronchitis	59	58	43	56	40	43	39	30	32	32	30	33	25
Other dis. of resp. system	16	14	6	16	14	10	13	9	14	9	14	8	9
Dis. of circ. system	154	158	156	139	129	155	129	132	147	142	136	141	117
Violence	52	41	44	46	40	50	42	38	39	36	22	41	39
Inquest cases	95	68	88	89	81	88	83	72	90	72	54	85	71
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	21	20	23	20	20	17	21	24	29	33	26	29	26
Small-pox	1	–	1	4	5	3	3	3	–	–	–	–	–
Measles	56	52	55	54	60	58	58	56	53	55	48	42	35
Scarlet fever	1734	1703	1635	1642	1654	1646	1705	1755	1855	1911	1956	2027	2106
Whooping cough	25	22	24	20	20	20	18	18	17	18	13	13	15
Diphtheria	1894	1797	1746	1722	1705	1668	1603	1599	1582	1556	1481	1469	1413

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.
Deaths from Influenza	211	188	148	86	65	37	34	44	33	21	33	26	30

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-SECOND Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 32nd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	730	710	101	16	13	25	15	16	18	46	64	71	89	126	110
Enteric fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Whooping cough	4	4	3	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	10	18	1	5	6	5	1	–	–	–	–	–	–	–	–
Croup	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	4	6	–	–	–	–	–	–	–	3	1	–	1	–	1
Erysipelas	4	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Other epidemic diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	67	63	1	1	1	2	3	7	6	10	16	10	3	3	–
Tuberculous meningitis	8	14	3	1	1	4	3	1	–	1	–	–	–	–	–
Abdominal tuberculosis	4	5	1	–	–	–	1	–	1	–	1	–	–	1	–
Tuberculosis of the spine	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Tuberculosis of other organs	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Disseminated tuberculosis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Venereal diseases	4	4	3	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	108	90	–	–	–	–	–	–	–	1	5	21	19	33	11
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic fever	4	5	–	–	–	2	1	–	1	1	–	–	–	–	–
Diabetes	2	3	–	–	–	–	–	–	–	–	1	–	–	2	–
Anæmia, leucocythaemia	3	5	–	–	–	–	–	–	1	–	–	1	2	1	–
Other general diseases	1	5	–	–	–	–	–	–	–	–	–	–	2	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	4	–	1	1	–	1	–	–	1	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	39	34	–	–	–	–	–	–	–	2	2	4	6	10	10
Softening of brain	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	7	3	–	–	–	–	–	–	–	–	–	–	–	1	2
Epilepsy	3	4	–	–	–	–	–	1	–	1	1	–	1	–	–
"Convulsions" (not puerperal)	4	6	6	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	14	16	–	–	–	–	–	–	–	2	3	3	3	4	1
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	6	2	–	–	–	–	–	–	2	–	–	–	–	–	–
Organic disease of heart	99	81	–	–	–	–	1	2	–	6	5	5	16	24	22
Embolism and thrombosis (including cerebral).	8	9	–	–	–	1	–	–	–	–	–	2	1	3	2
Other diseases of circulatory system.	34	25	–	–	–	–	–	–	–	–	–	3	2	7	13
Diseases of the larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	23	25	3	–	–	–	–	–	–	–	–	–	7	8	7
Broncho-pneumonia	18	7	3	3	1	–	–	–	–	–	–	–	–	–	–
Lobar pneumonia	12	11	2	1	–	–	–	–	1	–	2	4	–	1	–
Pneumonia (type not distinguished)	11	6	–	–	–	1	–	1	–	–	1	2	–	1	–
Pleurisy	1	3	–	–	–	1	–	–	–	–	–	–	1	1	–
Pulmonary congestion, Pulmonary apoplexy.	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Other diseases of respiratory system.	2	5	–	–	–	–	–	–	1	–	2	–	1	1	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-SECOND Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 32nd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of stomach	12	9	1	–	–	–	–	–	–	–	3	–	3	2	–
Diarrhœa and enteritis	10	28	20	–	–	–	–	–	1	–	2	1	–	2	2
Appendicitis and typhlitis	5	7	–	–	–	–	2	–	1	–	2	–	2	–	–
Hernia and Intestinal obstruction.	8	9	2	–	–	–	–	–	–	1	1	1	3	1	–
Cirrhosis of liver	3	5	–	–	–	–	–	–	–	–	–	1	1	2	1
Other diseases of liver	3	3	–	–	–	–	–	–	–	1	–	–	–	1	1
Peritonitis (cause unknown)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	3	2	–	1	–	–	–	–	–	–	–	–	–	1	–
Acute nephritis	3	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Chronic Bright's disease	17	19	–	–	–	–	–	–	1	1	4	2	2	5	4
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	9	15	1	–	–	–	–	–	–	–	3	2	4	1	4
Puerperal fever, &c.	5	5	–	–	–	–	–	–	–	5	–	–	–	–	–
Other causes incident to childbirth.	2	5	–	–	–	–	–	–	–	3	2	–	–	–	–
Diseases of skin and cellular tissues.	2	3	–	–	–	–	–	–	–	–	1	1	–	1	–
Diseases of locomotor system	1	5	–	–	–	–	1	1	–	–	–	1	–	–	2
Congenital malformations	4	6	5	–	1	–	–	–	–	–	–	–	–	–	–
Premature birth	30	17	17	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	5	16	16	–	–	–	–	–	–	–	–	–	–	–	–
Old age	39	27	–	–	–	–	–	–	–	–	–	–	1	3	23
ACCIDENT.															
Poisons or poisonous vapours	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	4	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	3	3	–	–	–	2	1	–	–	–	–	–	–	–	–
Suffocation in bed	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	23	21	4	–	1	3	–	–	1	2	3	–	3	4	–
Total deaths from accident	31	28	5	–	1	6	1	–	1	3	3	–	4	4	–
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Vehicles and horses	8	10	–	–	1	2	–	–	–	1	2	–	–	4	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Suicide	2	10	–	–	–	–	–	1	–	2	–	4	2	–	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	7	7	5	–	–	1	–	–	1	–	–	–	–	–	–
Ill-defined Causes	1	2	–	1	–	–	–	–	–	–	–	1	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Aug. 14	2,335	710	8·5	–	–	1	2	4	19	20	6
CALCUTTA	896,067	July 10	–	440§	25·5	?	2	?	?	?	?	?	18
BOMBAY	979,445	„ 10	309	658§	34·9	–	–	2	–	1	–	34	9
MADRAS	518,660	„ 10	400	275	27·6	–	1	–	?	1	–	41	2
PARIS	2,847,229	(10 days) June 30	1,621	954	?	3	–	12	1	10	7	29	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	329,673	July 31	105	62	9·9	–	–	–	–	–	1	11	–
AMSTERDAM	650,758	„ 31	304	107	8·6	2	–	–	1	–	–	3	–
COPENHAGEN	552,000	„ 31	224	112	10·6	–	–	–	–	–	1	4	–
STOCKHOLM	415,201	„ 24	105	80	10·0	–	–	–	–	–	–	1	–
GOTHENBURG	200,578	„ 17	–	30	7·8	–	–	–	–	–	–	1	–
CHRISTIANIA	258,615	„ 31	108	36	7·2	–	–	–	–	–	–	–	–
BERLIN	1,904,590	„ 24	586	522	14·3	3	?	3	–	1	2	52	3
BRESLAU	531,347	„ 24	271	167	16·3	–	?	2	–	–	1	33	–
COLOGNE	642,899	„ 24	310	164	13·3	1	?	1	–	2	2	27	?
DRESDEN	537,127	„ 24	178	124	12·0	1	?	–	–	–	2	8	?
FRANKFORT-ON-MAIN	435,103	„ 24	178	96	11·5	–	?	–	–	1	–	13	?
HAMBURG	1,002,933	„ 24	356	183	9·5	1	?	–	–	3	3	5	?
LEIPZIG	610,686	„ 24	237	172	14·6	2	?	2	–	–	1	39	?
MUNICH	647,030	„ 24	226	150	12·1	–	?	2	–	–	2	10	?
VIENNA	1,842,005	„ 31	482	505	14·3	3	–	1	1	1	1	24	4
PRAGUE	524,496	„ 17	–	–	–	–	–	–	–	–	–	–	–
BUDAPEST	1,071,492	May 29	–	–	–	–	–	–	–	–	–	–	–
TRIESTE	234,751	July 31	99	93	21·0	2	–	–	–	1	2	24	–
CAIRO	761,300	May 20	717	747	51·0	6	6	18	–	?	–	98	?
		„ 27	694	841	57·4	9	5	33	1	?	3	123	?
ALEXANDRIA	445 700	„ 20	404	307	35·8	–	5	1	–	?	–	38	?
		„ 27	363	311	36·3	2	4	–	–	?	–	34	?
NEW YORK	6,141,445	July 17	2,669	977	8·3	2	–	3	–	8	10	50	4
CHICAGO	2,727 504	„ 17	–	451	8·6	–	–	1	2	3	5	26	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Calcutta and 3 in Bombay, and from *Asiatic cholera*, 72 deaths in Calcutta and 9 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 14th August, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	78	46	71·1	50·6	0
BRIGHTON	76	52	68·6	54·1	0
PORTSMOUTH	74	52	68·4	53·9	0
NORWICH (Eaton)	72	45	68·0	51·3	10
PLYMOUTH	72	48	66·1	52·7	1
BRISTOL (Clifton)	74	52	68·9	53·6	7
BIRMINGHAM	70	50	65·3	51·3	29
NOTTINGHAM	73	48	66·6	51·1	4
BIRKENHEAD (Bidston)	64	52	61·0	53·4	8
MANCHESTER (Whitworth Park)	70	50	64·4	52·7	4
BURNLEY	68	46	62·4	50·6	5
HUDDERSFIELD	69	49	64·4	52·0	7
BRADFORD	70	47	64·4	50·9	6
SHEFFIELD	71	49	65·7	52·7	7
YORK (Museum)	71	46	66·3	50·6	5
HULL (Pearson Park)	75	51	68·3	54·0	10
TYNEMOUTH	70	50	63·9	52·4	4
CARDIFF	72	52	66·7	53·3	11
EDINBURGH	68·0	50·0	62·7	52·1	24
GLASGOW	69·2	50·7	64·5	52·6	6
DUBLIN:— Phœnix Park	68·6	47·8	63·7	50·3	5
†Fitzwilliam Square	68·2	52·3	63·3	54·0	5
BELFAST	66·0	49·5	61·5	52·0	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 14th August 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface 5 inches above the Ground
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 8	..	29·875	75·2	47·7	27·5	62·7	+ 0·4	50·9	11·8	20·8	0·8	65	141·1	42·1	56·9	SSW. & SW.	SW.	2·5	0·0	0·2	243	− 13	0·00
MONDAY - - 9	..	29·846	67·7	55·1	12·6	60·1	− 2·2	52·2	7·9	12·5	2·0	75	103·8	47·6	56·6	WSW. & W.	W.	4·1	0·0	0·3	344	+ 88	0·01
TUESDAY - - 10	Greatest declination N.	29·973	66·9	51·3	15·6	58·5	− 3·8	50·4	8·1	14·8	2·2	75	96·1	45·3	56·6	W. & NW.	NNW. & N.	2·2	0·0	0·2	258	+ 1	0·00
WEDNESDAY - 11	..	30·099	70·0	55·2	14·8	60·8	− 1·6	53·9	6·9	15·8	1·6	78	127·5	47·1	56·9	Calm & NNE.	Calm	0·6	0·0	0·0	108	−149	0·00
THURSDAY - - 12	Perigee	30·129	69·4	50·3	19·1	59·4	− 3·1	51·6	7·8	16·2	0·8	75	121·0	44·1	56·8	Calm	ESE. & calm.	0·9	0·0	0·0	104	−153	0·00
FRIDAY - - 13	..	30·057	70·8	45·7	25·1	58·3	− 4·2	51·8	6·5	16·4	0·0	79	135·0	40·5	56·7	Calm & E.	E., ESE. & calm.	1·4	0·0	0·1	126	−131	0·00
SATURDAY - - 14	New	30·005	77·6	46·4	31·2	62·0	− 0·5	51·6	10·4	23·3	0·0	69	136·5	41·2	56·8	Calm & NNE.	N. & NNE.	1·6	0·0	0·1	181	− 74	0·00
MEANS - - -	- - -	29·998	71·1	50·2	20·8	60·3	− 2·1	51·8	8·5	17·1	1·1	74	123·0	44·0	56·8	WSW. and NNE.		..	..	..	Sum 1364	Sum −431	Sum 0·01
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. August 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	8	m.P. and w.P. throughout.	13·0	15·0	Fine with little cloud generally till 20h., thin cloud prevalent afterwards.
MONDAY -	9	v.P. throughout	5·2	14·9	Overcast till 2h., cloudy till 6h., and partially cloudy till 8h.; nearly overcast with cloudy intervals till 20h. 30m., afterwards nearly cloudless; shower at 10h. 45m.
TUESDAY -	10	Loss of register till 9h., s.P. generally afterwards.	2·5	14·9	Nearly cloudless generally till 6h. 30m., then becoming overcast with few exceptions, clearing about 22h.
WEDNESDAY -	11	m.P. and s.P. generally.	2·8	14·8	Little cloud till 1h., nearly overcast till 9h., thin cloud variably prevalent in hazy sky till 13h. 30m., then overcast generally; slight rain 17h. 15m. to 18h. 15m.
THURSDAY -	12	m.P. generally, s.P. at times.	3·3	14·8	Nearly overcast till 17h., but cloud generally thin; fine interval 18h. to 20h. 30m., thin cloud prevalent afterwards; hazy generally; solar halo 14h. 30m.
FRIDAY - -	13	v.P. throughout	9·5	14·7	Cloudless till 3h., nearly cloudless generally till 9h; partially cloudy till 15h., then becoming nearly cloudless; foggy from 5h. till 8h. 30m., and hazy from noon.
SATURDAY -	14	w.P. till 8h., s.P. generally till 20h., m.P. afterwards.	9·7	14·6	Cloudless with slight exceptions till 14h., partially cloudy till 18h., becoming overcast by 19h.; foggy 1h. to 8h. 30m.; hazy till noon.
			Sum 46·0	Sum 103·7	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·98 in. at the beginning of the week to 29·83 in. by 16h. on 9th; increased to 30·15 in. by 9h. on 12th; decreased to 29·99 in. by 15h. on 14th, and increased to 30·04 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 7th August, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	763	2	-	1	1	3	8	17	75	110
Western										
Paddington	11	-	-	-	-	-	-	-	-	3
Kensington	38	-	-	-	-	-	-	1	3	5
Hammersmith	21	-	-	-	-	-	-	-	2	3
Fulham	25	-	-	-	-	-	-	-	2	5
Chelsea	16	-	-	-	-	-	-	-	2	2
City of Westminster	17	-	-	-	-	-	-	-	1	2
Northern.										
St. Marylebone	13	-	-	-	-	-	-	-	1	1
Hampstead	15	-	-	-	-	-	-	1	2	1
St. Pancras	41	-	-	-	-	1	-	1	3	5
Islington	58	-	-	-	-	-	3	3	2	5
Stoke Newington	7	-	-	-	-	-	-	-	1	-
Hackney	24	-	-	-	-	1	-	-	5	3
Central.										
Holborn	8	-	-	-	-	-	-	-	1	-
Finsbury	12	-	-	-	-	-	-	-	-	3
City of London	6	-	-	-	-	-	-	-	1	-
Eastern.										
Shoreditch	27	-	-	-	-	-	1	3	3	3
Bethnal Green	18	-	-	-	-	-	1	-	1	2
Stepney	45	-	-	-	-	-	-	1	8	9
Poplar	35	1	-	-	-	-	-	1	3	9
Southern.										
Southwark	38	-	-	-	-	-	-	1	9	8
Bermondsey	14	-	-	-	-	-	-	-	2	3
Lambeth	58	-	-	1	-	-	1	1	3	9
Battersea	18	-	-	-	-	-	-	-	3	2
Wandsworth	64	-	-	-	-	-	1	2	4	8
Camberwell	39	1	-	-	-	-	1	-	3	6
Deptford	22	-	-	-	-	1	-	1	1	4
Greenwich	22	-	-	-	-	-	-	-	4	2
Lewisham	29	-	-	-	1	-	-	-	3	5
Woolwich	22	-	-	-	-	-	-	1	2	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 7th August, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	-	-	-	-	9	3	1	1	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	13	4	1	1	-	1	1	-	-	-	-	-
Hammersmith	130,981	-	1	-	-	10	7	1	1	-	-	1	1	-	-	-	-
Fulham	152,543	-	2	-	-	22	5	5	1	-	-	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	1	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	3	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Hampstead	88,012	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	1	-	-	14	6	1	2	-	1	-	-	-	-	-	-
Islington	323,034	2	1	-	-	9	25	-	1	1	1	2	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	3	5	-	1	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	10	5	1	2	-	-	4	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Finsbury	75,291	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	2	7	-	1	-	-	-	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	12	13	-	4	1	-	-	-	-	-	-	-
Stepney	232,506	-	1	-	-	55	1	2	4	-	2	1	-	-	-	-	-
Poplar	153,644	2	-	-	-	14	11	5	-	-	-	4	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	16	3	1	6	-	-	6	-	-	-	-	-
Bermondsey	124,239	1	-	-	-	14	2	-	2	-	-	1	-	-	-	-	-
Lambeth	282,322	-	-	-	-	20	5	5	3	-	-	-	1	1	-	-	-
Battersea	159,316	-	-	-	-	6	5	1	1	-	-	-	-	-	1	-	-
Wandsworth	333,693	-	1	-	-	11	14	1	4	-	1	-	-	-	-	-	-
Camberwell	273,802	-	-	-	-	15	7	1	2	-	-	2	-	-	-	-	-
Deptford	111,205	-	1	-	-	5	5	1	2	-	-	-	-	-	-	-	-
Greenwich	98,484	1	1	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Lewisham	167,754	-	-	-	-	11	5	2	-	-	-	2	-	-	-	-	-
Woolwich	136,237	1	-	-	-	4	4	1	1	-	-	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	11	9	-	-	295	151	31	44	2	7	27	2	1	1	-	-
Ages 0–1		-	-	-	-	4	4	2	1	1	-	27	-	-	-	-	-
„ 1–5		-	-	-	-	80	36	4	1	1	-	-	1	-	-	-	-
„ 5–		1	-	-	-	134	61	3	-	-	-	-	1	-	1	-	-
„ 10–		2	1	-	-	41	27	1	2	-	-	-	-	-	-	-	-
„ 15–		1	-	-	-	21	6	2	6	-	-	-	-	-	-	-	-
„ 20–		-	1	-	-	6	5	3	2	-	2	-	-	-	-	-	-
„ 25–		2	-	-	-	6	6	3	7	-	4	-	-	-	-	-	-
„ 35–		3	7	-	-	2	6	4	6	-	1	-	-	1	-	-	-
„ 45–		-	-	-	-	1	-	3	9	-	-	-	-	-	-	-	-
„ 55–		1	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-
„ 65–		1	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 33. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, AUG. 21.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
August 24th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,513, and corresponded to an annual rate of 23·9 per 1,000. The deaths* among the civilian population only numbered 3,394, and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended July 31st, August 7th, and August 14th, the rates had been 9·9, 9·6, and 9·4 respectively. The infant mortality was 70, against 57, 70, and 56 in the preceding three three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)11933—4 Wt 167–840 625 8/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 14·4 in Bradford, 14·6 in Gloucester, 14·8 in Wakefield, 15·4 in South Shields, 15·7 in West Bromwich, and 16·0 in Burnley; and from *measles*, 1·6 in Wolverhampton. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,075 births, corresponding to a rate of 23·8 per 1,000, and 815 deaths of civilians, corresponding to a rate of 9·8, as against 9·5, 9·1, and 8·5 per 1,000 in the three weeks ended July 31st, August 7th, and August 14th. The death-rate in the four weeks ended last Saturday averaged 9·2 per 1,000. The infant mortality was 64, against 60, 51, and 43, in the preceding three weeks.

There was one death from *enteric fever*, against 1, 2, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. There was one death from *measles*, against 5, 1, and 1 in the preceding three weeks, and an average of 9. There was no death from *scarlet fever*, against 3, 1, and 2 in the preceding three weeks, and an average of 1. The deaths from *whooping-cough*, which had been 7, 3, and 4 in the preceding three weeks, were 3 last week, and were 3 below the average. The deaths from *diphtheria*, which had been 13, 8, and 18 in the preceding three weeks, fell last week to 15, but were 5 above the average; 4 deaths belonged to the Borough of Lambeth. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 28, 17, and 20 in the preceding three weeks, further rose last week to 30, but were 16 below the average; 4 deaths belonged to Stepney, and 3 to Hackney. The deaths from *influenza* numbered 3, as against 5, 9, and 6 in the preceding three weeks and an average of 5.

Different forms of violence caused 49 deaths, of which 48 were the subject of coroners' inquests. Of these 49 deaths, 10 were cases of suicide, while the remaining 39 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 2 to burns or scalds, 3 to drowning, and 3 of infants under one year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 21 cases of enteric fever, 32 of measles, 2,150 of scarlet fever, 21 of whooping-cough, and 1,362 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 1 case, against 4, 6, and 3; of measles, 8 cases, against 4, 6, and 6; of scarlet fever, 341 cases, against 293, 281, and 332; of whooping-cough, 6 cases, against 1, 0, and 2; and of diphtheria, 184 cases, against 140, 150, and 173. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended August 14th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 21st August, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 31st July, 1920.	7th Aug., 1920.	14th Aug., 1920.	21st Aug., 1920.	Week ended 21st Aug., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	**17,807,258**	**9·9**	**9·6**	**9·4**	**9·9**	**8513**	**3394**	**595**	**1002**	**2**	**–**	**16**	**5**	**17**	**35**	**129**	**16**	**164**	**307**	**1177**	**27**	**96 GREAT TOWNS.**
LONDON†	4,358,309	9·5	9·1	8·5	9·8	2075	815	132	244	1	–	1	–	3	15	30	3	49	92	433		LONDON.†
‡ CROYDON	184,239	7·9	6·8	9·9	9·3	85	33	7	14	–	–	–	–	–	–	5	1	1	4	9	–	‡ CROYDON.
WIMBLEDON	59,791	9·6	14·0	5·2	10·5	27	12	1	7	–	–	–	–	–	–	–	–	–	2	5	–	WIMBLEDON.
EALING	73,212	7·1	4·3	15·0	4·3	14	6	–	1	–	–	–	–	–	–	–	–	–	1	4	–	EALING.
ACTON	61,732	9·3	9·3	11·0	10·1	18	12	2	3	–	–	–	–	–	–	–	–	2	3	4	–	ACTON.
WILLESDEN	160,917	7·5	5·5	11·3	6·2	68	19	2	6	–	–	–	–	–	1	1	–	–	1	1	–	WILLESDEN.
HORNSEY	94,348	8·8	9·9	4·4	3·9	22	7	–	1	–	–	–	–	–	–	–	–	–	–	2	–	HORNSEY.
TOTTENHAM	141,338	5·9	7·0	12·5	5·2	55	14	4	3	–	–	–	–	1	–	1	–	–	–	4	–	TOTTENHAM.
‡ EDMONTON	70,711	2·9	5·9	5·2	8·8	31	12	2	2	–	–	–	–	1	–	–	–	2	2	3	–	‡ EDMONTON.
ENFIELD	58,442	10·7	2·7	7·1	8·0	28	9	1	3	–	–	–	–	–	–	–	–	–	–	5	–	ENFIELD.
WEST HAM	287,966	10·3	10·1	9·8	10·0	175	55	10	16	1	–	–	–	–	1	3	–	7	8	29	–	WEST HAM.
EAST HAM	144,451	7·9	8·3	6·1	6·9	58	19	5	5	–	–	–	–	–	–	–	–	1	3	7	–	EAST HAM.
LEYTON	123,896	10·1	10·1	8·0	6·7	48	16	2	4	–	–	–	–	–	1	–	–	–	1	7	–	LEYTON.
WALTHAMSTOW	127,684	7·8	4·9	10·6	10·6	39	26	4	9	–	–	–	–	–	–	2	–	1	3	11	–	WALTHAMSTOW.
ILFORD	79,524	7·2	5·2	9·2	7·2	35	11	1	3	–	–	–	–	–	–	–	–	–	–	2	–	ILFORD.
GILLINGHAM	43,501	8·4	9·6	7·2	7·2	25	6	–	3	–	–	–	–	–	–	–	–	1	1	2	–	GILLINGHAM.
HASTINGS	57,674	10·8	17·2	13·6	10·8	21	12	3	7	–	–	–	–	1	–	–	–	1	1	6	–	HASTINGS.
EASTBOURNE	48,424	10·8	11·8	9·7	11·8	14	11	–	7	–	–	–	–	–	–	–	–	–	2	2	–	EASTBOURNE.
BRIGHTON	132,409	10·2	6·7	7·9	9·1	48	23	2	11	–	–	–	–	–	–	–	–	1	3	10	–	BRIGHTON.
PORTSMOUTH	224,846	7·7	7·9	6·3	8·6	121	37	3	17	–	–	–	–	–	–	–	–	–	–	15	–	PORTSMOUTH.
BOURNEMOUTH	82,627	6·9	6·3	11·4	12·0	30	19	3	7	–	–	–	–	–	–	–	–	1	1	3	–	BOURNEMOUTH
SOUTHAMPTON	126,033	11·6	8·3	6·2	11·2	62	27	2	12	–	–	–	–	–	–	1	–	1	1	11	–	SOUTHAMPTON.
READING	91,365	12·0	5·1	6·8	6·3	48	11	2	6	–	–	–	–	–	–	1	–	–	–	4	–	READING.
OXFORD	57,666	7·2	8·1	8·1	9·9	21	11	1	6	–	–	–	–	–	1	–	–	–	–	2	–	OXFORD.
NORTHAMPTON	88,944	10·0	10·0	7·0	12·3	39	21	3	7	–	–	–	–	–	–	–	–	1	2	1	–	NORTHAMPTON.
CAMBRIDGE	57,849	9·0	9·0	6·3	8·1	21	9	1	4	–	–	–	–	–	–	–	–	–	1	2	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—50 GREAT TOWNS, GREATER LONDON, AND FOUR COUNTIES

in the Week ended Saturday, 21st August 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 31st July, 1920.	7th Aug., 1920.	14th Aug., 1920.	21st Aug, 1920.	Week ended 21st Aug. 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	9·3	11·2	8·1	8·1	34	13	2	4	–	–	–	–	–	–	1	–	–	1	2	–	SOUTHEND ON SEA.
IPSWICH	78,011	10·7	10·7	11·4	12·7	37	19	2	2	–	–	–	–	–	–	–	–	1	2	5	–	IPSWICH.
GREAT YARMOUTH	53,078	10·8	11·8	5·9	9·8	28	10	3	2	–	–	–	–	–	–	–	–	–	–	5	–	GREAT YARMOUTH.
NORWICH	119,993	8·3	9·6	10·0	10·4	57	24	1	14	–	–	–	–	–	1	–	–	3	4	5	–	NORWICH.
SWINDON	51,527	12·1	12·1	10·1	4·0	33	4	–	1	–	–	–	–	–	1	–	–	–	–	1	–	SWINDON.
EXETER	59,014	8·8	7·1	8·0	8·0	24	9	1	3	–	–	–	–	–	–	–	–	–	1	3	–	EXETER.
PLYMOUTH	181,967	11·5	13·8	10·9	9·2	108	32	9	12	–	–	–	–	1	–	1	–	1	2	6	–	PLYMOUTH.
BATH	65,919	11·1	6·3	6·3	12·7	18	16	2	7	–	–	–	–	–	–	–	–	1	2	7	–	BATH.
BRISTOL	361,247	10·4	9·8	10·2	9·8	179	68	15	29	–	–	–	–	–	1	1	–	1	6	35	–	BRISTOL.
GLOUCESTER	50,100	10·4	9·4	5·2	14·6	19	14	3	5	–	–	–	–	–	–	–	–	1	1	5	1	GLOUCESTER.
STOKE ON TRENT	239,316	10·7	11·5	9·6	8·9	150	41	5	10	–	–	–	–	–	–	1	1	4	7	11	1	STOKE ON TRENT.
WOLVERHAMPTON	98,403	12·2	9·5	11·7	10·6	38	20	3	5	–	–	3	–	–	–	–	1	–	–	5	–	WOLVERHAMPTON.
WALSALL	92,724	6·7	8·4	11·2	11·8	52	21	5	8	–	–	1	–	1	–	1	–	1	2	7	–	WALSALL.
WEST BROMWICH	69,899	10·4	6·7	13·4	15·7	35	21	3	3	–	–	–	–	–	–	2	1	–	–	3	–	WEST BROMWICH.
DUDLEY	54,017	11·6	8·7	3·9	9·7	19	10	1	3	–	–	–	–	–	–	–	–	1	2	1	–	DUDLEY.
BIRMINGHAM	861,585	9·9	9·8	10·5	12·1	446	200	25	61	–	–	1	–	1	3	9	–	12	13	67	8	BIRMINGHAM.
SMETHWICK	72,152	10·1	8·7	5·8	6·5	32	9	1	–	–	–	1	–	1	–	–	–	–	–	1	–	SMETHWICK.
COVENTRY	132,048	7·5	6·7	5·1	7·1	55	18	6	3	–	–	–	–	–	2	2	–	–	1	9	–	COVENTRY.
LEICESTER	236,059	9·9	9·3	9·3	7·7	96	35	11	9	–	–	1	–	–	–	3	–	1	3	10	–	LEICESTER.
LINCOLN	60,581	5·2	6·0	9·5	6·9	33	8	1	2	–	–	–	–	–	–	–	–	–	–	–	–	LINCOLN.
GRIMSBY	78,813	11·2	13·2	6·6	8·6	28	13	4	1	–	–	–	–	–	–	–	–	–	1	5	–	GRIMSBY.
NOTTINGHAM	257,573	10·5	9·7	11·7	11·5	128	57	5	20	–	–	1	–	–	–	2	–	2	7	13	–	NOTTINGHAM.
DERBY	123,930	10·5	10·1	7·2	11·8	51	28	2	17	–	–	–	–	–	–	–	–	1	2	9	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 21st August, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 31st July, 1920.	7th Aug., 1920.	14th Aug., 1920.	21st Aug., 1920.	Week ended 21st Aug, 1920 Births.	Deaths.	The Deaths in the Week included: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125.629	8·3	8·7	7·5	10·8	80	26	6	9	–	–	–	–	–	1	–	–	2	2	10	–	STOCKPORT.
BIRKENHEAD	148.052	10·6	11·3	10·2	8·1	88	23	6	6	–	–	–	–	–	–	2	–	1	1	7	–	BIRKENHEAD.
WALLASEY	95,424	7·1	5·5	6·6	4·9	23	9	1	3	–	–	–	–	–	–	–	–	1	1	3	–	WALLASEY.
LIVERPOOL	772.665	11·1	12·5	9·0	10·3	433	153	33	41	–	–	–	–	–	1	8	–	9	14	52	4	LIVERPOOL.
BOOTLE	76.962	14·9	9·5	8·1	8·1	43	12	5	–	–	–	–	–	1	–	–	–	–	–	2	–	BOOTLE.
ST. HELENS	100.805	6·7	8·3	8·8	7·2	62	14	3	4	–	–	–	–	–	1	1	–	2	2	4	–	ST. HELENS.
SOUTHPORT	70,144	7·4	7·4	11·9	13·4	26	18	–	8	–	–	–	–	–	–	–	–	1	1	2	1	SOUTHPORT.
WIGAN	87,384	12·5	7·2	13·1	9·5	45	16	7	3	–	–	2	–	–	–	3	–	–	1	1	–	WIGAN.
WARRINGTON	74.952	5·6	8·3	13·2	11·1	44	16	6	2	–	–	–	–	–	–	1	–	1	1	7	2	WARRINGTON.
BOLTON	177,462	15·0	12·0	9·4	10·0	71	34	4	10	–	–	–	–	–	1	–	–	–	4	10	–	BOLTON.
BURY	54,248	14·4	15·4	6·7	13·5	25	14	3	4	–	–	–	–	–	–	–	–	1	1	1	–	BURY.
MANCHESTER	741.068	10·2	11·1	8·7	9·6	318	137	32	36	–	–	–	–	–	–	7	1	2	7	48	–	MANCHESTER.
SALFORD	226.225	9·2	10·4	10·1	9·5	100	41	10	4	–	–	–	–	–	–	–	1	–	2	14	1	SALFORD.
OLDHAM	137,668	11·7	8·7	15·5	12·1	70	32	6	2	–	–	–	–	–	–	1	–	2	2	4	–	OLDHAM.
ROCHDALE	90.051	9·8	12·2	9·8	13·9	17	24	2	5	–	–	–	–	–	–	1	–	–	–	7	2	ROCHDALE.
BURNLEY	101,005	8·3	8·8	7·2	16·0	37	31	5	9	–	–	–	–	–	–	–	–	4	5	11	–	BURNLEY.
BLACKBURN	125.992	10·8	7·9	9·1	8·3	49	20	2	5	–	–	–	–	–	–	–	–	1	1	1	–	BLACKBURN.
PRESTON	117,277	8·9	11·1	8·9	7·6	69	17	2	5	–	–	–	–	1	–	1	–	1	2	4	–	PRESTON.
BLACKPOOL	67,842	15·4	14·6	7·7	8·5	21	11	–	2	–	–	–	–	–	–	–	–	–	–	4	–	BLACKPOOL.
BARROW IN FURNESS	73.627	5·7	7·8	12·7	7·1	41	10	1	1	–	–	–	–	–	–	–	–	2	2	3	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	8·4	10·7	14·4	10·7	38	23	1	10	–	–	–	–	–	–	–	–	2	3	5	–	HUDDERSFIELD.
HALIFAX	101,791	6·1	11·3	6·7	7·7	44	15	3	5	–	–	–	–	–	–	–	–	–	2	1	–	HALIFAX.
BRADFORD	282.714	11·6	10·1	12·2	14·4	99	78	11	27	–	–	–	–	1	1	2	–	2	11	17	–	BRADFORD.
LEEDS	431,999	11·0	12·4	10·9	11·7	194	97	10	32	–	–	–	–	–	2	3	–	3	8	30	–	LEEDS.
DEWSBURY	52,969	13·8	6·9	10·8	9·8	17	10	–	6	–	–	–	–	–	–	–	–	–	1	1	–	DEWSBURY.
WAKEFIELD	49,208	14·8	11·7	10·6	14·8	32	14	2	4	–	–	–	–	–	–	2	–	1	3	2	–	WAKEFIELD.
BARNSLEY	51,680	16·1	11·1	16·1	9·1	36	9	5	1	–	–	–	–	–	–	–	–	–	1	1	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 31st July, 1920.	7th Aug., 1920.	14th Aug., 1920.	21st Aug., 1920.	Week ended 21st Aug., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	9·6	9·0	10·7	11·1	237	101	17	31	–	–	–	–	1	–	3	1	3	6	30	–	Sheffield.
Rotherham	69,034	9·1	6·8	13·6	6·0	44	8	3	1	–	–	–	–	–	–	–	–	–	–	–	1	Rotherham.
York	74,531	14·0	7·7	11·2	10·5	37	15	4	5	–	–	–	–	–	–	–	2	–	1	4	–	York.
Hull	279,664	12·1	8·8	9·9	10·3	161	55	17	8	–	–	–	–	–	–	7	–	5	7	14	1	Hull.
Middlesbrough	127,142	12·3	9·4	11·1	11·9	61	29	10	3	–	–	–	–	–	–	–	–	2	3	4	–	Middlesbrough.
Darlington	64,058	8·1	7·3	7·3	12·2	27	15	2	5	–	–	–	–	–	–	–	1	–	–	1	–	Darlington.
Stockton on Tees	60,696	8·6	16·3	12·0	7·7	26	9	2	3	–	–	–	–	–	–	2	–	–	–	2	–	Stockton on Tees.
West Hartlepool	65,515	10·3	8·8	9·6	8·0	42	10	3	1	–	–	–	–	–	–	–	–	1	1	1	–	West Hartlepool.
Sunderland	149,263	13·6	10·1	14·3	12·6	81	36	8	11	–	–	–	–	1	–	2	–	3	3	12	–	Sunderland.
South Shields	111,502	16·8	13·1	17·3	15·4	88	33	10	8	–	–	–	–	–	–	3	1	–	–	3	3	South Shields.
Gateshead	123,392	10·6	13·9	9·7	12·3	56	29	11	5	–	–	–	2	1	–	4	–	–	–	6	1	Gateshead.
Newcastle on Tyne	275,099	9·1	10·8	10·0	11·8	144	62	12	22	–	–	–	1	–	–	3	–	2	4	20	–	Newcastle on Tyne.
Tynemouth	58,007	8·1	14·4	8·1	8·1	40	9	–	5	–	–	–	–	–	–	–	–	–	–	–	–	Tynemouth.
Carlisle	55,198	3·8	8·5	14·2	6·6	34	7	–	3	–	–	–	–	–	–	–	–	1	1	1	–	Carlisle.
Newport (Mon.)	87,251	10·2	9·6	10·2	10·2	35	17	3	1	–	–	–	–	–	1	1	–	1	1	4	–	Newport (Mon.).
Cardiff	204,436	12·5	9·4	8·7	8·9	98	35	7	6	–	–	–	1	–	–	3	1	4	6	11	–	Cardiff.
Rhondda	177,911	9·7	8·5	7·6	9·1	98	31	6	4	–	–	3	1	1	–	1	–	3	3	4	–	Rhondda.
Merthyr Tydfil	71,638	8·7	12·4	14·6	10·2	36	14	2	3	–	–	2	–	–	–	–	–	–	1	2	–	Merthyr Tydfil.
Aberdare	51,384	11·2	9·1	15·2	9·1	40	9	3	1	–	–	–	–	–	–	–	–	–	–	–	–	Aberdare.
Swansea	160,810	7·5	6·5	9·4	7·5	78	23	6	3	–	–	–	–	–	–	1	1	2	3	7	–	Swansea.
Greater London	7,259,388	9·1	8·5	8·6	8·9	3303	1240	206	380	2	–	1	–	5	19	50	6	71	134	572	1	Greater London.
Outer Ring	2,901,079	8·4	7·7	8·7	7·6	1228	425	74	136	1	–	–	–	2	4	20	3	22	42	139	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	8·3	7·7	9·3	7·8	703	251	41	77	1	–	–	–	2	3	12	1	14	28	93	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·6	7·7	7·9	7·4	525	174	33	59	–	–	–	–	–	1	8	2	8	14	46	–	Remainder of Outer Ring.
Edinburgh†	342,300	8·3	8·6	11·3	11·5	150	75	14	24	–	–	–	3	–	2	–	–	4	–	–	–	Edinburgh.†
Glasgow†	1,115,500	11·0	11·1	13·9	11·0	587	235	43	49	–	–	–	1	1	–	11	1	15	–	–	–	Glasgow.†
Dublin (Registration Area).†	415,000	13·4	13·4	13·1	13·3	234	106	17	21	–	–	–	–	1	–	5	–	3	3	53	2	Dublin (Registration Area).†
Belfast†	413,000	13·1	12·4	13·5	8·6	244	68	18	10	–	–	–	–	1	–	4	1	3	6	18	3	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTY-THIRD WEEK of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	2303	2311	2180	2306	2240	1912	1864	1694	1457	1704	2075
Males	1173	1185	1119	1150	1162	984	953	873	734	855	1027
Females	1130	1126	1061	1156	1078	928	911	821	723	849	1048
Deaths (of residents only).	881	1654	1017	1043	1109	993	846*	866*	756*	800*	815*
Males		888	543	542	580	521	441	450	395	432	429
Females		766	474	501	529	472	405	416	361	368	386

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.
Births (as registered)	2096	2558	2452	2293	2406	2337	2187	2389	2229	2297	2155	2335	2075
Deaths (of residents only).	1010	920	888	838	864	749	799	846	762	796	763	710	815
Ages at Death: Under 1 year	166	123	122	115	131	107	126	125	97	138	110	101	132
1–2 years	28	37	23	21	19	20	21	10	12	10	17	16	11
2–5 "	35	21	35	18	19	25	20	24	15	24	14	13	18
5–10 "	23	23	26	28	28	26	15	21	23	22	20	25	26
10–15 "	20	18	22	22	8	9	18	14	13	8	11	15	14
15–20 "	20	19	20	20	24	23	23	24	15	18	20	16	17
20–25 "	23	23	22	25	19	21	14	16	22	19	15	18	22
25–35 "	58	46	51	44	51	37	48	35	49	43	48	46	42
35–45 "	86	70	65	80	76	59	69	81	55	61	55	64	72
45–55 "	129	98	94	86	111	95	101	95	96	97	97	71	89
55–65 "	121	142	133	111	118	107	113	133	117	121	101	89	128
65–75 "	151	161	136	150	108	109	123	140	136	119	131	126	125
75 years and upwards	150	139	139	118	152	111	108	128	112	116	124	110	119
Deaths from—													
Enteric fever	3	2	1	1	–	–	1	2	–	1	2	–	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	24	19	18	15	7	7	20	5	4	5	1	1	1
Scarlet fever	3	3	3	2	–	2	3	2	1	3	1	2	–
Whooping cough	14	13	10	7	11	7	3	4	4	7	3	4	3
Diphtheria	17	11	13	15	13	13	8	10	13	13	8	18	15
Diarrhœa and enteritis (under 2 years).	17	11	20	23	15	11	19	16	20	28	17	20	30
Pulmonary tuberculosis	95	86	67	77	105	59	82	78	66	72	75	63	66
Influenza	26	19	13	7	6	4	3	6	2	5	9	6	3
Pneumonia (all forms)	59	66	62	54	40	38	44	36	41	43	35	24	38
Bronchitis	58	43	56	40	43	39	30	32	32	30	33	25	30
Other dis. of resp. system	14	6	16	14	10	13	9	14	9	14	8	9	11
Dis. of circ. system	158	156	139	129	155	129	132	147	142	136	141	117	161
Violence	41	44	46	40	50	42	38	39	36	22	41	39	49
Inquest cases	68	88	89	81	88	83	72	90	72	54	85	71	92
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	20	23	20	20	17	21	24	29	33	26	29	26	21
Small-pox	–	1	4	5	3	3	3	–	–	–	–	–	–
Measles	52	55	54	60	58	58	56	53	55	48	42	35	32
Scarlet fever	1703	1635	1642	1654	1646	1705	1755	1855	1911	1956	2027	2106	2150
Whooping cough	22	24	20	20	20	18	18	17	18	13	13	15	21
Diphtheria	1797	1746	1722	1705	1668	1603	1599	1582	1556	1481	1469	1413	1362

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.
Deaths from Influenza	188	148	86	65	37	34	44	33	21	33	26	30	16

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-THIRD Week of the Year 1920.

Causes of Death.	Deaths in the 33rd week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	800	815	132	11	18	26	14	17	22	42	72	89	128	125	119
Enteric fever	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	8	15	2	2	5	5	1	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	3	–	–	–	–	–	–	–	–	–	1	2	–	–
Erysipelas	2	2	1	–	–	–	–	–	–	–	–	–	–	1	–
Other epidemic diseases	2	4	–	–	–	–	–	–	–	3	1	–	–	–	–
Pyæmia and septicæmia	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	76	66	–	1	1	–	3	6	7	11	17	14	5	1	–
Tuberculous meningitis	12	7	1	–	2	2	–	1	–	1	–	–	–	–	–
Abdominal tuberculosis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	2	3	–	–	–	1	–	–	–	–	1	–	1	–	–
Tuberculosis of other organs	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–
Disseminated tuberculosis	3	2	–	–	–	–	–	1	1	–	–	–	–	–	–
Venereal diseases	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	111	93	–	–	–	–	–	–	–	1	4	20	35	24	9
Tumour, situation undefined	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic fever	5	4	–	–	–	–	1	–	1	–	–	1	–	1	–
Diabetes	7	5	–	–	–	–	–	1	–	–	–	–	1	3	–
Anæmia, leucocythaemia	4	7	–	–	–	1	1	–	–	1	1	1	–	–	2
Other general diseases	8	6	1	–	–	1	–	–	–	–	2	–	–	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	6	4	1	–	1	–	–	1	1	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	39	27	–	–	–	–	–	–	–	3	1	2	7	4	10
Softening of brain	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	3	3	–	–	–	–	–	–	–	–	–	–	1	–	2
Epilepsy	3	2	–	–	–	–	–	–	1	–	–	–	–	1	–
"Convulsions" (not puerperal)	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	18	22	1	–	–	–	–	1	–	3	7	3	1	3	3
Pericarditis	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	11	–	–	1	–	1	–	3	3	–	–	2	–	1
Organic disease of heart	92	108	–	–	1	1	1	–	1	1	10	13	25	28	27
Embolism and thrombosis (including cerebral).	4	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Other diseases of circulatory system.	36	39	2	–	–	1	–	–	–	–	4	4	9	8	11
Diseases of the larynx	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	21	30	3	–	–	1	–	–	–	–	2	5	3	8	8
Broncho-pneumonia	10	14	4	2	2	–	–	–	–	–	–	1	2	1	2
Lobar pneumonia	18	11	–	–	–	–	–	–	1	2	2	–	3	2	1
Pneumonia (type not distinguished)	9	13	2	–	2	–	–	–	–	–	2	1	2	4	–
Pleurisy	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Pulmonary congestion, Pulmonary apoplexy.	1	3	1	–	–	–	–	–	–	–	–	–	1	–	1
Other diseases of respiratory system.	6	6	–	–	–	–	–	1	–	–	–	4	1	–	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-THIRD Week of the Year 1920.

Causes of Death.	Deaths in the 33rd week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Diseases of stomach	9	5	3	–	–	–	–	–	–	–	–	–	–	2	–
Diarrhœa and enteritis	34	35	27	3	–	–	–	–	–	2	2	–	1	–	–
Appendicitis and typhlitis	4	7	–	–	–	3	–	1	–	–	–	1	1	–	1
Hernia and Intestinal obstruction.	7	7	1	–	–	–	1	–	–	–	2	1	1	–	1
Cirrhosis of liver	2	7	–	–	–	–	–	–	–	–	1	2	4	–	–
Other diseases of liver	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (cause unknown)	3	2	–	–	–	–	1	–	–	–	1	–	–	–	–
Other diseases of digestive system	2	4	–	–	–	–	–	–	–	1	–	3	–	–	–
Acute nephritis	2	2	–	–	1	–	–	–	–	–	–	–	–	1	–
Chronic Bright's disease	28	28	–	–	–	–	1	–	–	–	3	–	7	11	6
Urinary calculi	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	14	9	–	–	–	–	–	–	–	1	1	3	1	2	1
Puerperal fever, &c.	1	3	–	–	–	–	–	1	–	2	–	–	–	–	–
Other causes incident to childbirth.	2	11	–	–	–	–	–	–	2	6	3	–	–	–	–
Diseases of skin and cellular tissues.	1	7	1	–	–	–	–	–	1	–	1	1	–	3	–
Diseases of locomotor system	2	4	–	–	–	3	–	–	–	–	–	–	–	–	1
Congenital malformations	4	14	12	1	–	–	1	–	–	–	–	–	–	–	–
Premature birth	31	35	35	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	9	13	13	–	–	–	–	–	–	–	–	–	–	–	–
Old age	38	32	–	–	–	–	–	–	–	–	–	–	–	7	25
Accident.															
Poisons or poisonous vapours	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	4	2	–	–	–	–	–	–	–	–	–	–	–	–	2
Drowning	8	3	–	–	–	1	1	–	–	–	–	1	–	–	–
Suffocation in bed	2	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	28	30	1	1	1	3	1	1	3	1	1	4	5	5	3
Total deaths from accident	42	39	4	1	1	4	2	2	3	1	1	5	5	5	5
Included in above are deaths in connection with:—															
Railways	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
Vehicles and horses	13	10	–	–	1	2	–	1	1	1	–	–	2	–	2
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Violence other than Accidental.															
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	10	–	–	–	–	–	–	–	–	2	2	4	2	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	9	11	9	–	–	–	–	1	–	–	1	–	–	–	–
Ill-defined Causes	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
ONDON‡	4,358,309	Aug. 21	2,075	815	9·8	1	–	1	–	3	15	30	3
ALCUTTA	896,067	July 17	–	461§	26·7	?	1	?	?	?	?	?	9
OMBAY	979,445	„ 17	324	703§	38·9	–	1	–	–	–	–	37	7
ADRAS	518,660	„ 17	491	371	37·2	1	1	1	?	–	–	38	3
ARIS	2,847,229	(10 days) July 10	1,596	934	?	5	–	4	2	6	7	33	1
RUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
NTWERP	330,052	Aug. 7	118	48	7·7	–	–	1	–	2	–	8	
MSTERDAM	651,133	„ 7	269	92	7·4	2	–	–	–	–	–	2	–
OPENHAGEN	552,000	„ 7	241	95	9·0	–	–	–	–	–	–	2	1
OCKHOLM	415,201	July 31	116	73	9·1	–	–	–	–	–	–	1	–
OTHENBURG	200,578	„ 24	–	30	7·8	–	–	–	–	–	–	–	–
		„ 31	–	29	7·5	–	–	–	–	–	1	1	1
RISTIANIA	258,615	Aug. 7	–	–	–	–	–	–	–	–	–	–	–
ERLIN	1,904,590	July 1	666	423	11·5	2	?	1	2	2	4	49	–
RESLAU	531,347	„ 31	271	176	17·2	–	?	–	–	–	–	36	–
OLOGNE	642,899	„ 31	315	187	15·1	–	?	2	–	2	1	26	?
RESDEN	537,127	„ 31	240	104	10·1	–	?	–	–	–	2	4	?
ANKFORT-ON-MAIN.	435,103	„ 31	201	91	10·9	–	?	–	–	–	–	18	?
AMBURG	1,002,933	„ 31	394	188	9·7	–	?	–	–	3	2	13	?
IPZIG	610,686	„ 31	248	155	13·2	–	?	2	1	2	1	35	?
UNICH	647,030	„ 31	265	142	11·4	–	?	–	–	–	1	8	?
IENNA	1,842,005	Aug. 7	–	–	–	–	–	–	–	–	–	–	–
RAGUE	524,496	July 17	131	142	14·1	–	–	–	–	–	–	6	–
UDAPEST	1,071,492	May 29	–	–	–	–	–	–	–	–	–	–	–
RIESTE	234,751	Aug. 7	114	81	18·6	1	–	–	–	–	1	24	–
IRO	761,300	June 3	748	843	57·6	10	3	24	1	?	1	147	?
LEXANDRIA	445,700	„ 3	354	292	34·1	1	–	1	–	?	–	28	?
EW YORK	6,141,445	July 24	2,633	1,000	8·5	2	–	4	1	11	8	82	4
HICAGO	2,727,504	„ 24	–	453	8·7	2	–	1	–	5	5	29	–
		„ 31	–	469	9·0	–	–	–	–	3	8	36	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under ear of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 1 death from *plague* in Calcutta and 7 in Bombay, and from *Asiatic cholera*, 68 deaths in Calcutta and 19 in bay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 21st August, 1920.

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ONDON (Greenwich)	76	41	67·7	50·6	24
RIGHTON	72	43	66·1	52·0	18
ORTSMOUTH	76	45	66·4	52·3	15
ORWICH (Eaton)	72	47	63·1	52·0	20
LYMOUTH	70	42	64·0	51·1	4
RISTOL (Clifton)	71	43	62·4	52·0	9
IRMINGHAM	72	44	62·7	49·0	3
OTTINGHAM	69	41	63·1	49·4	5
IRKENHEAD (Bidston)	69	45	59·7	51·1	8
ANCHESTER (Whitworth Park)	69	42	61·4	49·6	12
URNLEY	66	36	59·0	47·7	17
UDDERSFIELD	70	41	61·7	48·9	8

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD	71	40	59·7	48·0	6
SHEFFIELD	71	43	61·9	49·6	4
YORK (Museum)	73	41	63·1	48·9	6
HULL (Pearson Park)	76	43	64·9	49·3	10
TYNEMOUTH	69	48	59·1	50·7	18
CARDIFF	69	44	62·7	50·0	10
EDINBURGH	66·0	41·0	59·4	46·4	83
GLASGOW	62·3	41·5	59·9	47·0	78
DUBLIN:— Phœnix Park	67·2	37·0	62·1	47·9	8
†Fitzwilliam Square	68·1	43·1	62·6	50·9	4
BELFAST	66·0	47·0	61·4	52·3	10

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 21st August 1920,

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 15	..	30·046	75·6	58·1	17·5	64·9	+ 2·5	52·7	12·2	21·7	4·4	65	135·2	45·2	56·7	N. & NNW.	NW. & W.	1·0	0·0	0·1	178	− 74	0·00
MONDAY - - 16	In Equator.	30·066	73·4	50·6	22·8	62·5	+ 0·2	52·0	10·5	19·0	1·0	69	120·9	42·2	56·8	Calm & W.	W. & WSW.	0·6	0·0	0·0	162	− 87	0·00
TUESDAY - - 17	..	29·889	69·5	58·1	11·4	62·1	− 0·0	52·6	9·5	16·4	4·6	71	105·3	51·6	56·9	W.	W. & WSW.	1·3	0·0	0·1	226	− 20	0·00
WEDNESDAY - 18	..	29·654	68·0	52·0	16·0	58·0	− 3·9	53·6	4·4	12·5	0·0	85	110·5	48·0	57·0	SW. & WSW.	WSW. & NE.	2·9	0·0	0·2	293	+ 50	0·60
THURSDAY - - 19	..	29·725	63·0	48·0	15·0	52·7	− 9·0	44·0	8·7	18·1	0·0	72	107·4	41·9	57·0	NE. & NNE.	N. & NNE.	3·7	0·1	0·3	342	+100	0·33
FRIDAY - - 20	..	29·940	62·9	41·3	21·6	51·6	− 9·9	42·5	9·1	16·7	1·8	71	114·6	33·1	56·9	Calm, NW. & NNW.	WNW., NW. & calm.	1·6	0·0	0·1	252	+ 11	0·00
SATURDAY - - 21	First Quarter.	29·921	61·0	42·0	19·0	52·6	− 8·7	45·8	6·8	13·1	2·4	78	89·9	29·1	56·9	Calm & NW.	NW. & WNW.	3·0	0·0	0·2	319	+ 79	0·00
MEANS - - -	- - -	29·892	67·6	50·0	17·6	57·8	− 4·1	49·0	8·7	16·8	2·0	73	112·0	41·6	56·9	Variable		..	..	..	Sum 1772	Sum + 59	Sum 0·93
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. August 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	15	v.P. throughout	8·2	14·6	Overcast generally till 8h., cloud then diminishing, nearly cloudless intervals.
MONDAY -	16	w.P. till 7h., s.P. generally afterwards.	5·4	14·5	Cloudless till 2h., partially cloudy till 9h.; nearly overcast by 10h., with few cloudy intervals; overcast by 21h.; misty in early morning.
TUESDAY -	17	s.P. and m.P. throughout.	1·0	14·4	Overcast generally, few cloudy intervals.
WEDNESDAY -	18	w.P. till 15h., loss of register afterwards.	1·4	14·4	Overcast generally, few breaks before noon; damping about noon, rain from 14h. 45m.
THURSDAY -	19	Loss of register till 6h., s.P. generally with v.N. between 15h. and 16h.	5·0	14·3	Overcast till 8h.; very cloudy generally until 21h., with some sunny intervals during afternoon; nearly cloudless by 22h.; rain till 4h. 45m. and occasional showers in afternoon.
FRIDAY - -	20	v.P. till 7h., s.P. afterwards.	5·5	14·3	Cloudless until 6h.; partially cloudy until 9h.; nearly overcast generally till 19h. and nearly cloudless after 19h. 30m.
SATURDAY -	21	m.P. till 8h., s.P. afterwards.	4·0	14·2	Cloudless till 8h.; partially cloudy until 10h. 30m., afterwards overcast or nearly overcast.
			Sum 30·5	Sum 100·7	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 30·04 in. at the beginning of the week to 30·10 in. by 8h. on 16th; decreased to 29·62 in. by 3h. on 19th; increased to 30·00 in. by 1h. on 21st, afterwards decreased and was 29·85 in. at midnight on 21st.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 14th August, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	710	-	-	1	2	4	18	20	63	101
Western										
Paddington	12	-	-	1	-	-	1	-	1	2
Kensington	28	-	-	-	-	1	1	1	2	6
Hammersmith	19	-	-	-	-	-	1	-	1	1
Fulham	17	-	-	-	1	-	-	-	-	4
Chelsea	12	-	-	-	-	-	-	-	1	2
City of Westminster	15	-	-	-	-	-	-	-	2	2
Northern.										
St. Marylebone	15	-	-	-	-	-	-	-	-	2
Hampstead	11	-	-	-	-	-	-	-	1	1
St. Pancras	39	-	-	-	-	-	1	-	4	1
Islington	54	-	-	-	-	-	3	1	2	7
Stoke Newington	14	-	-	-	-	-	1	-	1	2
Hackney	21	-	-	-	-	-	-	1	3	1
Central.										
Holborn	10	-	-	-	-	-	-	1	2	2
Finsbury	16	-	-	-	-	-	-	1	3	2
City of London	3	-	-	-	-	-	-	-	1	-
Eastern.										
Shoreditch	17	-	-	-	-	-	-	-	-	2
Bethnal Green	17	-	-	-	1	-	2	-	3	1
Stepney	49	-	-	-	-	1	1	2	4	8
Poplar	26	-	-	-	-	1	2	1	1	4
Southern.										
Southwark	31	-	-	-	-	1	-	2	3	6
Bermondsey	27	-	-	-	-	-	1	-	5	4
Lambeth	49	-	-	-	-	-	1	3	3	9
Battersea	30	-	-	-	-	-	-	2	2	6
Wandsworth	36	-	-	-	-	-	1	-	3	5
Camberwell	46	-	-	-	-	-	1	-	3	6
Deptford	22	-	-	-	-	-	-	2	3	4
Greenwich	17	-	-	-	-	-	-	-	3	1
Lewisham	28	-	-	-	-	-	1	2	2	8
Woolwich	29	-	-	-	-	-	-	1	4	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 14th August, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	-	1	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	13	5	1	2	-	1	4	-	-	-	-	-
Hammersmith	130,981	-	1	-	-	9	5	-	-	-	1	3	-	-	-	-	-
Fulham	152,543	-	3	-	-	12	3	1	1	-	1	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	-	-	-	11	-	1	-	-	-	-	-	-	-	-	-
Hampstead	88,012	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-
St. Pancras	219,434	1	1	-	-	9	12	2	1	-	1	2	-	-	-	-	-
Islington	323,034	-	2	-	-	20	17	-	4	1	-	5	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Hackney	216,736	1	-	-	-	12	2	2	-	-	1	1	-	1	1	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	6	2	-	-	-	-	1	-	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	10	3	5	1	-	-	1	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	28	9	3	3	-	2	-	-	1	-	-	-
Stepney	232,506	-	1	-	-	37	16	1	6	-	1	4	-	-	2	-	-
Poplar	153,644	-	-	-	-	27	12	4	5	-	-	2	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	12	7	1	1	-	-	-	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	10	1	-	1	-	1	2	-	-	-	-	-
Lambeth	282,322	-	-	-	-	14	5	3	3	-	-	-	-	-	-	-	-
Battersea	159,316	-	2	-	-	12	7	1	1	-	-	2	-	-	-	-	-
Wandsworth	333,693	2	1	-	-	25	14	3	-	-	2	1	-	-	-	-	-
Camberwell	273,802	1	2	-	-	8	10	-	1	-	-	-	-	-	-	-	-
Deptford	111,205	-	2	-	-	9	1	-	-	-	-	2	-	-	-	-	-
Greenwich	98,484	-	1	-	-	4	2	1	-	-	-	-	-	-	-	-	-
Lewisham	167,754	1	-	-	-	6	6	-	-	-	1	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	4	4	3	1	-	-	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	6	17	-	-	317	151	32	33	1	12	31	-	2	3	-	-
Ages 0–1		-	-	-	-	6	1	3	2	-	-	31	-	-	-	-	-
„ 1–5		-	-	-	-	74	39	10	-	-	-	-	-	-	-	-	-
„ 5–		-	-	-	-	133	57	3	1	-	-	-	-	-	-	-	-
„ 10–		-	-	-	-	68	27	1	-	-	-	-	-	-	-	-	-
„ 15–		1	-	-	-	18	12	1	3	-	-	-	-	-	1	-	-
„ 20–		1	2	-	-	3	8	3	2	-	1	-	-	-	-	-	-
„ 25–		-	6	-	-	14	5	-	3	1	9	-	-	1	-	-	-
„ 35–		2	5	-	-	1	1	5	5	-	2	-	-	1	-	-	-
„ 45–		1	3	-	-	-	1	5	5	-	-	-	-	-	1	-	-
„ 55–		1	1	-	-	-	-	1	10	-	-	-	-	-	1	-	-
„ 65–		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 34. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, AUG. 28.
[Price 1½*d*. Net.]

General Register Office, Somerset House,
August 31*st*, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,790, and corresponded to an annual rate of 24·7 per 1,000. The deaths* among the civilian population only numbered 3,395, and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended August 7th, August 14th, and August 21st, the rates had been 9·6, 9·4, and 9·9 respectively. The infant mortality was 71, against 70, 56, and 70 in the preceding three three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)11933—5 Wt 167–840 625 8/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 14·2 in Aberdare, 15·2 in Norwich, 16·3 in Bury, 16·8 in South Shields, 17·2 in Stockton-on-Tees, and 17·5 in West Hartlepool; and from *measles*, 1·2 in Northampton and in Middlesbrough. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,294 BIRTHS, corresponding to a rate of 26·3 per 1,000, and 813 DEATHS of civilians, corresponding to a rate of 9·7, as against 9·1, 8·5, and 9·8 per 1,000 in the three weeks ended August 7th, August 14th, and August 21st. The death-rate in the four weeks ended last Saturday averaged 9·3 per 1,000. The infant mortality was 58, against 51, 43, and 64, in the preceding three weeks.

There was no death from *enteric fever*, against 2, 0, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 1, 1, and 1 in the preceding three weeks, rose last week to 3, but were 9 below the average. The deaths from *scarlet fever*, which had been 1, 2, and 0 in the preceding three weeks, rose last week to 5, and were 4 above the average. The deaths from *whooping-cough*, which had been 3, 4, and 3 in the preceding three weeks, rose last week to 5, the average being 6. The deaths from *diphtheria*, which had been 8, 18, and 15 in the preceding three weeks, were again 15 last week, and were 8 above the average. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 17, 20, and 30 in the preceding three weeks, further rose last week to 38, but were 27 below the average; 5 deaths belonged to the Borough of Stepney, and 5 to Lambeth. The deaths from *influenza* numbered 5, as against 9, 6, and 3 in the preceding three weeks and an average of 6.

Different forms of violence caused 45 deaths, of which 42 were the subject of coroners' inquests. Of these 45 deaths, 9 were cases of suicide, and 2 of homicide, while the remaining 34 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, and 7 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 17 cases of enteric fever, 27 of measles, 2,266 of scarlet fever, 21 of whooping-cough, and 1,391 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 0 case, against 6, 3, and 1; of measles, 2 cases, against 6, 6, and 8; of scarlet fever, 395 cases, against 281, 332, and 341; of whooping-cough, 1 case, against 0, 2, and 6; and of diphtheria, 186 cases, against 150, 173, and 184. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified ir the county during the week ended August 21st, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 28th August, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population. Mid. 1919.*	Death-Rates from all Causes. Week ended 7th Aug., 1920.	14th Aug., 1920.	21st Aug., 1920.	28th Aug., 1920.	Week ended 28th Aug., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	3.	4.	5.	2.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	9·6	9·4	9·9	9·9	8790	3395	626	958	1	-	23	9	20	34	150	20	144	272	1160	34	96 GREAT TOWNS.
LONDON†	4,358,309	9·1	8·5	9·8	9·7	2294	813	132	247	-	-	3	5	5	15	38	5	45	91	392	-	LONDON.†
‡ CROYDON	184,239	6·8	9·9	9·3	10·8	79	38	4	14	-	-	-	-	-	-	3	1	5	7	14	-	CROYDON.
‡ WIMBLEDON	59,791	14·0	5·2	10·5	8·7	26	10	1	4	-	-	-	-	-	-	-	-	1	2	3	-	WIMBLEDON.
‡ EALING	73,212	4·3	15·0	4·3	10·0	24	14	3	7	-	-	-	-	-	-	3	-	-	1	5	-	EALING.
‡ ACTON	61,732	9·3	11·0	10·1	6·8	25	8	4	1	-	-	-	-	-	-	2	-	-	-	3	-	ACTON.
‡ WILLESDEN	160,917	5·5	11·3	6·2	6·5	79	20	2	5	-	-	-	-	1	-	2	1	2	2	11	-	WILLESDEN.
‡ HORNSEY	94,348	9·9	4·4	3·9	3·9	29	7	1	3	-	-	-	-	-	-	-	-	-	1	4	-	HORNSEY.
‡ TOTTENHAM	141,338	7·0	12·5	5·2	7·7	68	21	5	6	-	-	-	-	-	-	3	-	4	4	7	-	TOTTENHAM.
‡ EDMONTON	70,711	5·9	5·2	8·8	3·7	21	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	EDMONTON.
‡ ENFIELD	58,442	2·7	7·1	8·0	8·0	18	9	1	2	-	-	-	-	-	-	-	1	-	-	4	-	ENFIELD.
‡ WEST HAM	287,966	10·1	9·8	10·0	9·1	180	50	15	11	-	-	1	1	-	1	3	-	1	4	17	-	WEST HAM.
‡ EAST HAM	144,451	8·3	6·1	6·9	7·6	67	21	2	6	-	-	-	-	-	-	1	-	1	2	7	-	EAST HAM.
‡ LEYTON	123,896	10·1	8·0	6·7	8·0	53	19	5	5	-	-	-	-	-	-	1	-	1	2	9	-	LEYTON.
‡ WALTHAMSTOW	127,684	4·9	10·6	10·6	10·2	44	25	3	9	-	-	-	-	-	-	-	-	-	-	11	-	WALTHAMSTOW.
‡ ILFORD	79,524	5·2	9·2	7·2	6·6	25	10	1	2	-	-	1	-	-	-	-	-	1	1	3	-	ILFORD.
GILLINGHAM	43,501	9·6	7·2	7·2	6·0	26	5	1	2	-	-	-	-	-	-	-	-	-	-	2	-	GILLINGHAM.
HASTINGS	57,674	17·2	13·6	10·8	12·7	21	14	1	4	-	-	1	-	-	-	-	-	-	-	6	-	HASTINGS.
EASTBOURNE	48,424	11·8	9·7	11·8	9·7	16	9	1	3	-	-	-	-	-	-	-	-	1	1	2	-	EASTBOURNE.
BRIGHTON	132,409	6·7	7·9	9·1	8·3	65	21	4	4	-	-	-	-	1	-	1	-	-	-	8	-	BRIGHTON.
PORTSMOUTH	224,846	7·9	6·3	8·6	8·1	121	35	7	12	-	-	-	-	1	-	-	-	-	2	17	-	PORTSMOUTH.
BOURNEMOUTH	82,627	6·3	11·4	12·0	10·7	28	17	2	5	-	-	-	-	-	-	-	-	1	2	3	-	BOURNEMOUTH
SOUTHAMPTON	126,033	8·3	6·2	11·2	10·8	62	26	7	8	-	-	-	-	-	-	2	1	2	2	10	-	SOUTHAMPTON.
READING	91,365	5·1	6·8	6·3	8·6	39	15	2	7	-	-	-	-	-	-	-	-	-	-	5	-	READING.
OXFORD	57,666	8·1	8·1	9·9	7·2	16	8	-	2	-	-	-	-	-	-	-	-	1	2	1	-	OXFORD.
NORTHAMPTON	88,944	10·0	7·0	12·3	10·6	48	18	4	9	-	-	2	-	-	1	-	-	-	-	4	-	NORTHAMPTON.
CAMBRIDGE	57,849	9·0	6·3	8·1	7·2	23	8	2	1	-	-	-	-	-	-	-	-	1	1	1	-	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 28th August 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 7th Aug., 1920.	14th Aug., 1920.	21st Aug., 1920.	28th Aug., 1920.	Week ended 28th Aug 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	11·2	8·1	8·1	6·2	35	10	–	3	–	–	–	–	–	–	–	–	–	–	1	–	SOUTHEND ON SEA.
IPSWICH	78,011	10·7	11·4	12·7	6·7	43	10	2	4	–	–	–	–	–	1	–	–	–	–	6	–	IPSWICH.
GREAT YARMOUTH	53,078	11·8	5·9	9·8	11·8	27	12	–	5	–	–	–	–	–	–	–	–	–	1	1	–	GREAT YARMOUTH.
NORWICH	119,993	9·6	10·0	10·4	15·2	53	35	6	9	–	–	–	–	–	–	3	–	–	1	13	–	NORWICH.
SWINDON	51,527	12·1	10·1	4·0	9·1	18	9	–	2	–	–	–	–	–	–	–	–	–	1	–	–	SWINDON.
EXETER	59,014	7·1	8·0	8·0	8·8	30	10	1	4	–	–	–	–	–	–	–	–	–	1	3	–	EXETER.
PLYMOUTH	181,967	13·8	10·9	9·2	7·7	90	27	5	10	–	–	–	–	1	–	–	–	1	5	4	–	PLYMOUTH.
BATH	65,919	6·3	6·3	12·7	5·5	28	7	–	3	–	–	–	–	–	–	–	–	–	–	1	–	BATH.
BRISTOL	361,247	9·8	10·2	9·8	10·8	193	75	15	29	–	–	–	–	1	1	6	–	2	6	27	–	BRISTOL.
GLOUCESTER	50,100	9·4	5·2	14·6	12·5	29	12	–	9	–	–	–	–	–	–	–	–	1	1	3	1	GLOUCESTER.
STOKE ON TRENT	239,316	11·5	9·6	8·9	8·9	107	41	5	10	–	–	–	–	–	–	–	1	–	2	12	–	STOKE ON TRENT.
WOLVERHAMPTON	98,403	9·5	11·7	10·6	10·6	50	20	6	8	–	–	1	–	1	–	–	–	1	1	6	–	WOLVERHAMPTON.
WALSALL	92,724	8·4	11·2	11·8	11·2	50	20	4	1	–	–	2	–	1	–	1	–	1	2	4	–	WALSALL.
WEST BROMWICH	69,899	6·7	13·4	15·7	10·4	44	14	3	3	–	–	–	–	–	–	1	–	1	2	1	2	WEST BROMWICH.
DUDLEY	54,017	8·7	3·9	9·7	9·7	25	10	3	1	–	–	–	–	–	–	–	1	–	–	4	–	DUDLEY.
BIRMINGHAM	861,585	9·8	10·5	12·1	9·1	439	151	28	38	–	–	2	1	1	1	9	–	3	4	44	8	BIRMINGHAM.
SMETHWICK	72,152	8·7	5·8	6·5	9·4	34	13	4	4	–	–	1	–	–	–	1	–	–	1	1	–	SMETHWICK.
COVENTRY	132,048	6·7	5·1	7·1	10·7	50	27	4	3	–	–	–	–	–	–	–	–	1	3	7	1	COVENTRY.
LEICESTER	236,059	9·3	9·3	7·7	10·4	114	47	8	14	–	–	2	–	1	1	2	–	2	4	14	–	LEICESTER.
LINCOLN	60,581	6·0	9·5	6·9	8·6	38	10	1	4	–	–	–	–	–	1	–	–	–	–	3	1	LINCOLN.
GRIMSBY	78,813	13·2	6·6	8·6	13·9	45	21	6	8	–	–	–	–	–	–	–	–	1	2	1	–	GRIMSBY.
NOTTINGHAM	257,573	9·7	11·7	11·5	12·6	121	62	10	20	–	–	–	–	–	–	3	–	2	3	23	–	NOTTINGHAM.
DERBY	123,930	10·1	7·2	11·8	8·8	37	21	4	6	–	–	–	1	–	–	1	–	2	2	10	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 28th August, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 7th Aug., 1920.	14th Aug., 1920.	21st Aug., 1920.	28th Aug., 1920.	Week ended 28th Aug, 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	8·7	7·5	10·8	11·2	58	27	7	7	–	–	–	–	–	–	1	–	1	3	5	–	STOCKPORT.
BIRKENHEAD	148,052	11·3	10·2	8·1	7·7	84	22	3	8	–	–	–	–	–	–	3	–	1	2	9	–	BIRKENHEAD.
WALLASEY	95,424	5·5	6·6	4·9	5·5	56	10	1	4	–	–	–	–	–	–	–	–	–	–	5	–	WALLASEY.
LIVERPOOL	772,665	12·5	9·0	10·3	10·4	401	154	38	38	–	–	1	–	–	4	13	–	10	19	68	3	LIVERPOOL.
BOOTLE	76,962	9·5	8·1	8·1	6·1	37	9	1	3	–	–	–	–	–	–	–	–	1	1	–	1	BOOTLE.
ST. HELENS	100,805	8·3	8·8	7·2	10·9	51	21	6	5	–	–	–	–	–	–	1	–	–	3	4	2	ST. HELENS.
SOUTHPORT	70,144	7·4	11·9	13·4	8·9	14	12	2	4	–	–	–	–	1	–	–	–	–	–	3	1	SOUTHPORT.
WIGAN	87,384	7·2	13·1	9·5	11·9	46	20	4	3	–	–	–	–	–	–	–	–	–	–	4	–	WIGAN.
WARRINGTON	74,952	8·3	13·2	11·1	11·8	35	17	5	3	–	–	–	–	–	–	2	–	–	–	4	–	WARRINGTON.
BOLTON	177,462	12·0	9·4	10·0	10·6	70	36	5	9	1	–	–	–	1	–	1	–	1	3	9	–	BOLTON.
BURY	54,248	15·4	6·7	13·5	16·3	18	17	1	4	–	–	–	–	–	–	–	–	1	1	2	–	BURY.
MANCHESTER	741,068	11·1	8·7	9·6	9·7	326	138	27	32	–	–	–	–	2	2	2	1	5	8	43	2	MANCHESTER.
SALFORD	226,225	10·4	10·1	9·5	9·5	107	41	7	10	–	–	–	–	–	–	1	–	1	1	16	–	SALFORD.
OLDHAM	137,668	8·7	15·5	12·1	11·4	29	30	3	7	–	–	1	–	–	–	–	1	2	4	8	–	OLDHAM.
ROCHDALE	90,051	12·2	9·8	13·9	8·7	38	15	2	6	–	–	–	–	–	1	–	1	–	–	3	–	ROCHDALE.
BURNLEY	101,005	8·8	7·2	16·0	9·3	27	18	4	6	–	–	–	–	–	1	1	–	–	1	6	–	BURNLEY.
BLACKBURN	125,992	7·9	9·1	8·3	10·8	44	26	3	6	–	–	–	–	–	–	1	–	2	2	10	–	BLACKBURN.
PRESTON	117,277	11·1	8·9	7·6	13·8	53	31	4	8	–	–	–	–	–	1	1	–	1	1	6	–	PRESTON.
BLACKPOOL	67,842	14·6	7·7	8·5	10·0	13	13	–	4	–	–	–	–	–	–	–	–	–	–	1	–	BLACKPOOL.
BARROW IN FURNESS	73,627	7·8	12·7	7·1	7·8	33	11	1	5	–	–	–	–	–	–	–	–	–	1	–	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	10·7	14·4	10·7	8·8	47	19	3	6	–	–	–	–	–	–	–	–	1	1	3	–	HUDDERSFIELD.
HALIFAX	101,791	11·3	6·7	7·7	8·7	41	17	1	6	–	–	–	–	–	–	1	–	2	2	4	–	HALIFAX.
BRADFORD	282,714	10·1	12·2	14·4	11·4	112	62	9	19	–	–	–	–	1	–	1	–	2	4	25	–	BRADFORD.
LEEDS	431,999	12·4	10·9	11·7	10·9	213	90	22	26	–	–	–	1	–	1	3	1	1	3	27	–	LEEDS.
DEWSBURY	52,969	6·9	10·8	9·8	8·9	31	9	–	4	–	–	–	–	–	–	–	–	–	1	2	–	DEWSBURY.
WAKEFIELD	49,208	11·7	10·6	14·8	7·4	24	7	1	4	–	–	–	–	–	–	–	–	–	–	2	1	WAKEFIELD.
BARNSLEY	51,680	11·1	16·1	9·1	11·1	28	11	7	–	–	–	–	–	–	–	2	–	–	1	2	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-rates from all Causes. Week ended 7th Aug., 1920.	14th Aug., 1920.	21st Aug., 1920.	28th Aug., 1920.	Week ended 28th Aug., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	9·0	10·7	11·1	12·0	246	109	24	28	–	–	–	–	–	–	8	–	3	10	33	1	Sheffield.
Rotherham	69,034	6·8	13·6	6·0	7·6	29	10	–	3	–	–	–	–	–	–	–	–	3	3	5	–	Rotherham.
York	74,531	7·7	11·2	10·5	4·9	37	7	1	2	–	–	–	–	–	–	–	–	–	–	2	–	York.
Hull	279,664	8·8	9·9	10·3	11·9	164	64	17	15	–	–	–	–	–	–	8	–	2	4	21	2	Hull.
Middlesbrough	127,142	9·4	11·1	11·9	13·5	93	33	9	6	–	–	3	–	–	–	3	1	–	–	5	–	Middlesbrough.
Darlington	64,058	7·3	7·3	12·2	8·1	38	10	2	4	–	–	–	–	–	–	–	–	–	–	1	1	Darlington.
Stockton on Tees	60,696	16·3	12·0	7·7	17·2	47	20	4	7	–	–	–	–	–	1	–	–	1	1	5	1	Stockton on Tees.
West Hartlepool	65,515	8·8	9·6	8·0	17·5	31	22	5	6	–	–	–	–	–	–	1	–	1	1	7	1	West Hartlepool.
Sunderland	149,263	10·1	14·3	12·6	13·6	105	39	11	10	–	–	–	–	–	–	4	1	–	1	13	–	Sunderland.
South Shields	111,502	13·1	17·3	15·4	16·8	69	36	12	4	–	–	–	–	–	–	2	1	1	1	4	2	South Shields.
Gateshead	123,392	13·9	9·7	12·3	13·1	72	31	10	8	–	–	–	–	1	–	2	–	1	1	4	2	Gateshead.
Newcastle on Tyne	275,099	10·8	10·0	11·8	11·8	149	62	8	17	–	–	–	–	–	–	–	2	5	5	22	–	Newcastle on Tyne.
Tynemouth	58,007	14·4	8·1	8·1	11·7	42	13	2	2	–	–	–	–	–	–	–	–	–	–	4	–	Tynemouth.
Carlisle	55,198	8·5	14·2	6·6	11·3	26	12	3	1	–	–	–	–	–	–	–	–	1	1	2	1	Carlisle.
Newport (Mon.)	87,251	9·6	10·2	10·2	9·6	52	16	6	3	–	–	–	–	–	–	–	–	2	3	3	–	Newport (Mon.).
Cardiff	204,436	9·4	8·7	8·9	7·9	104	31	–	11	–	–	–	–	–	–	–	–	–	1	7	–	Cardiff.
Rhondda	177,911	8·5	7·6	9·1	9·4	97	32	11	6	–	–	1	–	–	1	–	–	4	4	2	–	Rhondda.
Merthyr Tydfil	71,638	12·4	14·6	10·2	6·6	55	9	1	1	–	–	1	–	–	–	1	–	–	–	1	–	Merthyr Tydfil.
Aberdare	51,384	9·1	15·2	9·1	14·2	27	14	1	4	–	–	–	–	–	–	–	–	1	1	2	–	Aberdare.
Swansea	160,810	6·5	9·4	7·5	10·4	74	32	7	4	–	–	–	–	–	–	1	–	2	4	7	–	Swansea.
Greater London	7,259,388	8·5	8·6	8·9	9·1	3569	1272	202	402	–	–	5	6	6	20	61	8	69	134	541	–	Greater London.
Outer Ring	2,901,079	7·7	8·7	7·6	8·2	1275	459	70	155	–	–	2	1	1	5	23	3	24	43	149	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	7·7	9·3	7·8	8·0	738	257	47	77	–	–	2	1	1	1	18	3	16	26	99	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·7	7·9	7·4	8·5	537	202	23	78	–	–	–	–	–	4	5	–	8	17	50	–	Remainder of Outer Ring.
Edinburgh†	342,300	8·6	11·3	11·5	11·8	137	77	9	35	–	–	–	–	–	1	2	–	5	–	–	–	Edinburgh.†
Glasgow†	1,115,500	11·1	13·9	11·0	12·7	557	270	67	48	2	6	1	1	1	–	16	1	17	–	–	–	Glasgow.†
Dublin (Registration Area).†	415,000	13·4	13·1	13·3	15·3	190	122	16	37	1	–	–	–	2	2	4	–	1	3	46	3	Dublin (Registration Area).†
Belfast†	413,000	12·4	13·5	8·6	13·3	180	105	22	23	–	–	–	1	–	1	8	1	1	1	32	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTY-FOURTH WEEK of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2268	2223	2140	2179	2137	1897	1796	1423	1296	1826	2294
Males	1181	1154	1090	1144	1080	941	914	694	668	935	1186
Females	1087	1069	1050	1035	1057	956	882	729	628	891	1108
Deaths (of residents only).	953	1645	1012	1022	1180	1078	853*	857*	740*	804*	813*
Males		909	537	534	619	556	463	481	371	391	417
Females		736	475	488	561	522	390	376	369	413	396

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.
Births (as registered)	2558	2452	2293	2406	2337	2187	2389	2229	2297	2155	2335	2075	2294
Deaths (of residents only).	920	888	838	864	749	799	846	762	796	763	710	815	813
Ages at Death: Under 1 year	123	122	115	131	107	126	125	97	138	110	101	132	132
1–2 years	37	23	21	19	20	21	10	12	10	17	16	11	13
2–5 "	21	35	18	19	25	20	24	15	24	14	13	18	19
5–10 "	23	26	28	28	26	15	21	23	22	20	25	26	18
10–15 "	18	22	22	8	9	18	14	13	8	11	15	14	16
15–20 "	19	20	20	24	23	23	24	15	18	20	16	17	13
20–25 "	23	22	25	19	21	14	16	22	19	15	18	22	29
25–35 "	46	51	44	51	37	48	35	49	43	48	46	42	44
35–45 "	70	65	80	76	59	69	81	55	61	55	64	72	72
45–55 "	98	94	86	111	95	101	95	96	97	97	71	89	90
55–65 "	142	133	111	118	107	113	133	117	121	101	89	128	120
65–75 "	161	136	150	108	109	123	140	136	119	131	126	125	133
75 years and upwards	139	139	118	152	111	108	128	112	116	124	110	119	114
Deaths from—													
Enteric fever	2	1	1	–	–	1	2	–	1	2	–	1	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	19	18	15	7	7	20	5	4	5	1	1	1	3
Scarlet fever	3	3	2	–	2	3	2	1	3	1	2	–	5
Whooping cough	13	10	7	11	7	3	4	4	7	3	4	3	5
Diphtheria	11	13	15	13	13	8	10	13	13	8	18	15	15
Diarrhœa and enteritis (under 2 years).	11	20	23	15	11	19	16	20	28	17	20	30	38
Pulmonary tuberculosis	86	67	77	105	59	82	78	66	72	75	63	66	86
Influenza	19	13	7	6	4	3	6	2	5	9	6	3	5
Pneumonia (all forms)	66	62	54	40	38	44	36	41	43	35	24	38	28
Bronchitis	43	56	40	43	39	30	32	32	30	33	25	30	33
Other dis. of resp. system	6	16	14	10	13	9	14	9	14	8	9	11	6
Dis. of circ. system	156	139	129	155	129	132	147	142	136	141	117	161	157
Violence	44	46	40	50	42	38	39	36	22	41	39	49	45
Inquest cases	88	89	81	88	83	72	90	72	54	85	71	92	91
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	23	20	20	17	21	24	29	33	26	29	26	21	17
Small-pox	1	4	5	3	3	3	–	–	–	–	–	–	–
Measles	55	54	60	58	58	56	53	55	48	42	35	32	27
Scarlet fever	1635	1642	1654	1646	1705	1755	1855	1911	1956	2027	2106	2150	2266
Whooping cough	24	20	20	20	18	18	17	18	13	13	15	21	21
Diphtheria	1746	1722	1705	1668	1603	1599	1582	1556	1481	1469	1413	1362	1391

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.
Deaths from Influenza	148	86	65	37	34	44	33	21	33	26	30	16	20

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-FOURTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 34th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	804	813	132	13	19	18	16	13	29	44	72	90	120	133	114
Enteric fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	14	3	2	1	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	5	–	–	4	1	–	–	–	–	–	–	–	–	–
Whooping cough	2	5	2	2	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	9	15	–	2	4	7	1	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	5	–	–	–	–	–	–	–	3	–	–	1	1	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other epidemic diseases	–	6	–	–	1	–	–	–	1	1	2	–	1	–	–
Pyæmia and septicæmia	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	79	86	1	1	3	1	2	5	11	16	17	12	12	4	1
Tuberculous meningitis	9	2	–	–	1	–	–	–	1	–	–	–	–	–	–
Abdominal tuberculosis	3	3	–	–	–	–	1	–	–	–	1	–	–	–	1
Tuberculosis of the spine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	1	2	–	–	–	–	1	–	–	–	–	–	–	1	–
Tuberculosis of other organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Venereal diseases	2	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	100	113	–	–	1	–	–	–	1	1	13	25	23	29	20
Tumour, situation undefined	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Rheumatic fever	4	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Diabetes	6	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Anæmia, leucocythaemia	4	5	–	–	–	–	–	–	–	1	2	–	–	2	–
Other general diseases	6	5	–	–	–	–	–	–	–	–	–	–	4	–	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	3	1	–	1	–	–	–	–	–	–	1	–	–	–
Cerebral hæmorrhage, Apoplexy	28	31	–	–	–	–	–	–	–	–	1	6	9	8	7
Softening of brain	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis, without specified cause	–	4	–	–	–	–	–	–	–	–	–	2	2	–	–
Epilepsy	1	5	–	–	–	–	–	1	2	1	1	–	–	–	–
"Convulsions" (not puerperal)	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	15	14	2	–	–	–	–	–	1	–	2	3	3	1	2
Pericarditis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Acute endocarditis	4	9	–	–	–	–	1	–	1	3	1	1	2	–	–
Organic disease of heart	76	107	–	–	–	2	4	–	–	5	11	13	21	28	23
Embolism and thrombosis (including cerebral).	7	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Other diseases of circulatory system.	22	38	–	1	–	–	–	–	–	–	1	2	9	20	5
Diseases of the larynx	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	30	33	3	–	–	–	–	–	–	–	1	4	6	9	10
Broncho-pneumonia	26	8	3	1	–	–	–	–	–	–	–	1	1	–	2
Lobar pneumonia	16	10	1	–	–	–	–	1	1	–	–	2	–	3	2
Pneumonia (type not distinguished)	15	10	–	–	–	1	–	1	–	1	2	1	1	2	1
Pleurisy	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Pulmonary congestion, Pulmonary apoplexy.	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Other diseases of respiratory system.	2	2	–	–	–	–	–	–	–	–	–	1	–	–	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-FOURTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 34th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	4	–	–	1	–	–	–	1	–	–	–	1	1	–
Diseases of stomach	13	6	–	–	–	–	–	1	–	1	–	–	2	2	–
Diarrhœa and enteritis	53	42	37	1	–	1	–	–	1	1	–	–	–	–	1
Appendicitis and typhlitis	8	6	–	–	–	1	–	–	–	2	–	–	2	1	–
Hernia and Intestinal obstruction.	9	9	1	–	–	–	–	–	–	2	–	1	1	3	1
Cirrhosis of liver	4	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Other diseases of liver	6	4	–	–	–	–	–	–	2	–	–	–	–	–	2
Peritonitis (cause unknown)	–	2	1	–	–	–	–	–	–	–	–	–	–	–	1
Other diseases of digestive system	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	23	21	–	–	–	–	1	1	1	1	3	4	2	5	3
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Ovarian tumour (")	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Other diseases of genito-urinary system.	7	8	–	–	–	–	–	–	–	1	1	–	–	4	2
Puerperal fever, &c.	5	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Other causes incident to childbirth.	1	2	–	–	–	–	–	–	1	1	–	–	–	–	–
Diseases of skin and cellular tissues.	5	5	1	–	–	–	–	–	–	1	–	–	2	–	1
Diseases of locomotor system	4	2	–	–	–	1	–	–	–	–	1	–	–	–	–
Congenital malformations	8	8	6	2	–	–	–	–	–	–	–	–	–	–	–
Premature birth	22	31	31	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	14	16	16	–	–	–	–	–	–	–	–	–	–	–	–
Old age	38	24	–	–	–	–	–	–	–	–	–	–	–	4	20
ACCIDENT.															
Poisons or poisonous vapours	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	7	1	–	–	1	1	–	–	–	–	2	2	–	–
Suffocation in bed	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	35	25	–	–	1	1	1	–	2	–	9	3	2	2	4
Total deaths from accident	47	34	1	–	1	2	2	–	2	–	10	5	5	2	4
Included in above are deaths in connection with:—															
Railways	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	15	5	–	–	–	1	–	–	–	–	1	–	–	2	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	9	–	–	–	–	–	–	1	–	1	4	2	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	12	22	16	–	1	1	2	–	1	–	1	–	–	–	–
Ill-defined Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

ABLE **5.**—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
ON‡	4,358,309	Aug. 28	2,294	813	9·7	–	–	3	5	5	15	38	5
UTTA	896,067	July 24	–	506§	29·3	?	7	?	?	?	?	?	15
AY	979,445	„ 24	367	736§	39·1	6	–	–	–	–	–	34	7
AS	518,660	„ 24	461	409	41·0	–	2	1	?	4	–	66	2
	2,847,229	(10 days) July 20	1,440	957	?	5	–	3	2	8	6	58	–
SELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ERP	330,052	Aug. 14	120	52	8·3	1	–	1	2	–	2	7	–
ERDAM	651,133	„ 14	287	100	8·0	–	–	3	–	–	–	1	–
NHAGEN	552,000	„ 14	216	76	7·2	–	–	–	1	–	1	–	–
THOLM	415,201	Aug. 7	133	88	11·0	–	–	–	–	–	1	1	–
ENBURG	200,578	„ 7	–	39	10·1	–	–	–	–	–	–	1	–
STIANIA	258,615	„ 7	90	44	8·9	–	–	–	–	–	1	–	–
IN	1,904,590	„ 7	564	487	13·3	2	?	–	3	1	2	65	–
LAU	531,347	„ 7	237	194	19·0	–	?	1	–	1	1	36	3
GNE	642,899	„ 7	308	191	15·4	1	?	4	–	5	2	24	?
DEN	537,127	„ 7	203	145	14·0	–	?	–	–	2	–	11	?
KFORT-N-MAIN.	435,103	„ 7	158	96	11·5	1	?	1	–	–	–	14	?
BURG	1,002,933	„ 7	363	206	10·7	1	?	1	–	2	1	13	?
ZIG	610,686	„ 7	242	191	16·3	–	?	2	2	–	–	45	?
ICH	647,030	„ 7	217	167	13·4	–	?	–	–	–	–	9	?
NA	1,842,005	„ 7	555	541	15·3	2	–	–	1	5	3	27	5
		„ 14	467	505	14·3	3	–	–	–	2	2	29	3
UE	524,496	July 24	154	154	15·3	–	–	–	–	–	–	7	1
PEST	1,071,492	May 29	–	–	–	–	–	–	–	–	–	–	–
STE	234,751	Aug. 14	–	–	–	–	–	–	–	–	–	–	–
O	761,300	June 10	755	820	56·0	5	2	29	1	?	1	121	?
ANDRIA	445,700	„ 10	405	301	35·1	–	4	–	1	?	–	38	?
YORK	6,141,445	July 31	2,623	1,118	9·5	4	–	1	2	22	11	116	6
AGO	2,727,504	Aug. 7	–	518	9·9	1	–	1	–	5	5	55	2

xcluding deaths from croup in Bombay and Madras.
he deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
he estimated population and deaths refer to the civilian population only.
ncluding 6 deaths from *plague* in Bombay, and from *Asiatic cholera,* 60 deaths in Calcutta and 10 in Bombay.

TABLE **6.**—METEOROLOGY in certain Towns during the Week ended Saturday, 28th August, 1920.
(*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ON (Greenwich)	72	45	65·9	48·4	0
HTON	70	47	64·9	50·4	5
SMOUTH	68	49	64·1	50·9	1
WICH (Eaton)	68	42	62·0	48·4	5
MOUTH	69	47	66·0	51·9	1
TOL (Clifton)	69	48	66·3	51·1	4
INGHAM	71	47	63·1	49·4	7
TINGHAM	70	42	64·7	46·1	0
ENHEAD (Bidston)	67	49	61·4	52·1	5
CHESTER (Heaton Park)	70	48	63·7	49·9	2
NLEY	70	44	64·0	47·7	2
DERSFIELD	69	43	64·4	49·6	2
BRADFORD	67	46	62·6	49·0	1
SHEFFIELD	69	48	63·1	49·6	3
YORK (Museum)	69	44	64·9	48·1	0
HULL (Pearson Park)	67	46	63·1	47·7	0
TYNEMOUTH	65	49	58·3	50·7	0
CARDIFF	69	46	65·4	51·1	1
EDINBURGH	69·0	47·0	63·4	49·9	0
GLASGOW	67·5	46·3	62·5	49·5	0
DUBLIN:— Phœnix Park	69·0	37·3	63·9	46·1	4
†Fitzwilliam Square	67·9	46·2	62·9	50·7	4
BELFAST	66·0	42·5	61·8	48·3	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 28th August 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 22	..	29·847	63·9	49·0	14·9	55·0	− 6·1	47·6	7·4	16·2	1·9	76	112·1	40·8	56·5	WNW. & NNW.	NW. & NNW.	3·6	0·0	0·3	323	+ 81	0·03
MONDAY - - 23	Greatest declination S.	29·897	67·3	45·2	22·1	56·4	− 4·5	50·0	6·4	13·3	1·1	79	117·8	36·1	56·5	Calm & WNW.	Calm, WNW. & calm.	0·7	0·0	0·0	225	− 20	0·00
TUESDAY - - 24	Apogee	29·934	65·1	49·7	15·4	55·2	− 5·6	49·7	5·5	15·1	0·8	82	112·7	39·3	56·2	Calm	NNE. & calm.	0·5	0·0	0·0	116	−133	0·00
WEDNESDAY - 25	..	29·969	62·7	46·4	16·3	54·8	− 5·9	50·3	4·5	10·7	0·8	85	83·2	37·5	56·1	Calm	Calm, N. & NNE.	0·9	0·0	0·1	184	− 73	0·00
THURSDAY - - 26	..	30·145	64·5	47·9	16·6	54·4	− 6·3	46·9	7·5	15·9	2·0	76	131·6	35·5	56·1	NNE. & NE.	NE. & calm.	1·8	0·0	0·1	225	− 41	0·00
FRIDAY - - 27	..	30·206	65·0	45·4	19·6	55·5	− 5·1	47·3	8·2	16·0	2·2	74	121·7	34·0	56·1	Calm, NE. & E.	E., NE. & calm.	1·6	0·0	0·0	186	− 86	0·00
SATURDAY - - 28	..	30·253	71·8	51·4	20·4	59·7	− 0·7	52·6	7·1	16·6	2·2	78	114·9	41·7	56·0	Calm, E. & NE.	NE. & E.	1·0	0·0	0·0	171	−104	0·00
MEANS - - -	- - -	30·036	65·8	47·9	17·9	55·9	− 4·9	49·2	6·7	14·8	1·6	79	113·4	37·8	56·2	NNE.		..	..	..	Sum 1430	Sum −376	Sum 0·03
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. August 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	22	v.P. throughout	4·7	14·2	Nearly overcast until noon, gradually clearing to nearly cloudless by 19h.; rain between 2h. 50m. and 3h. 40m.
MONDAY	23	w.P. till 6h., then s.P. to m.P.	4·0	14·1	Nearly cloudless till 6h.; nearly overcast until 21h., afterwards overcast; slight rain between 6½h. and 7½h. and 19h. to 19h. 45m.
TUESDAY	24	w.P. till 7h., m.P. to s.P. till 20h., afterwards w.P.	3·7	14·0	Overcast with slight exceptions till 13h.; variably cloudy afterwards; mist at night.
WEDNESDAY	25	w.P. till 8h., rising to s.P. by 13h., m.P. after 19h.	0·0	14·0	Nearly cloudless till 3h.; mainly overcast till 18h., afterwards variably cloudy; mist in morning.
THURSDAY	26	w.P. till 6h., afterwards mainly s.P.	5·7	13·9	Fine with variable cloud until 9h.; nearly overcast till 17h., then clearing to cloudless by 18½h.
FRIDAY	27	w.P. till 7h., s.P. till 18h., m.P. and w.P. afterwards.	6·5	13·8	Cloudless till 7h., cloudy in forenoon and overcast 13h. to 21h.; nearly overcast afterwards with cloud thinning towards midnight.
SATURDAY	28	v.P. throughout	2·3	13·8	Overcast with few exceptions till 18h., clearing to cloudless by 20h. 30m.; clouding up again after 23h.
			Sum 26·9	Sum 97·8	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·85 in. at the beginning of the week to 29·81 in. by 4h. on 22nd, and increased generally to 30·29 in. by midnight on 28th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 21st August, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	815	1	-	1	-	3	15	30	66	132
Western										
Paddington	22	-	-	-	-	1	-	-	2	4
Kensington	39	-	-	-	-	-	1	1	3	4
Hammersmith	16	-	-	-	-	-	1	1	1	1
Fulham	26	-	-	-	-	-	1	1	1	5
Chelsea	12	-	-	-	-	-	1	-	2	1
City of Westminster	19	-	-	1	-	-	-	-	5	3
Northern.										
St. Marylebone	23	-	-	-	-	-	-	1	2	3
Hampstead	6	-	-	-	-	-	-	-	-	1
St. Pancras	58	-	-	-	-	-	-	1	4	4
Islington	50	-	-	-	-	-	-	2	2	5
Stoke Newington	14	-	-	-	-	-	-	1	-	4
Hackney	31	-	-	-	-	-	1	3	2	8
Central.										
Holborn	13	-	-	-	-	-	-	1	-	2
Finsbury	22	-	-	-	-	1	-	1	1	3
City of London	3	-	-	-	-	-	-	-	1	-
Eastern.										
Shoreditch	26	-	-	-	-	-	-	2	2	8
Bethnal Green	13	-	-	-	-	-	1	-	1	1
Stepney	44	-	-	-	-	-	-	4	1	13
Poplar	42	-	-	-	-	-	1	2	6	8
Southern.										
Southwark	32	-	-	-	-	-	-	1	5	6
Bermondsey	28	-	-	-	-	-	-	1	5	4
Lambeth	68	-	-	-	-	-	4	2	2	10
Battersea	30	-	-	-	-	-	-	1	2	8
Wandsworth	43	1	-	-	-	1	1	-	5	6
Camberwell	50	-	-	-	-	-	2	2	3	6
Deptford	23	-	-	-	-	-	-	-	1	5
Greenwich	13	-	-	-	-	-	-	-	-	1
Lewisham	31	-	-	-	-	-	1	1	4	6
Woolwich	18	-	-	-	-	-	-	1	3	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 21st August, 1920 *

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-
Kensington	157,886	1	-	-	-	15	4	-	-	-	-	3	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	8	7	-	-	1	-	1	-	-	-	-	-
Fulham	152,543	-	-	-	-	14	10	1	1	-	1	2	-	-	-	-	-
Chelsea	60,573	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	5	-	-	1	-	1	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	-	-	-	5	-	1	1	-	-	-	-	-	-	-	-
Hampstead	88,012	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	1	-	-	9	10	1	3	-	-	-	-	-	-	-	-
Islington	323,034	-	-	-	-	23	14	2	1	1	1	2	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	5	1	-	-	-	1	-	-	-	-	-	-
Hackney	216,736	1	1	-	-	17	11	-	2	-	1	1	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	6	5	1	1	-	-	1	-	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	13	6	1	-	-	-	1	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	11	7	-	1	-	-	2	1	-	-	-	-
Stepney	232,506	-	1	-	-	44	6	6	3	-	1	-	-	-	-	-	-
Poplar	153,644	-	-	-	-	29	12	3	-	-	-	1	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	8	9	3	2	-	-	1	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	28	7	-	1	-	-	-	-	-	-	-	-
Lambeth	282,322	-	-	-	-	13	9	-	2	1	-	3	-	-	-	-	-
Battersea	159,316	-	1	-	-	9	7	4	-	-	1	3	-	-	-	-	-
Wandsworth	333,693	1	1	-	-	16	17	3	-	-	-	-	-	-	-	-	-
Camberwell	273,802	-	-	-	-	27	13	-	1	-	-	-	-	1	1	-	-
Deptford	111,205	-	2	-	-	7	7	1	1	-	-	-	-	-	-	-	-
Greenwich	98,484	1	2	-	-	7	3	1	3	-	-	-	-	-	-	-	-
Lewisham	167,754	-	1	-	-	10	2	-	1	-	1	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	3	2	1	4	1	2	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	4	12	-	-	340	179	29	29	4	10	24	1	1	1	-	-
Ages 0–1		-	-	-	-	5	3	2	2	-	-	24	1	-	-	-	-
„ 1–5		-	-	-	-	79	51	9	-	2	-	-	-	-	-	-	-
„ 5–		-	-	-	-	141	55	6	2	-	-	-	-	-	-	-	-
„ 10–		-	-	-	-	69	26	2	1	-	-	-	-	-	-	-	-
„ 15–		-	-	-	-	24	22	-	1	1	1	-	-	-	-	-	-
„ 20–		-	4	-	-	4	9	-	1	1	4	-	-	-	-	-	-
„ 25–		1	5	-	-	15	5	-	4	-	2	-	-	1	-	-	-
„ 35–		1	2	-	-	3	3	4	4	-	3	-	-	-	-	-	-
„ 45–		1	1	-	-	-	2	4	5	-	-	-	-	-	1	-	-
„ 55–		1	-	-	-	-	2	2	5	-	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 35. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, SEPT. 4.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
September 7th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,498, and corresponded to an annual rate of 23·9 per 1,000. The deaths* among the civilian population only numbered 3,427, and corresponded to an annual rate of 10·0 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended August 14th, August 21st, and August 28th, the rates had been 9·4, 9·9, and 9·9 respectively. The infant mortality was 72, against 56, 70, and 71 in the preceding three three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12249—1 Wt 167–840 625 9/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 15·1 in Barnsley, 15·4 in Ipswich and in Sunderland, 15·9 in South Shields, and 17·7 in Exeter. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,134 births, corresponding to a rate of 24·5 per 1,000, and 809 deaths of civilians, corresponding to a rate of 9·7, as against 8·5, 9·8, and 9·7 per 1,000 in the three weeks ended August 14th, August 21st, and August 28th. The death-rate in the four weeks ended last Saturday averaged 9·4 per 1,000. The infant mortality was 57, against 43, 64, and 58, in the preceding three weeks.

There was one death from *enteric fever*, against 0, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. There was one death from *measles*, against 1, 1, and 3 in the preceding three weeks, and an average of 8. The deaths from *scarlet fever*, which had been 2, 0, and 5 in the preceding three weeks, fell to 2 last week and were equal to the average. The deaths from *whooping-cough*, which had been 4, 3, and 5 in the preceding three weeks, fell to 2 last week, and were 7 below the average. The deaths from *diphtheria*, which had been 18, 15, and 15 in the preceding three weeks, fell to 13 last week, but were 7 above the average. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 20, 30, and 38 in the preceding three weeks, fell to 34 last week, and were 57 below the average. There was no death from *influenza*, as against 6, 3, and 5 in the preceding three weeks and an average of 3.

Different forms of violence caused 39 deaths, of which 38 were the subject of coroners' inquests. Of these 39 deaths, 11 were cases of suicide, while the remaining 28 were attributed to other forms of violence. Twelve of these latter were referred to vehicles in the streets, and 3 to drowning.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 18 cases of enteric fever, 27 of measles, 2,402 of scarlet fever, 23 of whooping-cough, and 1,404 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 3, 1, and 0; of measles, 5 cases, against 6, 8, and 2; of scarlet fever, 434 cases, against 332, 341, and 395; of whooping-cough, 2 cases, against 2, 6, and 1; and of diphtheria, 228 cases, against 173, 184, and 186. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended August 28th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 4th September, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 14th Aug., 1920.	21st Aug., 1920.	28th Aug., 1920.	4th Sept., 1920.	Week ended 4th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	9·4	9·9	9·9	10·0	8498	3427	612	1008	1	–	19	8	19	37	171	17	157	260	1120	30	96 GREAT TOWNS.
LONDON†	4,358,309	8·5	9·8	9·7	9·7	2134	809	122	245	1	–	1	2	2	13	34	–	39	71	386	1	LONDON.†
‡ CROYDON	184,239	9·9	9·3	10·8	9·1	75	32	5	14	–	–	–	–	–	1	1	–	1	5	12	–	CROYDON.
WIMBLEDON	59,791	5·2	10·5	8·7	6·1	19	7	1	1	–	–	–	–	–	–	1	–	1	1	3	–	WIMBLEDON.
EALING	73,212	15·0	4·3	10·0	8·5	25	12	3	5	–	–	–	–	–	–	3	–	1	1	4	–	EALING.
ACTON	61,732	11·0	10·1	6·8	8·4	34	10	3	2	–	–	–	–	1	2	1	–	–	–	5	–	ACTON.
WILLESDEN	160,917	11·3	6·2	6·5	8·7	69	27	7	7	–	–	–	–	–	–	1	1	2	2	13	–	WILLESDEN.
HORNSEY	94,343	4·4	3·9	3·9	7·7	29	14	4	5	–	–	–	–	1	–	1	–	1	1	3	–	HORNSEY.
TOTTENHAM	141,338	12·5	5·2	7·7	8·9	40	24	2	7	–	–	–	–	–	–	–	–	1	2	10	–	TOTTENHAM.
‡ EDMONTON	70,711	5·2	8·8	3·7	8·8	28	12	–	3	–	–	–	–	–	–	–	–	–	1	6	–	‡ EDMONTON.
ENFIELD	58,442	7·1	8·0	8·0	6·2	28	7	2	2	–	–	–	–	–	–	–	–	–	–	2	–	ENFIELD.
WEST HAM	287,966	9·8	10·0	9·1	11·0	188	61	13	20	–	–	1	–	–	–	5	–	1	2	29	–	WEST HAM.
EAST HAM	144,451	6·1	6·9	7·6	7·2	62	20	3	6	–	–	–	–	–	–	2	–	2	2	9	–	EAST HAM.
LEYTON	123,896	8·0	6·7	8·0	7·6	50	18	2	3	–	–	–	–	–	1	1	–	–	–	8	–	LEYTON.
WALTHAMSTOW	127,684	10·6	10·6	10·2	8·6	66	21	4	7	–	–	–	–	–	–	1	–	–	1	6	1	WALTHAMSTOW.
ILFORD	79,524	9·2	7·2	6·6	8·5	35	13	1	6	–	–	–	–	–	–	–	–	1	1	2	–	ILFORD.
GILLINGHAM	43,501	7·2	7·2	6·0	4·8	33	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	GILLINGHAM.
HASTINGS	57,674	13·6	10·8	12·7	14·5	29	16	1	10	–	–	–	–	–	–	–	–	1	1	4	–	HASTINGS.
EASTBOURNE	48,424	9·7	11·8	9·7	10·8	14	10	2	5	–	–	–	–	–	–	–	–	–	–	4	–	EASTBOURNE.
BRIGHTON	132,409	7·9	9·1	8·3	8·7	48	22	4	9	–	–	–	–	1	–	3	–	–	–	6	–	BRIGHTON.
PORTSMOUTH	224,846	6·3	8·6	8·1	9·0	108	39	3	13	–	–	–	–	–	–	1	–	–	1	12	–	PORTSMOUTH.
BOURNEMOUTH	82,627	11·4	12·0	10·7	5·7	23	9	–	6	–	–	–	–	–	1	–	–	–	–	2	–	BOURNEMOUTH
SOUTHAMPTON	126,033	6·2	11·2	10·8	13·7	72	33	9	6	–	–	–	–	2	–	4	–	3	3	15	–	SOUTHAMPTON.
READING	91,365	6·8	6·3	8·6	9·1	37	16	4	5	–	–	1	–	–	–	1	–	–	–	3	–	READING.
OXFORD	57,666	8·1	9·9	7·2	9·0	30	10	–	5	–	–	–	–	–	–	–	–	–	–	4	–	OXFORD.
NORTHAMPTON	88,944	7·0	12·3	10·6	10·0	41	17	–	7	–	–	–	–	–	–	–	–	–	–	6	–	NORTHAMPTON.
CAMBRIDGE	57,849	6·3	8·1	7·2	5·4	19	6	1	4	–	–	–	–	–	–	–	–	1	1	1	–	CAMBRIDGE.

* See note † on first page of this return.

in the Week ended Saturday, 4th September 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 14th Aug., 1920.	21st Aug., 1920.	28th Aug., 1920.	4th Sept., 1920.	Week ended 4th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	8·1	8·1	6·2	7·4	31	12	2	2	–	–	–	–	–	–	1	–	–	–	2	–	Southend on Sea.
Ipswich	78,011	11·4	12·7	6·7	15·4	36	23	6	9	–	–	–	–	–	–	–	–	1	2	4	–	Ipswich.
Great Yarmouth	53,078	5·9	9·8	11·8	11·8	42	12	2	3	–	–	–	–	–	–	–	–	1	1	1	–	Great Yarmouth.
Norwich	119,993	10·0	10·4	15·2	8·3	61	19	4	10	–	–	–	–	–	–	1	–	–	2	5	–	Norwich.
Swindon	51,527	10·1	4·0	9·1	14·2	20	14	–	4	–	–	–	–	–	–	–	–	1	1	5	–	Swindon.
Exeter	59,014	8·0	8·0	8·8	17·7	30	20	3	10	–	–	–	–	–	1	1	–	–	–	5	–	Exeter.
Plymouth	181,967	10·9	9·2	7·7	10·6	94	37	3	14	–	–	–	–	–	–	–	2	1	1	7	–	Plymouth.
Bath	65,919	6·3	12·7	5·5	11·1	21	14	–	8	–	–	–	–	–	–	–	–	2		3	–	Bath.
Bristol	361,247	10·2	9·8	10·8	8·4	153	58	11	16	–	–	–	–	–	1	1	–	2	6	25	–	Bristol.
Gloucester	50,100	5·2	14·6	12·5	4·2	27	4	1	2	–	–	–	–	–	–	–	–	–	–	1	–	Gloucester.
Stoke on Trent	239,316	9·6	8·9	8·9	10·7	130	49	8	13	–	–	–	–	–	1	3	1	3	8	14	–	Stoke on Trent.
Wolverhampton	98,403	11·7	10·6	10·6	14·3	61	27	2	10	–	–	–	1	–	–	1	–	2	4	9	–	Wolverhampton.
Walsall	92,724	11·2	11·8	11·2	10·7	56	19	3	8	–	–	1	–	–	–	1	–	–	–	5	–	Walsall.
West Bromwich	69,899	13·4	15·7	10·4	12·7	44	17	5	3	–	–	–	–	–	–	1	–	–	–	2	1	West Bromwich.
Dudley	54,017	3·9	9·7	9·7	4·8	33	5	–	2	–	–	–	–	–	1	–	–	1	1	1	–	Dudley.
Birmingham	861,585	10·5	12·1	9·1	8·8	425	146	26	48	–	–	1	–	1	2	5	1	7	8	43	7	Birmingham.
Smethwick	72,152	5·8	6·5	9·4	10·1	42	14	2	5	–	–	–	1	–	1	–	–	–	–	4	–	Smethwick.
Coventry	132,048	5·1	7·1	10·7	9·9	67	25	4	8	–	–	1	–	–	–	2	–	–	1	4	1	Coventry.
Leicester	236,059	9·3	7·7	10·4	9·7	96	44	8	15	–	–	–	–	1	–	2	–	3	4	13	2	Leicester.
Lincoln	60,581	9·5	6·9	8·6	8·6	34	10	–	4	–	–	–	–	–	–	–	1	–	–	1	–	Lincoln.
Grimsby	78,813	6·6	8·6	13·9	13·2	44	20	7	5	–	–	–	–	–	–	4	–	–	1	4	–	Grimsby.
Nottingham	257,573	11·7	11·5	12·6	9·5	104	47	10	15	–	–	–	–	–	1	4	–	1	2	13	2	Nottingham.
Derby	123,930	7·2	11·8	8·8	7·6	60	18	2	5	–	–	–	–	–	–	–	–	3	4	3	–	Derby.

* *See* note † on first page of this return

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 4th September, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 14th Aug., 1920.	21st Aug., 1920.	28th Aug., 1920.	4th Sept., 1920.	Week ended 4th Sept., 1920 Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	7·5	10·8	11·2	8·3	45	20	2	5	–	–	–	–	–	–	–	–	–	–	2	–	STOCKPORT.
BIRKENHEAD	148,052	10·2	8·1	7·7	10·9	67	31	8	7	–	–	–	–	–	1	3	–	2	3	11	1	BIRKENHEAD.
WALLASEY	95,424	6·6	4·9	5·5	9·8	36	18	2	7	–	–	–	–	–	–	2	–	–	–	3	–	WALLASEY.
LIVERPOOL	772,665	9·0	10·3	10·4	11·4	412	169	39	38	–	–	1	1	2	2	10	3	7	12	67	2	LIVERPOOL.
BOOTLE	76,962	8·1	8·1	6·1	10·8	28	16	4	2	–	–	–	–	–	1	–	–	–	–	3	–	BOOTLE.
ST. HELENS	100,805	8·8	7·2	10·9	12·4	55	24	5	5	–	–	–	–	–	–	1	1	3	3	9	1	ST. HELENS.
SOUTHPORT	70,144	11·9	13·4	8·9	8·9	26	12	2	5	–	–	–	–	–	–	–	–	–	–	1	–	SOUTHPORT.
WIGAN	87,384	13·1	9·5	11·9	10·1	43	17	10	2	–	–	1	–	–	–	3	–	–	–	–	–	WIGAN.
WARRINGTON	74,952	13·2	11·1	11·8	9·0	37	13	4	5	–	–	–	–	–	–	1	–	–	–	3	–	WARRINGTON.
BOLTON	177,462	9·4	10·0	10·6	12·9	70	44	7	15	–	–	–	–	1	–	2	–	2	6	11	–	BOLTON.
BURY	54,248	6·7	13·5	16·3	9·6	26	10	–	1	–	–	–	–	–	–	–	–	–	–	2	1	BURY.
MANCHESTER	741,068	8·7	9·6	9·7	9·7	317	138	17	47	–	–	–	1	1	1	1	2	9	12	46	1	MANCHESTER.
SALFORD	226,225	10·1	9·5	9·5	8·8	100	38	7	7	–	–	–	–	–	–	–	–	1	2	17	–	SALFORD.
OLDHAM	137,668	15·5	12·1	11·4	11·7	73	31	6	4	–	–	1	–	–	–	–	–	1	3	8	–	OLDHAM.
ROCHDALE	90,051	9·8	13·9	8·7	9·8	38	17	2	7	–	–	–	–	1	–	–	–	1	1	7	–	ROCHDALE.
BURNLEY	101,005	7·2	16·0	9·3	7·2	36	14	4	3	–	–	–	–	–	–	–	–	1	1	4	–	BURNLEY.
BLACKBURN	125,992	9·1	8·3	10·8	12·0	49	29	5	4	–	–	–	–	–	–	–	–	2	3	2	–	BLACKBURN.
PRESTON	117,277	8·9	7·6	13·8	10·7	59	24	3	9	–	–	–	–	1	–	1	–	–	1	4	–	PRESTON.
BLACKPOOL	67,842	7·7	8·5	10·0	11·5	18	15	1	4	–	–	–	–	–	–	–	–	1	1	1	1	BLACKPOOL.
BARROW IN FURNESS	73,627	12·7	7·1	7·8	6·4	43	9	1	3	–	–	1	–	–	–	1	–	–	–	2	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	14·4	10·7	8·8	9·3	43	20	2	6	–	–	–	–	–	1	1	–	–	1	6	–	HUDDERSFIELD.
HALIFAX	101,791	6·7	7·7	8·7	12·3	28	24	2	7	–	–	–	–	–	–	–	–	5	6	6	1	HALIFAX.
BRADFORD	282,714	12·2	14·4	11·4	10·5	108	57	8	18	–	–	–	1	–	–	2	–	–	3	17	–	BRADFORD.
LEEDS	431,999	10·9	11·7	10·9	11·8	207	98	22	28	–	–	–	–	–	1		–	6	12	19	–	LEEDS.
DEWSBURY	52,969	10·8	9·8	8·9	8·9	24	9	–	2	–	–	–	–	–	–	1	–	–	–	2	–	DEWSBURY.
WAKEFIELD	49,208	10·6	14·8	7·4	10·6	23	10	2	2	–	–	1	–	–	–	–	–	1	1	2	–	WAKEFIELD.
BARNSLEY	51,680	16·1	9·1	11·1	15·1	37	15	5	4	–	–	–	–	–	–	4	1	–	–	3	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-rates from all Causes. Week ended 14th Aug., 1920.	21st Aug., 1920.	28th Aug., 1920.	4th Sept., 1920.	Week ended 4th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	10·7	11·1	12·0	10·9	203	99	21	28	–	–	4	–	2	2	6	–	4	6	36	–	Sheffield.
Rotherham	69,034	13·6	6·0	7·6	6·8	25	9	5	1	–	–	1	–	–	–	–	–	1	2	–	–	Rotherham.
York	74,531	11·2	10·5	4·9	11·2	32	16	3	4	–	–	–	–	–	–	1	–	–	–	7	–	York.
Hull	279,664	9·9	10·3	11·9	14·4	160	77	27	14	–	–	–	–	–	–	20	–	4	6	18	2	Hull.
Middlesbrough	127,142	11·1	11·9	13·5	11·1	75	27	9	2	–	–	1	–	–	–	2	–	1	3	5	–	Middlesbrough.
Darlington	64,058	7·3	12·2	8·1	11·4	23	14	2	4	–	–	–	–	–	–	–	1	–	–	2	–	Darlington.
Stockton on Tees	60,696	12·0	7·7	17·2	8·6	42	10	4	1	–	–	1	–	–	–	–	–	1	1	3	–	Stockton on Tees.
West Hartlepool	65,515	9·6	8·0	17·5	14·3	41	18	3	4	–	–	–	–	–	–	–	–	1	1	4	1	West Hartlepool.
Sunderland	149,263	14·3	12·6	13·6	15·4	86	44	13	9	–	–	–	–	–	–	6	1	2	3	8	–	Sunderland.
South Shields	111,502	17·3	15·4	16·8	15·9	69	34	5	8	–	–	–	–	–	–	2	1	–	–	3	–	South Shields.
Gateshead	123,392	9·7	12·3	13·1	14·4	77	34	8	5	–	–	–	–	2	–	2	–	3	3	8	1	Gateshead.
Newcastle on Tyne.	275,099	10·0	11·8	11·8	8·0	149	42	9	8	–	–	–	–	–	–	2	–	4	4	14	1	Newcastle on Tyne.
Tynemouth	58,007	8·1	8·1	11·7	7·2	37	8	1	2	–	–	–	–	–	–	1	–	–	–	2	–	Tynemouth.
Carlisle	55,198	14·2	6·6	11·3	9·4	25	10	3	2	–	–	–	–	–	–	–	–	–	–	3	–	Carlisle.
Newport (Mon.)	87,251	10·2	10·2	9·6	10·8	45	18	5	3	–	–	–	–	–	–	1	–	2	3	2	–	Newport (Mon.).
Cardiff	204,436	8·7	8·9	7·9	7·4	86	29	2	12	–	–	–	–	–	–	–	–	4	6	2	–	Cardiff.
Rhondda	177,911	7·6	9·1	9·4	10·8	94	37	7	11	–	–	–	1	–	–	1	–	1	1	6	2	Rhondda.
Merthyr Tydfil	71,638	14·6	10·2	6·6	10·9	37	15	3	4	–	–	1	–	–	–	1	–	–	–	4	–	Merthyr Tydfil.
Aberdare	51,384	15·2	9·1	14·2	5·1	20	5	1	1	–	–	–	–	–	1	1	–	1	1	–	–	Aberdare.
Swansea	160,810	9·4	7·5	10·4	11·7	77	36	5	14	–	–	–	–	–	1	1	1	3	5	6	–	Swansea.
Greater London	7,259,388	8·6	8·9	9·1	9·3	3376	1300	203	409	1	–	2	2	6	19	59	1	66	113	556	3	Greater London.
Outer Ring	2,901,079	8·7	7·6	8·2	8·8	1242	491	81	164	–	–	1	–	4	6	25	1	27	42	170	2	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	9·3	7·8	8·0	8·7	748	278	50	88	–	–	1	–	2	4	17	1	11	19	112	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·9	7·4	8·5	9·0	494	213	31	76	–	–	–	–	2	2	8	–	16	23	58	1	Remainder of Outer Ring.
Edinburgh†	342,300	11·3	11·5	11·8	8·4	140	55	10	19	–	–	–	–	–	1	1	1	3	–	–	–	Edinburgh.†
Glasgow†	1,115,500	13·9	11·0	12·7	9·7	566	206	33	53	–	–	–	–	4	1	6	–	12	–	–	–	Glasgow.†
Dublin (Registration Area).†	415,000	13·1	13·3	15·3	13·7	248	109	13	35	–	–	–	–	–	–	3	–	2	1	48	6	Dublin (Registration Area).†
Belfast†	413,000	13·5	8·6	13·3	12·2	132	97	17	22	1	–	–	1	–	–	8	–	3	2	35	3	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTY-FIFTH WEEK of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2118	2200	2179	2043	2188	1735	1822	1430	1321	1515	2134
Males	1085	1121	1146	1064	1099	894	932	724	718	748	1106
Females	1033	1079	1033	979	1089	841	890	706	603	767	1028
Deaths (of residents only).	947	1529	992	1044	1332	1087	883*	860*	813*	738*	809*
Males		805	537	536	686	587	468	468	421	372	440
Females		724	455	508	646	500	415	392	392	366	369

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.
Births (as registered)	2452	2293	2406	2337	2187	2389	2229	2297	2155	2335	2075	2294	2134
Deaths (of residents only).	888	838	864	749	799	846	762	796	763	710	815	813	809
Ages at Death: Under 1 year	122	115	131	107	126	125	97	138	110	101	132	132	122
1–2 years	23	21	19	20	21	10	12	10	17	16	11	13	16
2–5 "	35	18	19	25	20	24	15	24	14	13	18	19	20
5–10 "	26	28	28	26	15	21	23	22	20	25	26	18	22
10–15 "	22	22	8	9	18	14	13	8	11	15	14	16	13
15–20 "	20	20	24	23	23	24	15	18	20	16	17	13	12
20–25 "	22	25	19	21	14	16	22	19	15	18	22	29	23
25–35 "	51	44	51	37	48	35	49	43	48	46	42	44	44
35–45 "	65	80	76	59	69	81	55	61	55	64	72	72	77
45–55 "	94	86	111	95	101	95	96	97	97	71	89	90	102
55–65 "	133	111	118	107	113	133	117	121	101	89	128	120	113
65–75 "	136	150	108	109	123	140	136	119	131	126	125	133	125
75 years and upwards	139	118	152	111	108	128	112	116	124	110	119	114	120
Deaths from—													
Enteric fever	1	1	–	–	1	2	–	1	2	–	1	–	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	18	15	7	7	20	5	4	5	1	1	1	3	1
Scarlet fever	3	2	–	2	3	2	1	3	1	2	–	5	2
Whooping cough	10	7	11	7	3	4	4	7	3	4	3	5	2
Diphtheria	13	15	13	13	8	10	13	13	8	18	15	15	13
Diarrhœa and enteritis (under 2 years).	20	23	15	11	19	16	20	28	17	20	30	38	34
Pulmonary tuberculosis	67	77	105	59	82	78	66	72	75	63	66	86	78
Influenza	13	7	6	4	3	6	2	5	9	6	3	5	–
Pneumonia (all forms)	62	54	40	38	44	36	41	43	35	24	38	28	48
Bronchitis	56	40	43	39	30	32	32	30	33	25	30	33	33
Other dis. of resp. system	16	14	10	13	9	14	9	14	8	9	11	6	11
Dis. of circ. system	139	129	155	129	132	147	142	136	141	117	161	157	167
Violence	46	40	50	42	38	39	36	22	41	39	49	45	39
Inquest cases	89	81	88	83	72	90	72	54	85	71	92	91	71
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	20	20	17	21	24	29	33	26	29	26	21	17	18
Small-pox	4	5	3	3	3	–	–	–	–	–	–	–	–
Measles	54	60	58	58	56	53	55	48	42	35	32	27	27
Scarlet fever	1642	1654	1646	1705	1755	1855	1911	1956	2027	2106	2150	2266	2402
Whooping cough	20	20	20	18	18	17	18	13	13	15	21	21	23
Diphtheria	1722	1705	1668	1603	1599	1582	1556	1481	1469	1413	1362	1391	1404

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.
Deaths from Influenza	86	65	37	34	44	33	21	33	26	30	16	20	17

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-FIFTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 35th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	738	809	122	16	20	22	13	12	23	44	77	102	113	125	120
Enteric fever	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlet fever	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–
Whooping cough	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	4	13	–	1	8	3	1	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Other epidemic diseases	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Pyæmia and septicæmia	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	65	78	2	–	–	1	2	2	5	17	22	15	7	5	–
Tuberculous meningitis	3	7	1	2	–	2	1	–	–	–	1	–	–	–	–
Abdominal tuberculosis	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Tuberculosis of the spine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–
Tuberculosis of other organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Venereal diseases	3	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	104	102	–	–	1	–	1	2	3	3	7	21	29	26	9
Tumour, situation undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	–	3	–	–	–	2	–	1	–	–	–	–	–	–	–
Diabetes	7	10	–	–	–	–	–	–	–	1	1	1	3	2	2
Anæmia, leucocythaemia	4	3	–	1	–	–	–	–	–	–	–	–	1	1	–
Other general diseases	7	9	–	–	–	–	–	–	–	1	–	2	1	3	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Simple meningitis	8	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	28	27	–	–	–	–	–	–	–	1	–	1	9	12	4
Softening of brain	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis, without specified cause	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–
"Convulsions" (not puerperal)	5	7	6	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	14	26	1	–	–	1	–	1	1	1	9	7	3	1	1
Pericarditis	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Acute endocarditis	6	10	–	–	–	1	1	1	1	1	3	1	1	–	–
Organic disease of heart	95	116	–	1	–	1	2	2	5	5	6	16	22	26	30
Embolism and thrombosis (including cerebral).	1	6	–	–	–	–	–	–	–	–	1	–	1	1	3
Other diseases of circulatory system.	25	34	1	–	–	–	–	–	–	–	1	1	4	12	15
Diseases of the larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	24	33	3	1	1	–	–	–	–	–	–	2	5	4	17
Broncho-pneumonia	15	17	3	6	1	1	–	1	–	–	–	–	1	1	3
Lobar pneumonia	4	17	–	–	1	3	–	–	1	1	4	3	1	3	–
Pneumonia (type not distinguished)	6	14	2	–	2	–	–	–	–	2	2	3	2	1	–
Pleurisy	1	5	–	–	–	–	–	–	–	1	1	1	1	–	1
Pulmonary congestion, Pulmonary apoplexy.	1	2	–	–	–	–	–	–	–	–	–	1	–	–	1
Other diseases of respiratory system.	2	4	–	–	–	–	–	–	–	–	–	2	–	1	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-FIFTH Week of the Year 1920.

Causes of Death.	Deaths in the 35th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	4	3	2	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of stomach	5	12	6	-	-	-	-	-	-	2	-	2	1	1	-
Diarrhœa and enteritis	61	37	33	1	-	-	-	-	-	-	-	-	2	1	-
Appendicitis and typhlitis	4	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Hernia and Intestinal obstruction.	7	8	1	-	-	-	-	-	-	-	-	2	2	2	1
Cirrhosis of liver	4	4	-	-	-	-	-	-	-	-	-	1	-	3	-
Other diseases of liver	2	3	-	-	-	-	-	-	1	-	-	-	1	1	-
Peritonitis (cause unknown)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of digestive system	3	5	1	-	-	-	-	-	-	-	1	-	2	1	-
Acute nephritis	2	7	-	-	2	-	1	-	-	1	1	2	-	-	-
Chronic Bright's disease	25	23	-	-	-	-	-	-	1	-	6	5	5	6	-
Urinary calculi	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumour (non-cancerous)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian tumour (")	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of genito-urinary system.	10	7	-	-	-	-	-	-	-	-	-	1	-	2	4
Puerperal fever, &c.	7	3	-	-	-	-	-	-	-	1	2	-	-	-	-
Other causes incident to childbirth.	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of skin and cellular tissues.	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of locomotor system	3	4	1	-	-	1	-	-	1	-	-	-	-	-	1
Congenital malformations	6	10	9	-	1	-	-	-	-	-	-	-	-	-	-
Premature birth	36	23	23	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	6	12	12	-	-	-	-	-	-	-	-	-	-	-	-
Old age	24	28	-	-	-	-	-	-	-	-	-	-	1	3	24
ACCIDENT.															
Poisons or poisonous vapours	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	4	3	-	-	-	-	-	-	1	-	1	1	-	-	-
Suffocation in bed	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	23	25	-	-	2	4	3	1	1	-	2	5	4	2	1
Total deaths from accident	32	28	-	-	2	4	3	1	2	-	3	6	4	2	1
Included in above are deaths in connection with:—															
Railways	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	12	-	-	1	3	3	1	-	-	1	1	1	1	-
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	1	2	-	-	-	-	-	-	1	-	-	1	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	11	-	-	-	-	-	-	-	1	2	4	2	2	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	11	8	6	-	-	1	-	-	1	-	-	-	-	-	-
Ill-defined Causes	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,358,309	Sept. 4	2,134	809	9·7	1	–	1	2	2	13	34	–
Calcutta	896,067	July 31	–	483§	28·0	?	–	?	?	?	?	?	18
Bombay	979,445	„ 31	389	803§	42·6	3	2	2	–	–	–	53	14
Madras	518,660	„ 31	483	336	33·7	3	1	–	?	–	–	48	1
Paris	2,847,229	(11 days) July 31	–	–	–	–	–	–	–	–	–	–	–
Brussels	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
Antwerp	330,052	Aug. 21	109	65	10·4	–	–	1	–	–	1	10	–
Amsterdam	651,133	„ 21	276	107	8·6	1	–	–	–	–	–	1	–
Copenhagen	552,000	„ 21	224	117	11·0	–	–	1	1	–	–	4	1
Stockholm	415,201	Aug. 14	131	79	9·9	–	–	–	–	1	–	–	–
Gothenburg	200,578	„ 14	–	33	8·3	–	–	–	–	1	1	2	–
Christiania	258,615	„ 14	100	49	9·9	–	–	–	–	–	–	–	–
		„ 21	98	39	7·8	–	–	–	1	–	–	1	–
Berlin	1,904,590	„ 14	587	497	13·6	–	?	1	–	3	4	63	–
Breslau	531,347	„ 14	234	151	14·8	–	?	3	–	–	1	23	–
Cologne	642,899	„ 14	342	164	13·3	1	?	6	–	1	1	13	?
Dresden	537,127	„ 14	205	137	13·3	–	?	1	–	–	–	13	?
Frankfort-on-Main	435,103	„ 14	194	78	9·3	–	?	–	–	–	–	10	?
Hamburg	1,002,933	„ 14	355	201	10·4	2	?	1	–	1	2	9	?
Leipzig	610,686	„ 14	229	175	14·9	1	?	3	–	1	–	37	?
Munich	647,030	„ 14	222	129	10·4	–	?	–	–	1	1	7	?
Vienna	1,842,005	„ 21	561	516	14·6	2	–	–	3	–	2	32	–
Prague	524,496	July 31	199	149	14·8	1	–	–	–	–	1	9	1
Budapest	1,071,492	May 29	434	422	20·5	2	–	–	7	1	1	31	2
		June 5	352	367	17·8	2	–	1	2	4	–	21	1
Trieste	234,751	Aug. 14	–	–	–	–	–	–	–	–	–	–	–
Cairo	761,300	June 17	713	831	56·8	4	4	18	1	?	–	144	?
Alexandria	445.700	„ 17	411	323§	37·7	2	3	2	–	?	–	58	?
New York	6,141,445	Aug. 7	2,646	1,080	9·2	3	–	3	2	15	9	132	4
Chicago	2,727,504	„ 14	–	464	8·9	1	–	–	2	3	4	45	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 8 deaths from *plague* in Bombay and 1 in Alexandria, and from *Asiatic cholera*, 33 deaths in Calcutta and 7 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 4th September, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich)	72	46	64·6	50·6	4
Brighton	68	46	64·6	51·9	6
Portsmouth	70	47	64·0	50·9	2
Norwich (Eaton)	68	47	61·1	51·9	9
Plymouth	66	48	64·7	52·6	3
Bristol (Clifton)	68	47	65·1	50·6	5
Birmingham	68	44	62·0	49·3	6
Nottingham	66	41	61·1	47·3	5
Birkenhead (Bidston)	66	46	60·7	49·4	17
Manchester (Whitworth Park)	66	40	62·0	48·4	20
Burnley	63	37	60·9	45·6	22
Huddersfield	63	44	60·1	47·4	13
Bradford	62	44	59·9	48·0	11
Sheffield	64	46	59·7	49·6	9
York (Museum)	64	40	61·0	46·6	9
Hull (Pearson Park)	66	43	62·4	47·9	4
Tynemouth	62	46	59·0	48·7	4
Cardiff	68	45	63·7	50·6	4
Edinburgh	60·0	48·0	57·7	49·0	4
Glasgow	63·9	49·9	60·4	51·0	22
Dublin:— Phœnix Park	67·9	45·1	63·3	49·1	7
†Fitzwilliam Square	68·7	50·2	63·6	53·5	6
Belfast	66·0	48·0	63·4	50·4	20

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 4th September 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 29	Full	30·258	63·2	49·2	14·0	54·7	− 5·6	47·8	6·9	12·2	1·2	78	112·9	41·4	56·0	NE. & NNE.	NNE. & NE.	2·4	0·0	0·3	289	+ 13	0·00
MONDAY - - 30	In Equator.	30·092	60·3	45·9	14·4	52·0	− 8·1	44·5	7·5	12·4	1·2	76	112·6	37·8	55·9	NNE.	N. & NNE.	1·9	0·0	0·2	243	− 30	0·00
TUESDAY - - 31	..	30·002	59·9	45·8	14·1	52·7	− 7·2	49·3	3·4	9·8	0·0	88	75·5	38·2	55·9	NNE. & N.	N.	1·4	0·0	0·1	238	− 30	0·00
SEPTEMBER. WEDNESDAY - 1	..	29·958	64·2	53·4	10·8	57·7	− 2·1	49·9	7·8	13·5	5·2	75	103·5	49·4	55·9	N. & NNW.	NW. & N.	2·6	0·0	0·1	199	− 64	0·00
THURSDAY - - 2	..	29·889	63·0	48·1	14·9	55·0	− 4·7	50·3	4·7	12·2	0·0	84	92·0	41·0	55·8	NW. & W.	WSW.	1·1	0·0	0·1	217	− 42	0·03
FRIDAY - - 3	..	29·799	72·2	54·4	17·8	61·7	+ 2·1	57·0	4·7	15·2	0·0	85	97·0	54·3	55·8	W., calm & N.	N., var. & W.	0·7	0·0	0·0	162	− 91	0·01
SATURDAY - - 4	..	29·739	68·6	52·8	15·8	59·5	0·0	55·6	3·9	8·4	1·7	87	87·8	45·3	55·8	W. & WSW.	W., NW. & N.	2·3	0·0	0·3	320	+ 71	0·10
MEANS - - -	- - -	29·962	64·5	49·9	14·5	56·2	− 3·7	50·6	5·6	12·0	1·3	82	97·3	43·9	55·9	NNE. and W.		..	..	..	Sum 1668	Sum −173	Sum 0·14
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	29	v.P. generally, no current from 22h.	1·7	13·7	Becoming overcast generally by 1h.; clearing from 16h. to variably cloudy with cloudless intervals.
MONDAY -	30	No current till 6h. s.P. generally from 8h.	7·0	13·7	Nearly cloudless till 8h.; then very cloudy generally; overcast with few exceptions from 18h.
TUESDAY -	31	v.P. throughout	0·0	13·6	Nearly overcast till 3h.; cloudless till 5h. 30m., becoming overcast again by 7h. 30m.; slight damping about 21h.
SEPTEMBER. WEDNESDAY -	1	v.P. generally. s.P. between 9h. and 14h.	0·7	13·5	Overcast generally till 7h.; nearly overcast till 9h.; then overcast with few exceptions; damping about 15h. and 21h. 30m.
THURSDAY -	2	v.P. till 14h. No current afterwards.	0·3	13·5	Overcast or nearly overcast till 9h.; then overcast with slight rain or damping after 13h.
FRIDAY - -	3	No current till 9h. s.P. generally afterwards.	1·1	13·4	Overcast with very slight exceptions, damping, or misty rain till 9h. and at 22h. 30m.; solar halo at 18h.
SATURDAY -	4	w.P. till 17h., s.P. generally afterwards.	0·6	13·4	Overcast with slight exceptions till 20h.; partially cloudy till 22h.; then nearly cloudless.
			Sum 11·4	Sum 94·8.	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·29 in. at the beginning of the week to 29·74 in. by 4h. on September 3, increased to 29·82 in. by 21h. on the same day, decreased to 29·71 in. by 14h. on September 4 and increased to 29·85 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 28th August, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	813	-	-	3	5	5	15	38	86	132
Western										
Paddington	25	-	-	-	-	-	-	-	2	4
Kensington	33	-	-	-	2	-	-	2	4	9
Hammersmith	17	-	-	-	1	-	1	-	1	-
Fulham	25	-	-	-	-	-	1	1	4	3
Chelsea	8	-	-	-	-	-	-	-	1	-
City of Westminster	17	-	-	-	-	-	-	-	-	1
Northern.										
St. Marylebone	20	-	-	1	-	-	-	-	2	2
Hampstead	11	-	-	-	-	-	-	-	-	-
St. Pancras	39	-	-	-	-	-	1	-	4	4
Islington	58	-	-	1	-	-	2	-	11	5
Stoke Newington	12	-	-	-	-	-	-	-	-	1
Hackney	40	-	-	-	-	2	1	2	2	8
Central.										
Holborn	6	-	-	-	-	-	-	-	1	1
Finsbury	12	-	-	-	-	-	-	1	-	4
City of London	3	-	-	-	-	-	-	-	1	-
Eastern.										
Shoreditch	33	-	-	-	-	-	-	3	3	5
Bethnal Green	18	-	-	-	1	-	1	1	6	3
Stepney	57	-	-	-	-	-	1	5	9	11
Poplar	38	-	-	-	1	2	1	2	3	4
Southern.										
Southwark	37	-	-	-	-	-	2	2	2	6
Bermondsey	29	-	-	-	-	-	1	3	5	7
Lambeth	55	-	-	-	-	-	-	4	5	13
Battersea	37	-	-	1	-	-	-	3	1	8
Wandsworth	55	-	-	-	-	1	1	4	2	8
Camberwell	48	-	-	-	-	-	1	2	2	15
Deptford	23	-	-	-	-	-	-	-	5	2
Greenwich	14	-	-	-	-	-	-	1	5	2
Lewisham	28	-	-	-	-	-	-	-	1	4
Woolwich	15	-	-	-	-	-	1	2	4	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 28th August, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	-	-	-	-	6	6	1	4	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	10	1	-	1	-	1	1	-	1	-	-	1
Hammersmith	130,981	-	-	-	-	15	6	-	-	-	1	-	-	-	-	-	-
Fulham	152,543	-	-	-	-	22	9	2	2	1	-	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
City of Westminster	127,533	1	-	-	-	1	8	-	3	-	-	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	-	-	-	7	1	-	2	-	-	-	-	-	-	-	-
Hampstead	88,012	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	-	-	-	22	16	-	-	-	-	-	-	-	1	-	-
Islington	323,034	-	1	-	-	30	22	1	2	-	-	3	1	-	-	-	-
Stoke Newington	50,954	-	-	-	-	5	3	-	-	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	11	5	-	1	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	12	1	1	-	-	-	1	-	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	10	1	2	1	-	-	1	1	-	-	-	-
Bethnal Green	110,085	-	-	-	-	20	12	1	3	-	-	-	-	-	-	-	-
Stepney	232,506	-	1	-	-	50	8	1	2	1	-	-	-	-	-	-	-
Poplar	153,644	-	-	-	-	32	22	2	1	1	-	1	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	23	13	2	6	-	-	2	-	-	-	-	-
Bermondsey	124,239	-	1	-	-	22	4	-	-	-	-	2	-	-	-	-	-
Lambeth	282,322	-	1	-	-	13	12	4	1	-	-	2	-	-	-	-	-
Battersea	159,316	-	-	-	-	8	2	1	3	-	-	-	-	-	-	-	-
Wandsworth	333,693	-	1	-	-	8	10	1	-	-	-	1	-	-	-	-	-
Camberwell	273,802	-	3	-	-	16	12	2	4	-	-	3	-	-	-	-	-
Deptford	111,205	-	1	-	-	5	6	-	4	-	-	-	-	1	-	-	-
Greenwich	98,484	-	1	-	-	9	1	1	1	-	-	-	-	-	-	-	-
Lewisham	167,754	-	1	-	-	4	2	-	-	-	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	7	4	1	2	-	-	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	1	11	-	-	369	190	23	45	3	2	22	2	2	1	-	1
Ages 0-1		-	-	-	-	1	4	2	-	3	-	22	-	-	-	-	-
" 1-5		-	-	-	-	76	61	1	1	-	-	-	2	-	-	-	-
" 5-		-	-	-	-	161	66	1	4	-	-	-	-	-	-	-	-
" 10-		-	1	-	-	89	33	-	4	-	-	-	-	-	-	-	-
" 15-		-	-	-	-	20	11	5	2	-	-	-	-	-	-	-	-
" 20-		-	2	-	-	4	10	-	6	-	-	-	-	-	-	-	1
" 25-		-	5	-	-	12	4	2	3	-	2	-	-	1	-	-	-
" 35-		-	3	-	-	4	1	3	7	-	-	-	-	1	1	-	-
" 45-		-	-	-	-	2	-	3	8	-	-	-	-	-	-	-	-
" 55-		1	-	-	-	-	-	3	4	-	-	-	-	-	-	-	-
" 65-		-	-	-	-	-	-	3	4	-	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 36. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, SEPT. 11.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
September 14th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,844, and corresponded to an annual rate of 24·9 per 1,000. The deaths* among the civilian population only numbered 3,506, and corresponded to an annual rate of 10·3 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended August 21st, August 28th, and September 4th, the rates had been 9·9, 9·9, and 10·0 respectively. The infant mortality was 75, against 70, 71, and 72 in the preceding three three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12249—2 Wt 167–840 625 9/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 16·2 in Tynemouth, 16·3 in Stockton-on-Tees, 17·8 in South Shields, 18·3 in West Hartlepool, 18·7 in Dewsbury, and 18·8 in Warrington; and from *diphtheria*, 1·0 in Willesden. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,219 births, corresponding to a rate of 25·5 per 1,000, and 833 deaths of civilians, corresponding to a rate of 10·0, as against 9·8, 9·7, and 9·7 per 1,000 in the three weeks ended August 21st, August 28th, and September 4th. The death-rate in the four weeks ended last Saturday averaged 9·8 per 1,000. The infant mortality was 72, against 64, 58, and 57 in the preceding three weeks.

There was no death from *enteric fever*, the numbers having been 1, 0, and 1 in the preceding three weeks, and the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 1, 3, and 1 in the preceding three weeks, rose last week to 5, and were 1 below the average. The deaths from *scarlet fever*, which had been 0, 5, and 2 in the preceding three weeks, rose last week to 5, and were 3 above the average. The deaths from *whooping-cough*, which had been 3, 5, and 2 in the preceding three weeks, rose to 3 last week, but were 5 below the average. The deaths from *diphtheria*, which had been 15, 15, and 13 in the preceding three weeks, rose last week to 15, and were 6 above the average; 4 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 30, 38, and 34 in the preceding three weeks, rose last week to 43, but were 63 below the average; 5 belonged to Stepney, and 4 each to Battersea and to Wandsworth. The deaths from *influenza* numbered 2 as against 3, 5, and 0 in the preceding three weeks and an average of 5.

Different forms of violence caused 36 deaths, of which 35 were the subject of coroners' inquests. Of these 36 deaths, 6 were cases of suicide, while the remaining 30 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, 6 to drowning, and 2 of infants under one year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 22 cases of enteric fever, 23 of measles, 2,633 of scarlet fever, 22 of whooping-cough, and 1,484 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 6 cases, against 1, 0, and 3; of measles, 1 case, against 8, 2, and 5; of scarlet fever, 532 cases, against 341, 395, and 434; of whooping-cough, 1 case, against 6, 1, and 2; and of diphtheria, 249 cases, against 184, 186, and 228. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended September 4th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 11th September, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 21st Aug., 1920.	28th Aug., 1920.	4th Sept., 1920.	11th Sept., 1920.	Week ended 11th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	9·9	9·9	10·0	10·3	8844	3506	665	1049	4	–	14	12	20	38	171	21	138	281	1160	19	96 GREAT TOWNS.
LONDON†	4,358,309	9·8	9·7	9·7	10·0	2219	833	159	281	–	–	5	5	3	15	43	2	36	76	425	–	LONDON.†
‡ CROYDON	184,239	9·3	10·8	9·3	8·2	69	29	6	8	1	–	–	–	–	–	2	–	1	5	9	–	CROYDON.
‡ WIMBLEDON	59,791	10·5	8·7	6·1	7·8	25	9	4	2	–	–	–	–	–	–	1	–	1	2	1	–	WIMBLEDON.
‡ EALING	73,212	4·3	10·0	8·5	5·7	27	8	1	3	–	–	–	–	–	–	–	–	–	–	3	–	EALING.
‡ ACTON	61,732	10·1	6·8	8·4	10·1	31	12	2	8	–	–	–	–	–	–	1	–	–	–	2	–	ACTON.
‡ WILLESDEN	160,917	6·2	6·5	8·7	9·7	85	30	4	10	–	–	–	–	–	3	–	–	1	1	17	–	WILLESDEN.
‡ HORNSEY	94,348	3·9	3·9	7·7	10·5	31	19	3	3	–	–	–	–	–	–	–	–	2	2	6	–	HORNSEY.
‡ TOTTENHAM	141,338	5·2	7·7	8·9	6·6	63	18	1	8	–	–	–	–	–	–	–	–	1	1	7	–	TOTTENHAM.
‡ EDMONTON	70,711	8·8	3·7	8·8	5·9	53	8	3	3	–	–	–	–	–	–	–	–	1	1	4	–	EDMONTON.
‡ ENFIELD	58,442	8·0	8·0	6·2	6·2	22	7	1	3	–	–	–	–	–	–	–	–	–	1	1	–	ENFIELD.
‡ WEST HAM	287,966	10·0	9·1	11·0	10·5	194	58	12	11	–	–	–	–	–	–	6	2	3	8	19	–	WEST HAM.
‡ EAST HAM	144,451	6·9	7·6	7·2	7·6	61	21	–	8	–	–	–	–	–	–	–	–	–		8	–	EAST HAM.
‡ LEYTON	123,896	6·7	8·0	7·6	6·3	47	15	1	8	–	–	–	–	1	–	–	–	–	2	6	–	LEYTON.
‡ WALTHAMSTOW	127,684	10·6	10·2	8·6	6·1	61	15	–	6	–	–	–	–	–	–	–	–	1	2	7	–	WALTHAMSTOW.
‡ ILFORD	79,524	7·2	6·6	8·5	7·9	31	12	2	1	–	–	–	–	–	1	1	–	1	1	4	–	ILFORD.
GILLINGHAM	43,501	7·2	6·0	4·8	10·8	40	9	3	2	–	–	–	–	–	–	1	–	–	–	2	1	GILLINGHAM.
HASTINGS	57,674	10·8	12·7	14·5	9·0	19	10	1	7	–	–	–	–	–	–	1	–	–	–	1	–	HASTINGS.
EASTBOURNE	48,424	11·8	9·7	10·8	14·0	23	13	1	7	–	–	–	–	–	–	–	–	3	3	3	–	EASTBOURNE.
BRIGHTON	132,409	9·1	8·3	8·7	11·0	48	28	2	14	–	–	–	–	–	–	–	2	2	3	11	–	BRIGHTON.
PORTSMOUTH	224,846	8·6	8·1	9·0	8·6	139	37	12	13	–	–	–	–	–	–	2	–	2	4	11	–	PORTSMOUTH.
BOURNEMOUTH	82,627	12·0	10·7	5·7	10·7	20	17	1	8	–	–	–	–	–	–	–	–	–	2	1	–	BOURNEMOUTH
SOUTHAMPTON	126,033	11·2	10·8	13·7	10·3	64	25	4	6	–	–	–	–	–	–	2	–	–	2	6	–	SOUTHAMPTON.
READING	91,365	6·3	8·6	9·1	5·1	37	9	1	5	–	–	–	–	–	–	–	–	–	–	2	–	READING.
OXFORD	57,666	9·9	7·2	9·0	13·6	20	15	1	8	–	–	–	–	–	–	–	–	–	1	3	–	OXFORD.
NORTHAMPTON	88,944	12·3	10·6	10·0	8·8	36	15	–	6	–	–	–	–	–	–	–	1	1	1	6	–	NORTHAMPTON.
CAMBRIDGE	57,849	8·1	7·2	5·4	6·3	25	7	1	5	–	–	–	–	–	–	1	–	–	–	2	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 11th September 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 21st Aug, 1920.	28th Aug., 1920.	4th Sept., 1920.	11th Sept., 1920.	Week ended 11th Sept., 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	8·1	6·2	7·4	5·6	22	9	1	5	–	–	–	–	–	–	–	–	1	1	4	1	SOUTHEND ON SEA.
IPSWICH	78,011	12·7	6·7	15·4	12·7	39	19	3	7	–	–	–	–	–	1	–	–	–	–	3	–	IPSWICH.
GREAT YARMOUTH	53,078	9·8	11·8	11·8	11·8	36	12	3	6	–	–	–	–	–	–	–	–	1	1	–	–	GREAT YARMOUTH.
NORWICH	119,993	10·4	15·2	8·3	9·6	44	22	6	9	–	–	–	–	–	–	3	–	1	5	7	–	NORWICH.
SWINDON	51,527	4·0	9·1	14·2	9·1	28	9	2	3	–	–	–	–	–	–	1	–	–	2	–	–	SWINDON.
EXETER	59,014	8·0	8·8	17·7	10·6	25	12	3	5	–	–	–	–	–	–	–	–	–	1	4	–	EXETER.
PLYMOUTH	181,967	9·2	7·7	10·6	11·2	99	39	7	20	–	–	–	–	2	–	2	–	–	3	9	–	PLYMOUTH.
BATH	65,919	12·7	5·5	11·1	9·5	27	12	2	5	–	–	–	–	–	–	–	–	1	2	2	–	BATH.
BRISTOL	361,247	9·8	10·8	8·4	9·5	187	66	10	22	–	–	–	1	–	1	3	1	2	5	25	–	BRISTOL.
GLOUCESTER	50,100	14·6	12·5	4·2	10·4	25	10	2	4	–	–	–	–	–	–	1	–	1	2	3	–	GLOUCESTER.
STOKE ON TRENT	239,316	8·9	8·9	10·7	12·2	133	56	11	15	–	–	–	–	–	1	1	–	1	1	13	–	STOKE ON TRENT.
WOLVERHAMPTON	98,403	10·6	10·6	14·3	6·9	55	13	4	2	–	–	–	–	–	–	1	–	–	–	2	–	WOLVERHAMPTON.
WALSALL	92,724	11·8	11·2	10·7	10·7	50	19	6	5	–	–	1	–	–	–	–	–	2	5	3	–	WALSALL.
WEST BROMWICH	69,899	15·7	10·4	12·7	12·7	36	17	4	3	–	–	–	–	–	–	–	–	1	1	4	–	WEST BROMWICH.
DUDLEY	54,017	9·7	9·7	4·8	9·7	28	10	3	3	–	–	–	–	–	–	1	1	–	1	2	–	DUDLEY.
BIRMINGHAM	861,585	12·1	9·1	8·8	9·0	454	149	37	42	–	–	1	1	1	4	9	1	1	1	49	2	BIRMINGHAM.
SMETHWICK	72,152	6·5	9·4	10·1	7·2	41	10	–	2	–	–	–	–	–	–	–	–	–	–	2	–	SMETHWICK.
COVENTRY	132,048	7·1	10·7	9·9	6·3	54	16	2	5	–	–	–	–	–	–	–	–	1	2	3	–	COVENTRY.
LEICESTER	236,059	7·7	10·4	9·7	8·8	116	40	7	15	–	–	1	–	–	1	1	–	1	1	12	1	LEICESTER.
LINCOLN	60,581	6·9	8·6	8·6	9·5	23	11	1	6	–	–	–	–	–	–	–	–	–	1	2	–	LINCOLN.
GRIMSBY	78,813	8·6	13·9	13·2	9·3	47	14	5	3	–	–	–	–	–	–	2	–	1	1	3	–	GRIMSBY.
NOTTINGHAM	257,573	11·5	12·6	9·5	8·3	145	41	9	9	1	–	–	–	–	1	3	–	–	1	18	–	NOTTINGHAM.
DERBY	123,930	11·8	8·8	7·6	10·1	61	24	5	11	–	–	–	–	–	–	–	–	–	1	8	–	DERBY.

* *See* note † on first page of this return

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 11th September, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 21st Aug., 1920.	28th Aug., 1920.	4th Sept., 1920.	11th Sept., 1920.	Week ended 11th Sept., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	10·8	11·2	8·3	14·9	54	36	8	12	–	–	–	–	–	1	–	–	–	–	10	–	STOCKPORT.
BIRKENHEAD	148,052	8·1	7·7	10·9	13·0	85	37	8	10	–	–	–	–	–	–	4	–	–	–	15	–	BIRKENHEAD.
WALLASEY	95,424	4·9	5·5	9·8	7·1	28	13	1	4	–	–	–	–	–	–	–	–	–	1	2	–	WALLASEY.
LIVERPOOL	772,665	10·3	10·4	11·4	12·4	486	184	31	44	–	–	–	2	–	2	10	1	5	14	74	–	LIVERPOOL.
BOOTLE	76,962	8·1	6·1	10·8	10·2	51	15	1	6	–	–	–	–	–	–	–	–	–	–	4	–	BOOTLE.
ST. HELENS	100,805	7·2	10·9	12·4	10·3	60	20	5	4	–	–	–	1	–	–	3	–	2	3	3	–	ST. HELENS.
SOUTHPORT	70,144	13·4	8·9	8·9	14·1	19	19	–	4	–	–	–	–	–	–	–	–	–	–	5	–	SOUTHPORT.
WIGAN	87,384	9·5	11·9	10·1	13·7	58	23	7	2	–	–	2	–	–	–	3	–	–	1	5	–	WIGAN.
WARRINGTON	74,952	11·1	11·8	9·0	18·8	35	27	7	4	–	–	–	–	–	–	3	–	4	4	5	2	WARRINGTON.
BOLTON	177,462	10·0	10·6	12·9	9·1	65	31	4	13	–	–	–	–	–	–	1	–	1	4	5	–	BOLTON.
BURY	54,248	13·5	16·3	9·6	15·4	24	16	3	5	–	–	–	–	–	–	–	–	–	–	4	1	BURY.
MANCHESTER	741,068	9·6	9·7	9·7	9·5	326	135	23	37	–	–	–	–	3	–	5	2	6	10	48	2	MANCHESTER.
SALFORD	226,225	9·5	9·5	8·8	13·1	113	57	7	9	1	–	–	–	1	–	–	1	5	7	20	–	SALFORD.
OLDHAM	137,668	12·1	11·4	11·7	11·0	62	29	6	9	–	–	–	–	–	–	2	–	4	6	6	–	OLDHAM.
ROCHDALE	90,051	13·9	8·7	9·8	8·7	39	15	4	6	–	–	–	–	–	–	–	–	–	1	–	–	ROCHDALE.
BURNLEY	101,005	16·0	9·3	7·2	15·5	32	30	9	6	–	–	–	–	–	–	3	–	–	–	6	–	BURNLEY.
BLACKBURN	125,992	8·3	10·8	12·0	11·6	45	28	5	3	–	–	–	–	–	1	–	–	2	4	6	–	BLACKBURN.
PRESTON	117,277	7·6	13·8	10·7	11·6	53	26	3	5	–	–	–	–	1	–	1	–	2	2	8	–	PRESTON.
BLACKPOOL	67,842	8·5	10·0	11·5	13·1	14	17	1	6	–	–	–	–	–	–	–	–	–	–	1	–	BLACKPOOL.
BARROW IN FURNESS	73,627	7·1	7·8	6·4	14·9	36	21	2	9	–	–	1	–	–	–	–	–	4	3	2	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	10·7	8·8	9·3	12·1	27	26	3	6	–	–	–	–	–	–	–	1	–	–	4	–	HUDDERSFIELD.
HALIFAX	101,791	7·7	8·7	12·3	8·7	40	17	2	6	–	–	–	–	–	–	–	–	–	–	6	–	HALIFAX.
BRADFORD	282,714	14·4	11·4	10·5	9·4	107	51	6	12	1	–	–	–	2	2	1	–	1	4	17	1	BRADFORD.
LEEDS	431,999	11·7	10·9	11·8	11·7	194	97	17	24	–	–	–	–	–	1	6	1	6	15	23	–	LEEDS.
DEWSBURY	52,969	9·8	8·9	8·9	18·7	29	19	5	5	–	–	–	–	–	–	2	1	1	2	2	–	DEWSBURY.
WAKEFIELD	49,208	14·8	7·4	10·6	13·8	30	13	2	3	–	–	–	–	–	–	–	–	1	1	4	–	WAKEFIELD.
BARNSLEY	51,680	9·1	11·1	15·1	15·1	23	15	5	2	–	–	–	–	1	–	2	–	–	–	1	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 21st Aug., 1920.	28th Aug., 1920.	4th Sept., 1920.	11th Sept., 1920.	Week ended 11th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	11·1	12·0	10·9	10·8	215	98	19	28	–	–	2	–	1	–	4	–	3	11	31	–	Sheffield.
Rotherham	69,034	6·0	7·6	6·8	13·6	20	18	3	7	–	–	–	–	–	–	–	–	1	2	6	2	Rotherham.
York	74,531	10·5	4·9	11·2	10·5	40	15	2	4	–	–	–	–	–	–	–	–	–	2	4	–	York.
Hull	279,664	10·3	11·9	14·4	11·4	140	61	20	10	–	–	–	–	–	–	9	–	2	2	15	1	Hull.
Middlesbrough	127,142	11·9	13·5	11·1	12·3	88	30	7	7	–	–	1	–	1	–	1	–	–	1	2	–	Middlesbrough.
Darlington	64,058	12·2	8·1	11·4	10·6	27	13	5	3	–	–	–	–	–	–	2	–	–	–	3	–	Darlington.
Stockton on Tees	60,696	7·7	17·2	8·6	16·3	31	19	3	6	–	–	–	–	–	–	2	–	1	2	4	–	Stockton on Tees.
West Hartlepool	65,515	8·0	17·5	14·3	18·3	37	23	7	4	–	–	–	–	–	–	2	2	–	–	5	2	West Hartlepool.
Sunderland	149,263	12·6	13·6	15·4	15·7	99	45	7	11	–	–	–	–	–	–	3	–	3	5	6	1	Sunderland.
South Shields	111,502	15·4	16·8	15·9	17·8	68	38	8	7	–	–	–	–	–	1	3	–	1	1	7	1	South Shields.
Gateshead	123,392	12·3	13·1	14·4	12·3	79	29	11	3	–	–	–	1	–	–	3	2	1	1	7	–	Gateshead.
Newcastle on Tyne.	275,099	11·8	11·8	8·0	7·8	148	41	10	12	–	–	–	1	1	–	2	–	2	2	8	–	Newcastle on Tyne.
Tynemouth	58,007	8·1	11·7	7·2	16·2	34	18	2	6	–	–	–	–	–	–	–	–	1	1	5	–	Tynemouth.
Carlisle	55,198	6·6	11·3	9·4	11·3	35	12	3	5	–	–	–	–	–	–	–	–	–	1	1	–	Carlisle.
Newport (Mon.)	87,251	10·2	9·6	10·8	7·8	36	13	4	1	–	–	–	–	–	1	1	–	–	–	4	–	Newport (Mon.).
Cardiff	204,436	8·9	7·9	7·4	8·4	104	33	4	8	–	–	–	–	–	1	–	–	3	5	9	–	Cardiff.
Rhondda	177,911	9·1	9·4	10·8	8·2	91	28	8	6	–	–	–	–	1	–	2	–	2	3	1	–	Rhondda.
Merthyr Tydfil	71,638	10·2	6·6	10·9	4·4	44	6	1	2	–	–	–	–	–	–	–	–	–	–	1	–	Merthyr Tydfil.
Aberdare	51,384	9·1	14·2	5·1	6·1	34	6	1	3	–	–	–	–	1	–	–	–	–	–	2	–	Aberdare.
Swansea	160,810	7·5	10·4	11·7	11·0	74	34	6	9	–	–	–	–	–	–	2	–	3	3	8	–	Swansea.
Greater London	7,259,388	8·9	9·1	9·3	9·2	3505	1276	220	439	1	–	5	6	5	19	63	4	58	120	578	2	Greater London.
Outer Ring	2,901,079	7·6	8·2	8·8	8·0	1286	443	61	158	1	–	–	1	2	4	20	2	22	44	153	2	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	7·8	8·0	8·7	8·2	800	261	40	82	1	–	–	–	1	4	11	2	12	27	94	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·4	8·4	8·9	7·7	486	182	21	76	–	–	–	1	1	–	9	–	10	17	59	2	Remainder of Outer Ring.
Edinburgh†	342,300	11·5	11·8	8·4	10·5	133	69	5	21	–	–	–	–	–	1	1	–	6	–	–	–	Edinburgh.†
Glasgow†	1,115,500	11·0	12·7	9·7	11·2	556	239	48	67	–	2	–	–	3	3	11	1	14	–	–	–	Glasgow.†
Dublin (Registration Area).†	415,000	13·3	15·3	13·7	14·1	231	112	38	22	–	–	–	–	–	–	17	1	–	–	42	2	Dublin (Registration Area).†
Belfast†	413,000	8·6	13·3	12·2	16·7	189	132	29	15	–	–	–	2	–	–	7	–	25	26	42	7	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTY-SIXTH WEEK of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2088	2104	2146	2024	2181	1770	1918	1403	1265	1695	2219
Males	1014	1083	1098	1016	1113	867	979	717	662	864	1132
Females	1074	1021	1048	1008	1068	903	939	686	603	831	1087
Deaths (of residents only).	948	1509	1015	1074	1390	1218	912*	970*	874*	811*	833*
Males		767	534	563	721	657	471	496	441	448	435
Females		742	481	511	669	561	441	474	433	363	398

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.
Births (as registered)	2293	2406	2337	2187	2389	2229	2297	2155	2335	2075	2294	2134	2219
Deaths (of residents only).	838	864	749	799	846	762	796	763	710	815	813	809	833
Ages at Death: Under 1 year	115	131	107	126	125	97	138	110	101	132	132	122	159
1–2 years	21	19	20	21	10	12	10	17	16	11	13	16	16
2–5 "	18	19	25	20	24	15	24	14	13	18	19	20	12
5–10 "	28	28	26	15	21	23	22	20	25	26	18	22	20
10–15 "	22	8	9	18	14	13	8	11	15	14	16	13	14
15–20 "	20	24	23	23	24	15	18	20	16	17	13	12	17
20–25 "	25	19	21	14	16	22	19	15	18	22	29	23	21
25–35 "	44	51	37	48	35	49	43	48	46	42	44	44	41
35–45 "	80	76	59	69	81	55	61	55	64	72	72	77	60
45–55 "	86	111	95	101	95	96	97	97	71	89	90	102	93
55–65 "	111	118	107	113	133	117	121	101	89	128	120	113	99
65–75 "	150	108	109	123	140	136	119	131	126	125	133	125	129
75 years and upwards	118	152	111	108	128	112	116	124	110	119	114	120	152
Deaths from—													
Enteric fever	1	–	–	1	2	–	1	2	–	1	–	1	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	15	7	7	20	5	4	5	1	1	1	3	1	5
Scarlet fever	2	–	2	3	2	1	3	1	2	–	5	2	5
Whooping cough	7	11	7	3	4	4	7	3	4	3	5	2	3
Diphtheria	15	13	13	8	10	13	13	8	18	15	15	13	15
Diarrhœa and enteritis (under 2 years).	23	15	11	19	16	20	28	17	20	30	38	34	43
Pulmonary tuberculosis	77	105	59	82	78	66	72	75	63	66	86	78	57
Influenza	7	6	4	3	6	2	5	9	6	3	5	–	2
Pneumonia (all forms)	54	40	38	44	36	41	43	35	24	38	28	48	45
Bronchitis	40	43	39	30	32	32	30	33	25	30	33	33	32
Other dis. of resp. system	14	10	13	9	14	9	14	8	9	11	6	11	13
Dis. of circ. system	129	155	129	132	147	142	136	141	117	161	157	167	149
Violence	40	50	42	38	39	36	22	41	39	49	45	39	36
Inquest cases	81	88	83	72	90	72	54	85	71	92	91	71	76
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	20	17	21	24	29	33	26	29	26	21	17	18	22
Small-pox	5	3	3	3	–	–	–	–	–	–	–	–	–
Measles	60	58	58	56	53	55	48	42	35	32	27	27	23
Scarlet fever	1654	1646	1705	1755	1855	1911	1956	2027	2106	2150	2266	2402	2633
Whooping cough	20	20	18	18	17	18	13	13	15	21	21	23	22
Diphtheria	1705	1668	1603	1599	1582	1556	1481	1469	1413	1362	1391	1404	1484

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.
Deaths from Influenza	65	37	34	44	33	21	33	26	30	16	20	17	21

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-SIXTH Week of the Year 1920.

Causes of Death.	Deaths in the 36th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	811	833	159	16	12	20	14	17	21	41	60	93	99	129	152
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	5	3	2	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	4	5	–	1	1	2	1	–	–	–	–	–	–	–	–
Whooping cough	2	3	1	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	12	15	2	3	4	3	1	1	–	–	–	1	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Erysipelas	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Other epidemic diseases	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Pyæmia and septicæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	71	57	1	1	–	–	1	6	8	7	15	11	3	3	1
Tuberculous meningitis	10	3	2	1	–	–	–	–	–	–	–	–	–	–	–
Abdominal tuberculosis	3	4	–	–	–	–	1	1	–	1	–	–	–	1	–
Tuberculosis of the spine	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Tuberculosis of the joints	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
Tuberculosis of other organs	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Disseminated tuberculosis	2	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Venereal diseases	2	7	6	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	96	110	–	–	–	–	–	–	2	2	7	22	31	27	19
Tumour, situation undefined	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Rheumatic fever	1	4	–	–	–	1	2	–	–	–	1	–	–	–	–
Diabetes	5	5	–	–	–	1	–	–	–	–	–	–	2	2	–
Anæmia, leucocythaemia	2	7	–	–	–	–	–	1	–	–	1	2	1	–	2
Other general diseases	6	5	–	–	–	–	–	–	–	–	–	–	1	4	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	8	5	3	–	–	–	–	–	1	–	1	–	–	–	–
Cerebral hæmorrhage, Apoplexy	22	32	–	–	–	–	–	–	1	–	–	5	5	8	13
Softening of brain	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis, without specified cause	4	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Epilepsy	8	1	–	–	–	–	–	–	–	–	–	–	1	–	–
"Convulsions" (not puerperal)	4	4	3	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	20	19	1	–	–	–	–	1	1	4	3	4	1	3	1
Pericarditis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	1	8	–	–	–	–	–	–	1	2	2	2	–	–	1
Organic disease of heart	86	110	–	–	2	2	1	2	–	4	11	15	16	26	31
Embolism and thrombosis (including cerebral).	10	6	–	–	–	–	–	–	–	1	–	–	–	3	2
Other diseases of circulatory system.	31	25	–	–	–	–	–	–	–	–	–	2	7	4	12
Diseases of the larynx	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	23	32	4	–	–	1	–	–	–	–	–	3	5	8	11
Broncho-pneumonia	15	23	10	4	2	1	–	–	–	1	–	1	1	1	2
Lobar pneumonia	14	12	–	–	–	–	–	1	1	2	2	3	1	2	–
Pneumonia (type not distinguished)	8	10	–	–	–	–	1	–	–	–	3	1	3	–	2
Pleurisy	2	3	–	–	–	1	–	–	1	–	–	1	–	–	–
Pulmonary congestion, Pulmonary apoplexy.	3	3	–	–	–	–	–	–	–	1	–	–	–	1	1
Other diseases of respiratory system.	2	6	–	–	–	–	–	–	–	–	1	2	–	1	2

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-SIXTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 36th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	9	8	3	–	1	–	–	–	–	–	1	2	–	–	1
Diarrhœa and enteritis	82	49	42	1	–	–	–	–	–	1	1	2	–	1	1
Appendicitis and typhlitis	8	6	–	–	1	1	1	2	–	1	–	–	–	–	–
Hernia and Intestinal obstruction.	8	11	1	–	–	1	–	–	–	2	–	–	1	2	4
Cirrhosis of liver	8	9	–	–	–	–	–	–	–	–	1	2	2	4	–
Other diseases of liver	2	3	–	–	–	–	–	–	–	–	–	–	–	2	1
Peritonitis (cause unknown)	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Other diseases of digestive system	4	3	–	–	–	–	–	–	–	–	–	2	1	–	–
Acute nephritis	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	22	11	–	–	–	–	–	–	–	1	2	1	3	4	–
Urinary calculi	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	14	7	–	–	–	–	–	–	–	1	1	1	1	2	1
Puerperal fever, &c.	5	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth.	5	8	–	–	–	–	–	–	3	5	–	–	–	–	–
Diseases of skin and cellular tissues.	7	8	2	–	–	–	–	–	–	–	–	–	–	2	4
Diseases of locomotor system	2	3	–	–	–	–	2	–	–	–	–	–	1	–	–
Congenital malformations	3	6	6	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	36	36	36	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	13	20	20	–	–	–	–	–	–	–	–	–	–	–	–
Old age	30	45	–	–	–	–	–	–	–	–	–	–	–	8	37
ACCIDENT.															
Poisons or poisonous vapours	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	6	–	–	–	2	2	–	1	–	1	–	–	–	–
Suffocation in bed	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	17	22	–	–	–	3	1	1	1	3	2	2	1	6	2
Total deaths from accident	24	30	2	–	–	5	3	1	2	3	3	2	1	6	2
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Vehicles and horses	4	11	–	–	–	3	–	–	–	2	2	–	–	4	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	6	–	–	–	–	–	–	–	1	1	2	1	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	12	13	11	–	–	–	–	–	–	–	1	1	–	–	–
Ill-defined Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Sept. 11	2,219	833	10·0	–	–	5	5	3	15	43	2
CALCUTTA	896,067	Aug. 7	–	510§	29·5	?	–	?	?	?	?	?	14
BOMBAY	979,445	„ 7	402	727§	38·6	3	1	1	–	2	1	56	6
MADRAS	518,660	„ 7	441	312§	31·3	–	2	–	?	3	–	36	1
PARIS	2,847,229	(11 days) July 31	1,630	1,105	?	8	–	9	1	7	2	74	1
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	330,052	Aug. 28	128	60	9·6	1	–	–	–	–	–	10	–
AMSTERDAM	651,133	„ 28	258	91	7·3	2	–	1	–	–	1	1	–
COPENHAGEN	552,000	„ 28	214	87	8·2	–	–	–	–	–	–	2	–
STOCKHOLM	415,201	„ 21	134	62	7·8	–	–	–	–	–	–	–	–
GOTHENBURG	200,578	„ 21	–	32	8·3	–	–	–	–	–	–	2	–
CHRISTIANIA	260,904	„ 28	95	44	8·8	–	–	–	–	–	–	1	–
BERLIN	1,904,590	„ 21	558	445	12·1	–	?	–	–	2	5	57	4
BRESLAU	531,347	„ 21	253	190	18·6	–	?	1	1	–	–	48	?
COLOGNE	642,899	„ 21	318	162	13·1	–	?	1	–	5	1	21	?
DRESDEN	537,127	„ 21	194	133	12·9	1	?	–	–	–	1	16	?
FRANKFORT-ON-MAIN.	435,103	„ 21	179	74	8·8	–	?	–	–	–	–	12	?
HAMBURG	1,002,933	„ 21	362	182	9·4	1	?	1	1	3	2	11	?
LEIPZIG	610,686	„ 21	262	160	13·6	1	?	–	–	1	1	31	?
MUNICH	647,030	„ 21	244	173	13·9	–	?	–	–	1	–	9	?
VIENNA	1,842,005	„ 28	519	466	13·1	2	–	1	–	2	1	28	1
PRAGUE	524,496	„ 7	138	150	14·9	4	–	–	–	–	–	7	–
BUDAPEST	1,071,492	June 12	–	–	–	–	–	–	–	–	–	–	–
TRIESTE	236,540	Aug. 21	113	87	19·2	3	–	–	–	–	–	18	–
CAIRO	761,300	June 24	833	865	59·1	5	3	19	–	?	–	175	?
ALEXANDRIA	445,700	„ 24	448	333	38·9	–	1	–	–	?	–	65	?
NEW YORK	6,141,445	Aug. 14	2,507	1,153	9·8	7	–	2	3	15	11	124	6
		„ 21	2,582	1,082	9·2	6	–	–	3	17	4	129	3
CHICAGO	2,727,504	„ 21	–	513	9·8	1	–	–	–	–	12	64	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 7 deaths from *plague* in Bombay, and from *Asiatic cholera*, 26 deaths in Calcutta, 4 in Bombay, and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 11th September, 1920.
(Supplied by the Meteorological Office.)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	73	40	69·6	49·7	1
BRIGHTON	69	45	66·9	51·3	0·4
PORTSMOUTH	71	46	67·1	52·9	0
NORWICH (Eaton)	71	41	65·6	49·6	3
PLYMOUTH	69	45	67·6	53·7	1
BRISTOL (Clifton)	68	46	66·3	53·0	0
BIRMINGHAM	69	45	66·7	51·1	4
NOTTINGHAM	70	43	65·7	48·9	0·2
BIRKENHEAD (Bidston)	65	49	61·4	52·4	5
MANCHESTER (Whitworth Park)	69	48	63·6	52·6	6
BURNLEY	63	47	60·1	48·7	9
HUDDERSFIELD	67	48	62·7	50·3	1
BRADFORD	67	46	61·7	50·0	1
SHEFFIELD	70	49	63·7	51·9	0
YORK (Museum)	68	46	65·1	49·9	1
HULL (Pearson Park)	73	46	66·7	50·4	1
TYNEMOUTH	67	47	61·6	49·4	2
CARDIFF	67	42	65·1	49·6	0
EDINBURGH	62·6	46·0	60·6	49·7	7
GLASGOW	65·0	47·1	58·9	50·3	28
DUBLIN:— Phœnix Park	68·0	41·9	64·1	49·3	10
†Fitzwilliam Square	65·0	46·1	63·7	52·7	10
BELFAST	66·0	43·0	62·5	52·3	12

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 11th September 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 5	Last quarter.	29·797	70·8	49·2	21·6	58·4	− 1·0	57·3	1·1	8·4	0·0	96	119·0	42·2	55·7	WSW. & SW.	W. & WSW.	4·4	0·0	0·2	340	+ 94	0·06
MONDAY - - 6	Greatest Declination N.	29·827	72·3	55·8	16·5	62·4	+ 3·2	54·6	7·8	14·9	3·7	76	103·2	47·9	55·9	W. & WNW.	W., NW. & N.	3·0	0·0	0·3	371	+ 126	0·00
TUESDAY - - 7	..	29·998	63·9	47·3	16·6	55·4	− 3·6	47·8	7·6	15·9	1·5	76	97·2	38·2	56·0	N. & NW.	W., N. & calm.	1·1	0·0	0·1	182	− 62	0·00
WEDNESDAY - 8	Perigee	29·985	69·9	53·7	16·2	60·3	+ 1·5	56·5	3·8	12·7	1·0	87	123·0	49·9	56·0	Calm & W.	WSW. & calm.	0·2	0·0	0·0	109	− 138	0·00
THURSDAY - - 9	..	29·885	73·0	51·1	21·9	60·9	+ 2·3	51·4	9·5	21·1	0·4	71	126·1	45·5	56·0	Calm & S.	SSE., calm & W.	0·6	0·0	0·0	117	− 133	0·00
FRIDAY - - 10	..	30·085	66·7	43·4	23·3	54·4	− 4·0	43·6	10·8	21·6	1·1	67	117·9	35·1	56·1	W. & N.	N., calm & SW.	2·2	0·0	0·1	221	− 30	0·00
SATURDAY - - 11	..	30·122	70·4	40·3	30·1	55·0	− 3·1	44·6	10·4	21·2	0·9	68	119·2	33·4	56·0	Calm & SW.	SSW. & calm.	1·1	0·0	0·0	155	− 96	0·00
MEANS - - -	- - -	29·957	69·6	48·7	20·9	58·1	− 0·7	50·8	7·3	16·5	1·2	77	115·1	41·7	56·0	W. and calm.		..	..	..	Sum 1495	Sum −239	Sum 0·06
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	5	w.P. generally	0·8	13·3	Variably cloudy to overcast by 7h.; few very cloudy intervals afterwards; frequent fine rain 8h. 30m. to noon and after 19h. 30m.
MONDAY -	6	w.P. till noon, s.P. generally afterwards.	4·5	13·2	Overcast with slight exceptions till noon; partially cloudy till 18h., then very cloudy generally.
TUESDAY -	7	v.P. before 7h. and after 20h., s.P. otherwise.	0·6	13·1	Overcast till 1h., nearly cloudless till 5h., then overcast generally.
WEDNESDAY -	8	v.P. throughout	1·5	13·1	Overcast generally; cloudy from 9h. to 11h., and generally after 21h.
THURSDAY -	9	m.P. generally, w.P. early and late.	7·7	13·0	Variably cloudy throughout; nearly cloudless at times; nearly overcast more frequently.
FRIDAY - -	10	w.P. till 7h., s.P. generally till 21h., w.P. afterwards.	7·9	13·0	Nearly cloudless generally with nearly overcast periods 4h. to 6h. and 14h. to 18h. 30m.; solar halo in afternoon.
SATURDAY -	11	w.P. till 7h., m.P. and s.P. till 21h., w.P. afterwards.	6·1	12·9	Nearly cloudless till 10h.; thin cloud prevalent till 16h. with bright solar halo; cloudless again by 19h. 30m.
			Sum 29·1	Sum 91·6	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·85 in. at the beginning of the week to 29·86 in. by 3h. on 5th; decreased to 29·76 in. by 16h. on the same day; increased to 30·02 in. by 20h. on 7th; decreased to 29·84 in. by 18h. on 9th; increased to 30·20 in. by 1h. on 11th, and decreased to 30·07 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 4th September, 1920

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	809	1	–	1	2	2	13	34	78	122
Western										
Paddington	31	–	–	–	–	–	–	2	1	7
Kensington	34	–	–	–	–	–	–	3	2	3
Hammersmith	32	1	–	–	–	–	2	1	4	4
Fulham	24	–	–	–	–	–	2	–	2	6
Chelsea	12	–	–	–	–	–	–	–	2	–
City of Westminster	27	–	–	–	–	–	–	2	4	5
Northern.										
St. Marylebone	17	–	–	–	–	–	–	1	2	2
Hampstead	8	–	–	–	–	–	–	–	–	–
St. Pancras	47	–	–	–	1	–	2	–	4	5
Islington	64	–	–	–	–	–	2	1	2	9
Stoke Newington	12	–	–	–	–	–	–	1	1	2
Hackney	47	–	–	–	–	1	–	2	2	7
Central.										
Holborn	10	–	–	–	–	–	–	–	1	1
Finsbury	12	–	–	–	–	1	–	–	–	1
City of London	4	–	–	–	–	–	–	–	–	–
Eastern.										
Shoreditch	15	–	–	–	–	–	–	3	1	3
Bethnal Green	24	–	–	–	1	–	–	1	3	2
Stepney	43	–	–	–	–	–	1	2	6	10
Poplar	32	–	–	–	–	–	–	1	2	6
Southern.										
Southwark	29	–	–	–	–	–	1	–	5	4
Bermondsey	20	–	–	–	–	–	–	1	3	7
Lambeth	36	–	–	1	–	–	1	1	4	2
Battersea	32	–	–	–	–	–	–	1	6	3
Wandsworth	44	–	–	–	–	–	1	3	3	4
Camberwell	57	–	–	–	–	–	–	3	6	17
Deptford	22	–	–	–	–	–	1	2	3	3
Greenwich	23	–	–	–	–	–	–	2	3	4
Lewisham	28	–	–	–	–	–	–	–	1	2
Woolwich	23	–	–	–	–	–	–	1	5	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 4th September, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	-	-	-	-	12	6	5	1	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	8	2	-	2	-	-	-	-	-	-	-	-
Hammersmith	130,981	-	1	-	-	8	2	-	-	-	1	-	1	-	-	-	-
Fulham	152,543	-	-	-	-	15	10	1	4	1	1	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	3	12	1	1	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	1	-	-	10	-	-	1	-	-	1	-	-	-	-	-
Hampstead	88,012	-	-	-	-	-	4	-	-	-	-	1	-	-	-	-	-
St. Pancras	219,434	1	-	-	-	12	18	1	1	-	-	2	-	-	-	-	-
Islington	323,034	-	-	-	-	32	27	-	5	-	1	4	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	18	10	-	1	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	1	-	-	-	5	2	1	2	-	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	12	4	-	2	-	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	13	6	3	3	-	-	-	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	29	10	1	2	1	-	1	-	-	-	-	-
Stepney	232,506	-	-	-	-	81	11	-	2	-	-	2	-	-	-	-	-
Poplar	153,644	-	-	-	-	27	16	8	1	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	22	5	4	3	-	-	2	-	-	-	-	-
Bermondsey	124,239	-	1	-	-	31	3	2	-	-	-	1	-	-	-	-	-
Lambeth	282,322	-	-	-	-	29	15	4	1	-	-	4	-	-	-	-	-
Battersea	159,316	-	-	-	-	4	5	4	2	-	-	3	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	15	8	2	3	1	3	3	-	-	-	-	-
Camberwell	273,802	1	1	-	-	21	18	1	4	-	-	1	-	-	-	-	-
Deptford	111,205	-	1	-	-	7	2	-	3	-	2	-	-	-	-	-	-
Greenwich	98,484	-	-	-	-	7	2	-	2	-	1	1	-	-	-	-	-
Lewisham	167,754	-	-	-	-	3	5	1	-	-	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	8	7	-	-	-	1	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	3	5	-	-	436	212	39	46	3	10	27	1	-	-	-	-
Ages 0-1		-	-	-	-	2	6	4	-	-	-	27	-	-	-	-	-
" 1-5		-	-	-	-	90	40	9	-	1	-	-	1	-	-	-	-
" 5-		1	-	-	-	210	78	6	2	-	-	-	-	-	-	-	-
" 10-		1	-	-	-	92	45	2	-	-	-	-	-	-	-	-	-
" 15-		-	-	-	-	25	17	3	6	1	1	-	-	-	-	-	-
" 20-		-	1	-	-	5	9	5	3	-	1	-	-	-	-	-	-
" 25-		1	3	-	-	8	11	1	9	-	4	-	-	-	-	-	-
" 35-		-	1	-	-	4	4	4	8	-	3	-	-	-	-	-	-
" 45-		-	-	-	-	-	1	3	8	1	1	-	-	-	-	-	-
" 55-		-	-	-	-	-	1	2	6	-	-	-	-	-	-	-	-
" 65-		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 37. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, SEPT. 18.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
September 21st, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,069, and corresponded to an annual rate of 22·7 per 1,000. The deaths* among the civilian population only numbered 3,494, and corresponded to an annual rate of 10·2 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended August 28th, September 4th, and September 11th, the rates had been 9·9, 10·0, and 10·3 respectively. The infant mortality was 79, against 71, 72, and 75 in the preceding three three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12249—3 Wt 167–840 625 9/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 14·6 in Blackpool and in Stockton-on-Tees, 15·0 in Bath, 15·4 in Bury, 15·5 in Wigan, and 16·6 in Rotherham; and from *whooping cough*, 1·6 in Wolverhampton. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 1,876 births, corresponding to a rate of 21·5 per 1,000, and 821 deaths of civilians, corresponding to a rate of 9·8, as against 9·7, 9·7, and 9·9 per 1,000 in the three weeks ended August 28th, September 4th, and September 11th. The death-rate in the four weeks ended last Saturday averaged 9·8 per 1,000. The infant mortality was 79, against 58, 57, and 72 in the preceding three weeks.

There was one death from *enteric fever*, which had been 0, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 3, 1, and 5 in the preceding three weeks, fell to 3 last week, and were 2 below the average. The deaths from *scarlet fever*, which had been 5, 2, and 5 in the preceding three weeks, fell to 2 last week and were equal to the average. The deaths from *whooping-cough*, which had been 5, 2, and 3 in the preceding three weeks, were again 3 last week, and were 7 below the average. The deaths from *diphtheria*, which had been 15, 13, and 14 in the preceding three weeks, rose to 15 last week and were 7 above the average; 4 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 38, 34, and 43 in the preceding three weeks, further rose last week to 46, but were 50 below the average; 6 deaths belonged to Hackney and 5 each to Shoreditch, Stepney, and Camberwell. The deaths from *influenza* numbered 7 as against 5, 0, and 2 in the preceding three weeks and an average of 7.

Different forms of violence caused 30 deaths, of which 29 were the subject of coroners' inquests. Of these 30 deaths, 6 were cases of suicide, while the remaining 24 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 4 to drowning, and 1 of an infant under one year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 16 cases of enteric fever, 22 of measles, 2,953 of scarlet fever, 19 of whooping-cough, and 1,591 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 0, 3, and 6; of measles, 5 cases, against 2, 5, and 1; of scarlet fever, 623 cases, against 395, 434, and 532; of whooping-cough, 0 case, against 1, 2, and 1; and of diphtheria, 277 cases, against 186, 228, and 249. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended September 11th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 18th September, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 28th Aug., 1920.	4th Sept., 1920.	11th Sept., 1920.	18th Sept., 1920.	Week ended 18th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	9·9	10·0	10·3	10·2	8069	3494	640	1015	7	–	5	13	19	54	182	28	152	299	1172	21	96 GREAT TOWNS.
LONDON†	4,358,309	9·7	9·7	9·9§	9·8	1876	821	148	248	1	–	3	2	3	15	46	7	30	76	399	1	LONDON.†
‡ CROYDON	184,239	10·8	9·3	8·2	10·8	59	38	1	15	1	–	–	–	–	1	–	1	2	2	11	–	‡ CROYDON.
WIMBLEDON	59,791	8·7	6·1	7·8	4·4	22	5	–	3	–	–	–	–	–	–	–	–	–	2	–	–	WIMBLEDON.
EALING	73,212	10·0	8·5	5·7	3·6	24	5	1	1	–	–	–	–	–	–	1	–	–	1	1	–	EALING.
ACTON	61,732	6·8	8·4	10·1	11·8	26	14	3	6	–	–	–	–	–	1	–	–	1	1	4	–	ACTON.
WILLESDEN	160,917	6·5	8·7	10·0§	9·7	54	30	8	8	–	–	–	1	–	2	–	–	1	1	9	–	WILLESDEN.
HORNSEY	94,348	3·9	7·7	11·1§	9·4	26	17	1	10	–	–	–	–	–	–	–	–	–	1	4	–	HORNSEY.
TOTTENHAM	141,338	7·7	8·9	6·6	10·3	72	28	6	7	–	–	–	–	–	–	2	–	1	6	12	–	TOTTENHAM.
‡ EDMONTON	70,711	3·7	8·8	5·9	10·3	27	14	4	4	–	–	–	–	–	1	–	–	–	–	5	–	‡ EDMONTON.
ENFIELD	58,442	8·0	6·2	6·2	10·7	25	12	–	5	–	–	–	–	–	–	–	–	–	1	3	–	ENFIELD.
WEST HAM	287,966	9·1	11·0	10·5	12·1	147	67	16	18	–	–	–	–	–	1	7	1	4	6	27	–	WEST HAM.
EAST HAM	144,451	7·6	7·2	7·6	11·2	51	31	3	8	–	–	–	–	–	–	1	–	3	4	19	–	EAST HAM.
LEYTON	123,896	8·0	7·6	6·3	6·3	52	15	3	5	–	–	–	–	–	1	1	–	2	2	9	–	LEYTON.
WALTHAMSTOW	127,684	10·2	8·6	6·1	9·8	47	24	3	6	–	–	–	–	–	–	1	1	–	2	12	1	WALTHAMSTOW.
ILFORD	79,524	6·6	8·5	7·9	7·9	31	12	1	3	1	–	–	–	–	–	–	1	–	–	3	–	ILFORD.
GILLINGHAM	43,501	6·0	4·8	10·8	8·4	29	7	1	2	–	–	–	–	–	1	–	–	1	2	2	–	GILLINGHAM.
HASTINGS	57,674	12·7	14·5	9·0	11·8	19	13	–	8	–	–	–	–	–	–	–	–	–	1	1	–	HASTINGS.
EASTBOURNE	48,424	9·7	10·8	14·0	9·7	17	9	–	7	–	–	–	–	–	–	–	–	1	1	2	–	EASTBOURNE.
BRIGHTON	132,409	8·3	8·7	11·0	10·6	54	27	3	11	–	–	–	–	–	–	2	–	–	–	4	–	BRIGHTON.
PORTSMOUTH	224,846	8·1	9·0	8·6	6·5	114	28	5	9	–	–	–	–	1	–	–	–	–	2	10	–	PORTSMOUTH.
BOURNEMOUTH	82,627	10·7	5·7	10·7	8·8	25	14	1	7	–	–	–	–	–	–	–	–	–	–	2	–	BOURNEMOUTH
SOUTHAMPTON	126,033	10·8	13·7	10·3	10·8	51	26	6	6	1	–	–	–	1	–	2	–	–	1	13	–	SOUTHAMPTON.
READING	91,365	8·6	9·1	5·1	9·1	42	16	–	6	–	–	–	–	–	–	–	–	1	–	4	–	READING.
OXFORD	57,666	7·2	9·0	13·6	7·2	17	8	–	2	–	–	–	–	–	–	–	–	2	2	4	–	OXFORD.
NORTHAMPTON	88,944	10·6	10·0	8·8	8·8	48	15	4	3	–	–	–	–	–	–	–	–	1	1	4	–	NORTHAMPTON.
CAMBRIDGE	57,849	7·2	5·4	6·3	9·0	16	10	–	6	–	–	–	–	–	–	–	–	1	3	1	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London. § Revised rates.

TABLE I (*cont.*).—56 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 18th September 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 28th Aug., 1920.	4th Sept., 1920.	11th Sept., 1920.	18th Sept., 1920.	Week ended 18th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	6·2	7·4	5·6	8·1	36	13	2	6	–	–	–	–	–	–	1	–	1	2	4	–	Southend on Sea.
Ipswich	78,011	6·7	15·4	12·7	6·0	30	9	1	3	–	–	–	–	–	1	–	–	1	1	3	–	Ipswich.
Great Yarmouth	53,078	11·8	11·8	11·8	12·8	27	13	1	9	–	–	–	–	–	–	–	–	–	1	4	–	Great Yarmouth.
Norwich	119,993	15·2	8·3	9·6	11·3	45	26	6	13	–	–	–	–	–	–	3	–	–	1	6	–	Norwich.
Swindon	51,527	9·1	14·2	9·1	8·1	26	8	–	2	–	–	–	–	–	–	–	–	–	–	–	–	Swindon.
Exeter	59,014	8·8	17·7	10·6	3·5	24	4	–	3	–	–	–	–	–	1	–	–	–	–	1	–	Exeter.
Plymouth	181,967	7·7	10·6	11·2	9·2	116	32	4	9	–	–	–	–	1	1	–	–	1	2	9	–	Plymouth.
Bath	65,919	5·5	11·1	9·5	15·0	17	19	1	10	–	–	–	–	–	–	–	–	1	2	5	–	Bath.
Bristol	361,247	10·8	8·4	9·5	6·5	133	45	7	18	–	–	–	–	–	3	1	–	3	7	13	–	Bristol.
Gloucester	50,100	12·5	4·2	10·4	12·5	27	12	1	4	1	–	–	–	–	–	–	–	–	–	4	–	Gloucester.
Stoke on Trent	239,316	8·9	10·7	12·2	11·3	140	52	11	13	–	–	–	1	–	–	1	1	2	4	13	–	Stoke on Trent.
Wolverhampton	98,403	10·6	14·3	6·9	10·6	42	20	5	8	–	–	–	–	3	–	1	–	–	–	1	–	Wolverhampton.
Walsall	92,724	11·2	10·7	10·7	12·9	57	23	6	8	–	–	–	–		–	3	–	1	1	2	–	Walsall.
West Bromwich	69,899	10·4	12·7	12·7	9·7	38	13	1	5	–	–	–	–	1	1	2	–	–	–	3	1	West Bromwich.
Dudley	54,017	9·7	4·8	9·7	14·5	28	15	7	3	–	–	–	–	–	–	2	–	1	1	2	1	Dudley.
Birmingham	861,585	9·1	8·8	9·0	10·4	420	172	25	42	–	–	–	5	1	6	3	1	10	10	62	4	Birmingham.
Smethwick	72,152	9·4	10·1	7·2	12·3	34	17	2	9	–	–	–	–	–	1	–	1	1	2	4	–	Smethwick.
Coventry	132,048	10·7	9·9	6·3	6·3	54	16	1	3	–	–	–	–	–	–	1	1	1	1	5	–	Coventry.
Leicester	236,059	10·4	9·7	8·8	11·0	108	50	9	9	–	–	–	–	2	1	1	–	3	5	13	2	Leicester.
Lincoln	60,581	8·6	8·6	9·5	4·3	24	5	–	3	–	–	–	–	–	–	–	–	–	–	–	–	Lincoln.
Grimsby	78,813	13·9	13·2	9·3	12·6	40	19	3	7	–	–	–	–	–	–	1	–	–	–	1	–	Grimsby.
Nottingham	257,573	12·6	9·5	8·3	8·3	118	41	8	8	–	–	–	1	–	–	4	–	2	5	17	–	Nottingham.
Derby	123,930	8·8	7·6	10·1	13·5	55	32	8	12	–	–	–	–	–	–	–	–	1	4	8	–	Derby.

* *See* note † on first page of this return

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 18th September, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 28th Aug., 1920.	4th Sept., 1920.	11th Sept., 1920.	18th Sept., 1920.	Week ended 18th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	11·2	8·3	14·9	7·9	55	19	5	8	–	–	–	–	–	2	–	–	–	–	5	–	STOCKPORT.
BIRKENHEAD	148,052	7·7	10·9	13·0	7·7	77	22	6	2	–	–	–	–	–	–	3	–	1	1	12	–	BIRKENHEAD.
WALLASEY	95,424	5·5	9·8	7·1	7·1	30	13	2	4	–	–	–	–	1	–	–	–	–	–	–	–	WALLASEY.
LIVERPOOL	772,665	10·4	11·4	12·4	11·5	383	171	37	38	–	–	–	2	–	2	15	1	4	14	83	2	LIVERPOOL.
BOOTLE	76,962	6·1	10·8	10·2	9·5	39	14	–	7	–	–	–	–	–	1	–	1	–	–	4	–	BOOTLE.
ST. HELENS	100,805	10·9	12·4	10·3	12·9	65	25	10	1	–	–	–	–	–	–	1	1	–	–	4	1	ST. HELENS.
SOUTHPORT	70,144	8·9	8·9	14·1	7·4	17	10	1	5	–	–	–	–	–	–	1	–	–	–	1	–	SOUTHPORT.
WIGAN	87,384	11·9	10·1	13·7	15·5	42	26	4	8	–	–	1	–	–	1	2	–	1	3	4	–	WIGAN.
WARRINGTON	74,952	11·8	9·0	18·8	9·0	45	13	1	2	–	–	1	–	–	1	–	–	–	–	2	–	WARRINGTON.
BOLTON	177,462	10·6	12·9	9·1	9·7	91	33	6	9	–	–	–	–	–	1	2	–	–	4	3	–	BOLTON.
BURY	54,248	16·3	9·6	15·4	15·4	21	16	1	8	–	–	–	–	–	–	1	–	2	2	5	–	BURY.
MANCHESTER	741,068	9·7	9·7	9·5	10·8	343	154	26	51	–	–	–	–	2	–	5	–	8	17	48	1	MANCHESTER.
SALFORD	226,225	9·5	8·8	13·1	9·9	115	43	6	8	1	–	–	–	1	–	3	–	5	7	14	–	SALFORD.
OLDHAM	137,668	11·4	11·7	11·0	7·6	71	20	3	6	–	–	–	–	–	–	–	–	–	–	4	–	OLDHAM.
ROCHDALE	90,051	8·7	9·8	8·7	12·7	34	22	1	9	–	–	–	–	–	–	–	–	–	2	8	–	ROCHDALE.
BURNLEY	101,005	9·3	7·2	15·5	10·8	45	21	5	4	–	–	–	–	–	–	1	–	2	3	9	–	BURNLEY.
BLACKBURN	125,992	10·8	12·0	11·6	10·3	55	25	2	13	–	–	–	–	–	–	1	–	1	1	3	–	BLACKBURN.
PRESTON	117,277	13·8	10·7	11·6	9·3	52	21	6	6	–	–	–	–	–	–	1	–	–	–	1	2	PRESTON.
BLACKPOOL	67,842	10·0	11·5	13·1	14·6	24	19	1	9	–	–	–	–	–	–	–	–	1	1	4	–	BLACKPOOL.
BARROW IN FURNESS	73,627	7·8	6·4	14·9	5·0	35	7	1	–	–	–	–	–	–	–	–	–	1	1	3	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	8·8	9·3	12·1	10·7	41	23	4	2	–	–	–	–	–	–	–	–	2	2	3	–	HUDDERSFIELD.
HALIFAX	101,791	8·7	12·3	8·7	7·2	41	14	2	5	–	–	–	–	–	–	–	–	–	1	–	–	HALIFAX.
BRADFORD	282,714	11·4	10·5	9·4	13·5	91	73	10	25	–	–	–	–	–	1	1	1	–	2	26	–	BRADFORD.
LEEDS	431,999	10·9	11·8	11·7	11·8	210	98	29	20	1	–	–	–	–	–	5	–	6	8	34	–	LEEDS.
DEWSBURY	52,969	8·9	8·9	18·7	13·8	25	14	4	1	–	–	–	–	–	–	2	–	2	5	2	–	DEWSBURY.
WAKEFIELD	49,208	7·4	10·6	13·8	12·7	21	12	1	3	–	–	–	–	–	–	–	–	–	–	3	–	WAKEFIELD.
BARNSLEY	51,680	11·1	15·1	15·1	14·1	16	14	8	3	–	–	–	–	–	–	4	–	–	–	3	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 28th Aug., 1920.	4th Sept., 1920.	11th Sept., 1920.	18th Sept., 1920.	Week ended 18th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	12·0	10·9	10·8	12·2	223	111	26	25	–	–	–	1	1	–	13	1	11	14	26	–	Sheffield.
Rotherham	69,034	7·6	6·8	13·6	16·6	44	22	6	9	–	–	–	–	–	–	3	–	2	2	8	–	Rotherham.
York	74,531	4·9	11·2	10·5	8·4	25	12	2	5	–	–	–	–	–	1	1	–	–	1	5	–	York.
Hull	279,664	11·9	14·4	11·4	11·4	155	61	15	18	–	–	–	–	–	1	9	–	3	4	27	–	Hull.
Middlesbrough	127,142	13·5	11·1	12·3	9·8	76	24	4	5	–	–	–	–	–	–	4	–	–	2	2	–	Middlesbrough.
Darlington	64,058	8·1	11·4	10·6	12·2	25	15	3	2	–	–	–	–	–	–	2	–	–	–	3	1	Darlington.
Stockton on Tees	60,696	17·2	8·6	16·3	14·6	34	17	4	6	–	–	–	–	–	–	1	–	–	–	2	1	Stockton on Tees.
West Hartlepool	65,515	17·5	14·3	15·1‡	13·5	40	17	4	2	–	–	–	–	–	1	1	–	1	2	3	–	West Hartlepool.
Sunderland	149,263	13·6	15·4	15·7	13·6	90	39	8	12	–	–	–	–	–	1	4	1	1	2	12	1	Sunderland.
South Shields	111,502	16·8	15·9	17·8	9·8	58	21	5	1	–	–	–	–	–	–	–	1	1	1	5	–	South Shields.
Gateshead	123,392	13·1	14·4	12·3	10·6	73	25	10	4	–	–	–	–	–	–	2	–	–	–	7	1	Gateshead.
Newcastle on Tyne.	275,099	11·8	8·0	7·8	12·7	130	67	13	19	–	–	–	–	–	–	3	2	2	9	18	–	Newcastle on Tyne.
Tynemouth	58,007	11·7	7·2	16·2	9·0	32	10	2	5	–	–	–	–	–	–	1	–	4	4	1	–	Tynemouth.
Carlisle	55,198	11·3	9·4	11·3	7·6	19	8	1	3	–	–	–	–	–	–	–	–	–	–	3	–	Carlisle.
Newport (Mon.)	87,251	9·6	10·8	7·8	6·6	41	11	2	3	–	–	–	–	1	1	–	–	1	1	3	–	Newport (Mon.).
Cardiff	204,436	7·9	7·4	8·4	9·4	90	37	8	6	–	–	–	–	–	–	1	1	–	2	3	–	Cardiff.
Rhondda	177,911	9·4	10·8	8·2	10·0	81	34	5	4	–	–	–	–	–	–	1	1	6	7	4	1	Rhondda.
Merthyr Tydfil	71,638	6·6	10·9	4·4	11·6	33	16	4	1	–	–	–	–	–	–	–	1	1	1	2	–	Merthyr Tydfil.
Aberdare	51,384	14·2	5·1	6·1	9·1	23	9	2	1	–	–	–	–	–	2	–	1	–	–	1	–	Aberdare.
Swansea	160,810	10·4	11·7	11·0	11·0	83	34	7	6	–	–	–	–	–	–	1	–	3	6	4	–	Swansea.
Greater London	7,259,388	9·1	9·3	9·2	9·5	3013	1321	220	429	3	–	3	3	4	24	61	12	53	124	582	2	Greater London.
Outer Ring	2,901,079	8·2	8·8	8·0	9·0	1137	500	72	181	2	–	–	1	1	9	15	5	23	48	183	1	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	8·0	8·7	8·2	9·8	663	312	50	99	2	–	–	1	–	7	13	4	14	29	119	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·4	8·9	7·7	8·0	474	188	22	82	–	–	–	–	1	2	2	1	9	19	64	–	Remainder of Outer Ring.
Edinburgh†	342,300	11·8	8·4	10·5	9·6	145	63	6	24	–	–	–	1	–	1	1	–	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	12·7	9·7	11·2	12·7	533	270	49	71	1	5	–	1	–	2	10	4	10	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	15·3	13·7	14·1	13·4	215	107	26	28	–	–	–	–	3	–	12	1	2	4	37	3	Dublin (Registration Area).†
Belfast†	413,000	13·3	12·2	16·7	14·4	235	114	32	15	1	–	–	3	–	1	9	–	7	6	40	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Revised rate.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTY-SEVENTH WEEK of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2050	1997	2120	2181	2091	1849	1859	1494	1373	1598	1876
Males	1063	1032	1082	1119	1091	919	981	755	703	832	982
Females	987	965	1038	1062	1000	930	878	739	670	766	894
Deaths (of residents only).	1079	1323	984	1184	1347	1276	984*	800*	810*	840*	821*
Males		687	498	624	718	698	537	402	398	435	417
Females		636	486	560	629	578	447	398	412	405	404

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.
Births (as registered)	2406	2337	2187	2389	2229	2297	2155	2335	2075	2294	2134	2219	1876
Deaths (of residents only).	864	749	799	846	762	796	763	710	815	813	809	831	821
Ages at Death: Under 1 year	131	107	126	125	97	138	110	101	132	132	122	159	148
1–2 years	19	20	21	10	12	10	17	16	11	13	16	16	12
2–5 "	19	25	20	24	15	24	14	13	18	19	20	12	14
5–10 "	28	26	15	21	23	22	20	25	26	18	22	20	24
10–15 "	8	9	18	14	13	8	11	15	14	16	13	13	14
15–20 "	24	23	23	24	15	18	20	16	17	13	12	17	8
20–25 "	19	21	14	16	22	19	15	18	22	29	23	21	23
25–35 "	51	37	48	35	49	43	48	46	42	44	44	41	32
35–45 "	76	59	69	81	55	61	55	64	72	72	77	60	71
45–55 "	111	95	101	95	96	97	97	71	89	90	102	92	106
55–65 "	118	107	113	133	117	121	101	89	128	120	113	99	121
65–75 "	108	109	123	140	136	119	131	126	125	133	125	129	139
75 years and upwards	152	111	108	128	112	116	124	110	119	114	120	152	109
Deaths from—													
Enteric fever	–	–	1	2	–	1	2	–	1	–	1	–	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	7	20	5	4	5	1	1	1	3	1	5	3
Scarlet fever	–	2	3	2	1	3	1	2	–	5	2	5	2
Whooping cough	11	7	3	4	4	7	3	4	3	5	2	3	3
Diphtheria	13	13	8	10	13	13	8	18	15	15	13	14	15
Diarrhœa and enteritis (under 2 years).	15	11	19	16	20	28	17	20	30	38	34	43	46
Pulmonary tuberculosis	105	59	82	78	66	72	75	63	66	86	78	57	79
Influenza	6	4	3	6	2	5	9	6	3	5	–	2	7
Pneumonia (all forms)	40	38	44	36	41	43	35	24	38	28	48	45	47
Bronchitis	43	39	30	32	32	30	33	25	30	33	33	32	33
Other dis. of resp. system	10	13	9	14	9	14	8	9	11	6	11	13	14
Dis. of circ. system	155	129	132	147	142	136	141	117	161	157	167	149	133
Violence	50	42	38	39	36	22	41	39	49	45	39	36	30
Inquest cases	88	83	72	90	72	54	85	71	92	91	71	76	76
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	17	21	24	29	33	26	29	26	21	17	18	22	16
Small-pox	3	3	3	–	–	–	–	–	–	–	–	–	–
Measles	58	58	56	53	55	48	42	35	32	27	27	23	22
Scarlet fever	1646	1705	1755	1855	1911	1956	2027	2106	2150	2266	2402	2633	2953
Whooping cough	20	18	18	17	18	13	13	15	21	21	23	22	19
Diphtheria	1668	1603	1599	1582	1556	1481	1469	1413	1362	1391	1404	1484	1591

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.
Deaths from Influenza	37	34	44	33	21	33	26	30	16	20	17	20	28

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-SEVENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 37th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	840	821	148	12	14	24	14	8	23	32	71	106	121	139	109
Enteric fever	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Whooping cough	7	3	1	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	9	15	1	2	1	11	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	9	7	-	-	1	-	-	-	1	-	2	1	2	-	-
Erysipelas	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other epidemic diseases	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pyæmia and septicæmia	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—															
Pulmonary tuberculosis	89	79	3	-	-	2	2	5	13	16	13	11	10	4	-
Tuberculous meningitis	7	5	1	1	2	1	-	-	-	-	-	-	-	-	-
Abdominal tuberculosis	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-
Tuberculosis of the spine	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis	-	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Venereal diseases	5	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	109	114	-	-	-	-	1	-	-	-	11	28	34	29	11
Tumour, situation undefined	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Rheumatic fever	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-
Diabetes	6	6	-	-	-	-	-	1	-	1	1	-	-	3	-
Anæmia, leucocythaemia	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Other general diseases	8	10	2	-	-	-	-	-	-	2	3	-	1	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	6	4	2	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, Apoplexy	29	33	-	-	-	-	-	-	-	-	1	5	5	13	9
Softening of brain	2	3	-	-	-	-	-	-	-	-	1	-	-	-	2
Paralysis, without specified cause	4	4	-	-	-	-	-	-	-	-	1	-	-	2	1
Epilepsy	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-
"Convulsions" (not puerperal)	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	28	18	-	-	-	2	-	-	-	-	4	3	4	4	1
Pericarditis	1	2	-	-	-	-	-	-	1	-	-	-	-	1	-
Acute endocarditis	4	8	-	-	-	-	2	-	1	2	3	-	-	-	-
Organic disease of heart	91	88	-	-	-	-	1	-	3	2	9	12	21	22	18
Embolism and thrombosis (including cerebral).	10	4	-	-	-	-	-	-	-	-	-	-	1	2	1
Other diseases of circulatory system.	26	31	1	-	-	-	-	-	-	-	-	7	4	9	10
Diseases of the larynx	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	28	33	2	-	1	-	-	-	-	1	1	1	5	10	12
Broncho-pneumonia	14	23	13	-	2	-	-	-	-	-	-	-	4	1	3
Lobar pneumonia	6	17	2	-	-	1	-	-	-	1	-	2	5	5	1
Pneumonia (type not distinguished)	12	7	-	-	-	-	-	-	-	-	1	-	-	5	1
Pleurisy	-	3	-	-	1	-	-	-	-	-	1	-	-	-	1
Pulmonary congestion, Pulmonary apoplexy.	1	4	1	-	-	-	-	-	-	-	-	-	1	2	-
Other diseases of respiratory system.	3	6	-	-	-	-	-	-	-	-	1	2	1	2	-

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-SEVENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 37th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	8	18	3	–	1	–	–	–	–	1	4	2	2	3	2
Diarrhœa and enteritis	89	54	43	3	–	–	–	–	–	1	2	2	1	–	2
Appendicitis and typhlitis	5	7	–	–	1	–	3	–	–	1	–	–	2	–	–
Hernia and Intestinal obstruction.	8	8	3	–	–	–	–	–	–	–	–	–	3	2	–
Cirrhosis of liver	6	10	–	1	–	–	–	–	–	–	–	5	1	2	1
Other diseases of liver	–	5	–	–	–	–	–	–	–	–	–	1	2	1	1
Peritonitis (cause unknown)	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Other diseases of digestive system	4	2	–	–	–	–	–	–	–	–	1	–	–	–	1
Acute nephritis	2	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Chronic Bright's disease	23	15	–	–	–	–	–	–	–	–	1	7	1	4	2
Urinary calculi	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Uterine tumour (non-cancerous)	1	3	–	–	–	–	–	–	–	–	1	2	–	–	–
Ovarian tumour („)	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Other diseases of genito-urinary system.	4	11	–	–	–	–	–	–	–	–	2	2	3	3	1
Puerperal fever, &c.	2	4	–	–	–	–	–	–	1	2	1	–	–	–	–
Other causes incident to childbirth.	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Diseases of skin and cellular tissues.	6	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Diseases of locomotor system	3	2	–	–	–	–	–	–	1	–	1	–	–	–	–
Congenital malformations	6	13	11	–	1	–	1	–	–	–	–	–	–	–	–
Premature birth	31	26	26	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	12	11	11	–	–	–	–	–	–	–	–	–	–	–	–
Old age	39	25	–	–	–	–	–	–	–	–	–	–	–	3	22
ACCIDENT.															
Poisons or poisonous vapours		2	–	–	–	1	–	–	–	–	–	1	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	–	–	–	–	–	–	–	–	–	2	2	–	–
Suffocation in bed	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	9	17	1	1	1	1	2	1	–	–	–	2	2	1	5
Total deaths from accident	4	24	2	1	1	2	2	1	–	–	–	5	4	1	5
Included in above are deaths in connection with:—															
Railways	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	7	–	–	1	1	1	1	–	–	–	–	2	1	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	6	–	–	–	–	–	–	–	–	2	2	1	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	11	10	8	–	–	1		–	–	–	–	–	–	–	–
Ill-defined Causes	2	2	–	–	1	–	–	–	–	–	–	–	–	1	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria* and Croup.	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Sept. 18	1,876	821	9·8	1	–	3	2	3	15	46	7
CALCUTTA	896,067	Aug. 14	–	564§	32·6	?	1	?	?	?	?	?	17
BOMBAY	979,445	„ 14	359	774§	41·1	4	1	–	–	1	–	63	9
MADRAS	518,660	„ 14	453	320	32·1	–	–	–	?	3	–	38	2
PARIS	2,847,229	(10 days) Aug. 10	1,593	941	?	4	–	10	2	4	6	67	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	330,052	Sept. 4	109	62	9·9	–	–	–	–	1	1	9	–
AMSTERDAM	651,133	„ 4	320	113	9·1	4	–	–	–	–	–	1	–
COPENHAGEN	571,000	„ 4	233	92	8·4	–	–	–	1	1	1	–	–
STOCKHOLM	415,201	Aug. 28	159	65	8·1	–	–	–	–	1	–	–	–
GOTHENBURG	200,578	„ 28	–	41	10·6	1	–	–	–	–	–	1	–
CHRISTIANIA	260,904	Sept. 4	96	57	11·4	–	–	–	–	–	–	–	–
BERLIN	1,904,590	Aug. 28	515	534	14·6	1	?	–	1	1	2	56	5
BRESLAU	531,347	„ 28	254	155	15·2	–	?	–	–	1	3	28	–
COLOGNE	642,899	„ 28	316	138	11·2	–	?	6	1	1	2	21	?
DRESDEN	537,127	„ 28	229	151	14·6	2	?	–	1	1	–	17	?
FRANKFORT-ON-MAIN.	435,103	„ 28	167	85	10·2	1	?	–	–	–	–	7	?
HAMBURG	1,002,933	„ 28	311	187	9·7	4	?	–	–	1	1	11	?
LEIPZIG	610,686	„ 28	237	140	11·9	–	?	–	–	1	1	19	?
MUNICH	647,030	„ 28	229	139	11·2	1	?	1	–	1	–	6	?
VIENNA	1,842,005	Sept. 4	460	528	14·9	3	–	–	2	–	–	21	–
PRAGUE	524,496	Aug. 14	144	142	14·1	1	–	–	–	–	–	6	–
BUDAPEST	1,071,492	June 12	638	347	16·8	2	–	–	2	–	3	31	1
		„ 19	400	321	15·6	1	–	–	4	4	2	24	4
TRIESTE	236,540	Sept. 4	103	76	16·8	–	–	–	1	–	–	12	–
CAIRO	761,300	July 1	697	790	54·0	6	–	15	–	?	–	161	?
ALEXANDRIA	445,700	„ 1	409	363§	42·4	2	–	1	–	?	–	70	?
NEW YORK	6,141,445	Aug. 28	2,562	1,088	9·2	7	–	1	2	9	9	131	3
CHICAGO	2,727,504	„ 28	–	505	9·7	–	–	1	–	3	6	65	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 11 deaths from *plague* in Bombay, and 1 in Alexandria, and from *Asiatic cholera*, 12 deaths in Calcutta, 1 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 18th September, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	76	39	67·7	48·9	42
BRIGHTON	67	45	64·1	51·9	32
PORTSMOUTH	68	45	64·6	51·1	38
NORWICH (Southwell Lodge)	72	41	64·7	49·6	28
PLYMOUTH	74	47	65·0	50·1	24
BRISTOL (Clifton)	74	47	64·7	50·1	45
BIRMINGHAM	73	45	62·9	48·1	32
NOTTINGHAM	74	42	64·3	45·6	27
BIRKENHEAD (Bidston)	71	47	61·1	48·9	22
MANCHESTER (Whitworth Park)	74	45	63·7	48·9	32
BURNLEY	70	40	61·6	48·0	16
HUDDERSFIELD	72	45	62·3	48·3	17
BRADFORD	70	45	61·6	51·0	15
SHEFFIELD	71	44	62·6	48·9	16
YORK (Museum)	68	44	62·7	47·7	17
HULL (Pearson Park)	70	44	63·1	47·7	31
TYNEMOUTH	67	45	60·4	47·9	11
CARDIFF	73	45	64·7	47·4	51
EDINBURGH	64·0	42·0	58·6	48·3	18
GLASGOW	63·3	41·5	57·5	47·4	25
DUBLIN:— Phœnix Park	70·1	35·0	62·8	43·1	14
†Fitzwilliam Square	66·9	44·7	61·4	49·9	8
BELFAST	65·0	46·0	62·0	48·0	25

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 18th September 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	bs.	Miles.	Miles.	in.
SUNDAY - -	12	New. In Equator.	29·952	76·0	39·2	36·8	58·3	+ 0·3	46·1	12·2	24·2	0·0	64	131·8	32·0	56·1	Calm & S.	SW.	0·4	0·0	0·0	127	−125	0·00
MONDAY - -	13	..	29·854	73·0	40·4	32·6	56·6	− 1·2	48·7	7·9	23·7	0·0	75	124·0	31·6	55·9	Calm & WSW.	W., NW. & N.	0·3	0·0	0·0	141	−109	0·05
TUESDAY - -	14	..	29·921	68·8	51·2	17·6	58·1	+ 0·4	50·7	7·4	17·6	2·4	77	112·5	41·6	55·7	N., calm & W.	W. & WSW.	1·1	0·0	0·1	182	− 67	0·01
WEDNESDAY -	15	..	29·732	64·6	55·1	9·5	59·3	+ 1·7	57·0	2·3	6·1	0·0	92	91·5	49·5	55·6	SW.	SW. & calm	3·8	0·0	0·3	273	+ 26	0·23
THURSDAY - -	16	..	29·472	64·9	52·7	12·2	56·4	− 1·1	52·3	4·1	14·3	0·0	86	107·8	44·7	55·5	Calm & ENE.	W., WSW. & SW.	2·9	0·0	0·2	229	− 17	0·94
FRIDAY - -	17	..	29·531	65·5	49·8	15·7	57·3	+ 0·1	48·7	8·6	14·8	3·2	73	109·0	42·6	55·6	SW. & WSW.	WSW. & SW.	4·4	0·0	0·6	381	+136	0·03
SATURDAY - -	18	..	29·273	60·5	51·1	9·4	54·8	− 2·1	51·3	3·5	7·1	1·0	88	83·9	43·7	55·5	SW. & WSW.	SW. & WSW.	7·8	0·0	0·4	340	+ 96	0·40
MEANS - - -		- - -	29·676	67·6	48·5	19·1	57·3	− 0·3	50·7	6·6	15·4	0·9	79	18·6	40·8	55·7	WSW.		..	..	..	Sum 1673	Sum − 60	Sum 1·66
No. of Column - -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	12	w.P. till 6h., m.P. generally afterwards, w.P. after 22h.	10·1	12·8	Cloudless till 2h.; variable thin cloud till 18h., then cloudless.
MONDAY -	13	w.P. till 7h., v.P. and v.N. till 17h., w.P. afterwards.	4·0	12·7	Cloudless generally till 9h., with mist or slight fog from 4h., becoming nearly overcast by noon, few breaks afterwards; slight rain 12h. 30m., and shower after 17h.; cloudless from 22h.
TUESDAY -	14	w.P. generally	4·9	12·7	Cloudless till 3h.; overcast till 10h.; partially cloudy till 15h., then overcast generally with rain between 19h. 30m. and 21h.
WEDNESDAY -	15	w.P. throughout	0·3	12·6	Overcast with few exceptions; rain generally from 3h. 30m. till noon, and at times till 18h.
THURSDAY -	16	w.P. generally, s.P. 14h. to 20h.	4·7	12·6	Overcast till 11h., with heavy rain from 0h. 45m.; partially cloudy from noon till 20h. 15m.; overcast with rain 20h. 30m., clearing about 21h.
FRIDAY -	17	v.P. generally, a little w.N. at times.	5·6	12·5	Nearly cloudless generally till 8h. 30m., then variably cloudy with overcast intervals; frequent showers till 21h.; rain from 23h. 15m.
SATURDAY -	18	w.P. throughout	0·2	12·4	Overcast with few exceptions till 18h. 30m., clearing to cloudless generally by 19h. 30m.; cloudy from 22h.; frequent rain till about 14h.
			Sum 29·8	Sum 88·3	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·07 in. at the beginning of the week to 29·84 in. by 8h. on 13th; increased to 29·97 in. by 10h. on 14th; decreased to 29·44 in. by 1h. on 17th; increased to 29·57 in. by 11h. on the same day; decreased to 29·23 in. by 22h. on 18th, and increased to 29·26 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 11th September, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	831	–	–	5	5	3	14	43	57	159
Western										
Paddington	25	–	–	–	–	–	–	2	1	4
Kensington	30	–	–	–	–	–	–	2	2	6
Hammersmith	18	–	–	–	–	–	–	–	–	6
Fulham	27	–	–	–	1	–	–	1	1	8
Chelsea	9	–	–	–	–	–	–	–	1	2
City of Westminster	15	–	–	–	–	–	–	–	1	1
Northern.										
St. Marylebone	26	–	–	–	–	–	1	2	–	3
Hampstead	14	–	–	–	–	–	–	–	1	1
St. Pancras	49	–	–	1	–	–	1	2	2	10
Islington	64	–	–	–	–	–	4	–	6	9
Stoke Newington	11	–	–	–	–	–	–	–	–	1
Hackney	36	–	–	–	–	–	1	–	3	6
Central.										
Holborn	8	–	–	–	–	–	–	1	–	1
Finsbury	25	–	–	–	–	–	–	2	1	6
City of London	4	–	–	–	–	–	–	–	–	1
Eastern.										
Shoreditch	20	–	–	–	–	–	–	2	3	4
Bethnal Green	25	–	–	2	–	–	–	2	3	10
Stepney	42	–	–	–	2	–	1	5	1	10
Poplar	37	–	–	1	1	1	1	1	4	6
Southern.										
Southwark	44	–	–	–	–	1	–	3	3	7
Bermondsey	17	–	–	–	–	1	1	–	1	5
Lambeth	57	–	–	1	–	–	2	3	6	9
Battersea	42	–	–	–	–	–	1	4	2	8
Wandsworth	47	–	–	–	1	–	–	4	3	11
Camberwell	44	–	–	–	–	–	–	2	5	8
Deptford	22	–	–	–	–	–	–	3	3	6
Greenwich	17	–	–	–	–	–	1	1	2	3
Lewisham	34	–	–	–	–	–	–	1	–	4
Woolwich	22	–	–	–	–	–	–	–	2	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 11th September, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Trench Fever.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Typhus.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	1	-	-	-	10	5	2	1	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	7	8	-	1	-	-	1	-	1	-	-	-
Hammersmith	130,981	1	-	-	-	14	5	1	1	-	-	5	-	-	-	-	-
Fulham	152,543	-	-	-	-	20	8	-	1	-	-	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	1	-	6	4	-	-	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	1	-	-	-	9	2	1	1	-	-	-	-	-	-	-	-
Hampstead	88,012	1	-	-	-	5	4	2	-	-	-	-	-	-	-	-	-
St. Pancras	219,434	1	-	-	-	18	18	1	2	-	-	2	-	-	1	-	-
Islington	323,034	-	-	-	-	37	36	1	-	-	-	3	1	-	1	-	-
Stoke Newington	50,954	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Hackney	246,736	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
Finsbury	75,291	-	-	-	1	9	7	-	1	1	-	2	-	-	-	1‡	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	1	-	-	-	17	8	2	-	-	1	1	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	23	16	-	6	-	1	1	-	-	1	-	-
Stepney	232,506	-	-	-	-	98	15	-	3	-	-	-	-	-	-	-	-
Poplar	153,644	1	-	-	-	42	20	3	3	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	1	-	-	21	3	2	1	1	1	1	-	-	-	-	-
Bermondsey	124,239	1	-	-	-	48	7	1	1	-	-	3	-	-	-	-	-
Lambeth	282,322	-	-	-	-	11	12	-	-	-	-	2	-	1	-	-	-
Battersea	159,316	1	-	-	-	23	4	3	2	-	-	2	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	20	22	3	5	-	-	3	-	-	-	-	-
Camberwell	273,802	-	3	-	-	26	11	5	4	-	-	1	-	1	-	-	-
Deptford	111,205	-	1	-	-	13	5	-	5	-	3	-	-	-	-	-	-
Greenwich	98,484	1	-	-	-	16	4	3	1	-	-	-	-	-	-	-	-
Lewisham	167,754	-	1	-	-	7	-	1	2	-	-	-	-	-	-	-	-
Woolwich	136,237	-	1	-	-	4	12	2	2	-	-	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	10	7	1	1	532	261	33	44	2	6	29	1	3	3	1	-
Ages 0–1		-	-	-	-	4	4	-	3	2	-	29	1	-	-	-	-
„ 1–5		-	-	-	-	102	77	4	1	-	-	-	-	1	-	-	-
„ 5–		-	-	-	-	263	94	5	1	-	-	-	-	-	1	-	-
„ 10–		-	-	-	-	122	46	4	2	-	-	-	-	-	-	-	-
„ 15–		4	-	-	-	21	13	4	3	-	-	-	-	-	1	1	-
„ 20–		2	3	1	-	6	11	3	3	-	1	-	-	-	-	-	-
„ 25–		1	3	-	-	7	11	1	4	-	4	-	-	1	-	-	-
„ 35–		1	1	-	1	6	3	3	7	-	1	-	-	1	1	-	-
„ 45–		2	-	-	-	-	2	5	8	-	-	-	-	-	-	-	-
„ 55–		-	-	-	-	1	-	4	11	-	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † on first page of this return.

‡ Subsequently found not to be a case of Typhus.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 38. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, SEPT. 25.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
September 28th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,635, and corresponded to an annual rate of 24·3 per 1,000. The deaths* among the civilian population only numbered 3,653, and corresponded to an annual rate of 10·7 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended September 4th, September 11th, and September 18th, the rates had been 10·0, 10·3 and 10·2, respectively. The infant mortality was 79, against 72, 75, and 79 in the preceding three three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12249—4 Wt 167–840 625 9/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 16·1 in Sunderland, 16·4 in Wolverhampton, 16·7 in Merthyr Tydfil, 17·5 in West Hartlepool, 17·6 in Middlesbrough, and 18·2 in Barnsley. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,093 births, corresponding to a rate of 24·0 per 1,000, and 825 deaths of civilians, corresponding to a rate of 9·9, as against 9·7, 9·9, and 9·8 per 1,000 in the three weeks ended September 4th, September 11th, and September 18th. The death-rate in the four weeks ended last Saturday averaged 9·8 per 1,000. The infant mortality was 65, against 57, 72, and 79 in the preceding three weeks.

There was no death from *enteric fever*, against 1, 0, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 1, 5, and 3 in the preceding three weeks, were 2 last week, and were 5 below the average. There was one death from *scarlet fever*, against 2, 5, and 2 in the preceding three weeks, and an average of 2. There was one death from *whooping-cough*, against 2, 3, and 3 in the preceding three weeks, and an average of 7. The deaths from *diphtheria*, which had been 13, 14, and 15 in the preceding three weeks, further rose last week to 22, and were 14 above the average; 5 deaths belonged to the Borough of Islington, and 3 each to St. Pancras and Poplar. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 34, 43, and 46, in the preceding three weeks, fell last week to 39, and were 69 below the average; 4 deaths belonged to Kensington, 4 to Battersea, and 4 to Camberwell. The deaths from *influenza* numbered 6 as against 0, 2, and 7 in the preceding three weeks and an average of 4.

Different forms of violence caused 35 deaths, all of which were the subject of coroners' inquests. Of these 35 deaths, 7 were cases of suicide, and 2 of homicide, while the remaining 26 were attributed to other forms of violence. Thirteen of these latter were referred to vehicles in the streets, 1 to burns or scalds, and 1 to drowning.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 15 cases of enteric fever, 19 of measles, 3,305 of scarlet fever, 20 of whooping-cough, and 1,700 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 3, 6, and 3; of measles, 4 cases, against 5, 1, and 5; of scarlet fever, 663 cases, against 434, 532, and 623; of whooping-cough, 1 case, against 2, 1, and 0; and of diphtheria, 296 cases, against 228, 249, and 277. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended September 18th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 25th September, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes — Week ended 4th Sept., 1920.	11th Sept., 1920.	18th Sept., 1920.	25th Sept., 1920.	Week ended 25th Sept., 1920. — Births.	Deaths.	The Deaths in the Week include — Deaths of — Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from — Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	3.	4.	5.	2.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	10·0	10·3	10·2	10·7	8635	3653	679	1118	5	–	8	18	14	46	205	18	140	290	1176	30	96 GREAT TOWNS.
LONDON†	4,358,309	9·7	9·9	9·8	9·9	2093	825	137	281	–	–	2	1	1	22	39	6	35	80	425	1	LONDON.†
‡ CROYDON	184,239	9·3	8·2	10·8	11·0	85	39	6	19	–	–	–	–	–	–	2	–	–	6	10	–	CROYDON.
‡ WIMBLEDON	59,791	6·1	7·8	4·4	4·4	17	5	1	2	–	–	–	–	–	–	–	–	1	1	2	–	WIMBLEDON.
‡ EALING	73,212	8·5	5·7	3·6	7·1	21	10	–	6	–	–	–	–	–	1	–	–	–	–	4	–	EALING.
‡ ACTON	61,732	8·4	10·1	11·8	6·8	32	8	3	1	–	–	–	–	1	1	–	–	–	1	1	–	ACTON.
‡ WILLESDEN	160,917	8·7	10·0	9·7	7·1	72	22	5	7	–	–	–	–	–	–	1	–	1	2	11	–	WILLESDEN.
‡ HORNSEY	94,343	7·7	11·1	9·4	7·7	16	14	1	6	–	–	–	–	–	–	–	–	–	1	3	–	HORNSEY.
‡ TOTTENHAM	141,338	8·9	6·6	10·3	5·9	75	16	1	5	–	–	–	–	–	2	–	–	–	–	6	–	TOTTENHAM.
‡ EDMONTON	70,711	8·8	5·9	10·3	7·4	44	10	1	4	–	–	–	–	–	–	–	–	–	1	3	–	‡ EDMONTON.
‡ ENFIELD	58,442	6·2	6·2	10·7	8·0	28	9	–	4	–	–	–	–	–	1	–	–	1	1	4	–	ENFIELD.
‡ WEST HAM	287,966	11·0	10·5	12·1	10·7	180	59	11	12	–	–	–	–	–	1	3	–	2	5	20	–	WEST HAM.
‡ EAST HAM	144,451	7·2	7·6	11·2	7·2	51	20	4	7	–	–	–	–	–	–	1	–	1	2	11	–	EAST HAM.
‡ LEYTON	123,896	7·6	6·3	6·3	6·7	61	16	3	6	–	–	–	–	–	–	1	–	–	3	4	–	LEYTON.
‡ WALTHAMSTOW	127,684	8·6	6·1	9·8	6·9	62	17	2	3	–	–	–	–	–	–	1	–	1	2	5	–	WALTHAMSTOW.
‡ ILFORD	79,524	8·5	7·9	7·9	8·5	33	13	2	5	–	–	–	–	–	–	–	–	–	–	2	–	ILFORD.
GILLINGHAM	43,501	4·8	10·8	8·4	8·4	30	7	–	3	–	–	–	–	–	–	–	–	1	1	1	1	GILLINGHAM.
HASTINGS	57,674	14·5	9·0	11·8	15·4	19	17	1	9	1	–	–	–	–	1	1	–	1	1	7	–	HASTINGS.
EASTBOURNE	48,424	10·8	14·0	9·7	12·9	16	12	2	5	–	–	–	–	–	–	–	–	–	1	4	–	EASTBOURNE.
BRIGHTON	132,409	8·7	11·0	10·6	9·8	67	25	6	9	–	–	–	–	–	–	1	–	–	3	8	–	BRIGHTON.
PORTSMOUTH	224,846	9·0	8·6	6·5	10·4	108	45	6	15	–	–	–	–	–	1	3	–	–	1	13	–	PORTSMOUTH.
BOURNEMOUTH	82,627	5·7	10·7	8·8	12·6	27	20	1	11	–	–	–	–	–	–	–	–	1	1	6	–	BOURNEMOUTH
SOUTHAMPTON	126,033	13·7	10·3	10·8	10·3	68	25	4	10	–	–	–	–	–	–	2	–	–	2	12	–	SOUTHAMPTON.
READING	91,365	9·1	5·1	9·1	5·1	38	9	1	3	–	–	–	–	–	–	1	–	–	–	2	–	READING.
OXFORD	57,666	9·0	13·6	7·2	5·4	21	6	2	1	–	–	–	–	–		–	–	–	–	1	–	OXFORD.
NORTHAMPTON	88,944	10·0	8·8	8·8	10·6	48	18	2	7	–	–	–	–	–	–	–	–	1	1	5	–	NORTHAMPTON.
CAMBRIDGE	57,849	5·4	6·3	9·0	8·1	24	9	–	5	–	–	–	–	–	–	–	–	–	1	1	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 2 (*contd.*): 96 GREATER TOWNS, CHIEFLY ENGLISH, WITH FOUR SCOTTISH OR IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 25th September 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 4th Sept., 1920.	11th Sept., 1920.	18th Sept., 1920.	25th Sept., 1920.	Week ended 25th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	7·4	5·6	8·1	9·9	40	16	1	7	–	–	–	–	–	–	–	–	–	1	3	–	Southend on Sea.
Ipswich	78,011	15·4	12·7	6·0	14·0	32	21	6	7	–	–	–	–	–	–	–	–	2	2	6	–	Ipswich.
Great Yarmouth	53,078	11·8	11·8	12·8	15·7	35	16	1	8	–	–	–	–	1	–	–	–	–	–	2	–	Great Yarmouth.
Norwich	119,993	8·3	9·6	11·3	13·9	50	32	4	12	–	–	–	–	1	–	1	–	3	4	11	–	Norwich.
Swindon	51,527	14·2	9·1	8·1	12·1	23	12	–	8	–	–	–	–	–	–	–	–	–	–	4	–	Swindon.
Exeter	59,014	17·7	10·6	3·5	10·6	28	12	–	8	–	–	–	–	–	–	–	–	–	–	–	–	Exeter.
Plymouth	181,967	10·6	11·2	9·2	13·2	101	46	11	18	1	–	–	–	–	–	1	–	2	4	11	–	Plymouth.
Bath	65,919	11·1	9·5	15·0	9·5	21	12	2	5	–	–	–	–	–	–	–	–	–	–	2	–	Bath.
Bristol	361,247	8·4	9·5	6·5	9·2	180	64	7	24	–	–	–	–	–	–	1	–	3	7	17	–	Bristol.
Gloucester	50,100	4·2	10·4	12·5	8·3	25	8	–	4	–	–	–	–	–	–	–	–	1	1	3	–	Gloucester.
Stoke on Trent	239,316	10·7	12·2	11·3	12·6	136	58	23	4	–	–	–	–	–	–	7	–	3	4	8	1	Stoke on Trent.
Wolverhampton	98,403	14·3	6·9	10·6	16·4	52	31	8	9	–	–	–	–	–	–	–	–	1	3	6	–	Wolverhampton.
Walsall	92,724	10·7	10·7	12·9	13·5	43	24	3	7	–	–	1	–	1	–	1	–	–	1	5	–	Walsall.
West Bromwich	69,899	12·7	12·7	9·7	11·2	57	15	1	5	–	–	–	–	–	–	2	–	1	1	4	–	West Bromwich.
Dudley	54,017	4·8	9·7	14·5	5·8	25	6	2	1	–	–	–	–	–	1	1	–	–	1	1	–	Dudley.
Birmingham	861,585	8·8	9·0	10·4	10·3	452	171	35	47	–	–	–	4	–	3	5	1	1	2	52	11	Birmingham.
Smethwick	72,152	10·1	7·2	12·3	6·5	40	9	2	5	–	–	–	–	–	–	–	–	–	–	2	–	Smethwick.
Coventry	132,048	9·9	6·3	6·3	7·5	55	19	4	6	–	–	–	–	–	–	1	1	1	2	3	–	Coventry.
Leicester	236,059	9·7	8·8	11·0	10·2	88	46	12	11	–	–	–	–	–	–	4	–	4	5	16	–	Leicester.
Lincoln	60,581	8·6	9·5	4·3	9·5	28	11	–	3	–	–	–	–	–	–	–	–	1	1	3	–	Lincoln.
Grimsby	78,813	13·2	9·3	12·6	13·9	34	21	2	7	–	–	–	–	–	–	2	–	4	6	6	–	Grimsby.
Nottingham	257,573	9·5	8·3	8·3	11·9	114	59	15	27	–	–	–	–	–	2	11	–	2	4	15	–	Nottingham.
Derby	123,930	7·6	10·1	13·5	8·8	57	21	3	5	–	–	–	1	–	1	1	1	–	3	7	–	Derby.

* *See* note † on first page of this return

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 25th September, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 4th Sept., 1920.	11th Sept., 1920.	18th Sept., 1920.	25th Sept., 1920.	Week ended 25th Sept., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from: Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	8·3	14·9	7·9	12·9	41	31	4	12	–	–	–	1	–	–	–	1	3	6	9	–	STOCKPORT.
BIRKENHEAD	148,052	10·9	13·0	7·7	10·2	80	29	4	5	–	–	–	–	–	–	3	–	1	1	8	–	BIRKENHEAD.
WALLASEY	95,424	9·8	7·1	7·1	7·7	25	14	1	5	–	–	–	–	–	–	–	–	–	–	3	–	WALLASEY.
LIVERPOOL	772,665	11·4	12·4	11·5	11·9	418	177	45	44	–	–	1	–	2	4	13	–	7	16	76	2	LIVERPOOL.
BOOTLE	76,962	10·8	10·2	9·5	14·2	28	21	2	6	–	–	–	–	–	1	1	–	1	2	9	–	BOOTLE.
ST. HELENS	100,805	12·4	10·3	12·9	10·9	63	21	6	1	–	–	–	1	–	–	2	–	2	2	4	1	ST. HELENS.
SOUTHPORT	70,144	8·9	14·1	7·4	8·2	23	11	3	5	–	–	–	–	–	–	–	–	–	–	2	–	SOUTHPORT.
WIGAN	87,384	10·1	13·7	15·5	12·5	55	21	7	5	–	–	–	–	–	–	2	–	3	4	4	–	WIGAN.
WARRINGTON	74,952	9·0	18·8	9·0	11·1	41	16	5	2	–	–	–	–	–	–	2	–	–	–	3	1	WARRINGTON.
BOLTON	177,462	12·9	9·1	9·7	9·4	73	32	8	2	1	–	–	–	3	–	–	–	2	6	4	–	BOLTON.
BURY	54,248	9·6	15·4	15·4	9·6	21	10	2	4	–	–	–	–	1	–	–	–	–	2	–	–	BURY.
MANCHESTER	741,068	9·7	9·5	11·0	10·6	320	151	20	34	–	–	–	–	–	–	3	2	6	8	52	3	MANCHESTER.
SALFORD	226,225	8·8	13·1	9·9	10·8	133	47	9	16	–	–	–	1	–	1	3	–	–	–	9	1	SALFORD.
OLDHAM	137,668	11·7	11·0	7·6	10·2	72	27	5	6	–	–	–	–	1	–	–	1	–	2	6	–	OLDHAM.
ROCHDALE	90,051	9·8	8·7	12·7	12·7	39	22	5	4	–	–	–	–	–	–	–	2	1	2	4	–	ROCHDALE.
BURNLEY	101,005	7·2	15·5	10·8	11·4	56	22	3	5	–	–	–	–	–	–	–	–	1	2	7	–	BURNLEY.
BLACKBURN	125,992	12·0	11·6	10·3	8·7	38	21	3	9	–	–	–	–	–	–	–	–	1	2	6	–	BLACKBURN.
PRESTON	117,277	10·7	11·6	9·3	10·7	59	24	7	9	–	–	–	–	–	–	1	–	–	–	5	1	PRESTON.
BLACKPOOL	67,842	11·5	13·1	14·6	11·5	15	15	1	11	–	–	1	–	–	–	–	–	1	1	1	2	BLACKPOOL.
BARROW IN FURNESS	73,627	6·4	14·9	5·0	5·7	37	8	–	1	–	–	–	–	–	–	–	–	–	1	–	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	9·3	12·1	10·7	14·4	51	31	7	10	–	–	–	–	–	–	1	–	–	–	8	–	HUDDERSFIELD.
HALIFAX	101,791	12·3	8·7	7·2	14·9	35	29	1	11	–	–	–	–	–	–	–	–	–	3	9	–	HALIFAX.
BRADFORD	282,714	10·5	9·4	13·5	12·0	125	65	10	22	–	–	–	1	–	–	2	–	3	4	18	–	BRADFORD.
LEEDS	431,999	11·8	11·7	11·8	13·6	211	113	16	37	1	–	–	–	–	–	6	–	5	12	30	–	LEEDS.
DEWSBURY	52,969	8·9	18·7	14·8	12·8	26	13	7	–	–	–	–	–	1	–	1	–	–	1	2	–	DEWSBURY.
WAKEFIELD	49,208	10·6	13·8	12·7	12·7	17	12	2	2	–	–	–	–	–	–	–	–	1	1	2	–	WAKEFIELD.
BARNSLEY	51,680	15·1	15·1	14·1	18·2	33	18	7	3	–	–	–	–	–	–	8	–	–	–	2	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 4th Sept., 1920.	11th Sept., 1920.	18th Sept., 1920.	25th Sept., 1920.	Week ended 25th Sept., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	10·9	10·8	12·2	13·8	250	125	22	40	–	–	1	–	–	–	12	–	5	9	33	–	Sheffield.
Rotherham	69.034	6·8	13·6	16·6	8·3	40	11	2	6	–	–	–	–	–	–	1	–	–	–	3	1	Rotherham.
York	74,531	11·2	10·5	8·4	7·0	37	10	1	3	–	–	–	–	–	–	–	–	–	1	3	–	York.
Hull	279,664	14·4	11·4	11·4	13·4	143	72	21	14	–	–	–	–	–	–	9	–	1	3	11	–	Hull.
Middlesbrough	127.142	11·1	12·3	9·8	17·6	68	43	18	8	1	–	–	–	1	–	5	–	1	1	8	1	Middlesbrough.
Darlington	64,058	11·4	10·6	12·2	9·8	31	12	1	6	–	–	–	–	–	–	–	1	–	–	3	–	Darlington.
Stockton on Tees	60,696	8·6	16·3	14·6	15·5	28	18	8	4	–	–	–	–	–	1	6	–	2	2	4	–	Stockton on Tees.
West Hartlepool	65,515	14·3	15·1	13·5	17·5	34	22	6	4	–	–	–	–	–	–	3	–	2	2	2	–	West Hartlepool.
Sunderland	149,263	15·4	15·7	13·6	16·1	86	46	11	11	–	–	–	–	–	–	6	–	1	2	8	1	Sunderland.
South Shields	111,502	15·9	17·8	9·8	13·1	69	28	9	5	–	–	–	–	–	–	3	–	1	1	6	1	South Shields.
Gateshead	123,392	14·4	12·3	10·6	12·7	57	30	10	5	–	–	–	–	–	–	4	–	1	1	6	–	Gateshead.
Newcastle on Tyne.	275,099	8·0	7·8	12·7	11·0	138	58	8	19	–	–	–	–	1	–	2	–	1	5	15	–	Newcastle on Tyne.
Tynemouth	58,007	7·2	16·2	9·0	9·0	29	10	6	1	–	–	–	–	–	–	3	–	–	–	–	1	Tynemouth.
Carlisle	55,198	9·4	11·3	7·6	4·7	30	5	2	1	–	–	–	–	–	–	1	–	–	–	1	–	Carlisle.
Newport (Mon.)	87,251	10·8	7·8	6·6	11·4	56	19	4	3	–	–	1	1	–	–	1	1	–	1	3	–	Newport (Mon.).
Cardiff	204,436	7·4	8·4	9·4	8·2	107	32	4	8	–	–	–	–	1	–	1	–	4	5	12	–	Cardiff.
Rhondda	177,911	10·8	8·2	10·0	11·4	98	39	5	8	–	–	1	1	–	2	1	1	4	4	4	–	Rhondda.
Merthyr Tydfil	71,638	10·9	4·4	11·6	16·7	48	23	2	8	–	–	–	1	–	–	1	–	1	1	3	–	Merthyr Tydfil.
Aberdare	51,384	5·1	6·1	9·1	13·2	22	13	2	3	–	–	–	1	–	–	1	–	–	1	1	–	Aberdare.
Swansea	160,810	11·7	11·0	11·0	9·7	77	30	3	6	–	–	–	–	–	–	3	–	3	4	9	–	Swansea.
Greater London	7,259,388	9·3	9·2	9·5	9·1	3346	1265	203	431	–	–	2	1	2	35	51	8	46	115	565	1	Greater London.
Outer Ring	2,901,079	8·8	8·0	9·0	7·9	1253	440	66	150	–	–	–	–	1	13	12	2	11	35	140	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668.251	8·7	8·2	9·8	8·1	777	258	40	87	–	–	–	–	1	6	9	–	7	25	86	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·9	7·7	8·0	7·7	476	182	26	63	–	–	–	–	–	7	3	2	4	10	54	–	Remainder of Outer Ring.
Edinburgh†	342,300	8·4	10·5	9·6	9·8	155	64	8	21	–	–	–	–	–	1	1	–	3	?	?	?	Edinburgh.†
Glasgow†	1.115,500	9·7	11·2	12·7	13·0	571	278	59	58	2	1	1	1	3	3	12	–	13	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	13·7	14·1	13·4	15·7	196	125	34	31	1	–	–	–	3	1	22	1	5	3	53	1	Dublin (Registration Area).†
Belfast†	413,000	12·2	16·7	14·4	15·4	209	122	31	20	2	–	–	1	2	2	15	–	3	3	41	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTY-EIGHTH WEEK of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	2079	2155	2100	2085	2176	1906	1942	1442	1441	1662	2093
Males	1069	1105	1081	1080	1085	1016	1035	741	743	880	1073
Females	1010	1050	1019	1005	1091	890	907	701	698	782	1020
Deaths (of residents only).	1050	1356	1056	1186	1313	1212	968*	898*	915*	881*	825*
Males		700	529	632	685	667	528	468	474	465	433
Females		656	527	554	658	545	440	430	441	416	392

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.
Births (as registered)	2337	2187	2389	2229	2297	2155	2335	2075	2294	2134	2219	1876	2093
Deaths (of residents only).	749	799	846	762	796	763	710	815	813	809	831	821	825
Ages at Death: Under 1 year	107	126	125	97	138	110	101	132	132	122	159	148	137
1–2 years	20	21	10	12	10	17	16	11	13	16	16	12	9
2–5 "	25	20	24	15	24	14	13	18	19	20	12	14	21
5–10 "	26	15	21	23	22	20	25	26	18	22	20	24	21
10–15 "	9	18	14	13	8	11	15	14	16	13	13	14	14
15–20 "	23	23	24	15	18	20	16	17	13	12	17	8	18
20–25 "	21	14	16	22	19	15	18	22	29	23	21	23	17
25–35 "	37	48	35	49	43	48	46	42	44	44	41	32	41
35–45 "	59	69	81	55	61	55	64	72	72	77	60	71	59
45–55 "	95	101	95	96	97	97	71	89	90	102	92	106	94
55–65 "	107	113	133	117	121	101	89	128	120	113	99	121	113
65–75 "	109	123	140	136	119	131	126	125	133	125	129	139	153
75 years and upwards	111	108	128	112	116	124	110	119	114	120	152	109	128
Deaths from—													
Enteric fever	–	1	2	–	1	2	–	1	–	1	–	1	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	20	5	4	5	1	1	1	3	1	5	3	2
Scarlet fever	2	3	2	1	3	1	2	–	5	2	5	2	1
Whooping cough	7	3	4	4	7	3	4	3	5	2	3	3	1
Diphtheria	13	8	10	13	13	8	18	15	15	13	14	15	22
Diarrhœa and enteritis (under 2 years).	11	19	16	20	28	17	20	30	38	34	43	46	39
Pulmonary tuberculosis	59	82	78	66	72	75	63	66	86	78	57	79	69
Influenza	4	3	6	2	5	9	6	3	5	–	2	7	6
Pneumonia (all forms)	38	44	36	41	43	35	24	38	28	48	45	47	53
Bronchitis	39	30	32	32	30	33	25	30	33	33	32	33	52
Other dis. of resp. system	13	9	14	9	14	8	9	11	6	11	13	14	11
Dis. of circ. system	129	132	147	142	136	141	117	161	157	167	149	133	148
Violence	42	38	39	36	22	41	39	49	45	39	36	30	35
Inquest cases	83	72	90	72	54	85	71	92	91	71	76	76	80
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	21	24	29	33	26	29	26	21	17	18	22	16	15
Small-pox	3	3	–	–	–	–	–	–	–	–	–	–	–
Measles	58	56	53	55	48	42	35	32	27	27	23	22	19
Scarlet fever	1705	1755	1855	1911	1956	2027	2106	2150	2266	2402	2633	2953	3305
Whooping cough	18	18	17	18	13	13	15	21	21	23	22	19	20
Diphtheria	1603	1599	1582	1556	1481	1469	1413	1362	1391	1404	1484	1591	1700

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.
Deaths from Influenza	34	44	33	21	33	26	30	16	20	17	20	28	18

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-EIGHTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 38th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	881	825	137	9	21	21	14	18	17	41	59	94	113	153	128
Enteric fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Whooping cough	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	10	22	–	2	12	7	1	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	6	1	–	–	–	–	–	–	–	1	–	1	1	2
Erysipelas	4	4	–	–	–	–	–	–	–	–	–	1	1	2	–
Other epidemic diseases	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	81	69	–	–	1	1	3	7	7	15	13	11	6	4	1
Tuberculous meningitis	8	7	1	1	–	3	1	1	–	–	–	–	–	–	–
Abdominal tuberculosis	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	1	3	–	–	–	–	1	1	–	–	1	–	–	–	–
Tuberculosis of the joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Venereal diseases	11	6	2	–	–	–	–	1	–	1	–	1	1	–	–
Cancer	111	90	1	–	–	–	–	–	–	1	10	15	30	24	9
Tumour, situation undefined	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic fever	1	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Diabetes	6	8	–	–	–	1	–	–	–	–	1	1	2	3	–
Anæmia, leucocythaemia	4	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Other general diseases	9	7	2	–	–	1	–	–	–	–	1	1	–	1	1
Alcoholism	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	6	3	–	–	–	1	–	–	–	–	–	1	–	1	–
Cerebral hæmorrhage, Apoplexy	29	35	–	–	–	–	–	–	–	–	–	4	10	13	8
Softening of brain	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis, without specified cause	4	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Epilepsy	6	5	–	–	1	–	–	–	–	2	1	1	–	–	–
"Convulsions" (not puerperal)	6	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	14	19	–	–	–	1	–	–	–	3	5	5	–	4	1
Pericarditis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Acute endocarditis	9	6	–	–	–	–	–	–	1	4	–	–	–	1	–
Organic disease of heart	87	100	–	–	–	–	2	1	2	3	3	14	17	34	24
Embolism and thrombosis (including cerebral).	7	14	–	–	–	–	–	–	–	–	–	1	3	3	7
Other diseases of circulatory system.	20	27	–	–	–	–	–	–	–	–	1	4	4	7	11
Diseases of the larynx	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	35	52	2	–	–	1	–	–	1	1	2	1	6	15	23
Broncho-pneumonia	13	18	9	–	1	–	–	–	–	–	–	1	3	2	2
Lobar pneumonia	7	16	1	–	–	–	–	1	–	1	2	7	1	1	2
Pneumonia (type not distinguished)	10	19	4	–	–	–	–	–	1	–	–	4	4	3	3
Pleurisy	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Pulmonary congestion, Pulmonary apoplexy.	4	5	–	–	–	–	–	–	–	–	–	–	1	2	2
Other diseases of respiratory system.	5	3	–	–	–	–	–	–	–	–	–	–	–	2	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-EIGHTH Week of the Year 1920.

Causes of Death.	Deaths in the 38th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Diseases of stomach	10	10	1	-	-	-	-	-	-	-	2	1	3	1	2
Diarrhœa and enteritis	123	45	39	-	1	-	-	-	-	1	-	-	2	1	1
Appendicitis and typhlitis	4	8	-	-	1	-	2	1	2	-	-	1	-	-	1
Hernia and Intestinal obstruction.	7	9	2	-	-	-	-	-	-	-	-	1	-	3	3
Cirrhosis of liver	5	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Other diseases of liver	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1
Peritonitis (cause unknown)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of digestive system	2	3	-	-	-	-	-	-	-	1	-	1	1	-	-
Acute nephritis	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-
Chronic Bright's disease	24	27	-	-	-	-	-	1	-	3	5	3	11	1	3
Urinary calculi	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Uterine tumour (non-cancerous)	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Ovarian tumour (")	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genito-urinary system.	17	9	1	-	-	-	-	-	-	1	1	1	1	2	2
Puerperal fever, &c.	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth.	4	3	-	-	-	-	-	-	1	-	2	-	-	-	-
Diseases of skin and cellular tissues.	3	5	-	-	-	-	-	-	-	-	-	1	-	4	-
Diseases of locomotor system	1	3	-	-	-	2	-	1	-	-	-	-	-	-	-
Congenital malformations	7	8	7	1	-	-	-	-	-	-	-	-	-	-	-
Premature birth	35	33	33	-	-	-	-	-	-	-	-	-	-	-	-
Debility, atrophy marasmus (Infants).	11	16	16	-	-	-	-	-	-	-	-	-	-	-	-
Old age	21	23	-	-	-	-	-	-	-	-	-	-	-	9	14
ACCIDENT.															
Poisons or poisonous vapours	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conflagration	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other deaths by accident	30	24	-	1	3	2	-	2	2	-	1	5	2	5	1
Total deaths from accident	31	26	-	2	3	2	-	2	2	1	1	5	2	5	1
Included in above are deaths in connection with:—															
Railways	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	13	-	-	2	2	-	2	2	-	1	1	1	2	-
Ships, boats, docks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building operations	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1		1	-	-	-	-	-	-	-	-	-	1	-	-
Suicide	1		-	-	-	-	-	-	-	1	2	4	-	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases	10	8		-	-	-	-	-	-	-	1	-	-	-	-
Ill-defined Causes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Sept. 25	2,093	825	9·9	–	–	2	1	1	22	39	6
CALCUTTA	896,067	Aug. 21	–	533§	30·9	?	1	?	?	?	?	?	24
BOMBAY	979,445	„ 21	386	834§	44·3	4	1	1	–	–	–	57	7
MADRAS	518,660	„ 21	432	340	34·1	–	–	–	?	2	–	42	3
PARIS	2,847,229	(10 days) Aug. 20	–	–	–	–	–	–	–	–	–	–	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	329,956	Sept. 11	134	44	7·0	–	–	–	–	–	–	10	–
AMSTERDAM	651,994	„ 11	280	106	8·5	1	–	2	–	1	1	–	–
COPENHAGEN	571,000	„ 11	231	101	9·2	–	–	–	1	–	1	2	–
STOCKHOLM	415,201	„ 4	100	66	8·3	–	–	–	–	–	–	–	–
GOTHENBURG	200,578	„ 4	–	–	–	–	–	–	–	–	–	–	–
CHRISTIANIA	260,904	„ 11	78	44	8·8	–	–	–	–	–	–	1	–
BERLIN	1,904,590	„ 4	564	471	12·9	1	?	–	–	3	4	26	–
BRESLAU	531,347	„ 4	265	152	14·9	1	?	–	1	–	2	23	–
COLOGNE	642,899	„ 4	316	158	12·8	2	?	4	–	2	2	15	?
DRESDEN	537,127	„ 4	213	111	10·7	–	?	–	–	1	–	19	?
FRANKFORT-ON-MAIN.	435,103	„ 4	173	71	8·5	–	?	1	–	1	–	8	?
HAMBURG	1,002,933	„ 4	359	196	10·2	1	?	–	1	–	2	9	?
LEIPZIG	610,686	„ 4	252	160	13·6	1	?	–	–	2	–	16	?
MUNICH	647,030	„ 4	240	152	12·2	–	?	–	–	–	–	5	?
VIENNA	1,842,005	„ 11	511	446	12·6	5	3	–	–	–	–	17	–
PRAGUE	524,496	Aug. 21	153	162	16·1	5	–	–	–	–	–	11	1
BUDAPEST	1,071,492	June 26	386	349	16·9	–	–	–	8	2	1	28	1
TRIESTE	236,540	Sept. 11	–	–	–	–	–	–	–	–	–	–	–
CAIRO	761,300	July 8	772	788	53·8	2	–	11	–	?	–	172	?
ALEXANDRIA	445,700	„ 8	411	330	38·5	3	1	1	–	?	–	74	?
NEW YORK	6,141,445	Sept. 4	2,255	1,054	9·0	7	–	1	1	21	7	104	2
CHICAGO	2,727,504	„ 4	–	495	9·5	1	–	–	–	–	8	52	1

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 9 deaths from *plague* in Bombay, and from *Asiatic cholera*, 14 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 25th September, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	66	42	62·3	48·0	29
BRIGHTON	66	48	62·9	50·2	10
PORTSMOUTH	64	47	61·7	49·7	3
NORWICH (Southwell Lodge)	65	38	60·7	47·7	18
PLYMOUTH	69	46	63·6	48·6	2
BRISTOL (Clifton)	63	42	59·7	46·0	1
BIRMINGHAM	66	41	58·6	45·0	1
NOTTINGHAM	66	31	59·4	39·9	1
BIRKENHEAD (Bidston)	62	44	58·6	45·7	4
MANCHESTER	66	39	61·0	43·6	1
BURNLEY	62	35	58·4	40·1	10
HUDDERSFIELD	65	41	58·4	42·9	1
BRADFORD	63	36	57·4	42·4	0·3
SHEFFIELD	62	37	57·9	43·9	0
YORK (Museum)	65	37	59·7	42·1	1
HULL (Pearson Park)	65	36	59·3	43·7	0
TYNEMOUTH	59	41	55·4	43·7	11
CARDIFF	65	41	60·6	45·3	0
EDINBURGH	64·0	39·0	57·6	43·4	7
GLASGOW	61·7	35·8	56·6	42·5	3
DUBLIN:— Phœnix Park	71·0	30·1	60·5	37·7	2
†Fitzwilliam Square	69·0	38·4	59·7	43·4	1
BELFAST	62·0	36·0	56·0	39·3	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 25th September 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	bs.	Miles.	Miles.	in.
SUNDAY - - 19	Greatest declination S.	29·586	65·1	44·5	20·6	53·6	− 2·9	43·3	10·3	20·8	2·6	68	120·3	37·1	55·4	W.	W. & WSW.	7·4	0·0	0·3	335	+ 93	0·00
MONDAY - - 20	First Quarter. Apogee.	29·779	62·5	42·0	20·5	52·6	− 3·6	41·9	10·7	18·1	0·9	67	108·1	37·0	55·4	Calm & NNE.	N. & NNE.	1·4	0·0	0·1	149	− 91	0·00
TUESDAY - - 21	..	29·839	52·8	47·1	5·7	49·2	− 6·7	48·0	1·2	5·8	0·0	95	65·0	45·4	55·1	NNE. & NE.	NNE. & NE.	2·6	0·0	0·2	244	+ 6	0·95
WEDNESDAY - 22	..	29·985	62·4	48·9	13·5	53·4	− 2·2	50·6	2·8	10·7	0·0	90	104·2	43·3	55·1	NNE. & NE.	NE. & calm	2·4	0·0	0·2	241	+ 5	0·21
THURSDAY - - 23	..	30·105	66·3	47·0	19·3	56·1	+ 0·7	52·0	4·1	11·8	0·4	86	120·3	41·7	55·1	Calm & E.	E.	0·6	0·0	0·0	132	−104	0·00
FRIDAY - - 24	..	30·003	64·0	53·9	10·1	57·8	+ 2·5	51·5	6·3	12·4	1·2	80	107·0	50·0	55·0	NE.	NE., NNE. & N.	2·2	0·0	0·2	281	+ 44	0·00
SATURDAY - - 25	..	29·932	59·4	52·5	6·9	55·1	− 0·1	52·7	2·4	6·2	0·0	92	70·3	46·8	55·0	N.	N. & calm	1·0	0·0	0·1	152	− 87	0·00
MEANS - - -	- - -	29·890	61·8	48·0	13·8	54·0	− 1·8	48·6	5·4	12·3	0·7	83	99·3	43·0	55·2	NNE.		..	..	..	Sum 1534	Sum −134	Sum 1·16
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	19	m.P. generally	10·5	12·4	Nearly cloudless till 9h., variably cloudy till 13h., little cloud generally afterwards, with cloudless intervals.
MONDAY	20	w.P. generally, s.P. 10h. to 20h.	6·4	12·3	Cloudless till 2h., cloudy generally till 6h.; few clouds at times till 14h.; overcast generally afterwards.
TUESDAY	21	w.P. throughout	0·0	12·3	Overcast till 19h., few exceptions afterwards; rain generally from 5h. 30m. to 20h., and again about 23h.; thunderstorm about 28h.
WEDNESDAY	22	w.P. till 13h., v.P. afterwards.	2·2	12·2	Overcast with cloudy intervals till 19h., variably cloudy afterwards; rain about 3h. and from 10h. 30m. to 13h., overcast by 23h.
THURSDAY	23	v.P. throughout	5·3	12·1	Overcast generally till 9h. 30m., variably cloudy till 16h., then overcast with few exceptions.
FRIDAY	24	w.P. till 10h., v.P. till 20h., w.P. afterwards.	0·9	12·0	Overcast with few exceptions; misty in early morning.
SATURDAY	25	w.P. generally, a little v.P. in evening.	0·0	12·0	Overcast with very slight exceptions; misty rain between 7h. and noon; misty in evening.
			Sum 25·3	Sum 85·3	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·26 in. at the beginning of the week to 30·13 in. by 21h. on 23rd; decreased to 29·90 in. by 5h. on 25th, and increased to 29·98 in. by midnight on the same day.

ERRATUM.—The mean of the highest temperatures in the sun's rays (col. 15) for the week ended 18th September should read 108·6, and not 18·6 as printed.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 18th September, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	821	1	-	3	2	3	15	46	79	148
Western										
PADDINGTON	25	-	-	-	-	1	-	2	1	8
KENSINGTON	24	-	-	-	-	-	-	1	2	1
HAMMERSMITH	25	-	-	-	-	-	-	1	1	6
FULHAM	30	-	-	-	-	-	-	2	2	9
CHELSEA	16	-	-	1	-	-	1	1	1	2
CITY OF WESTMINSTER	24	-	-	-	-	-	1	2	4	6
Northern.										
ST. MARYLEBONE	14	-	-	-	-	-	-	-	2	2
HAMPSTEAD	15	-	-	-	-	-	1	-	-	2
ST. PANCRAS	43	-	-	-	-	-	-	1	3	6
ISLINGTON	57	-	-	-	-	-	4	-	3	3
STOKE NEWINGTON	7	-	-	-	-	-	-	1	-	1
HACKNEY	50	-	-	-	-	-	-	6	6	13
Central.										
HOLBORN	11	-	-	-	-	-	-	-	1	-
FINSBURY	15	-	-	-	-	-	-	1	3	4
CITY OF LONDON	4	-	-	-	-	-	-	-	1	1
Eastern.										
SHOREDITCH	19	-	-	-	-	-	-	5	-	9
BETHNAL GREEN	24	-	-	1	-	-	-	1	4	4
STEPNEY	56	-	-	1	-	1	1	5	6	13
POPLAR	30	-	-	-	1	-	2	1	2	4
Southern.										
SOUTHWARK	34	-	-	-	-	-	-	-	3	6
BERMONDSEY	21	-	-	-	1	-	-	2	4	4
LAMBETH	53	-	-	-	-	1	2	2	7	12
BATTERSEA	33	-	-	-	-	-	1	1	2	5
WANDSWORTH	55	-	-	-	-	-	-	3	7	6
CAMBERWELL	51	-	-	-	-	-	-	5	5	9
DEPTFORD	26	-	-	-	-	-	-	1	1	3
GREENWICH	14	1	-	-	-	-	-	-	3	-
LEWISHAM	32	-	-	-	-	-	1	1	3	7
WOOLWICH	13	-	-	-	-	-	1	1	2	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 18th September, 1920.*

Boroughs.	Estimated Civilian Population, Mid. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
Western.																	
Paddington	143,938	-	-	-	-	13	6	-	-	-	-	1	-	-	-	-	-
Kensington	157,886	-	-	-	-	10	4	-	1	-	-	-	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	23	6	2	-	-	-	1	-	-	-	-	-
Fulham	152,543	3	-	-	-	29	5	-	1	-	1	-	1	-	-	-	-
Chelsea	60,573	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	1	-	-	7	6	-	-	1	-	1	-	-	-	-	-
Northern.																	
St. Marylebone	97,953	-	-	-	-	10	2	-	3	-	1	-	-	-	-	-	-
Hampstead	88,012	1	-	-	-	4	6	1	-	1	-	-	-	-	-	-	-
St. Pancras	219,434	-	-	-	-	16	16	5	4	-	1	-	-	-	-	-	-
Islington	323,034	1	-	-	-	37	33	3	1	-	-	2	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	3	3	-	-	-	-	1	-	-	-	-	-
Hackney	216,736	-	-	-	-	27	19	-	2	-	2	-	-	-	-	-	-
Central.																	
Holborn	38,156	-	-	-	-	3	2	-	-	-	-	-	1	-	-	-	-
Finsbury	75,291	-	-	-	-	24	4	-	-	-	-	-	1	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern.																	
Shoreditch	98,134	1	-	-	-	13	4	3	1	-	-	1	-	1	-	-	-
Bethnal Green	110,085	-	-	-	-	20	14	-	4	-	1	-	1	-	-	-	-
Stepney	232,506	-	1	-	‡1	96	14	3	-	-	-	1	-	-	1	-	-
Poplar	153,644	1	1	-	-	31	21	7	1	-	-	1	-	-	-	-	-
Southern.																	
Southwark	179,971	1	-	-	-	23	9	1	3	-	1	2	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	37	4	1	1	-	2	3	-	-	-	2	-
Lambeth	282,322	1	-	-	-	27	18	5	4	-	2	4	-	-	-	-	-
Battersea	159,316	-	-	-	-	25	12	3	3	-	1	1	-	-	-	-	-
Wandsworth	333,693	-	1	-	-	32	15	2	1	1	-	1	-	1	-	-	-
Camberwell	273,802	-	-	-	-	38	19	1	2	-	-	2	-	-	-	-	-
Deptford	111,205	-	2	-	-	14	9	2	2	-	-	-	-	-	-	-	-
Greenwich	98,484	-	-	-	-	22	5	-	2	-	-	1	-	-	-	-	-
Lewisham	167,754	-	-	-	-	7	1	1	2	-	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	11	3	-	3	-	-	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	4,358,309	9	6	-	1	605	261	40	41	3	12	24	4	2	1	2	-
Ages 0–1		-	-	-	-	7	7	1	2	1	-	24	-	-	-	-	-
„ 1–5		-	-	-	-	101	56	9	1	-	-	-	2	-	-	-	-
„ 5–		-	-	-	-	296	115	2	2	-	-	-	2	-	-	-	-
„ 10–		-	-	-	-	147	52	5	4	1	-	-	-	-	-	-	-
„ 15–		3	-	-	-	31	14	1	1	-	-	-	-	-	1	-	-
„ 20–		4	1	-	1	13	5	3	3	-	3	-	-	-	-	-	-
„ 25–		2	2	-	-	7	8	4	6	-	4	-	-	2	-	-	-
„ 35–		-	2	-	-	3	2	3	6	-	5	-	-	-	-	2	-
„ 45–		-	1	-	-	-	2	5	6	1	-	-	-	-	-	-	-
„ 55–		-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	2	5	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † on page 1.

‡ Subsequently found not to be a case of Small-pox.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 39. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, OCT. 2.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
October 5th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,408, and corresponded to an annual rate of 23·6 per 1,000. The deaths* among the civilian population only numbered 3,740, and corresponded to an annual rate of 11·0 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended September 11th, September 18th, and September 25th, the rates had been 10·3, 10·2, and 10·7 respectively. The infant mortality was 80, against 75, 79, and 79 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12493—1 Wt 167–840 625 10/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 15·0 in South Shields, 15·6 in Middlesbrough, 16·4 in Lincoln, 16·7 in Dewsbury and in Merthyr Tydfil, 18·3 in Aberdare, and 20·2 in Barnsley. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,165 births, corresponding to a rate of 24·9 per 1,000, and 861 deaths of civilians, corresponding to a rate of 10·3, as against 9·9, 9·8, and 9·9 per 1,000 in the three weeks ended September 11th, September 18th, and September 25th. The death-rate in the four weeks ended last Saturday averaged 10·0 per 1,000. The infant mortality was 66, against 72, 79, and 65 in the preceding three weeks.

The deaths from *enteric fever*, which had been 0, 1, and 0 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 1. There was no death from *measles* last week, against 5, 3, and 2 in the preceding three weeks, and an average of 5. The deaths from *scarlet fever*, which had been 5, 2, and 1 in the preceding three weeks, rose last week to 11, and were 9 above the average; 4 deaths belonged to the Borough of Lambeth. The deaths from *whooping-cough*, which had been 3, 3, and 1 in the preceding three weeks, were 3 last week, and were 6 below the average. The deaths from *diphtheria*, which had been 14, 15, and 22 in the preceding three weeks, were 18 last week, and were 7 above the average; 3 deaths belonged to Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 43, 46, and 39, in the preceding three weeks, further fell last week to 33, and were 79 below the average; 4 deaths belonged to Southwark, and 3 each to Fulham, Shoreditch, Stepney, and Battersea. The deaths from *influenza* numbered 5 as against 2, 7, and 6 in the preceding three weeks and an average of 7.

Different forms of violence caused 33 deaths, of which 32 were the subject of coroners' inquests. Of these 33 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 21 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 2 to drowning, and 1 to burns or scalds.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 14 cases of enteric fever, 18 of measles, 3,717 of scarlet fever, 20 of whooping-cough, and 1,778 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 1 case, against 6, 3, and 3; of measles, 2 cases, against 1, 5, and 4; of scarlet fever, 793 cases, against 532, 623, and 663; of whooping-cough, 1 case, against 1, 0, and 1; and of diphtheria, 289 cases, against 249, 277, and 296. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended September 25th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 2nd October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 11th Sept., 1920.	18th Sept., 1920.	25th Sept., 1920.	2nd Oct., 1920.	Week ended 2nd Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	**17,807,258**	**10·3**	**10·2**	**10·7**	**11·0**	**8408**	**3740**	**670**	**1123**	**7**	**–**	**7**	**21**	**21**	**52**	**208**	**27**	**139**	**288**	**1236**	**22**	**96 GREAT TOWNS.**
LONDON†	4,358,309	9·9	9·8	9·9	10·3	2165	861	142	287	2	–	–	11	3	18	33	5	33	79	441	–	LONDON.†
‡ CROYDON	184,239	8·2	10·8	11·0	10·5	83	37	4	16	–	–	–	–	–	–	–	–	3	4	14	–	CROYDON.
‡ WIMBLEDON	59,791	7·8	4·4	4·4	7·8	21	9	–	4	–	–	–	–	–	–	1	–	1	1	5	–	WIMBLEDON.
‡ EALING	73,212	5·7	3·6	7·1	7·8	15	11	1	4	–	–	–	–	–	–	–	–	–	–	4	–	EALING.
‡ ACTON	61,732	10·1	11·8	6·8	4·2	21	5	2	2	–	–	–	–	–	–	1	–	–	–	3	–	ACTON.
‡ WILLESDEN	160,917	10·0	9·7	7·1	7·8	70	24	6	8	–	–	–	–	–	–	1	–	1	3	8	–	WILLESDEN.
‡ HORNSEY	94,348	11·1	9·4	7·7	11·1	29	20	3	12	–	–	–	–	–	–	–	–	–	1	4	–	HORNSEY.
‡ TOTTENHAM	141,338	6·6	10·3	5·9	5·5	51	15	2	4	–	–	–	–	–	1	1	–	–	1	10	–	TOTTENHAM.
‡ EDMONTON	70,711	5·9	10·3	7·4	8·8	38	12	1	6	–	–	–	–	–	–	–	–	1	1	5	–	EDMONTON.
‡ ENFIELD	58,442	6·2	10·7	8·0	5·4	18	6	1	3	–	–	–	–	–	–	–	–	–	–	2	–	ENFIELD.
‡ WEST HAM	287,966	10·5	12·1	10·7	13·2	180	73	16	15	–	–	–	–	–	3	5	1	3	5	32	–	WEST HAM.
‡ EAST HAM	144,451	7·6	11·2	7·2	10·5	61	29	5	10	1	–	–	–	–	2	1	–	–	–	11	1	EAST HAM.
‡ LEYTON	123,896	6·3	6·3	6·7	5·9	52	14	1	5	–	–	–	–	–	–	1	–	–	–	6	–	LEYTON.
‡ WALTHAMSTOW	127,684	6·1	9·8	6·9	7·4	61	18	3	7	1	–	–	–	–	–	–	–	–	1	9	–	WALTHAMSTOW.
‡ ILFORD	79,524	7·9	7·9	8·5	6·6	22	10	–	4	–	–	–	–	–	–	–	–	–	–	4	–	ILFORD.
GILLINGHAM	43,501	10·8	8·4	8·4	10·8	27	9	3	3	–	–	–	–	–	1	–	–	–	–	1	1	GILLINGHAM.
HASTINGS	57,674	9·0	11·8	15·4	6·3	16	7	–	2	–	–	–	–	–	–	–	–	–	1	3	–	HASTINGS.
EASTBOURNE	48,424	14·0	9·7	12·9	9·7	15	9	1	4	–	–	–	–	–	–	–	–	1	2	1	–	EASTBOURNE.
BRIGHTON	132,409	11·0	10·6	9·8	14·6	67	37	6	12	–	–	–	–	1	–	1	–	1	1	10	–	BRIGHTON.
PORTSMOUTH	224,846	8·6	6·5	10·4	9·5	107	41	3	14	–	–	–	–	–	1	–	1	2	5	8	–	PORTSMOUTH.
BOURNEMOUTH	82,627	10·7	8·8	12·6	8·8	31	14	–	8	–	–	–	–	–	1	–	–	–	–	3	–	BOURNEMOUTH
SOUTHAMPTON	126,033	10·3	10·8	10·3	9·5	54	23	4	7	–	–	–	–	–	1	3	–	–	–	8	–	SOUTHAMPTON.
READING	91,365	5·1	9·1	5·1	9·1	43	16	–	5	–	–	–	–	1	–	–	1	1	–	4	–	READING.
OXFORD	57,666	13·6	7·2	5·4	9·0	17	10	–	4	–	–	–	–	–	1	–	–	–	–	2	–	OXFORD.
NORTHAMPTON	88,944	8·8	8·8	10·6	9·4	38	16	6	2	–	–	–	–	–	–	1	–	–	–	1	–	NORTHAMPTON.
CAMBRIDGE	57,849	6·3	9·0	8·1	5·4	24	6	–	2	–	–	–	–	–	–	–	–	–	–	3	–	CAMBRIDGE.

* See note to first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE I (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 2nd October 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 11th Sept., 1920.	18th Sept., 1920.	25th Sept., 1920.	2nd Oct., 1920.	Week ended 2nd Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	5·6	8·1	9·9	10·5	38	17	1	7	-	-	-	-	-	-	-	-	1	1	2	-	Southend on Sea.
Ipswich	78,011	12·7	6·0	14·0	8·0	25	12	4	4	-	-	-	-	-	-	-	-	-	-	-	-	Ipswich.
Great Yarmouth	53,078	11·8	12·8	15·7	14·7	28	15	1	8	-	-	-	-	-	-	-	-	1	1	1	-	Great Yarmouth.
Norwich	119,993	9·6	11·3	13·9	10·4	58	24	-	10	1	-	-	1	1	-	1	-	1	1	11	-	Norwich.
Swindon	51,527	9·1	8·1	12·1	13·2	34	13	2	2	-	-	-	-	-	-	1	-	-	-	-	-	Swindon.
Exeter	59,014	10·6	3·5	10·6	7·1	27	8	2	3	-	-	-	-	-	-	-	-	1	1	1	-	Exeter.
Plymouth	181,967	11·2	9·2	13·2	14·9	90	52	7	15	-	-	-	-	1	-	1	-	3	8	9	-	Plymouth.
Bath	65,919	9·5	15·0	9·5	10·3	28	13	1	5	-	-	-	-	-	-	-	-	-	1	3	-	Bath.
Bristol	361,247	9·5	6·5	9·2	9·5	162	66	7	23	-	-	-	-	2	1	1	-	2	9	15	-	Bristol.
Gloucester	50,100	10·4	12·5	8·3	9·4	20	9	1	4	-	-	-	-	1	-	-	-	-	-	1	-	Gloucester.
Stoke on Trent	239,316	12·2	11·3	12·6	10·2	137	47	4	13	-	-	-	1	-	-	2	-	2	4	12	1	Stoke on Trent.
Wolverhampton	98,403	6·9	10·6	16·4	11·1	51	21	7	4	-	-	-	-		-	2	1	-	-	7	-	Wolverhampton.
Walsall	92,724	10·7	12·9	13·5	14·1	60	25	7	5	-	-	1	-	-	-	1	-	-	2	5	-	Walsall.
West Bromwich	69,899	12·7	9·7	11·2	9·7	40	13	2	4	-	-	-	1	-	-	-	-	2	3	6	-	West Bromwich.
Dudley	54,017	9·7	14·5	5·8	9·7	27	10	4	2	-	-	-	-	-	-	2	-	-	-	-	-	Dudley.
Birmingham	861,585	9·0	10·4	10·3	10·8	427	179	28	55	-	-	-	1	2	5	7	-	7	9	65	3	Birmingham.
Smethwick	72,152	7·2	12·3	6·5	7·9	31	11	2	2	-	-	-	-	-	-	-	-	1	3	1	-	Smethwick.
Coventry	132,048	6·3	6·3	7·5	7·5	62	19	2	4	-	-	-	-	-	-	-	2	-	-	8	-	Coventry.
Leicester	236,059	8·8	11·0	10·2	11·3	114	51	7	20	-	-	-	-	1	-	-	1	3	3	15	-	Leicester.
Lincoln	60,581	9·5	4·3	9·5	16·4	24	19	2	9	-	-	-	-	-	-	-	-	1	1	7	1	Lincoln.
Grimsby	78,813	9·3	12·6	13·9	13·9	38	21	3	9	-	-	-	-	-	1	3	-	-	1	2	-	Grimsby.
Nottingham	257,573	8·3	8·3	11·9	8·7	108	43	7	17	-	-	-	-	-	1	3	1	2	3	8	-	Nottingham.
Derby	123,930	10·1	13·5	8·8	8·4	59	20	5	7	-	-	-	-	-	-	-	-	-	3	4	-	Derby.

* *See* note † on first page of this return

TABLE 1 (*cont*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 2nd October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 11th Sept., 1920.	18th Sept., 1920.	25th Sept., 1920.	2nd Oct., 1920.	Week ended 2nd Oct., 1920 Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	14·9	7·9	12·9	7·9	51	19	5	6	–	–	–	–	–	–	1	–	–	1	5	–	STOCKPORT.
BIRKENHEAD	148,052	13·0	7·7	10·2	7·7	70	22	3	7	–	–	–	–	–	1	1	1	1	2	7	–	BIRKENHEAD.
WALLASEY	95,424	7·1	7·1	7·7	9·8	50	18	3	7	–	–	–	–	–	–	–	–	–	1	4	–	WALLASEY.
LIVERPOOL	772,665	12·4	11·5	11·9	13·4	429	199	32	56	–	–	–	1	–	2	13	1	7	19	95	–	LIVERPOOL.
BOOTLE	76,962	10·2	9·5	14·2	8·1	48	12	3	1	–	–	–	–	–	–	1	–	1	1	4	1	BOOTLE.
ST. HELENS	100,805	10·3	12·9	10·9	10·3	54	20	5	5	–	–	–	1	–	–	1	–	–	–	4	–	ST. HELENS.
SOUTHPORT	70,144	14·1	7·4	8·2	14·9	17	20	–	13	–	–	–	–	–	–	–	1	2	2	3	–	SOUTHPORT.
WIGAN	87,384	13·7	15·5	12·5	14·9	58	25	8	4	–	–	–	–	–	1	6	–	–	2	7	–	WIGAN.
WARRINGTON	74,952	18·8	9·0	11·1	9·0	42	13	4	5	–	–	–	–	–	–	2	–	1	1	6	–	WARRINGTON.
BOLTON	177,462	9·1	9·7	9·4	11·8	65	40	2	13	–	–	–	1	1	1	–	1	5	6	7	–	BOLTON.
BURY	54,248	15·4	15·4	9·6	9·6	18	10	–	2	–	–	–	–	–	–	–	–	–	1	6	–	BURY.
MANCHESTER	741,068	9·5	11·0	10·6	11·5	320	163	30	46	–	–	–	1	1	2	7	1	4	7	49	3	MANCHESTER.
SALFORD	226,225	13·1	9·9	10·8	13·4	101	58	12	16	–	–	–	–	–	–	6	–	2	8	14	–	SALFORD.
OLDHAM	137,668	11·0	7·6	10·2	14·8	58	39	4	10	–	–	–	–	–	1	–	1	2	5	9	–	OLDHAM.
ROCHDALE	90,051	8·7	12·7	12·7	11·6	36	20	3	6	–	–	–	–	–	–	–	–	–	1	3	–	ROCHDALE.
BURNLEY	101,005	15·5	10·8	11·4	12·4	40	24	3	10	–	–	–	–	–	–	2	–	–	6	7	–	BURNLEY.
BLACKBURN	125,992	11·6	10·3	8·7	12·4	49	30	2	8	–	–	–	–	–	1	1	–	–	–	7	–	BLACKBURN.
PRESTON	117,277	11·6	9·3	10·7	9·3	49	21	5	6	–	–	–	–	–	1	2	–	2	2	2	2	PRESTON.
BLACKPOOL	67,842	13·1	14·6	11·5	10·8	26	14	1	2	–	–	–	–	–	–	1	–	3	3	1	4	BLACKPOOL.
BARROW IN FURNESS	73,627	14·9	5·0	5·7	7·1	38	10	2	1	–	–	–	–	–	–	1	–	–	–	1	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	12·1	10·7	14·4	13·0	32	28	8	10	–	–	–	–	–	1	1	–	–	1	4	–	HUDDERSFIELD.
HALIFAX	101,791	8·7	7·2	14·9	9·2	40	18	1	4	–	–	–	–	–	–	–	–	2	2	6	–	HALIFAX.
BRADFORD	282,714	9·4	13·5	12·0	14·4	88	78	11	26	–	–	–	–	1	1	1	1	4	14	22	–	BRADFORD.
LEEDS	431,999	11·7	11·8	13·6	10·9	201	90	23	24	–	–	–	–	–	–	5	1	3	5	25	–	LEEDS
DEWSBURY	52,969	18·7	14·8	12·8	16·7	17	17	4	8	–	–	–	–	–	–	3	–	1	2	4	–	DEWSBURY.
WAKEFIELD	49,208	13·8	12·7	12·7	12·7	26	12	1	4	–	–	–	–	–	–	–	–	1	1	2	–	WAKEFIELD.
BARNSLEY	51,680	15·1	14·1	18·2	20·2	31	20	9	3	–	–	–	–	–	–	5	1	1	2	7	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Causes. Week ended 11th Sept., 1920.	18th Sept., 1920.	25th Sept., 1920.	2nd Oct., 1920.	Week ended 2nd Oct., 1920. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	10·8	12·2	13·8	11·3	234	103	28	27	–	–	–	1	1	–	17	–	2	6	36	–	Sheffield.
Rotherham	69,034	13·6	16·6	8·3	7·6	24	10	3	2	–	–	–	–	–	–	1	–	2	2	2	–	Rotherham.
York	74,531	10·5	8·4	7·0	12·6	34	18	5	6	–	–	–	–	–	–	1	–	–	–	5	–	York.
Hull	279,664	11·4	11·4	13·4	12·7	163	68	14	11	1	–	–	–	–	–	11	1	3	5	18	–	Hull.
Middlesbrough	127,142	12·3	9·8	17·6	15·6	67	38	13	5	–	–	2	–	1	1	6	1	1	2	5	1	Middlesbrough.
Darlington	64,058	10·6	12·2	9·8	14·7	24	18	4	1	–	–	1	–	–	–	1	–	2	2	4	1	Darlington.
Stockton on Tees	60,696	16·3	14·6	15·5	13·7	40	16	4	4	–	–	–	–	–	2	1	1	–	–	3	1	Stockton on Tees.
West Hartlepool	65,515	15·1	13·5	17·5	13·5	27	17	4	4	1	–	–	–	–	–	3	–	1	1	1	–	West Hartlepool.
Sunderland	149,263	15·7	13·6	16·1	13·6	73	39	10	9	–	–	–	–	–	–	2	–	2	2	7	2	Sunderland.
South Shields	111,502	17·8	9·8	13·1	15·0	73	32	10	6	–	–	–	–	2	–	5	1	1	2	1	–	South Shields.
Gateshead	123,392	12·3	10·6	12·7	12·3	63	29	8	5	–	–	–	–	–	–	4	–	2	2	5	–	Gateshead.
Newcastle on Tyne.	275,099	7·8	12·7	11·0	13·3	125	70	15	11	–	–	1	–	–	–	4	–	1	2	21	–	Newcastle on Tyne.
Tynemouth	58,007	16·2	9·0	9·0	10·8	30	12	2	2	–	–	–	–	–	–	–	–	1	1	3	–	Tynemouth.
Carlisle	55,198	11·3	7·6	4·7	8·5	33	9	2	1	–	–	–	–	–	–	–	–	–	–	2	–	Carlisle.
Newport (Mon.)	87,251	7·8	6·6	11·4	11·4	32	19	6	7	–	–	–	–	–	–	1	–	1	1	3	–	Newport (Mon.).
Cardiff	204,436	8·4	9·4	8·2	13·8	77	54	14	14	–	–	–	1	1	–	5	–	1	3	9	–	Cardiff.
Rhondda	177,911	8·2	10·0	11·4	9·4	75	32	10	4	–	–	–	–	–	–	9	–	2	2	2	–	Rhondda.
Merthyr Tydfil	71,638	4·4	11·6	16·7	16·7	32	23	5	5	–	–	1	–	–	–	1	–	–	–	5	–	Merthyr Tydfil.
Aberdare	51,384	6·1	9·1	13·2	18·3	28	18	7	4	–	–	1	–	–	–	1	–	1	1	1	–	Aberdare.
Swansea	160,810	11·0	11·0	9·7	11·3	86	35	6	10	–	–	–	–	–	–	2	1	–	–	7	–	Swansea.
Greater London	7,259,388	9·2	9·5	9·1	9·7	3364	1352	218	457	5	–	–	12	4	26	53	6	55	114	622	1	Greater London.
Outer Ring	2,901,079	8·0	9·0	7·9	8·8	1199	491	76	170	3	–	–	1	1	8	20	1	22	35	181	1	Outer Ring
14 Great Towns in Outer Ring.	1,668,251	8·2	9·8	8·1	8·8	722	283	45	100	2	–	–	–	–	6	11	1	9	17	117	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·7	8·0	7·7	8·8	477	208	31	70	1	–	–	1	1	2	9	–	13	18	64	–	Remainder of Outer Ring.
Edinburgh†	342,300	10·5	9·6	9·8	11·0	122	72	10	30	–		–	–	–	–	3	–	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	11·2	12·7	13·0	12·5	560	267	54	76	–	2	2	1	1	7	10	–	9	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	14·1	13·4	15·7	17·5	209	139	41	33	–	–	–	–	1	–	16	1	2	2	38	5	Dublin (Registration Area).†
Belfast†	413,000	16·7	14·4	15·4	13·0	197	103	18	22	–	–	–	1	–	–	5	–	9	5	31	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the THIRTY-NINTH WEEK of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2237	2119	2179	2074	2112	1828	1787	1390	1502	1721	2165
Males	1134	1122	1136	1047	1065	927	938	712	779	905	1125
Females	1103	997	1043	1027	1047	901	849	678	723	816	1040
Deaths (of residents only).	1142	1349	1058	1166	1290	1268	1114*	914*	938*	930*	861*
Males		686	564	610	650	760	578	474	501	489	456
Females		663	494	556	640	568	536	440	437	441	405

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.
Births (as registered)	2187	2389	2229	2297	2155	2235	2075	2294	2134	2219	1876	2093	2165
Deaths (of residents only).	799	846	762	796	763	710	815	813	809	831	821	825	861
Ages at Death: Under 1 year	126	125	97	138	110	101	132	132	122	159	148	137	142
1–2 years	21	10	12	10	17	16	11	13	16	16	12	9	8
2–5 "	20	24	15	24	14	13	18	19	20	12	14	21	22
5–10 "	15	21	23	22	20	25	26	18	22	20	24	21	22
10–15 "	18	14	13	8	11	15	14	16	13	13	14	14	15
15–20 "	23	24	15	18	20	16	17	13	12	17	8	18	18
20–25 "	14	16	22	19	15	18	22	29	23	21	23	17	16
25–35 "	48	35	49	43	48	46	42	44	44	41	32	41	38
35–45 "	69	81	55	61	55	64	72	72	77	60	71	59	57
45–55 "	101	95	96	97	97	71	89	90	102	92	106	94	117
55–65 "	113	133	117	121	101	89	128	120	113	99	121	113	119
65–75	123	140	136	119	131	126	125	133	125	129	139	153	151
75 years and upwards	108	128	112	116	124	110	119	114	120	152	109	128	136
Deaths from—													
Enteric fever	1	2	–	1	2	–	1	–	1	–	1	–	2
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	20	5	4	5	1	1	1	3	1	5	3	2	–
Scarlet fever	3	2	1	3	1	2	–	5	2	5	2	1	11
Whooping cough	3	4	4	7	3	4	3	5	2	3	3	1	3
Diphtheria	8	10	13	13	8	18	15	15	13	14	15	22	18
Diarrhœa and enteritis (under 2 years).	19	16	20	28	17	20	30	38	34	43	46	39	33
Pulmonary tuberculosis	82	78	66	72	75	63	66	86	78	57	79	69	78
Influenza	3	6	2	5	9	6	3	5	–	2	7	6	5
Pneumonia (all forms)	44	36	41	43	35	24	38	28	48	45	47	53	51
Bronchitis	30	32	32	30	33	25	30	33	33	32	33	52	39
Other dis. of resp. system	9	14	9	14	8	9	11	6	11	13	14	11	10
Dis. of circ. system	132	147	142	136	141	117	161	157	167	149	133	148	159
Violence	38	39	36	22	41	39	49	45	39	36	30	35	33
Inquest cases	72	90	72	54	85	71	92	91	71	76	76	80	79
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	24	29	33	26	29	26	21	17	18	22	16	15	14
Small-pox	3	–	–	–	–	–	–	–	–	–	–	–	–
Measles	56	53	55	48	42	35	32	27	27	23	22	19	18
Scarlet fever	1755	1855	1911	1956	2027	2106	2150	2266	2402	2633	2953	3305	3717
Whooping cough	18	17	18	13	13	15	21	21	23	22	19	20	20
Diphtheria	1599	1582	1556	1481	1469	1413	1362	1391	1404	1484	1591	1700	1778

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.
Deaths from Influenza	44	33	21	33	26	30	16	20	17	20	28	18	27

TABLE 4. LONDON.—DEATHS REGISTERED in the THIRTY-NINTH Week of the Year 1920.

Causes of Death.	Deaths in the 39th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	930	861	142	8	22	22	15	18	16	38	57	117	119	151	136
Enteric fever	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	4	11	–	1	6	3	1	–	–	–	–	–	–	–	–
Whooping cough	8	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	20	18	1	1	4	9	2	1	–	–	–	–	–	–	–
Croup	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	5	–	–	1	–	–	–	1	–	–	1	1	–	1
Erysipelas	1	2	1	–	–	–	–	–	–	–	1	–	–	–	–
Other epidemic diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	1	2	1	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	69	78	2	–	1	1	3	5	7	12	15	14	12	4	2
Tuberculous meningitis	11	8	1	–	3	1	2	1	–	–	–	–	–	–	–
Abdominal tuberculosis	2	3	1	2	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	1	3	–	–	–	–	1	–	1	1	–	–	–	–	–
Tuberculosis of the joints	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of other organs	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Disseminated tuberculosis	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Venereal diseases	1	4	3	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	114	128	–	–	–	–	–	1	–	4	10	36	30	32	15
Tumour, situation undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	4	2	–	–	–	–	1	–	–	1	–	–	–	–	–
Diabetes	10	5	–	–	–	–	–	–	–	–	1	–	2	1	1
Anæmia, leucocythaemia	3	5	–	–	–	1	1	–	–	–	–	3	–	–	–
Other general diseases	5	7	2	–	–	–	–	–	–	–	–	–	–	4	1
Alcoholism	–	–	–	–	–	–	–	–	–	–		–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	9	6	–	2	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	30	32	–	–	–	–	–	–	–	–	3	5	8	7	9
Softening of brain	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis, without specified cause	3	6	–	–	–	–	–	–	–	–	–	–	1	4	1
Epilepsy	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
"Convulsions" (not puerperal)	9	6	6	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	15	19	3	–	–	1	–	–	–	1	6	2	3	1	2
Pericarditis	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Acute endocarditis	6	10	–	–	–	–	1	–	–	3	3	2	1	–	–
Organic disease of heart	84	112	–	–	–	–	–	3	1	2	8	15	22	29	32
Embolism and thrombosis (including cerebral).	5	4	–	–	–	–	–	–	–	–	–	–	–	2	2
Other diseases of circulatory system.	44	32	–	–	–	–	–	–	–	–	1	3	4	14	10
Diseases of the larynx	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	30	39	1	–	–	–	–	–	–	1	–	2	3	15	17
Broncho-pneumonia	12	24	11	3	1	–	–	–	–	–	1	2	–	3	3
Lobar pneumonia	13	8	–	–	–	1	–	–	–	1	1	1	2	2	–
Pneumonia (type not distinguished)	6	19	1	–	1	1	–	1	1	1	–	5	5	1	2
Pleurisy	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–
Pulmonary congestion, Pulmonary apoplexy.	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of respiratory system.	3	6	–	–	–	–	–	–	–	–	–	1	1	3	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the THIRTY-NINTH Week of the Year 1920.

Causes of Death.	Deaths in the 39th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Diseases of stomach	11	8	1	–	–	–	–	–	–	–	1	1	–	3	2
Diarrhœa and enteritis	150	41	33	–	–	–	–	–	–	3	1	1	3	–	–
Appendicitis and typhlitis	9	5	–	–	–	–	2	1	–	1	–	1	–	–	–
Hernia and Intestinal obstruction.	10	8	1	–	–	–	–	–	–	1	1	2	–	–	3
Cirrhosis of liver	4	6	–	–	–	–	–	–	–	1	–	3	1	–	1
Other diseases of liver	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Peritonitis (cause unknown)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	2	5	1	1	–	–	–	–	–	–	–	–	1	2	–
Acute nephritis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	26	20	–	–	–	–	–	–	–	–	–	3	7	8	2
Urinary calculi	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	7	9	1	–	–	–	–	–	–	–	–	1	1	3	3
Puerperal fever, &c.	2	3	–	–	–	–	–	–	1	–	2	–	–	–	–
Other causes incident to childbirth.	5	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of skin and cellular tissues.	7	3	–	–	–	–	–	–	–	–	–	1	–	1	1
Diseases of locomotor system	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	5	12	11	–	1	–	–	–	–	–	–	–	–	–	–
Premature birth	48	30	30	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	19	13	13	–	–	–	–	–	–	–	–	–	–	–	–
Old age	25	28	–	–	–	–	–	–	–	–	–	–	2	6	20
ACCIDENT.															
Poisons or poisonous vapours	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	4	2	–	–	–	–	–	–	1	–	1	–	–	–	–
Suffocation in bed	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	23	18	1	–	–	3	–	1	1	1	1	2	1	3	4
Total deaths from accident	33	21	1	–	1	3	–	1	2	1	2	2	1	3	4
Included in above are deaths in connection with:—															
Railways	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	13	7	–	–	–	3	–	–	–	1	–	2	–	1	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Suicide	11	11	–	–	–	–	–	–	1	1	–	5	4	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	8	8	6	–	–	–	–	1	–	1	–	–	–	–	–
Ill-defined Causes	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
DON‡ - -	4,358,309	Oct. 2	2,165	861	10·3	2	–	–	11	3	18	33	5
CUTTA - -	896,067	Aug. 28	–	529§	30·7	?	–	?	?	?	?	?	22
BAY - -	979,445	„ 28	–	–	–	–	–	–	–	–	–	–	–
RAS - -	518,660	„ 28	465	352	35·3	1	2	–	?	2	–	44	–
IS - - -	2,847,229	(10 days) Aug 20	–	–	–	–	–	–	–	–	–	–	–
SSELS - -	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
WERP - -	329,956	Sept. 18	113	49	7·8	–	–	–	–	–	–	11	–
TERDAM -	651,994	„ 18	261	111	8·9	2	–	–	–	–	–	–	–
ENHAGEN -	571,000	„ 18	221	95	8·7	–	–	–	–	1	–	2	–
KHOLM -	415,201	„ 11	136	73	9·1	2	–	–	–	–	2	–	–
HENBURG -	200,578	„ 4	–	–	–	–	–	–	–	–	–	–	–
ISTIANIA -	260,904	„ 18	93	49	9·8	1	–	–	–	–	–	–	–
LIN - -	1,904,590	„ 11	536	435	11·9	2	?	–	–	2	–	29	4
SLAU - -	531,347	„ 11	227	136	13·3	1	?	–	–	3	–	14	–
OGNE - -	642,899	„ 11	281	129	10·4	1	?	1	–	1	2	8	?
SDEN - -	537,127	„ 11	200	136	13·2	–	?	–	–	–	1	12	?
NKFORT-ON-MAIN.	435,103	„ 11	132	74	8·8	1	?	–	–	1	–	3	?
IBURG - -	1,002,933	„ 11	322	195	10·1	5	?	–	1	–	2	9	?
PZIG - -	610,686	„ 11	232	135	11·5	1	?	–	–	1	1	13	?
ICH - -	647,030	„ 11	215	145	11·7	–	?	–	–	1	–	11	?
NNA - -	1,842,005	„ 18	383	498	14·1	1	–	–	–	1	1	19	–
GUE - -	524,496	Aug. 28	139	128	12·7	3	–	–	–	1	–	7	–
APEST - -	1,071,492	July 3	322	348	16·9	5	–	2	9	2	1	29	–
ESTE - -	238,182	Sept. 18	117	66	14·5	3	–	–	1	–	–	8	–
RO - - -	761,300	July 15	718	808	55·2	4	–	10	–	?	–	187	?
XANDRIA -	445,700	„ 15	376	338	39·4	4	2	2	–	?	1	77	?
YORK -	6,141,445	Sept. 11	–	–	–	–	–	–	–	–	–	–	–
CAGO - -	2,727,504	„ 11	–	482	9·2	3	–	–	1	1	8	66	–

cluding deaths from croup in Bombay and Madras.
e deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
e estimated population and deaths refer to the civilian population only.
cluding 14 deaths from *Asiatic cholera* in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 2nd October, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON (Greenwich)	69	45	66·1	50·6	23
GHTON - -	68	49	63·7	52·4	19
TSMOUTH - -	68	49	63·3	52·1	15
WICH (Southell Lodge) -	68	48	64·6	52·4	12
MOUTH - - -	66	49	62·1	54·3	21
STOL (Clifton) -	65	45	60·4	49·9	25
MINGHAM -	67	44	62·6	48·4	17
TTINGHAM -	69	43	63·4	46·7	8
KENHEAD (Bidston)	67	46	62·0	48·4	29
CHESTER -	71	45	64·6	50·6	13
NLEY - -	69	40	61·9	47·4	11
DDERSFIELD -	69	41	61·6	48·4	17
BRADFORD - -	67	40	60·7	47·3	24
SHEFFIELD - -	69	44	62·3	49·1	11
YORK (Museum) -	67	43	63·4	49·3	17
HULL (Pearson Park)	67	46	63·0	50·4	30
TYNEMOUTH - -	64	44	58·1	50·0	17
CARDIFF - -	64	46	59·7	50·9	?
EDINBURGH - -	69·0	46·0	61·1	52·1	8
GLASGOW - -	64·4	50·4	61·2	53·2	2
DUBLIN:— Phœnix Park -	67·9	34·1	61·2	48·8	11
†Fitzwilliam Square	66·9	42·0	60·8	52·2	30
BELFAST - -	67·0	49·0	62·2	52·6	20

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 2nd October 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 26	..	30·012	69·0	51·1	17·9	59·4	+ 4·2	54·1	5·3	12·8	0·0	83	114·2	42·0	55·0	Calm, WSW. & W.	W. & calm	0·6	0·0	0·0	173	− 68	0·00
MONDAY - - 27	In Equator. Full	30·018	66·8	47·9	18·9	56·7	+ 1·6	52·3	4·4	11·2	0·0	85	95·0	39·7	55·0	Calm & W.	W. & calm	0·5	0·0	0·0	129	−116	0·00
TUESDAY - - 28		30·055	66·4	47·9	18·5	56·6	+ 1·7	54·1	2·5	11·2	0·0	91	108·0	39·2	55·0	Calm & E.	E.	1·1	0·0	0·1	131	−117	0·00
WEDNESDAY - 29	..	29·906	65·9	55·4	10·5	59·8	+ 5·1	56·0	3·8	8·9	0·6	87	107·5	46·9	55·0	E. & ESE.	E.	1·5	0·0	0·1	197	− 54	0·00
THURSDAY - - 30	..	29·637	69·2	54·3	14·9	59·7	+ 5·3	55·6	4·1	12·8	0·4	87	110·8	47·0	55·0	Calm & E.	SE. & SW.	2·4	0·0	0·1	145	−110	0·43
OCTOBER. FRIDAY - - 1	..	29·402	60·4	45·4	15·0	53·8	− 0·3	52·6	1·2	5·8	0·0	96	86·5	37·4	55·0	SW. & S.	S. & calm	4·4	0·0	0·3	258	− 1	0·28
SATURDAY - - 2	..	29·380	63·5	46·4	17·1	52·9	− 0·8	48·7	4·2	12·0	0·0	86	117·0	38·5	55·0	S. & SSW.	SSW. & S.	3·6	0·0	0·3	246	− 16	0·18
MEANS - - -	- - -	29·773	65·9	49·8	16·1	57·0	+ 2·4	53·3	3·6	10·7	0·1	88	105·6	41·5	55·0	SE.		..	..	..	Sum 1279	Sum −482	Sum 0·89
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	26	w.P. generally, v.P. from 9h. to 18h.	7·5	11·9	Overcast till 5h., nearly overcast till 8h., then becoming partially cloudy; cloudless by 20h.; damping 5h. to 6h.
MONDAY -	27	w.P. generally, s.P. from 11h. to 17h.	2·0	11·9	Cloudless till 2h., nearly overcast and misty till 14h., then nearly cloudless with mist and haze.
TUESDAY -	28	w.P. generally, m.P. 10h. to 17h.	3·8	11·8	Overcast generally with mist or slight fog till 9h.: nearly overcast till noon; fine with little cloud till 17h. 30m., then overcast or nearly overcast.
WEDNESDAY -	29	w.P. generally, m.P. 12h. to 15h.	4·8	11·7	Overcast or nearly overcast till 8h.; variably cloudy till 13h. 30m.; cloudless till 19h. 30m., becoming overcast again soon after 20h.
THURSDAY -	30	w.P. generally, m.P. 10h. to 18h.	2·8	11·6	Overcast with cloudy intervals; completely overcast from 19h.; rain from 20h. till 23h. 30m.; solar halo 15h. to 16h.
OCTOBER. FRIDAY - -	1	w.P. throughout	1·2	11·6	Overcast with few exceptions; fine interval in early morning; frequent slight rain from 9h.; heavier in evening.
SATURDAY -	2	w.P. till 9h., v.P. with little v.N. till 18h., w.P. afterwards.	8·8	11·5	Nearly overcast till 5h., with occasional rain; partially cloudy till 9h., nearly overcast and showery till 14h.; fine with little cloud generally from 15h. 30m.
			Sum 30·9	Sum 82·0	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·98 in. at the beginning of the week to 30·09 in. by 9h. on September 28th; decreased to 29·27 in. by 3h. on October 2nd, and increased to 29·47 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 25th September, 1920.

BOROUGHS.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	825	-	-	2	1	1	22	39	69	137
Western										
PADDINGTON	32	-	-	-	-	-	-	2	1	11
KENSINGTON	40	-	-	-	-	-	-	5	4	9
HAMMERSMITH	19	-	-	-	-	-	2	2	1	2
FULHAM	27	-	-	-	-	-	1	1	-	3
CHELSEA	15	-	-	-	-	-	-	-	3	1
CITY OF WESTMINSTER	23	-	-	-	-	-	-	1	2	3
Northern.										
ST. MARYLEBONE	19	-	-	-	-	1	-	-	2	3
HAMPSTEAD	17	-	-	-	-	-	-	-	-	2
ST. PANCRAS	33	-	-	-	-	-	3	-	1	3
ISLINGTON	65	-	-	-	-	-	5	1	6	9
STOKE NEWINGTON	11	-	-	-	-	-	-	1	-	1
HACKNEY	33	-	-	-	-	-	-	2	2	7
Central.										
HOLBORN	9	-	-	-	-	-	-	-	2	2
FINSBURY	11	-	-	-	-	-	-	-	2	1
CITY OF LONDON	-	-	-	-	-	-	-	-	-	-
Eastern.										
SHOREDITCH	21	-	-	-	-	-	1	2	3	5
BETHNAL GREEN	13	-	-	-	-	-	-	1	1	2
STEPNEY	49	-	-	-	1	-	-	2	3	14
POPLAR	38	-	-	-	-	-	3	1	7	3
Southern.										
SOUTHWARK	37	-	-	-	-	-	-	1	6	3
BERMONDSEY	27	-	-	-	-	-	2	2	2	5
LAMBETH	59	-	-	1	-	-	2	3	2	12
BATTERSEA	37	-	-	-	-	-	-	4	3	7
WANDSWORTH	44	-	-	-	-	-	2	-	1	8
CAMBERWELL	54	-	-	-	-	-	-	4	9	8
DEPTFORD	27	-	-	1	-	-	-	2	1	6
GREENWICH	15	-	-	-	-	-	-	-	2	1
LEWISHAM	27	-	-	-	-	-	1	2	1	4
WOOLWICH	23	-	-	-	-	-	-	-	2	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 25th September, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	-	-	-	-	11	1	1	-	-	1	-	-	-	-	-	-
Kensington	157,886	1	-	-	-	16	4	1	-	-	-	-	-	-	-	-	-
Hammersmith	130,981	-	1	-	-	20	8	6	2	-	-	1	1	-	-	1	-
Fulham	152,543	-	-	-	-	24	4	3	1	-	-	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	3	4	-	1	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	14	4	2	3	1	1	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	-	-	-	16	3	2	-	-	1	5	-	-	-	-	-
Hampstead	88,012	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	1	-	-	16	19	5	4	1	-	1	-	-	-	-	-
Islington	323,034	-	-	-	-	42	28	1	6	-	-	3	3	-	-	-	-
Stoke Newington	50,954	-	-	-	-	7	3	-	2	1	-	1	1	-	-	-	-
Hackney	216,736	-	-	-	-	38	20	-	5	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Finsbury	75,291	-	-	-	-	8	3	1	2	-	-	1	-	-	-	-	-
City of London	13,893	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	1	-	-	-	17	9	1	2	-	-	1	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	40	16	3	3	-	-	1	-	-	-	-	-
Stepney	232,506	3	-	-	-	115	12	3	4	-	-	-	-	-	1	-	-
Poplar	153,644	1	-	-	-	51	27	4	2	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	31	4	2	4	-	-	1	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	58	10	2	-	1	-	1	-	-	-	-	-
Lambeth	282,322	-	-	-	-	43	21	4	1	-	-	2	-	-	1	-	-
Battersea	159,316	-	1	-	-	19	13	6	2	-	-	2	-	-	-	-	-
Wandsworth	333,693	1	1	-	-	18	23	3	3	-	-	-	-	-	-	-	-
Camberwell	273,802	1	-	-	-	41	25	2	1	-	-	-	-	-	-	-	-
Deptford	111,205	-	-	-	-	16	9	2	3	-	1	1	-	-	-	-	-
Greenwich	98,484	1	1	-	-	14	5	2	-	-	-	-	-	-	-	-	-
Lewisham	167,754	-	1	-	-	9	8	1	-	-	-	2	-	-	-	-	-
Woolwich	136,237	-	1	-	-	9	14	2	2	-	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-
TOTAL	4,358,309	9	8	-	-	703	302	59	54	4	4	25	5	-	2	1	-
Ages 0–1		-	-	-	-	3	4	3	3	1	-	25	-	-	-	-	-
„ 1–5		-	-	-	-	122	59	5	1	1	-	-	4	-	-	-	-
„ 5–		2	-	-	-	328	127	4	1	1	-	-	1	-	-	-	-
„ 10–		2	-	-	-	171	55	6	2	-	-	-	-	-	-	-	-
„ 15–		-	-	-	-	37	18	2	4	-	-	-	-	-	1	-	-
„ 20–		1	3	-	-	16	13	4	2	-	1	-	-	-	1	-	-
„ 25–		1	5	-	-	19	14	10	7	-	2	-	-	-	-	-	-
„ 35–		2	-	-	-	6	9	6	10	-	1	-	-	-	-	-	-
„ 45–		1	-	-	-	1	2	6	14	1	-	-	-	-	-	-	-
„ 55–		-	-	-	-	-	1	7	5	-	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	3	4	-	-	-	-	-	-	1	-
„ 75 and upwards		-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 40. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, OCT. 9.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
October 12th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,584, and corresponded to an annual rate of 24·1 per 1,000. The deaths* among the civilian population only numbered 3,720, and corresponded to an annual rate of 10·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended September 18th, September 25th, and October 2nd, the rates had been 10·2, 10·7, and 11·0 respectively. The infant mortality was 84, against 79, 79, and 80 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12493—2 Wt 167–840 625 10/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 16·2 in Tynemouth, 16·3 in Bury, 16·7 in Merthyr Tydfil, 16·9 in Gateshead, 17·0 in Burnley, and 19·2 in Barnsley. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,207 BIRTHS, corresponding to a rate of 25·3 per 1,000, and 874 DEATHS of civilians, corresponding to a rate of 10·5, as against 9·8, 9·9, and 10·3 per 1,000 in the three weeks ended September 18th, September 25th, and October 2nd. The death-rate in the four weeks ended last Saturday averaged 10·1 per 1,000. The infant mortality was 63, against 79, 65, and 66 in the preceding three weeks.

The deaths from *enteric fever*, which had been 1, 0, and 2 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 2. There was one death from *measles*, against 3, 2, and 0 in the preceding three weeks, and an average of 6. The deaths from *scarlet fever*, which had been 2, 1, and 11 in the preceding three weeks, fell last week to 3, the average being 2. The deaths from *whooping-cough*, which had been 3, 1, and 3 in the preceding three weeks, fell last week to 2 and were 3 below the average. The deaths from *diphtheria*, which had been 15, 22, and 18 in the preceding three weeks, were 17 last week, and were 6 above the average; 5 deaths belonged to the Borough of Islington and 3 to Poplar. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 46, 39, and 33 in the preceding three weeks, rose last week to 50, but were 49 below the average; 6 deaths belonged to Greenwich. The deaths from *influenza* numbered 5 as against 7, 6, and 5 in the preceding three weeks and an average of 8.

Different forms of violence caused 34 deaths, of which 33 were the subject of coroners' inquests. Of these 34 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 25 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 1 to burns or scalds, and 3 to drowning.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 14 cases of enteric fever, 26 of measles, 4,121 of scarlet fever, 23 of whooping-cough, and 1,884 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 3, 3, and 1; of measles, 11 cases, against 5, 4, and 2; of scarlet fever, 776 cases, against 623, 663, and 793; of whooping-cough, 4 cases, against 0, 1, and 1; and of diphtheria, 343 cases, against 277, 296, and 289. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 2nd, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 9th October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 18th Sept., 1920.	25th Sept., 1920.	2nd Oct., 1920.	9th Oct., 1920.	Week ended 9th Oct., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	**17,807,258**	**10·2**	**10·7**	**11·0**	**10·9**	**8584**	**3720**	**717**	**1078**	**4**	**–**	**13**	**13**	**15**	**52**	**226**	**33**	**132**	**268**	**1269**	**29**	**96 GREAT TOWNS.**
LONDON†	4,358,309	9·8	9·9	10·3	10·5	2207	874	138	271	2	–	1	3	2	17	50	5	34	84	461	–	LONDON.†
‡ CROYDON	184,239	10·8	11·0	10·5	10·2	86	36	5	15	–	–	–	–	–	–	2	–	1	5	10	–	CROYDON.
‡ WIMBLEDON	59,791	4·4	4·4	7·8	3·5	17	4	–	2	–	–	–	–	–	–	–	–	–	–	1	–	WIMBLEDON.
‡ EALING	73,212	3·6	7·1	7·8	7·1	21	10	1	7	–	–	–	–	–	–	–	–	–	–	3	–	EALING.
‡ ACTON	61,732	11·8	6·8	4·2	13·5	21	16	4	–	–	–	–	–	1	1	–	–	1	2	6	–	ACTON.
‡ WILLESDEN	160,917	9·7	7·1	7·8	11·7	81	36	7	9	–	–	–	–	–	2	2	–	1	1	22	–	WILLESDEN.
‡ HORNSEY	94,343	9·4	7·7	11·1	3·9	21	7	1	3	–	–	–	–	–	–	–	–	–	1	3	–	HORNSEY.
‡ TOTTENHAM	141,338	10·3	5·9	5·5	9·2	81	25	7	8	–	–	–	1	–	2	1	–	3	4	9	–	TOTTENHAM.
‡ EDMONTON	70,711	10·3	7·4	8·8	6·6	41	9	–	5	–	–	–	–	–	–	–	–	1	1	3	–	EDMONTON.
‡ ENFIELD	58,442	10·7	8·0	5·4	16·1	33	18	3	10	–	–	–	–	–	–	–	1	–	–	5	–	ENFIELD.
‡ WEST HAM	287,966	12·1	10·7	13·2	10·0	204	55	12	20	–	–	–	–	–	–	1	–	1	4	25	1	WEST HAM.
‡ EAST HAM	144,451	11·2	7·2	10·5	9·4	71	26	3	6	1	–	–	–	–	–	1	1	1	2	7	–	EAST HAM.
‡ LEYTON	123,896	6·3	6·7	5·9	7·6	59	18	5	7	–	–	–	–	–	–	1	–	1	–	6	–	LEYTON.
‡ WALTHAMSTOW	127,684	9·8	6·9	7·4	4·1	54	10	3	2	–	–	–	–	–	–	–	–	2	2	5	–	WALTHAMSTOW.
‡ ILFORD	79,524	7·9	8·5	6·6	8·5	35	13	3	4	–	–	–	–	–	–	1	–	–	–	6	–	ILFORD.
GILLINGHAM	43,501	8·4	8·4	10·8	8·4	35	7	2	2	–	–	–	–	–	–	–	–	–	–	2	–	GILLINGHAM.
HASTINGS	57,674	11·8	15·4	6·3	14·5	14	16	1	12	–	–	–	–	–	–	1	–	–	1	3	–	HASTINGS.
EASTBOURNE	48,424	9·7	12·9	9·7	10·8	18	10	3	3	–	–	–	–	–	–	1	–	1	1	3	–	EASTBOURNE.
BRIGHTON	132,409	10·6	9·8	14·6	13·4	72	34	8	14	–	–	–	–	–	–	1	–	1	2	8	–	BRIGHTON.
PORTSMOUTH	224,846	6·5	10·4	9·5	9·3	139	40	2	12	–	–	–	–	–	1	2	–	1	3	9	–	PORTSMOUTH.
BOURNEMOUTH	82,627	8·8	12·6	8·8	13·3	27	21	1	10	–	–	–	–	–	–	–	–	1	3	3	–	BOURNEMOUTH
SOUTHAMPTON	126,033	10·8	10·3	9·5	8·3	47	20	1	4	–	–	–	–	–	–	–	–	–	1	8	–	SOUTHAMPTON.
READING	91,365	9·1	5·1	9·1	9·1	35	16	1	4	–	–	–	–	–	–	–	–	–	1	7	–	READING.
OXFORD	57,666	7·2	5·4	9·0	9·0	19	10	1	5	–	–	–	–	–	1	2	–	1	1	1	–	OXFORD.
NORTHAMPTON	88,944	8·8	10·6	9·4	10·6	45	18	5	3	–	–	–	–	–	–	–	–	1	1	4	–	NORTHAMPTON.
CAMBRIDGE	57,849	9·0	8·1	5·4	9·0	20	10	1	2	–	–	–	–	–	–	–	–	–	–	1	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

ERRATUM.—Week ended 25th September: 96 Towns, Scarlet fever should read 14, Whooping cough, 16.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 9th October 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 18th Sept., 1920.	25th Sept., 1920.	2nd Oct., 1920.	9th Oct., 1920.	Week ended 9th Oct., 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	8·1	9·9	10·5	10·5	33	17	2	5	–	–	–	–	–	–	–	–	1	1	5	–	SOUTHEND ON SEA.
IPSWICH	78,011	6·0	14·0	8·0	13·4	25	20	–	11	–	–	–	–	–	–	–	–	1	1	6	–	IPSWICH.
GREAT YARMOUTH	53,078	12·8	15·7	14·7	9·8	25	10	–	5	–	–	–	–	–	–	–	–	1	2	3	–	GREAT YARMOUTH.
NORWICH	119,993	11·3	13·9	10·4	10·0	47	23	2	10	–	–	–	–	–	–	–	–	2	5	9	–	NORWICH.
SWINDON	51,527	8·1	12·1	13·2	8·1	21	8	1	1	–	–	–	–	–	–	1	–	–	–	1	–	SWINDON.
EXETER	59,014	3·5	10·6	7·1	10·6	15	12	1	2	–	–	–	–	–	–	–	–	–	–	4	–	EXETER.
PLYMOUTH	181,967	9·2	13·2	14·9	10·0	117	35	5	14	–	–	–	–	–	–	–	–	2	4	6	–	PLYMOUTH.
BATH	65,919	15·0	9·5	10·3	11·9	22	15	–	10	–	–	–	–	–	–	–	–	–	2	5	–	BATH.
BRISTOL	361,247	6·5	9·2	9·5	9·7	167	67	9	28	–	–	–	–	–	2	–	–	4	6	21	–	BRISTOL.
GLOUCESTER	50,100	12·5	8·3	9·4	9·4	23	9	2	2	1	–	–	–		1	–	1	1	1	4	–	GLOUCESTER.
STOKE ON TRENT	239,316	11·3	12·6	10·2	8·5	136	39	10	7	–	–	–	–	–	–	3	1	3	5	8	2	STOKE ON TRENT.
WOLVERHAMPTON	98,403	10·6	16·4	11·1	11·7	52	22	5	8	–	–	–	–	1	–	–	–	–	–	5	–	WOLVERHAMPTON.
WALSALL	92,724	12·9	13·5	14·1	13·5	57	24	7	7	–	–	1	–	–	–	4	1	–	–	5	–	WALSALL.
WEST BROMWICH	69,899	9·7	11·2	9·7	10·4	38	14	5	2	–	–	–	–	–	1	1	–	1	1	3	–	WEST BROMWICH.
DUDLEY	54,017	14·5	5·8	9·7	9·7	29	10	2	2	–	–	–	–	–	–	–	–	–	–	1	–	DUDLEY.
BIRMINGHAM	861,585	10·4	10·3	10·8	10·5	417	174	29	45	–	–	4	2	–	3	7	1	7	7	50	4	BIRMINGHAM.
SMETHWICK	72,152	12·3	6·5	7·9	2·9	31	4	2	–	–	–	–	–	–	1	–	–	–	–	1	–	SMETHWICK.
COVENTRY	132,048	6·3	7·5	7·5	7·5	53	19	4	5	–	–	–	–	–	1	1	1	–	–	3	1	COVENTRY.
LEICESTER	236,059	11·0	10·2	11·3	11·0	91	50	8	16	–	–	–	–	–	–	3	–	3	5	14	–	LEICESTER.
LINCOLN	60,581	4·3	9·5	16·4	8·6	24	10	2	4	–	–	–	–	–	–	–	1	–	–	2	–	LINCOLN.
GRIMSBY	78,813	12·6	13·9	13·9	15·9	33	24	6	4	–	–	–	–	–	–	–	–	1	1	5	–	GRIMSBY.
NOTTINGHAM	257,573	8·3	11·9	8·7	8·7	113	43	7	17	–	–	–	–	1	1	5	3	1	1	15	–	NOTTINGHAM.
DERBY	123,930	13·5	8·8	8·4	7·2	74	17	4	4	–	–	1	–	–	–	1	–	–	1	7	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 9th October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 18th Sept., 1920.	25th Sept., 1920.	2nd Oct., 1920.	9th Oct., 1920.	Week ended 9th Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125.629	7·9	12·9	7·9	6·6	38	16	2	4	–	–	–	1	–	1	1	–	–	1	3	–	STOCKPORT.
BIRKENHEAD	148.052	7·7	10·2	7·7	11·3	76	32	8	12	–	–	–	–	–	–	6	–	–	–	12	1	BIRKENHEAD.
WALLASEY	95,424	7·1	7·7	9·8	8·7	25	16	4	2	–	–	–	–	–	–	–	–	–	–	6	–	WALLASEY.
LIVERPOOL	772.665	11·5	11·9	13·4	12·3	414	183	45	46	–	–	–	–	1	2	21	1	5	16	76	1	LIVERPOOL.
BOOTLE	76.962	9·5	14·2	8·1	11·5	35	17	3	4	–	–	–	–	–	–	–	–	–	–	3	1	BOOTLE.
ST. HELENS	100.805	12·9	10·9	10·3	11·4	47	22	7	2	–	–	–	1	–	–	1	–	–	–	5	1	ST. HELENS.
SOUTHPORT	70,144	7·4	8·2	14·9	8·9	30	12	1	4	–	–	–	–	–	–	–	–	–	1	1	–	SOUTHPORT.
WIGAN	87,384	15·5	12·5	14·9	14·9	45	25	10	3	–	–	–	–	–	1	5	1	–	2	3	–	WIGAN.
WARRINGTON	74.952	9·0	11·1	9·0	11·8	38	17	3	3	–	–	–	–	–	–	–	–	–	–	5	–	WARRINGTON.
BOLTON	177.462	9·7	9·4	11·8	10·0	58	34	5	14	–	–	–	–	–	–	2	–	2	2	6	–	BOLTON.
BURY	54,248	15·4	9·6	9·6	16·3	27	17	1	4	–	–	–	–	–	–	–	1	–	1	5	–	BURY.
MANCHESTER	741.068	11·0	10·6	11·5	11·4	325	162	29	45	–	–	–	2	1	2	8	1	5	9	65	2	MANCHESTER.
SALFORD	226,225	9·9	10·8	13·4	12·4	95	54	10	13	–	–	–	–	–	1	1	–	5	9	17	–	SALFORD.
OLDHAM	137,668	7·6	10·2	14·8	12·9	61	34	7	13	–	–	–	–	–	–	1	–	3	4	8	–	OLDHAM.
ROCHDALE	90.051	12·7	12·7	11·6	13·3	34	23	5	6	–	–	–	–	–	1	–	–	1	2	3	–	ROCHDALE.
BURNLEY	101,005	10·8	11·4	12·4	17·0	39	33	5	10	–	–	–	–	–	–	–	–	3	4	11	–	BURNLEY.
BLACKBURN	125.992	10·3	8·7	12·4	16·1	55	39	3	18	–	–	–	–	–	–	1	–	–	1	6	1	BLACKBURN.
PRESTON	117,277	9·3	10·7	9·3	13·8	46	31	9	8	–	–	–	–	1	1	1	–	2	2	9	2	PRESTON.
BLACKPOOL	67.842	14·6	11·5	10·8	8·5	16	11	2	5	–	–	–	–	–	1	–	–	–	–	2	1	BLACKPOOL.
BARROW IN FURNESS	73.627	5·0	5·7	7·1	9·9	30	14	2	3	–	–	–	–	–	–	–	–	1	1	3	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	10·7	14·4	13·0	7·9	36	17	2	3	–	–	–	–	–	1	–	1	–	–	4	–	HUDDERSFIELD.
HALIFAX	101.791	7·2	14·9	9·2	8·7	35	17	3	8	–	–	–	–	–	–	–	–	–	–	6	–	HALIFAX.
BRADFORD	282.714	13·5	12·0	14·4	12·9	119	70	8	27	–	–	–	–	–	–	–	1	–	7	26	1	BRADFORD.
LEEDS	431,999	11·8	13·6	10·9	11·8	184	98	23	29	–	–	1	1	1	1	4	1	3	6	37	–	LEEDS.
DEWSBURY	52,969	14·8	12·8	16·7	13·8	28	14	5	2	–	–	–	–	–	–	2	–	–	–	–	–	DEWSBURY.
WAKEFIELD	49,208	12·7	12·7	12·7	15·9	23	15	3	3	–	–	–	–	–	–	–	1	–	–	6	–	WAKEFIELD.
BARNSLEY	51,680	14·1	18·2	20·2	19·2	28	19	6	3	–	–	–	–	–	–	6	–	–	2	1	–	BARNSLEY.

* *See* note † on first page of this return.

in the Week under Review, and the Death-Rates in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 18th Sept., 1920.	25th Sept., 1920.	2nd Oct., 1920.	9th Oct., 1920.	Week ended 9th Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	12·2	13·8	11·3	11·4	212	104	27	26	–	–	2	–	–	–	17	1	5	10	30	–	Sheffield.
Rotherham	69,034	16·6	8·3	7·6	14·4	36	19	2	3	–	–	–	–	–	–	2	–	1	1	6	1	Rotherham.
York	74,531	8·4	7·0	12·6	12·6	46	18	3	3	–	–	–	–	–	1	–	2	1	1	5	–	York.
Hull	279,664	11·4	13·4	12·7	10·3	150	55	24	9	–	–	–	–	–	–	13	–	1	2	17	1	Hull.
Middlesbrough	127,142	9·8	17·6	15·6	14·4	72	35	8	2	–	–	1	–	1	–	4	–	1	1	13	–	Middlesbrough.
Darlington	64,058	12·2	9·8	14·7	10·6	37	13	7	2	–	–	–	–	–	–	1	–	–	–	–	–	Darlington.
Stockton on Tees	60,696	14·6	15·5	13·7	14·6	38	17	3	2	–	–	–	–	–	–	3	–	–	–	–	1	Stockton on Tees.
West Hartlepool	65,515	13·5	17·5	13·5	8·8	41	11	2	4	–	–	–	–	–	–	–	–	–	1	2	–	West Hartlepool.
Sunderland	149,263	13·6	16·1	13·6	14·0	88	40	13	8	–	–	–	–	1	1	5	–	1	–	5	2	Sunderland.
South Shields	111,502	9·8	13·1	15·0	13·6	73	29	10	8	–	–	–	–	2	–	4	1	–	–	3	3	South Shields.
Gateshead	123,392	10·6	12·7	12·3	16·9	68	40	10	5	–	–	–	–	–	1	3	1	2	2	7	1	Gateshead.
Newcastle on Tyne.	275,099	12·7	11·0	13·3	11·8	154	62	19	14	–	–	1	1	1	–	7	–	2	6	13	–	Newcastle on Tyne.
Tynemouth	58,007	9·0	9·0	10·8	16·2	26	18	6	3	–	–	–	–	–	–	2	–	–	–	5	–	Tynemouth.
Carlisle	55,198	7·6	4·7	8·5	12·3	29	13	3	2	–	–	–	–	–	–	–	–	–	–	5	–	Carlisle.
Newport (Mon.)	87,251	6·6	11·4	11·4	13·7	52	23	4	4	–	–	–	–	–	–	1	1	–	1	5	–	Newport (Mon.).
Cardiff	204,436	9·4	8·2	13·8	9·7	85	38	10	12	–	–	–	–	–	1	4	1	2	4	5	–	Cardiff.
Rhondda	177,911	10·0	11·4	9·4	14·1	98	48	12	12	–	–	–	–	–	–	4	2	4	5	3	–	Rhondda.
Merthyr Tydfil	71,638	11·6	16·7	16·7	16·7	42	23	3	5	–	–	1	1	–	–	1	–	2	1	5	–	Merthyr Tydfil.
Aberdare	51,384	9·1	13·2	18·3	13·2	29	13	2	2	–	–	–	–	–	–	1	–	–	–	–	–	Aberdare.
Swansea	160,810	11·0	9·7	11·3	11·0	75	34	7	9	–	–	–	–	1	2	2	–	–	–	7	–	Swansea.
Greater London	7,259,388	9·5	9·1	9·7	9·6	3526	1359	212	444	3	–	1	4	4	23	68	10	54	120	623	1	Greater London.
Outer Ring	2,901,079	9·0	7·9	8·8	8·4	1319	465	74	173	1	–	–	1	2	6	18	5	20	36	162	1	Outer Ring
14 Great Towns in Outer Ring.	1,668,251	9·8	8·1	8·8	8·8	825	283	54	98	1	–	–	1	1	5	9	2	12	22	111	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·0	7·7	8·8	7·7	494	182	20	75	–	–	–	–	1	1	9	3	8	14	51	–	Remainder of Outer Ring.
Edinburgh†	342,300	9·6	9·8	11·0	13·0	153	85	4	35	–	–	–	–	–	1	–	–	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	12·7	13·0	12·5	13·0	601	278	71	66	3	1	–	1	2	3	11	–	15	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	13·4	15·7	17·5	16·3	232	130	41	26	–	–	–	–	3	4	21	–	2	1	42	6	Dublin (Registration Area).†
Belfast†	413,000	14·4	15·4	13·0	11·7	195	93	17	15	–	–	–	–	–	–	7	–	3	4	29	–	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE **2.** LONDON.—**Births** and **Deaths** registered during the FORTIETH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	2140	1998	1951	2079	2071	1958	1849	1300	1369	2313	2207
Males	1078	1042	981	1078	1058	966	948	675	709	1190	1156
Females	1062	956	970	1001	1013	992	901	625	660	1123	1051
Deaths (of residents only).	1104	1301	1150	1091	1191	1365	988*	932*	979*	946*	874*
Males		686	597	578	623	722	504	480	501	488	466
Females		615	553	513	568	643	484	452	478	458	408

* Deaths in civilian population only.

TABLE **3.** LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.
Births (as registered)	2389	2229	2297	2155	2335	2075	2294	2134	2219	1876	2093	2165	2207
Deaths (of residents only).	846	762	796	763	710	815	813	809	831	821	825	861	874
Ages at Death: Under 1 year	125	97	138	110	101	132	132	122	159	148	137	142	138
1–2 years	10	12	10	17	16	11	13	16	16	12	9	8	16
2–5 "	24	15	24	14	13	18	19	20	12	14	21	22	19
5–10 "	21	23	22	20	25	26	18	22	20	24	21	22	27
10–15 "	14	13	8	11	15	14	16	13	13	14	14	15	13
15–20 "	24	15	18	20	16	17	13	12	17	8	18	18	22
20–25 "	16	22	19	15	18	22	29	23	21	23	17	16	16
25–35 "	35	49	43	48	46	42	44	44	41	32	41	38	62
35–45 "	81	55	61	55	64	72	72	77	60	71	59	57	76
45–55 "	95	96	97	97	71	89	90	102	92	106	94	117	114
55–65 "	133	117	121	101	89	128	120	113	99	121	113	119	100
65–75 "	140	136	119	131	126	125	133	125	129	139	153	151	142
75 years and upwards	128	112	116	124	110	119	114	120	152	109	128	136	129
Deaths from—													
Enteric fever	2	–	1	2	–	1	–	1	–	1	–	2	2
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	4	5	1	1	1	3	1	5	3	2	–	1
Scarlet fever	2	1	3	1	2	–	5	2	5	2	1	11	3
Whooping cough	4	4	7	3	4	3	5	2	3	3	1	3	2
Diphtheria	10	13	13	8	18	15	15	13	14	15	22	18	17
Diarrhœa and enteritis (under 2 years).	16	20	28	17	20	30	38	34	43	46	39	33	50
Pulmonary tuberculosis	78	66	72	75	63	66	86	78	57	79	69	78	86
Influenza	6	2	5	9	6	3	5	–	2	7	6	5	5
Pneumonia (all forms)	36	41	43	35	24	38	28	48	45	47	53	51	58
Bronchitis	32	32	30	33	25	30	33	33	32	33	52	39	39
Other dis. of resp. system	14	9	14	8	9	11	6	11	13	14	11	10	11
Dis. of circ. system	147	142	136	141	117	161	157	167	149	133	148	159	147
Violence	39	36	22	41	39	49	45	39	36	30	35	33	34
Inquest cases	90	72	54	85	71	92	91	71	76	76	80	79	84
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	29	33	26	29	26	21	17	18	22	16	15	14	14
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	53	55	48	42	35	32	27	27	23	22	19	18	26
Scarlet fever	1855	1911	1956	2027	2106	2150	2266	2402	2633	2953	3305	3717	4121
Whooping cough	17	18	13	13	15	21	21	23	22	19	20	20	23
Diphtheria	1582	1556	1481	1469	1413	1362	1391	1404	1484	1591	1700	1778	1884

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE **3A.** **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.
Deaths from Influenza	33	21	33	26	30	16	20	17	20	28	18	27	33

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTIETH Week of the Year 1920.

Causes of Death.	Deaths in the 40th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	946	874	138	16	19	27	13	22	16	62	76	114	100	142	129
Enteric fever	2	2	–	–	–	–	–	–	–	1	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	3	–	–	2	1	–	–	–	–	–	–	–	–	–
Whooping cough	6	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	14	17	1	1	4	11	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	11	5	–	–	–	–	–	–	–	–	1	–	2	1	1
Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Other epidemic diseases	2	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Pyæmia and septicæmia	2	2	–	–	–	1	–	–	–	–	–	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	90	86	4	1	1	3	–	7	5	24	16	16	8	1	–
Tuberculous meningitis	2	13	5	2	1	2	1	2	–	–	–	–	–	–	–
Abdominal tuberculosis	2	5	–	–	1	–	–	1	–	1	–	–	1	1	–
Tuberculosis of the spine	1	2	–	–	1	–	–	–	1	–	–	–	–	–	–
Tuberculosis of the joints	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis of other organs	–	3	–	–	–	–	–	–	–	1	1	–	1	–	–
Disseminated tuberculosis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Venereal diseases	6	4	1	–	–	–	–	–	–	–	2	1	–	–	–
Cancer	102	103	–	–	1	–	–	–	–	4	11	26	16	27	18
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic fever	7	3	–	–	–	–	1	–	–	1	1	–	–	–	–
Diabetes	8	7	–	–	–	–	–	–	–	–	1	1	1	2	2
Anæmia, leucocythaemia	5	5	–	–	–	1	–	1	–	–	–	1	1	1	–
Other general diseases	4	5	1	1	–	–	–	–	–	–	–	1	–	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–		–	–	–	–
Chronic poisonings	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Simple meningitis	6	8	3	1	2	1	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	37	39	–	–	–	–	–	–	–	1	2	3	6	15	12
Softening of brain	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis, without specified cause	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Epilepsy	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
"Convulsions" (not puerperal)	5	4	4	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	20	19	–	–	–	–	1	2	–	1	6	2	3	3	1
Pericarditis	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Acute endocarditis	8	10	–	–	–	–	–	–	1	3	2	4	–	–	–
Organic disease of heart	84	95	–	–	–	–	3	2	1	–	5	18	21	25	20
Embolism and thrombosis (including cerebral).	7	7	–	–	–	–	–	–	–	–	–	–	2	3	2
Other diseases of circulatory system.	24	34	–	–	–	–	–	–	–	1	–	7	8	7	11
Diseases of the larynx	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	48	39	4	–	1	1	–	–	–	1	1	2	7	8	14
Broncho-pneumonia	26	21	10	3	1	1	–	–	–	–	2	3	–	1	–
Lobar pneumonia	9	19	1	–	–	–	1	–	3	2	4	4	–	3	1
Pneumonia (type not distinguished)	13	18	2	2	1	1	1	1	–	–	2	3	1	1	3
Pleurisy	1	4	–	–	–	–	–	–	–	2	–	1	1	–	–
Pulmonary congestion, Pulmonary apoplexy.	3	4	–	–	–	–	–	–	–	–	–	–	–	2	2
Other diseases of respiratory system.	8	3	–	–	–	–	–	–	–	1	1	1	–	–	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTIETH Week of the Year 1920.

Causes of Death.	Deaths in the 40th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	6	2	–	–	–	–	1	–	1	–	–	–	–	–	–
Diseases of stomach	19	3	–	–	–	–	–	–	–	–	1	–	–	1	1
Diarrhœa and enteritis	125	56	46	4	–	–	–	–	–	1	3	1	–	1	–
Appendicitis and typhlitis	6	10	–	–	–	1	1	–	2	3	1	–	2	–	–
Hernia and Intestinal obstruction.	12	9	3	–	–	–	–	–	–	–	1	–	1	2	2
Cirrhosis of liver	4	3	–	–	–	–	–	–	–	–	–	2	1	–	–
Other diseases of liver	2	5	–	–	–	–	–	–	–	–	–	2	–	1	2
Peritonitis (cause unknown)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	3	5	–	–	1	–	–	–	–	–	–	1	1	1	1
Acute nephritis	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Chronic Bright's disease	22	26	–	–	–	–	–	–	–	1	3	4	6	9	3
Urinary calculi	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	4	11	–	–	–	–	–	–	1	–	–	1	1	4	4
Puerperal fever, &c.	3	5	–	–	–	–	–	1	–	4	–	–	–	–	–
Other causes incident to childbirth.	4	3	–	–	–	–	–	–	–	2	1	–	–	–	–
Diseases of skin and cellular tissues.	8	5	1	–	–	–	–	–	–	–	2	1	–	–	1
Diseases of locomotor system	1	4	–	–	1	1	–	–	–	–	–	–	1	1	–
Congenital malformations	13	13	11	–	1	–	–	1	–	–	–	–	–	–	–
Premature birth	33	16	16	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	24	13	13	–	–	–	–	–	–	–	–	–	–	–	–
Old age	24	34	–	–	–	–	–	–	–	–	–	–	–	10	24
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	3	1	–	–	–	–	–	–	1	–	–	1	–	–
Suffocation in bed	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	19	21	1	–	–	1	–	2	–	2	3	3	5	2	2
Total deaths from accident	26	25	3	–	–	1	–	2	–	3	3	3	6	2	2
Included in above are deaths in connection with:—															
Railways	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Vehicles and horses	10	7	–	–	–	1	–	1	–	–	–	1	2	1	1
Ships, boats, docks	–	3	–	–	–	–	–	–	–	1	2	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Suicide	2	8	–	–	–	–	–	–	–	1	2	1	–	4	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	10	12	7	–	–	1	1	–	–	3	–	–	–	–	–
Ill-defined Causes	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Oct. 9	2,207	874	10·5	2	–	1	3	2	17	50	5
CALCUTTA	896,067	Sept. 4	–	562§	32·4	?	–	?	?	?	?	?	35
BOMBAY	979,445	Aug. 28	419	817§	43·4	5	1	–	–	–	–	52	12
MADRAS	518,660	Sept. 4	475	363	36·4	–	1	–	?	5	–	43	6
PARIS	2,847,229	(10 days) Aug 20	1,465	900	?	1	–	6	–	2	6	71	1
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	329,956	Sept. 25	130	50	8·0	–	–	–	–	–	–	7	–
AMSTERDAM	651,994	„ 25	311	104	8·3	1	–	2	–	–	–	–	–
COPENHAGEN	571,000	„ 25	235	96	8·8	–	–	–	1	–	1	3	–
STOCKHOLM	415,201	„ 18	140	71	8·9	1	–	–	1	–	–	2	–
GOTHENBURG	200,578	„ 4	–	39	10·1	–	–	–	1	–	1	2	–
CHRISTIANIA	260,904	„ 25	114	43	8·6	–	–	–	–	–	–	1	–
BERLIN	1,904,590	„ 18	558	438	12·0	2	?	2	1	1	6	21	1
BRESLAU	531,347	„ 18	263	155	15·2	–	?	–	–	–	3	10	–
COLOGNE	642,899	„ 18	339	146	11·8	3	?	1	–	2	1	6	?
DRESDEN	537,127	„ 18	197	126	12·2	–	?	–	–	1	–	9	?
FRANKFORT-ON-MAIN.	435,103	„ 18	156	83	9·9	–	?	–	1	2	1	4	?
HAMBURG	1,002,933	„ 18	341	221	11·5	1	?	–	–	1	4	–	?
LEIPZIG	610,686	„ 18	227	156	13·3	1	?	–	–	1	2	10	?
MUNICH	647,030	„ 18	212	138	11·1	–	?	–	–	1	–	8	?
VIENNA	1,842,005	„ 25	581	454	12·8	4	–	–	1	1	1	21	1
PRAGUE	524,496	„ 4	150	144	14·3	2	–	–	–	–	–	6	–
BUDAPEST	1,071,492	July 10	371	369	17·9	6	–	4	6	2	2	38	1
TRIESTE	238,182	Sept. 25	114	68	14·9	4	–	–	–	–	1	4	–
CAIRO	761,300	July 22	707	750	51·2	4	–	10	–	?	1	180	?
ALEXANDRIA	445,700	„ 22	419	300	35·0	–	–	–	–	?	–	69	?
NEW YORK	6,141,445	Sept. 11	2,6[illegible]0	1,090	9·3	7	–	1	3	23	4	94	4
CHICAGO	2,727,504	„ 18	–	497	9·5	1	–	–	1	1	5	65	1

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 5 deaths from *plague* in Bombay, and from *Asiatic cholera*, 6 deaths in Calcutta and 3 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 9th October, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	73	44	69·9	53·3	2
BRIGHTON	76	53	67·1	57·3	3
PORTSMOUTH	74	52	65·6	55·9	29
NORWICH (Southwell Lodge)	72	45	67·4	53·3	0
PLYMOUTH	71	48	64·3	54·3	31
BRISTOL (Clifton)	67	44	61·1	52·3	22
BIRMINGHAM	70	43	63·4	51·1	38
NOTTINGHAM	72	41	64·4	49·1	13
BIRKENHEAD (Bidston)	69	43	61·9	49·7	31
MANCHESTER	71	43	66·6	51·6	20
BURNLEY	67	41	62·9	50·0	32
HUDDERSFIELD	66	41	61·4	49·6	17
BRADFORD	66	43	61·3	48·6	26
SHEFFIELD	68	42	62·6	50·9	23
YORK (Museum)	68	43	61·7	51·0	33
HULL (Pearson Park)	73	44	64·0	50·9	11
TYNEMOUTH	65	46	57·1	50·0	32
CARDIFF	66	48	62·6	53·4	22
EDINBURGH	61·0	44·0	58·3	49·0	13
GLASGOW	60·5	40·8	58·9	48·8	35
DUBLIN:— Phœnix Park	65·1	36·1	60·3	45·8	54
†Fitzwilliam Square	62·8	42·1	59·4	49·6	64
BELFAST	62·0	38·0	59·8	47·7	67

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 9th October 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 3	Greatest declination N.	29·454	65·0	44·1	20·9	55·0	+ 1·7	48·3	6·7	15·5	1·1	78	119·5	37·0	55·0	SSE. & S.	SSE. & SE.	3·6	0·0	0·4	318	+ 53	0·02
MONDAY - - 4	Perigee	29·567	62·0	56·0	6·0	58·2	+ 5·2	53·8	4·4	9·4	1·2	76	85·2	51·0	55·0	SE. & SSE.	S., SE. & calm.	2·8	0·0	0·3	234	− 31	0·06
TUESDAY - - 5	Last Quarter.	29·556	72·6	56·5	16·1	64·8	+12·0	55·5	9·3	15·8	1·5	72	123·8	50·7	55·0	ESE. & SE.	SE. & calm	2·2	0·0	0·1	165	− 99	0·00
WEDNESDAY - 6	..	29·484	69·9	52·6	17·3	60·7	+ 8·2	55·5	5·2	13·2	1·0	83	121·1	42·1	55·1	Calm, E. & S.	SSW., calm & SSE.	3·4	0·0	0·1	185	− 77	0·00
THURSDAY - - 7	..	29·685	72·0	49·1	22·9	60·6	+ 8·3	54·8	5·8	14·2	1·0	81	123·9	40·4	55·2	Calm & SE.	E. & calm	0·9	0·0	0·0	120	−138	0·00
FRIDAY - - 8	..	29·919	71·1	56·9	14·2	62·6	+10·6	57·8	4·8	12·2	0·0	84	116·8	50·0	55·1	ENE. & E.	E. & ESE.	1·0	0·0	0·1	180	− 73	0·00
SATURDAY - - 9	..	29·942	71·3	56·4	14·9	62·2	+10·6	55·9	6·3	13·6	0·0	80	116·0	49·9	55·1	E.	E.	2·5	0·0	0·3	259	+ 8	0·01
MEANS - - -	- - -	29·658	69·1	53·1	16·0	60·6	+ 8·1	54·5	6·1	13·4	0·8	79	115·2	45·9	55·1	ESE.		..	..	..	Sum 1461	Sum −357	Sum 0·09
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	3	w.P. generally, m.P. 10h. to 16h.	7·0	11·5	Fine generally with occasional showers before 6h.; partially cloudy till 14h., then nearly overcast; slight rain about 18h.
MONDAY	4	w.P. throughout	0·0	11·4	Overcast with few exceptions; frequent slight rain between 3h. and 18h.
TUESDAY	5	w.P. till 7h., v.P. till 18h., w.P. afterwards.	6·8	11·3	Nearly overcast generally with cloudy intervals till 9h.; partially cloudy till 15h., then very cloudy to overcast.
WEDNESDAY	6	w.P. generally, v.P. from 12h. to 18h.	4·8	11·3	Nearly overcast till about noon with slight rain between 5h. and 6h.; partially cloudy generally from noon; nearly cloudless by 21h.
THURSDAY	7	w.P. generally, m.P. 10h. to 17h.	6·0	11·2	Cloudless till 4h. with heavy dew; variably cloudy till 13h., then very cloudy; overcast at times.
FRIDAY	8	w.P. generally, m.P. 11h. to 18h.	5·5	11·1	Alternately cloudless and overcast till 10h. 30m.; nearly cloudless till 20h.; overcast afterwards; heavy dew and mist in morning; damp fog at night.
SATURDAY	9	w.P. generally, m.P. 12h. to 18h.	6·0	11·1	Overcast till 10h. 30m. with fog and damping till 6h. 30m.; nearly cloudless 10h. 30m. to 20h. 15m., becoming overcast by 20h. 30m.
			Sum 36·1	Sum 78·9	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·47 in. at the beginning of the week to 29·64 in. by 21h. on 4th; decreased to 29·45 in. by 10h. on 6th; increased to 29·98 in. by 21h. on 8h., and decreased generally to 29·94 in. by midnight on 9th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 2nd October, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	861	2	-	-	11	3	18	33	78	142
Western										
Paddington	25	-	-	-	-	-	1	1	2	3
Kensington	27	-	-	-	-	-	-	1	3	2
Hammersmith	20	-	-	-	-	-	-	-	2	-
Fulham	28	1	-	-	1	-	2	3	3	6
Chelsea	16	-	-	-	-	-	-	1	2	1
City of Westminster	29	-	-	-	-	-	-	-	4	2
Northern.										
St. Marylebone	24	-	-	-	-	-	-	1	3	2
Hampstead	12	-	-	-	-	-	-	-	-	1
St. Pancras	30	-	-	-	-	-	-	2	3	7
Islington	73	-	-	-	1	-	3	2	2	12
Stoke Newington	11	-	-	-	-	-	1	-	-	1
Hackney	36	-	-	-	-	-	1	2	6	10
Central.										
Holborn	10	-	-	-	-	-	-	-	1	1
Finsbury	23	-	-	-	-	1	-	-	3	4
City of London	3	-	-	-	-	-	-	-	1	-
Eastern.										
Shoreditch	25	-	-	-	-	1	1	3	2	10
Bethnal Green	30	-	-	-	2	-	-	2	4	5
Stepney	55	-	-	-	-	-	2	3	3	9
Poplar	30	-	-	-	1	-	1	2	3	6
Southern.										
Southwark	48	-	-	-	1	-	1	4	2	8
Bermondsey	23	-	-	-	1	-	-	-	2	5
Lambeth	58	-	-	-	4	-	2	-	4	3
Battersea	39	-	-	-	-	-	1	3	7	11
Wandsworth	55	1	-	-	-	-	1	-	4	3
Camberwell	46	-	-	-	-	1	-	2	2	11
Deptford	23	-	-	-	-	-	-	1	5	10
Greenwich	16	-	-	-	-	-	1	-	1	1
Lewisham	20	-	-	-	-	-	-	-	1	3
Woolwich	26	-	-	-	-	-	-	-	3	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 2nd October, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	French Fever.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	1	-	-	-	13	4	1	3	-	2	1	-	-	-	-	-
Kensington	157,886	-	-	-	-	19	5	-	2	-	-	1	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	39	10	3	-	1	-	-	1	-	-	-	-
Fulham	152,543	-	-	-	-	18	8	2	1	-	1	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	4	7		-	-	-	1	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	12	6	1	1	-	1	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	1	-	-	-	17	5	2	2	-	-	2	-	-	-	-	-
Hampstead	88,012	-	-	-	-	2	3	-	-	-	-	2	-	-	-	-	-
St. Pancras	219,434	-	-	-	-	18	21	1	3	-	-	2	-	-	-	-	-
Islington	323,034	-	1	-	-	43	30	2	6	-	-	4	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	7	4	-	-	-	-		-	-	-	-	-
Hackney	216,736	-	-	-	-	48	15	1	4	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	6	-	-	1	-	-	1	-	-	-	-	-
Finsbury	75,291	-	-	-	-	23	4	1	3	-	-	1	-	-	-	-	-
City of London	13,893	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	7	12	3	2	-	1	1	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	46	12	5	5	-	-	1	-	-	-	-	-
Stepney	232,506	-	-	-	-	99	17	3	6	-	-	1	-	-	-	-	-
Poplar	153,644	-	-	-	-	60	20	2	2	-	-	1	-	-	1	-	-
SOUTHERN.																	
Southwark	179,971	1	-	-	-	31	5	2	3	-	-	1	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	51	8	2	2	-	-	1	-	-	-	1	-
Lambeth	282,322	-	-	-	-	25	19	2	3	-	-	-	-	-	-	-	-
Battersea	159,316	-	-	-	-	27	13	-	1	-	1	1	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	38	16	9	4	-	-	2	-	-	-	-	-
Camberwell	273,802	-	1	-	-	50	28	1	2	1	-	-	-	-	-	-	-
Deptford	111,205	-	-	-	-	13	7	-	2	-	1	1	-	-	-	-	-
Greenwich	98,484	1	-	-	-	19	3	-	2	-	-	-	-	-	-	-	-
Lewisham	167,754	-	-	-	-	17	12	-	2	-	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	15	8	-	1	1	1	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	4	2	-	-	771	302	43	63	3	8	29	1	-	1	1	-
Ages 0–1		-	-	-	-	4	4	2	4	1	-	29	-	-	-	-	-
„ 1–5		-	-	-	-	139	58	3	1	-	-	-	-	-	-	-	-
„ 5–		-	-	-	-	360	128	3	3	-	-	-	-	-	-	-	-
„ 10–		1	-	-	-	200	73	2	4	-	-	-	-	-	-	-	-
„ 15–		-	-	-	-	41	6	1	3	-	-	-	-	-	1	-	-
„ 20–		-	-	-	-	12	17	3	5	1	2	-	-	-	-	1	-
„ 25–		1	2	-	-	11	7	1	8	1		-	1	-	-	-	-
„ 35–		1	-	-	-	3	5	8	13	-	2	-	-	-	-	-	-
„ 45–		-	-	-	-	1	4	11	12	-	-	-	-	-	-	-	-
„ 55–		-	-	-	-	-	-	6	4	-	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
„ 75 and upwards		1	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 41. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, OCT. 16.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
October 19th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,468, and corresponded to an annual rate of 23·8 per 1,000. The deaths* among the civilian population only numbered 3,670, and corresponded to an annual rate of 10·7 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended September 25th, October 2nd, and October 9th, the rates had been 10·7, 11·0, and 10·9 respectively. The infant mortality was 87, against 79, 80, and 84 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12493—3 Wt 167–840 625 10/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 15·4 in Wolverhampton, 15·5 in St. Helens, Wigan, and Burnley, 15·6 in Gillingham, 16·3 in Bury, 16·9 in Preston, and 20·7 in Dewsbury. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,036 births, corresponding to a rate of 23·4 per 1,000, and 815 deaths of civilians, corresponding to a rate of 9·8, as against 9·9, 10·3, and 10·5 per 1,000 in the three weeks ended September 25th, October 2nd, and October 9th. The death-rate in the four weeks ended last Saturday averaged 10·1 per 1,000. The infant mortality was 61, against 65, 66, and 63 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 2, and 2 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 3. The deaths from *measles*, which had been 2, 0, and 1 in the preceding three weeks, rose last week to 4, and were equal to the average. The deaths from *scarlet fever*, which had been 1, 11, and 3 in the preceding three weeks, were 2 last week, the average being 3. The deaths from *whooping-cough*, which had been 1, 3, and 2 in the preceding three weeks, rose to 4 last week, but were 3 below the average. The deaths from *diphtheria*, which had been 22, 18, and 17 in the preceding three weeks, further fell last week to 14, and were equal to the average; 5 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 39, 33, and 50 in the preceding three weeks, fell last week to 35, and were 45 below the average; 5 deaths belonged to Bethnal Green, and 4 to Lambeth. The deaths from *influenza* numbered 3 as against 6, 5, and 5 in the preceding three weeks and an average of 22.

Different forms of violence caused 46 deaths, all of which were the subject of coroners' inquests. Of these 46 deaths, 6 were cases of suicide, and 1 of homicide, while the remaining 39 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, 6 to burns or scalds, 5 to drowning, and 1 of an infant under one year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 16 cases of enteric fever, 27 of measles, 4,534 of scarlet fever, 26 of whooping-cough, and 1,975 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 8 cases, against 3, 1, and 3; of measles, 6 cases, against 4, 2, and 11; of scarlet fever, 918 cases, against 663, 793, and 776; of whooping-cough, 3 cases, against 1, 1, and 4; and of diphtheria, 329 cases, against 296, 289, and 343. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 9th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 16th October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 25th Sept., 1920.	2nd Oct., 1920.	9th Oct., 1920.	16th Oct., 1920.	Week ended 16th Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	10·7	11·0	10·9	10·7	8468	3670	734	1056	3	–	17	15	16	55	207	34	152	270	1235	20	96 GREAT TOWNS.
LONDON†	4,358,309	9·9	10·3	10·5	9·8	2036	815	124	265	–	–	4	2	4	14	35	3	46	90	423	1	LONDON.†
‡ CROYDON	184,239	11·0	10·5	10·2	8·8	63	31	6	11	–	–	–	–	–	–	1	1	–	2	5	–	CROYDON.
WIMBLEDON	59,791	4·4	7·8	3·5	4·4	11	5	1	2	–	–	–	1	–	–	1	–	–	1	3	–	WIMBLEDON.
EALING	73,212	7·1	7·8	7·1	9·3	22	13	1	5	–	–	–	–	–	–	–	–	1	3	4	–	EALING.
ACTON	61,732	6·8	4·2	13·5	10·1	25	12	1	3	–	–	–	–	–	1	–	–	–	–	3	–	ACTON.
WILLESDEN	160,917	7·1	7·8	11·7	11·3	67	35	7	7	–	–	–	1	–	2	–	–	1	2	19	–	WILLESDEN.
HORNSEY	94,348	7·7	11·1	3·9	9·9	31	18	1	10	–	–	–	–	–	–	1	1	–	1	6	–	HORNSEY.
TOTTENHAM	141,338	5·9	5·5	9·2	5·9	55	16	3	4	–	–	–	–	–	–	1	–	–	–	8	–	TOTTENHAM.
‡ EDMONTON	70,711	7·4	8·8	6·6	11·8	38	16	4	4	–	–	–	–	–	1	–	–	1	2	3	–	‡ EDMONTON.
ENFIELD	58,442	8·0	5·4	16·1	4·5	18	5	–	4	–	–	–	–	–	–	–	–	–	–	1	–	ENFIELD.
WEST HAM	287,966	10·7	13·2	10·0	12·1	197	67	14	21	–	–	–	–	–	1	3	–	1	8	25	–	WEST HAM.
EAST HAM	144,451	7·2	10·5	9·4	10·1	64	28	4	10	–	–	–	–	–	1	2	–	1	2	6	–	EAST HAM.
LEYTON	123,896	6·7	5·9	7·6	5·9	62	14	1	7	–	–	–	–	–	–	–	–	1	3	3	–	LEYTON.
WALTHAMSTOW	127,684	6·9	7·4	4·1	8·2	60	20	5	9	–	–	–	–	–	1	–	–	–	–	8	–	WALTHAMSTOW.
ILFORD	79,524	8·5	6·6	8·5	9·8	25	15	1	5	–	–	–	–	1	2	–	–	–	–	7	–	ILFORD.
GILLINGHAM	43,501	8·4	10·8	8·4	15·6	18	13	1	6	–	–	–	–	–	–	–	–	–	1	2	–	GILLINGHAM.
HASTINGS	57,674	15·4	6·3	14·5	9·9	14	11	–	6	–	–	–	–	–	–	–	–	–	2	3	–	HASTINGS.
EASTBOURNE	48,424	12·9	9·7	10·8	8·6	19	8	1	6	–	–	–	–	–	–	1	–	–	–	2	–	EASTBOURNE.
BRIGHTON	132,409	9·8	14·6	13·4	9·8	51	25	2	12	–	–	–	–	–	–	–	–	2	3	8	–	BRIGHTON.
PORTSMOUTH	224,846	10·4	9·5	9·3	9·3	126	40	7	16	–	–	–	–	–	–	–	–	3	4	4	–	PORTSMOUTH.
BOURNEMOUTH	82,627	12·6	8·8	13·3	12·6	32	20	1	6	–	–	–	–	–	–	–	–	–	1	8	–	BOURNEMOUTH
SOUTHAMPTON	126,033	10·3	9·5	8·3	10·3	51	25	3	7	–	–	–	–	–	–	1	–	2	4	8	–	SOUTHAMPTON.
READING	91,365	5·1	9·1	9·1	12·6	52	22	4	7	–	–	–	–	–	1	–	1	–	–	5	–	READING.
OXFORD	57,666	5·4	9·0	9·0	10·9	19	12	1	3	–	–	–	–	–	2	1	–	–	–	5	–	OXFORD.
NORTHAMPTON	88,944	10·6	9·4	10·6	8·2	43	14	4	4	–	–	–	–	–	–	–	–	–	–	2	–	NORTHAMPTON.
CAMBRIDGE	57,849	8·1	5·4	9·0	5·4	10	6	–	5	–	–	–	–	–	–	–	–	–	–	1	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE I (*cont.*).—95 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATES in the Week ended Saturday, 16th October 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 25th Sept., 1920.	2nd Oct., 1920.	9th Oct., 1920.	16th Oct., 1920.	Week ended 16th Oct., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	9·9	10·5	10·5	7·4	27	12	1	6	–	–	–	–	–	–	–	–	1	1	4	–	SOUTHEND ON SEA.
IPSWICH	78,011	14·0	8·0	13·4	7·4	29	11	–	2	–	–	–	–	–	1	–	–	–	–	5	–	IPSWICH.
GREAT YARMOUTH	53,078	15·7	14·7	9·8	11·8	27	12	–	9	–	–	–	–	–	–	–	–	1	1	3	–	GREAT YARMOUTH.
NORWICH	119,993	13·9	10·4	10·0	10·9	54	25	5	10	–	–	–	–	–	–	1	–	5	8	7	–	NORWICH.
SWINDON	51,527	12·1	13·2	8·1	8·1	17	8	1	1	–	–	–	–	–	–	–	1	–	–	1	–	SWINDON.
EXETER	59,014	10·6	7·1	10·6	6·2	23	7	1	2	–	–	–	–	–	–	–	–	–	–	2	–	EXETER.
PLYMOUTH	181,967	13·2	14·9	10·0	10·6	97	37	7	15	–	–	–	–	1	1	–	–	1	3	7	–	PLYMOUTH.
BATH	65,919	9·5	10·3	11·9	7·9	20	10	2	5	–	–	–	–	–	–	1	1	–	–	4	–	BATH.
BRISTOL	361,247	9·2	9·5	9·7	11·8	152	82	9	37	–	–	–	–	–	2	1	4	1	5	24	–	BRISTOL.
GLOUCESTER	50,100	8·3	9·4	9·4	13·5	19	13	3	2	–	–	–	–	–	–	1	1	–	–	4	–	GLOUCESTER.
STOKE ON TRENT	239,316	12·6	10·2	8·5	12·4	155	57	16	12	–	–	–	–	–	–	5	2	1	1	10	–	STOKE ON TRENT.
WOLVERHAMPTON	98,403	16·4	11·1	11·7	15·4	59	29	3	11	–	–	–	–	–	–	2	–	4	4	7	–	WOLVERHAMPTON.
WALSALL	92,724	13·5	14·1	13·5	11·8	57	21	3	7	–	–	–	–	–	–	–	–	–	–	5	–	WALSALL.
WEST BROMWICH	69,899	11·2	9·7	10·4	11·2	36	15	5	5	–	–	–	–	–	–	1	–	–	1	3	–	WEST BROMWICH.
DUDLEY	54,017	5·8	9·7	9·7	12·5	32	13	3	5	–	–	–	–	–	–	–	–	–	2	1	1	DUDLEY.
BIRMINGHAM	861,585	10·3	10·8	10·5	10·2	480	169	32	39	–	–	3	2	–	8	6	4	6	6	64	3	BIRMINGHAM.
SMETHWICK	72,152	6·5	7·9	2·9	7·2	47	10	6	1	–	–	1	–	–	–	–	–	–	–	2	–	SMETHWICK.
COVENTRY	132,048	7·5	7·5	7·5	8·7	53	22	7	3	–	–	–	–	–	–	1	1	–	–	6	–	COVENTRY.
LEICESTER	236,059	10·2	11·3	11·0	9·7	101	44	9	9	–	–	–	–	–	1	3	–	2	2	16	1	LEICESTER.
LINCOLN	60,581	9·5	16·4	8·6	11·2	29	13	3	2	–	–	–	–	–	–	2	–	1	1	1	–	LINCOLN.
GRIMSBY	78,813	13·9	13·9	15·9	9·9	38	15	4	4	–	–	–	–	–	–	1	–	–	–	3	–	GRIMSBY.
NOTTINGHAM	257,573	11·9	8·7	8·7	10·7	136	53	13	15	–	–	–	–	–	3	2	–	2	3	16	–	NOTTINGHAM.
DERBY	123,930	8·8	8·4	7·2	8·0	63	19	4	4	–	–	–	–	–	–	1	–	–	–	6	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 16th October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 25th Sept., 1920.	2nd Oct., 1920.	9th Oct., 1920.	16th Oct., 1920.	Week ended 16th Oct., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	12·9	7·9	6·6	9·5	46	23	2	6	–	–	–	–	–	1	–	–	1	1	8	–	STOCKPORT.
BIRKENHEAD	148,052	10·2	7·7	11·3	12·3	86	35	16	6	–	–	–	–	–	–	5	–	5	5	8	–	BIRKENHEAD.
WALLASEY	95,424	7·7	9·8	8·7	11·5	27	21	4	4	–	–	–	–	–	–	1	–	–	–	7	–	WALLASEY.
LIVERPOOL	772,665	11·9	13·4	12·3	13·5	462	200	57	46	1	–	–	1	2	–	21	1	5	9	92	1	LIVERPOOL.
BOOTLE	76,962	14·2	8·1	11·5	4·7	50	7	2	2	–	–	–	–	–	1	1	–	–	–	3	–	BOOTLE.
ST. HELENS	100,805	10·9	10·3	11·4	15·5	60	30	6	6	–	–	–	1	–	–	3	–	1	1	15	–	ST. HELENS.
SOUTHPORT	70,144	8·2	14·9	8·9	9·7	23	13	1	4	–	–	–	–	–	–	–	–	–	–	2	–	SOUTHPORT.
WIGAN	87,384	12·5	14·9	14·9	15·5	50	26	9	4	–	–	2	–	–	–	1	–	1	2	5	–	WIGAN.
WARRINGTON	74,952	11·1	9·0	11·8	11·1	40	16	4	3	–	–	1	–	–	–	–	–	1	1	3	1	WARRINGTON.
BOLTON	177,462	9·4	11·8	10·0	8·5	56	29	4	10	–	–	–	–	–	–	–	1	–	1	4	–	BOLTON.
BURY	54,248	9·6	9·6	16·3	16·3	16	17	2	6	–	–	–	–	–	1	–	–	1	2	6	1	BURY.
MANCHESTER	741,068	10·6	11·5	11·4	10·6	321	150	37	32	–	–	–	2	1	–	10	1	9	12	51	1	MANCHESTER.
SALFORD	226,225	10·8	13·4	12·4	8·8	113	38	11	8	–	–	–	–	–	2	3	–	2	6	13	–	SALFORD.
OLDHAM	137,668	10·2	14·8	12·9	10·6	59	28	8	5	–	–	–	–	–	–	–	–	3	6	7	–	OLDHAM.
ROCHDALE	90,051	12·7	11·6	13·3	13·3	35	23	3	7	–	–	–	1	–	–	–	–	–	1	6	–	ROCHDALE.
BURNLEY	101,005	11·4	12·4	17·0	15·5	35	30	8	6	–	–	–	–	–	–	4	–	2	3	4	–	BURNLEY.
BLACKBURN	125,992	8·7	12·4	16·1	11·2	37	27	4	5	–	–	–	–	–	–	2	–	1	1	5	–	BLACKBURN.
PRESTON	117,277	10·7	9·3	13·8	16·9	53	38	5	11	–	–	–	–	–	–	1	–	2	3	8	2	PRESTON.
BLACKPOOL	67,842	11·5	10·8	8·5	12·3	28	16	4	7	–	–	–	–	–	–	–	1	1	1	3	1	BLACKPOOL.
BARROW IN FURNESS	73,627	5·7	7·1	9·9	6·4	42	9	1	2	–	–	–	–	–	–	1	–	–	–	1	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	14·4	13·0	7·9	9·8	35	21	2	4	–	–	–	–	–	2	–	–	–	1	4	–	HUDDERSFIELD.
HALIFAX	101,791	14·9	9·2	8·7	12·8	38	25	5	9	–	–	–	–	–	–	–	–	–	3	5	–	HALIFAX.
BRADFORD	282,714	12·0	14·4	12·9	12·7	119	69	13	18	2	–	–	–	–	1	–	–	3	5	32	–	BRADFORD.
LEEDS	431,999	13·6	10·9	11·8	13·5	199	112	14	41	–	–	–	–	1	–	3	1	6	7	33	–	LEEDS.
DEWSBURY	52,969	12·8	16·7	13·8	20·7	9	21	1	4	–	–	–	–	–	–	1	–	1	1	4	–	DEWSBURY.
WAKEFIELD	49,208	12·7	12·7	15·9	8·5	24	8	2	1	–	–	–	–	–	–	1	–	–	1	–	–	WAKEFIELD.
BARNSLEY	51,680	18·2	20·2	19·2	13·1	30	13	3	3	–	–	–	–	–	–	2	–	–	–	–	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes. Week ended 25th Sept., 1920.	2nd Oct., 1920.	9th Oct., 1920.	16th Oct., 1920.	Week ended 16th Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	13·8	11·3	11·4	13·0	235	118	41	25	–	–	3	–	2	–	20	1	3	4	29	1	Sheffield.
Rotherham	69,034	8·3	7·6	14·4	14·4	38	19	9	6	–	–	–	–	–	–	4	–	–	–	3	–	Rotherham.
York	74,531	7·0	12·6	12·6	12·6	31	18	4	6	–	–	–	1	–	–	–	1	–	–	7	–	York.
Hull	279,664	13·4	12·7	10·3	9·5	137	51	12	13	–	–	–	–	–	–	9	1	1	2	12	1	Hull.
Middlesbrough	127,142	17·6	15·6	14·4	13·9	73	34	17	8	–	–	–	–	–	–	9	–	1	1	3	–	Middlesbrough.
Darlington	64,058	9·8	14·7	10·6	6·5	22	8	1	–	–	–	–	–	–	–	–	–	–	–	1	–	Darlington.
Stockton on Tees	60,696	15·5	13·7	14·6	10·3	38	12	6	3	–	–	–	–	–	–	2	–	1	1	1	–	Stockton on Tees.
West Hartlepool	65,515	17·5	13·5	8·8	9·6	33	12	4	5	–	–	–	–	–	–	1	–	1	1	3	–	West Hartlepool.
Sunderland	149,263	16·1	13·6	14·0	14·3	81	41	9	7	–	–	–	–	–	–	3	–	1	2	10	1	Sunderland.
South Shields	111,502	13·1	15·0	13·6	14·0	65	30	6	6	–	–	–	–	–	1	5	2	1	1	9	1	South Shields.
Gateshead	123,392	12·7	12·3	16·9	14·8	72	35	10	7	–	–	–	1	1	1	5	–	2	2	4	1	Gateshead.
Newcastle on Tyne.	275,099	11·0	13·3	11·8	13·5	153	71	22	19	–	–	–	–	–	–	5	–	1	4	17	–	Newcastle on Tyne.
Tynemouth	58,007	9·0	10·8	16·2	9·0	40	10	2	1	–	–	–	–	–	–	2	–	–	–	1	1	Tynemouth.
Carlisle	55,198	4·7	8·5	12·3	9·4	31	10	2	3	–	–	–	–	–	–	–	1	–	–	–	1	Carlisle.
Newport (Mon.)	87,251	11·4	11·4	13·7	9·0	45	15	1	7	–	–	–	–	–	–	–	–	–	–	4	–	Newport (Mon.).
Cardiff	204,436	8·2	13·8	9·7	8·9	86	35	6	9	–	–	–	–	2	–	–	2	2	3	8	–	Cardiff.
Rhondda	177,911	11·4	9·4	14·1	12·0	87	41	9	9	–	–	1	1	–	2	3	–	4	4	4	–	Rhondda.
Merthyr Tydfil	71,638	16·7	16·7	16·7	11·6	41	16	3	3	–	–	2	1	–	–	3	1	2	2	5	–	Merthyr Tydfil.
Aberdare	51,384	13·2	18·3	13·2	13·2	32	13	2	3	–	–	–	–	–	1	–	–	1	1	3	–	Aberdare.
Swansea	160,810	9·7	11·3	11·0	10·7	75	33	6	5	–	–	–	–	1	–	1	–	2	2	6	–	Swansea.
Greater London	7,259,388	9·1	9·7	9·6	9·4	3266	1307	193	440	–	–	4	4	5	25	46	6	57	130	585	1	Greater London.
Outer Ring	2,901,079	7·9	8·8	8·4	8·8	1230	492	69	175	–	–	–	2	1	11	11	3	11	40	162	–	Outer Ring
14 Great Towns in Outer Ring.	1,668,251	8·1	8·8	8·8	9·2	738	295	49	102	–	–	–	2	1	9	9	2	6	24	101	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·7	8·8	7·7	8·3	492	197	20	73	–	–	–	–	–	2	2	1	5	16	61	–	Remainder of Outer Ring.
Edinburgh†	342,300	9·8	11·0	13·0	9·6	147	63	7	27	–	–	–	1	–	–	–	–	1	?	?	?	Edinburgh.†
Glasgow†	1,115,500	13·0	12·5	13·0	13·2	610	281	76	60	1	1	1	–	2	1	11	1	12	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	15·7	17·5	16·3	15·7	224	125	32	33	–	–	–	–	2	2	19	1	1	1	35	1	Dublin (Registration Area).†
Belfast†	413,000	15·4	13·0	11·7	12·9	180	102	23	21	1	–	–	2	–	–	2	–	5	5	24	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FORTY-FIRST Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2029	2073	2055	2039	1968	1892	2004	1588	1389	1886	2036
Males	996	1088	1044	1051	1065	989	1057	797	725	968	1042
Females	1033	985	1011	988	903	903	947	791	664	918	994
Deaths (of residents only).	1126	1332	1343	1228	1205	1263	966*	976*	1077*	1002*	815*
Males		658	702	672	641	674	494	481	497	530	401
Females		674	641	556	564	589	472	495	580	472	414

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.
Births (as registered)	2229	2297	2155	2335	2075	2294	2134	2219	1876	2093	2165	2207	2036
Deaths (of residents only).	762	796	763	710	815	813	809	831	821	825	861	874	815
Ages at Death: Under 1 year	97	138	110	101	132	132	122	159	148	137	142	138	124
1–2 years	12	10	17	16	11	13	16	16	12	9	8	16	14
2–5 "	15	24	14	13	18	19	20	12	14	21	22	19	26
5–10 "	23	22	20	25	26	18	22	20	24	21	22	27	24
10–15 "	13	8	11	15	14	16	13	13	14	14	15	13	14
15–20 "	15	18	20	16	17	13	12	17	8	18	18	22	12
20–25 "	22	19	15	18	22	29	23	21	23	17	16	16	17
25–35 "	49	43	48	46	42	44	44	41	32	41	38	62	47
35–45 "	55	61	55	64	72	72	77	60	71	59	57	76	51
45–55 "	96	97	97	71	89	90	102	92	106	94	117	114	98
55–65 "	117	121	101	89	128	120	113	99	121	113	119	100	123
65–75 "	136	119	131	126	125	133	125	129	139	153	151	142	129
75 years and upwards	112	116	124	110	119	114	120	152	109	128	136	129	136
Deaths from—													
Enteric fever	–	1	2	–	1	–	1	–	1	–	2	2	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	5	1	1	1	3	1	5	3	2	–	1	4
Scarlet fever	1	3	1	2	–	5	2	5	2	1	11	3	2
Whooping cough	4	7	3	4	3	5	2	3	3	1	3	2	4
Diphtheria	13	13	8	18	15	15	13	14	15	22	18	17	14
Diarrhœa and enteritis (under 2 years).	20	28	17	20	30	38	34	43	46	39	33	50	35
Pulmonary tuberculosis	66	72	75	63	66	86	78	57	79	69	78	86	73
Influenza	2	5	9	6	3	5	–	2	7	6	5	5	3
Pneumonia (all forms)	41	43	35	24	38	28	48	45	47	53	51	58	34
Bronchitis	32	30	33	25	30	33	33	32	33	52	39	39	39
Other dis. of resp. system	9	14	8	9	11	6	11	13	14	11	10	11	11
Dis. of circ. system	142	136	141	117	161	157	167	149	133	148	159	147	153
Violence	36	22	41	39	49	45	39	36	30	35	33	34	46
Inquest cases	72	54	85	71	92	91	71	76	76	80	79	84	90
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	33	26	29	26	21	17	18	22	16	15	14	14	16
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	55	48	42	35	32	27	27	23	22	19	18	26	27
Scarlet fever	1911	1956	2027	2106	2150	2266	2402	2633	2953	3305	3717	4121	4534
Whooping cough	18	13	13	15	21	21	23	22	19	20	20	23	26
Diphtheria	1556	1481	1469	1413	1362	1391	1404	1484	1591	1700	1778	1884	1975

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.
Deaths from Influenza	21	33	26	30	16	20	17	20	28	18	27	33	34

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-FIRST Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 41st week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1002	815	124	14	26	24	14	12	17	47	51	98	123	129	136
Enteric fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	4	1	1	1	1	–	–	–	–	–	–	–	–	–
Scarlet fever	2	2	–	1	–	–	–	–	–	1	–	–	–	–	–
Whooping cough	12	4	3	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	20	14	1	1	7	5	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	16	3	–	–	–	–	–	–	–	1	–	–	1	1	–
Erysipelas	4	3	1	–	–	–	–	–	–	–	–	1	–	1	–
Other epidemic diseases	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1
Pyæmia and septicæmia	3	5	1	–	–	–	–	–	–	2	–	1	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	89	73	–	–	2	1	3	2	5	16	16	16	7	3	2
Tuberculous meningitis	10	4	2	–	–	1	–	1	–	–	–	–	–	–	–
Abdominal tuberculosis	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–
Disseminated tuberculosis	2	5	–	1	–	–	1	1	1	–	1	–	–	–	–
Venereal diseases	3	3	2	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	104	92	–	–	–	1	–	–	1	2	6	22	33	16	11
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic fever	2	4	–	–	1	–	–	1	1	1	–	–	–	–	–
Diabetes	7	6	–	–	–	–	–	–	1	–	1	2	–	1	1
Anæmia, leucocythaemia	5	12	–	–	–	2	2	–	–	1	–	2	3	1	1
Other general diseases	7	7	1	–	1	–	–	–	–	–	1	–	–	3	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	6	2	2	–	–	–	1	–	–	–	1	–	–	–
Cerebral hæmorrhage, Apoplexy	40	34	–	–	–	–	–	–	–	–	3	2	12	9	8
Softening of brain	3	2	–	–	–	–	–	–	–	–	–	–	–	–	2
Paralysis, without specified cause	3	3	–	–	–	–	–	–	–	–	–	–	–	1	2
Epilepsy	4	2	–	–	1	–	–	–	–	–	–	–	1	–	–
"Convulsions" (not puerperal)	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	13	17	–	–	1	–	–	–	1	1	2	3	3	1	5
Pericarditis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	8	4	–	–	1	1	–	–	–	1	1	–	–	–	–
Organic disease of heart	103	108	–	–	–	1	2	–	1	5	4	13	21	35	26
Embolism and thrombosis (including cerebral).	9	13	–	–	–	–	–	–	–	1	–	–	2	3	7
Other diseases of circulatory system.	39	28	–	–	–	1	–	–	–	–	1	3	4	10	9
Diseases of the larynx	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	74	39	9	–	–	–	–	–	–	–	3	2	6	8	11
Broncho-pneumonia	20	13	4	2	1	–	–	–	–	–	–	1	2	–	3
Lobar pneumonia	12	11	–	–	1	–	–	–	–	2	–	6	1	1	–
Pneumonia (type not distinguished)	21	10	–	–	–	–	–	–	–	–	1	4	2	3	–
Pleurisy	2	4	–	–	–	–	–	–	–	–	1	1	1	1	–
Pulmonary congestion, Pulmonary apoplexy.	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Other diseases of respiratory system.	9	5	–	–	–	–	–	–	–	–	–	1	2	1	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTY-FIRST Week of the Year 1920.

Causes of Death.	Deaths in the 41st week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	5	8	–	1	–	–	–	–	–	–	1	2	1	3	–
Diarrhœa and enteritis	98	46	33	2	3	1	–	–	–	1	–	1	1	3	1
Appendicitis and typhlitis	6	2	–	–	–	–	1	–	–	–	–	–	–	1	–
Hernia and Intestinal obstruction.	10	12	5	–	–	–	1	–	–	1	1	1	1	1	1
Cirrhosis of liver	7	4	–	–	–	–	1	–	–	–	–	1	1	1	–
Other diseases of liver	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
Peritonitis (cause unknown)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	3	3	–	–	–	–	–	2	–	–	–	–	–	1	–
Acute nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	20	19	–	–	–	–	–	1	1	–	2	3	3	8	1
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Ovarian tumour („)	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Other diseases of genito-urinary system.	7	8	–	–	–	–	–	–	–	–	1	1	2	3	1
Puerperal fever, &c.	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Other causes incident to childbirth.	4	6	–	–	–	–	–	1	–	3	2	–	–	–	–
Diseases of skin and cellular tissues.	8	8	–	–	–	–	–	–	–	–	1	1	–	–	6
Diseases of locomotor system	–	3	–	1	–	–	1	–	–	1	–	–	–	–	–
Congenital malformations	7	10	9	1	–	–	–	–	–	–	–	–	–	–	–
Premature birth	38	15	15	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	15	19	19	–	–	–	–	–	–	–	–	–	–	–	–
Old age	34	31	–	–	–	–	–	–	–	–	–	–	–	4	27
ACCIDENT.															
Poisons or poisonous vapours	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	3	6	–	–	3	1	–	–	1	–	–	–	–	–	1
Drowning	2	5	–	–	–	–	–	–	–	–	–	3	2	–	–
Suffocation in bed	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	23	26	1	1	–	5	1	1	1	3	–	3	5	2	3
Total deaths from accident	31	39	2	1	3	6	1	1	3	3	–	6	7	2	4
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Vehicles and horses	12	11	–	–	–	5	1	1	–	1	–	–	3	–	–
Ships, boats, docks	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Building operations	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Suicide	6	6	–	–	–	–	–	–	–	1	–	1	2	1	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	15	17	12	–	1	2	1	–	–	–	1	–	–	–	–
Ill-defined Causes	1	2	–	–	–	–	–	–	–	1	–	–	1	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Oct. 16	2,036	815	9·8	–	–	4	2	4	14	35	3
CALCUTTA	896,067	Sept. 11	–	532§	30·8	?	–	?	?	?	?	?	21
BOMBAY	979,445	„ 4	434	896§	47·6	5	1	–	–	–	–	69	12
MADRAS	518,660	„ 11	467	385	38·6	2	3	–	?	1	–	47	7
PARIS	2,847,229	(11 days) Aug 31	1,613	948	?	3	–	1	2	1	7	84	1
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	329,956	Oct. 2	125	57	9·0	1	–	–	–	1	–	9	–
AMSTERDAM	651,994	„ 2	291	128	10·2	1	–	3	–	1	1	1	2
COPENHAGEN	571,000	„ 2	251	103	9·4	2	–	1	–	–	1	1	–
STOCKHOLM	415,201	Sept. 25	146	73	9·1	1	–	–	–	–	–	–	2
GOTHENBURG	200,578	„ 11	–	37	9·5	1	–	–	1	–	–	–	–
CHRISTIANIA	260,904	Oct. 2	103	36	7·2	–	–	–	–	–	–	–	–
BERLIN	1,904,590	Sept. 25	582	419	11·4	1	?	1	1	–	2	19	2
BRESLAU	531,347	„ 25	256	161	15·8	–	?	–	–	–	1	16	?
COLOGNE	642,899	„ 25	331	114	9·2	–	?	2	–	3	1	8	?
DRESDEN	537,127	„ 25	252	123	11·9	1	?	–	–	–	3	7	?
FRANKFORT-ON-MAIN.	435,103	„ 25	172	96	11·5	–	?	–	1	–	1	2	?
HAMBURG	1,002,933	„ 25	373	191	9·9	3	?	–	1	–	2	6	?
LEIPZIG	610,686	„ 25	261	158	13·5	4	?	–	–	1	2	9	?
MUNICH	647,030	„ 25	227	157	12·6	–	?	1	–	–	–	6	?
VIENNA	1,842,005	Oct. 2	467	448	12·6	2	–	–	2	2	–	19	1
PRAGUE	524,496	Sept. 11	160	134	13·3	2	–	–	–	–	–	9	–
BUDAPEST	1,071,492	July 17	400	322	15·6	1	–	2	6	2	1	41	2
TRIESTE	238,182	Oct. 2	112	67	14·7	4	–	–	–	1	–	2	–
CAIRO	761,300	July 29	727	738	50·4	6	–	15	–	?	3	161	?
ALEXANDRIA	445.700	„ 29	355	342	39·9	5	–	2	–	?	–	68	?
NEW YORK	6,141,445	Sept. 18	2,352	1,040	8·8	8	–	–	2	12	7	65	2
CHICAGO	2,727.504	„ 25	–	538	10·3	–	–	–	4	1	8	65	2

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 4 deaths from *plague* in Bombay, and from *Asiatic cholera*, 12 deaths in Calcutta and 4 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 16th October, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	66	40	63·4	47·1	9
BRIGHTON	66	47	63·1	51·4	14
PORTSMOUTH	65	49	62·9	52·4	21
NORWICH (Eaton)	65	38	60·6	45·6	8
PLYMOUTH	66	54	62·9	55·7	46
BRISTOL (Clifton)	64	48	60·1	51·3	25
BIRMINGHAM	62	47	59·1	49·4	16
NOTTINGHAM	63	38	60·3	46·0	3
BIRKENHEAD (Bidston)	60	49	58·3	50·3	6
MANCHESTER	65	46	60·7	49·3	7
LEEDS	63	45	57·7	49·0	4
HUDDERSFIELD	65	40	57·9	47·1	19
BRADFORD	62	43	56·4	47·9	25
SHEFFIELD	64	47	58·3	49·3	8
YORK (Museum)	65	42	58·7	47·9	1
HULL (Pearson Park)	65	38	61·3	44·7	1
TYNEMOUTH	57	44	54·0	48·6	3
CARDIFF	63	50	59·6	50·9	27
EDINBURGH	57·0	43·0	54·7	46·4	3
GLASGOW	58·5	43·7	55·5	47·7	3
DUBLIN:— Phœnix Park	63·0	42·4	59·5	48·3	28
†Fitzwilliam Square	61·8	50·2	59·3	52·1	24
BELFAST	60·8	50·0	59·0	52·2	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 16th October 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	10	In Equator.	29·923	60·3	51·3	9·0	55·4	+ 4·1	50·7	4·7	10·0	1·0	84	97·2	44·4	55·1	ENE. & E.	ENE.	3·9	0·0	0·4	327	+ 76	0·00
MONDAY	11	..	29·908	63·5	47·4	16·1	55·6	+ 4·7	50·7	4·9	13·0	0·0	84	101·0	40·9	55·3	ENE. & E.	E.	1·6	0·0	0·1	195	− 58	0·00
TUESDAY	12	New	29·885	65·0	39·8	25·2	52·9	+ 2·3	45·5	7·4	17·6	0·0	76	112·0	30·2	55·2	E. & ESE.	SE., SSE. & calm.	1·0	0·0	0·0	122	−135	0·00
WEDNESDAY	13	..	29·911	66·3	42·9	23·4	54·0	+ 3·7	49·6	4·4	13·0	0·0	85	120·0	30·2	55·1	Calm & WSW.	Calm	0·5	0·0	0·0	94	−168	0·00
THURSDAY	14	..	29·816	64·7	42·5	22·2	52·9	+ 2·8	51·7	1·2	7·8	0·0	96	105·0	36·1	55·0	Calm	SE. & calm	0·4	0·0	0·0	92	−174	0·00
FRIDAY	15	..	29·687	62·2	49·3	12·9	55·4	+ 5·5	52·7	2·7	7·5	0·6	91	103·8	40·2	54·8	SW. & calm	SW. & calm	1·9	0·0	0·1	170	− 98	0·07
SATURDAY	16	..	29·670	61·7	52·1	9·6	56·0	+ 6·2	52·7	3·3	8·4	0·6	89	87·2	47·5	54·7	Calm, NE. & E.	E. & ENE.	1·1	0·0	0·0	151	−116	0·02
MEANS			29·829	63·4	46·5	16·9	54·6	+ 4·2	50·5	4·1	11·0	0·3	86	103·7	38·5	55·0	E.		..	..	..	Sum 1151	Sum −673	Sum 0·09
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1920.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday -	10	w.P. throughout	1·0	11·0	Overcast generally, few cloudy intervals; cloudless from 22h.
Monday -	11	w.P. generally, a little m.P. about 15h.	7·2	10·9	Cloudless generally till 3h.; misty from 4h.; nearly overcast 6h. to 9h.; cloudy till 13h., then nearly cloudless; heavy dew in evening; misty from 22h.
Tuesday -	12	w.P. generally, v.P. 10h. to 17h.	7·1	10·9	Cloudless generally with heavy dew and mist in morning; slight mist at night.
Wednesday -	13	w.P. generally, v.P. 12h. to 17h.	6·6	10·8	Nearly cloudless generally till 3h.; overcast and misty 4h. to 10h., then cloudless with slight haze; slight rain 7h. 30m. to 8h.
Thursday -	14	w.P. generally, v.P. and v.N. in early afternoon.	1·9	10·7	Cloudless till 2h., then foggy and nearly overcast; cloudy intervals from 9h., clearing 17h. 30m. to cloudless by 18h. 30m.; nearly overcast from 21h. 30m.; occasional rain 13h. to 16h.; thunder at times.
Friday -	15	w.P. generally, a little v.P. at noon.	2·8	10·7	Nearly cloudless till 4h., with thin cloud at times, then nearly overcast; cloudy interval 8h. to 11h.; showers between 4h. 30m. and 6h., and 13h. to 14h.
Saturday -	16	w.P. generally, a little v.P. in afternoon.	0·3	10·6	Overcast generally with few cloudy intervals; showers till 1h. and frequent rain from 18h. 30m.
			Sum 26·9	Sum 75·6	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·94 in. at the beginning of the week to 29·65 in. by 4h. on 16th, and increased to 29·70 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the WEEK ENDED 9th October, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	874	2	–	1	3	2	17	50	86	138
Western										
Paddington	24	–	–	–	–	–	–	4	1	9
Kensington	38	–	–	–	–	–	–	2	3	6
Hammersmith	30	–	–	–	–	–	–	1	3	4
Fulham	30	–	–	–	–	–	–	3	3	5
Chelsea	9	–	–	–	–	–	–	–	1	1
City of Westminster	26	–	–	–	–	–	1	2	1	3
Northern.										
St. Marylebone	31	–	–	–	–	–	1	–	3	2
Hampstead	12	–	–	–	–	–	1	–	–	1
St. Pancras	46	–	–	–	–	–	–	2	9	5
Islington	67	1	–	–	1	–	5	4	7	11
Stoke Newington	8	–	–	–	1	–	–	–	1	–
Hackney	45	–	–	–	–	1	–	3	4	11
Central.										
Holborn	11	–	–	–	–	–	–	–	2	–
Finsbury	17	–	–	–	1	–	–	1	1	4
City of London	2	–	–	–	–	–	–	–	–	–
Eastern.										
Shoreditch	16	1	–	–	–	–	1	1	1	3
Bethnal Green	26	–	–	1	–	–	1	4	3	7
Stepney	48	–	–	–	–	–	–	4	2	5
Poplar	40	–	–	–	–	–	3	1	4	7
Southern.										
Southwark	45	–	–	–	–	–	–	2	2	11
Bermondsey	17	–	–	–	–	–	–	1	1	3
Lambeth	53	–	–	–	–	–	2	3	4	6
Battersea	22	–	–	–	–	–	–	1	2	2
Wandsworth	55	–	–	–	–	–	–	–	10	5
Camberwell	52	–	–	–	–	–	–	1	6	7
Deptford	21	–	–	–	–	–	–	2	5	5
Greenwich	20	–	–	–	–	–	–	6	2	6
Lewisham	40	–	–	–	–	–	2	2	2	6
Woolwich	23	–	–	–	–	1	–	–	3	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 2th October, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143.938	1	-	-	-	21	8	4	2	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	23	10	-	1	-	-	-	1	-	-	-	-
Hammersmith	130,981	-	-	-	-	32	13	4	-	-	-	-	-	-	-	-	-
Fulham	152,543	-	-	-	-	35	8	2	1	-	2	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	3	3	-	-	-	-	1	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	11	1	-	1	-	-	2	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	1	-	-	20	3	2	1	-	-	-	2	-	-	-	-
Hampstead	88,012	-	1	-	-	8	5	2	1	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	-	-	-	30	13	1	1	-	-	1	-	-	-	-	-
Islington	323,034	-	1	-	-	47	53	-	4	1	-	1	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	5	1	-	-	-	-	1	-	-	-	-	-
Hackney	216.736	-	-	-	-	39	20	-	8	1	-	-	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	4	3	2	-	-	-	1	-	-	-	-	-
Finsbury	75,291	-	-	-	-	16	2	1	-	-	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98.134	-	-	-	-	18	11	-	3	-	-	-	-	-	-	-	-
Bethnal Green	110,085	-	1	-	-	31	10	-	5	-	-	-	-	-	-	-	
Stepney	232,506	-	-	-	-	101	9	1	5	1	-	-	-	-	-	-	-
Poplar	153.644	-	-	-	-	65	27	4	5	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	40	5	3	2	-	1	5	-	-	-	1	-
Bermondsey	124,239	-	-	-	-	45	12	-	2	-	2	-	-	-	-	-	-
Lambeth	282.322	1	-	-	-	37	10	3	5	-	1	1	-	-	-	-	-
Battersea	159,316	-	-	-	-	28	15	2	2	1	-	-	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	34	13	4	4	-	-	1	-	-	-	-	-
Camberwell	273,802	-	1	-	-	54	31	1	4	-	-	-	-	-	-	-	-
Deptford	111,205	-	-	-	-	20	10	3	-	-	-	1	-	-	-	-	-
Greenwich	98,484	-	1	-	-	18	9	1	1	-	-	-	-	-	-	-	-
Lewisham	167,754	-	-	-	-	16	6	1	-	-	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	23	9	-	2	1	1	2	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	2	6	-	-	826	322	41	60	5	7	18	3	-	-	1	-
Ages 0-1		-	-	-	-	11	10	1	-	3	-	18	-	-	-	-	-
„ 1-5		-	-	-	-	153	72	3	1	1	-	-	1	-	-	-	-
„ 5-		-	-	-	-	410	144	2	4	1	-	-	2	-	-	-	-
„ 10-		-	-	-	-	172	53	2	5	-	-	-	-	-	-	-	-
„ 15-		1	-	-	-	31	13	5	5	-	1	-	-	-	-	-	-
„ 20-		1	2	-	-	15	16	5	3	-	-	-	-	-	-	-	-
„ 25-		-	1	-	-	23	6	4	5	-	4	-	-	-	-	-	-
„ 35-		-	-	-	-	7	5	7	6	-	2	-	-	-	-	1	-
„ 45-		-	2	-	-	3	3	6	18	-	-	-	-	-	-	-	-
„ 55-		-	1	-	-	-	-	3	9	-	-	-	-	-	-	-	-
„ 65-		-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 42. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, OCT. 23.
[Price 1½*d*. Net.]

General Register Office, Somerset House,
October 26th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,305, and corresponded to an annual rate of 26·2 per 1,000. The deaths* among the civilian population only numbered 3,725, and corresponded to an annual rate of 10·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended October 2nd, October 9th, and October 16th, the rates had been 11·0, 10·9, and 10·7 respectively. The infant mortality was 79, against 80, 84, and 87 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919, and are based on the returns furnished under the scheme for rationing of food.

m (45)12493—4 Wt 167-840 625 10/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 16·2 in Swindon and in Tynemouth, 16·4 in Dudley, 18·4 in Blackpool, 19·5 in Warrington, and 21·5 in Stockton-on-Tees; and from *measles*, 2·1 in Warrington, and 2·4 in Bath. No death from *small-pox* was registered in any of the ninety-six towns.

LONDON.* (The Administrative County, including the City of London.)

For LONDON there were 2,142 BIRTHS, corresponding to a rate of 24·6 per 1,000, and 851 DEATHS of civilians, corresponding to a rate of 10·2, as against 10·3, 10·5, and 9·8, per 1,000 in the three weeks ended October 2nd, October 9th, and October 16th. The death-rate in the four weeks ended last Saturday averaged 10·2 per 1,000. The infant mortality was 66, against 66, 63, and 61 in the preceding three weeks.

There was no death from *enteric fever*, against 2, 2, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. There was no death from *measles*, against 0, 1, and 4, in the preceding three weeks, and an average of 4. The deaths from *scarlet fever*, which had been 11, 3, and 2 in the preceding three weeks, rose last week to 6, and were 3 above the average. The deaths from *whooping-cough*, which had been 3, 2, and 4 in the preceding three weeks, fell last week to 2, and were 2 below the average. The deaths from *diphtheria*, which had been 18, 17, and 14 in the preceding three weeks, were again 14 last week, and were equal to the average. The deaths from *diarrhœa and enteritis under* 2 *years of age*, which had been 33, 50, and 35 in the preceding three weeks, were 36 last week, and were 26 below the average; 5 deaths belonged to the Borough of Camberwell. The deaths from *influenza* numbered 8 as against 5, 5, and 3 in the preceding three weeks and an average of 82.

Different forms of violence caused 40 deaths, all of which were the subject of coroners' inquests. Of these 40 deaths, 2 were cases of suicide, and 2 of homicide, while the remaining 36 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 4 to burns or scalds, 3 to drowning, and 1 of an infant under one year of age to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 20 cases of enteric fever, 22 of measles, 4,859 of scarlet fever, 27 of whooping-cough, and 2,113 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 4 cases, against 1, 3, and 8; of measles, 0 case, against 2, 11, and 6; of scarlet fever, 902 cases, against 793, 776, and 918; of whooping-cough, 3 cases, against 1, 4, and 3; and of diphtheria, 375 cases, against 289, 343, and 329. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 16th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 23rd October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 2nd Oct., 1920.	9th Oct., 1920.	16th Oct., 1920.	23rd Oct., 1920.	Week ended 23rd Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS	17,807,258	11·0	10·9	10·7	10·9	9305§	3725	734	1065	1	–	20	18	8	50	193	30	149	274	1233	31	96 GREAT TOWNS.
LONDON†	4,358,309	10·3	10·5	9·8	10·2	2142	851	142	267	–	–	–	6	2	14	36	8	40	84	427	1	LONDON.†
‡ CROYDON	184,239	10·5	10·2	8·8	7·9	85	28	3	10	–	–	–	–	–	–	2	–	2	5	10	–	‡ CROYDON.
‡ WIMBLEDON	59,791	7·8	3·5	4·4	7·0	22	8	–	1	–	–	–	–	–	–	–	–	1	2	2	–	‡ WIMBLEDON.
‡ EALING	73,212	7·8	7·1	9·3	12·8	19	18	2	8	–	–	–	–	–	–	1	–	1	1	5	–	‡ EALING.
‡ ACTON	61,732	4·2	13·5	10·1	8·4	25	10	1	–	–	–	–	–	–	2	–	–	1	1	4	–	‡ ACTON.
‡ WILLESDEN	160,917	7·8	11·7	11·3	8·1	87	25	7	4	–	–	–	–	–	1	2	–	–	–	9	–	‡ WILLESDEN.
‡ HORNSEY	94,348	11·1	3·9	9·9	9·9	28	18	3	7	–	–	–	–	–	–	–	–	2	2	6	–	‡ HORNSEY.
‡ TOTTENHAM	141,338	5·5	9·2	5·9	9·2	71	25	3	4	–	–	–	–	–	2	1	–	1	1	14	–	‡ TOTTENHAM.
‡ EDMONTON	70,711	8·8	6·6	11·8	8·8	24	12	1	4	–	–	–	–	–	–	–	–	–	1	7	–	‡ EDMONTON.
‡ ENFIELD	58,442	5·4	16·1	4·5	6·2	26	7	1	–	–	–	–	–	–	–	–	–	1	1	1	–	‡ ENFIELD.
‡ WEST HAM	287,966	13·2	10·0	12·1	11·6	162	64	14	23	–	–	–	–	–	2	3	–	2	5	29	–	‡ WEST HAM.
‡ EAST HAM	144,451	10·5	9·4	10·1	6·5	56	18	3	7	–	–	–	–	–	–	1	–	1	2	5	–	‡ EAST HAM.
‡ LEYTON	123,896	5·9	7·6	5·9	6·3	53	15	3	3	–	–	–	1	–	2	–	–	1	1	8	–	‡ LEYTON.
‡ WALTHAMSTOW	127,684	7·4	4·1	8·2	3·7	64	9	1	2	–	–	–	1	–	–	–	–	–	2	2	–	‡ WALTHAMSTOW.
‡ ILFORD	79,524	6·6	8·5	9·8	5·9	23	9	–	3	–	–	–	–	–	1	–	–	–	–	2	–	‡ ILFORD.
GILLINGHAM	43,501	10·8	8·4	15·6	10·8	26	9	2	2	–	–	–	–	–	–	–	1	–	–	1	–	GILLINGHAM.
HASTINGS	57,674	6·3	14·5	9·9	13·6	20	15	1	7	–	–	–	–	–	–	–	–	–	2	3	–	HASTINGS.
EASTBOURNE	48,424	9·7	10·8	8·6	9·7	15	9	–	8	–	–	–	–	–	–	–	–	–	–	1	–	EASTBOURNE.
BRIGHTON	132,409	14·6	13·4	9·8	7·9	40	20	5	6	–	–	–	–	–	–	–	–	–	–	6	–	BRIGHTON.
PORTSMOUTH	224,846	9·5	9·0	9·3	11·4	138	49	11	16	–	–	–	–	–	–	–	–	2	4	17	–	PORTSMOUTH.
BOURNEMOUTH	82,627	8·8	13·3	12·6	12·0	34	19	2	8	–	–	–	–	–	–	1	–	–	2	4	–	BOURNEMOUTH
SOUTHAMPTON	126,033	9·5	8·3	10·3	10·8	64	26	4	12	–	–	–	–	–	–	1	–	3	3	11	–	SOUTHAMPTON.
READING	91,365	9·1	9·1	12·6	6·3	49	11	–	6	–	–	–	–	–	–	–	1	1	1	4	–	READING.
OXFORD	57,666	9·0	9·0	10·9	9·0	18	10	1	4	–	–	–	–	–	–	–	–	–	–	1	–	OXFORD.
NORTHAMPTON	88,944	9·4	10·6	8·2	6·4	43	11	2	2	–	–	–	–	–	–	1	–	–	–	–	–	NORTHAMPTON.
CAMBRIDGE	57,849	5·4	9·0	5·4	8·1	26	9	–	9	–	–	–	–	–	–	–	–	–	–	–	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. § One return of Births outstanding. ‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 23rd October 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 2nd Oct., 1920.	9th Oct., 1920.	16th Oct., 1920.	23rd Oct., 1920.	Week ended 23rd Oct., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	10·5	10·5	7·4	6·2	29	10	1	4	–	–	–	–	–	–	–	–	–	–	2	–	SOUTHEND ON SEA.
IPSWICH	78,011	8·0	13·4	7·4	8·7	31	13	2	4	–	–	–	–	–	–	–	–	1	2	2	–	IPSWICH.
GREAT YARMOUTH	53,078	14·7	9·8	11·8	12·8	28	13	3	5	–	–	–	–	–	–	2	–	–	–	4	–	GREAT YARMOUTH.
NORWICH	119,993	10·4	10·0	10·9	9·1	61	21	2	11	–	–	–	–	–	–	–	–	–	5	8	–	NORWICH.
SWINDON	51,527	13·2	8·1	8·1	16·2	29	16	5	3	–	–	–	–	–	2	–	–	1	1	4	–	SWINDON.
EXETER	59,014	7·1	10·6	6·2	10·6	28	12	1	5	–	–	–	–	–	–	–	–	–	–	3	–	EXETER.
PLYMOUTH	181,967	14·9	10·0	10·6	8·6	91	30	4	9	–	–	–	–	–	–	1	1	1	2	5	–	PLYMOUTH.
BATH	65,919	10·3	11·9	7·9	13·4	41	17	–	6	–	–	3	–	–	–	1	–	–	1	5	–	BATH.
BRISTOL	361,247	9·5	9·7	11·8	10·8	193	75	9	21	–	–	–	–	–	1	4	–	4	6	28	–	BRISTOL.
GLOUCESTER	50,100	9·4	9·4	13·5	9·4	31	9	–	1	–	–	–	–		–	–	–	–	–	–	–	GLOUCESTER.
STOKE ON TRENT	239,316	10·2	8·5	12·4	12·9	163	59	12	15	–	–	–	–	–	–	3	1	3	5	8	–	STOKE ON TRENT.
WOLVERHAMPTON	98,403	11·1	11·7	15·4	13·8	55	26	5	5	–	–	–	–	–	1	1	–	2	3	4	–	WOLVERHAMPTON.
WALSALL	92,724	14·1	13·5	11·8	11·2	65	20	7	4	–	–	–	–	–	–	1	–	1	1	1	–	WALSALL.
WEST BROMWICH	69,899	9·7	10·4	11·2	11·2	64	15	5	2	–	–	–	–	–	–	1	–	1	1	3	–	WEST BROMWICH.
DUDLEY	54,017	9·7	9·7	12·5	16·4	28	17	5	4	–	–	–	–	–	–	3	–	–	–	4	–	DUDLEY.
BIRMINGHAM	861,585	10·8	10·5	10·2	13·3	492	219	42	66	–	–	6	1	–	8	4	2	8	9	84	11	BIRMINGHAM.
SMETHWICK	72,152	7·9	2·9	7·2	9·4	45	13	1	6	–	–	1	–	–	–	–	–	–	–	1	–	SMETHWICK.
COVENTRY	132,048	7·5	7·5	8·7	11·5	61	29	6	6	–	–	–	–	–	–	4	–	–	2	10	1	COVENTRY.
LEICESTER	236,059	11·3	11·0	9·7	10·6	128	48	7	20	–	–	–	–	–	–	1	–	2	2	18	2	LEICESTER.
LINCOLN	60,581	16·4	8·6	11·2	10·3	25	12	1	3	–	–	–	–	–	–	–	–	1	1	3	–	LINCOLN.
GRIMSBY	78,813	13·9	15·9	9·9	12·6	52	19	6	1	–	–	–	–	–	–	2	1	2	3	7	–	GRIMSBY.
NOTTINGHAM	257,573	8·7	8·7	10·7	13·0	148	64	10	21	–	–	–	–	–	4	1	–	2	4	24	–	NOTTINGHAM.
DERBY	123,930	8·4	7·2	8·0	7·6	74	18	–	6	–	–	–	1	–	–	–	–	1	3	5	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 23rd October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 2nd Oct., 1920.	9th Oct., 1920.	16th Oct., 1920.	23rd Oct., 1920.	Week ended 23rd Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	7·9	6·6	9·5	12·9	27†	31	2	11	–	–	–	–	–	–	–	–	–	2	8	–	STOCKPORT.
BIRKENHEAD	148,052	7·7	11·3	12·3	13·0	92	37	9	8	–	–	–	–	–	–	4	–	–	1	11	–	BIRKENHEAD.
WALLASEY	95,424	9·8	8·7	11·5	5·5	40	10	1	3	–	–	–	–	–	–	–	–	–	–	5	–	WALLASEY.
LIVERPOOL	772,665	13·4	12·3	13·5	13·0	453	193	52	50	–	–	–	3	–	–	19	–	5	16	79	–	LIVERPOOL.
BOOTLE	76,962	8·1	11·5	4·7	10·2	29	15	1	4	–	–	–	–	–	–	1	–	–	–	4	1	BOOTLE.
ST. HELENS	100,805	10·3	11·4	15·5	10·9	76	21	7	5	–	–	–	–	–	–	1	–	2	2	4	–	ST. HELENS.
SOUTHPORT	70,144	14·9	8·9	9·7	6·7	20	9	–	5	–	–	–	–	–	–	–	–	–	–	1	1	SOUTHPORT.
WIGAN	87,384	14·9	14·9	15·5	15·5	67	26	10	4	–	–	1	–	1	–	2	–	2	3	5	–	WIGAN.
WARRINGTON	74,952	9·0	11·8	11·1	19·5	45	28	6	7	–	–	3	–	–	–	1	–	1	1	9	–	WARRINGTON.
BOLTON	177,462	11·8	10·0	8·5	12·3	91	42	8	16	–	–	–	–	–	1	1	1	2	4	8	1	BOLTON.
BURY	54,248	9·6	16·3	16·3	14·4	28	15	3	7	–	–	–	–	–	–	1	1	–	–	3	1	BURY.
MANCHESTER	741,068	11·5	11·4	10·6	10·6	389	151	37	36	–	–	–	2	–	1	4	1	8	12	41	2	MANCHESTER.
SALFORD	226,225	13·4	12·4	8·8	10·4	130	45	12	9	–	–	–	–	1	–	5	–	1	1	13	–	SALFORD.
OLDHAM	137,668	14·8	12·9	10·6	13·3	53	35	6	4	–	–	–	–	–	–	–	1	2	2	7	–	OLDHAM.
ROCHDALE	90,051	11·6	13·3	13·3	11·0	43	19	3	6	–	–	–	–	–	–	–	–	–	–	5	–	ROCHDALE.
BURNLEY	101,005	12·4	17·0	15·5	12·9	51	25	11	3	–	–	–	–	–	1	3	–	2	2	6	–	BURNLEY.
BLACKBURN	125,992	12·4	16·1	11·2	12·8	69	31	9	11	–	–	–	–	–	–	2	–	1	1	2	–	BLACKBURN.
PRESTON	117,277	9·3	13·8	16·9	12·4	63	28	6	11	–	–	–	–	–	1	–	–	1	1	3	1	PRESTON.
BLACKPOOL	67,842	10·8	8·5	12·3	18·4	23	24	1	6	–	–	–	–	–	1	–	–	–	–	5	2	BLACKPOOL.
BARROW IN FURNESS	73,627	7·1	9·9	6·4	6·4	28	9	2	1	–	–	–	–	–	–	1	–	2	2	1	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	13·0	7·9	9·8	8·8	40	19	–	4	–	–	1	–	–	1	–	–	–	–	2	–	HUDDERSFIELD.
HALIFAX	101,791	9·2	8·7	12·8	9·7	44	19	2	6	–	–	–	–	–	1	–	–	–	3	5	–	HALIFAX.
BRADFORD	282,714	14·4	12·9	12·7	12·0	117	65	9	22	–	–	–	–	–	–	–	–	3	5	19	–	BRADFORD.
LEEDS	431,999	10·9	11·8	13·5	10·5	229	87	17	18	–	–	–	–	–	1	4	2	3	8	22	–	LEEDS.
DEWSBURY	52,969	16·7	13·8	20·7	13·8	28	14	1	6	–	–	–	–	–	–	1	–	–	–	4	–	DEWSBURY.
WAKEFIELD	49,208	12·7	15·9	8·5	12·7	20	12	1	4	–	–	–	–	–	–	–	–	1	1	3	–	WAKEFIELD.
BARNSLEY	51,680	20·2	19·2	13·1	15·1	36	15	6	1	–	–	–	–	–	–	3	1	–	2	3	–	BARNSLEY.

* See note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes. Week ended 2nd Oct., 1920.	9th Oct., 1920.	16th Oct., 1920.	23rd Oct., 1920.	Week ended 23rd Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	11·3	11·4	13·0	10·7	251	97	29	23	–	–	–	–	3	–	11	1	3	5	33	–	Sheffield.
Rotherham	69,034	7·6	14·4	14·4	11·3	47	15	7	2	–	–	–	–	–	–	3	–	–	1	2	–	Rotherham.
York	74,531	12·6	12·6	12·6	10·5	38	15	3	6	–	–	1	–	–	–	–	–	2	5	7	–	York.
Hull	279,664	12·7	10·3	9·5	14·0	165	75	20	23	–	–	–	–	–	–	14	1	3	4	21	–	Hull.
Middlesbrough	127,142	15·6	14·4	13·9	15·6	93	38	12	3	–	–	1	–	–	–	2	–	1	2	11	–	Middlesbrough.
Darlington	64,058	14·7	10·6	6·5	10·6	28	13	3	3	–	–	–	–	–	–	2	–	1	1	3	1	Darlington.
Stockton on Tees	60,696	13·7	14·6	10·3	21·5	46	25	6	3	–	–	1	–	–	–	4	–	1	1	2	–	Stockton on Tees.
West Hartlepool	65,515	13·5	8·8	9·6	11·9	32	15	3	4	–	–	–	–	–	–	–	–	–	–	6	1	West Hartlepool.
Sunderland	149,263	13·6	14·0	14·3	12·2	112	35	12	10	–	–	–	–	–	–	2	–	2	3	6	–	Sunderland.
South Shields	111,502	15·0	13·6	14·0	13·6	70	29	8	6	–	–	–	–	–	–	2	1	–	–	5	1	South Shields.
Gateshead	123,392	12·3	16·9	14·8	13·1	88	31	9	5	–	–	–	–	1	–	1	–	3	3	5	3	Gateshead.
Newcastle on Tyne.	275,099	13·3	11·8	13·5	10·8	157	57	16	16	–	–	–	1	–	–	7	–	1	1	7	–	Newcastle on Tyne.
Tynemouth	58,007	10·8	16·2	9·0	16·2	33	18	5	7	–	–	–	–	–	–	1	–	–	–	2	–	Tynemouth.
Carlisle	55,198	8·5	12·3	9·4	12·3	22	13	2	3	–	–	–	–	–	–	1	–	–	–	6	–	Carlisle.
Newport (Mon.)	87,251	11·4	13·7	9·0	9·0	65	15	2	3	1	–	–	–	–	1	1	1	1	1	2	–	Newport (Mon.).
Cardiff	204,436	13·8	9·7	8·9	9·9	109	39	9	12	–	–	–	1	–	–	3	–	2	2	15	–	Cardiff.
Rhondda	177,911	9·4	14·1	12·0	10·8	121	37	7	5	–	–	2	–	–	1	2	1	1	1	1	1	Rhondda.
Merthyr Tydfil	71,638	16·7	16·7	11·6	14·6	46	20	7	2	–	–	–	1	–	–	3	1	1	1	4	–	Merthyr Tydfil.
Aberdare	51,384	18·3	13·2	13·2	10·1	37	10	2	3	–	–	–	–	–	–	–	–	–	1	2	–	Aberdare.
Swansea	160,810	11·3	11·0	10·7	7·5	92	23	4	7	–	–	–	–	–	–	3	2	2	2	3	–	Swansea.
Greater London	7,259,388	9·7	9·6	9·4	9·4	3384	1313	203	422	–	–	–	8	3	27	46	9	57	118	593	1	Greater London.
Outer Ring	2,901,079	8·8	8·4	8·8	8·3	1242	462	61	155	–	–	–	2	1	13	10	1	17	34	166	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	8·8	8·8	9·2	8·3	745	266	42	76	–	–	–	2	–	10	10	–	13	24	104	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·8	7·7	8·3	8·3	497	196	19	79	–	–	–	–	1	3	–	1	4	10	62	–	Remainder of Outer Ring.
Edinburgh†	342,300	11·0	13·0	9·6	10·8	159	71	7	21	–	–	–	–	1	3	–	3	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	12·5	13·0	13·2	12·7	589	270	65	51	1	–	1	–	–	3	9	2	14	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	17·5	16·3	15·7	15·1	184	120	23	28	–	–	–	1	2	1	8	1	1	1	37	4	Dublin (Registration Area).†
Belfast†	413,000	13·0	11·7	12·9	13·4	203	106	18	32	–	–	–	2	–	4	6	1	2	3	36	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FORTY-SECOND Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	2227	2152	2093	2094	2086	1882	1955	1571	1463	1900	2142
Males	1184	1141	1083	1047	1067	952	1022	829	748	1009	1044
Females	1043	1011	1010	1047	1019	930	933	742	715	891	1098
Deaths (of residents only).	1121	1238	1453	1223	1273	1196	961*	1052*	1550*	1137*	851*
Males		656	740	599	683	628	490	531	764	611	462
Females		582	713	624	590	568	471	521	786	526	389

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.
Births (as registered)	2297	2155	2335	2075	2294	2134	2219	1876	2093	2165	2207	2036	2142
Deaths (of residents only).	796	763	710	815	813	809	831	821	825	861	874	815	851
Ages at Death: Under 1 year	138	110	101	132	132	122	159	148	137	142	138	124	142
1–2 years	10	17	16	11	13	16	16	12	9	8	16	14	14
2–5 "	24	14	13	18	19	20	12	14	21	22	19	26	17
5–10 "	22	20	25	26	18	22	20	24	21	22	27	24	26
10–15 "	8	11	15	14	16	13	13	14	14	15	13	14	13
15–20 "	18	20	16	17	13	12	17	8	18	18	22	12	18
20–25 "	19	15	18	22	29	23	21	23	17	16	16	17	18
25–35 "	43	48	46	42	44	44	41	32	41	38	62	47	52
35–45 "	61	55	64	72	72	77	60	71	59	57	76	51	70
45–55 "	97	97	71	89	90	102	92	106	94	117	114	98	104
55–65 "	121	101	89	128	120	113	99	121	113	119	100	123	110
65–75 "	119	131	126	125	133	125	129	139	153	151	142	129	124
75 years and upwards	116	124	110	119	114	120	132	109	128	136	129	136	143
Deaths from—													
Enteric fever	1	2	–	1	–	1	–	1	–	2	2	–	–
Small-pox	–		–	–	–	–	–	–	–	–	–	–	–
Measles	5	1	1	1	3	1	5	3	2	–	1	4	–
Scarlet fever	3	1	2	–	5	2	5	2	1	11	3	2	6
Whooping cough	7	3	4	3	5	2	3	3	1	3	2	4	2
Diphtheria	13	8	18	15	15	13	14	15	22	18	17	14	14
Diarrhœa and enteritis (under 2 years).	28	17	20	30	38	34	43	46	39	33	50	35	36
Pulmonary tuberculosis	72	75	63	66	86	78	57	79	69	78	86	73	97
Influenza	5	9	6	3	5	-	2	7	6	5	5	3	8
Pneumonia (all forms)	43	35	24	38	28	48	45	47	53	51	58	34	48
Bronchitis	30	33	25	30	33	33	32	33	52	39	39	39	37
Other dis. of resp. system	14	8	9	11	6	11	13	14	11	10	11	11	4
Dis. of circ. system	136	141	117	161	157	167	149	133	148	159	147	153	161
Violence	22	41	39	49	45	39	36	30	35	33	34	46	40
Inquest cases	54	85	71	92	91	71	76	76	80	79	84	90	84
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	26	29	26	21	17	18	22	16	15	14	14	16	20
Small-pox	–	–	–	–	–	–		–	–	–	–	–	–
Measles	48	42	35	32	27	27	23	22	19	18	26	27	22
Scarlet fever	1956	2027	2106	2150	2266	2402	2633	2953	3305	3717	4121	4534	4859
Whooping cough	13	13	15	21	21	23	22	19	20	20	23	26	27
Diphtheria	1481	1469	1413	1362	1391	1404	1484	1591	1700	1778	1884	1975	2113

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.
Deaths from Influenza	33	26	30	16	20	17	20	28	18	27	33	34	30

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-SECOND Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 42nd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1137	851	142	14	17	26	13	18	18	52	70	104	110	124	143
Enteric fever	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	3	6	1	1	3	1	–	–	–	–	–	–	–	–	–
Whooping cough	3	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	15	14	2	3	4	4	1	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	18	8	–	–	–	1	1	–	–	–	2	2	1	–	1
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Other epidemic diseases	3	2	–	–	–	–	1	–	–	–	–	1	–	–	–
Pyæmia and septicæmia	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	111	97	–	–	1	1	1	8	9	24	21	21	9	2	–
Tuberculous meningitis	10	12	5	–	2	4	–	1	–	–	–	–	–	–	–
Abdominal tuberculosis	4	3	1	–	–	–	–	–	–	–	1	1	–	–	–
Tuberculosis of the spine	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Tuberculosis of other organs	–	2	1	–	–	–	–	–	–	–	–	1	–	–	–
Disseminated tuberculosis	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Venereal diseases	5	4	2	–	–	–	–	–	–	–	–	–	1	1	–
Cancer	135	92	–	–	–	–	–	–	–	1	7	17	24	26	17
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatic fever	6	4	–	–	–	2	1	–	–	–	–	–	1	–	–
Diabetes	8	4	–	–	–	–	–	–	–	1	–	–	1	2	–
Anæmia, leucocythaemia	4	2	–	–	1	–	–	–	–	–	–	–	–	1	–
Other general diseases	7	5	–	–	–	–	–	–	–	2	–	–	1	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	3	1	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	37	30	–	–	–	–	–	–	1	–	6	5	5	5	8
Softening of brain	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis, without specified cause	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Epilepsy	6	2	–	–	–	–	–	–	–	–	–	–	2	–	–
"Convulsions" (not puerperal)	5	7	7	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	25	22	1	–	–	–	–	1	–	3	3	5	4	4	1
Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Acute endocarditis	6	19	–	–	1	1	–	2	3	5	2	3	2	–	–
Organic disease of heart	95	108	–	–	–	2	–	3	1	6	8	12	18	33	25
Embolism and thrombosis (including cerebral).	5	6	–	–	–	–	–	–	–	–	–	–	2	1	3
Other diseases of circulatory system.	45	27	–	–	–	–	–	–	–	–	–	2	6	8	11
Diseases of the larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	100	37	2	1	1	–	–	–	–	–	1	1	8	10	13
Broncho-pneumonia	31	26	10	2	–	2	–	–	1	–	–	1	2	4	4
Lobar pneumonia	23	10	1	–	1	–	1	–	–	–	2	3	1	1	–
Pneumonia (type not distinguished)	22	12	2	–	–	–	–	–	–	1	–	4	1	2	2
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulmonary congestion, Pulmonary apoplexy.	5	3	2	–	–	–	–	–	–	–	–	–	–	–	1
Other diseases of respiratory system.	13	1	–	–	–	–	–	–	–	–	–	1	–	–	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTY-SECOND Week of the Year 1920.

Causes of Death.	Deaths in the 42nd week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Diseases of stomach	13	10	1	–	–	–	–	–	–	–	2	1	3	–	3
Diarrhœa and enteritis	71	45	33	3	1	1	–	–	–	3	–	–	–	2	2
Appendicitis and typhlitis	4	7	–	–	–	–	2	–	–	–	–	–	3	–	2
Hernia and Intestinal obstruction.	9	9	–	–	–	–	–	–	–	–	1	2	1	2	3
Cirrhosis of liver	4	4	–	–	–	–	1	–	–	–	–	3	–	–	–
Other diseases of liver	3	4	–	–	–	–	–	–	–	–	–	1	1	1	1
Peritonitis (cause unknown)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	3	6	–	–	–	1	–	–	–	–	1	2	1	–	1
Acute nephritis	2	4	–	–	–	1	–	–	–	–	2	–	1	–	–
Chronic Bright's disease	29	16	–	–	–	–	–	–	–	2	2	3	2	4	3
Urinary calculi	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Uterine tumour (non-cancerous)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	14	14	–	–	–	–	1	–	–	1	1	1	2	4	4
Puerperal fever, &c.	5	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth.	4	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Diseases of skin and cellular tissues.	5	6	2	–	–	–	–	–	–	–	1	–	–	–	3
Diseases of locomotor system	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	16	10	8	–	–	–	2	–	–	–	–	–	–	–	–
Premature birth	53	25	25	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	21	19	19	–	–	–	–	–	–	–	–	–	–	–	–
Old age	47	31	–	–	–	–	–	–	–	–	–	–	–	6	25
ACCIDENT.															
Poisons or poisonous vapours	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	9	4	–	3	–	–	–	–	–	–	–	–	–	–	1
Drowning	3	3	–	–	–	–	–	–	2	–	1	–	–	–	–
Suffocation in bed	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	19	28	2	–	–	2	1	2	–	1	4	5	4	2	5
Total deaths from accident	35	36	3	3	–	2	1	2	2	1	5	5	4	2	6
Included in above are deaths in connection with:—															
Railways	1	3	–	–	–	–	–	–	–	–	–	2	1	–	–
Vehicles and horses	8	10	–	–	–	2	1	1	–	–	2	1	1	1	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	4	–	–	–	–	–	–	1	1	–	1	–	1	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	2	–	–	–	1	–	–	–	1	–	–	–	–	–
Suicide	9	2	–	–	–	–	–	–	–	–	–	2	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	14	11	10	–	–	1	–	–	–	–	–	–	–	–	–
Ill-defined Causes	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Oct. 23	2,142	851	10·2	–	–	–	6	2	14	36	8
CALCUTTA	896,067	Sept. 18	–	588§	34·1	?	–	?	?	?	?	?	25
BOMBAY	979,445	„ 11	367	941§	50·0	2	–	1	–	–	–	73	24
MADRAS	518,660	„ 18	473	330	33·1	2	–	1	?	1	–	32	6
PARIS	2,847,229	(10 days) Sept. 10	1,446	931	?	6	–	1	1	1	5	54	2
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	331,714	Oct. 9	126	49	7·8	1	–	–	2	1	1	6	1
AMSTERDAM	653,483	„ 9	310	97	7·7	2	–	–	1	1	–	1	1
COPENHAGEN	571,000	„ 9	242	92	8·4	–	–	–	–	–	2	1	–
STOCKHOLM	415,201	„ 2	128	102	12·8	1	1	–	–	–	–	1	–
GOTHENBURG	200,578	Sept. 18	–	29	7·5	–	–	–	–	–	1	1	–
		„ 25	–	31	8·0	–	–	–	–	–	–	–	–
CHRISTIANIA	260,904	Oct. 9	124	40	8·0	–	–	–	–	–	–	–	–
BERLIN	1,904,590	Oct. 2	537	425	11·6	1	?	–	1	–	8	13	–
BRESLAU	531,347	„ 2	273	134	13·1	1	?	–	–	–	1	14	–
COLOGNE	642,899	„ 2	304	134	10·8	–	?	1	–	–	–	4	?
DRESDEN	537,127	„ 2	212	127	12·3	1	?	–	–	–	1	4	?
FRANKFORT-ON-MAIN.	435,103	„ 2	153	67	8·0	–	?	–	–	–	–	3	?
HAMBURG	1,002,933	„ 2	388	209	10·8	4	?	1	–	–	2	8	?
LEIPZIG	610,686	„ 2	253	132	11·2	–	?	–	–	1	2	2	?
MUNICH	647,030	„ 2	259	143	11·5	–	?	1	–	1	3	7	?
VIENNA	1,842,005	Oct. 9	614	467	13·2	3	–	–	3	3	1	21	–
PRAGUE	524,496	Sept. 18	178	157	15·6	4	–	–	–	1	–	6	3
BUDAPEST	1,071,492	July 24	439	377	18·3	3	–	4	6	2	–	65	–
TRIESTE	238,182	Oct. 9	–	–	–	–	–	–	–	–	–	–	–
CAIRO	761,300	Aug. 5	683	666	45·5	6	–	11	–	?	1	149	?
ALEXANDRIA	445,700	„ 5	338	278	32·4	2	–	–	–	?	–	47	?
NEW YORK	6,141,445	Sept. 25	2,482	1,087	9·2	5	–	2	1	11	7	92	4
CHICAGO	2,727,504	Oct. 2	–	509	9·7	1	–	–	1	1	11	58	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 5 deaths from *plague* in Bombay, and from *Asiatic cholera*, 17 deaths in Calcutta and 2 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 23rd October, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (Greenwich)	61	34	55·9	41·3	1	BRADFORD	57	36	52·0	40·9	1
BRIGHTON	61	38	57·4	45·1	0	SHEFFIELD	59	36	53·1	41·3	2
PORTSMOUTH	61	42	57·6	46·9	0	YORK (Museum)	55	38	52·4	40·1	2
NORWICH (Eaton)	57	28	54·9	35·1	0	HULL (Pearson Park)	58	33	54·7	38·9	2
PLYMOUTH	62	41	57·6	49·7	10	TYNEMOUTH	57	41	53·0	44·3	1
BRISTOL (Clifton)	57	36	52·1	44·6	1	CARDIFF	61	36	53·6	45·0	5
BIRMINGHAM	57	36	52·7	42·3	1	EDINBURGH	60·0	38·0	52·4	43·3	1
NOTTINGHAM	60	33	55·3	37·4	2	GLASGOW	58·0	36·8	52·9	45·4	5
BIRKENHEAD (Bidston)	59	38	53·4	43·3	0	DUBLIN:— Phœnix Park	64·2	34·9	57·8	44·1	21
MANCHESTER	63	37	55·7	44·3	0·2	†Fitzwilliam Square	61·2	43·4	56·9	48·4	30
BURNLEY	61	35	52·7	41·9	1	BELFAST	62·0	42·0	57·1	45·7	23
HUDDERSFIELD	59	35	52·6	40·1	3						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 23rd October 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	17	Greatest declination S.	29·806	57·5	47·6	9·9	51·6	+ 2·0	46·7	4·9	9·6	1·0	84	86·4	46·9	54·6	ENE. & E.	E., ENE. & NE.	6·3	0·0	0·6	396	+134	0·27
MONDAY	18	Apogee	29·948	53·0	40·7	12·3	47·0	− 2·3	37·7	9·3	14·6	6·9	70	101·3	35·4	54·5	NE. & ENE.	ENE. & E.	12·0	0·0	1·0	508	+252	0·00
TUESDAY	19	..	29·971	53·4	38·1	15·3	45·4	− 3·7	40·0	5·4	10·9	1·2	81	96·0	32·0	54·4	ENE., E. & ESE.	E. & calm	2·1	0·0	0·2	205	− 46	0·00
WEDNESDAY	20	First Quarter.	29·903	58·0	36·7	21·3	47·5	− 1·3	40·5	7·0	13·9	1·0	77	103·0	26·2	54·1	Calm & SE.	SE. & calm	1·0	0·0	0·0	119	−130	0·00
THURSDAY	21	..	29·801	60·7	34·0	26·7	46·6	− 2·0	42·6	4·0	13·1	0·0	86	115·3	24·6	54·0	Calm	Calm	0·5	0·0	0·0	71	−178	0·00
FRIDAY	22	..	29·990	53·0	38·1	14·9	46·0	− 2·3	44·7	1·3	4·4	0·0	95	63·1	31·5	53·7	Calm	Calm	0·3	0·0	0·0	24	−230	0·00
SATURDAY	23	..	30·019	55·1	34·1	21·0	44·5	− 3·6	42·3	2·2	9·6	0·0	92	81·1	27·9	53·5	Calm	NE. & calm	0·4	0·0	0·0	64	−196	0·00
MEANS			29·920	55·8	38·5	17·3	46·9	− 1·9	42·1	4·9	10·9	1·4	84	92·3	32·1	54·1	ENE.		..	..	..	Sum 1387	Sum −394	Sum 0·27
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	17	w.P. throughout	0·7	10·6	Overcast generally; cloudy interval between 12h. 30m. and 14h.; damping till 6h. and rain till 9h. 45m.; solar halo in afternoon with brisk wind.
MONDAY	18	w.P. generally, v.P. 10h. to 14h.	7·5	10·5	Overcast till 2h.; little cloud generally till 13h., then increasingly cloudy to overcast by 17h. 30m.; solar halo in forenoon; brisk wind 9h. to 16h.
TUESDAY	19	w.P. generally, w.P. 10h. to 17h.	7·3	10·4	Overcast generally till 7h. 30m., clearing to cloudless generally by 9h. 30m.; thin cloud becoming prevalent after 20h.
WEDNESDAY	20	w.P. generally, v.P. 10h. to 18h.	8·9	10·4	Overcast till 5h., becoming nearly cloudless by 6h.; misty after sunset; hoar frost at night.
THURSDAY	21	w.P. generally, v.P. 12h. to 17h.	4·6	10·3	Nearly cloudless till 9h., then partially cloudy generally; misty till 3h. 31m., then foggy till 9h., and again in evening.
FRIDAY	22	w.P. throughout	0·0	10·2	Foggy throughout; apparently overcast till evening; moon visible 17h. 30m. to 22h.
SATURDAY	23	w.P. throughout	5·2	10·2	Foggy till 11h. and from 22h.; misty generally, apparently overcast till 9h., but cloudless afterwards; hoar frost at night.
			Sum 34·2	Sum 72·6	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·70 in. at the beginning of the week to 29·99 in. by 10h. on 19th; decreased to 29·77 in. by 16h. on 21st; increased to 30·07 in. by midnight on 22nd, and decreased to 29·99 in. by midnight on 23rd.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 16th October, 1920.

BOROUGHS.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	815	–	–	4	2	4	14	35	73	124
Western										
PADDINGTON	40	–	–	–	–	–	–	2	2	8
KENSINGTON	21	–	–	–	–	–	–	2	1	3
HAMMERSMITH	24	–	–	1	–	–	–	1	1	1
FULHAM	30	–	–	–	–	–	–	2	–	6
CHELSEA	10	–	–	–	–	–	–	–	3	–
CITY OF WESTMINSTER	19	–	–	–	–	–	–	–	2	3
Northern.										
ST. MARYLEBONE	22	–	–	–	1	–	–	1	1	1
HAMPSTEAD	10	–	–	–	–	–	–	–	2	1
ST. PANCRAS	47	–	–	–	–	–	–	3	4	6
ISLINGTON	57	–	–	–	–	1	5	1	5	8
STOKE NEWINGTON	8	–	–	–	–	–	–	–	–	1
HACKNEY	46	–	–	–	–	–	–	3	4	9
Central.										
HOLBORN	9	–	–	–	–	–	–	–	–	2
FINSBURY	16	–	–	–	–	–	–	–	1	2
CITY OF LONDON	1	–	–	–	–	–	–	–	–	–
Eastern.										
SHOREDITCH	23	–	–	–	–	1	–	1	4	4
BETHNAL GREEN	31	–	–	1	–	–	2	5	3	10
STEPNEY	51	–	–	–	–	–	1	3	3	10
POPLAR	24	–	–	–	–	–	1	–	4	5
Southern.										
SOUTHWARK	30	–	–	–	–	–	–	–	4	1
BERMONDSEY	23	–	–	–	1	–	–	1	3	1
LAMBETH	52	–	–	1	–	–	2	4	4	10
BATTERSEA	30	–	–	–	–	–	2	1	4	7
WANDSWORTH	54	–	–	–	–	–	–	1	5	5
CAMBERWELL	46	–	–	–	–	–	–	3	3	7
DEPTFORD	17	–	–	1	–	–	–	–	4	3
GREENWICH	22	–	–	–	–	1	–	–	3	4
LEWISHAM	27	–	–	–	–	–	–	1	2	3
WOOLWICH	25	–	–	–	–	1	1	–	1	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE **9.** LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 16th October, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	–	–	–	–	28	16	–	1	–	1	–	–	–	–	–	–
Kensington	157,886	–	–	–	–	22	7	2	1	–	–	–	–	–	–	–	–
Hammersmith	130,981	–	1	–	–	30	12	3	1	–	–	–	1	–	–	–	–
Fulham	152,543	–	1	–	–	34	19	2	4	–	–	–	–	–	–	–	–
Chelsea	60,573	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
City of Westminster	127,533	–	–	–	–	8	3	1	–	–	–	3	–	–	–	–	–
NORTHERN.																	
St. Marylebone	97,953	1	–	–	–	25	3	–	1	–	–	–	–	–	–	–	–
Hampstead	88,012	–	–	–	–	12	5	–	–	–	–	–	–	–	–	–	–
St. Pancras	219,434	2	–	–	–	27	19	2	3	–	–	1	–	–	–	–	–
Islington	323,034	2	–	–	–	45	33	–	3	–	–	–	–	–	–	–	–
Stoke Newington	50,954	–	–	–	–	7	3	–	1	–	–	1	–	–	–	–	–
Hackney	216,736	–	–	–	–	46	30	1	1	–	–	–	–	–	–	–	–
CENTRAL.																	
Holborn	38,156	–	–	–	–	6	4	–	–	–	–	1	–	–	–	–	–
Finsbury	75,291	–	–	–	–	13	2	–	3	–	1	–	–	–	–	–	–
City of London	13,893	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
EASTERN.																	
Shoreditch	98,134	3	–	–	–	27	8	1	2	–	–	–	1	–	–	–	–
Bethnal Green	110,085	–	–	–	–	43	10	1	5	–	–	1	–	–	–	–	–
Stepney	232,506	–	–	–	–	135	13	2	9	–	–	1	–	–	–	–	–
Poplar	153,644	–	–	–	–	70	24	3	1	–	1	1	–	–	–	–	–
SOUTHERN.																	
Southwark	179,971	–	–	–	–	31	6	1	2	–	–	1	–	–	–	–	–
Bermondsey	124,239	2	1	–	–	53	7	–	1	–	–	–	–	–	–	–	–
Lambeth	282,322	1	–	–	–	37	10	4	5	–	–	2	–	–	–	–	–
Battersea	159,316	–	–	–	–	15	24	4	–	1	–	–	–	–	–	–	–
Wandsworth	333,693	–	–	–	–	40	13	5	6	–	–	1	–	–	–	–	–
Camberwell	273,802	1	2	–	–	47	23	1	2	–	1	1	–	–	–	–	–
Deptford	111,205	–	–	–	–	31	8	–	1	–	1	–	–	–	–	–	–
Greenwich	98,484	1	–	–	–	23	4	2	–	–	–	–	–	–	–	–	–
Lewisham	167,754	–	–	–	–	23	10	–	–	–	–	–	–	–	–	–	–
Woolwich	136,237	–	–	–	–	24	11	1	1	–	–	–	–	–	–	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,358,309	13	5	–	–	906	329	36	54	1	5	15	2	–	–	–	–
Ages 0–1		–	–	–	–	8	11	2	6	–	–	15	–	–	–	–	–
„ 1–5		–	–	–	–	150	73	9	1	–	–	–	2	–	–	–	–
„ 5–		2	–	–	–	455	135	3	1	1	–	–	–	–	–	–	–
„ 10–		3	–	–	–	222	54	–	2	–	–	–	–	–	–	–	–
„ 15–		1	–	–	–	36	16	–	4	–	–	–	–	–	–	–	–
„ 20–		3	1	–	–	12	21	4	1	–	2	–	–	–	–	–	–
„ 25–		2	2	–	–	14	14	4	4	–	1	–	–	–	–	–	–
„ 35–		2	1	–	–	6	3	6	13	–	1	–	–	–	–	–	–
„ 45–		–	–	–	–	2	1	5	7	–	1	–	–	–	–	–	–
„ 55–		–	1	–	–	1	1	1	8	–	–	–	–	–	–	–	–
„ 65–		–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 43. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, OCT. 30.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
November 2nd, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 9,248, and corresponded to an annual rate of 26·0 per 1,000. The deaths* among the civilian population only numbered 3,995, and corresponded to an annual rate of 11·7 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended October 9th, October 16th, and October 23rd, the rates had been 10·9, 10·7, and 10·9 respectively. The infant mortality was 77, against 84, 87, and 79 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12785—1 Wt 167–840 625 11/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 16·1 in Wigan, 16·4 in West Bromwich and Southport, 16·5 in Gateshead, 18·0 in Middlesbrough, and 19·9 in Hastings; from *measles*, 1·5 in Rhondda, 1·6 in Bath, and 2·2 in West Bromwich; from *scarlet fever*, 1·4 in Bootle; and from *diphtheria*, 1·5 in Edmonton, 1·7 in Hornsey, and 3·0 in Swindon. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,284 births, corresponding to a rate of 26·2 per 1,000, and 983 deaths of civilians, corresponding to a rate of 11·8, as against 10·5, 9·8, and 10·2, per 1,000 in the three weeks ended October 9th, October 16th, and October 23rd. The death-rate in the four weeks ended last Saturday averaged 10·6 per 1,000. The infant mortality was 66, against 63, 61, and 66 in the preceding three weeks.

There was one death from *enteric fever*, against 2, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 3. There was one death from *measles*, against 1, 4, and 0, in the preceding three weeks, and an average of 6. The deaths from *scarlet fever*, which had been 3, 2, and 6 in the preceding three weeks, were 3 last week, being 1 below the average. The deaths from *whooping-cough*, which had been 2, 4, and 2 in the preceding three weeks, were 4 last week, being 2 below the average. The deaths from *diphtheria*, which had been 17, 14, and 14 in the preceding three weeks, rose to 18 last week, but were 2 below the average; 3 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 50, 35, and 36 in the preceding three weeks, were 34 last week, being 11 below the average; 5 deaths belonged to Shoreditch, 4 each to Islington and Stepney, and 3 each to Southwark and Bermondsey. The deaths from *influenza* numbered 5 as against 5, 3, and 8 in the preceding three weeks and an average of 259.

Different forms of violence caused 36 deaths, all of which were the subject of coroners' inquests. Of these 36 deaths, 7 were cases of suicide, while the remaining 29 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 5 to burns or scalds, and 2 to drowning.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 19 cases of enteric fever, 24 of measles, 5,167 of scarlet fever, 28 of whooping-cough, and 2,301 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 1 case, against 3, 8, and 4; of measles, 9 cases, against 11, 6, and 0; of scarlet fever, 922 cases, against 776, 918, and 902; of whooping-cough, 4 cases, against 4, 3, and 3; and of diphtheria, 426 cases, against 343, 329, and 375. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 23rd, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 30th October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 9th Oct., 1920.	16th Oct., 1920.	23rd Oct., 1920.	30th Oct., 1920.	Week ended 30th Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.§	17,807,258	10·9	10·7	10·9	11·7	9248	3995	716	1234	1	–	22	15	17	65	185	35	135	283	1364	29	96 GREAT TOWNS.§
LONDON†	4,358,309	10·5	9·8	10·2	11·8	2284	983	151	330	1	–	1	3	4	18	34	5	36	84	481	4	LONDON.†
‡ CROYDON	184,239	10·2	8·8	7·9	9·9	90	35	3	15	–	–	–	–	–	–	1	–	–	3	10	–	‡ CROYDON.
‡ WIMBLEDON	59,791	3·5	4·4	7·0	8·7	21	10	–	2	–	–	–	–	–	–	–	–	–	–	3	–	‡ WIMBLEDON.
‡ EALING	73,212	7·1	9·3	12·8	6·4	20	9	–	5	–	–	–	–	–	–	–	–	–	–	2	–	‡ EALING.
‡ ACTON	61,732	13·5	10·1	8·4	12·7	17	15	1	4	–	–	–	–	1	1	–	–	–	1	6	–	‡ ACTON.
‡ WILLESDEN	160,917	11·7	11·3	8·1	8·7	75	27	5	12	–	–	–	–	–	1	1	–	1	3	11	–	‡ WILLESDEN.
‡ HORNSEY	94,348	3·9	9·9	9·9	9·4	28	17	3	5	–	–	–	–	–	3	1	1	–	–	4	–	‡ HORNSEY.
‡ TOTTENHAM	141,338	9·2	5·9	9·2	13·7	72	37	5	13	–	–	–	2	–	1	–	1	–	2	15	–	‡ TOTTENHAM.
‡ EDMONTON	70,711	6·6	11·8	8·8	8·1	35	11	2	3	–	–	–	–	–	2	–	–	–	–	6	–	‡ EDMONTON.
‡ ENFIELD	58,442	16·1	4·5	6·2	6·2	40	7	–	4	–	–	–	1	–	–	–	–	–	–	5	–	‡ ENFIELD.
‡ WEST HAM	287,966	10·0	12·1	11·6	14·8	175	82	10	21	–	–	–	–	–	2	4	–	2	5	27	1	‡ WEST HAM.
‡ EAST HAM	144,451	9·4	10·1	6·5	7·6	61	21	1	7	–	–	–	–	–	1	–	–	–	1	7	–	‡ EAST HAM.
‡ LEYTON	123,896	7·6	5·9	6·3	11·4	59	27	5	11	–	–	–	–	–	1	1	–	–	1	7	–	‡ LEYTON.
‡ WALTHAMSTOW	127,684	4·1	8·2	3·7	7·4	51	18	4	5	–	–	–	–	–	–	–	–	1	1	8	–	‡ WALTHAMSTOW.
‡ ILFORD	79,524	8·5	9·8	5·9	3·9	23	6	–	6	–	–	–	–	–	–	–	–	–	–	3	–	‡ ILFORD.
GILLINGHAM	43,501	8·4	15·6	10·8	7·2	22	6	1	1	–	–	–	–	–	–	–	–	–	–	1	–	GILLINGHAM.
HASTINGS	57,674	14·5	9·9	13·6	19·9	22	22	2	15	–	–	–	–	–	1	–	–	1	2	7	–	HASTINGS.
EASTBOURNE	48,424	10·8	8·6	9·7	9·7	22	9	1	4	–	–	–	–	–	–	–	–	–	–	1	–	EASTBOURNE.
BRIGHTON	132,409	13·4	9·8	7·9	8·3	60	21	2	8	–	–	–	–	–	–	–	–	3	4	7	–	BRIGHTON.
PORTSMOUTH	224,846	9·0	9·3	11·4	14·1	128	61	7	22	–	–	–	1	–	–	3	–	2	7	17	–	PORTSMOUTH.
BOURNEMOUTH	82,627	13·3	12·6	12·0	10·1	26	16	–	9	–	–	–	–	–	–	–	–	2	2	1	–	BOURNEMOUTH.
SOUTHAMPTON	126,033	8·3	10·3	10·8	5·4	51	13	3	6	–	–	–	–	–	–	2	–	1	1	1	–	SOUTHAMPTON.
READING	91,365	9·1	12·6	6·3	10·8	47	19	2	6	–	–	–	–	1	–	–	1	–	1	4	–	READING.
OXFORD	57,666	9·0	10·9	9·0	9·9	21	11	–	4	–	–	–	–	–	–	–	–	–	–	4	–	OXFORD.
NORTHAMPTON	88,944	10·6	8·2	6·4	10·6	29	18	5	5	–	–	–	–	–	–	–	–	1	1	3	–	NORTHAMPTON.
CAMBRIDGE	57,849	9·0	5·4	8·1	9·0	21	10	–	6	–	–	–	–	–	–	–	–	–	–	2	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.
§ Week ended 23rd October.—Corrected births 9,323.

in the Week ended Saturday, 30th October 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 9th Oct., 1920.	16th Oct., 1920.	23rd Oct., 1920.	30th Oct., 1920.	Week ended 30th Oct., 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	10·5	7·4	6·2	6·8	44	11	2	4	–	–	–	–	–	–	–	–	–	–	3	–	SOUTHEND ON SEA.
IPSWICH	78,011	13·4	7·4	8·7	8·7	40	13	3	4	–	–	–	–	–	–	–	–	2	3	6	–	IPSWICH.
GREAT YARMOUTH	53,078	9·8	11·8	12·8	10·8	26	11	1	7	–	–	–	–	–	–	–	–	1	2	1	–	GREAT YARMOUTH.
NORWICH	119,993	10·0	10·9	9·1	13·0	54	30	4	14	–	–	–	–	–	–	3	1	1	2	12	–	NORWICH.
SWINDON	51,527	8·1	8·1	16·2	12·1	22	12	1	4	–	–	–	–	–	3	–	–	–	–	5	–	SWINDON.
EXETER	59,014	10·6	6·2	10·6	12·4	31	14	3	5	–	–	–	–	–	–	–	–	–	1	3	–	EXETER.
PLYMOUTH	181,967	10·0	10·6	8·6	13·2	113	46	12	13	–	–	–	–	–	–	1	–	4	5	10	–	PLYMOUTH.
BATH	65,919	11·9	7·9	13·4	13·4	13	17	2	9	–	–	2	–	–	1	–	–	–	–	1	–	BATH.
BRISTOL	361,247	9·7	11·8	10·8	13·0	201	90	20	23	–	–	–	–	2	1	6	–	4	13	34	–	BRISTOL.
GLOUCESTER	50,100	9·4	13·5	9·4	6·2	26	6	–	1	–	–	–	–	–	–	–	–	–	–	1	1	GLOUCESTER.
STOKE ON TRENT	239,316	8·5	12·4	12·9	12·9	145	59	17	12	–	–	1	–	–	–	3	1	–	3	13	–	STOKE ON TRENT.
WOLVERHAMPTON	98,403	11·7	15·4	13·8	10·6	59	20	5	11	–	–	–	–	–	–	1	2	–	2	2	–	WOLVERHAMPTON.
WALSALL	92,724	13·5	11·8	11·2	9·6	76	17	7	3	–	–	1	–	–	–	–	–	–	2	1	–	WALSALL.
WEST BROMWICH	69,899	10·4	11·2	11·2	16·4	37	22	7	5	–	–	3	1	–	–	1	3	1	–	6	–	WEST BROMWICH.
DUDLEY	54,017	9·7	12·5	16·4	10·6	31	11	1	7	–	–	–	–	–	–	1	–	1	1	2	–	DUDLEY.
BIRMINGHAM	861,585	10·5	10·2	13·3	11·5	442	190	35	58	–	–	5	–	1	10	16	1	7	8	73	5	BIRMINGHAM.
SMETHWICK	72,152	2·9	7·2	9·4	10·1	38	14	2	4	–	–	–	–	–	–	–	2	1	2	1	–	SMETHWICK.
COVENTRY	132,048	7·5	8·7	11·5	7·1	54	18	1	5	–	–	–	–	–	–	–	–	–	–	5	–	COVENTRY.
LEICESTER	236,059	11·0	9·7	10·6	8·6	121	39	8	13	–	–	–	–	–	1	2	–	2	4	7	–	LEICESTER.
LINCOLN	60,581	8·6	11·2	10·3	6·0	24	7	–	5	–	–	–	–	–	–	–	–	–	–	2	–	LINCOLN.
GRIMSBY	78,813	15·9	9·9	12·6	15·2	52	23	8	6	–	–	–	–	–	–	3	–	–	1	1	1	GRIMSBY.
NOTTINGHAM	257,573	8·7	10·7	13·0	13·4	132	66	11	17	–	–	–	–	1	3	5	–	2	2	26	–	NOTTINGHAM.
DERBY	123,930	7·2	8·0	7·6	10·9	77	26	6	7	–	–	–	–	–	1	2	–	1	2	10	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 30th October, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 9th Oct., 1920.	16th Oct., 1920.	23rd Oct., 1920.	30th Oct., 1920.	Week ended 30th Oct., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT†	125,629	6·6	9·5	12·9	14·9	58	36	3	17	–	–	–	–	–	1	2	–	1	1	13	–	STOCKPORT.†
BIRKENHEAD	148,052	11·3	12·3	13·0	11·6	65	33	7	7	–	–	–	–	–	–	2	1	1	1	12	–	BIRKENHEAD.
WALLASEY	95,424	8·7	11·5	5·5	8·2	35	15	1	4	–	–	–	–	–	–	–	–	2	2	6	–	WALLASEY.
LIVERPOOL	772,665	12·3	13·5	13·0	12·6	443	186	54	36	–	–	–	1	1	3	17	2	6	14	84	–	LIVERPOOL.
BOOTLE	76,962	11·5	4·7	10·2	11·5	40	17	–	5	–	–	–	2	–	–	1	–	–	–	5	–	BOOTLE.
ST. HELENS	100,805	11·4	15·5	10·9	10·9	51	21	7	2	–	–	–	–	–	–	1	–	2	2	6	–	ST. HELENS.
SOUTHPORT	70,144	8·9	9·7	6·7	16·4	29	22	–	16	–	–	–	–	–	–	–	–	–	–	2	2	SOUTHPORT.
WIGAN	87,384	14·9	15·5	15·5	16·1	46	27	7	4	–	–	–	–	–	–	–	–	3	4	4	–	WIGAN.
WARRINGTON	74,952	11·8	11·1	19·5	10·4	36	15	1	3	–	–	–	–	–	–	1	–	1	–	2	2	WARRINGTON.
BOLTON	177,462	10·0	8·5	12·3	12·3	107	42	9	10	–	–	–	–	1	–	1	–	1	2	10	–	BOLTON.
BURY	54,248	16·3	16·3	14·4	14·4	23	15	–	7	–	–	1	–	–	–	–	1	1	1	5	–	BURY.
MANCHESTER	741,068	11·4	10·6	10·6	13·4	388	190	22	57	–	–	–	1	–	1	4	–	4	6	73	1	MANCHESTER.
SALFORD	226,225	12·4	8·8	10·4	13·8	129	60	11	17	–	–	–	1	–	1	4	3	1	5	15	–	SALFORD.
OLDHAM	137,668	12·9	10·6	13·3	12·5	47	33	6	7	–	–	–	–	–	–	–	–	1	3	11	–	OLDHAM.
ROCHDALE	90,051	13·3	13·3	11·0	9·3	37	16	1	9	–	–	–	–	–	–	–	–	1	1	4	–	ROCHDALE.
BURNLEY	101,005	17·0	15·5	12·9	13·4	46	26	5	7	–	–	–	–	–	–	–	–	–	–	8	–	BURNLEY.
BLACKBURN	125,992	16·1	11·2	12·8	8·3	55	20	5	6	–	–	–	–	–	–	–	–	–	–	5	–	BLACKBURN.
PRESTON	117,277	13·8	16·9	12·4	12·4	61	28	7	5	–	–	–	–	–	–	–	–	–	–	4	2	PRESTON.
BLACKPOOL	67,842	8·5	12·3	18·4	8·5	29	11	3	4	–	–	–	–	–	–	–	1	–	–	1	2	BLACKPOOL.
BARROW IN FURNESS	73,627	9·9	6·4	6·4	10·6	47	15	3	2	–	–	–	–	–	–	1	1	–	–	5	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	7·9	9·8	8·8	9·8	57	21	–	10	–	–	–	–	–	–	–	1	–	1	4	–	HUDDERSFIELD.
HALIFAX	101,791	8·7	12·8	9·7	11·8	46	23	7	8	–	–	–	–	–	–	2	1	–	–	6	–	HALIFAX.
BRADFORD	282,714	12·9	12·7	12·0	11·6	128	63	9	22	–	–	–	–	–	–	1	–	3	7	15	–	BRADFORD.
LEEDS	431,999	11·8	13·5	10·5	11·8	217	98	20	23	–	–	1	–	–	2	4	–	7	10	27	–	LEEDS.
DEWSBURY	52,969	13·8	20·7	13·8	11·8	20	12	–	3	–	–	–	–	1	–	–	–	–	–	4	–	DEWSBURY.
WAKEFIELD	49,208	15·9	8·5	12·7	14·8	31	14	4	3	–	–	–	–	–	–	–	–	–	–	4	–	WAKEFIELD.
BARNSLEY	51,680	19·2	13·1	15·1	14·1	33	14	2	5	–	–	–	–	–	–	1	–	–	1	1	–	BARNSLEY.

* *See* note † on first page of this return.

† Week ended 23rd October.—Corrected births, 45.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Week ended 9th Oct., 1920.	Week ended 16th Oct., 1920.	Week ended 23rd Oct., 1920.	Week ended 30th Oct., 1920.	Week ended 30th Oct., 1920. Births.	Week ended 30th Oct., 1920. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Deaths from Small-pox.	Deaths from Measles.	Deaths from Scarlet Fever.	Deaths from Whooping Cough.	Deaths from Diphtheria.	Deaths from Diarrhœa and Enteritis (under 2 years).	Deaths from Influenza.	Deaths from Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	11·4	13·0	10·7	12·5	260	114	30	26	–	–	1	–	–	2	10	3	5	15	42	–	Sheffield.
Rotherham	69,034	14·4	14·4	11·3	12·8	39	17	6	3	–	–	–	–	–	–	3	–	1	1	2	1	Rotherham.
York	74,531	12·6	12·6	10·5	14·0	49	20	3	6	–	–	–	–	–	–	1	–	–	2	5	–	York.
Hull	279,664	10·3	9·5	14·0	10·6	170	57	14	12	–	–	–	–	–	–	7	–	–	–	19	–	Hull.
Middlesbrough	127,142	14·4	13·9	15·6	18·0	100	44	16	9	–	–	–	–	–	–	8	–	–	2	6	1	Middlesbrough.
Darlington	64,058	10·6	6·5	10·6	15·5	29	19	2	10	–	–	–	1	–	–	1	1	1	1	5	–	Darlington.
Stockton on Tees	60,696	14·6	10·3	21·5	10·3	31	12	2	5	–	–	–	–	–	–	–	–	–	–	–	–	Stockton on Tees.
West Hartlepool	65,515	8·8	9·6	11·9	10·3	41	13	2	3	–	–	–	–	–	–	–	–	1	1	5	–	West Hartlepool.
Sunderland	149,263	14·0	14·3	12·2	12·2	83	35	11	10	–	–	–	–	–	–	5	–	1	2	8	–	Sunderland.
South Shields	111,502	13·6	14·0	13·6	12·2	75	26	7	4	–	–	–	–	1	–	1	1	1	1	5	1	South Shields.
Gateshead	123,392	16·9	14·8	13·1	16·5	70	39	11	9	–	–	–	–	2	1	3	1	1	2	9	4	Gateshead.
Newcastle on Tyne.	275,099	11·8	13·5	10·8	14·8	166	78	17	19	–	–	–	–	–	–	6	–	8	12	25	–	Newcastle on Tyne.
Tynemouth	58,007	16·2	9·0	16·2	14·4	34	16	4	6	–	–	–	–	–	–	–	–	2	3	6	1	Tynemouth.
Carlisle	55,198	12·3	9·4	12·3	11·3	29	12	1	6	–	–	–	–	–	–	1	–	–	–	–	–	Carlisle.
Newport (Mon.)	87,251	13·7	9·0	9·0	10·8	57	18	4	1	–	–	–	–	–	2	–	–	1	1	4	–	Newport (Mon.).
Cardiff	204,436	9·7	8·9	9·9	9·7	94	38	9	8	–	–	–	–	1	–	3	–	–	4	6	–	Cardiff.
Rhondda	177,911	14·1	12·0	10·8	10·3	113	35	6	8	–	–	5	–	–	1	2	–	1	2	3	–	Rhondda.
Merthyr Tydfil	71,638	16·7	11·6	14·6	13·1	42	18	2	5	–	–	1	–	–	–	1	–	–	1	4	–	Merthyr Tydfil.
Aberdare	51,384	13·2	13·2	10·1	10·1	26	10	1	4	–	–	–	1	–	–	–	–	–	–	2	–	Aberdare.
Swansea	160,810	11·0	10·7	7·5	9·1	78	28	5	15	–	–	–	–	–	–	–	–	–	–	4	–	Swansea.
Greater London	7,259,388	9·6	9·4	9·4	10·9	3539	1520	209	530	1	–	1	7	6	35	44	8	49	120	659	7	Greater London.
Outer Ring	2,901,079	8·4	8·8	8·3	9·7	1255	537	58	200	–	–	–	4	2	17	10	3	13	36	178	3	Outer Ring
14 Great Towns in Outer Ring.	1,668,251	8·8	9·2	8·3	10·1	767	322	39	113	–	–	–	3	1	12	8	2	4	17	114	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	7·7	8·3	8·3	9·1	488	215	19	87	–	–	–	1	1	5	2	1	9	19	64	2	Remainder of Outer Ring.
Edinburgh†	342,300	13·0	9·6	10·8	10·5	152	69	8	27	–	–	–	1	–	3	1	2	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	13·0	13·2	12·7	16·2	557	345	102	81	–	1	1	1	4	3	12	2	21	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	16·3	15·7	15·1	13·9	213	111	29	27	1	–	–	–	3	1	8	–	7	2	43	4	Dublin (Registration Area).†
Belfast†	413,000	11·7	12·9	13·4	11·2	193	89	22	18	–	–	–	–	1	–	4	–	7	7	25	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths persons admitted into public institutions from without the respective areas.

TABLE **2.** LONDON.—**Births** and **Deaths** registered during the FORTY-THIRD Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	2318	1994	2117	2021	2192	1811	2059	1460	1369	1894	2284
Males	1196	1007	1081	1060	1177	950	1028	744	681	945	1105
Females	1122	987	1036	961	1015	861	1031	716	688	949	1179
Deaths (of residents only).	1146	1132	1225	1184	1223	1226	1053*	1069*	2668*	1258*	983*
Males		579	621	643	669	664	593	536	1219	672	524
Females		553	604	541	554	562	460	533	1449	586	459

* Deaths in civilian population only.

TABLE **3.** LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.
Births (as registered)	2155	2335	2075	2294	2134	2219	1876	2093	2165	2207	2036	2142	2284
Deaths (of residents only).	763	710	815	813	809	831	821	825	861	874	815	851	983
Ages at Death: Under 1 year	110	101	132	132	122	159	148	137	142	138	124	142	151
1–2 years	17	16	11	13	16	16	12	9	8	16	14	14	11
2–5 "	14	13	18	19	20	12	14	21	22	19	26	17	34
5–10 "	20	25	26	18	22	20	24	21	22	27	24	26	23
10–15 "	11	15	14	16	13	13	14	14	15	13	14	13	13
15–20 "	20	16	17	13	12	17	8	18	18	22	12	18	18
20–25 "	15	18	22	29	23	21	23	17	16	16	17	18	16
25–35 "	48	46	42	44	44	41	32	41	38	62	47	52	56
35–45 "	55	64	72	72	77	60	71	59	57	76	51	70	80
45–55 "	97	71	89	90	102	92	106	94	117	114	98	104	109
55–65 "	101	89	128	120	113	99	121	113	119	100	123	110	142
65–75 "	131	126	125	133	125	129	139	153	151	142	129	124	170
75 years and upwards	124	110	119	114	120	152	109	128	136	129	136	143	160
Deaths from—													
Enteric fever	2	–	1	–	1	–	1	–	2	2	–	–	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	1	3	1	5	3	2	–	1	4	–	1
Scarlet fever	1	2	–	5	2	5	2	1	11	3	2	6	3
Whooping cough	3	4	3	5	2	3	3	1	3	2	4	2	4
Diphtheria	8	18	15	15	13	14	15	22	18	17	14	14	18
Diarrhœa and enteritis (under 2 years).	17	20	30	38	34	43	46	39	33	50	35	36	34
Pulmonary tuberculosis	75	63	66	86	78	57	79	69	78	86	73	97	103
Influenza	9	6	3	5	–	2	7	6	5	5	3	8	5
Pneumonia (all forms)	35	24	38	28	48	45	47	53	51	58	34	48	60
Bronchitis	33	25	30	33	33	32	33	52	39	39	39	37	58
Other dis. of resp. system	8	9	11	6	11	13	14	11	10	11	11	4	13
Dis. of circ. system	141	117	161	157	167	149	133	148	159	147	153	161	173
Violence	41	39	49	45	39	36	30	35	33	34	46	40	36
Inquest cases	85	71	92	91	71	76	76	80	79	84	90	84	84
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	29	26	21	17	18	22	16	15	14	14	16	20	19
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	42	35	32	27	27	23	22	19	18	26	27	22	24
Scarlet fever	2027	2106	2150	2266	2402	2633	2953	3305	3717	4121	4534	4859	5167
Whooping cough	13	15	21	21	23	22	19	20	20	23	26	27	28
Diphtheria	1469	1413	1362	1391	1404	1484	1591	1700	1778	1884	1975	2113	2301

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE **3A.** **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.
Deaths from Influenza	26	30	16	20	17	20	28	18	27	33	34	30	35

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-THIRD Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 43rd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1258	983	151	11	34	23	13	18	16	56	80	109	142	170	160
Enteric fever	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlet fever	5	3	–	–	2	1	–	–	–	–	–	–	–	–	–
Whooping cough	5	4	2	–	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	24	18	1	2	11	3	–	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	20	5	–	–	–	–	–	–	–	–	1	1	1	2	–
Erysipelas	5	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Other epidemic diseases	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Pyæmia and septicæmia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	113	103	–	1	2	1	2	9	7	19	23	24	8	6	1
Tuberculous meningitis	7	9	2	1	3	2	–	–	1	–	–	–	–	–	–
Abdominal tuberculosis	7	6	1	1	1	–	–	–	–	–	–	2	1	–	–
Tuberculosis of the spine	2	2	–	–	–	1	–	–	–	1	–	–	–	–	–
Tuberculosis of the joints	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	5	2	–	–	–	–	–	–	1	1	–	–	–	–	–
Disseminated tuberculosis	3	5	–	–	–	2	–	–	–	1	–	1	–	1	–
Venereal diseases	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	99	116	–	–	–	–	–	–	1	7	13	19	28	33	15
Tumour, situation undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	3	3	–	–	–	1	–	–	–	1	1	–	–	–	–
Diabetes	11	7	–	–	–	–	1	–	–	–	–	–	2	3	1
Anæmia, leucocythaemia	9	3	–	–	–	–	–	–	–	–	–	1	2	–	–
Other general diseases	6	9	1	1	–	–	–	–	1	1	1	–	–	1	3
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	60	38	–	–	–	–	–	1	–	–	1	3	12	16	5
Softening of brain	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis, without specified cause	7	9	–	–	–	–	–	–	–	–	1	1	1	3	3
Epilepsy	7	7	–	–	–	–	–	–	–	1	1	–	2	1	2
"Convulsions" (not puerperal)	2	5	5	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	28	17	–	–	1	–	1	1	1	1	–	5	4	3	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Acute endocarditis	8	7	–	–	–	–	–	1	–	2	–	1	3	–	–
Organic disease of heart	147	117	–	–	–	2	–	1	–	4	10	14	26	27	33
Embolism and thrombosis (including cerebral).	4	10	–	–	–	1	1	–	–	–	–	1	1	1	5
Other diseases of circulatory system.	37	38	–	–	–	–	–	–	–	2	2	4	9	10	11
Diseases of the larynx	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	152	58	3	1	1	–	–	–	–	1	1	3	8	10	30
Broncho-pneumonia	43	28	7	–	4	–	–	–	–	1	1	4	4	5	2
Lobar pneumonia	23	16	3	–	–	–	–	–	–	–	3	3	3	4	–
Pneumonia (type not distinguished)	32	16	2	–	–	1	–	2	–	1	2	1	3	3	1
Pleurisy	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Pulmonary congestion, Pulmonary apoplexy.	5	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Other diseases of respiratory system.	19	9	–	–	1	–	–	–	–	–	1	1	2	3	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTY-THIRD Week of the Year 1920.

Causes of Death.	Deaths in the 43rd week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	13	6	1	–	–	–	–	–	–	–	2	–	1	2	–
Diarrhœa and enteritis	59	40	32	2	1	–	–	–	–	–	2	1	–	1	1
Appendicitis and typhlitis	6	7	–	–	–	2	2	–	1	2	–	–	–	–	–
Hernia and Intestinal obstruction.	12	6	1	–	–	–	–	–	–	–	1	3	1	–	–
Cirrhosis of liver	7	6	–	–	–	–	–	–	–	–	1	4	1	–	–
Other diseases of liver	1	3	–	–	–	–	–	–	–	1	–	–	–	1	1
Peritonitis (cause unknown)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	3	3	–	–	1	–	–	–	–	–	2	–	–	–	–
Acute nephritis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	31	26	–	–	–	–	–	–	–	–	1	7	8	7	3
Urinary calculi	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
Uterine tumour (non-cancerous)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of genito-urinary system.	8	16	1	–	–	–	–	–	1	–	–	–	2	9	3
Puerperal fever, &c.	3	6	–	–	–	–	–	–	1	4	1	–	–	–	–
Other causes incident to childbirth.	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Diseases of skin and cellular tissues.	5	3	–	–	–	–	–	–	–	–	–	–	–	2	1
Diseases of locomotor system	1	3	–	–	–	–	2	–	–	–	1	–	–	–	–
Congenital malformations	13	8	8	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	42	43	43	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	19	20	20	–	–	–	–	–	–	–	–	–	–	–	–
Old age	50	43	–	–	–	–	–	–	–	–	–	1	1	9	32
ACCIDENT.															
Poisons or poisonous vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	4	5	–	2	2	–	–	–	–	–	–	1	–	–	–
Drowning	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
Suffocation in bed	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	30	22	–	–	–	5	2	–	–	1	2	1	4	1	6
Total deaths from accident	35	29	–	2	2	5	2	–	–	1	3	2	4	2	6
Included in above are deaths in connection with:—															
Railways	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	8	–	–	–	3	1	–	–	1	–	–	1	–	2
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	7	–	–	–	–	–	1	–	1	2	2	1	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	9	17	14	–	1	–	1	–	1	–	–	–	–	–	–
Ill-defined Causes	2	2	–	–	–	–	–	–	–	1	–	–	–	1	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
NDON‡ - -	4,358,309	Oct. 30	2,284	983	11·8	1	–	1	3	4	18	34	5
LCUTTA - -	896,067	Sept. 25	–	578§	33·5	?	–	?	?	?	?	?	41
MBAY - -	979,445	„ 18	408	887§	47·1	1	–	1	–	–	–	70	12
DRAS - -	518,660	„ 25	421	306	30·7	–	3	1	?	1	–	31	5
RIS - - -	2,847,229	(10 days) Sept. 20	–	–	–	–	–	–	–	–	–	–	–
USSELS - -	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
TWERP - -	331,714	Oct. 16	117	63	10·1	–	–	–	–	1	–	10	–
STERDAM -	653,483	„ 16	269	105	8·4	6	–	–	–	–	–	1	–
PENHAGEN -	571,000	„ 16	212	85	7·8	1	–	–	–	–	2	1	–
CKHOLM -	415,201	„ 9	131	72	9·0	–	–	–	–	–	1	–	–
THENBURG -	200,578	„ 2	–	33	8·6	–	–	–	–	–	1	–	–
		„ 9	–	30	7·8	–	–	–	–	–	1	–	–
RISTIANIA -	260,904	Oct. 16	92	43	8·6	–	–	–	–	–	1	–	–
RLIN - -	1,904,590	Oct. 9	528	460	12·6	1	–	–	–	–	5	24	3
ESLAU - -	531,347	„ 9	276	127	12·4	–	–	–	–	–	1	10	1
LOGNE - -	642,899	„ 9	311	149	12·1	–	–	–	–	2	2	7	–
ESDEN - -	537,127	„ 9	209	118	11·4	–	–	–	–	–	–	6	–
ANKFORT-ON-MAIN.	435,103	„ 9	168	62	7·4	–	–	–	–	–	1	4	–
MBURG - -	1,002,933	„ 9	318	193	10·0	2	–	–	1	–	1	7	–
IPZIG - -	610,686	„ 9	230	119	10·1	–	–	–	–	1	2	7	–
NICH - -	647,030	„ 9	245	132	10·6	–	–	–	–	1	–	3	–
NNA - -	1,842,005	Oct. 16	528	457	12·9	1	–	–	–	–	1	17	–
GUE - -	524,496	Sept. 25	184	135	13·4	2	–	–	–	–	–	2	–
		Oct. 2	173	121	12·0	–	–	–	–	1	–	6	2
DAPEST - -	1,071,492	July 31	321	369	17·9	–	–	4	4	2	1	70	–
ESTE - -	238,182	Oct. 16	83	70	15·3	1	–	–	–	–	–	7	–
RO - - -	761,300	Aug. 12	673	752	51·4	7	–	9	–	?	5	167	–
EXANDRIA -	445,700	„ 12	340	333	38·9	4	–	1	–	?	–	56	–
W YORK -	6,141,445	Oct. 2	–	–	–	–	–	–	–	–	–	–	–
CAGO - -	2,727,504	„ 9	–	541	10·3	1	–	1	4	3	11	58	3

cluding deaths from croup in Bombay and Madras.
e deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
e estimated population and deaths refer to the civilian population only.
cluding 1 death from *plague* in Bombay, and from *Asiatic cholera*, 8 deaths in Calcutta and 2 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 30th October, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON (Greenwich)	59	33	56·0	35·3	0
GHTON - -	62	40	58·1	42·3	0
TSMOUTH - -	61	41	57·7	42·0	0
WICH (Southill Lodge - -	57	29	55·2	33·3	1
MOUTH - -	60	44	58·0	46·7	2
TOL (Clifton) -	56	38	50·9	39·0	0
HINGHAM -	55	37	50·6	39·0	0·4
TINGHAM -	57	31	52·7	35·9	1
TENHEAD (Bidston)	55	38	50·4	39·9	0
CHESTER -	60	36	55·6	39·0	0
NLEY - -	55	36	51·9	40·0	0·2
DERSFIELD -	54	35	50·9	40·6	0

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD - -	54	36	49·9	40·9	0·4
SHEFFIELD - -	55	35	51·6	41·6	0
YORK (Museum) -	56	35	53·0	37·9	0
HULL (Pearson Park)	56	32	53·3	36·7	0
TYNEMOUTH - -	54	39	51·0	42·0	0·1
CARDIFF - -	56	39	51·6	41·0	0
EDINBURGH - -	53·0	32·0	49·0	36·1	1
GLASGOW - -	55·0	31·6	48·5	36·5	0
DUBLIN:—					
Phœnix Park -	57·8	27·0	56·2	33·9	13
†Fitzwilliam Square	57·2	36·0	54·8	42·2	15
BELFAST - -	59·2	37·0	55·7	47·3	0

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th October 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	24	In Equator.	30·000	58·9	37·9	21·0	47·5	− 0·4	42·2	5·3	14·3	0·0	82	94·0	28·0	53·2	Calm	E. & ENE.	1·7	0·0	0·1	118	−151	0·00
MONDAY	25	..	30·127	59·0	42·2	16·8	50·1	+ 2·4	44·3	5·8	12·6	0·0	81	99·1	28·4	53·1	NE.	ENE. & E.	3·3	0·0	0·2	261	− 17	0·00
TUESDAY	26	..	30·165	58·0	36·3	21·7	47·1	− 0·5	42·2	4·9	13·0	0·0	83	94·7	28·3	53·0	E.	E.	1·9	0·0	0·1	201	− 85	0·00
WEDNESDAY	27	Full	30·101	55·7	33·1	22·6	44·5	− 3·0	41·2	3·3	9·7	0·0	88	81·7	24·7	52·8	Calm	E.	1·1	0·0	0·0	113	−179	0·00
THURSDAY	28	..	29·946	55·6	32·9	22·7	44·8	− 2·6	38·3	6·5	14·6	0·0	78	94·8	28·4	52·3	Calm & E.	E.	2·4	0·0	0·1	210	− 86	0·00
FRIDAY	29	..	29·923	52·0	36·2	15·8	44·4	− 2·9	36·4	8·0	13·7	2·0	73	88·9	26·8	52·1	E. & ESE.	E. & ESE.	2·3	0·0	0·1	226	− 70	0·00
SATURDAY	30	Perigee. Greatest declination N.	29·728	52·3	30·3	22·0	41·6	− 5·6	34·0	7·6	14·6	2·1	75	95·9	18·9	51·8	ESE. & SE.	SE. & ESE.	0·8	0·0	0·0	161	−133	0·00
MEANS		. . .	29·999	55·9	35·6	20·4	45·7	− 1·8	39·8	5·9	13·2	0·6	80	92·7	26·2	52·6	E.		..	..	..	Sum 1290	Sum −721	Sum 0·00
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	24	w.P. generally, v.P. about noon.	6·7	10·1	Cloudless; foggy till 11h. 15m., and misty till 13h.
MONDAY	25	w.P. generally, v.P. 11h. to 17h.	7·4	10·0	Cloudless except for a little cloud about 9h.; foggy 3h. to 7h.; misty till 9h.; heavy dew at night.
TUESDAY	26	w.P. generally, v.P. 11h. to 17h.	6·7	10·0	Cloudless, with slight exceptions; foggy 5h. to 10h.; dew at night.
WEDNESDAY	27	w.P. generally, v.P. 12h. to 16h.	5·9	9·9	Cloudless; foggy from 1h. 30m. to 10h.; misty afterwards.
THURSDAY	28	w.P. generally, v.P. 11h. to 17h.	8·4	9·9	Cloudless; mist or fog between 3h. 30m. and 8h. 30m.; heavy dew at night with hoar frost.
FRIDAY	29	w.P. generally, v.P. 10h. to 17h.	7·9	9·8	Cloudless, with slight exceptions; heavy dew and hoar frost in morning.
SATURDAY	30	w.P. generally, v.P. 10h. to 19h.	8·9	9·7	Cloudless throughout; hoar frost in morning and evening.
			Sum 51·9	Sum 69·4	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·99 in. at the beginning of the week to 29·97 in. by 4h. on 24th; increased to 30·18 in. by midnight on 26th; decreased generally afterwards, and was 29·54 in. at midnight of 30th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 23rd October, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	851	–	–	–	6	2	14	36	97	142
Western										
Paddington	24	–	–	–	–	–	–	1	1	5
Kensington	32	–	–	–	–	–	–	1	3	5
Hammersmith	25	–	–	–	–	–	–	–	9	1
Fulham	28	–	–	–	–	–	1	2	3	6
Chelsea	7	–	–	–	–	–	–	1	–	2
City of Westminster	31	–	–	–	–	–	–	1	6	1
Northern.										
St. Marylebone	32	–	–	–	–	–	–	1	1	7
Hampstead	18	–	–	–	–	–	–	–	1	2
St. Pancras	34	–	–	–	1	–	–	2	3	9
Islington	50	–	–	–	1	–	1	2	3	7
Stoke Newington	15	–	–	–	–	–	–	–	1	3
Hackney	33	–	–	–	–	–	1	3	3	10
Central.										
Holborn	17	–	–	–	–	–	1	2	4	2
Finsbury	11	–	–	–	–	–	–	–	1	1
City of London	4	–	–	–	–	–	–	–	–	–
Eastern.										
Shoreditch	17	–	–	–	–	–	–	–	2	3
Bethnal Green	20	–	–	–	–	–	2	1	3	4
Stepney	53	–	–	–	1	–	2	2	7	11
Poplar	41	–	–	–	2	–	2	2	4	9
Southern.										
Southwark	42	–	–	–	–	–	–	1	7	5
Bermondsey	16	–	–	–	–	1	–	1	2	5
Lambeth	59	–	–	–	–	–	1	1	6	5
Battersea	36	–	–	–	–	–	–	3	3	6
Wandsworth	60	–	–	–	–	–	1	1	8	7
Camberwell	65	–	–	–	–	–	1	5	7	14
Deptford	16	–	–	–	–	1	–	2	2	3
Greenwich	20	–	–	–	–	–	–	–	–	3
Lewisham	23	–	–	–	–	–	–	1	–	4
Woolwich	22	–	–	–	1	–	1	–	7	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 23rd October, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	–	–	–	–	18	24	2	3	–	–	–	–	–	–	–	–
Kensington	157,886	1	–	1	–	20	5	–	1	–	–	1	–	–	–	–	–
Hammersmith	130,981	–	–	–	–	32	6	2	1	–	1	–	–	–	–	–	–
Fulham	152,543	–	–	–	–	33	17	1	1	–	1	–	1	–	–	–	–
Chelsea	60,573	–	–	–	–	8	9	–	1	–	–	–	–	–	–	–	–
City of Westminster	127,533	–	–	–	–	12	6	2	1	–	–	–	–	–	–	–	–
NORTHERN.																	
St. Marylebone	97,953	–	–	–	–	17	3	3	2	–	–	1	–	1	–	–	–
Hampstead	88,012	3	–	–	–	5	2	1	1	–	–	–	–	–	–	–	–
St. Pancras	219,434	–	–	–	–	38	20	3	2	–	–	3	–		–	–	1
Islington	323,034	1	1	–	–	66	42	1	3	–	1	3	–	1	–	–	–
Stoke Newington	50,954	–	–	–	–	5	10	–	–	–	–	–	–	–	–	–	–
Hackney	216,736	–	–	–	–	48	33	–	5	–	–	2	–	–	–	–	–
CENTRAL.																	
Holborn	38,156	–	–	–	–	5	5	–	1	–	–	–	–	–	–	–	–
Finsbury	75,291	–	–	–	–	21	4	–	4	–	–	–	–	–	–	–	–
City of London	13,893	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–
EASTERN.																	
Shoreditch	98,134	–	–	–	–	18	15	2	2	–	–	2	–	–	–	–	–
Bethnal Green	110,085	–	–	–	–	42	12	–	–	–	–	1	–	–	–	–	–
Stepney	232,506	–	–	–	–	121	14	3	5	–	1	–	–	–	–	–	–
Poplar	153,644	–	–	–	–	73	22	1	2	–	1	1	–	–	–	–	–
SOUTHERN.																	
Southwark	179,971	1	1	–	–	50	7	5	2	–	–	1	–	–	–	–	–
Bermondsey	124,239	–	–	–	–	48	11	–	3	–	–	–	–	–	–	–	–
Lambeth	282,322	1	–	–	–	38	14	–	2	–	–	1	–	–	–	–	–
Battersea	159,316	–	–	–	–	40	15	2	1	–	–	1	–	–	–	–	–
Wandsworth	333,693	–	–	–	–	57	25	6	3	–	–	–	–	–	–	–	–
Camberwell	273,802	–	1	–	–	48	21	1	4	–	–	–	–	–	–	–	–
Deptford	111,205	–	–	–	–	30	6	–	2	–	–	–	–	–	–	–	–
Greenwich	98,484	1	–	–	–	15	5	–	3	–	1	1	–	–	–	–	–
Lewisham	167,754	–	–	–	–	19	7	–	1	–	–	1	–	–	–	–	–
Woolwich	136,237	–	1	–	–	14	6	3	2	–	–	–	–	–	–	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,358,309	8	4	1	–	943	369	38	58	–	6	19	1	2	–	–	1
Ages 0–1		–	–	–	–	5	5	4	–	–	–	19	–	–	–	–	–
„ 1–5		–	–	–	–	169	89	5	2	–	–	–	–	–	–	–	1
„ 5–		–	–	–	–	460	143	2	2	–	–	–	1	–	–	–	–
„ 10–		–	–	–	–	233	67	3	8	–	–	–	–	–	–	–	–
„ 15–		1	–	–	–	40	20	2	3	–	–	–	–	–	–	–	–
„ 20–		1	1	–	–	15	16	4	–	–	1	–	–	–	–	–	–
„ 25–		2	2	–	–	11	14	3	7	–	4	–	–	1	–	–	–
„ 35–		1	1	–	–	8	8	6	13	–	1	–	–	1	–	–	–
„ 45–		2	–	1	–	2	1	4	15	–	–	–	–	–	–	–	–
„ 55–		1	–	–	–	–	3	2	6	–	–	–	–	–	–	–	–
„ 65–		–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 44. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, NOV. 6.
[Price 1½*d*. Net.]

General Register Office, Somerset House,
November 9th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,074, and corresponded to an annual rate of 22·7 per 1,000. The deaths* among the civilian population only numbered 4,046, and corresponded to an annual rate of 11·8 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended October 16th, October 23rd, and October 30th, the rates had been 10·7, 10·9, and 11·7 respectively. The infant mortality was 82, against 87, 79, and 77 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12785—2 Wt 167–840 625 11/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 17·0 in Burnley, 17·1 in Tynemouth, 17·9 in Bolton, 18·6 in West Bromwich, 23·4 in South Shields, and 24·1 in Stockton-on-Tees; and from *diphtheria*, 1·2 in Gillingham and in Southampton, and 1·5 in Edmonton and in Merthyr Tydfil. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 1,927 births, corresponding to a rate of 22·1 per 1,000, and 982 deaths of civilians, corresponding to a rate of 11·7, as against 9·8, 10·2, and 11·8 per 1,000 in the three weeks ended October 16th, October 23rd, and October 30th. The death-rate in the four weeks ended last Saturday averaged 10·9 per 1,000. The infant mortality was 66, against 61, 66, and 66 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 0, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 4, 0, and 1, in the preceding three weeks, were 2 last week, and were 7 below the average. The deaths from *scarlet fever*, which had been 2, 6, and 3 in the preceding three weeks, were again 3 last week, and were 1 below the average. The deaths from *whooping-cough*, which had been 4, 2, and 4 in the preceding three weeks, fell last week to 2, and were 6 below the average. The deaths from *diphtheria*, which had been 14, 14, and 18 in the preceding three weeks, further rose last week to 25, and were 8 above the average; 7 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 35, 36, and 34 in the preceding three weeks, further fell last week to 26, and were 10 below the average. The deaths from *influenza* numbered 12 as against 3, 8, and 5 in the preceding three weeks and an average of 499.

Different forms of violence caused 31 deaths, of which 29 were the subject of coroners' inquests. Of these 31 deaths, 5 were cases of suicide, and 1 of homicide, while the remaining 25 were attributed to other forms of violence. One of these latter was referred to a vehicle in the streets, 5 to a conflagration, 3 to burns or scalds, and 1 to drowning.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 21 cases of enteric fever, 24 of measles, 5,374 of scarlet fever, 25 of whooping-cough, and 2,353 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 5 cases, against 8, 4, and 1; of measles, 4 cases, against 6, 0, and 9; of scarlet fever, 812 cases, against 918, 902, and 922; of whooping-cough, 1 case, against 3, 3, and 4; and of diphtheria, 377 cases, against 329, 375, and 426. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended October 30th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS,—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 6th November, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 16th Oct., 1920.	23rd Oct., 1920.	30th Oct., 1920.	6th Nov., 1920.	Week ended 6th Nov., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.§	**17,807,258**	**10·7**	**10·9**	**11·7**	**11·8**	**8074**	**4046**	**663**	**1331**	**4**	**–**	**14**	**15**	**14**	**69**	**129**	**29**	**135**	**285**	**1316**	**26**	**96 GREAT TOWNS.§**
LONDON†	4,358,309	9·8	10·2	11·8	11·7	1927	982	127	336	–	–	2	3	2	25	26	12	31	85	454	2	LONDON.†
‡ CROYDON	184,239	8·8	7·9	9·9	12·7	74	45	6	17	–	–	–	–	–	2	1	1	4	6	12	–	‡ CROYDON.
WIMBLEDON	59,791	4·4	7·0	8·7	11·3	21	13	–	6	–	–	1	–	–	–	–	1	1	1	2	–	WIMBLEDON.
EALING	73,212	9·3	12·8	6·4	7·8	25	11	1	5	–	–	–	–	–	–	–	–	2	2	3	–	EALING.
ACTON	61,732	10·1	8·4	12·7	8·4	17	10	–	5	–	–	–	–	–	–	–	–	–	–	4	–	ACTON.
WILLESDEN	160,917	11·3	8·1	8·7	9·4	61	29	4	8	–	–	–	–	–	–	–	–	2	2	12	–	WILLESDEN.
HORNSEY	94,348	9·9	9·9	9·4	11·6	20	21	1	5	1	–	–	–	–	1	–	–	–	2	7	–	HORNSEY.
TOTTENHAM	141,338	5·9	9·2	13·7	5·5	48	15	2	4	–	–	–	–	–	–	–	–	–	–	6	–	TOTTENHAM.
EDMONTON	70,711	11·8	8·8	8·1	11·8	31	16	1	3	–	–	–	–	–	2	–	1	1	1	6	–	EDMONTON.
ENFIELD	58,442	4·5	6·2	6·2	8·0	21	9	–	4	–	–	–	–	–	–	–	–	–	–	4	–	ENFIELD.
WEST HAM	287,966	12·1	11·6	14·8	9·2	155	51	8	19	–	–	–	1	–	–	2	–	1	2	19	–	WEST HAM.
EAST HAM	144,451	10·1	6·5	7·6	11·9	55	33	2	12	–	–	–	–	–	1	1	–	2	3	14	–	EAST HAM.
LEYTON	123,896	5·9	6·3	11·4	13·5	48	32	4	12	–	–	–	1	–	–	–	–	3	5	14	–	LEYTON.
WALTHAMSTOW	127,684	8·2	3·7	7·4	9·0	47	22	–	8	–	–	–	–	–	–	–	1	1	3	7	–	WALTHAMSTOW.
ILFORD	79,524	9·8	5·9	3·9	7·9	30	12	2	7	–	–	–	–	–	1	–	–	–	–	3	–	ILFORD.
GILLINGHAM	43,501	15·6	10·8	7·2	9·6	33	8	2	3	–	–	–	–	–	1	–	–	–	1	3	–	GILLINGHAM.
HASTINGS	57,674	9·9	13·6	19·9	14·5	15	16	2	5	–	–	–	–	–	1	–	–	–	–	3	–	HASTINGS.
EASTBOURNE	48,424	8·6	9·7	9·7	8·6	22	8	2	3	–	–	–	–	–	–	–	–	–	1	2	–	EASTBOURNE.
BRIGHTON	132,409	9·8	7·9	8·3	16·5	60	42	5	18	–	–	–	–	–	–	–	–	2	3	8	–	BRIGHTON.
PORTSMOUTH	224,846	9·3	11·4	14·1	7·2	127	31	2	14	–	–	–	1	–	–	–	–	1	2	11	–	PORTSMOUTH.
BOURNEMOUTH	82,627	12·6	12·0	10·1	10·1	25	16	2	6	–	–	–	–	–	1	–	–	1	2	2	–	BOURNEMOUTH
SOUTHAMPTON	126,033	10·3	10·8	5·4	9·9	63	24	2	8	–	–	–	–	–	3	2	–	–	1	11	–	SOUTHAMPTON.
READING	91,365	12·6	6·3	10·8	7·4	34	13	2	4	–	–	–	–	–	–	–	–	2	1	2	1	READING.
OXFORD	57,666	10·9	9·0	9·9	7·2	16	8	2	5	–	–	–	–	–	–	–	–	–	–	3	–	OXFORD.
NORTHAMPTON	88,944	8·2	6·4	10·6	8·2	37	14	1	5	–	–	–	–	–	1	1	–	–	–	4	–	NORTHAMPTON.
CAMBRIDGE	57,849	5·4	8·1	9·0	9·0	22	10	2	6	–	–	–	–	–	–	–	–	–	1	2	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 6th November 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 16th Oct., 1920.	23rd Oct., 1920.	30th Oct., 1920.	6th Nov., 1920.	Week ended 6th Nov., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	7·4	6·2	6·8	9·3	31	15	–	12	–	–	–	–	–	–	–	–	–	–	4	–	SOUTHEND ON SEA.
IPSWICH	78,011	7·4	8·7	8·7	12·0	34	18	2	10	–	–	–	–	–	–	–	–	–	–	6	–	IPSWICH.
GREAT YARMOUTH	53,078	11·8	12·8	10·8	9·8	33	10	2	3	–	–	–	–	–	1	1	–	1	1	2	–	GREAT YARMOUTH.
NORWICH	119,993	10·9	9·1	13·0	9·6	50	22	4	8	–	–	–	–	–	–	–	–	1	2	5	–	NORWICH.
SWINDON	51,527	8·1	16·2	12·1	12·1	23	12	–	8	–	–	–	–	–	–	–	–	–	1	4	–	SWINDON.
EXETER	59,014	6·2	10·6	12·4	9·7	22	11	2	8	–	–	–	–	–	–	–	–	–	1	2	–	EXETER.
PLYMOUTH	181,967	10·6	8·6	13·2	11·5	90	40	6	17	–	–	–	–	1	1	1	–	–	–	6	–	PLYMOUTH.
BATH	65,919	7·9	13·4	13·4	10·3	21	13	–	5	–	–	1	–	–	–	–	–	2	2	4	–	BATH.
BRISTOL	361,247	11·8	10·8	13·0	12·0	159	83	12	39	–	–	–	–	–	1	2	–	2	6	20	–	BRISTOL.
GLOUCESTER	50,100	13·5	9·4	6·2	8·3	24	8	–	2	–	–	–	–	–	–	–	–	–	–	2	–	GLOUCESTER.
STOKE ON TRENT	239,316	12·4	12·9	12·9	14·4	178	66	12	11	–	–	–	1	–	–	1	1	5	6	15	1	STOKE ON TRENT.
WOLVERHAMPTON	98,403	15·4	13·8	10·6	8·5	65	16	2	5	–	–	–	–	–	–	–	–	–	–	7	–	WOLVERHAMPTON.
WALSALL	92,724	11·8	11·2	9·6	11·8	51	21	3	4	–	–	–	–	1	–	–	–	1	1	5	–	WALSALL.
WEST BROMWICH	69,899	11·2	11·2	16·4	18·6	34	25	6	6	–	–	1	–	–	1	1	1	–	–	3	–	WEST BROMWICH.
DUDLEY	54,017	12·5	16·4	10·6	13·5	36	14	1	8	–	–	–	–	–	–	–	–	–	–	3	–	DUDLEY.
BIRMINGHAM	861,585	10·2	13·3	11·5	11·4	432	189	37	65	–	–	5	2	–	4	7	–	3	5	65	4	BIRMINGHAM.
SMETHWICK	72,152	7·2	9·4	10·1	4·3	35	6	–	2	–	–	–	–	–	1	–	–	–	–	1	–	SMETHWICK.
COVENTRY	132,048	8·7	11·5	7·1	8·7	46	22	6	10	–	–	–	–	–	–	1	–	–	1	5	–	COVENTRY.
LEICESTER	236,059	9·7	10·6	8·6	10·2	93	46	3	18	–	–	–	–	–	2	1	–	3	6	14	–	LEICESTER.
LINCOLN	60,581	11·2	10·3	6·0	12·9	29	15	1	11	–	–	–	–	–	–	1	–	1	1	4	–	LINCOLN.
GRIMSBY	78,813	9·9	12·6	15·2	16·5	43	25	5	10	–	–	–	–	–	–	1	–	1	3	3	–	GRIMSBY.
NOTTINGHAM	257,573	10·7	13·0	13·4	10·7	101	53	9	20	–	–	–	–	–	1	–	–	1	3	10	–	NOTTINGHAM.
DERBY	123,930	8·0	7·6	10·9	10·1	52	24	4	12	–	–	–	–	–	–	–	–	–	–	4	–	DERBY.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATE in the Week ended Saturday, 6th November, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 16th Oct., 1920.	23rd Oct., 1920	30th Oct., 1920.	6th Nov., 1920.	Week ended 6th Nov., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	9·5	12·9	14·9	13·3	53	32	6	13	–	–	–	–	–	1	1	–	1	2	7	–	STOCKPORT.
BIRKENHEAD	148,052	12·3	13·0	11·6	14·1	66	40	10	12	–	–	–	–	–	2	1	–	1	2	12	–	BIRKENHEAD.
WALLASEY	95,424	11·5	5·5	8·2	9·3	28	17	3	9	–	–	–	–	–	–	–	–	1	2	4	–	WALLASEY.
LIVERPOOL	772,665	13·5	13·0	12·6	12·9	444	191	47	52	–	–	–	2	1	–	10	2	6	13	86	3	LIVERPOOL.
BOOTLE	76,962	4·7	10·2	11·5	12·9	31	19	6	4	–	–	–	–	–	1	3	–	–	–	1	2	BOOTLE.
ST. HELENS	100,805	15·5	10·9	10·9	12·9	52	25	4	6	–	–	–	1	–	–	1	–	–	–	6	–	ST. HELENS.
SOUTHPORT	70,144	9·7	6·7	16·4	11·9	27	16	1	7	–	–	–	–	–	–	–	–	–	–	4	1	SOUTHPORT.
WIGAN	87,384	15·5	15·5	16·1	15·5	42	26	5	4	–	–	–	–	1	1	1	–	2	2	5	–	WIGAN.
WARRINGTON	74,952	11·1	19·5	10·4	12·5	36	18	4	2	–	–	–	–	1	–	–	–	–	–	7	–	WARRINGTON.
BOLTON	177,462	8·5	12·3	12·3	17·9	66	61	13	9	–	–	–	–	2	–	1	–	2	6	18	–	BOLTON.
BURY	54,248	16·3	14·4	14·4	12·5	10	13	1	4	–	–	–	–	–	–	–	–	–	2	2	–	BURY.
MANCHESTER	741,068	10·6	10·6	13·4	12·5	307	178	34	39	1	–	–	–	1	5	8	–	5	7	75	1	MANCHESTER.
SALFORD	226,225	8·8	10·4	13·8	13·4	109	58	7	20	1	–	–	–	–	–	1	–	1	6	22	–	SALFORD.
OLDHAM	137,668	10·6	13·3	12·5	16·3	51	43	7	16	–	–	–	–	–	–	1	1	1	3	7	–	OLDHAM.
ROCHDALE	90,051	13·3	11·0	9·3	14·5	20	25	5	5	–	–	–	–	–	–	–	1	–	1	5	–	ROCHDALE.
BURNLEY	101,005	15·5	12·9	13·4	17·0	37	33	8	10	1	–	–	–	–	–	4	1	1	2	10	–	BURNLEY.
BLACKBURN	125,992	11·2	12·8	8·3	14·9	38	36	5	11	–	–	–	–	–	–	3	1	1	2	7	–	BLACKBURN.
PRESTON	117,277	16·9	12·4	12·4	15·1	41	34	6	13	–	–	–	–	–	–	–	–	1	2	4	–	PRESTON.
BLACKPOOL	67,842	12·3	18·4	8·5	16·1	20	21	2	10	–	–	–	1	–	–	–	–	2	3	4	1	BLACKPOOL.
BARROW IN FURNESS	73,627	6·4	6·4	10·6	14·2	32	20	3	10	–	–	–	–	–	–	1	–	2	2	8	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	9·8	8·8	9·8	15·8	42	34	4	14	–	–	–	–	–	–	–	–	1	2	6	–	HUDDERSFIELD.
HALIFAX	101,791	12·8	9·7	11·8	8·7	32	17	2	4	–	–	–	–	–	–	–	1	–	1	4	–	HALIFAX.
BRADFORD	282,714	12·7	12·0	11·6	12·7	99	69	9	21	–	–	–	–	–	–	3	–	2	5	19	–	BRADFORD.
LEEDS	431,999	13·5	10·5	11·8	11·5	188	95	15	30	–	–	–	–	–	1	3	–	8	9	28	–	LEEDS.
DEWSBURY	52,969	20·7	13·8	11·8	14·8	25	15	3	3	–	–	–	–	–	–	1	–	2	2	3	–	DEWSBURY.
WAKEFIELD	49,208	8·5	12·7	14·8	10·6	38	10	1	4	–	–	–	–	–	–	–	–	–	–	3	–	WAKEFIELD.
BARNSLEY	51,680	13·1	15·1	14·1	7·1	27	7	2	1	–	–	–	–	–	–	–	–	–	2	–	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 16th Oct., 1920.	23rd Oct., 1920.	30th Oct., 1920.	6th Nov., 1920.	Week ended 6th Nov., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	13·0	10·7	12·5	11·4	233	104	31	26	–	–	3	–	2	–	13	1	4	8	30	–	Sheffield.
Rotherham	69,034	14·4	11·3	12·8	3·8	27	5	1	–	–	–	–	–	–	–	–	–	–	1	1	–	Rotherham.
York	74,531	12·6	10·5	14·0	11·9	37	17	1	9	–	–	–	–	–	–	–	–	1	1	3	–	York.
Hull	279,664	9·5	14·0	10·6	14·4	180	77	20	23	–	–	–	–	–	–	4	1	2	5	18	1	Hull.
Middlesbrough	127,142	13·9	15·6	18·0	12·7	61	31	14	3	–	–	–	–	–	–	6	–	1	2	9	–	Middlesbrough.
Darlington	64,058	6·5	10·6	15·5	13·0	31	16	4	5	–	–	–	–	–	–	1	–	1	–	1	–	Darlington.
Stockton on Tees	60,696	10·3	21·5	10·3	24·1	37	28	6	6	–	–	–	–	–	–	3	–	–	1	2	1	Stockton on Tees.
West Hartlepool	65,515	9·6	11·9	10·3	12·7	27	16	4	8	–	–	–	–	–	–	–	–	–	–	1	–	West Hartlepool.
Sunderland	149,263	14·3	12·2	12·2	11·5	90	33	5	8	–	–	–	–	–	–	–	–	3	4	6	–	Sunderland.
South Shields	111,502	14·0	13·6	12·2	23·4	60	50	12	18	–	–	–	–	1	1	1	1	–	–	13	2	South Shields.
Gateshead	123,392	14·8	13·1	16·5	11·4	80	27	5	8	–	–	–	–	–	–	2	1	2	2	11	1	Gateshead.
Newcastle on Tyne.	275,099	13·5	10·8	14·8	12·9	151	68	15	14	–	–	–	1	–	–	2	–	3	7	18	–	Newcastle on Tyne.
Tynemouth	58,007	9·0	16·2	14·4	17·1	32	19	4	4	–	–	–	–	–	–	1	–	1	2	6	5	Tynemouth.
Carlisle	55,198	9·4	12·3	11·3	8·5	41	9	1	3	–	–	–	–	–	–	–	–	–	–	4	–	Carlisle.
Newport (Mon.)	87,251	9·0	9·0	10·8	6·6	37	11	2	4	–	–	–	–	1	1	–	–	–	–	3	–	Newport (Mon.).
Cardiff	204,436	8·9	9·9	9·7	7·9	64	31	5	6	–	–	–	–	–	1	–	–	–	3	4	–	Cardiff.
Rhondda	177,911	12·0	10·8	10·3	12·3	91	42	11	8	–	–	1	–	–	1	–	–	1	4	4	–	Rhondda.
Merthyr Tydfil	71,638	11·6	14·6	13·1	12·4	31	17	3	3	–	–	–	1	–	2	1	–	–	–	5	–	Merthyr Tydfil.
Aberdare	51,384	13·2	10·1	10·1	11·2	26	11	–	3	–	–	–	–	–	1	–	–	–	1	1	–	Aberdare.
Swansea	160,810	10·7	7·5	9·1	11·7	61	36	7	17	–	–	–	–	–	–	2	–	1	3	7	–	Swansea.
Greater London	7,259,388	9·4	9·4	10·9	10·7	3070	1496	179	525	1	–	3	5	2	35	33	17	51	124	618	2	Greater London.
Outer Ring	2,901,079	8·8	8·3	9·7	9·2	1143	514	52	189	1	–	1	2	–	10	7	5	20	39	164	–	Outer Ring
14 Great Towns in Outer Ring.	1,668,251	9·2	8·3	10·1	10·0	653	319	31	115	1	–	1	2	–	7	4	4	17	27	113	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·3	8·3	9·1	8·2	490	195	21	74	–	–	–	–	–	3	3	1	3	12	51	–	Remainder of Outer Ring.
Edinburgh†	342,300	9·6	10·8	10·5	13·6	121	89	15	30	1	–	1	–	–	2	1	2	4	?	?	?	Edinburgh.†
Glasgow†	1,115,500	13·2	12·7	16·2	16·3	599	348	93	83	2	2	3	3	–	3	11	3	17	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	15·7	15·1	13·9	14·7	177	117	19	24	1	–	–	–	2	2	4	–	4	2	37	4	Dublin (Registration Area).†
Belfast†	413,000	12·9	13·4	11·2	12·6	198	100	19	19	–	–	–	2	–	2	4	–	5	5	30	–	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FORTY-FOURTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2167	2283	2216	2229	2075	1991	1811	1477	1454	1850	1927
Males	1098	1164	1136	1155	1102	1033	921	759	745	972	997
Females	1069	1119	1080	1074	973	958	890	718	709	878	930
Deaths (of residents only).	1173	1139	1219	1229	1202	1240	1054*	1058*	4285*	1103*	982*
Males		604	610	638	614	663	575	535	1814	547	525
Females		535	609	591	588	577	479	523	2471	556	457

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.
Births (as registered)	2335	2075	2294	2134	2219	1876	2093	2165	2207	2036	2142	2284	1927
Deaths (of residents only).	710	815	813	809	831	821	825	861	874	815	851	983	982
Ages at Death: Under 1 year	101	132	132	122	159	148	137	142	138	124	142	151	127
1–2 years	16	11	13	16	16	12	9	8	16	14	14	11	19
2–5 "	13	18	19	20	12	14	21	22	19	26	17	34	21
5–10 "	25	26	18	22	20	24	21	22	27	24	26	23	24
10–15 "	15	14	16	13	13	14	14	15	13	14	13	13	12
15–20 "	16	17	13	12	17	8	18	18	22	12	18	18	22
20–25 "	18	22	29	23	21	23	17	16	16	17	18	16	18
25–35 "	46	42	44	44	41	32	41	38	62	47	52	56	54
35–45 "	64	72	72	77	60	71	59	57	76	51	70	80	80
45–55 "	71	89	90	102	92	106	94	117	114	98	104	109	110
55–65 "	89	128	120	113	99	121	113	119	100	123	110	142	159
65–75 "	126	125	133	125	129	139	153	151	142	129	124	170	155
75 years and upwards	110	119	114	120	152	109	128	136	129	136	143	160	181
Deaths from—													
Enteric fever	–	1	–	1	–	1	–	2	2	–	–	1	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	3	1	5	3	2	–	1	4	–	1	2
Scarlet fever	2	–	5	2	5	2	1	11	3	2	6	3	3
Whooping cough	4	3	5	2	3	3	1	3	2	4	2	4	2
Diphtheria	18	15	15	13	14	15	22	18	17	14	14	18	25
Diarrhœa and enteritis (under 2 years).	20	30	38	34	43	46	39	33	50	35	36	34	26
Pulmonary tuberculosis	63	66	86	78	57	79	69	78	86	73	97	103	100
Influenza	6	3	5	–	2	7	6	5	5	3	8	5	12
Pneumonia (all forms)	24	38	28	48	45	47	53	51	58	34	48	60	59
Bronchitis	25	30	33	33	32	33	52	39	39	39	37	58	78
Other dis. of resp. system	9	11	6	11	13	14	11	10	11	11	4	13	12
Dis of circ. system	117	161	157	167	149	133	148	159	147	153	161	173	179
Violence	39	49	45	39	36	30	35	33	34	46	40	36	31
Inquest cases	71	92	91	71	76	76	80	79	84	90	84	84	85
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	26	21	17	18	22	16	15	14	14	16	20	19	21
Small-pox	–	–	–	–		–	–	–	–	–	–	–	–
Measles	35	32	27	27	23	22	19	18	26	27	22	24	24
Scarlet fever	2106	2150	2266	2402	2633	2953	3305	3717	4121	4534	4859	5167	5374
Whooping cough	15	21	21	23	22	19	20	20	23	26	27	28	25
Diphtheria	1413	1362	1391	1404	1484	1591	1700	1778	1884	1975	2113	2301	2353

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.
Deaths from Influenza	30	16	20	17	20	28	18	27	33	34	30	35	29

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-FOURTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 44th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1103	982	127	19	21	24	12	22	18	54	80	110	159	155	181
Enteric fever	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	–	3	1	–	–	2	–	–	–	–	–	–	–	–	–
Whooping cough	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	18	25	1	3	9	9	2	–	–	1	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	20	12	1	–	–	–	–	–	2	2	–	2	1	2	2
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other epidemic diseases	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	85	100	–	–	1	1	–	8	7	19	29	23	7	3	2
Tuberculous meningitis	2	8	3	1	1	2	–	–	–	1	–	–	–	–	–
Abdominal tuberculosis	2	2	1	–	–	–	–	–	–	1	–	–	–	–	–
Tuberculosis of the spine	2	2	–	–	–	–	1	–	–	1	–	–	–	–	–
Tuberculosis of the joints	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of other organs	3	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Disseminated tuberculosis	1	3	–	–	–	1	–	1	–	–	–	1	–	–	–
Venereal diseases	4	6	5	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	100	109	–	–	–	–	–	1	–	1	8	18	36	29	16
Tumour, situation undefined	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	4	4	–	–	–	1	1	–	–	1	–	1	–	–	–
Diabetes	13	8	–	–	–	–	–	–	1	–	2	1	–	4	–
Anæmia, leucocythaemia	5	7	–	–	–	–	–	2	1	1	–	–	1	2	–
Other general diseases	9	7	–	1	–	–	–	–	–	–	–	2	–	2	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	4	–	–	2	–	1	–	–	–	–	–	1	–	–
Cerebral hæmorrhage, Apoplexy	42	40	–	1	–	–	–	–	–	1	1	3	11	13	10
Softening of brain	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1
Paralysis, without specified cause	5	6	–	–	–	–	–	–	–	–	–	–	1	4	1
Epilepsy	4	2	–	–	–	–	1	–	–	–	–	–	1	–	–
"Convulsions" (not puerperal)	2	5	5	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	20	21	–	–	–	–	1	–	–	1	4	6	4	3	2
Pericarditis	1	3	–	–	–	–	–	2	–	1	–	–	–	–	–
Acute endocarditis	9	4	–	–	–	1	–	–	–	1	–	1	–	1	–
Organic disease of heart	139	123	–	–	–	–	3	2	1	8	6	22	28	19	34
Embolism and thrombosis (including cerebral).	7	9	–	–	–	–	–	–	–	1	–	1	2	2	3
Other diseases of circulatory system.	39	40	–	–	–	–	–	–	–	–	2	2	11	9	16
Diseases of the larynx	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	133	78	4	2	–	–	–	1	–	–	1	6	14	20	30
Broncho-pneumonia	39	31	9	5	3	2	–	–	1	–	–	4	2	5	–
Lobar pneumonia	24	19	1	–	1	1	–	1	2	1	5	2	3	–	2
Pneumonia (type not distinguished)	28	9	–	1	–	–	–	–	–	1	–	1	2	2	2
Pleurisy	3	4	–	–	–	–	–	–	1	1	–	1	1	–	–
Pulmonary congestion, Pulmonary apoplexy.	7	2	1	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of respiratory system.	14	5	–	–	–	–	–	–	–	–	–	–	4	1	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTY-FOURTH Week of the Year 1920.

Causes of Death.	Deaths in the 44th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	8	11	5	1	–	–	–	–	–	1	–	1	–	2	1
Diarrhœa and enteritis	30	34	23	3	1	–	–	–	–	–	1	1	–	3	2
Appendicitis and typhlitis	9	5	–	–	1	–	–	2	–	–	–	1	1	–	–
Hernia and Intestinal obstruction.	6	8	1	–	–	–	–	–	–	–	1	2	1	2	1
Cirrhosis of liver	3	10	–	–	–	–	–	–	–	–	–	1	7	1	1
Other diseases of liver	3	5	–	–	–	–	–	–	–	–	1	–	3	1	–
Peritonitis (cause unknown)	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Other diseases of digestive system	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–
Acute nephritis	1	4	–	–	–	–	1	–	–	–	1	–	1	1	–
Chronic Bright's disease	17	23	–	–	–	–	–	–	–	–	4	2	9	3	5
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Other diseases of genito-urinary system.	14	16	–	–	–	–	–	–	–	–	1	2	2	6	5
Puerperal fever, &c.	3	4	–	–	–	–	–	–	–	3	1	–	–	–	–
Other causes incident to childbirth.	4	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of skin and cellular tissues.	15	5	2	–	–	–	–	–	–	–	1	–	–	1	1
Diseases of locomotor system	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–
Congenital malformations	6	5	5	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	37	30	30	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	10	14	14	–	–	–	–	–	–	–	–	–	–	–	–
Old age	43	45	–	–	–	–	–	–	–	–	–	–	–	6	39
Accident.															
Poisons or poisonous vapours	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
Conflagration	–	5	–	–	–	–	–	1	–	1	2	1	–	–	–
Burns and scalds	2	3	–	–	2	–	1	–	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation in bed	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	32	14	1	–	–	1	–	–	1	1	3	–	2	2	3
Total deaths from accident	38	25	1	–	2	1	1	1	1	3	5	1	3	3	3
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Vehicles and horses	13	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence other than Accidental.															
Homicide	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	5	–	–	–	–	–	–	–	1	3	–	–	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	18	11	10	–	–	–	–	–	1	–	–	–	–	–	–
Ill-defined Causes	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
NDON‡	4,358,309	Nov. 6	1,927	982	11·7	–	–	2	3	2	25	26	12
LCUTTA	896,067	Oct. 2	–	542§	31·4	?	–	?	?	?	?	?	30
MBAY	979,445	Sept. 25	432	847	45·0	2	–	–	–	–	–	52	16
		Oct. 2	480	832	44·2	2	–	–	–	–	–	52	14
DRAS	518,660	„ 2	–	–	–	–	–	–	–	–	–	–	–
RIS	2,847,229	(10 days) Sept. 20	1,432	894	?	2	–	2	–	3	1	51	1
USSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
TWERP	331,714	Oct. 23	123	54	8·6	–	–	2	–	–	–	3	1
STERDAM	653,483	„ 23	265	111	8·9	2	–	3	–	–	2	1	–
PENHAGEN	571,000	„ 23	164	113	10·7	1	–	–	–	–	–	3	–
CKHOLM	415,201	„ 16	121	78	9·8	–	1	–	–	–	1	–	–
THENBURG	200,578	„ 16	–	32	8·3	–	–	–	–	–	–	–	–
RISTIANIA	260,904	Oct. 23	115	48	9·6	–	–	–	–	–	1	1	–
RLIN	1,904,590	Oct. 16	481	438	12·0	1	?	1	–	3	7	13	4
ESLAU	531,347	„ 16	230	146	14·3	1	?	–	–	–	2	11	1
LOGNE	642,899	„ 16	279	142	11·5	–	?	1	–	1	2	10	?
ESDEN	537,127	„ 16	197	106	10·3	1	?	–	2	–	2	2	?
ANKFORT-ON-MAIN.	435,103	„ 16	142	66	7·9	–	?	–	–	–	1	3	?
MBURG	1,002,933	„ 16	301	206	10·7	–	?	–	1	1	2	5	?
IPZIG	610,686	„ 16	254	126	10·7	–	?	–	1	–	1	5	?
NICH	647,030	„ 16	207	149	12·0	–	?	–	–	–	1	10	?
NNA	1,842,005	„ 23	–	–	–	–	–	–	–	–	–	–	–
AGUE	524,496	„ 9	–	–	–	–	–	–	–	–	–	–	–
DAPEST	1,071,492	Aug. 7	346	311	15·1	3	–	3	–	3	–	35	2
ESTE	239,866	Oct. 23	124	62	13·5	–	–	–	–	1	1	5	–
RO	761,300	Aug. 19	–	–	–	–	–	–	–	–	–	–	–
XANDRIA	445,700	„ 19	–	–	–	–	–	–	–	–	–	–	–
W YORK	6,141,445	Oct. 9	2,464	1,006	8·6	3	–	3	2	8	9	66	3
ICAGO	2,727,504	„ 16	–	516	9·9	–	–	2	3	–	11	46	1

xcluding deaths from croup in Bombay and Madras.
he deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
he estimated population and deaths refer to the civilian population only.
cluding from *Asiatic cholera*, 13 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 6th November, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON (Greenwich)	57	28	48·0	33·0	5	BRADFORD	51	33	46·3	37·3	18
GHTON	56	33	50·0	38·7	18	SHEFFIELD	51	33	47·0	39·3	16
TSMOUTH	56	33	49·6	38·3	36	YORK (Museum)	52	30	48·4	39·0	1
WICH (Eaton)	51	26	48·0	30·9	1	HULL (Pearson Park)	52	30	49·6	38·7	0
MOUTH	56	35	52·1	39·6	9	TYNEMOUTH	53	38	48·9	41·7	0
STOL (Clifton)	53	31	47·7	37·9	18	CARDIFF	54	33	48·6	36·4	19
MINGHAM	53	34	47·1	37·6	11	EDINBURGH	52·0	37·0	47·7	40·6	2
TINGHAM	51	28	48·0	35·7	4	GLASGOW	51·9	38·6	48·5	43·1	6
KENHEAD (Bidston)	54	39	48·0	39·9	8	DUBLIN:— Phœnix Park	55·2	31·8	52·5	41·3	3
NCHESTER	51	33	47·9	37·7	4	†Fitzwilliam Square	54·8	38·8	52·7	44·2	3
NLEY	50	31	46·1	37·4	14	BELFAST	57·0	37·0	50·8	42·5	74
DDERSFIELD	50	33	46·0	38·4	29						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 6th November 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	31	..	29·195	56·5	27·9	28·6	44·6	− 2·5	42·2	2·4	8·7	0·4	91	101·5	16·8	51·6	Calm & SE.	SE. & ESE.	5·5	0·0	0·4	290	− 1	0·08
NOVEMBER. MONDAY	1	..	29·295	49·2	39·1	10·1	44·5	− 2·5	41·9	2·6	6·2	1·7	90	66·8	33·8	51·2	ESE. & E.	E., ENE. & NE.	4·0	0·0	0·4	323	+ 36	0·11
TUESDAY	2	..	29·623	46·3	35·1	11·2	40·4	− 6·4	33·1	7·3	11·2	3·0	75	81·8	28·2	51·0	NNE.	N.	2·5	0·0	0·3	313	+ 29	0·00
WEDNESDAY	3	Last Quarter.	29·659	46·0	36·1	9·9	41·2	− 5·4	34·2	7·0	9·5	3·4	76	64·7	28·0	50·7	N.	N. & calm	0·7	0·0	0·0	155	−126	0·00
THURSDAY	4	..	29·692	48·9	28·1	20·8	38·1	− 8·0	35·0	3·1	8·1	0·0	89	76·0	25·9	50·5	Calm	Calm	0·2	0·0	0·0	59	−220	0·00
FRIDAY	5	..	29·894	46·7	28·0	18·7	38·6	− 7·5	35·8	2·8	6·9	0·0	90	50·6	25·2	50·2	Calm	N. & calm	1·0	0·0	0·0	104	−175	0·00
SATURDAY	6	In Equator.	30·056	41·4	32·9	8·5	35·9	− 9·9	35·6	0·3	2·1	0·0	99	53·0	28·8	49·9	Calm	SW. & calm	0·2	0·0	0·0	115	−164	0·00
MEANS			29·631	47·9	32·5	15·4	40·5	− 6·0	36·8	3·6	7·5	1·2	87	70·6	26·7	50·7	Variable and Calm.		..	..	..	Sum 1359	Sum −621	Sum 0·19
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. October 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	31	w.P. throughout	1·6	9·7	Cloudless with hoar frost till 6h., becoming overcast by 7h.; cloudy interval about noon and few breaks afterwards; occasional damping 10h. 30m. to 19h. 30m., then rain generally till 22h.; misty in morning.
NOVEMBER. MONDAY	1	w.P. throughout	0·1	9·6	Overcast generally till 17h., becoming cloudless by 18h.; rain generally 1h. to 6h., and occasional slight rain till noon and at 16h. 30m.
TUESDAY	2	w.P. generally, v.P. 11h. to 17h.	5·8	9·6	Cloudless with slight hoar frost till 10h., then nearly cloudless with cloudy intervals.
WEDNESDAY	3	w.P. generally, v.P. 11h. to 19h.	1·1	9·5	Few thin clouds till 3h., then overcast generally; cloudy interval 8h. to 12h., with heavy sky, becoming cloudless but misty 22h.; lunar halo 5h.; solar halo about 9h.; hoar frost at night.
THURSDAY	4	w.P. generally, v.P. 12h. to 16h.	2·4	9·4	Cloudless generally; nearly overcast about 2h.; mist, haze and hoar frost till 9h.; haze and slight fog from 9h.; fog thickening 17h. 30m. to 20h.; hoar frost at night.
FRIDAY	5	w.P. throughout	0·0	9·4	Foggy till 13h. 30m.; probably cloudless till 11h.; overcast 11h. to 22h., then becoming nearly cloudless.
SATURDAY	6	w.P. throughout.	0·1	9·3	Apparently cloudless till 21h., except for a little cloud in evening; overcast with cloudless periods after 21h.; foggy generally from 4h.; hoar frost at night.
			Sum 11·1	Sum 66·5	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·54 in. at the beginning of the week to 29·06 in. by midnight on 31st October, and increased generally to 30·08 in. by midnight on 6th November.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 30th October, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	983	1	–	1	3	4	18	34	103	151
Western										
Paddington	33	–	–	–	–	–	1	–	6	3
Kensington	33	–	–	–	–	–	–	2	5	2
Hammersmith	24	–	–	–	1	–	1	1	4	3
Fulham	29	–	–	–	–	–	1	1	3	5
Chelsea	14	–	–	–	–	–	–	–	3	1
City of Westminster	27	–	–	–	1	–	–	–	3	3
Northern.										
St. Marylebone	13	–	–	–	–	–	–	–	1	–
Hampstead	16	–	–	–	–	–	–	–	3	2
St. Pancras	49	–	–	–	–	–	1	1	4	7
Islington	74	–	–	–	–	–	3	4	8	10
Stoke Newington	13	–	–	–	–	–	–	1	1	3
Hackney	40	–	–	–	1	–	2	2	4	5
Central.										
Holborn	18	–	–	–	–	–	–	–	1	2
Finsbury	19	–	–	1	–	–	1	–	1	1
City of London	2	–	–	–	–	–	–	–	–	–
Eastern.										
Shoreditch	34	–	–	–	–	–	–	5	–	11
Bethnal Green	35	–	–	–	–	1	–	–	3	5
Stepney	55	–	–	–	–	–	–	4	5	16
Poplar	33	–	–	–	–	–	1	1	4	8
Southern.										
Southwark	58	1	–	–	–	–	–	3	6	15
Bermondsey	27	–	–	–	–	2	–	3	2	8
Lambeth	65	–	–	–	–	–	–	1	10	9
Battersea	36	–	–	–	–	–	–	1	2	4
Wandsworth	79	–	–	–	–	–	2	–	4	10
Camberwell	52	–	–	–	–	1	2	1	5	6
Deptford	27	–	–	–	–	–	1	2	6	3
Greenwich	22	–	–	–	–	–	1	–	3	1
Lewisham	34	–	–	–	–	–	1	1	3	3
Woolwich	22	–	–	–	–	–	–	–	3	5

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 30th October, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	-	-	-	-	20	22	2	1	-	1	2	1	-	-	-	-
Kensington	157,886	-	-	-	-	23	7	2	3	-	1	-	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	52	19	-	-	-	-	1	-	-	-	-	-
Fulham	152,543	-	-	-	-	45	19	3	2	-	-	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	6	11	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	7	7	1	3	-	1	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	1	-	-	18	1	-	1	-	-	1	-	-	1	-	-
Hampstead	88,012	-	-	-	-	12	6	-	1	-	-	-	-	-	-	-	-
St. Pancras	219,434	1	-	-	-	32	20	2	2	-	-	2	-	-	-	-	-
Islington	323,034	1	-	-	-	67	53	-	2	-	-	2	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	3	5	-	-	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	45	36	-	6	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	4	7	1	-	-	-	1	-	-	-	-	-
Finsbury	75,291	-	-	-	-	27	6	-	2	-	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	1	-	-	17	10	2	1	1	-	-	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	41	16	2	4	1	1	-	1	-	-	-	-
Stepney	232,506	-	-	-	-	147	22	4	1	1	2	-	-	-	-	-	-
Poplar	153,644	-	-	-	-	75	21	2	2	-	2	-	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	40	10	3	4	-	1	2	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	50	7	-	1	-	1	1	-	-	-	-	-
Lambeth	282,322	-	-	-	-	46	24	4	2	-	-	1	-	-	-	-	-
Battersea	159,316	-	-	-	-	33	21	-	1	-	2	3	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	63	25	3	1	-	-	2	-	-	-	-	-
Camberwell	273,802	-	-	-	-	63	30	-	5	-	-	3	-	-	-	-	-
Deptford	111,205	-	1	-	-	24	7	1	2	-	1	-	-	-	-	-	-
Greenwich	98,484	-	-	-	-	20	7	-	1	-	-	-	-	-	-	-	-
Lewisham	167,754	-	-	-	-	19	5	2	4	-	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	22	5	2	1	-	-	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	2	3	-	-	1,025	429	36	53	3	13	24	2	-	1	-	-
Ages 0-1		-	-	-	-	9	11	4	2	1	-	24	1	-	1	-	-
" 1-5		-	-	-	-	177	99	7	1	1	-	-	1	-	-	-	-
" 5-		2	-	-	-	469	158	3	5	1	-	-	-	-	-	-	-
" 10-		-	-	-	-	263	88	3	3	-	-	-	-	-	-	-	-
" 15-		-	-	-	-	48	25	1	2	-	-	-	-	-	-	-	-
" 20-		-	-	-	-	29	15	1	2	-	4	-	-	-	-	-	-
" 25-		-	2	-	-	18	17	3	4	-	7	-	-	-	-	-	-
" 35-		-	1	-	-	10	14	4	12	-	2	-	-	-	-	-	-
" 45-		-	-	-	-	2	1	4	9	-	-	-	-	-	-	-	-
" 55-		-	-	-	-	-	-	3	7	-	-	-	-	-	-	-	-
" 65-		-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 45. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, NOV. 13.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
November 16th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 8,062, and corresponded to an annual rate of 22·7 per 1,000. The deaths* among the civilian population only numbered 4,583, and corresponded to an annual rate of 13·4 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended October 23rd, October 30th, and November 6th, the rates had been 10·9, 11·7, and 11·8 respectively. The infant mortality was 85, against 79, 77, and 82 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12785—3 Wt 167–840 625 11/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 17·2 in Stockton-on-Tees, 17·5 in Merthyr Tydfil, 19·2 in Southend-on-Sea, 19·8 in Gloucester, and 21·7 in Hastings. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,057 births, corresponding to a rate of 23·6 per 1,000, and 1,244 deaths of civilians, corresponding to a rate of 14·9, as against 10·2, 11·8, and 11·7 per 1,000 in the three weeks ended October 23rd, October 30th, and November 6th. The death-rate in the four weeks ended last Saturday averaged 12·2 per 1,000. The infant mortality was 63, against 66, 66, and 66 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 1, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 0, 1, and 2, in the preceding three weeks, were again 2 last week, and were 9 below the average. The deaths from *scarlet fever*, which had been 6, 3, and 3 in the preceding three weeks, rose last week to 7, and were 4 above the average. The deaths from *whooping-cough*, which had been 2, 4, and 2 in the preceding three weeks, were again 2 last week, and were 5 below the average. The deaths from *diphtheria*, which had been 14, 18, and 25 in the preceding three weeks, were 26 last week, and were 8 above the average; 4 deaths belonged to the Borough of Bethnal Green, and 3 each to Islington, Finsbury, Stepney, and Lewisham. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 36, 34, and 26 in the preceding three weeks, rose last week to 29, the average being 30. The deaths from *influenza* numbered 14 as against 8, 5, and 12 in the preceding three weeks and an average of 496.

Different forms of violence caused 43 deaths, all of which were the subject of coroners' inquests. Of these 43 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 33 were attributed to other forms of violence. Ten of these latter were referred to vehicles in the streets, 6 to burns or scalds, 1 to drowning, and 2 of infants under one year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 14 cases of enteric fever, 21 of measles, 5,512 of scarlet fever, 26 of whooping-cough, and 2,474 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 1 case, against 4, 1, and 5; of measles, 0 case, against 0, 9, and 4; of scarlet fever, 805 cases, against 902, 922, and 811; of whooping-cough, 1 case, against 3, 4, and 1; and of diphtheria, 375 cases, against 375, 426, and 377. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended November 6th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 13th November, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 23rd Oct., 1920.	30th Oct., 1920.	6th Nov., 1920.	13th Nov., 1920.	Week ended 13th Nov., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	17,807,258	10·9	11·7	11·8	13·4	8062	4583	686	1612	2	–	24	23	9	67	106	42	172	337	1479	37	96 GREAT TOWNS.
LONDON†	4,358,309	10·2	11·8	11·7	14·9	2057	1244	130	486	–	–	2	7	2	26	29	14	43	98	530	2	LONDON.†
‡ CROYDON	184,239	7·9	9·9	12·7	11·3	48	40	4	18	–	–	–	–	–	–	1	–	–	3	12	–	‡ CROYDON.
‡ WIMBLEDON	59,791	7·0	8·7	11·3	15·7	16	18	3	9	–	–	–	1	–	–	–	–	–	1	2	–	‡ WIMBLEDON.
‡ EALING	73,212	12·8	6·4	7·8	8·5	33	12	1	6	–	–	–	–	–	–	1	–	–	–	4	–	‡ EALING.
‡ ACTON	61,732	8·4	12·7	8·4	9·3	26	11	2	5	–	–	–	–	–	–	–	–	–	–	4	–	‡ ACTON.
‡ WILLESDEN	160,917	8·1	8·7	9·4	12·6	65	39	5	14	–	–	–	–	–	1	–	–	3	5	12	–	‡ WILLESDEN.
‡ HORNSEY	94,348	9·9	9·4	11·6	11·6	27	21	1	11	–	–	–	–	–	1	–	–	–	–	9	–	‡ HORNSEY.
‡ TOTTENHAM	141,338	9·2	13·7	5·5	10·0	70	27	7	11	–	–	–	–	–	1	–	–	1	4	12	–	‡ TOTTENHAM.
‡ EDMONTON	70,711	8·8	8·1	11·8	10·3	34	14	3	4	–	–	–	–	–	–	–	–	1	4	8	–	‡ EDMONTON.
‡ ENFIELD	58,442	6·2	6·2	8·0	10·7	14	12	1	5	–	–	–	–	–	–	–	–	–	1	3	–	‡ ENFIELD.
‡ WEST HAM	287,966	11·6	14·8	9·2	13·8	153	76	14	24	–	–	–	1	–	2	4	1	3	6	26	–	‡ WEST HAM.
‡ EAST HAM	144,451	6·5	7·6	11·9	10·1	66	28	–	6	–	–	–	–	–	–	–	1	–	4	9	–	‡ EAST HAM.
‡ LEYTON	123,896	6·3	11·4	13·5	10·5	45	25	3	5	–	–	–	–	–	–	1	–	1	2	10	–	‡ LEYTON.
‡ WALTHAMSTOW	127,684	3·7	7·4	9·0	9·8	60	24	2	8	–	–	–	–	–	1	1	1	–	–	5	–	‡ WALTHAMSTOW.
‡ ILFORD	79,524	5·9	3·9	7·9	7·2	18	11	–	6	–	–	–	–	–	–	–	–	2	3	1	–	‡ ILFORD.
GILLINGHAM	43,501	10·8	7·2	9·6	15·6	22	13	3	2	–	–	–	–	–	1	–	–	1	2	4	–	GILLINGHAM.
HASTINGS	57,674	13·6	19·9	14·5	21·7	26	24	1	12	–	–	–	–	1	1	–	–	1	1	6	–	HASTINGS.
EASTBOURNE	48,424	9·7	9·7	8·6	10·8	16	10	–	4	–	–	–	–	–	–	–	1	–	–	2	–	EASTBOURNE.
BRIGHTON	132,409	7·9	8·3	16·5	13·0	72	33	6	13	–	–	1	–	–	–	1	–	3	7	14	–	BRIGHTON.
PORTSMOUTH	224,846	11·4	14·1	7·2	10·7	105	46	3	16	–	–	–	–	–	3	–	1	1	1	17	–	PORTSMOUTH.
BOURNEMOUTH	82,627	12·0	10·1	10·1	12·0	25	19	–	11	–	–	–	–	–	–	–	–	–	–	2	–	BOURNEMOUTH
SOUTHAMPTON	126,033	10·8	5·4	9·9	14·1	49	34	2	15	–	–	–	–	–	–	1	–	1	2	12	–	SOUTHAMPTON.
READING	91,365	6·3	10·8	7·4	14·3	39	25	2	10	–	–	–	–	–	–	–	–	1	1	12	1	READING.
OXFORD	57,666	9·0	9·9	7·2	10·9	16	12	1	6	–	–	–	–	–	–	–	–	1	3	2	–	OXFORD.
NORTHAMPTON	88,944	6·4	10·6	8·2	10·0	34	17	5	5	–	–	–	–	–	–	1	–	–	1	4	–	NORTHAMPTON.
CAMBRIDGE	57,849	8·1	9·0	9·0	5·4	20	6	1	3	–	–	–	–	–	–	–	–	–	–	1	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 2 (*cont.*): 96 GREAT TOWNS, GREATER LONDON, AND FOUR SCOTTISH TOWNS.† BIRTHS AND DEATHS REGISTERED, AND DEATH-RATES in the Week ended Saturday, 13th November 1920, and DEATH-RATES in each of the preceding three Weeks.

† These towns are included within the area of Greater London.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 23rd Oct., 1920.	30th Oct., 1920	6th Nov., 1920.	13th Nov., 1920.	Week ended 13th Nov., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	6·2	6·8	9·3	19·2	26	31	5	12	–	–	–	–	–	1	–	1	2	2	10	2	Southend on Sea.
Ipswich	78,011	8·7	8·7	12·0	14·7	40	22	1	14	–	–	–	–	–	–	–	–	–	2	3	–	Ipswich.
Great Yarmouth	53,078	12·8	10·8	9·8	11·8	30	12	4	3	–	–	–	–	–	–	–	–	–	–	3	–	Great Yarmouth.
Norwich	119,993	9·1	13·0	9·6	11·7	52	27	2	14	–	–	–	–	–	–	–	1	3	3	7	–	Norwich.
Swindon	51,527	16·2	12·1	12·1	13·2	20	13	–	7	–	–	–	–	–	–	–	–	–	–	2	–	Swindon.
Exeter	59,014	10·6	12·4	9·7	15·0	23	17	–	10	–	–	–	–	–	–	–	1	1	2	2	–	Exeter.
Plymouth	181,967	8·6	13·2	11·5	13·2	101	46	6	20	–	–	–	–	–	–	–	–	4	5	8	–	Plymouth.
Bath	65,919	13·4	13·4	10·3	10·3	27	13	–	9	–	–	–	–	–	–	–	–	1	2	–	–	Bath.
Bristol	361,247	10·8	13·0	12·0	13·7	158	95	6	44	–	–	–	–	–	–	2	1	3	10	24	–	Bristol.
Gloucester	50,100	9·4	6·2	8·3	19·8	17	19	2	12	–	–	–	–	–	–	1	–	–	2	6	–	Gloucester.
Stoke on Trent	239,316	12·9	12·9	14·4	12·6	128	58	8	13	–	–	–	–	–	1	6	–	2	3	15	1	Stoke on Trent.
Wolverhampton	98,403	13·8	10·6	8·5	12·2	42	23	3	9	–	–	–	–	–	–	1	1	1	2	7	–	Wolverhampton.
Walsall	92,724	11·2	9·6	11·8	9·6	47	17	3	4	–	–	–	–	1	–	1	–	–	1	1	–	Walsall.
West Bromwich	69,899	11·2	16·4	18·6	11·9	37	16	3	4	–	–	–	–	–	–	–	–	1	1	4	–	West Bromwich.
Dudley	54,017	16·4	10·6	13·5	11·6	26	12	1	6	–	–	–	–	–	–	–	–	–	1	1	–	Dudley.
Birmingham	861,585	13·3	11·5	11·4	14·5	416	240	42	81	–	–	9	2	1	4	3	1	5	5	81	10	Birmingham.
Smethwick	72,152	9·4	10·1	4·3	6·5	44	9	5	3	–	–	1	–	–	–	–	–	1	1	1	–	Smethwick.
Coventry	132,048	11·5	7·1	8·7	9·5	58	24	5	11	–	–	–	1	–	–	–	–	1	1	3	–	Coventry.
Leicester	236,059	10·6	8·6	10·2	14·6	111	66	13	24	–	–	–	–	–	–	2	–	5	6	24	–	Leicester.
Lincoln	60,581	10·3	6·0	12·9	11·2	27	13	1	5	–	–	–	–	–	–	–	–	1	1	4	–	Lincoln.
Grimsby	78,813	12·6	15·2	16·5	15·2	51	23	5	9	–	–	–	–	–	1	–	–	–	2	4	–	Grimsby.
Nottingham	257,573	13·0	13·4	10·7	12·6	109	62	7	20	–	–	–	–	–	2	2	–	2	5	24	–	Nottingham.
Derby	123,930	7·6	10·9	10·1	13·0	48	31	6	12	–	–	–	–	–	–	–	–	2	3	13	–	Derby.

* *See* note † on first page of this return.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 13th November, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 23rd Oct., 1920.	30th Oct., 1920.	6th Nov., 1920.	13th Nov., 1920.	Week ended 13th Nov., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	12·9	14·9	13·3	16·2	50	39	5	12	–	–	–	1	–	1	–	–	–	3	9	–	STOCKPORT.
BIRKENHEAD	148,052	13·0	11·6	14·1	13·0	68	37	6	12	–	–	–	–	–	–	4	–	2	3	13	–	BIRKENHEAD.
WALLASEY	95,424	5·5	8·2	9·3	10·9	36	20	4	4	–	–	–	–	1	–	–	–	–	1	5	–	WALLASEY.
LIVERPOOL	772,665	13·0	12·6	12·9	16·7	387	248	54	68	1	–	–	–	–	6	7	2	10	19	105	3	LIVERPOOL.
BOOTLE	76,962	10·2	11·5	12·9	9·5	37	14	2	6	–	–	–	–	–	–	–	–	1	1	5	1	BOOTLE.
ST. HELENS	100,805	10·9	10·9	12·9	10·9	59	21	8	3	–	–	–	–	–	–	2	–	1	1	3	3	ST. HELENS.
SOUTHPORT	70,144	6·7	16·4	11·9	8·9	25	12	1	6	–	–	–	–	–	–	–	–	–	–	2	–	SOUTHPORT.
WIGAN	87,384	15·5	16·1	15·5	13·7	44	23	7	3	–	–	–	–	–	–	–	2	–	–	2	–	WIGAN.
WARRINGTON	74,952	19·5	10·4	12·5	11·1	46	16	5	4	–	–	1	–	–	–	–	–	–	–	5	2	WARRINGTON.
BOLTON	177,462	12·3	12·3	17·9	14·7	74	50	7	16	–	–	–	–	–	–	–	1	3	5	15	–	BOLTON.
BURY	54,248	14·4	14·4	12·5	12·5	17	13	3	2	–	–	–	–	1	–	–	–	–	–	3	–	BURY.
MANCHESTER	741,068	10·6	13·4	12·5	13·1	327	186	41	50	–	–	–	1	–	1	–	–	9	12	52	2	MANCHESTER.
SALFORD	226,225	10·4	13·8	13·4	11·8	95	51	14	14	–	–	–	–	–	–	3	–	2	6	14	–	SALFORD.
OLDHAM	137,668	13·3	12·5	16·3	14·0	39	37	6	14	–	–	–	–	–	1	1	–	2	2	8	–	OLDHAM.
ROCHDALE	90,051	11·0	9·3	14·5	15·6	33	27	2	8	–	–	–	–	–	2	–	1	2	3	4	1	ROCHDALE.
BURNLEY	101,005	12·9	13·4	17·0	12·9	34	25	4	6	–	–	1	–	–	–	–	–	1	3	10	–	BURNLEY.
BLACKBURN	125,992	12·8	8·3	14·9	12·0	65	29	7	11	–	–	–	–	–	–	–	–	2	2	4	2	BLACKBURN.
PRESTON	117,277	12·4	12·4	15·1	12·4	47	28	4	8	–	–	–	–	–	–	–	–	2	2	5	–	PRESTON.
BLACKPOOL	67,842	18·4	8·5	16·1	13·1	23	17	1	7	–	–	–	–	–	–	–	–	–	–	6	–	BLACKPOOL.
BARROW IN FURNESS	73,627	6·4	10·6	14·2	12·0	27	17	3	4	–	–	–	–	–	–	1	1	2	2	6	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	8·8	9·8	15·8	13·0	39	28	2	13	–	–	–	–	–	–	–	–	3	4	4	–	HUDDERSFIELD.
HALIFAX	101,791	9·7	11·8	8·7	15·9	34	31	4	13	–	–	–	–	–	–	–	–	–	–	9	–	HALIFAX.
BRADFORD	282,714	12·0	11·6	12·7	13·5	118	73	9	25	–	–	–	2	1	1	1	1	3	3	27	–	BRADFORD.
LEEDS	431,999	10·5	11·8	11·5	13·3	190	110	20	36	–	–	–	–	–	1	3	2	4	10	30	–	LEEDS.
DEWSBURY	52,969	13·8	11·8	14·8	16·7	31	17	3	6	–	–	–	–	–	1	2	–	–	1	4	–	DEWSBURY.
WAKEFIELD	49,208	12·7	14·8	10·6	12·7	24	12	–	3	–	–	–	–	–	–	1	1	1	1	2	–	WAKEFIELD.
BARNSLEY	51,680	15·1	14·1	7·1	16·1	30	16	2	4	–	–	–	–	–	–	–	–	1	2	1	–	BARNSLEY.

* See note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes. Week ended 23rd Oct., 1920.	30th Oct., 1920.	6th Nov., 1920.	13th Nov., 1920.	Week ended 13th Nov., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	3.	4.	5.	2.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	10·7	12·5	11·4	12·1	198	110	20	29	–	–	4	–	–	1	6	2	6	10	42	–	Sheffield.
Rotherham	69,034	11·3	12·8	3·8	14·4	36	19	4	3	–	–	–	–	–	–	1	–	–	–	5	1	Rotherham.
York	74,531	10·5	14·0	11·9	12·6	36	18	3	5	–	–	–	–	–	–	1	–	–	1	6	–	York.
Hull	279,664	14·0	10·6	14·4	11·9	125	64	17	19	–	–	–	–	–	1	5	2	1	4	25	–	Hull.
Middlesbrough	127,142	15·6	18·0	12·7	11·9	83	29	9	8	–	–	–	–	–	–	3	–	–	1	4	2	Middlesbrough.
Darlington	64,058	10·6	15·5	13·0	10·6	28	13	3	7	–	–	–	–	–	–	–	–	–	–	3	–	Darlington.
Stockton on Tees	60,696	21·5	10·3	24·1	17·2	37	20	2	8	–	–	–	–	–	–	–	–	–	1	1	–	Stockton on Tees.
West Hartlepool	65,515	11·9	10·3	12·7	11·1	41	14	1	7	–	–	–	–	–	–	–	–	1	1	1	–	West Hartlepool.
Sunderland	149,263	12·2	12·2	11·5	13·3	83	38	8	13	–	–	–	–	–	–	3	–	3	5	9	–	Sunderland.
South Shields	111,502	13·6	12·2	23·4	15·9	57	34	7	12	–	–	–	–	1	–	1	1	1	1	7	2	South Shields.
Gateshead	123,392	13·1	16·5	11·4	14·8	60	35	8	9	–	–	1	2	–	–	1	–	1	1	4	–	Gateshead.
Newcastle on Tyne.	275,099	10·8	14·8	12·9	12·5	113	66	12	21	–	–	2	–	–	1	–	–	3	7	18	–	Newcastle on Tyne.
Tynemouth	58,007	16·2	14·4	17·1	14·4	39	16	5	5	–	–	–	–	–	–	1	–	1	3	3	–	Tynemouth.
Carlisle	55,198	12·3	11·3	8·5	16·1	24	17	3	9	–	–	–	–	–	1	–	–	–	–	3	1	Carlisle.
Newport (Mon.)	87,251	9·0	10·8	6·6	12·5	45	21	3	7	–	–	–	–	–	1	–	1	1	1	5	–	Newport (Mon.).
Cardiff	204,436	9·9	9·7	7·9	9·7	81	38	12	11	1	–	–	1	–	1	–	–	3	4	8	–	Cardiff.
Rhondda	177,911	10·8	10·3	12·3	11·7	70	40	6	5	–	–	2	3	–	1	–	–	–	–	3	–	Rhondda.
Merthyr Tydfil	71,638	14·6	13·1	12·4	17·5	30	24	3	3	–	–	–	1	–	–	1	–	–	–	5	–	Merthyr Tydfil.
Aberdare	51,384	10·1	10·1	11·2	6·1	22	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–	Aberdare.
Swansea	160,810	7·5	9·1	11·7	11·0	61	34	5	10	–	–	–	–	–	–	–	–	2	2	4	–	Swansea.
Greater London	7,259,388	9·4	10·9	10·7	13·3	3199	1856	196	724	–	–	2	10	2	34	38	18	62	150	725	2	Greater London.
Outer Ring	2,901,079	8·3	9·7	9·2	11·0	1142	612	66	238	–	–	–	3		8	9	4	19	52	195	–	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	8·3	10·1	10·0	11·2	675	358	46	132	–	–	–	2	–	6	8	3	11	33	117	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·3	9·1	8·2	10·7	467	254	20	106	–	–	–	1	–	2	1	1	8	19	78	–	Remainder of Outer Ring.
Edinburgh†	342,300	10·8	10·5	13·6	15·3	137	100	11	41	–	–	–	1	1	1	–	–	2	?	?	?	Edinburgh.†
Glasgow†	1,115,500	12·7	16·2	16·3	15·0	553	319	74	74	–	–	1	2	3	7	7	2	9	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	15·1	13·9	14·7	16·8	245	134	28	30	–	–	–	–	1	2	3	1	6	4	58	5	Dublin (Registration Area).†
Belfast†	413,000	13·4	11·2	12·6	14·1	256	112	24	21	–	–	–	2	–	3	5	1	1	3	25	3	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE **2.** LONDON.—**Births** and **Deaths** registered during the FORTY-FIFTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2243	2148	2320	2185	2088	1773	2117	1595	1354	2216	2057
Males	1136	1089	1156	1112	1086	906	991	830	673	1161	1044
Females	1107	1059	1164	1073	1002	867	1126	765	681	1055	1013
Deaths (of residents only).	1417	1108	1253	1128	1154	1494	1125*	1012*	4290*	1165*	1244*
Males		558	631	579	583	778	592	528	1913	627	648
Females		550	622	549	571	716	533	484	2377	538	596

* Deaths in civilian population only.

TABLE **3.** LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.
Births (as registered)	2075	2294	2134	2219	1876	2093	2165	2207	2036	2142	2284	1927	2057
Deaths (of residents only).	815	813	809	831	821	825	861	874	815	851	983	982	1244
Ages at Death: Under 1 year	132	132	122	159	148	137	142	138	124	142	151	127	130
1–2 years	11	13	16	16	12	9	8	16	14	14	11	19	33
2–5 "	18	19	20	12	14	21	22	19	26	17	34	21	24
5–10 "	26	18	22	20	24	21	22	27	24	26	23	24	33
10–15 "	14	16	13	13	14	14	15	13	14	13	13	12	15
15–20 "	17	13	12	17	8	18	18	22	12	18	18	22	26
20–25 "	22	29	23	21	23	17	16	16	17	18	16	18	19
25–35 "	42	44	44	41	32	41	38	62	47	52	56	54	58
35–45 "	72	72	77	60	71	59	57	76	51	70	80	80	107
45–55 "	89	90	102	92	106	94	117	114	98	104	109	110	139
55–65 "	128	120	113	99	121	113	119	100	123	110	142	159	174
65–75 "	125	133	125	129	139	153	151	142	129	124	170	155	243
75 years and upwards	119	114	120	152	109	128	136	129	136	143	160	181	243
Deaths from—													
Enteric fever	1	–	1	–	1	–	2	2	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	3	1	5	3	2	–	1	4	–	1	2	2
Scarlet fever	–	5	2	5	2	1	11	3	2	6	3	3	7
Whooping cough	3	5	2	3	3	1	3	2	4	2	4	2	2
Diphtheria	15	15	13	14	15	22	18	17	14	14	18	25	26
Diarrhœa and enteritis (under 2 years).	30	38	34	43	46	39	33	50	35	36	34	26	29
Pulmonary tuberculosis	66	86	78	57	79	69	78	86	73	97	103	100	124
Influenza	3	5	–	2	7	6	5	5	3	8	5	12	14
Pneumonia (all forms)	38	28	48	45	47	53	51	58	34	48	60	59	88
Bronchitis	30	33	33	32	33	52	39	39	39	37	58	78	157
Other dis. of resp. system	11	6	11	13	14	11	10	11	11	4	13	12	27
Dis. of circ. system	161	157	167	149	133	148	159	147	153	161	173	179	229
Violence	49	45	39	36	30	35	33	34	46	40	36	31	43
Inquest cases	92	91	71	76	76	80	79	84	90	84	84	85	98
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	21	17	18	22	16	15	14	14	16	20	19	21	14
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	32	27	27	23	22	19	18	26	27	22	24	24	21
Scarlet fever	2150	2266	2402	2635	2953	3305	3717	4121	4534	4859	5167	5373	5512
Whooping cough	21	21	23	22	19	20	20	23	26	27	28	25	26
Diphtheria	1362	1391	1404	1482	1591	1700	1778	1884	1975	2113	2301	2353	2474

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE **3A.** **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.
Deaths from Influenza	16	20	17	20	28	18	27	33	34	30	35	29	42

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-FIFTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 45th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1165	1244	130	33	24	33	15	26	19	58	107	139	174	243	243
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	7	–	2	1	4	–	–	–	–	–	–	–	–	–
Whooping cough	7	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	17	26	1	4	5	11	5	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	18	14	1	–	–	1	–	1	–	–	1	1	4	2	3
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other epidemic diseases	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Pyæmia and septicæmia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	105	124	–	–	1	–	1	10	11	20	32	29	12	6	2
Tuberculous meningitis	9	8	1	2	1	1	–	1	–	1	–	1	–	–	–
Abdominal tuberculosis	4	2	–	–	–	–	–	–	–	–	1	–	–	–	1
Tuberculosis of the spine	1	4	–	–	1	–	–	2	–	–	–	–	1	–	–
Tuberculosis of the joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	1	2	–	–	–	–	–	–	1	1	–	–	–	–	–
Disseminated tuberculosis	8	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Venereal diseases	10	10	5	–	–	–	–	–	–	2	1	1	1	–	–
Cancer	108	129	–	–	–	–	1	–	–	1	12	19	37	39	20
Tumour, situation undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	4	3	–	–	–	–	1	1	–	–	–	–	–	–	1
Diabetes	11	7	–	–	–	–	–	–	–	–	1	1	3	2	–
Anæmia, leucocythaemia	6	5	–	–	–	–	–	–	–	1	–	–	3	1	–
Other general diseases	12	11	–	1	–	–	–	–	–	–	–	1	4	4	1
Alcoholism	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	3	2	–	–	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	35	51	–	–	–	–	–	–	–	–	4	5	9	18	15
Softening of brain	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis, without specified cause	4	6	–	–	–	–	–	–	–	–	1	–	1	2	2
Epilepsy	6	3	–	–	–	1	–	–	–	1	–	–	–	–	1
"Convulsions" (not puerperal)	4	4	4	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	21	27	2	1	–	–	–	–	–	3	5	7	1	5	3
Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	6	14	–	–	–	–	2	1	–	1	6	2	1	–	1
Organic disease of heart	161	168	–	–	–	3	3	3	1	6	5	20	33	47	47
Embolism and thrombosis (including cerebral).	6	8	–	–	–	–	–	–	–	1	–	–	–	3	4
Other diseases of circulatory system.	49	39	–	1	–	–	–	–	–	–	2	–	5	14	17
Diseases of the larynx	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	114	157	3	1	1	–	–	–	–	–	3	17	21	54	57
Broncho-pneumonia	21	38	16	9	1	–	–	–	–	1	1	3	2	2	3
Lobar pneumonia	34	30	–	2	1	1	–	1	–	1	5	5	5	6	3
Pneumonia (type not distinguished)	28	20	1	1	3	2	–	1	1	2	3	1	2	2	1
Pleurisy	2	3	–	–	–	–	–	–	–	–	–	–	2	1	–
Pulmonary congestion, Pulmonary apoplexy.	6	6	1	–	–	–	–	–	–	1	–	–	2	–	2
Other diseases of respiratory system.	9	17	–	–	–	–	–	–	–	1	4	3	3	5	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTY-FIFTH Week of the Year 1920.

Causes of Death.	Deaths in the 45th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	–	3	–	–	–	2	1	–	–	–	–	–	–	–	–
Diseases of stomach	10	7	2	–	–	–	–	–	–	–	2	–	1	1	1
Diarrhœa and enteritis	35	37	25	4	3	–	–	–	–	–	–	3	2	–	–
Appendicitis and typhlitis	10	6	–	–	–	2	–	1	–	1	2	–	–	–	–
Hernia and Intestinal obstruction.	7	13	2	–	–	–	–	–	–	2	2	4	–	2	1
Cirrhosis of liver	5	6	–	–	–	–	1	–	–	–	–	1	1	1	2
Other diseases of liver	6	5	–	–	1	–	–	–	–	1	–	–	1	–	2
Peritonitis (cause unknown)	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	6	5	2	–	–	–	–	–	–	–	1	–	–	–	2
Acute nephritis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	26	33	–	–	–	–	–	1	–	2	4	7	6	8	5
Urinary calculi	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	11	15	–	–	–	–	–	–	1	–	–	–	5	3	6
Puerperal fever, &c.	7	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth.	4	4	–	–	–	–	–	–	1	2	1	–	–	–	–
Diseases of skin and cellular tissues.	4	7	–	–	–	–	–	–	–	1	–	2	–	1	3
Diseases of locomotor system	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	11	6	5	–	1	–	–	–	–	–	–	–	–	–	–
Premature birth	35	31	31	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	17	11	11	–	–	–	–	–	–	–	–	–	–	–	–
Old age	52	39	–	–	–	–	–	–	–	–	–	–	–	8	31
ACCIDENT.															
Poisons or poisonous vapours	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–
Conflagration	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Burns and scalds	8	6	1	3	–	1	–	–	–	–	–	–	–	–	1
Drowning	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Suffocation in bed	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	25	21	–	–	2	3	–	1	–	2	3	1	4	2	3
Total deaths from accident	40	33	3	3	2	4	–	2	–	2	3	3	4	2	5
Included in above are deaths in connection with:—															
Railways	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	10	–	–	–	3	–	–	–	1	2	1	1	2	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Suicide	9	9	–	–	–	–	–	–	2	1	2	2	–	2	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	9	8	7	–	–	–	–	–	–	1	–	–	–	–	–
Ill-defined Causes	2	2	–	1	–	–	–	–	1	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Nov. 13	2,057	1,244	14·9	–	–	2	7	2	26	29	14
CALCUTTA	896,067	Oct. 9	–	572§	33·1	?	–	?	?	?	?	?	46
BOMBAY	979,445	„ 9	493	998§	53·0	4	–	–	–	1	–	62	16
MADRAS	518,660	„ 2	527	396	39·7	2	2	–	?	4	–	31	6
PARIS	2,847,229	(10 days) Sept. 30	1,386	930	?	4	–	–	1	–	4	42	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	331,714	Oct. 30	112	64	10·2	–	–	3	–	–	2	7	–
AMSTERDAM	653,483	„ 30	247	116	9·3	4	–	2	–	–	2	–	–
COPENHAGEN	571,000	„ 30	259	120	11·0	1	–	–	1	–	1	1	–
STOCKHOLM	415,201	„ 23	127	89	11·1	1	–	–	–	–	–	–	–
GOTHENBURG	200,578	„ 23	–	39	10·1	–	–	–	–	–	1	–	–
CHRISTIANIA	260,904	„ 30	87	55	11·0	–	–	–	–	–	–	1	–
BERLIN	1,904,590	„ 23	561	445	12·1	–	?	–	1	–	5	14	3
BRESLAU	531,347	„ 23	241	168	16·4	–	?	–	1	–	–	5	–
COLOGNE	642,899	„ 23	279	174	14·1	1	?	1	–	3	–	13	?
DRESDEN	537,127	„ 23	211	90	8·7	–	?	–	–	–	2	1	?
FRANKFORT-ON-MAIN.	435,103	„ 23	162	77	9·2	–	?	–	–	–	–	1	?
HAMBURG	1,002,933	„ 23	332	227	11·8	1	?	–	1	–	4	2	?
LEIPZIG	610,686	„ 23	247	133	11·3	1	?	–	1	1	1	5	?
MUNICH	647,030	„ 23	222	140	11·3	1	?	–	–	–	1	9	?
VIENNA	1,842,005	„ 23	451	544	15·4	7	–	–	2	–	6	15	1
PRAGUE	524,496	„ 9	187	162	16·1	–	–	–	1	–	2	7	–
BUDAPEST	1,071,492	Aug. 14	447	289	14·0	2	–	1	7	1	1	34	–
TRIESTE	239,866	Oct. 30	–	–	–	–	–	–	–	–	–	–	–
CAIRO	761,300	Aug. 19	678	759	51·8	6	–	13	1	?	3	167	?
ALEXANDRIA	445,700	„ 19	334	317	37·0	2	–	1	–	?	–	56	?
NEW YORK	6,141,445	Oct. 16	2,387	1,080	9·2	3	–	–	4	10	7	50	2
CHICAGO	2,727,504	„ 23	–	492	9·4	1	–	–	1	–	9	51	1

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including from *Asiatic cholera*, 17 deaths in Calcutta and 1 in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 13th November, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (Greenwich)	57	29	54·4	38·4	1	BRADFORD	55	41	53·0	45·6	4
BRIGHTON	56	36	54·7	42·6	3	SHEFFIELD	59	39	54·4	45·0	2
PORTSMOUTH	56	35	54·9	43·3	1	YORK (Museum)	57	38	53·4	44·6	3
NORWICH (Eaton)	56	31	53·3	37·3	0	HULL (Pearson Park)	58	38	54·6	42·4	1
PLYMOUTH	62	39	57·3	42·7	3	TYNEMOUTH	58	40	53·7	45·6	7
BRISTOL (Clifton)	55	34	52·7	42·9	3	CARDIFF	56	34	53·9	44·7	6
BIRMINGHAM	56	37	53·7	43·1	3	EDINBURGH	58·0	40·0	54·0	46·0	17
NOTTINGHAM	58	28	54·6	36·0	0·4	GLASGOW	55·0	40·6	52·9	46·5	35
BIRKENHEAD (Bidston)	58	40	54·6	45·3	3	DUBLIN:— Phœnix Park	58·6	39·0	55·6	45·9	11
MANCHESTER	58	39	54·0	43·4	6	†Fitzwilliam Square	59·0	42·2	55·6	47·8	8
BURNLEY	55	40	51·9	44·4	14	BELFAST	57·0	38·0	54·3	47·7	7
HUDDERSFIELD	56	40	52·4	44·9	5						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 13th November 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface 5 inches above the Ground.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - - 7	..	30·117	51·8	32·9	18·9	43·9	− 1·5	41·1	2·8	7·0	0·0	90	70·3	29·6	49·7	SW. & calm	SW. & calm	0·4	0·0	0·0	143	−139	0·00
MONDAY - - 8	..	30·281	54·9	36·1	18·8	46·1	+ 1·1	45·2	0·9	5·1	0·4	97	74·5	29·4	49·5	Calm & W.	W. & calm	0·2	0·0	0·0	111	−175	0·00
TUESDAY - - 9	..	30·271	54·7	48·5	6·2	51·4	+ 6·8	46·1	5·3	7·9	1·3	82	61·6	46·2	49·4	SSW. & SW.	SW.	0·5	0·0	0·0	167	−124	0·00
WEDNESDAY - 10	New	30·079	57·0	49·3	7·7	52·0	+ 7·7	46·3	5·7	10·4	0·6	81	70·3	46·3	49·6	SW. & WSW.	SW.	1·3	0·0	0·1	248	− 47	0·01
THURSDAY - - 11	..	30·068	51·0	33·9	17·1	42·2	− 1·8	39·8	2·4	9·9	0·8	91	64·5	27·2	49·2	SW., calm & NW.	Calm & S.	0·9	0·0	0·0	142	−156	0·00
FRIDAY - - 12	..	30·009	54·9	29·2	25·7	43·2	− 0·5	41·0	2·2	7·8	0·0	92	91·6	24·9	49·4	Calm	S.	2·5	0·0	0·1	147	−152	0·00
SATURDAY - - 13	Greatest declination S.	29·814	56·3	42·5	13·8	49·8	+ 6·3	47·3	2·5	4·6	1·8	91	64·6	32·0	49·4	S. & SSW.	SW. & SSW.	3·7	0·0	0·4	354	+ 55	0·01
MEANS - - -	- - -	30·091	54·4	38·9	15·5	46·9	+ 2·6	43·8	3·1	7·5	0·7	89	71·1	33·7	49·5	SSW.		..	..	..	Sum 1312	Sum −738	Sum 0·02
No. of Column - -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. November 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	7	w.P. throughout	0·1	9·3	Overcast with fine intervals: cloudless generally from 22h.
MONDAY -	8	w.P. throughout	2·1	9·2	Nearly overcast till 7h. 30m., becoming overcast 9h. to 10h.; nearly cloudless 10h. to 12h., then becoming overcast by 13h.; misty in morning, foggy in evening.
TUESDAY -	9	w.P. throughout	0·0	9·2	Overcast throughout; misty in early morning; damping about 21h. 30m.
WEDNESDAY -	10	w.P. throughout.	0·4	9·1	Overcast with few exceptions; rain between 20h. and 23h.
THURSDAY -	11	w.P. generally, v.P. 12h. to 15h.	0·2	9·1	Thin cloud prevalent till noon, with overcast periods: little cloud at times till 19h., then cloudless generally; haze and slight fog generally from 9h.
FRIDAY - -	12	w.P. generally, m.P. 12h. to 14h.	3·3	9·0	Cloudless till 7h. 30m., and nearly cloudless 8h. 30m. to 11h. 30m.; overcast about 8h., and nearly overcast 11h. 30m. to 15h.; nearly cloudless 16h. to 22h., then becoming overcast again; hoar frost in morning; foggy 4h. to 9h.
SATURDAY -	13	w.P. throughout	1·3	8·9	Overcast generally till 13h., becoming nearly cloudless by 14h. 30m.; cloudy periods about 19h. and 22h.; brisk wind in early morning; misty rain before noon.
			Sum 7·4	Sum 63·8	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative: w. weak: m. moderate: s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·08 in. at the beginning of the week to 30·34 in. by midnight on 8th; decreased to 29·78 in. by 9h. on 13th; increased to 29·88 in. by 20h., and was 29·86 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 6th November, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	982	-	-	2	3	2	25	26	100	127
Western										
Paddington	20	-	-	-	-	-	-	1	4	2
Kensington	28	-	-	-	-	-	-	3	3	4
Hammersmith	22	-	-	-	1	-	-	-	2	-
Fulham	37	-	-	-	-	-	1	-	4	8
Chelsea	10	-	-	-	-	-	-	-	3	1
City of Westminster	40	-	-	-	-	-	-	-	2	3
Northern.										
St. Marylebone	15	-	-	-	-	-	1	-	-	3
Hampstead	13	-	-	-	-	-	-	-	-	1
St. Pancras	50	-	-	-	-	-	-	-	6	4
Islington	85	-	-	-	1	1	8	3	5	5
Stoke Newington	14	-	-	-	-	-	-	-	1	-
Hackney	48	-	-	1	-	-	-	3	3	8
Central.										
Holborn	14	-	-	-	-	-	-	1	1	-
Finsbury	25	-	-	-	-	1	1	-	3	3
City of London	1	-	-	-	-	-	-	-	-	-
Eastern.										
Shoreditch	28	-	-	-	-	-	1	1	2	3
Bethnal Green	22	-	-	-	-	-	-	1	4	3
Stepney	61	-	-	-	-	-	-	1	4	10
Poplar	42	-	-	-	1	-	2	1	5	10
Southern.										
Southwark	48	-	-	-	-	-	2	2	8	7
Bermondsey	30	-	-	-	-	-	1	1	5	7
Lambeth	63	-	-	-	-	-	2	2	9	9
Battersea	53	-	-	1	-	-	2	1	4	16
Wandsworth	70	-	-	-	-	-	2	2	10	6
Camberwell	51	-	-	-	-	-	-	1	5	5
Deptford	20	-	-	-	-	-	-	1	2	2
Greenwich	16	-	-	-	-	-	-	-	1	2
Lewisham	31	-	-	-	-	-	-	-	2	3
Woolwich	25	-	-	-	-	-	2	1	2	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 6th November, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	1	-	-	-	17	8	1	1	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	23	9	-	2	-	-	1	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	48	13	1	2	-	-	2	-	-	-	-	-
Fulham	152,543	-	-	-	-	35	19	1	2	-	1	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	4	6	1	-	-	-	1	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	5	6	1	3	-	1	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	-	-	-	9	3	-	-	-	-	-	-	-	-	-	-
Hampstead	88,012	-	-	-	-	5	2	1	-	-	-	-	-	-	-	-	-
St. Pancras	219,434	1	-	-	-	31	25	3	-	-	-	-	-	-	-	-	-
Islington	323,034	1	1	-	-	38	40	-	6	-	1	-	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	11	2	-	-	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	42	25	2	3	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	4	5	1	1	-	-	1	-	-	-	-	-
Finsbury	75,291	-	-	-	-	20	12	-	-	1	-	1	1	-	-	-	-
City of London	13,893	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	23	6	1	2	-	1	-	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	50	12	3	4	-	-	1	-	-	-	-	-
Stepney	232,506	-	-	-	-	117	20	7	4	1	1	-	-	-	-	-	-
Poplar	153,644	-	-	-	-	72	23	2	2	-	2	2	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	27	12	5	4	-	-	1	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	29	11	-	1	-	-	2	-	-	-	-	-
Lambeth	282,322	-	-	-	-	30	32	3	2	-	1	1	-	-	1	-	-
Battersea	159,316	1	-	-	-	29	19	1	3	-	-	3	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	49	19	7	1	-	-	-	-	1	1	-	-
Camberwell	273,802	1	-	-	-	76	37	3	4	-	-	1	-	2	-	-	-
Deptford	111,205	-	1	-	-	28	9	1	-	-	1	1	-	-	-	-	-
Greenwich	98,484	-	1	-	-	14	16	-	1	-	-	-	-	-	-	-	-
Lewisham	167,754	-	-	-	-	22	8	2	-	-	-	1	-	-	-	-	-
Woolwich	136,237	-	-	-	-	20	15	-	2	-	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	5	3	-	-	878	414	47	50	2	9	21	1	3	2	-	-
Ages 0-1		-	-	-	-	12	6	4	1	1	-	21	1	-	-	-	-
„ 1-5		-	-	-	-	166	90	8	1	-	-	-	-	-	-	-	-
„ 5-		-	-	-	-	393	161	5	-	-	-	-	-	-	-	-	-
„ 10-		-	-	-	-	205	82	2	5	1	-	-	-	-	-	-	-
„ 15-		1	-	-	-	54	26	3	3	-	-	-	-	-	-	-	-
„ 20-		-	-	-	-	16	14	2	2	-	2	-	-	-	-	-	-
„ 25-		1	1	-	-	24	20	8	7	-	6	-	-	2	-	-	-
„ 35-		2	2	-	-	8	9	4	8	-	1	-	-	1	2	-	-
„ 45-		-	-	-	-	-	5	2	6	-	-	-	-	-	-	-	-
„ 55-		1	-	-	-	-	-	2	13	-	-	-	-	-	-	-	-
„ 65-		-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 46. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, NOV. 20.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
November 23rd, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,727, and corresponded to an annual rate of 21·7 per 1,000. The deaths* among the civilian population only numbered 4,386, and corresponded to an annual rate of 12·8 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended October 30th, November 6th, and November 13th, the rates had been 11·7, 11·8, and 13·4 respectively. The infant mortality was 87, against 77, 82, and 85 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12785—4 Wt 167–840 625 11/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 18·0 in Gillingham and in Stockton-on-Tees, 18·5 in Middlesbrough, 19·2 in South Shields, 19·4 in West Bromwich, and 20·1 in Southport; from *measles*, 1·7 in Walsall, and 1·9 in Bury; and from *diphtheria*, 1·8 in Enfield and in Newport (Mon.), and 2·4 in Gillingham. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,011 births, corresponding to a rate of 23·1 per 1,000, and 1,138 deaths of civilians, corresponding to a rate of 13·6, as against 11·8, 11·7, and 14·9 per 1,000 in the three weeks ended October 30th, November 6th, and November 13th. The death-rate in the four weeks ended last Saturday averaged 13·0 per 1,000. The infant mortality was 80, against 66, 66, and 63 in the preceding three weeks.

There was one death from *enteric fever*, against 1, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 1, 2, and 2, in the preceding three weeks, were again 2 last week, and were 12 below the average. The deaths from *scarlet fever*, which had been 3, 3, and 7 in the preceding three weeks, were again 7 last week, and were 3 above the average. The deaths from *whooping-cough*, which had been 4, 2, and 2 in the preceding three weeks, were again 2 last week, and were 4 below the average. The deaths from *diphtheria*, which had been 18, 25, and 26 in the preceding three weeks, fell last week to 20, but were 3 above the average; 3 deaths belonged to the Borough of Islington, and 3 to Poplar. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 34, 26, and 29 in the preceding three weeks, fell last week to 24, but were 1 above the average. The deaths from *influenza* numbered 13 as against 5, 12, and 14 in the preceding three weeks and an average of 343.

Different forms of violence caused 38 deaths, all of which were the subject of coroners' inquests. Of these 38 deaths, 7 were cases of suicide, while the remaining 31 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, and 3 to burns or scalds.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 16 cases of enteric fever, 15 of measles, 5,610 of scarlet fever, 25 of whooping-cough, and 2,562 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 1, 5, and 1; of measles, 1 case, against 9, 4, and 0; of scarlet fever, 831 cases, against 922, 811, and 805; of whooping-cough, 2 cases, against 4 1, and 1; and of diphtheria, 375 cases, against 426, 377, and 375 Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended November 13th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 20th November, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes — Week ended 20th Oct. 1920.	6th Nov., 1920.	13th Nov., 1920.	20th Nov., 1920.	Week ended 20th Nov., 1920. — Births.	Deaths.	The Deaths in the Week include — Deaths of — Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from — Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	17,807,258	11·7	11·8	13·4	12·8	7727	4386	675	1499	4	–	31	17	10	64	123	60	132	295	1392	26	96 GREAT TOWNS.
LONDON†	4,358,309	11·8	11·7	14·9	13·6	2011	1138	160	443	1	–	2	7	2	20	24	13	38	87	536	3	LONDON.†
‡ CROYDON	184,239	9·9	12·7	11·3	12·5	74	44	5	15	1	–	–	1	1	1	1	2	–	5	10	–	CROYDON.
‡ WIMBLEDON	59,791	8·7	11·3	15·7	9·6	11	11	1	3	–	–	–	–	–	–	–	–	–	–	4	–	WIMBLEDON.
‡ EALING	73,212	6·4	7·8	8·5	7·1	18	10	–	6	–	–	–	–	–	–	–	1	–	1	3	–	EALING.
‡ ACTON	61,732	12·7	8·4	9·3	9·3	23	11	2	2	–	–	–	–	–	–	–	–	–	–	4	–	ACTON.
‡ WILLESDEN	160,917	8·7	9·4	12·6	17·8	69	55	10	21	–	–	–	–	–	1	3	1	1	3	17	–	WILLESDEN.
‡ HORNSEY	94,343	9·4	11·6	11·6	9·9	23	18	1	9	–	–	–	–	–	–	–	–	–	–	8	–	HORNSEY.
‡ TOTTENHAM	141,338	13·7	5·5	10·0	12·9	59	35	1	10	–	–	–	–	–	2	1	–	1	3	17	–	TOTTENHAM.
‡ EDMONTON	70,711	8·1	11·8	10·3	13·3	32	18	–	6	–	–	2	–	–	–	–	1	–	3	3	–	‡ EDMONTON.
‡ ENFIELD	58,442	6·2	8·0	10·7	10·7	21	12	4	3	–	–	–	–	–	2	–	–	2	2	2	–	ENFIELD.
‡ WEST HAM	287,966	14·8	9·2	13·8	12·9	161	71	13	21	–	–	–	–	–	–	2	–	3	6	32	1	WEST HAM.
‡ EAST HAM	144,451	7·6	11·9	10·1	8·3	56	23	4	10	–	–	–	–	–	1	1	–	–	1	12	–	EAST HAM.
‡ LEYTON	123,896	11·4	13·5	10·5	8·4	28	20	3	7	–	–	–	–	–	–	–	1	1	2	2	–	LEYTON.
‡ WALTHAMSTOW	127,684	7·4	9·0	9·8	10·2	50	25	3	8	–	–	–	–	–	–	1	–	2	4	7	–	WALTHAMSTOW.
‡ ILFORD	79,524	3·9	7·9	7·2	9·2	28	14	3	6	–	–	–	–	–	–	–	–	–	–	3	–	ILFORD.
GILLINGHAM	43,501	7·2	9·6	15·6	18·0	18	15	1	5	–	–	–	–	–	2	–	–	–	–	5	–	GILLINGHAM.
HASTINGS	57,674	19·9	14·5	21·7	10·8	18	12	1	9	–	–	–	–	–	–	–	–	–	–	1	–	HASTINGS.
EASTBOURNE	48,424	9·7	8·6	10·8	9·7	17	9	–	5	–	–	–	–	–	1	–	–	–	–	2	–	EASTBOURNE.
BRIGHTON	132,409	8·3	16·5	13·0	11·0	54	28	1	11	–	–	–	–	–	–	–	–	1	3	14	–	BRIGHTON.
PORTSMOUTH§	224,846	14·1	7·2	10·7	11·8	96	51	5	21	–	–	–	–	–	1	–	2	1	1	19	–	PORTSMOUTH.§
BOURNEMOUTH	82,627	10·1	10·1	12·0	9·5	28	15	1	4	–	–	–	–	–	–	–	–	1	1	–	–	BOURNEMOUTH
SOUTHAMPTON¶	126,033	5·4	9·9	14·1	10·8	44	26	3	11	–	–	–	–	–	2	–	–	2	4	7	–	SOUTHAMPTON.¶
READING	91,365	10·8	7·4	14·3	12·6	28	22	4	12	–	–	–	–	–	–	–	1	–	–	1	–	READING.
OXFORD	57,666	9·9	7·2	10·9	6·3	16	7	–	4	–	–	–	–	–	–	–	–	–	1	–	–	OXFORD.
NORTHAMPTON	88,944	10·6	8·2	10·0	12·9	38	22	2	11	–	–	–	–	–	1	–	–	–	–	5	–	NORTHAMPTON.
CAMBRIDGE	57,849	9·0	9·0	5·4	12·6	23	14	–	8	–	–	–	–	–	–	–	–	1	1	6	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE 2 (*cont.*). 55 GREAT TOWNS,

in the Week ended Saturday, 20th November 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 30th Oct., 1920.	6th Nov., 1920.	13th Nov., 1920.	20th Nov., 1920.	Week ended 20th Nov., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	6·8	9·3	19·2	13·7	27	22	1	7	–	–	–	–	–	–	–	–	–	1	2	1	SOUTHEND ON SEA.
IPSWICH	78,011	8·7	12·0	14·7	15·4	32	23	4	7	–	–	–	–	–	–	–	–	1	1	3	–	IPSWICH.
GREAT YARMOUTH	53,078	10·8	9·8	11·8	10·8	19	11	1	8	–	–	–	–	–	–	–	–	–	–	2	–	GREAT YARMOUTH.
NORWICH	119,993	13·0	9·6	11·7	8·3	51	19	2	10	–	–	–	–	–	1	–	–	–	3	8	–	NORWICH.
SWINDON	51,527	12·1	12·1	13·2	12·1	21	12	–	7	–	–	–	–	–	–	–	–	–	–	1	–	SWINDON.
EXETER	59,014	12·4	9·7	15·0	14·1	21	16	2	9	–	–	–	–	–	–	–	–	–	2	4	–	EXETER.
PLYMOUTH	181,967	13·2	11·5	13·2	13·5	58	47	8	17	–	–	–	–	1	–	1	1	–	2	8	–	PLYMOUTH.
BATH	65,919	13·4	10·3	10·3	11·9	23	15	1	11	–	–	–	1	–	–	–	1	–	–	5	–	BATH.
BRISTOL	361,247	13·0	12·0	13·7	11·5	151	80	10	28	–	–	–	–	–	1	–	–	1	5	25	–	BRISTOL.
GLOUCESTER	50,100	6·2	8·3	19·8	15·6	24	15	2	9	–	–	–	–		–	1	–	–	–	4	1	GLOUCESTER.
STOKE ON TRENT	239,316	12·9	14·4	12·6	10·0	137	46	9	15	–	–	–	1	–	–	3	–	1	1	9	–	STOKE ON TRENT.
WOLVERHAMPTON	98,403	10·6	8·5	12·2	9·5	42	18	5	7	–	–	–	–	–	–	–	1	1	2	4	–	WOLVERHAMPTON.
WALSALL	92,724	9·6	11·8	9·6	16·3	42	29	4	9	–	–	3	–	–	1	–	–	2	3	4	–	WALSALL.
WEST BROMWICH	69,899	16·4	18·6	11·9	19·4	40	26	6	10	–	–	1	–	–	–	–	–	1	2	1	1	WEST BROMWICH.
DUDLEY	54,017	10·6	13·5	11·6	14·5	32	15	3	6	–	–	–	–	–	–	1	–	–	–	5	–	DUDLEY.
BIRMINGHAM	861,585	11·5	11·4	14·5	13·1	419	217	31	77	1	–	8	–	–	2	4	2	10	13	80	2	BIRMINGHAM.
SMETHWICK	72,152	10·1	4·3	6·5	5·1	27	7	2	3	–	–	–	–	–	–	1	–	–	–	2	–	SMETHWICK.
COVENTRY	132,048	7·1	8·7	9·5	7·5	53	19	7	6	–	–	–	–	–	–	–	1	–	1	1	–	COVENTRY.
LEICESTER	236,059	8·6	10·2	14·6	13·5	99	61	12	19	–	–	–	–	–	–	4	–	2	6	15	1	LEICESTER.
LINCOLN†	60,581	6·0	12·9	11·2	10·3	26	12	1	6	–	–	–	–	1	–	–	–	–	–	2	1	LINCOLN.†
GRIMSBY	78,813	15·2	16·5	15·2	13·9	28	21	1	7	–	–	–	–	–	–	1	–	1	1	6	–	GRIMSBY.
NOTTINGHAM	257,573	13·4	10·7	12·6	15·0	115	74	11	27	–	–	–	–	–	3	2	2	2	4	25	–	NOTTINGHAM.
DERBY	123,930	10·9	10·1	13·0	8·8	28	21	2	9	–	–	–	–	–	–	–	–	–	–	6	–	DERBY.

* *See* note † on first page of this return.

† As constituted before the extension on 9th November, 1920.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 20th November, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 30th Oct., 1920.	6th Nov., 1920.	13th Nov., 1920.	20th Nov., 1920.	Week ended 20th Nov., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	14·9	13·3	16·2	15·4	45	37	3	14	–	–	–	–	–	1	–	2	1	2	7	–	STOCKPORT.
BIRKENHEAD	148,052	11·6	14·1	13·0	9·9	56	28	4	9	–	–	–	–	–	–	–	–	3	4	9	–	BIRKENHEAD.
WALLASEY	95,424	8·2	9·3	10·9	12·0	34	22	4	9	–	–	–	–	–	1	1	1	–	–	7	–	WALLASEY.
LIVERPOOL	772,665	12·6	12·9	16·7	14·2	385	210	40	57	–	–	–	–	–	–	12	2	8	18	73	2	LIVERPOOL.
BOOTLE	76,962	11·5	12·9	9·5	12·9	45	19	6	6	–	–	–	–	–	–	1	1	1	1	8	–	BOOTLE.
ST. HELENS	100,805	10·9	12·9	10·9	14·5	43	28	7	5	–	–	–	1	–	–	3	1	–	–	7	2	ST. HELENS.
SOUTHPORT	70,144	16·4	11·9	8·9	20·1	28	27	1	7	–	–	–	–	–	–	–	–	–	–	4	1	SOUTHPORT.
WIGAN	87,384	16·1	15·5	13·7	10·7	39	18	5	3	–	–	–	–	–	1	–	–	–	–	3	–	WIGAN.
WARRINGTON	74,952	10·4	12·5	11·1	9·0	32	13	1	5	–	–	1	1	–	–	–	1	2	2	2	–	WARRINGTON.
BOLTON	177,462	12·3	17·9	14·7	14·4	63	49	6	19	–	–	–	–	–	–	1	1	1	3	8	–	BOLTON.
BURY	54,248	14·4	12·5	12·5	9·6	20	10	–	3	–	–	2	–	–	–	–	–	1	1	1	–	BURY.
MANCHESTER	741,068	13·4	12·5	13·1	13·4	331	191	40	54	–	–	–	3	1	5	9	4	4	10	65	1	MANCHESTER.
SALFORD	226,225	13·8	13·4	11·8	14·3	109	62	15	17	1	–	–	–	–	2	3	1	2	6	13	–	SALFORD.
OLDHAM	137,668	12·5	16·3	14·0	15·2	53	40	6	12	–	–	–	–	–	–	–	–	1	1	5	–	OLDHAM.
ROCHDALE	90,051	9·3	14·5	15·6	11·0	19	19	4	3	–	–	–	–	–	–	2	–	–	4	7	–	ROCHDALE.
BURNLEY	101,005	13·4	17·0	12·9	14·5	50	28	3	6	–	–	–	1	–	–	–	1	2	3	10	–	BURNLEY.
BLACKBURN	125,992	8·3	14·9	12·0	8·7	43	21	2	4	–	–	–	–	–	–	1	–	–	1	6	–	BLACKBURN.
PRESTON	117,277	12·4	15·1	12·4	9·3	35	21	2	9	–	–	–	–	–	–	–	–	1	1	5	1	PRESTON.
BLACKPOOL	67,842	8·5	16·1	13·1	9·2	26	12	–	6	–	–	–	–	–	–	–	–	1	1	–	1	BLACKPOOL.
BARROW IN FURNESS	73,627	10·6	14·2	12·0	12·0	25	17	2	3	–	–	–	–	–	–	–	2	2	3	3	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	9·8	15·8	13·0	13·0	32	28	3	8	–	–	–	–	–	1	–	–	1	2	6	–	HUDDERSFIELD.
HALIFAX	101,791	11·8	8·7	15·9	8·7	25	17	1	7	–	–	–	–	–	–	–	–	1	1	5	–	HALIFAX.
BRADFORD	282,714	11·6	12·7	13·5	13·5	88	73	7	20	–	–	–	–	–	–	3	1	–	1	25	–	BRADFORD.
LEEDS	431,999	11·8	11·5	13·3	12·4	177	103	16	35	–	–	–	–	–	2	2	3	3	7	16	–	LEEDS.
DEWSBURY	52,969	11·8	14·8	16·7	12·8	28	13	4	1	–	–	–	–	–	–	2	–	–	–	2	–	DEWSBURY.
WAKEFIELD	49,208	14·8	10·6	12·7	11·7	22	11	1	3	–	–	–	–	–	–	1	–	–	2	1	–	WAKEFIELD.
BARNSLEY	51,680	14·1	7·1	16·1	13·1	34	13	2	4	–	–	–	–	–	–	–	1	–	1	1	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-rates from all Causes. Week ended 30th Oct., 1920.	6th Nov., 1920.	13th Nov., 1920.	20th Nov., 1920.	Week ended 20th Nov., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	12·5	11·4	12·1	10·5	196	95	12	25	–	–	4	–	–	–	3	1	3	11	23	–	Sheffield.
Rotherham	69,034	12·8	3·8	14·4	11·3	26	15	4	3	–	–	–	–	–	–	–	–	–	1	3	1	Rotherham.
York	74,531	14·0	11·9	12·6	16·1	41	23	3	9	–	–	–	–	–	1	–	–	–	1	9	–	York.
Hull	279,664	10·6	14·4	11·9	14·4	128	77	14	19	–	–	–	–	–	1	6	–	3	7	28	–	Hull.
Middlesbrough	127,142	18·0	12·7	11·9	18·5	71	45	17	9	–	–	1	–	–	–	3	–	1	1	9	2	Middlesbrough.
Darlington	64,058	15·5	13·0	10·6	13·0	27	16	3	6	–	–	–	–	–	–	–	–	–	–	4	–	Darlington.
Stockton on Tees	60,696	10·3	24·1	17·2	18·0	31	21	2	2	–	–	1	–	–	–	1	2	–	2	2	–	Stockton on Tees.
West Hartlepool	65,515	10·3	12·7	11·1	17·5	42	22	4	3	–	–	–	–	–	–	–	–	–	–	2	1	West Hartlepool.
Sunderland	149,263	12·2	11·5	13·3	13·3	76	38	8	9	–	–	–	–	–	1	1	–	1	1	11	1	Sunderland.
South Shields	111,502	12·2	23·4	15·9	19·2	72	41	18	7	–	–	–	–	1	1	3	–	1	2	7	–	South Shields.
Gateshead	123,392	16·5	11·4	14·8	17·3	57	41	6	13	–	–	–	–	–	–	2	–	2	1	11	1	Gateshead.
Newcastle on Tyne.	275,099	14·8	12·9	12·5	14·0	136	74	13	26	–	–	2	–	–	1	5	–	–	2	10	–	Newcastle on Tyne.
Tynemouth	58,007	14·4	17·1	14·4	13·5	34	15	2	2	–	–	–	–	–	–	–	–	1	1	4	1	Tynemouth.
Carlisle	55,198	11·3	8·5	16·1	9·4	22	10	4	3	–	–	–	–	–	–	–	–	–	–	2	–	Carlisle.
Newport (Mon.)	87,251	10·8	6·6	12·5	14·9	49	25	4	9	–	–	–	–	–	3	–	1	–	–	6	–	Newport (Mon.).
Cardiff	204,436	9·7	7·9	9·7	9·7	83	38	3	15	–	–	–	–	–	1	2	–	1	5	12	–	Cardiff.
Rhondda	177,911	10·3	12·3	11·7	12·3	63	42	8	7	–	–	3	1	1	–	3	2	5	6	5	–	Rhondda.
Merthyr Tydfil	71,638	13·1	12·4	17·5	15·3	32	21	4	4	–	–	1	–	–	–	1	2	1	2	–	–	Merthyr Tydfil.
Aberdare	51,384	10·1	11·2	6·1	11·2	24	11	3	3	–	–	–	–	–	–	–	–	1	1	1	–	Aberdare.
Swansea	160,810	9·1	11·7	11·0	11·0	71	34	5	11	–	–	–	–	2	–	1	–	1	1	2	–	Swansea.
Greater London	7,259,388	10·9	10·7	13·3	12·5	3107	1743	240	676	3	–	4	10	3	34	39	22	57	135	733	4	Greater London.
Outer Ring	2,901,079	9·7	9·2	11·0	10·9	1096	605	80	233	2	–	2	3	1	14	15	9	19	48	197	1	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	10·1	10·0	11·2	11·5	653	367	50	127	1	–	2	1	1	7	9	6	10	30	124	1	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	9·1	8·2	10·7	10·1	443	238	30	106	1	–	–	2	–	7	6	3	9	18	73	–	Remainder of Outer Ring.
Edinburgh†	342,300	10·5	13·6	15·3	10·7	144	70	13	20	–	–	1	–	2	–	3	–	3	?	?	?	Edinburgh.
Glasgow†	1,115,500	16·2	16·3	15·0	15·1	544	323	82	64	1	–	–	1	8	3	5	2	15	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	13·9	14·7	16·8	19·1	188	152	36	36	–	–	1	–	–	1	9	–	2	2	54	5	Dublin (Registration Area).†
Belfast†	413,000	11·2	12·6	14·1	13·0	192	103	22	26	1	–	–	1	1	–	1	–	4	3	25	3	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FORTY-SIXTH Week of each of the Eleven Years, 1910-1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	2180	2201	2102	1997	2011	1835	1832	1419	1342	2242	2011
Males	1074	1072	1023	987	1007	939	901	756	677	1153	1054
Females	1106	1129	1079	1010	1004	896	931	663	665	1089	957
Deaths (of residents only).	1477	1128	1249	1157	1264	1406	1154*	1014*	3396*	1099*	1138*
Males		585	666	600	656	733	586	542	1551	554	555
Females		543	583	557	608	673	568	472	1845	545	583

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.
Births (as registered)	2294	2134	2219	1876	2093	2165	2207	2036	2142	2284	1927	2057	2011
Deaths (of residents only).	813	809	831	821	825	861	874	815	851	983	982	1244	1138
Ages at Death: Under 1 year	132	122	159	148	137	142	138	124	142	151	127	150	160
1-2 years	13	16	16	12	9	8	16	14	14	11	19	33	19
2-5 "	19	20	12	14	21	22	19	26	17	34	21	24	20
5-10 "	18	22	20	24	21	22	27	24	26	23	24	33	20
10-15 "	16	13	13	14	14	15	13	14	13	13	12	15	22
15-20 "	13	12	17	8	18	18	22	12	18	18	22	26	22
20-25 "	29	23	21	23	17	16	16	17	18	16	18	19	19
25-35 "	44	44	41	32	41	38	62	47	52	56	54	58	51
35-45 "	72	77	60	71	59	57	76	51	70	80	80	107	81
45-55 "	90	102	92	106	94	117	114	98	104	109	110	139	113
55-65 "	120	113	99	121	113	119	100	123	110	142	159	174	168
65-75 "	133	125	129	139	153	151	142	129	124	170	155	243	218
75 years and upwards	114	120	152	109	128	136	129	136	143	160	181	243	225
Deaths from—													
Enteric fever	–	1	–	1	–	2	2	–	–	1	–	–	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	1	5	3	2	–	1	4	–	1	2	2	2
Scarlet fever	5	2	5	2	1	11	3	2	6	3	3	7	7
Whooping cough	5	2	3	3	1	3	2	4	2	4	2	2	2
Diphtheria	15	13	14	15	22	18	17	14	14	18	25	26	20
Diarrhœa and enteritis (under 2 years).	38	34	43	46	39	33	50	35	36	34	26	29	24
Pulmonary tuberculosis	86	78	57	79	69	78	86	73	97	103	100	124	94
Influenza	5	–	2	7	6	5	5	3	8	5	12	14	13
Pneumonia (all forms)	28	48	45	47	53	51	58	34	48	60	59	88	111
Bronchitis	33	33	32	33	52	39	39	39	37	58	78	157	138
Other dis. of resp. system	6	11	13	14	11	10	11	11	4	13	12	27	18
Dis of circ. system	157	167	149	133	148	159	147	153	161	173	179	229	190
Violence	45	39	36	30	35	33	34	46	40	36	31	43	38
Inquest cases	91	71	76	76	80	79	84	90	84	84	85	98	87
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	17	18	22	16	15	14	14	16	20	19	21	14	16
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	27	27	23	22	19	18	26	27	22	24	24	21	15
Scarlet fever	2266	2402	2635	2953	3305	3717	4121	4534	4859	5167	5373	5512	5610
Whooping cough	21	23	22	19	20	20	23	26	27	28	25	26	25
Diphtheria	1391	1404	1482	1591	1700	1778	1884	1975	2113	2301	2353	2474	2562

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.
Deaths from Influenza	20	17	20	28	18	27	33	34	30	35	29	42	60

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-SIXTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 46th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1099	1138	160	19	20	20	22	22	19	51	81	113	168	218	225
Enteric fever	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	7	1	1	2	2	–	1	–	–	–	–	–	–	–
Whooping cough	7	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	24	20	1	1	9	6	3	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	22	13	2	1	–	–	–	–	1	1	1	4	–	2	1
Erysipelas	10	2	1	–	–	–	–	–	–	–	1	–	–	–	–
Other epidemic diseases	6	5	–	–	–	–	–	–	–	1	–	1	–	3	–
Pyæmia and septicæmia	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	87	94	1	1	–	–	2	9	10	25	16	15	10	5	–
Tuberculous meningitis	7	6	2	2	–	–	1	–	–	–	1	–	–	–	–
Abdominal tuberculosis	–	5	1	–	–	1	2	–	–	–	1	–	–	–	–
Tuberculosis of the spine	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Tuberculosis of other organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Venereal diseases	3	6	3	–	–	–	–	–	–	–	–	3	–	–	–
Cancer	95	117	–	–	–	–	1	1	–	1	5	19	30	35	25
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic fever	3	7	–	–	1	–	1	–	1	2	1	1	–	–	–
Diabetes	9	8	–	–	–	–	–	–	–	–	2	1	2	3	–
Anæmia, leucocythaemia	3	3	–	–	–	–	–	–	–	–	–	–	2	1	–
Other general diseases	6	8	–	–	–	1	–	–	–	–	1	–	1	3	2
Alcoholism	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	5	3	–	–	1	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	43	30	–	–	–	–	–	–	–	–	1	3	7	11	8
Softening of brain	2	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Paralysis, without specified cause	6	4	–	–	–	–	–	–	–	–	–	1	–	2	1
Epilepsy	1	5	–	–	–	–	2	–	2	–	1	–	–	–	–
"Convulsions" (not puerperal)	7	8	7	–	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	22	23	–	–	–	–	–	2	–	3	4	5	5	1	3
Pericarditis	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–
Acute endocarditis	7	5	–	–	–	–	–	–	–	–	4	1	–	–	–
Organic disease of heart	139	137	–	–	–	–	1	–	1	3	9	10	33	37	43
Embolism and thrombosis (including cerebral).	9	8	–	–	–	–	–	–	–	1	–	–	1	5	1
Other diseases of circulatory system.	39	38	–	–	–	–	–	–	–	–	1	5	4	9	19
Diseases of the larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	104	138	13	1	–	1	–	2	–	1	7	10	19	36	48
Broncho-pneumonia	30	53	20	9	1	–	–	–	–	–	2	4	7	5	5
Lobar pneumonia	28	28	1	–	2	–	1	1	–	2	7	5	4	4	1
Pneumonia (type not distinguished)	25	30	3	2	1	–	–	–	–	2	3	3	8	5	3
Pleurisy	4	5	–	–	–	–	–	–	–	–	1	–	–	1	3
Pulmonary congestion, Pulmonary apoplexy.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of respiratory system.	9	13	–	–	–	–	1	–	–	–	2	1	2	5	2

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTY-SIXTH Week of the Year 1920.

Causes of Death.	Deaths in the 46th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	4	7	3	–	–	–	–	–	–	–	–	3	1	–	–
Diarrhœa and enteritis	28	26	24	–	–	–	–	–	–	–	1	–	1	–	–
Appendicitis and typhlitis	8	3	–	–	–	–	–	–	1	1	–	–	1	–	–
Hernia and Intestinal obstruction.	7	11	2	–	–	–	1	–	–	–	–	1	3	2	2
Cirrhosis of liver	8	7	–	–	–	–	–	–	–	–	–	1	2	3	1
Other diseases of liver	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Peritonitis (cause unknown)	2	2	–	–	–	–	–	–	–	–	–	1	–	1	–
Other diseases of digestive system	3	2	–	–	–	1	–	–	–	–	–	–	–	1	–
Acute nephritis	3	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Chronic Bright's disease	32	27	–	–	–	–	–	–	–	–	–	7	7	5	8
Urinary calculi	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Ovarian tumour („)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Other diseases of genito-urinary system.	14	20	1	–	–	–	–	–	–	–	1	2	4	9	3
Puerperal fever, &c.	7	5	–	–	–	–	–	–	1	3	1	–	–	–	–
Other causes incident to childbirth.	4	2	–	–	–	–	–	–	1	1	–	–	–	–	–
Diseases of skin and cellular tissues.	5	9	2	–	–	–	–	–	–	–	1	–	2	3	1
Diseases of locomotor system	2	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Congenital malformations	6	4	2	–	–	–	–	1	1	–	–	–	–	–	–
Premature birth	37	34	34	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	18	20	20	–	–	–	–	–	–	–	–	–	–	–	–
Old age	45	49	–	–	–	–	–	–	–	–	–	–	1	9	39
ACCIDENT.															
Poisons or poisonous vapours	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	8	3	–	–	–	1	1	–	–	–	–	–	1	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	18	28	–	–	–	3	–	3	–	2	3	1	5	5	6
Total deaths from accident	36	31	–	–	–	4	1	3	–	2	3	1	6	5	6
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Vehicles and horses	4	11	–	–	–	1	–	3	–	1	2	–	1	2	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	7	–	–	–	–	–	–	–	–	1	4	1	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	22	17	11	–	1	2	2	–	–	1	–	–	–	–	–
Ill-defined Causes	1	3	–	–	–	–	–	–	–	–	1	–	–	2	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Nov. 20	2,011	1,138	13·6	1	–	2	7	2	20	24	13
CALCUTTA	896,067	Oct. 16	–	–	–	–	–	–	–	–	–	–	–
BOMBAY	979,445	„ 16	–	–	–	–	–	–	–	–	–	–	–
MADRAS	518,660	„ 9	481	346§	34·7	2	2	–	?	4	–	33	8
PARIS	2,847,229	(10 days) Oct. 10	1,459	899	?	6	–	1	–	3	3	37	1
		„ 20	1,290	944	?	2	–	–	4	3	5	44	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	331,714	Nov. 6	108	71	11·4	–	–	1	–	–	1	8	1
AMSTERDAM	654,089	„ 6	280	144	11·5	7	–	3	–	–	2	1	–
COPENHAGEN	571,000	„ 6	238	119	10·9	–	–	–	–	1	–	1	–
STOCKHOLM	415,201	Oct. 30	129	82	10·3	2	–	–	–	–	–	–	1
GOTHENBURG	200,578	„ 30	–	41	10·6	–	–	–	–	–	–	3	–
CHRISTIANIA	260,904	Nov. 6	81	33	7·6	–	–	–	–	–	–	–	–
BERLIN	1,904,590	„ 30	–	–	–	–	–	–	–	–	–	–	–
BRESLAU	531,347	„ 30	245	158	15·5	–	?	–	1	1	1	8	1
COLOGNE	642,899	„ 30	303	175	14·2	1	?	5	–	3	–	9	?
DRESDEN	537,127	„ 30	200	107	10·4	–	?	–	1	–	–	1	?
FRANKFORT-ON-MAIN.	435,103	„ 30	155	85	10·2	–	?	–	–	–	1	3	?
HAMBURG	1,002,933	„ 30	384	207	10·7	–	?	1	–	–	1	9	?
LEIPZIG	610,686	„ 30	209	144	12·3	–	?	–	–	–	–	11	?
MUNICH	647,030	„ 30	212	176	14·1	–	?	1	–	3	2	7	?
VIENNA	1,842,005	„ 30	428	498	14·1	6	–	–	1	1	5	15	–
PRAGUE	524,496	„ 16	154	161	16·0	–	–	–	–	–	–	7	–
BUDAPEST	1,071,492	Aug. 21	384	339	16·5	8	–	1	5	2	1	42	2
TRIESTE	239,866	Oct. 30	93	59	12·9	2	–	–	3	–	–	1	–
CAIRO	761,300	Aug. 26	600	567	38·7	8	–	11	–	?	1	84	?
ALEXANDRIA	445,700	„ 26	332	299	34·9	4	–	1	–	?	–	49	?
NEW YORK	6,141,445	Oct. 23	2,397	1,091	9·3	4	–	1	3	8	12	63	5
CHICAGO	2,727,504	„ 30	–	–	–	–	–	–	–	–	–	–	–

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including from *Asiatic cholera*, 2 deaths in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 20th November, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	59	31	52·7	40·7	5
BRIGHTON	57	35	53·4	44·6	12
PORTSMOUTH	58	38	54·6	45·1	12
NORWICH (Eaton)	59	30	51·7	39·0	10
PLYMOUTH	57	34	54·6	46·3	8
BRISTOL (Clifton)	58	36	53·0	43·7	31
BIRMINGHAM	58	36	51·9	39·9	4
NOTTINGHAM	60	32	52·4	38·9	5
BIRKENHEAD (Bidston)	59	40	52·0	44·4	3
MANCHESTER	54	39	52·1	42·7	11
BURNLEY	58	38	50·9	42·3	9
HUDDERSFIELD	59	35	51·9	39·9	29
BRADFORD	52	37	49·9	40·7	24
SHEFFIELD	60	37	51·6	40·6	8
YORK (Museum)	56	35	50·4	40·6	8
HULL (Pearson Park)	45	37	49·4	39·9	3
TYNEMOUTH	59	39	49·6	42·1	9
CARDIFF	58	37	53·4	43·1	31
EDINBURGH	59·0	36·0	52·0	40·6	22
GLASGOW	56·0	35·7	51·8	43·0	38
DUBLIN:— Phœnix Park	60·1	34·5	55·9	44·3	5
†Fitzwilliam Square	–	–	–	–	–
BELFAST	59·0	34·0	54·2	40·5	7

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 20th November 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	14	..	29·741	56·4	42·1	14·3	50·8	+ 7·5	46·1	4·7	8·3	0·0	84	72·8	32·9	49·1	SSW. & SW.	S. & SSW.	16·3	0·0	0·8	480	+183	0·16
MONDAY	15	Apogee	29·524	59·0	50·5	8·5	54·5	+11·4	48·4	6·1	10·9	2·1	80	68·6	43·9	49·3	SSW. & SW.	SW. & WSW.	10·8	0·0	1·5	658	+365	0·06
TUESDAY	16	..	29·852	52·8	42·6	10·2	47·4	+ 4·6	37·9	9·5	12·4	6·2	70	84·5	34·0	49·2	W., WSW. & NW.	NW. & W.	4·0	0·0	0·4	452	+157	0·00
WEDNESDAY	17	..	30·232	49·1	31·5	17·6	40·1	− 2·5	34·6	5·5	11·6	0·0	81	63·6	23·8	49·2	WNW. & NW.	NW. & W.	1·0	0·0	0·1	215	− 79	0·00
THURSDAY	18	First Quarter.	30·242	50·2	31·5	18·7	42·9	+ 0·5	39·6	3·3	6·9	0·0	88	64·0	23·8	49·2	SW.	SSW. & S.	1·2	0·0	0·1	197	− 96	0·01
FRIDAY	19	..	30·179	55·0	39·2	15·8	47·0	+ 4·7	42·5	4·5	8·8	0·9	84	88·4	31·0	49·1	SSW. & SW.	SSW. & calm.	1·1	0·0	0·0	149	−146	0·01
SATURDAY	20	In Equator.	30·233	44·2	31·4	12·8	37·9	− 4·3	37·2	0·7	3·1	0·0	97	55·9	23·9	48·9	Calm	Calm & SE.	0·3	0·0	0·0	89	−207	0·00
MEANS		- - -	30·000	52·4	38·4	14·0	45·8	+ 3·1	40·9	4·9	8·9	1·3	83	71·1	30·5	49·1	SW.		..	..	..	Sum 2240	Sum +177	Sum 0·24
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	14	w.P. throughout	0·1	8·9	Cloudless till 4h., becoming nearly overcast by 6h.: overcast by 16h.; solar halo about noon; rain generally from 20h., with brisk wind.
MONDAY	15	w.P. generally, s.P. generally 16h. to 22h.	0·0	8·8	Overcast till 16h.; few breaks afterwards; damping or slight rain till noon; brisk wind till 19h.
TUESDAY	16	w.P. generally, v.P. 10h. to 16h.	6·5	8·8	Nearly cloudless generally; cloudy periods 11h. to 15h. and after 20h.
WEDNESDAY	17	w.P. generally, v.P. 12h. to 18h.	6·7	8·7	Cloudless generally, but hazy or misty from 9h.; slight fog in evening; hoar frost in morning.
THURSDAY	18	w.P. generally, v.P. 12h. to 18h.	0·3	8·7	Cloudless with hoar frost till 6h. 30m., becoming overcast generally by 7h.; sun generally visible through cloud; solar halo about noon: nearly cloudless from 17h., with cloudy interval 21h. to 22h.; heavy dew at night.
FRIDAY	19	w.P. generally, v.P. 10h. to 17h.	6·3	8·6	Cloudless till 5h.; nearly overcast 6h. to 9h.; cloudless generally soon after 9h., sky becoming veiled after 19h.; heavy dew in morning.
SATURDAY	20	w.P. generally, a little m.P. about 15h.	0·5	8·6	Overcast till 13h. 30m., becoming cloudless but misty by 14h. 30m.; damping and misty rain at times from 6h. till noon; hoar frost at night.
			Sum 20·4	Sum 61·1	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·85 in. at the beginning of the week to 29·47 in. by 11h. on 15th; increased to 30·29 in. by midnight on 17th; decreased to 30·16 in. by 15h. on 19th., and increased generally to 30·23 in. by midnight on 20th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 13th November, 1920.

BOROUGHS.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,244	-	-	2	7	2	26	29	124	130
Western										
PADDINGTON	41	-	-	-	-	-	1	-	7	6
KENSINGTON	52	-	-	-	-	-	-	1	3	3
HAMMERSMITH	38	-	-	-	1	-	-	-	2	3
FULHAM	54	-	-	-	-	-	-	1	5	4
CHELSEA	30	-	-	-	-	-	-	2	2	4
CITY OF WESTMINSTER	34	-	-	-	-	-	1	-	2	2
Northern.										
ST. MARYLEBONE	23	-	-	-	-	-	-	-	6	-
HAMPSTEAD	18	-	-	-	1	-	-	-	2	-
ST. PANCRAS	49	-	-	-	-	-	-	-	5	4
ISLINGTON	82	-	-	-	-	-	3	2	3	8
STOKE NEWINGTON	14	-	-	-	-	-	-	-	2	1
HACKNEY	46	-	-	-	-	-	-	2	10	8
Central.										
HOLBORN	7	-	-	-	-	-	-	-	-	-
FINSBURY	28	-	-	-	-	1	3	1	5	4
CITY OF LONDON	4	-	-	-	-	-	-	1	-	1
Eastern.										
SHOREDITCH	32	-	-	-	2	-	1	2	4	4
BETHNAL GREEN	43	-	-	-	-	1	4	1	3	4
STEPNEY	78	-	-	1	2	-	3	1	9	9
POPLAR	64	-	-	1	-	-	1	1	6	9
Southern.										
SOUTHWARK	62	-	-	-	-	-	1	2	6	6
BERMONDSEY	41	-	-	-	-	-	2	2	1	6
LAMBETH	80	-	-	-	-	-	1	3	6	7
BATTERSEA	41	-	-	-	-	-	-	2	6	4
WANDSWORTH	84	-	-	-	-	-	1	-	5	12
CAMBERWELL	82	-	-	-	1	-	1	3	11	10
DEPTFORD	22	-	-	-	-	-	-	1	-	4
GREENWICH	23	-	-	-	-	-	-	-	3	1
LEWISHAM	42	-	-	-	-	-	3	-	4	4
WOOLWICH	30	-	-	-	-	-	-	1	6	2

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 13th November, 1920 *

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio-encephalitis.
WESTERN.																	
Paddington	143 938	1	-	-	-	22	10	-	3	-	1	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	22	7	1	2	-	-	2	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	35	9	4	2	-	2	2	-	-	-	-	-
Fulham	152,543	-	-	-	-	38	24	2	2	-	1	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	6	4	-	1	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	11	6	3	3	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	-	-	-	23	2	-	2	-	1	-	-	-	-	-	-
Hampstead	88,012	-	-	-	-	13	2	1	-	-	-	-	-	-	-	-	-
St. Pancras	219.434	-	-	-	-	33	14	6	3	-	-	2	-	-	-	-	-
Islington	323.034	-	-	-	-	58	50	1	3	-	-	-	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	8	3	-	1	-	-	-	-	-	-	-	-
Hackney	216.736	2	1	-	-	64	22	-	-	-	-	1	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Finsbury	75.291	-	-	-	-	13	21	1	1	-	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98.134	-	-	-	-	20	11	5	-	-	-	1	-	-	-	-	-
Bethnal Green	110,085	1	-	-	-	64	14	3	5	-	-	1	-	-	-	-	-
Stepney	232 506	-	-	-	-	98	16	4	4	-	-	-	-	-	-	-	-
Poplar	153.644	-	-	-	-	76	14	5	3	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark	179.971	-	-	-	-	28	11	4	5	-	-	1	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	38	15	2	1	-	-	-	-	-	-	-	-
Lambeth	282.322	1	-	-	-	39	17	2	3	-	1	4	-	-	-	-	-
Battersea	159.316	-	-	-	-	28	14	5	2	-	-	-	-	-	1	-	-
Wandsworth	333.693	-	-	-	-	74	18	5	3	-	-	-	-	-	-	-	-
Camberwell	273.802	-	2	-	-	71	28	1	4	1	-	-	-	-	-	1	-
Deptford	111,205	-	-	-	-	21	12	1	3	-	-	-	-	-	-	-	-
Greenwich	98,484	-	1	-	-	26	5	-	1	-	-	-	-	-	-	-	-
Lewisham	167.754	-	-	-	-	25	13	-	-	1	-	-	-	-	-	-	-
Woolwich	136,237	-	2	-	-	20	19	3	3	-	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-
TOTAL	4,358,309	5	6	-	-	980	382	59	60	2	6	14	-	-	1	1	-
Ages 0–1		-	-	-	-	7	7	5	2	1	-	14	-	-	-	-	-
" 1–5		-	1	-	-	177	64	10	1	-	-	-	-		-	-	-
" 5–		-	1	-	-	444	174	10	2	-	-	-	-	-	-	-	-
" 10–		-	-	-	-	241	74	3	2	-	-	-	-	-	1	-	-
" 15–		2	-	-	-	63	13	1	-	-	-	-	-	-	-	-	-
" 20–		-	1	-	-	17	20	2	2	-	2	-	-	-	-	-	-
" 25–		2	1	-	-	18	13	4	7	1	4	-	-	-	-	1	-
" 35–		-	1	-	-	9	15	11	9	-	-	-	-	-	-	-	-
" 45–		1	1	-	-	4	2	6	9	-	-	-	-	-	-	-	-
" 55–		-	-	-	-	-	-	5	13	-	-	-	-	-	-	-	-
" 65–		-	-	-	-	-	-	2	8	-	-	-		-	-	-	-
" 75 and upwards		-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 47. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, NOV. 27.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
November 30th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,571, and corresponded to an annual rate of 21·3 per 1,000. The deaths* among the civilian population only numbered 4,623, and corresponded to an annual rate of 13·5 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended November 6th, November 13th, and November 20th, the rates had been 11·8, 13·4, and 12·8 respectively. The infant mortality was 92, against 82, 85, and 87 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)12785—5 Wt 167–840 625 12/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 18·5 in Middlesbrough, 18·7 in South Shields, 18·9 in Tynemouth, 20·7 in Cambridge, 23·1 in York, and 23·2 in Stockton-on-Tees ; from *measles*, 1·7 in Walsall ; and from *diphtheria*, 1·0 in Willesden, and 1·2 in Stockport and in Gillingham. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 1,900 births, corresponding to a rate of 21·8 per 1,000, and 1,178 deaths of civilians, corresponding to a rate of 14·1, as against 11·7, 14·9, and 13·6 per 1,000 in the three weeks ended November 6th, November 13th, and November 20th. The death-rate in the four weeks ended last Saturday averaged 13·6 per 1,000. The infant mortality was 75, against 66, 63, and 80 in the preceding three weeks.

The deaths from *enteric fever*, which had been 0, 0, and 1 in the preceding three weeks, numbered 2, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 2, 2, and 2, in the preceding three weeks, rose to 4 last week, but were 12 below the average. The deaths from *scarlet fever*, which had been 3, 7, and 7 in the preceding three weeks, were again 7 last week, and were 4 above the average. The deaths from *whooping-cough*, which had been 2, 2, and 2 in the preceding three weeks, were 3 last week, and were 2 below the average. The deaths from *diphtheria*, which had been 25, 26, and 20 in the preceding three weeks, were 21 last week, and were 7 above the average ; 7 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 26, 29, and 24 in the preceding three weeks, fell last week to 16, and were 6 below the average ; 3 deaths belonged to Kensington. The deaths from *influenza* numbered 15 as against 12, 14, and 13 in the preceding three weeks and an average of 247.

Different forms of violence caused 44 deaths, of which 42 were the subject of coroners' inquests. Of these 44 deaths, 9 were cases of suicide, while the remaining 35 were attributed to other forms of violence. Eleven of these latter were referred to vehicles in the streets, 5 to burns and scalds, 2 to drowning, and 2 of infants under one year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 18 cases of enteric fever, 13 of measles, 5,575 of scarlet fever, 25 of whooping-cough, and 2,626 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 5, 1, and 3; of measles, 0 case, against 4, 0, and 1; of scarlet fever, 727 cases, against 811, 805, and 831; of whooping-cough, 4 cases, against 1, 1, and 2; and of diphtheria, 333 cases, against 377, 375, and 375. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended November 20th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 27th November, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 6th Nov., 1920.	13th Nov., 1920.	20th Nov., 1920.	27th Nov., 1920.	Week ended 27th Nov., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	**17,807,258**	**11·8**	**13·4**	**12·8**	**13·5**	**7571**	**4623**	**700**	**1561**	**5**	**–**	**36**	**21**	**20**	**67**	**90**	**69**	**140**	**326**	**1416**	**34**	**96 GREAT TOWNS.**
LONDON†	4,358,309	11·7	14·9	13·6	14·1	1900	1178	142	425	2	–	4	7	3	21	16	15	44	108	550	3	LONDON.†
‡ CROYDON	184,239	12·7	11·3	12·5	12·2	60	43	8	20	–	–	–	–	–	1	1	1	–	4	8	–	‡ CROYDON.
‡ WIMBLEDON	59,791	11·3	15·7	9·6	10·5	23	12	4	3	–	–	–	–	–	–	1	–	–	–	4	–	‡ WIMBLEDON.
‡ EALING	73,212	7·8	8·5	7·1	10·0	25	14	2	4	–	–	–	–	–	–	–	–	–	–	3	–	‡ EALING.
‡ ACTON	61,732	8·4	9·3	9·3	10·1	17	12	2	4	–	–	–	–	–	1	1	–	–	1	3	–	‡ ACTON.
‡ WILLESDEN	160,917	9·4	12·6	17·8	13·3	79	41	2	13	–	–	1	–	–	3	–	1	2	3	18	–	‡ WILLESDEN.
‡ HORNSEY	94,348	11·6	11·6	9·9	9·9	20	18	2	4	–	–	–	–	–	1	1	–	–	2	8	–	‡ HORNSEY.
‡ TOTTENHAM	141,338	5·5	10·0	12·9	11·8	50	32	4	12	–	–	–	–	–	–	–	–	1	2	12	–	‡ TOTTENHAM.
‡ EDMONTON	70,711	11·8	10·3	13·3	7·4	32	10	2	5	–	–	–	–	1	1	–	–	–	1	4	–	‡ EDMONTON.
‡ ENFIELD	58,442	8·0	10·7	10·7	15·2	22	17	4	3	–	–	–	–	1	–	–	–	1	1	3	–	‡ ENFIELD.
‡ WEST HAM	287,966	9·2	13·8	12·9	12·3	188	68	13	20	–	–	–	–	–	1	–	1	3	7	17	2	‡ WEST HAM.
‡ EAST HAM	144,451	11·9	10·1	8·3	8·3	69	23	2	9	–	–	–	–	–	–	–	–	–	–	5	–	‡ EAST HAM.
‡ LEYTON	123,896	13·5	10·5	8·4	13·9	43	33	4	13	–	–	–	–	–	–	1	2	–	1	9	–	‡ LEYTON.
‡ WALTHAMSTOW	127,684	9·0	9·8	10·2	10·2	40	25	1	12	–	–	–	–	–	–	1	1	1	3	5	–	‡ WALTHAMSTOW.
‡ ILFORD	79,524	7·9	7·2	9·2	6·6	18	10	1	6	–	–	–	–	–	–	–	–	–	–	2	–	‡ ILFORD.
GILLINGHAM	43,501	9·6	15·6	18·0	15·6	22	13	3	3	–	–	–	–	–	1	2	–	–	–	4	–	GILLINGHAM.
HASTINGS	57,674	14·5	21·7	10·8	13·6	18	15	1	10	–	–	–	–	–	–	–	1	–	–	2	–	HASTINGS.
EASTBOURNE	48,424	8·6	10·8	9·7	6·5	27	6	1	2	–	–	–	–	–	–	–	–	–	–	2	–	EASTBOURNE.
BRIGHTON	132,409	16·5	13·0	11·0	13·8	60	35	1	18	–	–	–	–	–	–	–	1	–	–	11	–	BRIGHTON.
PORTSMOUTH§	224,846	7·2	10·7	11·8	10·0	106	43	3	14	–	–	–	–	–	1	–	2	–	2	9	–	PORTSMOUTH.§
BOURNEMOUTH	82,627	10·1	12·0	9·5	15·1	25	24	1	16	–	–	–	–	–	1	–	1	–	–	4	–	BOURNEMOUTH
SOUTHAMPTON	126,033	9·9	14·1	10·8	11·6	48	28	3	19	–	–	–	–	–	–	–	–	–	1	10	–	SOUTHAMPTON.
READING	91,365	7·4	14·3	12·6	9·7	28	17	1	9	–	–	–	–	–	–	–	–	1	1	8	–	READING.
OXFORD	57,666	7·2	10·9	6·3	12·7	13	14	–	10	–	–	–	–	–	–	–	–	–	–	2	–	OXFORD.
NORTHAMPTON	88,944	8·2	10·0	12·9	7·6	32	13	2	6	–	–	–	–	–	–	–	–	–	–	4	–	NORTHAMPTON.
CAMBRIDGE	57,849	9·0	5·4	12·6	20·7	16	23	1	11	–	–	–	–	–	–	–	–	1	1	5	–	CAMBRIDGE.

* *See* note † on first page of this return.

† For Greater London *see* end of Table.

‡ These towns are included within the area of Greater London.

§ As constituted before the extension on 1st October, 1920.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 27th November 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 6th Nov., 1920.	13th Nov., 1920.	20th Nov., 1920.	27th Nov., 1920.	Week ended 27th Nov., 1920. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	9·3	19·2	13·7	17·4	25	28	1	10	–	–	–	–	–	–	–	–	–	–	4	–	SOUTHEND ON SEA.
IPSWICH	78,011	12·0	14·7	15·4	12·0	27	18	4	10	–	–	–	–	–	–	–	–	–	–	8	–	IPSWICH.
GREAT YARMOUTH	53,078	9·8	11·8	10·8	11·8	23	12	–	8	–	–	–	–	–	–	–	1	1	1	–	–	GREAT YARMOUTH.
NORWICH	119,993	9·6	11·7	8·3	14·3	54	33	4	12	–	–	–	1	–	–	2	–	–	3	11	–	NORWICH.
SWINDON	51,527	12·1	13·2	12·1	14·2	19	14	2	7	–	–	–	–	–	1	–	–	–	1	2	–	SWINDON.
EXETER	59,014	9·7	15·0	14·1	12·4	38	14	2	7	–	–	–	–	–	1	–	–	–	1	4	–	EXETER.
PLYMOUTH	181,967	11·5	13·2	13·5	12·9	86	45	4	19	–	–	–	–	–	2	–	3	2	2	6	–	PLYMOUTH.
BATH	65,919	10·3	10·3	11·9	13·4	16	17	–	11	–	–	–	–	–	–	–	–	–	2	6	–	BATH.
BRISTOL	361,247	12·0	13·7	11·5	11·4	163	79	9	29	–	–	–	2	–	1	1	2	1	2	21	–	BRISTOL.
GLOUCESTER	50,100	8·3	19·8	15·6	11·4	23	11	1	4	–	–	–	–		–	–	1	–	–	3	–	GLOUCESTER.
STOKE ON TRENT	239,316	14·4	12·6	10·0	14·2	114	65	14	22	–	–	–	1	–	–	2	2	–	–	12	–	STOKE ON TRENT.
WOLVERHAMPTON	98,403	8·5	12·2	9·5	9·0	46	17	1	8	–	–	–	–	–	–	–	–	1	1	4	–	WOLVERHAMPTON.
WALSALL	92,724	11·8	9·6	16·3	14·6	32	26	5	5	–	–	3	–	–	1	1	–	–	–	7	–	WALSALL.
WEST BROMWICH	69,899	18·6	11·9	19·4	16·4	37	22	4	6	–	–	1	–	–	1	1	1	–	–	1	1	WEST BROMWICH.
DUDLEY	54,017	13·5	11·6	14·5	13·5	27	14	3	6	–	–	–	–	–	–	–	–	–	–	2	–	DUDLEY.
BIRMINGHAM	861,585	11·4	14·5	13·1	13·1	406	216	37	59	–	–	10	2	2	1	8	2	3	3	72	5	BIRMINGHAM.
SMETHWICK	72,152	4·3	6·5	5·1	13·0	39	18	4	1	–	–	2	–	–	1	–	–	4	6	4	1	SMETHWICK.
COVENTRY	132,048	8·7	9·5	7·5	6·7	40	17	3	7	–	–	–	–	–	–	–	–	–	–	–	–	COVENTRY.
LEICESTER	236,059	10·2	14·6	13·5	15·9	100	72	14	24	–	–	3	–	–	2	1	–	–	8	14	–	LEICESTER.
LINCOLN†	60,581	12·9	10·3‡	9·5‡	15·5	29	18	4	6	–	–	–	–	–	–	1	–	1	1	2	–	LINCOLN.†
GRIMSBY	78,813	16·5	15·2	13·9	12·6	37	19	2	7	1	–	–	–	–	–	–	2	2	3	3	–	GRIMSBY.
NOTTINGHAM	257,573	10·7	12·6	15·0	10·5	111	52	10	13	–	–	–	–	–	2	–	2	2	5	21	–	NOTTINGHAM.
DERBY	123,930	10·1	13·0	8·8	10·5	51	25	3	7	–	–	–	–	–	–	–	–	–	1	5	–	DERBY.

* *See* note † on first page of this return.

† As constituted before the extension on 9th November 1920.

‡ Revised Rates.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 27th November, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 6th Nov., 1920.	13th Nov., 1920.	20th Nov., 1920.	27th Nov., 1920.	Week ended 27th Nov., 1920. Births.	Deaths.	The Deaths in the Week included. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	13·3	16·2	15·4	16·2	43	39	5	5	–	–	–	1	–	3	–	2	–	–	15	–	STOCKPORT.
BIRKENHEAD	148,052	14·1	13·0	9·9	11·6	60	33	7	4	–	–	–	1	–	–	1	–	1	2	10	–	BIRKENHEAD.
WALLASEY	95,424	9·3	10·9	12·0	13·7	20	25	3	6	1	–	–	–	–	–	1	–	2	3	7	–	WALLASEY.
LIVERPOOL	772,665	12·9	16·7	14·2	14·3	395	212	45	57	–	–	–	–	3	4	10	1	5	9	80	1	LIVERPOOL.
BOOTLE	76,962	12·9	9·5	12·9	10·2	34	15	3	6	–	–	–	–	–	1	–	–	–	–	6	3	BOOTLE.
ST. HELENS	100,805	12·9	10·9	14·5	15·5	45	30	4	8	–	–	–	–	2	–	–	–	2	2	8	–	ST. HELENS.
SOUTHPORT	70,144	11·9	8·9	20·1	17·1	26	23	1	13	–	–	–	–	–	–	–	–	1	1	2	1	SOUTHPORT.
WIGAN	87,384	15·5	13·7	10·7	17·3	46	29	8	5	–	–	–	–	–	–	–	–	2	2	6	–	WIGAN.
WARRINGTON	74,952	12·5	11·1	9·0	12·5	38	18	6	3	–	–	1	–	–	–	2	–	–	1	4	–	WARRINGTON.
BOLTON	177,462	17·9	14·7	14·4	15·9	55	54	6	20	–	–	–	–	–	–	1	1	5	7	10	–	BOLTON.
BURY	54,248	12·5	12·5	9·6	13·5	16	14	2	5	–	–	–	–	–	–	1	–	–	1	3	–	BURY.
MANCHESTER	741,068	12·5	13·1	13·4	14·4	302	205	29	65	–	–	–	–	–	2	4	5	4	9	55	1	MANCHESTER.
SALFORD	226,225	13·4	11·8	14·3	14·8	80	64	8	21	1	–	–	1	–	1	2	1	5	7	22	–	SALFORD.
OLDHAM	137,668	16·3	14·0	15·2	14·4	49	38	8	12	–	–	–	–	1	–	–	1	3	3	5	–	OLDHAM.
ROCHDALE	90,051	14·5	15·6	11·0	9·3	30	16	3	4	–	–	–	–	–	–	1	–	1	2	5	–	ROCHDALE.
BURNLEY	101,005	17·0	12·9	14·5	10·3	39	20	3	5	–	–	–	–	–	–	–	–	–	3	7	–	BURNLEY.
BLACKBURN	125,992	14·9	12·0	8·7	10·8	51	26	4	10	–	–	–	–	–	–	–	–	1	1	7	–	BLACKBURN.
PRESTON	117,277	15·1	12·4	9·3	15·1	37	34	5	9	–	–	–	–	–	–	–	–	1	3	8	1	PRESTON.
BLACKPOOL	67,842	16·1	13·1	9·2	12·3	18	16	1	7	–	–	–	–	–	–	–	–	–	–	4	–	BLACKPOOL.
BARROW IN FURNESS	73,627	14·2	12·0	12·0	15·6	31	22	3	5	–	–	–	–	–	–	–	1	2	2	7	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	15·8	13·0	13·0	13·5	39	29	1	11	–	–	–	–	–	–	–	1	2	3	4	–	HUDDERSFIELD.
HALIFAX	101,791	8·7	15·9	8·7	11·8	33	23	3	6	–	–	–	–	–	–	–	–	–	3	2	–	HALIFAX.
BRADFORD	282,714	12·7	13·5	13·5	14·0	108	76	15	27	–	–	–	–	–	1	–	1	3	9	20	–	BRADFORD.
LEEDS	431,999	11·5	13·3	12·4	15·4	169	128	24	42	–	–	–	–	1	1	6	2	5	14	25	–	LEEDS.
DEWSBURY	52,969	14·8	16·7	12·8	9·8	27	10	1	5	–	–	–	–	–	–	–	–	–	1	–	–	DEWSBURY.
WAKEFIELD	49,208	10·6	12·7	11·7	14·8	26	14	–	4	–	–	–	–	–	–	–	2	1	2	2	–	WAKEFIELD.
BARNSLEY	51,680	7·1	16·1	13·1	14·1	18	14	2	6	–	–	–	–	–	–	–	–	–	1	2	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes. Week ended 6th Nov., 1920.	13th Nov., 1920.	20th Nov., 1920.	27th Nov., 1920.	Week ended 27th Nov., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	11·4	12·1	10·5	14·3	229	130	22	36	–	–	7	1	–	2	3	1	4	11	38	–	Sheffield.
Rotherham	69,034	3·8	14·4	11·3	15·1	26	20	6	7	–	–	–	–	–	–	2	–	1	–	4	1	Rotherham.
York	74,531	11·9	12·6	16·1	23·1	21	33	4	15	–	–	–	1	–	–	–	–	–	2	7	–	York.
Hull	279,664	14·4	11·9	14·4	13·8	112	74	14	28	–	–	–	–	1	3	2	–	2	6	22	–	Hull.
Middlesbrough	127,142	12·7	11·9	18·5	18·5	66	45	13	13	–	–	–	–	–	–	1	1	1	3	9	1	Middlesbrough.
Darlington	64,058	13·0	10·6	13·0	13·0	25	16	1	5	–	–	–	–	–	–	–	–	2	2	1	2	Darlington.
Stockton on Tees	60,696	24·1	17·2	18·0	23·2	25	27	5	10	–	–	–	–	–	–	1	–	–	–	6	1	Stockton on Tees.
West Hartlepool	65,515	12·7	11·1	17·5	11·1	33	14	3	3	–	–	–	–	1	–	1	1	–	–	3	1	West Hartlepool.
Sunderland	149,263	11·5	13·3	13·3	13·6	57	39	9	12	–	–	–	–	–	–	–	1	1	3	10	–	Sunderland.
South Shields	111,502	23·4	15·9	19·2	18·7	61	40	11	15	–	–	–	–	1	–	–	1	–	–	4	4	South Shields.
Gateshead	123,392	11·4	14·8	17·3	13·9	71	33	11	6	–	–	–	1	–	1	1	2	2	2	4	–	Gateshead.
Newcastle on Tyne.	275,099	12·9	12·5	14·0	18·2	123	96	18	28	–	–	1	1	–	1	2	2	1	10	22	1	Newcastle on Tyne.
Tynemouth	58,007	17·1	14·4	13·5	18·9	29	21	5	2	–	–	–	–	–	–	–	–	–	–	5	4	Tynemouth.
Carlisle	55,198	8·5	16·1	9·4	12·3	32	13	2	4	–	–	–	–	–	–	–	–	2	2	4	–	Carlisle.
Newport (Mon.)	87,251	6·6	12·5	14·9	6·0	36	10	4	2	–	–	–	–	2	1	–	–	–	–	2	–	Newport (Mon.).
Cardiff	204,436	7·9	9·7	9·7	11·7	74	46	11	12	–	–	–	–	–	1	2	–	1	8	7	–	Cardiff.
Rhondda	177,911	12·3	11·7	12·3	11·7	71	40	9	4	–	–	3	–	1	–	–	–	2	3	7	–	Rhondda.
Merthyr Tydfil	71,638	12·4	17·5	15·3	17·5	33	24	5	8	–	–	–	1	–	–	1	–	–	–	4	–	Merthyr Tydfil.
Aberdare	51,384	11·2	6·1	11·2	11·2	22	11	–	4	–	–	–	–	–	–	1	–	2	2	2	–	Aberdare.
Swansea	160,810	11·7	11·0	11·0	14·6	66	45	6	17	–	–	–	–	–	–	3	–	2	3	5	–	Swansea.
Greater London	7,259,388	10·7	13·3	12·5	13·1	2984	1820	226	677	2	–	5	9	5	32	27	26	63	157	731	5	Greater London.
Outer Ring	2,901,079	9·2	11·0	10·9	11·5	1084	642	84	252	–	–	1	2	2	11	11	11	19	49	181	2	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	10·0	11·2	11·5	11·2	686	358	51	128	–	–	1	–	2	8	6	6	8	25	101	2	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	8·2	10·7	10·1	12·0	398	284	33	124	–	–	–	2	–	3	5	5	11	24	80	–	Remainder of Outer Ring.
Edinburgh†	342,300	13·6	15·3	10·7	14·7	139	96	11	36	–	–	–	1	–	–	2	–	4	?	?	?	Edinburgh.
Glasgow†	1,115,500	16·3	15·0	15·1	14·3	546	305	67	80	1	1	–	–	3	1	5	5	10	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	14·7	16·8	19·1	15·7	223	125	25	36	–	–	–	–	1	1	6	1	6	3	42	3	Dublin (Registration Area).†
Belfast†	413,000	12·6	14·1	13·1	14·0	201	111	28	24	1	–	–		–	2	5	1	–	2	32	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FORTY-SEVENTH Week of each of the Eleven Years, 1910–1920.

—	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	1982	2056	2124	2113	2047	1849	1800	1441	1418	2223	1900
Males	1019	1062	1094	1078	1027	923	931	726	729	1141	1001
Females	963	994	1030	1035	1020	926	869	715	689	1082	899
Deaths (of residents only).	1757	1145	1354	1169	1424	1483	1307*	1068*	2840*	1132*	1178*
Males		603	684	598	692	747	681	534	1382	574	628
Females		542	670	571	732	736	626	534	1458	558	550

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

—	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.
Births (as registered)	2134	2219	1876	2093	2165	2207	2036	2142	2284	1927	2057	2011	1900
Deaths (of residents only).	809	831	821	825	861	874	815	851	983	982	1244	1138	1178
Ages at Death: Under 1 year	122	159	148	137	142	138	124	142	151	127	130	160	142
1–2 years	16	16	12	9	8	16	14	14	11	19	33	19	21
2–5 "	20	12	14	21	22	19	26	17	34	21	24	20	33
5–10 "	22	20	24	21	22	27	24	26	23	24	33	20	22
10–15 "	13	13	14	14	15	13	14	13	13	12	15	22	18
15–20 "	12	17	8	18	18	22	12	18	18	22	26	22	16
20–25 "	23	21	23	17	16	16	17	18	16	18	19	19	28
25–35 "	44	41	32	41	38	62	47	52	56	54	58	51	49
35–45 "	77	60	71	59	57	76	51	70	80	80	107	81	87
45–55 "	102	92	106	94	117	114	98	104	109	110	139	113	149
55–65 "	113	99	121	113	119	100	123	110	142	159	174	168	188
65–75 "	125	129	139	153	151	142	129	124	170	155	243	218	224
75 years and upwards	120	152	109	128	136	129	136	143	160	181	243	225	201
Deaths from—													
Enteric fever	1	–	1	–	2	2	–	–	1	–	–	1	2
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	5	3	2	–	1	4	–	1	2	2	2	4
Scarlet fever	2	5	2	1	11	3	2	6	3	3	7	7	7
Whooping cough	2	3	3	1	3	2	4	2	4	2	2	2	3
Diphtheria	13	14	15	22	18	17	14	14	18	25	26	20	21
Diarrhœa and enteritis (under 2 years).	34	43	46	39	33	50	35	36	34	26	29	24	16
Pulmonary tuberculosis	78	57	79	69	78	86	73	97	103	100	124	94	119
Influenza	–	2	7	6	5	5	3	8	5	12	14	13	15
Pneumonia (all forms)	48	45	47	53	51	58	34	48	60	59	88	111	104
Bronchitis	33	32	33	52	39	39	39	37	58	78	157	138	154
Other dis. of resp. system	11	13	14	11	10	11	11	4	13	12	27	18	19
Dis. of circ. system	167	149	133	148	159	147	153	161	173	179	229	190	196
Violence	39	36	30	35	33	34	46	40	36	31	43	38	44
Inquest cases	71	76	76	80	79	84	90	84	84	85	98	87	108
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	18	22	16	15	14	14	16	20	19	21	14	16	18
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	27	23	22	19	18	26	27	22	24	24	21	15	13
Scarlet fever	2402	2635	2953	3305	3717	4121	4534	4859	5167	5373	5512	5610	5575
Whooping cough	23	22	19	20	20	23	26	27	28	25	26	25	25
Diphtheria	1404	1482	1591	1700	1778	1884	1975	2113	2301	2353	2474	2563	2626

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

—	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.
Deaths from Influenza	17	20	28	18	27	33	34	30	35	29	42	60	69

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-SEVENTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 47th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1132	1178	142	21	33	22	18	16	28	49	87	149	188	224	201
Enteric fever	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	11	4	–	1	2	1	–	–	–	–	–	–	–	–	–
Scarlet fever	2	7	–	1	3	2	1	–	–	–	–	–	–	–	–
Whooping cough	4	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	21	21	1	2	8	5	4	–	–	1	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	22	15	2	–	1	–	–	–	–	–	3	2	3	3	1
Erysipelas	1	6	–	–	1	–	–	–	–	–	–	1	3	–	1
Other epidemic diseases	2	2	–	–	–	–	–	–	–	–	–	2	–	–	–
Pyæmia and septicæmia	3	4	–	–	1	1	–	–	–	–	–	1	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	78	119	1	–	–	–	1	7	14	18	34	24	13	6	1
Tuberculous meningitis	7	8	2	4	1	–	–	–	–	–	–	–	–	1	–
Abdominal tuberculosis	2	6	1	1	–	–	–	1	–	–	1	1	1	–	–
Tuberculosis of the spine	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Tuberculosis of other organs	2	2	–	–	–	–	–	–	1	–	–	1	–	–	–
Disseminated tuberculosis	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Venereal diseases	7	5	3	–	–	–	–	–	–	–	–	–	2	–	–
Cancer	111	99	–	–	–	–	–	–	–	1	7	22	37	25	7
Tumour, situation undefined	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Rheumatic fever	8	3	–	–	–	–	1	1	–	1	–	–	–	–	–
Diabetes	12	13	–	–	–	–	1	–	1	1	1	3	2	4	–
Anæmia, leucocythaemia	4	8	–	–	–	1	–	–	–	1	2	2	1	1	–
Other general diseases	10	8	–	–	–	–	1	–	1	–	–	–	4	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	7	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	50	49	1	–	–	–	–	–	–	–	2	6	6	21	13
Softening of brain	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis, without specified cause	2	7	–	–	–	–	–	–	–	1	–	–	2	3	1
Epilepsy	4	2	–	–	–	–	–	–	–	–	1	1	–	–	–
"Convulsions" (not puerperal)	5	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	26	16	–	–	–	–	–	1	1	1	2	3	5	2	1
Pericarditis	1	2	–	–	–	–	1	–	–	–	–	–	–	1	–
Acute endocarditis	5	5	–	–	–	1	–	1	–	1	1	–	1	–	–
Organic disease of heart	143	146	–	–	–	–	2	1	1	7	6	12	35	39	43
Embolism and thrombosis (including cerebral).	6	4	–	–	–	–	–	–	–	–	–	–	1	2	1
Other diseases of circulatory system.	41	39	1	–	–	–	–	–	–	–	3	–	9	13	13
Diseases of the larynx	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	97	154	10	–	1	–	–	–	1	2	3	21	25	42	49
Broncho-pneumonia	35	54	29	3	2	–	–	–	–	1	–	3	7	3	6
Lobar pneumonia	30	26	–	1	1	1	1	–	–	1	1	8	4	5	3
Pneumonia (type not distinguished)	30	24	5	–	–	2	–	1	–	3	3	2	2	5	1
Pleurisy	–	3	2	–	–	–	–	–	–	–	–	–	1	–	–
Pulmonary congestion, Pulmonary apoplexy.	4	3	–	1	–	–	–	–	–	–	–	–	1	1	–
Other diseases of respiratory system.	16	12	1	–	–	–	–	–	–	1	–	7	1	2	–

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTY-SEVENTH Week of the Year 1920.

Causes of Death.	Deaths in the 47th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	14	9	2	–	1	–	–	–	1	–	1	3	1	–	–
Diarrhœa and enteritis	21	23	16	–	–	–	–	–	–	–	1	2	1	1	2
Appendicitis and typhlitis	7	6	–	–	1	2	–	1	–	–	1	–	1	–	–
Hernia and Intestinal obstruction.	10	11	1	–	–	–	–	–	–	–	1	–	1	6	2
Cirrhosis of liver	7	7	–	–	–	–	–	–	–	–	–	3	1	3	–
Other diseases of liver	4	3	–	–	–	–	–	–	–	–	1	1	1	–	–
Peritonitis (cause unknown)	2	2	–	–	–	–	–	–	1	–	1	–	–	–	–
Other diseases of digestive system	2	3	–	1	–	–	–	–	–	–	–	–	1	–	1
Acute nephritis	–	3	–	–	–	1	–	–	1	–	1	–	–	–	–
Chronic Bright's disease	37	41	–	2	–	–	1	1	–	–	4	6	10	11	6
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	16	16	–	–	–	–	–	–	–	–	–	6	1	3	6
Puerperal fever, &c.	6	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Other causes incident to childbirth.	5	2	–	–	–	–	–	1	–	1	–	–	–	–	–
Diseases of skin and cellular tissues.	4	4	–	–	1	–	–	–	–	–	1	1	–	1	–
Diseases of locomotor system	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	8	6	5	1	–	–	–	–	–	–	–	–	–	–	–
Premature birth	50	33	32	1	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	19	9	9	–	–	–	–	–	–	–	–	–	–	–	–
Old age	42	43	–	–	–	–	–	–	–	–	–	–	–	8	35
ACCIDENT.															
Poisons or poisonous vapours	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	11	5	1	–	2	–	1	–	1	–	–	–	–	–	–
Drowning	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Suffocation in bed	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	22	26	1	–	1	1	1	–	1	5	2	1	1	6	6
Total deaths from accident	38	35	4	–	3	1	2	–	2	5	3	1	2	6	6
Included in above are deaths in connection with:—															
Railways	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Vehicles and horses	8	11	–	–	1	1	1	–	1	2	1	–	–	2	2
Ships, boats, docks	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	9	–	–	–	–	–	–	1	1	–	3	–	2	2
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	14	16	10	–	1	2	2	–	–	1	–	–	–	–	–
Ill-defined Causes	1	3	–	–	2	–	–	–	–	–	–	–	–	1	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Nov. 27	1,900	1,178	14·1	2	–	4	7	3	21	16	15
CALCUTTA	896,067	Oct. 16	–	–	–	–	–	–	–	–	–	–	–
BOMBAY	979,445	„ 16	421	916§	48·6	2	–	–	–	–	–	51	21
MADRAS	518,660	„ 16	496	374	37·5	2	2	–	?	2	–	30	5
PARIS	2,847,229	(11 days) Oct. 31	–	–	–	–	–	–	–	–	–	–	–
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	333,289	Nov. 13	121	82	13·2	–	–	6	–	–	–	10	3
AMSTERDAM	654,089	„ 13	241	165	13·2	4	–	7	–	3	1	2	2
COPENHAGEN	571,000	„ 13	223	116	10·6	–	–	–	–	–	–	4	1
STOCKHOLM	415,201	„ 6	159	77	9·6	–	–	–	–	–	1	–	–
GOTHENBURG	200,578	„ 6	–	42	10·8	–	–	–	–	–	1	1	–
CHRISTIANIA	260,904	Nov. 13	90	54	10·8	–	–	–	–	–	–	–	–
BERLIN	1,904,590	„ 6	543	457	12·5	1	?	–	1	2	4	9	7
BRESLAU	531,347	„ 6	227	144	14·1	2	?	–	–	1	2	5	1
COLOGNE	642,899	„ 6	282	179	14·5	–	?	4	–	3	1	5	?
DRESDEN	537,127	„ 6	212	144	13·9	–	?	–	–	–	–	6	?
FRANKFORT-ON-MAIN.	435,103	„ 6	151	86	10·3	–	?	–	–	–	1	–	?
HAMBURG	1,002,933	„ 6	351	244	12·7	3	?	1	–	–	1	10	?
LEIPZIG	610,686	„ 6	234	146	12·4	2	?	–	–	1	3	3	?
MUNICH	647,030	„ 6	227	184	14·8	–	?	1	–	1	1	2	?
VIENNA	1,842,005	„ 6	586	549	15·5	4	–	–	1	–	5	13	–
PRAGUE	524,496	Oct. 23	135	154	15·3	1	–	–	–	–	1	10	1
BUDAPEST	1,071,492	Aug. 28	422	302	14·7	6	–	4	6	6	3	24	–
TRIESTE	239,866	Nov. 6	121	92	20·1	1	–	–	1	–	1	5	–
CAIRO	761,300	Sept. 2	708	560	38·3	2	–	1	–	?	1	101	?
ALEXANDRIA	445,700	„ 2	378	317	37·0	2	–	–	–	?	–	67	?
NEW YORK	6,141,445	Oct. 30	2,462	1,082	9·2	2	–	1	4	4	14	40	6
CHICAGO	2,727,504	„ 30	–	498	9·5	2	–	–	2	1	18	41	3

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 3 deaths from *plague* in Bombay.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 27th November, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	55	23	48·6	31·4	8
BRIGHTON	55	32	50·1	38·9	23
PORTSMOUTH	56	34	51·1	38·3	4
NORWICH (Eaton)	51	23	47·1	31·6	1
PLYMOUTH	56	39	52·6	44·6	22
BRISTOL (Clifton)	54	28	47·3	35·6	3
BIRMINGHAM	53	28	44·3	35·7	1
NOTTINGHAM	52	28	43·1	33·9	11
BIRKENHEAD (Bidston)	52	30	44·9	36·7	2
MANCHESTER	53	25	46·4	36·0	2
BURNLEY	50	24	44·4	33·1	5
HUDDERSFIELD	52	29	42·9	34·3	9
BRADFORD	50	32	41·4	36·3	11
SHEFFIELD	51	31	43·4	36·0	6
YORK (Museum)	50	30	43·0	35·6	9
HULL (Pearson Park)	49	27	44·0	35·0	4
TYNEMOUTH	49	31	45·3	35·3	7
CARDIFF	54	26	47·4	36·1	5
EDINBURGH	55·0	29·0	46·7	36·6	1
GLASGOW	50·5	26·0	46·2	38·2	15
DUBLIN:— Phœnix Park	53·0	27·9	50·3	32·1	36
†Fitzwilliam Square	53·3	35·8	50·7	42·3	31
BELFAST	56·5	31·4	51·5	40·9	6

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th November 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	21	..	30·256	41·8	27·2	14·6	34·8	− 7·3	30·6	4·2	8·0	1·8	85	67·6	19·1	48·9	Calm & SSE.	SSE. & S.	1·3	0·0	0·1	179	−117	0·00
MONDAY	22	..	30·249	45·1	23·4	21·7	34·4	− 7·7	32·2	2·2	8·0	0·0	91	64·2	15·3	48·3	Calm & SE.	SE. & ESE.	0·6	0·0	0·0	154	−146	0·01
TUESDAY	23	..	30·051	47·5	29·9	17·6	37·9	− 4·1	31·3	6·6	14·1	0·0	77	74·0	20·8	48·0	E. & SE.	SE. & E.	2·6	0·0	0·1	200	−104	0·01
WEDNESDAY	24	..	29·717	45·5	28·7	16·8	37·5	− 4·5	32·7	4·8	8·6	1·7	83	70·2	19·2	47·7	E. & ESE.	E., ESE. & SE.	2·0	0·0	0·1	199	−109	0·00
THURSDAY	25	..	29·895	55·2	41·9	13·3	48·0	+ 6·1	45·5	2·5	7·3	0·0	91	80·6	30·1	47·5	SSE. & S.	S., SE. & ESE.	0·6	0·0	0·1	195	−118	0·00
FRIDAY	26	Full	29·792	50·4	37·1	13·3	44·7	+ 2·9	40·8	3·9	7·4	0·7	86	75·0	31·0	47·1	ESE.	ESE. & SE.	1·0	0·0	0·0	176	−141	0·01
SATURDAY	27	Greatest declination N. Perigee.	29·579	53·0	42·1	10·9	48·8	+ 7·1	46·5	2·3	5·2	0·0	92	61·9	32·1	47·0	ESE. & SE.	SE. & ESE.	1·0	0·0	0·1	172	−146	0·04
MEANS			29·934	48·4	32·9	15·5	40·9	− 1·1	37·1	3·8	8·4	0·6	86	70·5	23·9	47·8	ESE.		..	..	..	Sum 1275	Sum −881	Sum 0·07
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. November 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	21	w.P. generally, v.P. 11h. to 17h.	6·9	8·5	Cloudless throughout; misty in morning; hoar frost morning and evening.
MONDAY -	22	w.P. generally, v.P. 13h. to 17h.	6·1	8·5	Cloudless generally; a little thin cloud in evening; foggy till after 9h.; misty at night; hoar frost throughout.
TUESDAY -	23	w.P. generally, v.P. 11h. to 19h.	6·1	8·4	Cloudless with very slight exceptions; hoar frost in morning and at night; slight mist in evening.
WEDNESDAY -	24	w.P. till 11h., v.P. till 22h., w.P. afterwards.	3·3	8·4	Cloudless and misty until 4h., cloudy to overcast, clearing by about 11h. 30m.; very cloudy again from 14h. 30m.; hoar frost in morning; solar halo before noon; lunar halo at night.
THURSDAY -	25	w.P. generally, v.P. 11h. to 16h.	4·7	8·4	Nearly overcast till 1h.; variable thin cloud till 6h.; partially cloudy generally till 19h. 30m., thin cloud then prevalent; heavy dew morning and evening; misty at night.
FRIDAY -	26	w.P. generally, v.P. 11h. to 16h.	3·7	8·3	Thin cloud variably prevalent till 16h. 30m.; then very cloudy generally; heavy dew in morning with fog about 3h.
SATURDAY -	27	w.P. throughout	0·0	8·3	Cloudy to overcast by 3h., very slight break about noon; occasional damping from 8h.; rain 16h. to 17h. 30m., and misty rain till 22h.
			Sum 30·8	Sum 58·8	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·23 in. at the beginning of the week to 30·27 in. by 10h. on 21st; decreased to 29·69 in. by 15th on 24th; increased to 29·93 in. by 20h. on 25th., and decreased to 29·50 in. by midnight on 27th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 20th November, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,138	1	–	2	7	2	20	24	94	160
Western										
PADDINGTON	27	–	–	1	–	–	–	1	4	2
KENSINGTON	54	–	–	–	–	–	–	3	2	11
HAMMERSMITH	27	–	–	–	–	–	1	–	4	3
FULHAM	29	–	–	–	1	–	2	2	1	5
CHELSEA	12	–	–	–	–	–	–	–	–	–
CITY OF WESTMINSTER	26	–	–	–	–	–	–	1	2	2
Northern.										
ST. MARYLEBONE	24	–	–	–	–	–	–	1	2	2
HAMPSTEAD	19	–	–	–	–	–	–	–	1	1
ST. PANCRAS	64	–	–	–	–	–	1	1	5	7
ISLINGTON	91	–	–	–	–	–	3	1	6	15
STOKE NEWINGTON	11	–	–	–	–	–	–	–	1	–
HACKNEY	60	–	–	–	1	–	1	2	–	7
Central.										
HOLBORN	13	–	–	–	–	–	–	–	1	–
FINSBURY	8	–	–	–	–	–	–	–	1	1
CITY OF LONDON	3	–	–	–	–	–	–	–	–	–
Eastern.										
SHOREDITCH	33	–	–	–	–	–	–	2	7	9
BETHNAL GREEN	29	–	–	–	–	–	–	1	4	4
STEPNEY	76	–	–	1	–	–	–	2	3	13
POPLAR	59	1	–	–	–	–	3	–	10	13
Southern.										
SOUTHWARK	51	–	–	–	2	1	–	1	4	9
BERMONDSEY	32	–	–	–	–	–	2	1	3	8
LAMBETH	90	–	–	–	–	1	2	–	12	11
BATTERSEA	34	–	–	–	1	–	1	–	1	7
WANDSWORTH	76	–	–	–	1	–	2	2	4	10
CAMBERWELL	60	–	–	–	1	–	–	–	9	3
DEPTFORD	45	–	–	–	–	–	1	2	1	6
GREENWICH	19	–	–	–	–	–	–	–	2	2
LEWISHAM	28	–	–	–	–	–	1	1	2	3
WOOLWICH	38	–	–	–	–	–	–	–	2	6

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 20th November, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio-encephalitis.
WESTERN.																	
Paddington	143.938	1	-	-	-	23	14	6	3	-	-	1	-	-	-	-	-
Kensington	157,886	-	-	-	-	31	7	1	1	-	-	2	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	44	16	2	-	-	-	1	1	-	-	-	-
Fulham	152,543	-	-	-	-	34	22	3	1	-	-	1	-	-	-	-	-
Chelsea	60,573	-	-	-	-	2	6	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	7	5	-	1	-	-	-	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	-	-	-	14	4	1	3	-	-	1	-	-	-	-	-
Hampstead	88,012	-	-	-	-	15	6	3	-	-	-	-	-	1	-	-	-
St. Pancras	219.434	-	-	-	-	35	20	11	3	-	-	-	-	-	-	-	-
Islington	323,034	1	1	-	-	42	50	2	3	-	-	2	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	18	4	-	-	-	-	-	-	-	-	-	-
Hackney	216.736	-	-	-	-	42	18	1	3	-	-	-	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	2	6	1	-	-	-	1	-	-	-	-	-
Finsbury	75,291	1	-	-	-	16	13	1	-	-	-	1	-	-	-	-	-
City of London	13,893	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	10	16	1	1	-	-	2	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	43	15	4	4	-	-	1	-	-	-	-	-
Stepney	232,506	-	-	-	-	87	13	6	6	-	1	-	-	-	-	-	-
Poplar	153.644	1	-	-	-	58	20	7	1	-	2	2	-	-	-	1	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	37	11	5	3	-	-	1	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	37	10	4	1	-	1	1	-	-	-	-	-
Lambeth	282.322	-	-	-	-	29	15	8	4	1	2	5	-	-	-	-	-
Battersea	159,316	-	1	-	-	26	17	11	5	-	1	-	-	-	-	-	-
Wandsworth	333,693	1	-	-	-	61	20	10	3	-	2	1	-	-	-	-	1
Camberwell	273,802	2	1	-	-	44	18	3	8	-	-	1	-	1	-	-	-
Deptford	111,205	-	-	-	-	22	8	2	4	-	-	-	-	-	-	-	-
Greenwich	98,484	-	1	-	-	15	5	1	1	-	-	2	-	-	-	-	-
Lewisham	167.754	-	-	-	-	24	14	1	2	-	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	20	11	4	-	-	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	7	4	-	-	838	385	99	61	1	9	26	1	2	-	1	1
Ages 0–1		-	-	-	-	16	6	7	2	-	-	26	-	-	-	-	-
„ 1–5		-	-	-	-	138	98	9	2	-	-	-	1	-	-	-	-
„ 5–		-	-	-	-	384	154	9	3	1	-	-	-	-	-	-	-
„ 10–		1	-	-	-	200	73	6	5	-	-	-	-	-	-	-	-
„ 15–		2	-	-	-	49	18	6	3	-	-	-	-	-	-	-	-
„ 20–		2	2	-	-	25	6	5	2	-	1	-	-	-	-	-	-
„ 25–		1	2	-	-	16	22	16	6	-	3	-	-	1	-	1	1
„ 35–		1	-	-	-	9	7	14	8	-	5	-	-	1	-	-	-
„ 45–		-	-	-	-	1	-	12	13	-	-	-	-	-	-	-	-
„ 55–		-	-	-	-	-	1	6	9	-	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	9	7	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 48. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, DEC. 4.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
December 7th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,388, and corresponded to an annual rate of 20·8 per 1,000. The deaths* among the civilian population only numbered 4,494, and corresponded to an annual rate of 13·2 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended November 13th, November 20th, and November 27th, the rates had been 13·4, 12·8, and 13·5 respectively. The infant mortality was 98, against 85, 87, and 92 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)13068—1 Wt 167–840 625 12/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 18·2 in South Shields, 18·5 in Wigan, 19·4 in Gateshead, 20·7 in Tynemouth, and 22·1 in Middlesbrough. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 1,921 births, corresponding to a rate of 22·1 per 1,000, and 1,091 deaths of civilians, corresponding to a rate of 13·1, as against 14·9, 13·6, and 14·1 per 1,000 in the three weeks ended November 13th, November 20th, and November 27th. The death-rate in the four weeks ended last Saturday averaged 13·9 per 1,000. The infant mortality was 78, against 63, 80, and 75 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 1, and 2 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. There was no death from *measles*, against 2, 2, and 4 in the preceding three weeks, the average being 20. The deaths from *scarlet fever*, which had been 7, 7, and 7 in the preceding three weeks, fell last week to 4, and were equal to the average. The deaths from *whooping-cough*, which had been 2, 2, and 3 in the preceding three weeks, were again 3 last week, and were 6 below the average. The deaths from *diphtheria*, which had been 26, 20, and 21 in the preceding three weeks, were 22 last week, and were 7 above the average; 4 deaths belonged to the Borough of Wandsworth, and 3 to Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 29, 24, and 16 in the preceding three weeks, further fell last week to 13, and were 12 below the average. The deaths from *influenza* numbered 13, as against 14, 13, and 15 in the preceding three weeks and an average of 203.

Different forms of violence caused 34 deaths, all of which were the subject of coroners' inquests. Of these 34 deaths, 5 were cases of suicide, while the remaining 29 were attributed to other forms of violence. Four of these latter were referred to vehicles in the streets, 6 to burns and scalds, 1 to drowning, and 1 of an infant under one year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 21 cases of enteric fever, 14 of measles, 5,438 of scarlet fever, 24 of whooping-cough, and 2,655 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 1, 3, and 3; of measles, 5 cases, against 0, 1, and 0; of scarlet fever, 724 cases, against 805, 831, and 727; of whooping-cough, 2 cases, against 1, 2, and 4; and of diphtheria, 342 cases, against 375, 375, and 333. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended November 27th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 4th December, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 13th Nov., 1920.	20th Nov., 1920.	27th Nov., 1920.	4th Dec., 1920.	Week ended 4th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	17,807,258	13·4	12·8	13·5	13·2	7388	4494	723	1544	2	–	18	15	16	59	94	66	161	337	1419	27	96 GREAT TOWNS.
LONDON†	4,358,309	14·9	13·6	14·1	13·1	1921	1091	150	410	–	–	–	4	3	22	13	13	34	95	491	2	LONDON.†
‡ CROYDON	184,239	11·3	12·5	12·2	9·3	59	33	4	12	–	–	–	–	–	3	–	–	2	7	12	–	‡ CROYDON.
‡ WIMBLEDON	59,791	15·7	9·6	10·5	11·3	22	13	1	5	–	–	–	–	–	–	–	–	1	3	3	–	‡ WIMBLEDON.
‡ EALING	73,212	8·5	7·1	10·0	10·7	13	15	–	6	–	–	–	–	–	–	–	–	–	1	10	–	‡ EALING.
‡ ACTON	61,732	9·3	9·3	10·1	11·8	20	14	2	4	–	–	–	–	–	–	–	–	–	–	3	–	‡ ACTON.
‡ WILLESDEN	160,917	12·6	17·8	13·3	10·4	68	32	4	15	–	–	–	1	–	1	–	2	1	1	11	–	‡ WILLESDEN.
‡ HORNSEY	94,348	11·6	9·9	9·9	13·8	23	25	1	15	–	–	–	–	–	1	–	–	2	2	5	–	‡ HORNSEY.
‡ TOTTENHAM	141,338	10·0	12·9	11·8	10·7	44	29	5	8	–	–	–	–	1	2	–	1	–	1	8	–	‡ TOTTENHAM.
‡ EDMONTON	70,711	10·3	13·3	7·4	7·4	25	10	3	2	–	–	–	–	–	1	1	1	–	–	5	–	‡ EDMONTON.
‡ ENFIELD	58,442	10·7	10·7	15·2	8·0	25	9	3	1	–	–	–	–	–	1	1	–	–	1	4	–	‡ ENFIELD.
‡ WEST HAM	287,966	13·8	12·9	12·3	14·1	158	78	14	27	–	–	–	–	–	1	2	2	2	5	25	–	‡ WEST HAM.
‡ EAST HAM	144,451	10·1	8·3	8·3	11·2	63	31	8	7	–	–	–	–	–	1	1	2	–	1	5	–	‡ EAST HAM.
‡ LEYTON	123,896	10·5	8·4	13·9	10·9	41	26	3	12	–	–	–	–	–	–	1	–	–	–	10	–	‡ LEYTON.
‡ WALTHAMSTOW	127,684	9·8	10·2	10·2	12·7	36	31	5	13	–	–	–	–	–	–	1	–	2	3	15	–	‡ WALTHAMSTOW.
‡ ILFORD	79,524	7·2	9·2	6·6	7·9	22	12	1	2	–	–	–	–	–	–	–	–	–	–	3	–	‡ ILFORD.
GILLINGHAM	43,501	15·6	18·0	15·6	10·8	27	9	3	3	–	–	–	–	–	–	–	–	–	–	1	–	GILLINGHAM.
HASTINGS	57,674	21·7	10·8	13·6	16·3	18	18	–	12	–	–	–	–	–	–	–	–	–	1	3	–	HASTINGS.
EASTBOURNE	48,424	10·8	9·7	6·5	11·8	25	11	2	3	–	–	–	–	–	–	–	1	–	–	1	–	EASTBOURNE.
BRIGHTON	132,409	13·0	11·0	13·8	13·0	41	33	–	18	–	–	–	–	–	1	–	1	4	7	8	–	BRIGHTON.
PORTSMOUTH§	224,846	10·7	11·8	10·0	13·2	104	57	6	26	–	–	–	–	–	–	–	2	1	3	20	–	PORTSMOUTH.§
BOURNEMOUTH	82,627	12·0	9·5	15·1	10·1	22	16	–	9	–	–	–	–	–	–	–	–	–	1	2	–	BOURNEMOUTH
SOUTHAMPTON	126,033	14·1	10·8	11·6	10·3	46	25	4	12	–	–	–	–	–	–	2	–	2	2	11	1	SOUTHAMPTON.
READING	91,365	14·3	12·6	9·7	16·0	32	28	5	13	–	–	–	–	–	–	1	1	1	–	5	–	READING.
OXFORD	57,666	10·9	6·3	12·7	11·8	16	13	–	8	–	–	–	–	–	–	–	–	1	2	2	–	OXFORD.
NORTHAMPTON	88,944	10·0	12·9	7·6	12·3	27	21	6	9	–	–	–	–	–	–	1	–	–	2	5	–	NORTHAMPTON.
CAMBRIDGE	57,849	5·4	12·6	20·7	9·9	19	11	1	7	–	–	–	–	–	–	–	–	–	–	5	–	CAMBRIDGE.

* *See* note † on first page of this return.

† For Greater London *see* end of Table.

‡ These towns are included within the area of Greater London.

§ As constituted before the extension on 1st October, 1920.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 4th December 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 13th Nov., 1920.	20th Nov., 1920.	27th Nov., 1920.	4th Dec., 1920.	Week ended 4th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	19·2	13·7	17·4	7·4	26	12	2	2	-	-	-	-	-	-	-	-	1	1	2	1	SOUTHEND ON SEA.
IPSWICH	78,011	14·7	15·4	12·0	11·4	19	17	3	6	-	-	-	-	-	-	-	-	1	5	3	-	IPSWICH.
GREAT YARMOUTH	53,078	11·8	10·8	11·8	11·8	18	12	2	5	-	-	-	-	1	-	-	1	-	-	3	-	GREAT YARMOUTH.
NORWICH	119,993	11·7	8·3	14·3	7·8	36	18	3	6	-	-	-	-	-	-	-	-	1	2	3	-	NORWICH.
SWINDON	51,527	13·2	12·1	14·2	8·1	23	8	-	2	-	-	-	-	-	1	-	-	-	-	2	-	SWINDON.
EXETER	59,014	15·0	14·1	12·4	9·7	18	11	3	5	-	-	-	-	-	-	1	-	-	-	2	-	EXETER.
PLYMOUTH	181,967	13·2	13·5	12·9	16·9	73	59	10	18	-	-	-	-	1	-	2	-	-	3	8	-	PLYMOUTH.
BATH	65,919	10·3	11·9	13·4	13·4	12	17	-	6	-	-	-	-	-	-	-	3	-	2	4	-	BATH.
BRISTOL	361,247	13·7	11·5	11·4	11·5	128	80	7	41	-	-	-	-	1	2	1	-	3	6	25	-	BRISTOL.
GLOUCESTER	50,100	19·8	15·6	11·4	9·4	18	9	1	4	-	-	-	1	-	-	-	-	-	-	3	-	GLOUCESTER.
STOKE ON TRENT	239,316	12·6	10·0	14·2	13·1	122	60	16	16	-	-	-	1	-	-	8	2	4	7	7	1	STOKE ON TRENT.
WOLVERHAMPTON	98,403	12·2	9·5	9·0	9·5	46	18	2	8	-	-	-	-	-	-	-	-	-	1	6	-	WOLVERHAMPTON.
WALSALL	92,724	9·6	16·3	14·6	16·3	46	29	5	6	-	-	1	-	-	1	2	-	1	3	8	-	WALSALL.
WEST BROMWICH	69,899	11·9	19·4	16·4	17·9	35	24	4	9	-	-	1	-	-	-	-	1	1	1	5	-	WEST BROMWICH.
DUDLEY	54,017	11·6	14·5	13·5	17·4	29	18	3	6	-	-	-	-	-	-	-	-	4	4	7	1	DUDLEY.
BIRMINGHAM	861,585	14·5	13·1	13·1	11·9	349	197	31	63	-	-	3	1	-	4	6	2	12	14	83	4	BIRMINGHAM.
SMETHWICK	72,152	6·5	5·1	13·0	12·3	19	17	2	6	-	-	-	-	-	-	-	-	1	1	5	-	SMETHWICK.
COVENTRY	132,048	9·5	7·5	6·7	9·9	55	25	5	11	-	-	-	-	-	-	-	-	1	2	5	-	COVENTRY.
LEICESTER	236,059	14·6	13·5	15·9	11·7	117	53	9	20	-	-	-	-	-	-	-	1	1	1	12	1	LEICESTER.
LINCOLN†	60,581	10·3‡	9·5‡	15·5	9·5	27	11	1	7	-	-	-	-	-	-	-	-	-	-	2	-	LINCOLN.†
GRIMSBY	78,813	15·2	13·9	12·6	12·6	32	19	6	6	-	-	-	-	1	-	-	-	-	1	4	1	GRIMSBY.
NOTTINGHAM	257,573	12·6	15·0	10·5	13·8	95	68	11	26	-	-	-	-	-	-	1	2	2	5	19	1	NOTTINGHAM.
DERBY	123,930	13·0	8·8	10·5	14·7	46	35	5	13	-	-	-	-	-	-	-	-	3	3	11	-	DERBY.

* *See* note † on first page of this return. † As constituted before the extension on 9th November 1920. ‡ Revised Rates.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 4th December, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 13th Nov., 1920.	20th Nov., 1920.	27th Nov., 1920.	4th Dec., 1920.	Week ended 4th Dec., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	16·2	15·4	16·2	14·5	38	35	4	11	–	–	–	–	–	–	1	–	1	4	7	–	STOCKPORT.
BIRKENHEAD	148,052	13·0	9·9	11·6	12·0	72	34	6	13	–	–	–	–	–	–	1	1	–	1	12	–	BIRKENHEAD.
WALLASEY	95,424	10·9	12·0	13·7	8·7	22	16	1	9	–	–	–	–	–	–	1	–	–	–	2	–	WALLASEY.
LIVERPOOL	772,665	16·7	14·2	14·3	15·7	352	232	49	71	1	–	–	–	1	1	11	2	8	17	96	1	LIVERPOOL.
BOOTLE	76,962	9·5	12·9	10·2	13·6	39	20	3	4	–	–	–	–	–	1	–	–	–	–	4	1	BOOTLE.
ST. HELENS	100,805	10·9	14·5	15·5	10·9	42	21	8	4	–	–	–	–	–	–	1	–	1	2	2	–	ST. HELENS.
SOUTHPORT	70,144	8·9	20·1	17·1	17·8	21	24	3	11	–	–	–	–	–	–	–	–	–	–	4	1	SOUTHPORT.
WIGAN	87,384	13·7	10·7	17·3	18·5	37	31	10	7	–	–	–	–	–	–	–	1	–	1	3	–	WIGAN.
WARRINGTON	74,952	11·1	9·0	12·5	12·5	25	18	3	2	–	–	–	–	–	–	1	1	2	2	4	–	WARRINGTON.
BOLTON	177,462	14·7	14·4	15·9	13·5	49	46	6	19	–	–	–	–	–	–	2	–	–	–	15	–	BOLTON.
BURY	54,248	12·5	9·6	13·5	10·6	21	11	4	4	–	–	2	–	–	–	–	–	–	–	1	–	BURY.
MANCHESTER	741,068	13·1	13·4	14·4	14·9	338	212	25	68	1	–	–	1	–	6	3	4	4	11	56	–	MANCHESTER.
SALFORD	226,225	11·8	14·3	14·8	15·4	109	67	9	18	–	–	1	1	–	1	4	1	4	11	23	–	SALFORD.
OLDHAM	137,668	14·0	15·2	14·4	15·2	47	40	3	12	–	–	–	–	–	–	–	–	1	2	15	–	OLDHAM.
ROCHDALE	90,051	15·6	11·0	9·3	12·7	18	22	2	9	–	–	–	–	–	–	–	–	–	1	11	1	ROCHDALE.
BURNLEY	101,005	12·9	14·5	10·3	16·5	41	32	7	9	–	–	–	–	–	1	1	–	2	3	14	–	BURNLEY.
BLACKBURN	125,992	12·0	8·7	10·8	9·1	35	22	3	14	–	–	–	–	–	–	1	1	–	–	6	–	BLACKBURN.
PRESTON	117,277	12·4	9·3	15·1	13·8	48	31	6	12	–	–	–	–	1	–	1	–	1	2	10	1	PRESTON.
BLACKPOOL	67,842	13·1	9·2	12·3	12·3	11	16	–	9	–	–	–	–	–	–	–	–	–	–	1	–	BLACKPOOL.
BARROW IN FURNESS	73,627	12·0	12·0	15·6	14·2	28	20	1	3	–	–	1	–	–	1	–	–	1	1	4	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	13·0	13·0	13·5	11·1	29	24	1	7	–	–	–	–	–	–	–	–	1	1	–	1	HUDDERSFIELD.
HALIFAX	101,791	15·9	8·7	11·8	8·7	27	17	2	8	–	–	–	–	–	–	–	–	1	3	1	–	HALIFAX.
BRADFORD	282,714	13·5	13·5	14·0	14·4	93	78	14	22	–	–	–	1	–	1	3	1	4	6	23	–	BRADFORD.
LEEDS	431,999	13·3	12·4	15·4	16·4	195	136	24	43	–	–	–	–	–	–	–	2	9	16	37	–	LEEDS.
DEWSBURY	52,969	16·7	12·8	9·8	13·8	19	14	1	5	–	–	–	–	–	–	–	–	–	–	1	–	DEWSBURY.
WAKEFIELD	49,208	12·7	11·7	14·8	11·7	27	11	1	2	–	–	–	–	1	–	–	–	–	2	4	–	WAKEFIELD.
BARNSLEY	51,680	16·1	13·1	14·1	10·1	26	10	2	2	–	–	–	–	–	–	–	1	–	2	1	–	BARNSLEY.

* *See* note † on first page of this return

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Causes. Week ended 13th Nov., 1920.	20th Nov., 1920.	27th Nov., 1920.	4th Dec., 1920.	Week ended 4th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	12·1	10·5	14·3	12·9	200	117	24	32	–	–	4	–	2	2	2	1	6	11	41	–	Sheffield.
Rotherham	69,034	14·4	11·3	15·1	9·1	24	12	3	3	–	–	–	–	–	–	–	–	–	–	3	–	Rotherham.
York	74,531	12·6	16·1	23·1	13·3	32	19	4	7	–	–	–	–	–	–	–	1	1	1	2	–	York.
Hull	279,664	11·9	14·4	13·8	14·5	120	78	19	24	–	–	–	–	–	1	4	–	2	4	20	2	Hull.
Middlesbrough	127,142	11·9	18·5	18·5	22·1	77	54	19	11	–	–	3	–	–	–	1	–	4	5	4	–	Middlesbrough.
Darlington	64,058	10·6	13·0	13·0	8·1	22	10	2	3	–	–	–	–	–	–	–	–	–	–	3	2	Darlington.
Stockton on Tees	60,696	17·2	18·0	23·2	15·5	32	18	3	6	–	–	–	–	–	–	1	–	–	–	6	–	Stockton on Tees.
West Hartlepool	65,515	11·1	17·5	11·1	12·7	28	16	2	3	–	–	–	–	–	–	–	1	1	1	4	–	West Hartlepool.
Sunderland	149,263	13·3	13·3	13·6	15·4	88	44	8	12	–	–	–	–	1	1	2	1	2	5	10	–	Sunderland.
South Shields	111,502	15·9	19·2	18·7	18·2	61	39	13	7	–	–	–	–	–	–	1	2	–	1	5	2	South Shields.
Gateshead	123,392	14·8	17·3	13·9	19·4	50	46	6	13	–	–	–	–	–	1	1	–	5	5	7	–	Gateshead.
Newcastle on Tyne.	275,099	12·5	14·0	18·2	17·1	132	90	26	22	–	–	1	1	–	–	3	2	1	5	18	–	Newcastle on Tyne.
Tynemouth	58,007	14·4	13·5	18·9	20·7	47	23	8	4	–	–	–	–	–	–	1	–	1	1	5	2	Tynemouth.
Carlisle	55,198	16·1	9·4	12·3	13·2	28	14	1	6	–	–	–	–	–	–	–	–	–	–	4	–	Carlisle.
Newport (Mon.)	87,251	12·5	14·9	6·0	9·0	43	15	1	6	–	–	–	–	1	–	–	1	–	–	7	–	Newport (Mon.).
Cardiff	204,436	9·7	9·7	11·7	11·0	89	43	7	15	–	–	–	–	–	–	–	1	3	3	8	–	Cardiff.
Rhondda	177,911	11·7	12·3	11·7	10·8	88	37	4	7	–	–	1	1	1	–	–	1	2	3	2	–	Rhondda.
Merthyr Tydfil	71,638	17·5	15·3	17·5	10·2	35	14	1	1	–	–	–	2	–	–	–	–	1	1	5	–	Merthyr Tydfil.
Aberdare	51,384	6·1	11·2	11·2	11·2	21	11	3	1	–	–	–	–	–	–	1	–	2	2	1	–	Aberdare.
Swansea	160,810	11·0	11·0	14·6	14·9	56	46	9	12	–	–	–	–	–	–	1	2	1	1	5	–	Swansea.
Greater London	7,259,388	13·3	12·5	13·1	12·0	2970	1669	219	644	–	–	–	6	4	39	20	25	50	138	678	3	Greater London.
Outer Ring	2,901,079	11·0	10·9	11·5	10·4	1049	578	69	234	–	–	–	2	1	17	7	12	16	43	187	1	Outer Ring
14 Great Towns in Outer Ring.	1,668,251	11·2	11·5	11·2	11·2	619	358	54	129	–	–	–	1	1	11	7	8	10	25	119	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	10·7	10·1	12·0	9·3	430	220	15	105	–	–	–	1	–	6	–	4	6	18	68	1	Remainder of Outer Ring.
Edinburgh†	342,300	15·3	10·7	14·7	11·2	122	73	12	34	–	–	–	–	–	–	–	1	1	–	–	–	Edinburgh.†
Glasgow†	1,115,500	15·0	15·1	14·3	14·0	574	298	62	71	1	–	–	1	–	6	3	4	17	–	–	–	Glasgow.†
Dublin (Registration Area).†	415,000	16·8	19·1	15·7	14·6	162	116	24	36	–	–	–	–	1	3	4	1	4	3	35	3	Dublin (Registration Area).†
Belfast†	413,000	14·1	13·1	14·0	13·3	152	105	22	25	–	–	1	–	3	2	6	2	1	4	24	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FORTY-EIGHTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	1984	2097	1960	2179	1914	1698	1832	1345	1434	2308	1921
Males	1011	1058	977	1098	990	810	923	694	745	1190	977
Females	973	1039	983	1081	924	888	909	651	689	1118	944
Deaths (of residents only).	1918	1306	1255	1223	1324	1698*	1380	974*	2535*	1104*	1091*
Males		672	642	607	677	853	707	494	1213	557	565
Females		634	613	616	647	845	673	480	1322	547	526

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.
Births (as registered)	2219	1876	2093	2165	2207	2036	2142	2284	1927	2057	2011	1900	1921
Deaths (of residents only).	831	821	825	861	874	815	851	983	982	1244	1138	1178	1091
Ages at Death: Under 1 year	159	148	137	142	138	124	142	151	127	130	160	142	150
1–2 years	16	12	9	8	16	14	14	11	19	33	19	21	23
2–5 ,,	12	14	21	22	19	26	17	34	21	24	20	33	20
5–10 ,,	20	24	21	22	27	24	26	23	24	33	20	22	22
10–15 ,,	13	14	14	15	13	14	13	13	12	15	22	18	12
15–20 ,,	17	8	18	18	22	12	18	18	22	26	22	16	16
20–25 ,,	21	23	17	16	16	17	18	16	18	19	19	28	24
25–35 ,,	41	32	41	38	62	47	52	56	54	58	51	49	38
35–45 ,,	60	71	59	57	76	51	70	80	80	107	81	87	83
45–55 ,,	92	106	94	117	114	98	104	109	110	139	113	149	132
55–65 ,,	99	121	113	119	100	123	110	142	159	174	168	188	161
65–75 ,,	129	139	153	151	142	129	124	170	155	243	218	224	190
75 years and upwards	152	109	128	136	129	136	143	160	181	243	225	201	220
Deaths from—													
Enteric fever	–	1	–	2	2	–	–	1	–	–	1	2	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	3	2	–	1	4	–	1	2	2	2	4	–
Scarlet fever	5	2	1	11	3	2	6	3	3	7	7	7	4
Whooping cough	3	3	1	3	2	4	2	4	2	2	2	3	3
Diphtheria	14	15	22	18	17	14	14	18	25	26	20	21	22
Diarrhœa and enteritis (under 2 years).	43	46	39	33	50	35	36	34	26	29	24	16	13
Pulmonary tuberculosis	57	79	69	78	86	73	97	103	100	124	94	119	103
Influenza	2	7	6	5	5	3	8	5	12	14	13	15	13
Pneumonia (all forms)	45	47	53	51	58	34	48	60	59	88	111	104	106
Bronchitis	32	33	52	39	39	39	37	58	78	157	138	154	149
Other dis. of resp. system	13	14	11	10	11	11	4	13	12	27	18	19	18
Dis. of circ. system	149	133	148	159	147	153	161	173	179	229	190	196	177
Violence	36	30	35	33	34	46	40	36	31	43	38	44	34
Inquest cases	76	76	80	79	84	90	84	84	85	98	87	108	95
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	22	16	15	14	14	16	20	19	21	14	16	18	21
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	23	22	19	18	26	27	22	24	24	21	15	13	14
Scarlet fever	2635	2953	3305	3717	4121	4534	4859	5167	5373	5512	5610	5575	5438
Whooping cough	22	19	20	20	23	26	27	28	25	26	25	25	24
Diphtheria	1482	1591	1700	1778	1884	1975	2113	2301	2353	2474	2563	2626	2655

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.
Deaths from Influenza	20	28	18	27	33	34	30	35	29	42	60	69	66

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-EIGHTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 48th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1104	1091	150	23	20	22	12	16	24	38	83	132	161	190	220
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	4	–	2	1	1	–	–	–	–	–	–	–	–	–
Whooping cough	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	23	22	2	1	6	12	1	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	15	13	1	1	1	–	–	–	–	–	2	3	2	1	2
Erysipelas	1	7	–	–	–	–	–	–	–	2	2	–	1	1	1
Other epidemic diseases	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Pyæmia and septicæmia	5	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—															
Pulmonary tuberculosis	86	103	1	–	1	–	2	5	11	14	23	24	16	4	2
Tuberculous meningitis	6	5	2	1	–	–	–	1	1	–	–	–	–	–	–
Abdominal tuberculosis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of other organs	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Disseminated tuberculosis	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Venereal diseases	2	5	2	–	–	–	–	–	–	–	2	–	1	–	–
Cancer	105	107	–	–	–	–	–	–	2	–	7	18	31	32	17
Tumour, situation undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	4	5	–	–	–	1	1	1	–	–	–	2	–	–	–
Diabetes	10	8	–	–	–	–	–	–	–	–	1	1	4	2	–
Anæmia, leucocythaemia	6	3	–	–	–	–	–	–	–	–	1	–	2	–	–
Other general diseases	5	6	2	1	–	–	–	–	–	1	–	2	–	–	–
Alcoholism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	7	5	–	–	–	–	–	–	–	1	1	–	–	–
Cerebral hæmorrhage, Apoplexy	43	39	–	–	–	–	–	–	–	–	3	4	10	9	13
Softening of brain	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis, without specified cause	3	5	–	–	–	–	–	–	–	–	–	–	–	3	2
Epilepsy	6	3	–	–	–	–	–	–	–	–	1	1	1	–	–
"Convulsions" (not puerperal)	6	6	5	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	30	27	–	–	1	1	–	1	1	2	3	4	9	3	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	7	6	–	–	–	–	–	–	1	2	2	1	–	–	–
Organic disease of heart	129	120	–	–	–	–	3	1	3	3	6	12	25	33	34
Embolism and thrombosis (including cerebral).	13	13	–	–	–	–	–	–	–	–	1	2	1	6	3
Other diseases of circulatory system.	41	38	1	1	–	–	–	1	–	–	–	4	8	12	11
Diseases of the larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	109	149	18	3	1	1	–	–	1	–	5	16	20	34	50
Broncho-pneumonia	29	52	19	8	1	1	–	–	1	2	–	3	5	5	7
Lobar pneumonia	33	29	2	–	1	1	–	3	1	2	3	7	2	2	5
Pneumonia (type not distinguished)	27	25	2	–	1	1	1	2	–	–	4	3	1	5	5
Pleurisy	2	4	–	–	1	–	–	–	–	–	–	1	1	1	–
Pulmonary congestion, Pulmonary apoplexy.	5	2	–	–	–	–	–	–	–	–	–	–	–	–	2
Other diseases of respiratory system.	7	12	–	–	–	–	–	–	–	–	4	1	4	1	2

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTY-EIGHTH Week of the Year 1920.

Causes of Death.	Deaths in the 48th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	5	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Diseases of stomach	10	7	2	1	–	–	–	–	–	1	1	1	1	–	–
Diarrhœa and enteritis	29	21	12	1	2	–	–	–	–	2	1	–	–	2	1
Appendicitis and typhlitis	4	6	–	–	1	–	1	–	–	–	1	1	1	1	–
Hernia and Intestinal obstruction.	9	10	2	–	–	–	–	–	–	–	1	1	3	1	2
Cirrhosis of liver	5	6	–	–	–	–	–	–	–	–	–	2	2	2	–
Other diseases of liver	2	3	–	–	–	–	–	–	–	–	–	1	–	2	–
Peritonitis (cause unknown)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	2	4	1	–	–	–	–	–	–	–	1	1	–	1	–
Acute nephritis	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Chronic Bright's disease	23	27	–	–	–	–	–	–	–	1	3	6	7	6	4
Urinary calculi	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian tumour (")	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	14	8	–	–	–	–	–	1	1	–	–	–	2	2	2
Puerperal fever, &c.	7	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth.	4	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Diseases of skin and cellular tissues.	6	11	2	–	–	–	1	–	–	1	–	–	–	2	5
Diseases of locomotor system	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Congenital malformations	11	8	8	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	56	22	22	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	21	21	21	–	–	–	–	–	–	–	–	–	–	–	–
Old age	39	49	–	–	–	–	–	–	–	–	–	–	–	7	42
Accident.															
Poisons or poisonous vapours	1	3	–	–	–	–	–	–	–	–	–	1	–	2	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	12	6	1	1	2	1	–	–	–	–	–	–	–	–	1
Drowning	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation in bed	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	20	18	1	–	–	1	–	–	1	1	1	3	1	4	5
Total deaths from accident	40	29	3	1	2	2	–	–	1	1	1	4	1	7	6
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Vehicles and horses	13	4	–	–	–	–	–	–	–	–	1	1	–	–	2
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence other than Accidental.															
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	5	–	–	–	–	–	–	–	–	1	4	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	13	13	13	–	–	–	–	–	–	–	–	–	–	–	–
Ill-defined Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
NDON‡ - -	4,358,309	Dec. 4	1,921	1,091	13·1	–	–	–	4	3	22	13	13
LCUTTA - -	896,067	Oct. 16	–	588§	34·1	?	–	?	?	?	?	?	37
MBAY - -	979,445	„ 23	446	959§	50·9	2	–	–	–	–	–	70	13
DRAS - -	518,660	„ 23	387	350	35·1	4	1	–	?	1	–	37	4
RIS - - -	2,847,229	(11 days) Oct. 31	1,511	1,156	?	7	–	–	2	2	4	43	1
USSELS - -	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
TWERP - -	333,289	Nov. 20	105	95	15·3	–	–	3	–	–	1	9	–
STERDAM -	654,089	„ 20	262	143	11·4	–	–	4	–	–	–	–	–
PENHAGEN -	571,000	„ 20	224	124	11·3	–	–	–	–	–	1	3	–
CKHOLM -	415,201	„ 13	125	88	11·0	–	–	–	–	–	1	–	–
THENBURG -	200,578	„ 13	–	40	10·4	–	–	–	–	–	1	1	–
RISTIANIA -	260,904	Nov. 20	98	61	12·2	–	–	–	–	–	1	2	–
RLIN - -	1,904,590	„ 13	556	554	15·1	4	?	–	–	3	9	15	6
ESLAU - -	531,347	„ 13	245	142	13·9	1	?	–	–	–	2	2	4
LOGNE - -	642,899	„ 13	308	216	17·5	1	?	2	1	2	3	6	?
ESDEN - -	537,127	„ 13	212	137	13·3	–	?	–	–	–	–	2	?
ANKFORT-ON-MAIN.	435,103	„ 13	180	92	11·0	–	?	–	–	–	1	2	?
MBURG - -	1,002,933	„ 13	323	244	12·7	1	?	–	–	–	4	5	?
PZIG - -	610,686	„ 13	247	141	12·0	–	?	–	–	–	1	3	?
NICH - -	647,030	„ 13	245	174	14·0	–	?	1	–	2	–	6	?
NNA - -	1,842,005	„ 13	399	610	17·2	2	–	–	4	1	3	13	2
GUE - -	524,496	Oct. 30	159	150	14·9	1	–	–	–	–	1	5	1
DAPEST - -	1,071,492	Sept. 4	361	328	15·9	6	–	–	10	2	1	27	–
ESTE - -	239,866	Nov. 13	105	72	15·7	2	–	–	–	–	–	4	1
RO - - -	761,300	Sept. 9	573	454	31·0	15	–	4	–	?	3	49	?
		„ 16	573	401	27·4	7	–	1	–	?	2	38	?
XANDRIA -	445,700	„ 9	333	281	32·8	1	–	–	–	?	–	30	?
		„ 16	296	283	33·0	2	–	–	–	?	–	37	?
W YORK -	6,141,445	Nov. 6	2,200	1,114	9·5	4	–	–	2	7	6	32	4
CAGO - -	2,727,504	„ 6	–	518	9·9	2	–	1	2	2	16	49	3
		„ 13	–	542	10·4	–	–	1	1	–	31	36	2

cluding deaths from croup in Bombay and Madras.
e deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
e estimated population and deaths refer to the civilian population only.
cluding 1 death from *plague* in Bombay, and from *Asiatic cholera* 24 deaths in Calcutta.

ABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 4th December, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON (Greenwich)	57	37	51·7	40·6	12
HTON - -	54	38	51·9	43·4	23
SMOUTH - -	56	39	52·6	43·9	21
WICH (Eaton) -	55	35	49·7	40·7	20
MOUTH - -	56	36	53·0	42·9	34
TOL (Clifton) -	55	38	51·7	43·7	32
MINGHAM -	54	38	48·3	40·6	18
TINGHAM -	57	36	50·3	39·7	15
ENHEAD (Bidston)	55	40	50·3	42·7	10
CHESTER -	56	38	49·9	43·0	14
LEY - -	54	37	48·0	40·7	29
DERSFIELD -	55	38	48·1	41·3	22

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD - -	55	37	48·9	40·9	32
SHEFFIELD - -	55	38	48·1	41·4	23
YORK (Museum) -	54	37	47·9	41·4	19
HULL (Pearson Park)	55	38	49·3	42·0	19
TYNEMOUTH - -	52	39	47·7	42·9	22
CARDIFF - -	55	38	50·6	41·4	47
EDINBURGH - -	48·0	38·0	47·3	40·0	17
GLASGOW - -	50·9	38·6	48·1	41·5	29
DUBLIN :— Phœnix Park -	57·0	30·2	51·3	36·9	15
†Fitzwilliam Square	58·0	37·0	51·0	40·6	19
BELFAST - -	56·0	34·0	52·1	39·4	54

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 4th December 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	28	..	29·675	50·0	46·4	3·6	48·0	+ 6·5	47·4	0·6	3·0	0·0	98	49·9	45·8	47·0	ESE., E. & calm.	W. & NW.	0·7	0·0	0·0	133	−183	0·27
MONDAY	29	..	29·843	48·5	40·1	8·4	44·7	+ 3·5	40·4	4·3	7·5	1·3	85	57·2	33·4	47·0	SW. & S.	ESE.	3·5	0·0	0·2	235	− 77	0·04
TUESDAY	30	..	29·719	53·6	46·2	7·4	49·4	+ 8·4	46·5	2·9	5·2	1·3	90	78·7	40·8	47·0	ESE., S. & SE.	ESE. & E.	3·4	0·0	0·3	284	− 26	0·14
DECEMBER. WEDNESDAY	1	..	29·953	50·9	36·7	14·2	43·3	+ 2·4	38·7	4·6	10·4	0·7	84	76·2	29·9	47·1	SW. & SSE.	SW. & S.	2·9	0·0	0·1	264	− 46	0·00
THURSDAY	2	Last Quarter. In Equator.	29·896	47·0	39·7	7·3	41·8	+ 0·9	40·2	1·6	3·2	1·1	94	47·6	33·1	47·1	S. & E.	E., calm & S.	3·6	0·0	0·2	204	−109	0·18
FRIDAY	3		29·646	56·5	40·1	16·4	48·6	+ 7·5	42·3	6·3	9·8	1·4	79	60·1	36·2	47·2	S. & SW.	W. & WNW.	12·0	0·0	1·3	677	+355	0·05
SATURDAY	4	..	29·801	46·6	42·1	4·5	44·9	+ 3·6	36·5	8·4	12·0	3·7	72	51·3	36·0	47·1	WNW., NW. & N.	N. & NNE.	15·0	0·0	2·1	773	+442	0·02
MEANS		- - -	29·790	50·4	41·6	8·8	45·8	+ 4·7	41·7	4·1	7·3	1·4	86	60·1	36·5	47·1	SSE.		..	..	..	Sum 2570	Sum +356	Sum 0·70
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. November 1920.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
Sunday	28	w.P. throughout	0·0	8·2	Overcast throughout; rain 1h. 30m. to 7h. and frequent slight rain after 11h.; gloom about noon; slight fog in forenoon.
Monday	29	w.P. throughout	1·1	8·2	Overcast generally; fine interval between 6h. and 10h.; occasional showers between 15h. and 22h.
Tuesday	30	w.P. throughout	1·1	8·2	Overcast with few exceptions about 1h. 10m., and after 22h.; occasional rain between 14h. and 22h.
December. Wednesday	1	w.P. throughout	5·2	8·1	Nearly cloudless generally till 10h.; variably cloudy till 13h.; nearly cloudless till 19h. 30m., then becoming nearly overcast with thin cloud.
Thursday	2	w.P. throughout	0·0	8·1	Nearly overcast till 2h., then overcast; cloud thin about 15h.; frequent rain 3h. 30m. till noon.
Friday	3	w.P. generally, v.P. 14h. to 22h.	0·9	8·1	Overcast generally till about 14h., then cloudy, becoming cloudless by 18h.; few clouds afterwards; rain between 5h. 30m. and noon; brisk wind from 6h.
Saturday	4	w.P. generally, a little v.P. 7h. to 11h.	0·1	8·0	Nearly cloudless till 3h., becoming overcast generally by 4h.; brisk wind throughout; showery after 21h.
			Sum 8·4	Sum 56·9	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·50 in. at the beginning of the week to 29·49 in. by 4h. on Nov. 28th; increased to 29·99 in. by 16th on Dec. 1st; decreased to 29·75 in. by 6h. on Dec. 2nd; increased to 30·07 in. by 22h. on the same day; decreased to 29·56 in. by 11h. on Dec. 3, and increased to 29·95 in. by midnight on Dec. 4th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 27th November, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,178	2	–	4	7	3	21	16	119	142
Western										
Paddington	32	–	–	–	–	–	2	–	1	2
Kensington	57	–	–	–	–	–	1	3	3	9
Hammersmith	32	–	–	–	–	–	–	–	3	2
Fulham	35	–	–	–	–	–	1	1	3	4
Chelsea	22	–	–	–	–	–	–	–	2	2
City of Westminster	34	–	–	–	–	–	–	–	5	1
Northern.										
St. Marylebone	34	–	–	–	–	–	–	2	1	9
Hampstead	18	–	–	1	–	–	–	–	1	–
St. Pancras	62	–	–	–	1	–	–	–	8	4
Islington	96	–	–	–	1	–	7	1	11	12
Stoke Newington	16	–	–	–	–	–	1	–	2	4
Hackney	48	–	–	–	–	–	–	1	1	13
Central.										
Holborn	19	–	–	–	–	–	–	–	4	1
Finsbury	31	–	–	–	–	–	–	–	5	4
City of London	4	–	–	–	–	–	–	–	–	–
Eastern.										
Shoreditch	36	–	–	2	–	–	–	–	7	4
Bethnal Green	32	–	–	–	1	–	–	1	3	6
Stepney	60	–	–	–	–	–	–	2	8	8
Poplar	39	–	–	1	–	–	–	–	4	5
Southern.										
Southwark	69	–	–	–	–	–	2	2	4	9
Bermondsey	32	–	–	–	1	1	2	–	3	3
Lambeth	71	1	–	–	1	–	1	–	5	7
Battersea	39	–	–	–	–	–	1	2	4	6
Wandsworth	79	–	–	–	1	1	–	–	9	7
Camberwell	56	1	–	–	–	–	1	1	11	6
Deptford	31	–	–	–	–	–	1	–	3	6
Greenwich	31	–	–	–	1	–	–	–	2	4
Lewisham	37	–	–	–	–	–	1	–	4	4
Woolwich	26	–	–	–	–	1	–	–	2	–

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 27th November, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	–	–	–	–	17	14	1	3	–	–	1	–	–	–	–	–
Kensington	157,886	1	–	–	–	14	6	5	1	–	–	1	–	1	–	–	–
Hammersmith	130,981	–	–	–	–	31	16	5	2	–	1	2	–	–	–	–	–
Fulham	152,543	–	–	–	–	39	12	3	4	–	2	–	–	–	–	–	–
Chelsea	60,573	–	–	–	–	3	5	1	1	–	–	–	–	–	–	–	–
City of Westminster	127,533	–	–	–	–	12	1	2	1	–	–	–	–	–	–	–	–
NORTHERN.																	
St. Marylebone	97,953	1	–	–	–	6	2	–	2	–	–	1	–	–	–	–	–
Hampstead	88,012	–	–	–	–	14	4	–	2	–	–	–	–	–	–	–	–
St. Pancras	219,434	–	–	–	–	18	17	4	3	–	1	1	–	–	–	–	–
Islington	323,034	1	–	–	–	20	41	2	3	–	–	1	–	–	–	–	–
Stoke Newington	50,954	–	–	–	–	9	9	–	1	–	–	–	–	–	–	–	–
Hackney	216,736	2	–	–	–	46	24	3	3	–	–	1	–	–	–	–	–
CENTRAL.																	
Holborn	38,156	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–
Finsbury	75,291	–	–	–	–	9	8	1	–	–	–	–	–	–	–	–	–
City of London	13,893	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EASTERN.																	
Shoreditch	98,134	–	–	–	–	13	13	5	3	–	–	–	–	–	–	–	–
Bethnal Green	110,085	–	–	–	–	40	10	2	3	–	–	–	–	–	–	–	–
Stepney	232,506	–	1	–	–	79	24	11	3	–	–	–	–	–	–	–	–
Poplar	153,644	–	–	–	–	59	17	10	1	–	–	–	–	–	–	–	–
SOUTHERN.																	
Southwark	179,971	–	–	–	–	30	7	7	7	–	–	1	–	–	–	–	–
Bermondsey	124,239	1	–	–	–	37	7	1	3	–	–	–	–	–	–	–	–
Lambeth	282,322	–	–	–	–	36	15	4	3	–	1	–	–	–	–	–	–
Battersea	159,316	–	–	–	–	16	16	8	2	–	1	1	–	–	–	–	–
Wandsworth	333,693	–	–	–	–	50	36	9	6	1	1	1	–	–	1	–	–
Camberwell	273,802	–	2	–	–	46	18	2	3	–	–	–	–	–	–	–	–
Deptford	111,205	–	–	–	–	15	8	1	2	–	1	1	–	–	–	–	–
Greenwich	98,484	–	1	–	–	21	12	1	1	–	–	–	–	–	–	–	–
Lewisham	167,754	–	1	–	–	29	7	1	1	–	–	–	–	–	–	–	–
Woolwich	136,237	–	–	–	–	18	15	2	1	–	–	1	–	–	–	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,358,309	6	5	–	–	728	366	93	65	1	8	13	–	1	1	–	–
Ages 0–1		–	–	–	–	7	11	9	1	–	–	13	–	–	–	–	–
„ 1–5		–	–	–	–	158	89	19	1	–	–	–	–	–	–	–	–
„ 5–		1	–	–	–	327	141	12	2	1	–	–	–	–	–	–	–
„ 10–		–	–	–	–	144	73	2	4	–	–	–	–	–	–	–	–
„ 15–		1	–	–	–	41	24	4	2	–	–	–	–	–	–	–	–
„ 20–		–	1	–	–	20	6	2	6	–	3	–	–	–	–	–	–
„ 25–		1	4	–	–	21	14	11	7	–	5	–	–	–	–	–	–
„ 35–		1	–	–	–	8	4	10	11	–	–	–	–	–	–	–	–
„ 45–		2	–	–	–	2	4	6	8	–	–	–	–	1	–	–	–
„ 55–		–	–	–	–	–	–	11	14	–	–	–	–	–	–	–	–
„ 65–		–	–	–	–	–	–	4	6	–	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	–	–	3	3	–	–	–	–	–	1	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 49. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, DEC. **11.**
[Price 1½*d.* Net.]

General Register Office, Somerset House,
December 14*th*, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,930, and corresponded to an annual rate of 22·3 per 1,000. The deaths* among the civilian population only numbered 4,408, and corresponded to an annual rate of 12·9 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended November 20th, November 27th, and December 4th, the rates had been 12·8, 13·5, and 13·2 respectively. The infant mortality was 99, against 87, 92, and 98 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)13068—2 Wt 167–840 625 12/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 17·3 in Liverpool, 18·1 in Burnley, 19·1 in Wigan, 20·0 in Blackpool, 21·2 in Exeter, and 22·4 in Sunderland; from *measles*, 1·2 in Middlesbrough; and from *diphtheria*, 1·8 in Exeter and 2·0 in Ipswich. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 1,902 births, corresponding to a rate of 21·8 per 1,000, and 1,078 deaths of civilians, corresponding to a rate of 12·9, as against 13·6, 14·1, and 13·1 per 1,000 in the three weeks ended November 20th, November 27th, and December 4th. The death-rate in the four weeks ended last Saturday averaged 13·4 per 1,000. The infant mortality was 89, against 80, 75, and 78 in the preceding three weeks.

There was no death from *enteric fever*, against 1, 2, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. The deaths from *measles*, which had been 2, 4, and 0 in the preceding three weeks, were 3 last week, and were 14 below the average. The deaths from *scarlet fever*, which had been 7, 7, and 4 in the preceding three weeks, rose last week to 6, and were 3 above the average. The deaths from *whooping-cough*, which had been 2, 3, and 3 in the preceding three weeks, were again 3 last week, and were 4 below the average. The deaths from *diphtheria*, which had been 20, 21, and 22 in the preceding three weeks, were again 22 last week, and were 2 above the average; 3 deaths belonged to the Borough of Hammersmith and 3 to St. Pancras. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 24, 16, and 13 in the preceding three weeks, rose last week to 16, but were 4 below the average. The deaths from *influenza* numbered 13, as against 13, 15, and 13 in the preceding three weeks and an average of 149.

Different forms of violence caused 39 deaths, all of which were the subject of coroners' inquests. Of these 39 deaths, 5 were cases of suicide, and 1 of homicide, while the remaining 33 were attributed to other forms of violence. Eight of these latter were referred to vehicles in the streets, 6 to burns or scalds, 2 to drowning, and 2 of infants under one year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 18 cases of enteric fever, 17 of measles, 5,297 of scarlet fever, 25 of whooping-cough, and 2,654 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 3, 3, and 3; of measles, 5 cases, against 1, 0, and 5; of scarlet fever, 669 cases, against 831, 727, and 724; of whooping-cough, 3 cases, against 2, 4, and 2; and of diphtheria, 357 cases, against 375, 333, and 342. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended December 4th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 11th December, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 20th Nov., 1920.	27th Nov., 1920.	4th Dec., 1920.	11th Dec., 1920.	Week ended 11th Dec., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	17,807,258	12·8	13·5	13·2	12·9	7930	4408	784	1435	2	–	26	16	22	88	87	61	148	305	1463	39	96 GREAT TOWNS.
LONDON†	4,358,309	13·6	14·1	13·1	12·9	1902	1078	170	385	–	–	3	6	3	22	16	13	39	92	518	1	LONDON.†
‡ CROYDON	184,239	12·5	12·2	9·3	10·2	73	36	5	11	–	–	–	–	–	–	–	1	–	–	12	–	‡ CROYDON.
‡ WIMBLEDON	59,791	9·6	10·5	11·3	7·0	19	8	1	4	–	–	–	–	–	–	–	–	–	–	1	–	‡ WIMBLEDON.
‡ EALING	73,212	7·1	10·0	10·7	6·4	33	9	–	5	–	–	–	–	–	–	–	1	–	–	3	–	‡ EALING.
‡ ACTON	61,732	9·3	10·1	11·8	5·9	21	7	–	3	–	–	–	–	–	–	–	1	–	–	3	–	‡ ACTON.
‡ WILLESDEN	160,917	17·8	13·3	10·4	11·0	82	34	8	11	–	–	–	–	1	1	–	–	–	2	19	–	‡ WILLESDEN.
‡ HORNSEY	94,348	9·9	9·9	13·8	9·4	23	17	2	7	–	–	–	1	–	1	1	–	–	1	7	–	‡ HORNSEY.
‡ TOTTENHAM	141,338	12·9	11·8	10·7	11·4	53	31	8	12	–	–	–	–	–	–	1	–	4	7	8	–	‡ TOTTENHAM.
‡ EDMONTON	70,711	13·3	7·4	7·4	12·5	29	17	3	4	–	–	1	–	–	1	–	–	1	2	5	–	‡ EDMONTON.
‡ ENFIELD	58,442	10·7	15·2	8·0	8·0	20	9	–	3	–	–	–	–	–	1	–	–	–	1	4	–	‡ ENFIELD.
‡ WEST HAM	287,966	12·9	12·3	14·1	15·4	173	85	9	39	–	–	–	–	–	2	1	3	4	9	34	–	‡ WEST HAM.
‡ EAST HAM	144,451	8·3	8·3	11·2	9·0	57	25	3	10	–	–	–	–	–	–	–	1	1	1	11	–	‡ EAST HAM.
‡ LEYTON	123,896	8·4	13·9	10·9	11·8	38	28	5	16	–	–	–	–	–	–	2	–	2	4	7	–	‡ LEYTON.
‡ WALTHAMSTOW	127,684	10·2	10·2	12·7	9·0	39	22	3	10	–	–	–	–	–	–	2	1	–	1	9	–	‡ WALTHAMSTOW.
‡ ILFORD	79,524	9·2	6·6	7·9	11·8	27	18	2	8	–	–	–	–	–	1	–	–	–	–	4	–	‡ ILFORD.
GILLINGHAM	43,501	18·0	15·6	10·8	10·8	21	9	–	2	–	–	–	–	–	1	–	–	1	1	4	–	GILLINGHAM.
HASTINGS	57,674	10·8	13·6	16·3	16·3	20	18	1	4	–	–	–	–	–	–	1	–	–	–	5	–	HASTINGS.
EASTBOURNE	48,424	9·7	6·5	11·8	14·0	15	13	2	5	–	–	–	–	–	–	–	–	–	–	3	–	EASTBOURNE.
BRIGHTON	132,409	11·0	13·8	13·0	15·4	61	39	2	15	–	–	–	–	–	–	–	–	–	1	14	–	BRIGHTON.
PORTSMOUTH§	224,846	11·8	10·0	13·2	12·1	113	52	9	21	–	–	–	–	–	4	–	3	1	2	11	–	PORTSMOUTH.§
BOURNEMOUTH	82,627	9·5	15·1	10·1	15·1	28	24	1	13	–	–	–	–	–	2	1	–	1	1	8	–	BOURNEMOUTH
SOUTHAMPTON¶	126,033	10·8	11·6	10·3	10·8	48	26	3	6	–	–	–	–	–	1	–	1	–	–	10	–	SOUTHAMPTON.¶
READING	91,365	12·6	9·7	16·0	15·4	31	27	2	10	–	–	–	–	–	1	1	1	1	1	5	–	READING.
OXFORD	57,666	6·3	12·7	11·8	5·4	13	6	1	3	–	–	–	–	–	–	–	–	–	–	–	–	OXFORD.
NORTHAMPTON	88,944	12·9	7·6	12·3	15·2	33	26	3	13	–	–	–	–	–	–	–	–	–	–	6	–	NORTHAMPTON.
CAMBRIDGE	57,849	12·6	20·7	9·9	9·0	16	10	–	4	–	–	–	–	–	–	–	–	1	1	2	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

TABLE I (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 11th December 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 20th Nov., 1920.	27th Nov., 1920.	4th Dec., 1920.	11th Dec., 1920.	Week ended 11th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Southend on Sea	84,034	13·7	17·4	7·4	10·5	25	17	-	6	-	-	-	-	-	-	-	-	2	2	3	-	Southend on Sea.
Ipswich	78,011	15·4	12·0	11·4	10·0	36	15	1	6	-	-	-	-	-	3	-	-	1	2	5	-	Ipswich.
Great Yarmouth	53,078	10·8	11·8	11·8	15·7	21	16	4	7	-	-	-	-	-	-	-	-	-	-	2	-	Great Yarmouth.
Norwich	119,993	8·3	14·3	7·8	9·1	44	21	7	5	-	-	-	-	-	-	2	-	1	1	8	-	Norwich.
Swindon	51,527	12·1	14·2	8·1	16·2	25	16	4	7	-	-	-	-	-	1	-	-	1	2	3	-	Swindon.
Exeter	59,014	14·1	12·4	9·7	21·2	38	24	5	7	-	-	-	-	-	2	-	-	-	2	4	-	Exeter.
Plymouth	181,967	13·5	12·9	16·9	10·6	85	37	3	12	-	-	-	-	-	-	-	-	1	3	7	-	Plymouth.
Bath	65,919	11·9	13·4	13·4	8·7	20	11	1	8	-	-	-	-	-	-	-	-	-	2	3	-	Bath.
Bristol	361,247	11·5	11·4	11·5	11·7	158	81	9	28	1	-	1	-	-	8	-	-	1	3	24	-	Bristol.
Gloucester	50,100	15·6	11·4	9·4	10·4	27	10	4	2	-	-	-	-	-	-	-	-	1	1	-	1	Gloucester.
Stoke on Trent	239,316	10·0	14·2	13·1	12·0	129	55	17	14	-	-	-	-	1	-	1	3	2	4	10	1	Stoke on Trent.
Wolverhampton	98,403	9·5	9·0	9·5	8·5	61	16	-	7	-	-	-	-	-	-	-	-	1	1	1	-	Wolverhampton.
Walsall	92,724	16·3	14·6	16·3	10·1	45	18	7	4	-	-	1	-	1	-	2	-	-	1	2	-	Walsall.
West Bromwich	69,899	19·4	16·4	17·9	11·9	48	16	2	6	-	-	1	-	-	1	-	2	1	1	4	-	West Bromwich.
Dudley	54,017	14·5	13·5	17·4	11·6	32	12	1	5	-	-	-	-	-	-	-	-	1	1	1	-	Dudley.
Birmingham	861,585	13·1	13·1	11·9	12·7	405	210	45	64	-	-	4	-	1	7	8	3	8	10	77	12	Birmingham.
Smethwick	72,152	5·1	13·0	12·3	13·0	44	18	6	8	-	-	-	-	-	-	-	-	1	1	-	-	Smethwick.
Coventry	132,048	7·5	6·7	9·9	5·1	54	13	3	6	-	-	-	-	-	-	-	-	-	-	2	-	Coventry.
Leicester	236,059	13·5	15·9	11·7	13·9	84	63	11	17	-	-	-	-	1	1	-	-	4	4	14	-	Leicester.
Lincoln†	60,581	9·5‡	15·5	9·5	9·5	23	11	2	4	-	-	-	-	-	-	1	-	-	-	2	-	Lincoln.†
Grimsby	78,813	13·9	12·6	12·6	11·9	47	18	1	8	-	-	-	-	-	-	-	-	-	-	6	-	Grimsby.
Nottingham	257,573	15·0	10·5	13·8	10·7	114	53	11	17	-	-	-	1	-	2	-	-	1	1	17	-	Nottingham.
Derby	123,930	8·8	10·5	14·7	11·4	47	27	3	12	-	-	-	1	-	2	1	-	-	-	12	-	Derby.

* *See* note † on first page of this return. † As constituted before the extension on 9th November 1920. ‡ Revised Rate.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED and DEATH-RATE in the Week ended Saturday, 11th December, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 20th Nov., 1920.	27th Nov., 1920.	4th Dec., 1920.	11th Dec., 1920.	Week ended 11th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	15·4	16·2	14·5	13·3	32	32	7	9	–	–	–	–	–	2	1	3	1	2	9	–	STOCKPORT.
BIRKENHEAD	148,052	9·9	11·6	12·0	15·8	67	45	10	17	–	–	–	–	–	1	1	–	2	3	14	–	BIRKENHEAD.
WALLASEY	95,424	12·0	13·7	8·7	8·7	23	16	1	7	–	–	–	–	–	–	–	–	–	–	2	1	WALLASEY.
LIVERPOOL	772,665	14·2	14·3	15·7	17·3	403	257	71	56	–	–	–	–	3	6	8	–	3	17	102	3	LIVERPOOL.
BOOTLE	76,962	12·9	10·2	13·6	14·2	54	21	5	5	–	–	–	–	–	1	1	–	2	2	1	2	BOOTLE.
ST. HELENS	100,805	14·5	15·5	10·9	16·6	56	32	12	3	–	–	–	–	–	–	1	1	2	2	6	1	ST. HELENS.
SOUTHPORT	70,144	20·1	17·1	17·8	11·2	18	15	1	9	–	–	–	–	–	–	–	–	1	1	2	–	SOUTHPORT.
WIGAN	87,384	10·7	17·3	18·5	19·1	64	32	10	10	–	–	–	–	1	–	–	–	–	1	7	–	WIGAN.
WARRINGTON	74,952	9·0	12·5	12·5	11·1	32	16	4	6	–	–	–	–	–	–	–	1	–	–	3	3	WARRINGTON.
BOLTON	177,462	14·4	15·9	13·5	12·9	78	44	10	11	–	–	–	–	–	–	1	1	3	3	9	1	BOLTON.
BURY	54,248	9·6	13·5	10·6	13·5	20	14	2	6	–	–	–	–	–	1	–	–	–	–	4	1	BURY.
MANCHESTER	741,068	13·4	14·4	14·9	12·8	303	182	28	55	1	–	–	1	–	3	4	2	6	10	63	3	MANCHESTER.
SALFORD	226,225	14·3	14·8	15·4	15·2	95	66	12	19	–	–	–	1	–	–	3	3	4	7	21	1	SALFORD.
OLDHAM	137,668	15·2	14·4	15·2	13·6	60	36	7	8	–	–	–	–	–	–	1	1	2	3	6	–	OLDHAM.
ROCHDALE	90,051	11·0	9·3	12·7	16·2	29	28	4	10	–	–	–	–	–	1	1	–	–	2	6	–	ROCHDALE.
BURNLEY	101,005	14·5	10·3	16·5	18·1	43	35	9	13	–	–	–	–	–	1	2	–	1	3	15	–	BURNLEY.
BLACKBURN	125,992	8·7	10·8	9·1	15·3	47	37	9	12	–	–	–	–	–	–	1	–	2	5	12	–	BLACKBURN.
PRESTON	117,277	9·3	15·1	13·8	16·0	39	36	7	10	–	–	–	–	–	1	–	2	–	–	5	1	PRESTON.
BLACKPOOL	67,842	9·2	12·3	12·3	20·0	19	26	2	16	–	–	–	–	–	–	–	–	3	3	5	–	BLACKPOOL.
BARROW IN FURNESS	73,627	12·0	15·6	14·2	11·3	29	16	1	2	–	–	–	–	–	–	–	1	2	3	5	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	13·0	13·5	11·1	7·0	37	15	2	5	–	–	–	–	1	1	–	–	–	1	2	–	HUDDERSFIELD.
HALIFAX	101,791	8·7	11·8	8·7	14·3	29	28	3	15	–	–	–	–	–	–	–	1	–	1	8	–	HALIFAX.
BRADFORD	282,714	13·5	14·0	14·4	13·6	103	74	8	22	–	–	–	2	–	–	2	–	–	3	31	–	BRADFORD.
LEEDS	431,999	12·4	15·4	16·4	12·2	209	101	16	31	–	–	–	–	–	–	4	2	2	10	25	–	LEEDS.
DEWSBURY	52,969	12·8	9·8	13·8	12·8	26	13	1	4	–	–	–	–	–	–	–	–	–	1	–	–	DEWSBURY.
WAKEFIELD	49,208	11·7	14·8	11·7	15·9	22	15	6	3	–	–	–	–	1	–	–	–	–	1	6	–	WAKEFIELD.
BARNSLEY	51,680	13·1	14·1	10·1	12·1	28	12	2	2	–	–	–	–	–	–	–	–	1	2	3	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes. Week ended 20th Nov., 1920.	27th Nov., 1920.	4th Dec., 1920.	11th Dec., 1920.	Week ended 11th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	10·5	14·3	12·9	13·4	203	122	22	38	–	–	5	–	3	2	2	–	4	8	33	–	Sheffield.
Rotherham	69,034	11·3	15·1	9·1	12·8	48	17	4	5	–	–	–	–	–	–	–	–	2	3	5	–	Rotherham.
York	74,531	16·1	23·1	13·3	14·0	43	20	3	7	–	–	–	–	–	–	1	–	1	2	11	–	York.
Hull	279,664	14·4	13·8	14·5	14·5	150	78	17	18	–	–	–	–	–	1	4	1	1	6	22	1	Hull.
Middlesbrough	127,142	18·5	18·5	22·1	15·6	93	38	11	9	–	–	3	–	–	–	2	–	1	3	5	–	Middlesbrough.
Darlington	64,058	13·0	13·0	8·1	12·2	24	15	1	5	–	–	–	–	–	–	1	–	–	–	3	–	Darlington.
Stockton on Tees	60,696	18·0	23·2	15·5	9·4	29	11	1	4	–	–	–	–	–	–	–	–	2	2	1	–	Stockton on Tees.
West Hartlepool	65,515	17·5	11·1	12·7	11·9	41	15	–	1	–	–	–	–	–	–	–	2	1	1	3	1	West Hartlepool.
Sunderland	149,263	13·3	13·6	15·4	22·4	84	64	11	17	–	–	–	–	–	–	1	1	4	7	25	3	Sunderland.
South Shields	111,502	18·7	18·7	18·2	14·0	57	30	12	4	–	–	–	–	1	–	3	–	–	–	8	–	South Shields.
Gateshead	123,392	17·3	13·9	19·4	11·4	71	27	6	5	–	–	–	1	–	–	–	–	–	–	7	2	Gateshead.
Newcastle on Tyne.	275,099	14·0	18·2	17·1	14·4	131	76	20	20	–	–	4	–	2	–	1	2	2	5	13	–	Newcastle on Tyne.
Tynemouth	58,007	13·5	18·9	20·7	8·1	21	9	1	2	–	–	–	–	–	–	–	–	–	1	4	–	Tynemouth.
Carlisle	55,198	9·4	12·3	13·2	9·4	13	10	2	6	–	–	–	–	–	–	–	1	–	2	3	–	Carlisle.
Newport (Mon.)	87,251	14·9	6·0	9·0	14·9	41	25	2	9	–	–	–	–	1	1	–	–	–	–	9	–	Newport (Mon.).
Cardiff	204,436	9·7	11·7	11·0	8·9	89	35	6	6	–	–	–	1	–	–	–	1	1	1	9	–	Cardiff.
Rhondda	177,911	12·3	11·7	10·8	13·8	90	47	11	10	–	–	2	1	–	–	–	1	4	4	5	–	Rhondda.
Merthyr Tydfil	71,638	15·3	17·5	10·2	12·4	32	17	2	5	–	–	–	–	–	–	–	–	1	1	3	–	Merthyr Tydfil.
Aberdare	51,384	11·2	11·2	11·2	16·2	21	16	2	2	–	–	1	–	–	–	–	–	2	2	2	–	Aberdare.
Swansea	160,810	11·0	14·6	14·9	13·0	84	40	10	12	–	–	–	–	1	1	–	–	2	2	–	–	Swansea.
Greater London	7,259,388	12·5	13·1	12·0	12·0	3053	1673	248	629	–	–	4	7	4	32	27	23	58	134	709	1	Greater London.
Outer Ring	2,901,079	10·9	11·5	10·4	10·7	1151	595	78	244	–	–	1	1	1	10	11	10	19	42	191	–	Outer Ring
14 Great Towns in Outer Ring.	1,668,251	11·5	11·2	11·2	10·8	687	346	49	143	–	–	1	1	1	7	7	8	12	28	127	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	10·1	12·0	9·3	10·5	464	249	29	101	–	–	–	–	–	3	4	2	7	14	64	–	Remainder of Outer Ring.
Edinburgh†	342,300	10·7	14·7	11·2	16·5	124	108	12	41	–	–	3	–	–	2	–	1	3	?	?	?	Edinburgh.†
Glasgow†	1,115,500	15·1	14·3	14·0	15·7	571	336	82	66	–	1	–	1	1	4	5	3	18	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	19·1	15·7	14·6	18·1	194	144	21	41	–	–	–	1	–	–	4	2	6	5	57	8	Dublin (Registration Area).†
Belfast†	413,000	13·1	14·0	13·3	14·9	179	118	23	28	1	–	–	3	1	3	3	1	6	9	34	1	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FORTY-NINTH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	1984	2097	1960	2179	1914	1978	1773	1258	1514	2113	1902
Males	1011	1058	977	1098	990	982	912	651	784	1070	1022
Females	973	1039	983	1081	924	996	861	607	730	1043	880
Deaths (of residents only).	1918	1306	1255	1223	1324	1547	1683*	1064*	2007*	1119*	1078*
Males		672	642	607	677	798	824	566	1014	579	560
Females		634	613	616	647	749	859	498	993	540	518

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.
Births (as registered)	1876	2093	2165	2207	2036	2142	2284	1927	2057	2011	1900	1921	1902
Deaths (of residents only).	821	825	861	874	815	851	983	982	1244	1138	1178	1091	1078
Ages at Death: Under 1 year	148	137	142	138	124	142	151	127	130	160	142	150	170
1–2 years	12	9	8	16	14	14	11	19	33	19	21	23	21
2–5 ,,	14	21	22	19	26	17	34	21	24	20	33	20	32
5–10 ,,	24	21	22	27	24	26	23	24	33	20	22	22	26
10–15 ,,	14	14	15	13	14	13	13	12	15	22	18	12	9
15–20 ,,	8	18	18	22	12	18	18	22	26	22	16	16	18
20–25 ,,	23	17	16	16	17	18	16	18	19	19	28	24	10
25–35 ,,	32	41	38	62	47	52	56	54	58	51	49	38	54
35–45 ,,	71	59	57	76	51	70	80	80	107	81	87	83	84
45–55 ,,	106	94	117	114	98	104	109	110	139	113	149	132	117
55–65 ,,	121	113	119	100	123	110	142	159	174	168	188	161	152
65–75 ,,	139	153	151	142	129	124	170	155	243	218	224	190	181
75 years and upwards	109	128	136	129	136	143	160	181	243	225	201	220	204
Deaths from—													
Enteric fever	1	–	2	2	–	–	1	–	–	1	2	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	2	–	1	4	–	1	2	2	2	4	–	3
Scarlet fever	2	1	11	3	2	6	3	3	7	7	7	4	6
Whooping cough	3	1	3	2	4	2	4	2	2	2	3	3	3
Diphtheria	15	22	18	17	14	14	18	25	26	20	21	22	22
Diarrhœa and enteritis (under 2 years).	46	39	33	50	35	36	34	26	29	24	16	13	16
Pulmonary tuberculosis	79	69	78	86	73	97	103	100	124	94	119	103	81
Influenza	7	6	5	5	3	8	5	12	14	13	15	13	13
Pneumonia (all forms)	47	53	51	58	34	48	60	59	88	111	104	106	116
Bronchitis	33	52	39	39	39	37	58	78	157	138	154	149	118
Other dis. of resp. system	14	11	10	11	11	4	13	12	27	18	19	18	12
Dis. of circ. system	133	148	159	147	153	161	173	179	229	190	196	177	163
Violence	30	35	33	34	46	40	36	31	43	38	44	34	39
Inquest cases	76	80	79	84	90	84	84	85	98	87	108	95	92
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	16	15	14	14	16	20	19	21	14	16	18	21	18
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	22	19	18	26	27	22	24	24	21	15	13	14	17
Scarlet fever	2953	3305	3717	4121	4534	4859	5167	5373	5512	5610	5575	5438	5297
Whooping cough	19	20	20	23	26	27	28	25	26	25	25	24	25
Diphtheria	1591	1700	1778	1884	1975	2113	2301	2353	2474	2563	2626	2655	2654

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Sept. 18.	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.
Deaths from Influenza	28	18	27	33	34	30	35	29	42	60	69	65	61

TABLE 4. LONDON.—DEATHS REGISTERED in the FORTY-NINTH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 49th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-10 years.	10-15 years.	15-20 years.	20-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1120	1078	170	21	32	26	9	18	10	54	84	117	152	181	204
Enteric fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	3	1	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever	6	6	-	2	3	1	-	-	-	-	-	-	-	-	-
Whooping cough	8	3	2	-	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	29	22	-	2	8	8	3	-	-	-	-	1	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	16	13	-	-	-	-	-	-	-	1	1	2	4	3	2
Erysipelas	6	3	1	-	-	-	-	-	-	-	-	-	1	-	1
Other epidemic diseases	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia and septicæmia	3	4	1	-	-	-	-	-	1	-	-	-	-	-	2
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—															
Pulmonary tuberculosis	81	81	1	-	-	-	-	5	6	15	24	13	9	7	1
Tuberculous meningitis	8	7	2	-	1	1	-	3	-	-	-	-	-	-	-
Abdominal tuberculosis	2	3	1	-	1	-	-	1	-	-	-	-	-	-	-
Tuberculosis of the spine	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Tuberculosis of the joints	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of other organs	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Disseminated tuberculosis	1	4	-	-	-	1	1	-	-	-	-	-	-	1	1
Venereal diseases	2	6	4	-	-	-	-	-	-	-	-	1	-	1	-
Cancer	115	106	-	-	-	-	-	-	-	3	7	16	36	30	14
Tumour, situation undefined	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Rheumatic fever	6	6	-	-	-	3	1	1	-	-	1	-	-	-	-
Diabetes	5	8	-	-	-	-	-	1	-	-	-	-	4	3	-
Anæmia, leucocythaemia	2	9	-	-	-	1	-	-	-	3	2	3	-	-	-
Other general diseases	11	8	-	-	-	-	-	-	-	-	3	-	2	3	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	8	10	3	1	1	3	-	-	-	-	1	1	-	-	-
Cerebral hæmorrhage, Apoplexy	44	45	-	-	-	-	-	-	-	3	1	4	8	19	10
Softening of brain	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, without specified cause	2	3	-	-	-	-	-	-	-	-	1	-	1	-	1
Epilepsy	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
"Convulsions" (not puerperal)	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	13	24	-	-	-	-	-	1	1	1	7	5	5	3	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	6	5	-	-	-	-	-	-	-	2	-	2	1	-	-
Organic disease of heart	148	121	-	-	1	1	-	1	-	4	10	16	18	30	40
Embolism and thrombosis (including cerebral).	3	6	-	-	-	-	-	-	-	-	-	2	-	1	3
Other diseases of circulatory system.	43	31	-	-	-	-	-	-	-	-	-	-	11	8	12
Diseases of the larynx	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	101	118	11	1	2	-	-	-	-	1	5	11	15	28	44
Broncho-pneumonia	34	61	34	6	5	2	-	-	-	-	1	2	1	5	5
Lobar pneumonia	19	24	-	1	2	-	1	1	-	2	2	6	6	2	1
Pneumonia (type not distinguished)	22	31	3	3	2	1	1	1	-	1	3	5	2	5	4
Pleurisy	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Pulmonary congestion, Pulmonary apoplexy.	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Other diseases of respiratory system.	5	8	1	-	-	-	-	-	-	-	-	1	2	2	2

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FORTY-NINTH Week of the Year 1920.

Causes of Death.	Deaths in the 49th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	2	3	–	–	1	–	–	–	–	–	–	2	–	–	–
Diseases of stomach	13	12	–	1	–	–	1	–	–	3	2	1	–	1	3
Diarrhœa and enteritis	23	22	15	1	1	–	–	–	–	1	1	–	2	1	–
Appendicitis and typhlitis	5	5	–	–	1	–	1	–	–	–	2	1	–	–	–
Hernia and Intestinal obstruction.	12	5	–	–	–	–	–	–	–	–	–	1	1	3	–
Cirrhosis of liver	2	6	–	–	–	–	–	–	–	–	1	2	3	–	–
Other diseases of liver	2	3	–	–	–	–	–	–	–	–	1	–	1	1	–
Peritonitis (cause unknown)	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	3	2	–	–	–	–	–	–	–	–	1	1	–	–	–
Acute nephritis	3	2	–	–	–	1	–	–	–	–	1	–	–	–	–
Chronic Bright's disease	24	25	–	–	–	–	–	1	–	1	1	6	6	6	4
Urinary calculi	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	9	9	1	–	–	–	–	–	–	–	1	1	2	2	2
Puerperal fever, &c.	3	4	–	–	–	–	–	–	–	4	–	–	–	–	–
Other causes incident to childbirth.	5	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Diseases of skin and cellular tissues.	11	6	1	–	–	–	–	–	1	2	–	–	1	–	1
Diseases of locomotor system	3	2	–	–	–	–	–	–	–	1	1	–	–	–	–
Congenital malformations	16	7	6	–	1	–	–	–	–	–	–	–	–	–	–
Premature birth	52	38	38	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	19	23	23	–	–	–	–	–	–	–	–	–	–	–	–
Old age	54	53	–	–	–	–	–	–	–	–	–	–	1	7	45
ACCIDENT.															
Poisons or poisonous vapours	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	5	6	2	2	–	–	–	–	–	–	–	1	–	–	1
Drowning	1	2	1	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation in bed	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	31	23	–	–	–	–	–	1	–	3	–	5	5	7	2
Total deaths from accident	38	33	5	2	–	–	–	1	–	3	–	6	6	7	3
Included in above are deaths in connection with:—															
Railways	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Vehicles and horses	13	8	–	–	–	–	–	1	–	–	–	1	1	4	1
Ships, boats, docks	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Building operations	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Suicide	6	5	–	–	–	–	–	–	–	–	2	1	–	1	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	15	14	12	1	–	–	–	–	–	–	–	1	–	–	–
Ill-defined Causes	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,358,309	Dec. 11	1,902	1,078	12·9	–	–	3	6	3	22	16	13
CALCUTTA	896,067	Oct. 23	–	588§	34·1	?	–	?	?	?	?	?	38
		„ 30	–	555§	32·2	?	–	?	?	?	?	?	29
BOMBAY	979,445	„ 30	408	989	52·5	3	–	–	–	–	3	66	30
MADRAS	518,660	„ 30	469	395§	39·6	–	1	–	?	2	–	42	10
PARIS	2,847,229	(10 days) Nov. 10	1,402	1,192	?	4	1	–	4	–	8	44	1
BRUSSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
ANTWERP	333,289	Nov. 27	120	93	15·0	–	–	3	–	1	–	9	2
AMSTERDAM	654,089	„ 27	254	164	13·1	2	–	7	–	–	–	–	1
COPENHAGEN	571,000	„ 27	235	152	13·9	–	–	–	–	–	3	4	1
STOCKHOLM	415,201	„ 20	135	89	11·1	–	–	–	2	–	1	–	–
GOTHENBURG	200,578	„ 20	–	43	11·1	–	–	–	–	–	1	1	–
CHRISTIANIA	260,904	Nov. 27	98	57	11·4	–	–	–	–	–	–	–	–
BERLIN	1,904,590	„ 20	561	492	13·4	2	?	–	2	6	5	3	4
BRESLAU	531,347	„ 20	241	169	16·5	1	?	–	–	–	3	4	1
COLOGNE	642,899	„ 20	298	240	19·4	3	?	2	–	1	1	8	?
DRESDEN	537,127	„ 20	211	141	13·7	–	?	–	–	–	–	7	?
FRANKFORT-ON-MAIN.	435,103	„ 20	163	91	10·9	–	?	–	–	–	–	1	?
HAMBURG	1,002,933	„ 20	365	281	14·6	2	?	–	–	–	1	3	?
LEIPZIG	610,686	„ 20	246	149	12·7	–	?	–	–	–	3	–	?
MUNICH	647,030	„ 20	219	143	11·5	–	?	1	–	2	1	3	?
VIENNA	1,842,005	„ 20	476	510	14·4	1	–	–	1	–	–	9	1
		„ 27	430	576	16·3	3	–	1	5	1	4	19	3
PRAGUE	535,475	„ 6	147	179	17·4	–	–	–	–	–	1	13	2
BUDAPEST	1,071,492	Sept. 11	370	295	14·3	2	–	3	4	1	2	23	1
TRIESTE	241,068	Nov. 20	139	73	15·8	4	–	–	–	–	1	3	–
CAIRO	761,300	Sept. 23	603	389	26·6	9	1	1	–	?	–	40	?
		„ 30	622	354	24·2	8	–	1	–	?	2	38	?
ALEXANDRIA	445 700	„ 23	287	251	29·3	1	–	–	–	?	–	33	?
		„ 30	292	225	26·3	2	1	–	1	?	–	31	?
NEW YORK	6,141,445	Nov. 13	2,324	1,128	9·6	1	–	1	4	3	21	44	5
CHICAGO	2,727,504	„ 20	–	576	11·0	1	–	2	3	1	18	24	4

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including from *Asiatic cholera* 27 and 31 deaths in Calcutta and 1 in Madras.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 11th December, 1920.
(Supplied by the Meteorological Office.)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (Greenwich)	46	32	40·1	36·1	9
BRIGHTON	48	32	41·9	36·0	1
PORTSMOUTH	48	33	43·1	36·9	3
NORWICH (Eaton)	46	26	40·6	34·0	20
PLYMOUTH	47	33	44·7	37·4	17
BRISTOL (Clifton)	Not received.				
BIRMINGHAM	44	29	40·6	34·3	1
NOTTINGHAM	44	30	40·3	35·1	2
BIRKENHEAD (Bidston)	46	32	41·7	35·3	4
MANCHESTER	46	32	40·7	35·6	1
BURNLEY	45	27	39·3	32·6	5
HUDDERSFIELD	44	31	40·7	34·9	6
BRADFORD	44	30	40·4	34·3	3
SHEFFIELD	44	32	41·9	35·9	4
YORK (Museum)	46	25	41·6	33·0	5
HULL (Pearson Park)	46	30	43·0	36·1	12
TYNEMOUTH	48	33	43·1	38·1	10
CARDIFF	46	31	41·9	35·4	0
EDINBURGH	42·0	32·0	40·6	34·9	4
GLASGOW	44·4	29·5	40·4	34·2	6
DUBLIN:— Phœnix Park	47·0	26·0	43·1	29·7	5
†Fitzwilliam Square	45·9	31·8	42·7	34·7	6
BELFAST	48·0	27·0	42·7	33·4	29

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 11th December 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	5	..	30·196	46·0	41·4	4·6	43·8	+ 2·3	39·2	4·6	6·2	1·8	84	65·9	37·0	47·0	NNE. & NE.	NNE.	10·0	0·0	0·7	484	+148	0·04
MONDAY	6	..	30·117	41·5	38·2	3·3	39·7	− 1·8	36·2	3·5	5·7	1·2	88	42·8	33·8	47·0	NE.	NE. & NNE.	3·7	0·0	0·3	337	− 3	0·03
TUESDAY	7	..	29·863	41·4	38·4	3·0	40·1	− 1·2	37·4	2·7	4·1	1·2	90	46·0	38·6	47·1	NE. & NNE.	NNE. & calm.	1·2	0·0	0·0	167	−171	0·03
WEDNESDAY	8	..	29·966	39·8	34·3	5·5	36·2	− 4·8	35·7	0·5	1·7	0·0	98	41·7	31·1	47·0	Calm	Calm	0·5	0·0	0·0	72	−261	0·00
THURSDAY	9	..	30·092	38·4	32·4	6·0	35·6	− 5·0	33·1	2·5	4·5	0·0	90	46·8	28·4	46·7	Calm & N.	N.	1·1	0·0	0·0	154	−172	0·00
FRIDAY	10	New. Greatest declination S.	30·090	39·8	32·2	7·6	36·0	− 4·4	33·2	2·8	4·5	0·0	89	43·4	26·2	46·7	N. & calm	N., NE. & ESE.	1·6	0·0	0·1	159	−163	0·01
SATURDAY	11	..	29·940	37·0	26·9	10·1	32·9	− 7·3	31·1	1·8	5·7	0·0	93	47·0	30·0	46·6	Calm & N.	N., S. & calm.	1·6	0·0	0·1	155	−163	0·24
MEANS		. . .	30·038	40·6	34·8	5·7	37·8	− 3·2	35·1	2·6	4·6	0·6	90	47·7	32·2	46·9	NNE.		..	..	..	Sum 1528	Sum −785	Sum 0·35
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	5	w.P. throughout	0·0	8·0	Overcast with few cloudy intervals; showery till 4h.; occasional slight rain between 14h. 30m. and 21h.; brisk wind till 6h., and from 11h. to 14h.
MONDAY -	6	w.P. throughout	0·0	8·0	Overcast except for a cloudy interval about 14h; frequent misty rain or damping.
TUESDAY -	7	w.P. throughout	0·0	8·0	Overcast throughout; occasional damping or misty rain from 11h.
WEDNESDAY -	8	w.P. throughout	0·0	7·9	Overcast or foggy throughout; sun just visible about 11h.; damping till 2h.; gloom in forenoon.
THURSDAY -	9	w.P. throughout	0·0	7·9	Overcast and foggy till 10h.; cloudy and hazy till 14h., becoming cloudless by 14h. 30m., but still hazy; hoar frost at night.
FRIDAY - -	10	w.P. throughout	0·4	7·9	Cloudless generally, but hazy till about 16h.; then becoming overcast generally by 17h.; hoar frost in morning; slight rain between 17h. and 20h.; sleet 18h.
SATURDAY -	11	w.P. throughout	0·0	7·9	Overcast with few exceptions; slight snow 3h. 30m. to 7h.; rain and snow about 15h.; snow from 17h. 30m. to 22h. 45m.
			Sum 0·4	Sum 55·6	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·95 in. at the beginning of the week to 30·21 in. by 19h. on 5th; decreased to 29·83 in. by 15th on 7th; increased to 30·12 in. by 22h. on 9th; decreased generally to 29·88 in. by 21h. on 11th, and was 29·90 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 4th December, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,091	-	-	-	4	3	22	13	103	150
Western										
Paddington	42	-	-	-	-	-	-	-	5	6
Kensington	37	-	-	-	-	-	-	1	4	4
Hammersmith	32	-	-	-	-	-	1	-	3	4
Fulham	28	-	-	-	-	-	2	-	4	1
Chelsea	12	-	-	-	-	-	-	-	1	1
City of Westminster	30	-	-	-	-	-	-	-	1	2
Northern.										
St. Marylebone	19	-	-	-	-	-	-	-	2	1
Hampstead	18	-	-	-	-	-	-	-	-	3
St. Pancras	54	-	-	-	-	-	-	1	6	4
Islington	93	-	-	-	1	-	3	1	10	9
Stoke Newington	4	-	-	-	-	-	1	-	-	-
Hackney	72	-	-	-	1	-	1	2	7	7
Central.										
Holborn	16	-	-	-	-	1	1	-	2	1
Finsbury	27	-	-	-	-	-	1	-	3	3
City of London	4	-	-	-	-	-	-	-	-	1
Eastern.										
Shoreditch	31	-	-	-	-	-	1	-	2	4
Bethnal Green	27	-	-	-	-	1	-	-	-	7
Stepney	55	-	-	-	-	-	1	1	7	9
Poplar	44	-	-	-	-	-	1	-	9	7
Southern.										
Southwark	47	-	-	-	-	-	-	-	6	10
Bermondsey	30	-	-	-	-	-	-	-	4	6
Lambeth	80	-	-	-	-	-	2	2	5	17
Battersea	38	-	-	-	-	1	-	-	4	5
Wandsworth	65	-	-	-	-	-	4	-	4	6
Camberwell	64	-	-	-	1	-	1	2	4	9
Deptford	35	-	-	-	-	-	1	1	4	8
Greenwich	22	-	-	-	-	-	-	-	3	6
Lewisham	38	-	-	-	1	-	1	1	1	5
Woolwich	27	-	-	-	-	-	-	1	2	4

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 4th December, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio-encephalitis.
WESTERN.																	
Paddington	143.938	–	–	–	–	18	11	5	1	–	1	–	–	–	–	–	–
Kensington	157,886	–	–	–	–	21	2	2	2	–	–	–	–	–	1	–	–
Hammersmith	130,981	–	–	–	–	32	10	5	2	–	1	–	–	–	–	–	–
Fulham	152,543	1	–	–	–	29	15	1	–	–	–	–	–	–	–	–	–
Chelsea	60,573	–	–	–	–	4	8	–	–	–	–	–	–	–	–	–	–
City of Westminster	127,533	–	–	–	–	5	4	1	2	–	–	1	–	–	–	–	–
NORTHERN.																	
St. Marylebone	97,953	–	–	–	–	11	2	–	1	–	–	1	–	–	–	–	–
Hampstead	88,012	–	–	–	–	15	8	1	3	–	–	–	–	–	–	–	–
St. Pancras	219.434	–	–	–	–	15	18	3	3	–	–	4	–	–	–	–	–
Islington	323,034	–	–	–	–	36	28	2	3	1	–	2	–	–	–	–	–
Stoke Newington	50,954	–	–	–	–	10	8	–	–	–	–	–	–	–	–	–	–
Hackney	216.736	–	–	–	–	40	18	2	2	–	–	–	–	–	–	–	–
CENTRAL.																	
Holborn	38,156	–	–	–	–	8	4	–	1	–	–	–	–	–	–	–	–
Finsbury	75,291	–	–	–	–	11	4	–	1	–	–	1	–	–	–	–	–
City of London	13,893	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
EASTERN.																	
Shoreditch	98.134	–	–	–	–	14	17	4	1	–	–	–	–	–	–	–	–
Bethnal Green	110,085	–	–	–	–	29	18	3	4	–	–	1	–	–	–	–	–
Stepney	232,506	1	–	–	–	87	25	6	5	–	–	–	–	–	1	–	–
Poplar	153.644	–	–	–	–	73	15	1	1	1	–	–	–	–	–	–	–
SOUTHERN.																	
Southwark	179.971	–	–	–	–	33	9	5	3	–	–	3	–	–	–	–	–
Bermondsey	124,239	–	–	1	–	37	3	2	1	–	–	1	–	–	–	–	–
Lambeth	282.322	1	–	–	–	31	15	11	2	–	1	–	–	–	–	–	–
Battersea	159,316	–	–	–	–	24	14	6	1	–	1	3	–	1	–	–	–
Wandsworth	333,693	–	–	–	–	50	23	8	5	–	–	1	–	–	–	–	–
Camberwell	273,802	1	1	–	–	49	16	3	3	–	–	–	–	–	–	–	–
Deptford	111,205	–	–	–	–	30	5	3	1	–	–	–	–	–	1	–	–
Greenwich	98,484	–	1	–	–	27	9	2	–	–	1	–	–	–	–	–	–
Lewisham	167,754	1	–	–	–	27	10	2	2	–	–	–	–	–	–	–	–
Woolwich	136,237	–	–	–	–	18	8	6	–	–	–	1	–	–	–	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	4,358,309	5	2	1	–	787	327	84	50	2	5	19	–	1	3	–	–
Ages 0–1		–	–	–	–	9	13	5	2	–	–	19	–	–	–	–	–
„ 1–5		–	–	–	–	154	79	19	1	1	–	–	–	–	–	–	–
„ 5–		–	–	–	–	353	133	11	3	–	–	–	–	–	–	–	–
„ 10–		1	–	–	–	166	46	5	3	–	–	–	–	–	–	–	–
„ 15–		1	–	1	–	48	18	3	2	1	–	–	–	–	–	–	–
„ 20–		–	1	–	–	31	12	3	1	–	–	–	–	–	–	–	–
„ 25–		–	–	–	–	20	19	6	7	–	3	–	–	1	2	–	–
„ 35–		1	1	–	–	3	4	12	9	–	2	–	–	–	–	–	–
„ 45–		2	–	–	–	3	3	13	13	–	–	–	–	–	–	–	–
„ 55–		–	–	–	–	–	–	2	5	–	–	–	–	–	1	–	–
„ 65–		–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–
„ 75 and upwards		–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 50. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, DEC. 18.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
December 21st, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,400, and corresponded to an annual rate of 20·8 per 1,000. The deaths* among the civilian population only numbered 5,217, and corresponded to an annual rate of 15·3 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended November 27th, December 4th, and December 11th, the rates had been 13·5, 13·2, and 12·9 respectively. The infant mortality was 119, against 92, 98, and 99 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)13068—3 Wt 167-840 8 12/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were:—from *all causes*, 20·5 in Oldham and in Middlesbrough, 21·3 in Liverpool, 21·4 in Bath, 21·6 in Tynemouth, and 21·8 in Merthyr Tydfil; and from *measles*, 1·2 in Sheffield and in Middlesbrough, 1·4 in Smethwick and in Barrow-in-Furness, and 1·7 in Walsall. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 1,793 births, corresponding to a rate of 20·6 per 1,000, and 1,335 deaths of civilians, corresponding to a rate of 16·0, as against 14·1, 13·1, and 12·9 per 1,000 in the three weeks ended November 27th, December 4th, and December 11th. The death-rate in the four weeks ended last Saturday averaged 14·0 per 1,000. The infant mortality was 119, against 75, 78, and 89 in the preceding three weeks.

There was no death from *enteric fever*, against 2, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 1. There was no death from *measles*, against 4, 0, and 3 in the preceding three weeks, and an average of 15. The deaths from *scarlet fever*, which had been 7, 4, and 6 in the preceding three weeks, further rose last week to 11, and were 8 above the average. The deaths from *whooping-cough*, which had been 3, 3, and 3 in the preceding three weeks, rose last week to 7, but were 4 below the average. The deaths from *diphtheria*, which had been 21, 22, and 22 in the preceding three weeks, rose last week to 25, and were 7 above the average; 6 deaths belonged to the Borough of Islington. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 16, 13, and 16 in the preceding three weeks, further rose last week to 24, and were 7 above the average. The deaths from *influenza* numbered 21, as against 15, 13, and 13 in the preceding three weeks and an average of 88.

Different forms of violence caused 39 deaths, all of which were the subject of coroners' inquests. Of these 39 deaths, 12 were cases of suicide, while the remaining 27 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 6 to burns or scalds, and 2 to drowning.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 19 cases of enteric fever, 15 of measles, 4,994 of scarlet fever, 27 of whooping-cough, and 2,654 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 3 cases, against 3, 3, and 3; of measles, 1 case, against 0, 5, and 5; of scarlet fever, 503 cases, against 727, 724, and 669; of whooping-cough, 3 cases, against 4, 2, and 3; and of diphtheria, 300 cases, against 333, 342, and 357. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended December 11th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 18th December, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 27th Nov., 1920.	4th Dec., 1920.	11th Dec., 1920.	18th Dec., 1920.	Week ended 18th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	**17,807,258**	**13·5**	**13·2**	**12·9**	**15·3**	**7400**	**5217**	**883**	**1749**	**3**	**–**	**33**	**16**	**26**	**76**	**93**	**75**	**153**	**379**	**1635**	**40**	**96 GREAT TOWNS.**
LONDON†	4,358,309	14·1	13·1	12·9	16·0	1793	1335	213	510	–	–	–	11	7	25	24	21	39	124	583	5	LONDON.†
‡ CROYDON	184,239	12·2	9·3	10·2	13·6	72	48	6	20	–	–	–	–	–	1	–	1	–	1	17	–	CROYDON.
‡ WIMBLEDON	59,791	10·5	11·3	7·0	9·6	24	11	3	2	–	–	–	–	–	1	–	–	1	3	2	–	WIMBLEDON.
‡ EALING	73,212	10·0	10·7	6·4	7·1	28	10	–	5	–	–	–	–	–	–	–	–	–	–	3	–	EALING.
‡ ACTON	61,732	10·1	11·8	5·9	12·7	26	15	1	7	–	–	–	–	–	1	–	–	–	1	7	–	ACTON.
‡ WILLESDEN	160,917	13·3	10·4	11·0	14·9	49	46	10	13	–	–	–	–	–	1	–	–	2	4	23	–	WILLESDEN.
‡ HORNSEY	94,343	9·9	13·8	9·4	15·5	20	28	3	11	–	–	–	–	–	–	–	–	–	3	7	–	HORNSEY.
‡ TOTTENHAM	141,338	11·8	10·7	11·4	10·7	56	29	6	7	–	–	–	–	–	–	2	–	1	3	14	–	TOTTENHAM.
‡ EDMONTON	70,711	7·4	7·4	12·5	11·8	24	16	2	5	–	–	–	–	–	1	–	–	–	2	6	–	EDMONTON.
‡ ENFIELD	58,442	15·2	8·0	8·0	8·9	18	10	–	2	–	–	–	–	–	1	–	–	1	1	5	–	ENFIELD.
‡ WEST HAM	287,966	12·3	14·1	15·4	13·8	123	76	10	31	–	–	–	–	–	–	2	–	5	13	31	–	WEST HAM.
‡ EAST HAM	144,451	8·3	11·2	9·0	13·0	56	36	4	12	–	–	–	–	–	–	–	–	1	4	15	–	EAST HAM.
‡ LEYTON	123,896	13·9	10·9	11·8	9·7	39	23	4	7	–	–	–	–	–	1	1	1	–	–	12	–	LEYTON.
‡ WALTHAMSTOW	127,684	10·2	12·7	9·0	7·4	41	18	2	8	–	–	–	–	–	–	1	1	–	2	7	–	WALTHAMSTOW.
‡ ILFORD	79,524	6·6	7·9	11·8	8·5	28	13	–	5	–	–	–	–	–	1	–	–	1	1	8	–	ILFORD.
GILLINGHAM	43,501	15·6	10·8	10·8	7·2	26	6	1	2	–	–	–	–	–	1	1	–	–	–	3	1	GILLINGHAM.
HASTINGS	57,674	13·6	16·3	16·3	12·7	18	14	–	6	1	–	–	–	–	1	–	–	–	1	6	–	HASTINGS.
EASTBOURNE	48,424	6·5	11·8	14·0	9·7	17	9	–	3	–	–	–	–	–	–	–	–	–	–	5	–	EASTBOURNE.
BRIGHTON	132,409	13·8	13·0	15·4	16·1	42	41	3	30	–	–	–	–	–	–	–	–	6	8	10	–	BRIGHTON.
PORTSMOUTH§	224,846	10·0	13·2	12·1	14·6	97	63	9	23	–	–	–	–	–	–	–	1	2	8	14	–	PORTSMOUTH.§
BOURNEMOUTH	82,627	15·1	10·1	15·1	9·5	13	15	1	6	–	–	–	–	–	–	1	–	–	2	7	–	BOURNEMOUTH
SOUTHAMPTON¶	126,033	11·6	10·3	10·8	12·8	54	31	2	13	–	–	–	–	–	–	–	1	–	–	13	–	SOUTHAMPTON.¶
READING	91,365	9·7	16·0	15·4	13·7	39	24	5	8	–	–	–	–	1	–	–	–	1	1	5	–	READING.
OXFORD	57,666	12·7	11·8	5·4	14·5	18	16	2	8	–	–	–	–	–	–	–	–	–	1	2	–	OXFORD.
NORTHAMPTON	88,944	7·6	12·3	15·2	11·1	29	19	1	9	–	–	–	–	–	–	–	–	2	2	3	–	NORTHAMPTON.
CAMBRIDGE	57,849	20·7	9·9	9·0	10·8	14	12	–	6	–	–	–	–	–	–	–	–	–	–	3	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.
§ As constituted before the extension on 1st October, 1920. ¶ As constituted before the extension on 9th November 1920.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 18th December 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 27th Nov., 1920.	4th Dec., 1920.	11th Dec., 1920.	18th Dec., 1920.	Week ended 18th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	17·4	7·4	10·5	13·0	32	21	3	9	-	-	-	-	-	-	-	-	-	-	3	1	SOUTHEND ON SEA.
IPSWICH	78,011	12·0	11·4	10·0	8·7	24	13	-	7	-	-	-	-	-	-	-	-	-	-	2	-	IPSWICH.
GREAT YARMOUTH	53,078	11·8	11·8	15·7	18·7	23	19	3	11	-	-	-	-	-	1	-	-	-	-	4	-	GREAT YARMOUTH.
NORWICH	119,993	14·3	7·8	9·1	18·3	44	42	5	19	-	-	-	-	-	-	-	1	1	3	14	-	NORWICH.
SWINDON	51,527	14·2	8·1	16·2	13·2	21	13	3	2	-	-	-	-	-	1	1	-	-	1	3	-	SWINDON.
EXETER	59,014	12·4	9·7	21·2	13·3	25	15	2	5	-	-	-	-	-	-	-	-	-	-	3	-	EXETER.
PLYMOUTH	181,967	12·9	13·9	10·6	12·9	72	45	7	16	-	-	-	-	-	-	-	-	-	2	5	-	PLYMOUTH.
BATH	65,919	13·4	13·4	8·7	21·4	13	27	-	13	-	-	1	-	1	-	-	1	1	4	10	-	BATH.
BRISTOL	361,247	11·4	11·5	11·7	17·2	146	119	24	40	-	-	-	-	-	3	2	-	-	4	28	-	BRISTOL.
GLOUCESTER	50,100	11·4	9·4	10·4	15·6	22	15	1	7	-	-	-	-	1	-	-	1	-	-	2	-	GLOUCESTER.
STOKE ON TRENT	239,316	14·2	13·1	12·0	14·8	112	68	25	12	-	-	-	-	-	1	4	1	2	6	15	2	STOKE ON TRENT.
WOLVERHAMPTON	98,403	9·0	9·5	8·5	13·2	54	25	5	12	-	-	-	-	-	-	1	-	2	4	8	-	WOLVERHAMPTON.
WALSALL	92,724	14·6	16·3	10·1	16·3	49	29	3	11	-	-	3	-	-	1	1	-	-	2	4	-	WALSALL.
WEST BROMWICH	69,899	16·4	17·9	11·9	12·7	38	17	7	4	-	-	-	-	-	-	-	2	1	1	3	-	WEST BROMWICH.
DUDLEY	54,017	13·5	17·4	11·6	9·7	28	10	3	3	-	-	-	-	-	-	1	-	-	-	2	-	DUDLEY.
BIRMINGHAM	861,585	13·1	11·9	12·7	15·7	355	259	33	88	-	-	8	-	-	7	5	6	6	9	78	10	BIRMINGHAM.
SMETHWICK	72,152	13·0	12·3	13·0	11·6	25	16	1	4	1	-	2	-	-	2	1	-	-	1	4	-	SMETHWICK.
COVENTRY	132,048	6·7	9·9	5·1	11·5	41	29	3	10	-	-	-	-	-	-	-	-	2	3	7	-	COVENTRY.
LEICESTER	236,059	15·9	11·7	13·9	17·0	93	77	15	25	-	-	-	-	-	-	-	3	1	2	17	1	LEICESTER.
LINCOLN†	60,581	15·5	9·5	9·5	12·0	21	14	1	4	-	-	-	-	-	1	-	-	-	-	2	-	LINCOLN.†
GRIMSBY	78,813	12·6	12·6	11·9	14·6	28	22	5	5	-	-	-	-	-	1	1	-	2	3	5	-	GRIMSBY.
NOTTINGHAM	257,573	10·5	13·8	10·7	16·0	98	79	11	19	-	-	-	-	2	2	2	-	2	6	27	-	NOTTINGHAM.
DERBY	123,930	10·5	14·7	11·4	18·1	52	43	5	15	1	-	-	-	-	-	-	-	1	4	9	-	DERBY.

* *See* note † on first page of this return.

† As constituted before the extension on 9th November 1920.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 18th December, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 27th Nov., 1920.	4th Dec., 1920.	11th Dec., 1920.	18th Dec., 1920.	Week ended 18th Dec., 1920. Births.	Deaths.	The Deaths in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	16·2	14·5	13·3	12·5	46	30	2	11	–	–	–	–	–	–	–	1	1	1	10	–	STOCKPORT.
BIRKENHEAD	148,052	11·6	12·0	15·8	18·0	72	51	17	8	–	–	–	–	–	–	1	–	1	4	10	–	BIRKENHEAD.
WALLASEY	95,424	13·7	8·7	8·7	9·3	19	17	3	6	–	–	–	–	–	–	–	–	–	–	3	–	WALLASEY.
LIVERPOOL	772,665	14·3	15·7	17·3	21·3	423	315	72	77	–	–	–	–	2	5	8	4	8	22	119	3	LIVERPOOL.
BOOTLE	76,962	10·2	13·6	14·2	19·6	46	29	9	5	–	–	–	–	–	1	–	1	1	1	6	2	BOOTLE.
ST. HELENS	100,805	15·5	10·9	16·6	15·0	48	29	5	8	–	–	–	–	1	–	–	–	2	2	10	–	ST. HELENS.
SOUTHPORT	70,144	17·1	17·8	11·2	17·8	23	24	2	10	–	–	–	–	–	–	1	–	1	1	6	2	SOUTHPORT.
WIGAN	87,384	17·3	18·5	19·1	14·3	53	24	5	4	–	–	1	–	–	–	–	–	–	–	1	–	WIGAN.
WARRINGTON	74,952	12·5	12·5	11·1	13·9	47	20	4	7	–	–	–	–	–	–	–	–	2	3	8	1	WARRINGTON.
BOLTON	177,462	15·9	13·5	12·9	14·4	60	49	9	13	–	–	–	–	1	–	2	–	2	3	10	–	BOLTON.
BURY	54,248	13·5	10·6	13·5	14·4	22	15	3	8	–	–	–	–	–	–	–	–	1	1	1	–	BURY.
MANCHESTER	741,068	14·4	14·9	12·8	16·5	335	234	48	66	–	–	–	1	3	2	5	4	6	7	77	2	MANCHESTER.
SALFORD	226,225	14·8	15·4	15·2	12·4	91	54	2	22	–	–	–	–	–	1	–	–	1	8	17	–	SALFORD.
OLDHAM	137,668	14·4	15·2	13·6	20·5	47	54	5	20	–	–	–	–	–	–	–	–	1	5	11	–	OLDHAM.
ROCHDALE	90,051	9·3	12·7	16·2	15·6	39	27	1	12	–	–	–	–	–	–	–	1	–	–	6	1	ROCHDALE.
BURNLEY	101,005	10·3	16·5	18·1	13·9	42	27	7	13	–	–	–	–	–	–	2	–	–	–	7	–	BURNLEY.
BLACKBURN	125,992	10·8	9·1	15·3	14·1	44	34	4	15	–	–	–	–	–	–	–	–	2	3	3	–	BLACKBURN.
PRESTON	117,277	15·1	13·8	16·0	16·5	58	37	8	13	–	–	–	–	–	–	1	4	2	2	7	–	PRESTON.
BLACKPOOL	67,842	12·3	12·3	20·0	17·7	25	23	–	10	–	–	–	–	–	–	–	–	–	–	5	–	BLACKPOOL.
BARROW IN FURNESS	73,627	15·6	14·2	11·3	14·2	32	20	3	4	–	–	2	–	–	–	–	–	1	1	4	1	BARROW IN FURNESS.
HUDDERSFIELD	112,301	13·5	11·1	7·0	17·2	21	37	4	17	–	–	–	–	–	–	1	–	4	5	7	–	HUDDERSFIELD.
HALIFAX	101,791	11·8	8·7	14·3	12·8	23	25	1	12	–	–	–	–	–	–	–	–		3	7	–	HALIFAX.
BRADFORD	282,714	14·0	14·4	13·6	13·6	111	74	9	24	–	–	–	1	–	1	–	1	1	9	23	–	BRADFORD.
LEEDS	431,999	15·4	16·4	12·2	14·8	162	123	24	33	–	–	–	–	–	–	1	2	7	10	36	–	LEEDS.
DEWSBURY	52,969	9·8	13·8	12·8	11·8	25	12	4	–	–	–	–	–	–	–	–	1	–	–	2	–	DEWSBURY.
WAKEFIELD	49,208	14·8	11·7	15·9	18·0	19	17	3	7	–	–	–	–	–	–	–	–	–	–	8	–	WAKEFIELD.
BARNSLEY	51,680	14·1	10·1	12·1	12·1	23	12	5	3	–	–	–	–	–	–	1	–	–	–	1	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Causes. Week ended 27th Nov., 1920.	4th Dec., 1920.	11th Dec., 1920.	18th Dec., 1920.	Week ended 18th Dec., 1920. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	14·3	12·9	13·4	16·6	199	151	26	38	–	–	11	1	1	2	4	5	8	9	46	–	Sheffield.
Rotherham	69,034	15·1	9·1	12·8	13·6	40	18	2	6	–	–	–	–	–	–	–	–	–	3	2	–	Rotherham.
York	74,531	23·1	13·3	14·0	11·2	31	16	2	4	–	–	–	–	–	–	–	–	1	1	6	–	York.
Hull	279,664	13·8	14·5	14·5	15·5	122	83	19	25	–	–	–	–	–	1	3	1	3	4	24	–	Hull.
Middlesbrough	127,142	18·5	22·1	15·6	20·5	78	50	13	7	–	–	3	–	–	1	2	–	1	3	8	–	Middlesbrough.
Darlington	64,058	13·0	8·1	12·2	10·6	21	13	2	3	–	–	–	–	–	–	–	1	–	–	1	–	Darlington.
Stockton on Tees	60,696	23·2	15·5	9·4	15·5	33	18	6	3	–	–	–	–	–	–	4	–	–	1	2	–	Stockton on Tees.
West Hartlepool	65,515	11·1	12·7	11·9	18·3	30	23	3	12	–	–	–	–	1	–	1	–	–	–	4	1	West Hartlepool.
Sunderland	149,263	13·6	15·4	22·4	16·4	74	47	7	17	–	–	–	–	–	1	–	–	3	6	14	–	Sunderland.
South Shields	111,502	18·7	18·2	14·0	19·2	58	41	7	11	–	–	–	–	2	1	–	3	–	1	3	1	South Shields.
Gateshead	123,392	13·9	19·4	11·4	18·2	59	43	13	8	–	–	–	–	–	–	–	1	1	2	6	–	Gateshead.
Newcastle on Tyne.	275,099	18·2	17·1	14·4	16·1	149	85	23	23	–	–	1	–	1	–	2	2	1	4	11	–	Newcastle on Tyne.
Tynemouth	58,007	18·9	20·7	8·1	21·6	36	24	7	3	–	–	–	–	–	–	1	–	–	–	4	–	Tynemouth.
Carlisle	55,198	12·3	13·2	9·4	13·2	27	14	–	6	–	–	–	–	–	–	–	–	–	1	2	2	Carlisle.
Newport (Mon.)	87,251	6·0	9·0	14·9	11·4	39	19	2	5	–	–	–	–	–	1	–	–	2	3	4	1	Newport (Mon.).
Cardiff	204,436	11·7	11·0	8·9	12·2	77	48	9	20	–	–	–	–	–	–	1	–	–	4	9	–	Cardiff.
Rhondda	177,911	11·7	10·8	13·8	13·2	67	45	15	8	–	–	1	2	–	1	1	2	–	–	2	3	Rhondda.
Merthyr Tydfil	71,638	17·5	10·2	12·4	21·8	42	30	3	5	–	–	–	–	1	1	–	–	1	1	9	–	Merthyr Tydfil.
Aberdare	51,384	11·2	11·2	16·2	13·2	24	13	2	4	–	–	.	–	–	–	–	–	–	–	2	–	Aberdare.
Swansea	160,810	14·6	14·9	13·0	13·6	58	42	10	13	–	–	–	–	1	2	–	–	4	5	5	–	Swansea.
Greater London	7,259,388	13·1	12·0	12·0	14·5	2823	2017	297	775	–	–	–	12	7	37	31	28	60	183	817	6	Greater London.
Outer Ring	2,901,079	11·5	10·4	10·7	12·3	1030	682	84	265	–	–	–	1	–	12	7	7	21	59	234	1	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	11·2	11·2	10·8	11·8	604	379	51	135	–	–	–	–	–	8	6	3	12	38	157	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	12·0	9·3	10·5	12·8	426	303	33	130	–	–	–	1	–	4	1	4	9	21	77	1	Remainder of Outer Ring.
Edinburgh†	342,300	14·7	11·2	16·5	14·1	124	92	13	32	–	–	–	–	–	1	2	1	6	?	?	?	Edinburgh.†
Glasgow†	1,115,500	14·3	14·0	15·7	17·0	590	363	72	95	–	–	–	–	5	5	7	–	17	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	15·7	14·6	18·1	20·2	153	161	28	47	–	–	–	1	4	1	7	5	6	5	64	5	Dublin (Registration Area).†
Belfast†	413,000	14·0	13·3	14·9	15·9	207	126	20	37	–	–	–	2	–	1	2	1	1	3	37	2	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FIFTIETH Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919	1920.
Births (as registered).	2204	2146	2165	2147	2113	1783	1771	1315	1417	2676	1793
Males	1151	1114	1103	1098	1083	911	919	677	758	1378	868
Females	1053	1032	1062	1049	1030	872	852	638	659	1298	925
Deaths (of residents only).	1399	1390	1412	1230	1424	1417	1810*	1111*	1403*	1036*	1335*
Males		712	720	633	759	730	889	588	665	543	691
Females		678	692	597	665	687	921	523	738	493	644

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.
Births (as registered)	2093	2165	2207	2036	2142	2284	1927	2057	2011	1900	1921	1902	1793
Deaths (of residents only).	825	861	874	815	851	983	982	1244	1138	1178	1091	1078	1335
Ages at Death: Under 1 year	137	142	138	124	142	151	127	130	160	142	150	170	213
1–2 years	9	8	16	14	14	11	19	33	19	21	23	21	31
2–5 "	21	22	19	26	17	34	21	24	20	33	20	32	34
5–10 "	21	22	27	24	26	23	24	33	20	22	22	26	28
10–15 "	14	15	13	14	13	13	12	15	22	18	12	9	16
15–20 "	18	18	22	12	18	18	22	26	22	16	16	18	17
20–25 "	17	16	16	17	18	16	18	19	19	28	24	10	17
25–35 "	41	38	62	47	52	56	54	58	51	49	38	54	56
35–45 "	59	57	76	51	70	80	80	107	81	87	83	84	86
45–55 "	94	117	114	98	104	109	110	139	113	149	132	117	147
55–65 "	113	119	100	123	110	142	159	174	168	188	161	152	180
65–75 "	153	151	142	129	124	170	155	243	218	224	190	181	243
75 years and upwards	128	136	129	136	143	160	181	243	225	201	220	204	267
Deaths from—													
Enteric fever	–	2	2	–	–	1	–	–	1	2	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	1	4	–	1	2	2	2	4	–	3	–
Scarlet fever	1	11	3	2	6	3	3	7	7	7	4	6	11
Whooping cough	1	3	2	4	2	4	2	2	2	3	3	3	7
Diphtheria	22	18	17	14	14	18	25	26	20	21	22	22	25
Diarrhœa and enteritis (under 2 years).	39	33	50	35	36	34	26	29	24	16	13	16	24
Pulmonary tuberculosis	69	78	86	73	97	103	100	124	94	119	103	81	95
Influenza	6	5	5	3	8	5	12	14	13	15	13	13	21
Pneumonia (all forms)	53	51	58	34	48	60	59	88	111	104	106	116	149
Bronchitis	52	39	39	39	37	58	78	157	138	154	149	118	189
Other dis. of resp. system	11	10	11	11	4	13	12	27	18	19	18	12	20
Dis. of circ. system	148	159	147	153	161	173	179	229	190	196	177	163	207
Violence	35	33	34	46	40	36	31	43	38	44	34	39	39
Inquest cases	80	79	84	90	84	84	85	98	87	108	95	92	124
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	15	14	14	16	20	19	21	14	16	18	21	18	19
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	19	18	26	27	22	24	24	21	15	13	14	17	15
Scarlet fever	3305	3717	4121	4534	4859	5167	5373	5512	5610	5575	5438	5297	4994
Whooping cough	20	20	23	26	27	28	25	26	25	25	24	25	27
Diphtheria	1700	1778	1884	1975	2113	2301	2353	2474	2563	2626	2655	2654	2654

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Sept. 25.	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.
Deaths from Influenza	18	27	33	34	30	35	29	42	60	69	65	61	75

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTIETH Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 50th week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1036	1335	213	31	34	28	16	17	17	56	86	147	180	243	267
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	3	11	–	3	3	2	–	1	–	1	1	–	–	–	–
Whooping cough	10	7	4	1	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	20	25	2	3	12	6	2	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	17	21	–	–	1	–	1	1	–	1	1	4	4	6	2
Erysipelas	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Other epidemic diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Pyæmia and septicæmia	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	87	95	1	–	–	–	4	4	8	14	22	17	16	9	–
Tuberculous meningitis	9	6	2	1	–	1	1	–	–	1	–	–	–	–	–
Abdominal tuberculosis	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the spine	–	3	–	–	–	1	1	–	–	–	–	1	–	–	–
Tuberculosis of the joints	1	4	–	–	–	1	–	–	–	1	1	–	1	–	–
Tuberculosis of other organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disseminated tuberculosis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Venereal diseases	5	6	4	–	–	–	–	–	–	–	1	–	1	–	–
Cancer	100	107	–	–	–	–	–	1	–	1	9	18	31	28	19
Tumour, situation undefined	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatic fever	7	3	–	–	–	1	–	2	–	–	–	–	–	–	–
Diabetes	5	8	–	–	–	1	–	–	–	–	1	1	–	3	2
Anæmia, leucocythaemia	6	5	–	–	–	–	–	–	1	–	–	1	1	2	–
Other general diseases	8	14	1	–	2	–	–	1	–	1	–	1	2	4	2
Alcoholism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	4	2	–	–	–	–	–	–	1	–	–	1	–	–
Cerebral hæmorrhage, Apoplexy	47	62	–	–	–	–	–	1	–	–	3	3	16	15	24
Softening of brain	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis, without specified cause	7	4	–	–	–	–	–	–	–	–	–	1	–	2	1
Epilepsy	4	4	1	–	–	1	–	–	–	–	1	–	–	–	1
"Convulsions" (not puerperal)	6	5	4	1	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	21	37	1	1	1	1	–	2	–	4	4	12	5	4	2
Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Acute endocarditis	4	9	–	–	–	–	2	–	–	2	–	3	1	1	–
Organic disease of heart	114	156	–	–	–	1	–	1	4	2	7	25	23	40	53
Embolism and thrombosis (including cerebral).	9	5	–	–	–	–	–	–	–	–	–	–	–	1	4
Other diseases of circulatory system.	29	36	–	1	–	–	1	–	–	–	–	4	4	13	13
Diseases of the larynx	1	3	–	–	1	2	–	–	–	–	–	–	–	–	–
Bronchitis	86	189	31	1	–	1	–	–	–	1	6	13	31	46	59
Broncho-pneumonia	39	89	43	10	9	–	1	–	1	3	1	4	5	5	7
Lobar pneumonia	17	28	1	–	–	2	–	1	–	4	4	6	6	4	–
Pneumonia (type not distinguished)	15	32	10	–	–	–	–	1	1	1	5	3	3	6	2
Pleurisy	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
Pulmonary congestion, Pulmonary apoplexy.	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Other diseases of respiratory system.	10	13	1	–	–	–	–	–	–	1	1	3	3	3	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FIFTIETH Week of the Year 1920.

Causes of Death.	Deaths in the 50th week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Diseases of stomach	11	12	3	–	–	–	–	–	–	–	1	2	1	3	2
Diarrhœa and enteritis	23	26	21	3	–	–	–	–	–	–	–	–	2	–	–
Appendicitis and typhlitis	4	10	–	–	–	2	1	–	–	–	2	2	3	–	–
Hernia and Intestinal obstruction.	11	12	2	–	–	–	–	–	1	1	–	1	3	1	3
Cirrhosis of liver	5	2	–	–	–	–	–	–	–	–	1	–	–	1	–
Other diseases of liver	6	8	–	–	–	–	–	–	–	–	3	2	1	1	1
Peritonitis (cause unknown)	4	3	–	–	–	–	–	–	–	1	–	–	1	1	–
Other diseases of digestive system	3	4	1	–	1	–	–	–	–	–	1	–	–	1	–
Acute nephritis	1	4	–	–	–	–	–	–	–	–	1	1	–	1	1
Chronic Bright's disease	26	32	–	–	–	–	–	–	–	2	4	2	8	12	4
Urinary calculi	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Uterine tumour (non-cancerous)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	12	6	–	–	–	–	–	–	–	–	–	4	1	1	–
Puerperal fever, &c.	7	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Other causes incident to childbirth.	2	4	–	–	–	–	–	–	–	4	–	–	–	–	–
Diseases of skin and cellular tissues.	11	9	–	1	–	–	–	–	–	–	1	3	–	1	3
Diseases of locomotor system	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Congenital malformations	10	10	7	2	–	1	–	–	–	–	–	–	–	–	–
Premature birth	56	37	37	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	30	23	23	–	–	–	–	–	–	–	–	–	–	–	–
Old age	36	73	–	–	–	–	–	–	–	–	–	–	–	19	54
Accident.															
Poisons or poisonous vapours	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	6	6	1	1	2	1	–	–	–	–	–	–	–	1	–
Drowning	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
Suffocation in bed	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	19	18	1	–	–	1	–	1	1	3	1	2	1	2	5
Total deaths from accident	27	27	2	1	2	3	–	1	1	3	1	3	1	3	6
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Vehicles and horses	7	5	–	–	–	1	–	–	–	–	1	–	–	2	1
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violence other than Accidental.															
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	12	–	–	–	–	–	–	–	4	2	3	2	1	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	13	7	6	–	–	–	1	–	–	–	–	–	–	–	–
Ill-defined Causes	–	3	1	1	–	–	1	–	–	–	–	–	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
DON‡	4,358,309	Dec. 18	1,793	1,335	16·0	–	–	–	11	7	25	24	21
CUTTA	896,067	Nov. 6	–	601§	34·8	?	–	?	?	?	?	?	26
IBAY	979,445	„ 6	430	975	51·8	5	–	–	–	–	–	47	30
DRAS	518,660	„ 6	505	499	50·0	3	4	1	?	3	–	38	4
IS	2,847,229	(10 days) Nov. 20	–	–	–	–	–	–	–	–	–	–	–
SSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
WERP	333,289	Dec. 4	98	90	14·5	–	–	8	1	–	2	1	3
TERDAM	654,089	„ 4	248	154	12·3	1	–	11	–	–	1	–	2
ENHAGEN	571,000	„ 4	220	116	10·6	–	–	–	–	–	1	1	1
CKHOLM	415,201	Nov. 27	134	96	12·0	–	–	–	–	–	2	–	–
HENBURG	200,578	„ 27	–	30	7·8	–	–	–	–	–	1	1	–
RISTIANIA	260,904	Dec. 4	74	55	11·0	–	–	–	–	–	1	–	–
RLIN	1,904,590	Nov. 27	544	598	16·3	–	?	1	1	–	4	6	7
ESLAU	531,347	„ 27	253	168	16·4	1	?	–	–	–	2	4	2
LOGNE	642,899	„ 27	324	207	16·7	–	?	8	1	2	3	5	?
ESDEN	537,127	„ 27	207	149	14·4	1	?	–	–	–	2	1	?
ANKFORT-ON-MAIN.	435,103	„ 27	145	89	10·6	–	?	–	–	–	–	1	?
MBURG	1,002,933	„ 27	368	229	11·9	–	?	–	–	1	2	5	?
IPZIG	610,686	„ 27	260	152	12·9	1	?	–	–	–	1	7	?
NICH	647,030	„ 27	226	176	14·1	–	?	1	1	1	2	4	?
NNA	1,842,005	Dec. 4	517	590	16·6	1	–	–	2	1	1	20	1
AGUE	535,475	Nov. 13	165	185	18·0	3	–	–	–	–	2	1	2
DAPEST	1,071,492	Sept. 18	321	285	13·8	5	–	11	10	2	2	23	2
IESTE	241,068	Nov. 27	–	–	–	–	–	–	–	–	–	–	–
RO	761,300	Oct. 7	680	375	25·6	5	–	2	–	?	–	58	?
EXANDRIA	445,700	„ 7	328	222	25·9	5	–	–	–	?	–	24	?
W YORK	6,141,445	Nov. 20	2,081	1,166	9·9	2	–	1	4	4	26	30	5
ICAGO	2,727,504	„ 27	–	594	11·4	1	–	1	6	2	16	22	3

xcluding deaths from croup in Bombay and Madras.
he deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
he estimated population and deaths refer to the civilian population only.
ncluding from *Asiatic cholera* 48 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 18th December, 1920.
(Supplied by the Meteorological Office.)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
NDON (Greenwich)	40	16	35·1	26·7	2
GHTON	39	27	35·6	29·7	6
RTSMOUTH	40	27	35·9	29·9	9
RWICH (Eaton)	39	20	35·7	28·4	19
YMOUTH	39	23	37·0	28·1	19
TSTOL (Clifton)	37	23	34·0	26·1	2
LMINGHAM	38	15	34·0	26·4	5
TTINGHAM	39	13	35·1	27·0	5
KENHEAD (Bidston)	38	23	35·7	28·9	5
NCHESTER	40	19	36·7	30·3	1
RNLEY	36	13	33·9	26·0	4
DDERSFIELD	36	22	34·0	29·1	4

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
BRADFORD	36	21	34·1	27·1	2
SHEFFIELD	38	17	34·9	29·0	4
YORK (Museum)	38	27	36·1	30·4	9
HULL (Pearson Park)	39	25	37·3	31·0	12
TYNEMOUTH	43	33	39·7	34·9	17
CARDIFF	39	22	35·0	27·3	2
EDINBURGH	40·0	25·0	37·7	31·0	4
GLASGOW	39·2	26·5	37·2	32·5	4
DUBLIN:— Phœnix Park	40·1	24·3	38·2	27·8	10
†Fitzwilliam Square	41·0	30·2	39·0	32·2	5
BELFAST	43·5	29·0	40·5	33·1	10

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 18th December 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	12	..	29·904	27·7	17·2	10·5	22·5	−17·8	20·2	2·3	8·6	0·0	91	35·0	15·0	46·3	Calm	Calm	0·4	0·0	0·0	68	−250	0·02
MONDAY	13	Apogee	29·922	30·6	15·7	14·9	25·1	−15·4	21·9	3·2	11·3	0·0	86	32·2	12·9	46·0	Calm	Calm	0·2	0·0	0·0	93	−225	0·00
TUESDAY	14	..	29·991	36·0	30·2	5·8	33·9	− 6·8	31·1	2·8	6·2	1·6	89	39·0	29·0	45·9	NE. & E.	E. & NE.	3·3	0·0	0·2	250	− 68	0·02
WEDNESDAY	15	..	30·193	34·5	28·1	6·4	31·0	− 9·8	24·3	6·7	9·4	0·0	75	34·3	25·1	45·6	E. & ENE.	NE. & NNE.	3·7	0·0	0·6	414	+ 98	0·00
THURSDAY	16	..	30·197	33·7	28·1	5·6	31·6	− 9·1	26·7	4·9	8·6	0·0	81	39·3	25·1	45·2	N. & NNE.	N. & NNE.	3·5	0·0	0·3	310	− 4	0·01
FRIDAY	17	..	30·097	36·1	33·1	3·0	35·1	− 5·3	33·3	1·8	3·9	0·0	93	35·9	31·0	45·1	N. & NNE.	NNE. & NE.	2·3	0·0	0·3	315	+ 6	0·01
SATURDAY	18	In Equator. First Quarter.	30·068	40·2	36·1	4·1	38·6	− 1·4	36·7	1·9	2·8	0·0	93	44·0	35·3	45·1	NE.	NNE. & NE.	1·5	0·0	0·1	274	− 28	0·02
MEANS			30·053	34·1	26·9	7·2	31·1	− 9·4	27·7	3·4	7·3	0·2	87	37·1	24·8	45·6	NNE.		..	..	..	Sum 1724	Sum −471	Sum 0·08
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY	12	w.P. throughout	1·8	7·8	Nearly cloudless till 2h., then becoming overcast till 8h.; nearly cloudless afterwards with high fog at times; snow about 7h.; hoar frost at night; hazy sky throughout the day.
MONDAY	13	w.P. throughout	0·0	7·8	Fine with cloudy intervals till 8h., then overcast; slight fog in morning; hoar frost morning and night.
TUESDAY	14	w.P. throughout	0·0	7·8	Overcast throughout; damping or slight rain between 14h. and 19h.
WEDNESDAY	15	w.P. throughout	0·0	7·8	Overcast with few exceptions, becoming nearly cloudless by 22h.; occasional very slight snow between 10h. 30m. and 15h.
THURSDAY	16	w.P. throughout	0·0	7·8	Becoming overcast by 2h., with very few exceptions; slight snow about 3h., and at times in afternoon and evening.
FRIDAY	17	w.P. throughout	0·0	7·8	Overcast throughout; frequent damping after 9h.
SATURDAY	18	w.P. throughout	0·0	7·8	Overcast throughout; rain about 5h. 30m., and frequent slight rain or damping after 9h.
			Sum 1·8	Sum 54·6	
No. of Col.		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·90 in. at the beginning of the week to 30·23 in. by 21h. on 15th, and decreased generally to 30·02 in. at midnight of Dec. 18th.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 11th December, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,078	-	-	3	6	3	22	16	81	170
Western										
Paddington	31	-	-	2	-	-	-	-	3	2
Kensington	51	-	-	-	-	1	-	2	2	11
Hammersmith	29	-	-	-	-	-	3	1	2	5
Fulham	38	-	-	-	1	-	-	1	3	6
Chelsea	21	-	-	-	-	-	1	-	1	1
City of Westminster	35	-	-	-	-	-	1	2	1	4
Northern.										
St. Marylebone	22	-	-	-	-	-	-	-	2	2
Hampstead	13	-	-	-	1	-	-	-	1	-
St. Pancras	55	-	-	1	-	-	3	-	2	6
Islington	78	-	-	-	-	1	1	-	8	7
Stoke Newington	17	-	-	-	1	-	1	-	-	4
Hackney	53	-	-	-	-	-	2	1	4	7
Central.										
Holborn	13	-	-	-	-	-	-	-	1	-
Finsbury	23	-	-	-	1	-	1	-	1	2
City of London	4	-	-	-	-	-	-	-	-	1
Eastern.										
Shoreditch	28	-	-	-	-	-	-	-	-	5
Bethnal Green	23	-	-	-	-	1	-	-	-	11
Stepney	59	-	-	-	-	-	1	2	10	11
Poplar	49	-	-	-	1	-	2	2	5	13
Southern.										
Southwark	48	-	-	-	-	-	1	-	5	11
Bermondsey	26	-	-	-	-	-	-	-	1	7
Lambeth	85	-	-	-	1	-	1	2	5	13
Battersea	40	-	-	-	-	-	-	-	4	10
Wandsworth	58	-	-	-	-	-	2	-	2	9
Camberwell	64	-	-	-	-	-	1	2	10	10
Deptford	23	-	-	-	-	-	-	-	-	2
Greenwich	20	-	-	-	-	-	-	1	2	4
Lewisham	39	-	-	-	-	-	-	-	5	3
Woolwich	33	-	-	-	-	-	1	-	1	3

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 11th December, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Trench Fever.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	1	1	-	-	16	7	1	-	-	1	2	-	-	-	-	-
Kensington	157,886	1	-	-	-	25	6	2	1	-	-	-	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	43	13	7	4	-	1	-	-	-	3	-	-
Fulham	152,543	-	1	-	-	29	19	4	4	-	-	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	8	5	1	1	-	-	1	-	-	-	-	-
City of Westminster	127,533	1	-	-	-	11	9	1	3	-	-	1	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	1	-	-	9	7	1	3	-	-	2	-	-	-	-	-
Hampstead	88,012	-	-	-	-	14	3	-	1	-	-	-	-	-	-	-	-
St. Pancras	219,434	1	-	-	-	19	19	1	2	-	1	6	-	1	1	-	-
Islington	323,034	1	-	-	-	33	34	-	5	-	-	1	-	-	-	-	-
Stoke Newington	50,954	-	-	-	-	15	7	-	-	-	-	1	-	-	-	-	-
Hackney	216,736	-	-	-	-	43	15	3	5	-	-	-	-	-	1	-	-
CENTRAL.																	
Holborn	38,156	1	-	-	-	1	5	1	-	-	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	15	8	-	-	-	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	18	7	7	5	-	-	-	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	29	7	3	1	-	-	-	-	-	-	-	-
Stepney	232,506	-	-	-	-	63	20	8	5	-	1	-	-	-	-	-	-
Poplar	153,644	1	-	-	-	46	19	8	3	1	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	27	15	4	4	-	1	-	-	-	-	-	-
Bermondsey	124,239	-	1	-	-	38	14	2	4	-	2	1	-	-	1	-	-
Lambeth	282,322	-	-	-	-	28	23	4	2	-	-	2	-	-	-	-	-
Battersea	159,316	-	-	-	-	19	15	9	3	-	-	1	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	49	28	11	6	-	-	-	-	-	1	-	-
Camberwell	273,802	-	2	-	-	35	17	2	5	-	-	2	-	-	-	-	-
Deptford	111,205	-	-	-	-	36	10	2	-	-	-	2	-	-	-	-	-
Greenwich	98,484	-	-	-	-	18	8	2	1	-	-	2	-	-	-	-	-
Lewisham	167,754	-	-	-	-	19	7	-	-	-	-	-	-	-	-	-	-
Woolwich	136,237	-	1	-	-	15	7	1	-	-	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	7	7	-	-	723	355	85	68	1	7	24	-	1	7	-	-
Ages 0–1		-	-	-	-	4	7	11	2	-	-	24	-	-	-	-	-
„ 1–5		-	1	-	-	130	85	27	1	-	-	-	-	-	1	-	-
„ 5–		-	-	-	-	301	149	11	2	1	-	-	-	-	1	-	-
„ 10–		-	-	-	-	188	63	2	-	-	-	-	-	-	1	-	-
„ 15–		2	-	-	-	45	17	3	5	-	-	-	-	-	1	-	-
„ 20–		-	-	-	-	25	12	4	3	-	-	-	-	-	-	-	-
„ 25–		2	5	-	-	23	14	9	6	-	7	-	-	1	1	-	-
„ 35–		1	1	-	-	6	5	5	17	-	-	-	-	-	2	-	-
„ 45–		2	-	-	-	1	3	6	15	-	-	-	-	-	-	-	-
„ 55–		-	-	-	-	-	-	4	7	-	-	-	-	-	-	-	-
„ 65–		-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 51. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, DEC. 25.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
December 29th, 1920.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,195, and corresponded to an annual rate of 20·2 per 1,000. The deaths* among the civilian population only numbered 5,149, and corresponded to an annual rate of 15·1 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended December 4th, December 11th, and December 18th, the rates had been 13·2, 12·9, and 15·3 respectively. The infant mortality was 113, against 98, 99, and 119 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)13068—4 Wt 167–840 625 12/20 E & S A

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 21·0 in Bootle, 21·3 in Aberdare, 22·1 in Bury, 22·5 in Tynemouth, 23·0 in Southport, 23·9 in Exeter, and 24·2 in Middlesbrough ; and from *measles*, 2·8 in Walsall and 2·9 in Middlesbrough. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 1,733 births, corresponding to a rate of 19·9 per 1,000, and 1,279 deaths of civilians, corresponding to a rate of 15·3, as against 13·1, 12·9, and 16·0 per 1,000 in the three weeks ended December 4th, December 11th, and December 18th. The death-rate in the four weeks ended last Saturday averaged 14·3 per 1,000. The infant mortality was 98, against 78, 89, and 119 in the preceding three weeks.

There was one death from *enteric fever*, against 0, 0, and 0 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. The deaths from *measles*, which had been 0, 3, and 0 in the preceding three weeks, were 4 last week, and were 13 below the average. The deaths from *scarlet fever*, which had been 4, 6, and 11 in the preceding three weeks, fell last week to 5, the average being 4. The deaths from *whooping-cough*, which had been 3, 3, and 7 in the preceding three weeks, fell last week to 2, and were 12 below the average. The deaths from *diphtheria*, which had been 22, 22, and 25 in the preceding three weeks, further rose last week to 27, and were 11 above the average ; 5 deaths belonged to the Borough of Islington and 3 to Camberwell. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 13, 16, and 24 in the preceding three weeks, fell last week to 17, and were 1 below the average ; 5 deaths belonged to Islington. The deaths from *influenza* numbered 14, as against 13, 13, and 21 in the preceding three weeks and an average of 63.

Different forms of violence caused 42 deaths, of which 39 were the subject of coroners' inquests. Of these 42 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 30 were attributed to other forms of violence. Seven of these latter were referred to vehicles in the streets, 8 to burns or scalds, and 1 to drowning.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 18 cases of enteric fever, 19 of measles, 4,780 of scarlet fever, 22 of whooping-cough, and 2,547 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 0 case, against 3, 3, and 3; of measles, 10 cases, against 5, 5, and 1; of scarlet fever, 505 cases, against 724, 669, and 503; of whooping-cough, 1 case, against 2, 3, and 3; and of diphtheria, 291 cases, against 342, 357, and 300. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended December 18th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 25th December, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 4th Dec., 1920.	11th Dec., 1920.	18th Dec., 1920.	25th Dec., 1920.	Week ended 25th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	17,807,258	13·2	12·9	15·3	15·1	7195	5149	814	1831	3	–	34	20	16	64	79	81	163	391	1544	41	96 GREAT TOWNS.
LONDON†	4,358,309	13·1	12·9	16·0	15·3	1733	1279	170	498	1	–	4	5	2	27	17	14	42	122	556	2	LONDON.†
‡ CROYDON	184,239	9·3	10·2	13·6	11·6	64	41	5	25	–	–	–	1	–	1	–	1	–	4	11	–	‡ CROYDON.
‡ WIMBLEDON	59,791	11·3	7·0	9·6	9·6	25	11	1	6	–	–	–	–	–	–	–	1	–	–	2	–	‡ WIMBLEDON.
‡ EALING	73,212	10·7	6·4	7·1	12·1	15	17	2	10	–	–	–	–	–	–	–	–	1	2	2	–	‡ EALING.
‡ ACTON	61,732	11·8	5·9	12·7	11·0	17	13	–	9	–	–	–	–	–	1	–	–	–	2	3	–	‡ ACTON.
‡ WILLESDEN	160,917	10·4	11·0	14·9	13·9	71	43	8	20	–	–	–	1	–	–	1	1	–	2	16	–	‡ WILLESDEN.
‡ HORNSEY	94,348	13·8	9·4	15·5	11·6	29	21	2	9	–	–	–	–	–	–	–	1	1	1	6	–	‡ HORNSEY.
‡ TOTTENHAM	141,338	10·7	11·4	10·7	10·3	73	28	4	12	–	–	–	–	–	–	–	–	–	1	7	–	‡ TOTTENHAM.
‡ EDMONTON	70,711	7·4	12·5	11·8	11·1	33	15	1	3	–	–	–	–	–	1	–	–	1	2	7	–	‡ EDMONTON.
‡ ENFIELD	58,442	8·0	8·0	8·9	8·0	15	9	–	7	–	–	–	–	–	–	–	–	–	–	1	–	‡ ENFIELD.
‡ WEST HAM	287,966	14·1	15·4	13·8	18·7	144	103	15	25	1	–	–	–	–	2	–	3	2	3	34	2	‡ WEST HAM.
‡ EAST HAM	144,451	11·2	9·0	13·0	8·7	63	24	6	9	–	–	–	1	–	–	–	–	1	2	6	–	‡ EAST HAM.
‡ LEYTON	123,896	10·9	11·8	9·7	11·4	36	27	3	9	–	–	–	1	–	–	–	–	1	3	8	–	‡ LEYTON.
‡ WALTHAMSTOW	127,684	12·7	9·0	7·4	9·8	46	24	5	10	–	–	–	–	–	–	–	1	–	–	8	–	‡ WALTHAMSTOW.
‡ ILFORD	79,524	7·9	11·8	8·5	16·4	28	25	5	10	–	–	–	–	–	–	–	–	2	3	2	–	‡ ILFORD.
GILLINGHAM	43,501	10·8	10·8	7·2	19·2	24	16	1	6	–	–	–	–	–	2	–	–	–	–	4	1	GILLINGHAM.
HASTINGS	57,674	16·3	16·3	12·7	11·8	24	13	2	8	–	–	–	–	–	–	–	–	–	–	6	–	HASTINGS.
EASTBOURNE	48,424	11·8	14·0	9·7	16·2	11	15	1	8	–	–	–	–	–	–	–	1	1	1	5	–	EASTBOURNE.
BRIGHTON	132,409	13·0	15·4	16·1	15·4	30	39	1	22	–	–	1	–	–	–	–	–	–	2	20	–	BRIGHTON.
PORTSMOUTH§	224,846	13·2	12·1	14·6	15·3	92	66	10	32	–	–	–	1	–	–	–	2	5	8	15	–	PORTSMOUTH.§
BOURNEMOUTH	82,627	10·1	15·1	9·5	13·9	27	22	2	9	–	–	–	–	–	–	–	1	–	1	1	–	BOURNEMOUTH.
SOUTHAMPTON¶	126,033	10·3	10·8	12·8	18·2	34	44	4	21	–	–	–	–	–	1	–	2	3	5	12	2	SOUTHAMPTON.¶
READING	91,365	16·0	15·4	13·7	10·8	39	19	5	5	–	–	–	–	–	–	1	–	1	3	2	1	READING.
OXFORD	57,666	11·8	5·4	14·5	13·6	20	15	2	13	–	–	–	–	–	–	–	1	–	–	4	1	OXFORD.
NORTHAMPTON	88,944	12·3	15·2	11·1	15·8	30	27	3	11	–	–	–	–	1	–	–	–	–	–	1	–	NORTHAMPTON.
CAMBRIDGE	57,849	9·9	9·0	10·8	9·9	21	11	–	7	–	–	–	–	–	–	–	–	–	1	2	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.
§ As constituted before the extension on 1st October, 1920. ¶ As constituted before the extension on 9th November 1920.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATES in the Week ended Saturday, 25th December 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 4th Dec., 1920.	11th Dec., 1920.	18th Dec., 1920.	25th Dec., 1920.	Week ended 25th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	7·4	10·5	13·0	14·3	36	23	3	8	-	-	-	-	-	-	1	-	1	2	2	3	SOUTHEND ON SEA.
IPSWICH	78,011	11·4	10·0	8·7	7·4	28	11	1	2	-	-	-	-	-	1	-	-	1	1	7	-	IPSWICH.
GREAT YARMOUTH	53,078	11·8	15·7	18·7	9·8	16	10	-	6	-	-	-	-	-	-	-	-	1	1	6	-	GREAT YARMOUTH.
NORWICH	119,993	7·8	9·1	18·3	13·0	46	30	2	17	-	-	-	-	-	-	-	-	2	3	8	-	NORWICH.
SWINDON	51,527	8·1	16·2	13·2	13·2	15	13	1	4	-	-	-	-	-	1	-	-	-	-	4	-	SWINDON.
EXETER	59,014	9·7	21·2	13·3	23·9	30	27	7	13	-	-	-	-	-	-	1	-	-	1	6	-	EXETER.
PLYMOUTH	181,967	16·9	10·6	12·9	20·9	80	73	11	39	-	-	-	-	-	-	1	1	4	12	11	-	PLYMOUTH.
BATH	65,919	13·4	8·7	21·4	11·9	26	15	2	9	-	-	-	-	-	-	-	-	-	1	2	-	BATH.
BRISTOL	361,247	11·5	11·7	17·2	13·3	156	92	15	31	-	-	-	-	-	2	-	-	2	4	30	-	BRISTOL.
GLOUCESTER	50,100	9·4	10·4	15·6	8·3	23	8	-	6	-	-	-	-	-	-	-	1	-	1	-	1	GLOUCESTER.
STOKE ON TRENT	239,316	13·1	12·0	14·8	14·6	104	67	15	17	-	-	-	-	-	1	-	2	-	6	8	-	STOKE ON TRENT.
WOLVERHAMPTON	98,403	9·5	8·5	13·2	14·3	32	27	3	10	-	-	-	-	-	-	1	-	-	1	3	-	WOLVERHAMPTON.
WALSALL	92,724	16·3	10·1	16·3	16·9	51	30	5	7	-	-	5	-	-	1	1	1	-	-	3	-	WALSALL.
WEST BROMWICH	69,899	17·9	11·9	12·7	18·6	34	25	2	9	-	-	-	-	-	2	1	-	-	-	8	1	WEST BROMWICH.
DUDLEY	54,017	17·4	11·6	9·7	17·4	30	18	2	5	-	-	-	-	-	1	-	1	3	3	3	-	DUDLEY.
BIRMINGHAM	861,585	11·9	12·7	15·7	14·8	358	244	42	77	-	-	3	4	2	3	2	5	11	13	77	8	BIRMINGHAM.
SMETHWICK	72,152	12·3	13·0	11·6	10·8	23	15	5	3	-	-	-	-	-	-	2	-	-	-	2	-	SMETHWICK.
COVENTRY	132,048	9·9	5·1	11·5	15·4	46	39	6	11	-	-	-	-	-	-	-	1	1	4	11	-	COVENTRY.
LEICESTER	236,059	11·7	13·9	17·0	13·0	96	59	8	24	-	-	-	-	-	1	1	1	3	5	14	-	LEICESTER.
LINCOLN†	60,581	9·5	9·5	12·0	12·0	22	14	3	4	-	-	-	-	-	-	-	-	1	1	1	-	LINCOLN.†
GRIMSBY	78,813	12·6	11·9	14·6	9·3	27	14	2	7	-	-	-	-	-	-	-	-	-	-	6	-	GRIMSBY.
NOTTINGHAM	257,573	13·8	10·7	16·0	16·0	96	79	7	33	-	-	-	1	-	3	1	-	3	7	27	-	NOTTINGHAM.
DERBY	123,930	14·7	11·4	18·1	13·9	51	33	8	10	-	-	-	-	-	-	1	1	2	3	6	-	DERBY.

* *See* note † on first page of this return.

† As constituted before the extension on 9th November 1920.

TABLE 1 (*cont.*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 25th December, 1920, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 4th Dec., 1920.	11th Dec., 1920.	18th Dec., 1920	25th Dec., 1920.	Week ended 25th Dec., 1920 Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	14·5	13·3	12·5	14·5	40	35	3	16	–	–	–	–	–	–	1	–	1	2	8	–	STOCKPORT.
BIRKENHEAD	148,052	12·0	15·8	18·0	14·4	53	41	12	10	–	–	–	1	–	–	1	1	–	1	9	1	BIRKENHEAD.
WALLASEY	95,424	8·7	8·7	9·3	11·5	24	21	1	8	–	–	–	–	–	–	–	–	–	–	5	–	WALLASEY.
LIVERPOOL	772,665	15·7	17·3	21·3	19·1	347	283	62	81	–	–	–	1	2	–	4	2	5	13	110	2	LIVERPOOL.
BOOTLE	76,962	13·6	14·2	19·6	21·0	27	31	10	9	–	–	–	–	–	–	2	–	1	1	9	1	BOOTLE.
ST. HELENS	100,805	10·9	16·6	15·0	11·4	48	22	2	2	–	–	–	–	–	–	–	–	–	–	9	1	ST. HELENS.
SOUTHPORT	70,144	17·8	11·2	17·8	23·0	22	31	1	20	–	–	–	–	–	–	–	–	1	1	1	1	SOUTHPORT.
WIGAN	87,384	18·5	19·1	14·3	13·1	41	22	7	1	–	–	–	–	–	–	1	–	–	2	3	–	WIGAN.
WARRINGTON	74,952	12·5	11·1	13·9	15·3	25	22	3	5	–	–	1	–	–	–	–	1	–	–	6	–	WARRINGTON.
BOLTON	177,462	13·5	12·9	14·4	14·7	53	50	4	14	–	–	–	–	–	–	–	1	2	3	11	–	BOLTON.
BURY	54,248	10·6	13·5	14·4	22·1	19	23	4	7	–	–	–	–	–	–	–	–	–	2	4	1	BURY.
MANCHESTER	741,068	14·9	12·8	16·5	17·7	295	252	44	71	–	–	–	1	–	2	6	7	12	20	60	1	MANCHESTER.
SALFORD	226,225	15·4	15·2	12·4	16·4	86	71	6	19	–	–	–	–	–	–	2	2	3	3	28	–	SALFORD.
OLDHAM	137,668	15·2	13·6	20·5	16·7	47	44	3	14	–	–	–	–	–	1	1	–	1	6	5	–	OLDHAM.
ROCHDALE	90,051	12·7	16·2	15·6	16·2	28	28	3	9	–	–	–	–	–	–	–	–	3	3	13	–	ROCHDALE.
BURNLEY	101,005	16·5	18·1	13·9	16·0	32	31	9	10	–	–	–	–	–	–	2	–	–	2	9	–	BURNLEY.
BLACKBURN	125,992	9·1	15·3	14·1	15·7	38	38	9	10	–	–	–	–	–	–	3	–	–	1	3	1	BLACKBURN.
PRESTON	117,277	13·8	16·0	16·5	16·0	48	36	7	13	–	–	–	–	1	–	–	1	–	–	7	–	PRESTON.
BLACKPOOL	67,842	12·3	20·0	17·7	16·1	12	21	–	9	–	–	–	–	–	–	–	–	–	–	2	1	BLACKPOOL.
BARROW IN FURNESS	73,627	14·2	11·3	14·2	14·9	35	21	5	6	–	–	–	–	–	–	–	–	1	1	6	3	BARROW IN FURNESS.
HUDDERSFIELD	112,301	11·1	7·0	17·2	12·5	31	27	1	10	–	–	–	–	–	1	–	–	1	4	5	–	HUDDERSFIELD.
HALIFAX	101,791	8·7	14·3	12·8	10·8	40	21	2	11	–	–	–	–	–	–	–	1	1	2	8	–	HALIFAX.
BRADFORD	282,714	14·4	13·6	13·6	13·8	87	75	14	28	–	–	1	–	–	1	–	2	2	7	22	–	BRADFORD.
LEEDS	431,999	16·4	12·2	14·8	15·0	167	124	24	46	–	–	–	–	–	1	2	3	6	16	36	–	LEEDS.
DEWSBURY	52,969	13·8	12·8	11·8	16·7	15	17	–	7	–	–	–	–	–	–	–	–	1	1	1	–	DEWSBURY.
WAKEFIELD	49,208	11·7	15·9	18·0	12·7	18	12	2	5	1	–	–	–	1	–	–	–	–	1	–	–	WAKEFIELD.
BARNSLEY	51,680	10·1	12·1	12·1	13·1	33	13	3	3	–	–	–	–	–	1	1	1	–	1	2	–	BARNSLEY.

* *See* note † on first page of this return.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-rates from all Causes. Week ended 4th Dec., 1920.	11th Dec., 1920.	18th Dec., 1920.	25th Dec., 1920.	Week ended 25th Dec., 1920. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	12·9	13·4	16·6	14·6	207	133	23	35	–	–	7	–	3	–	2	4	4	13	47	–	Sheffield.
Rotherham	69,034	9·1	12·8	13·6	15·1	43	20	3	7	–	–	–	–	–	–	1	–	–	1	1	–	Rotherham.
York	74,531	13·3	14·0	11·2	9·1	34	13	2	4	–	–	–	–	–	–	1	–	–	–	6	–	York.
Hull	279,664	14·5	14·5	15·5	11·4	114	61	12	18	–	–	–	–	–	2	2	–	3	8	12	1	Hull.
Middlesbrough	127,142	22·1	15·6	20·5	24·2	64	59	22	7	–	–	7	–	–	1	4	1	–	2	9	1	Middlesbrough.
Darlington	64,058	8·1	12·2	10·6	6·5	35	8	1	2	–	–	–	–	–	–	1	–	–	–	4	–	Darlington.
Stockton on Tees	60,696	15·5	9·4	15·5	12·9	32	15	4	7	–	–	–	–	–	–	–	–	–	–	1	–	Stockton on Tees.
West Hartlepool	65,515	12·7	11·9	18·3	11·9	45	15	1	5	–	–	–	–	–	–	–	1	1	1	3	–	West Hartlepool.
Sunderland	149,263	15·4	22·4	16·4	20·3	76	58	15	17	–	–	–	–	1	–	–	–	4	6	15	–	Sunderland.
South Shields	111,502	18·2	14·0	19·2	15·4	63	33	4	11	–	–	–	–	1	–	1	2	3	3	1	1	South Shields.
Gateshead	123,392	19·4	11·4	18·2	12·7	68	30	8	13	–	–	–	–	–	–	–	–	–	–	3	1	Gateshead.
Newcastle on Tyne.	275,099	17·1	14·4	16·1	17·2	168	91	16	25	–	–	3	–	–	–	2	2	2	6	26	–	Newcastle on Tyne.
Tynemouth	58,007	20·7	8·1	21·6	22·5	42	25	9	6	–	–	–	–	1	–	–	–	1	1	3	1	Tynemouth.
Carlisle	55,198	13·2	9·4	13·2	9·4	15	10	4	2	–	–	–	–	–	–	1	–	–	–	1	1	Carlisle.
Newport (Mon.)	87,251	9·0	14·9	11·4	16·7	41	28	5	10	–	–	–	–	1	2	1	–	1	1	7	–	Newport (Mon.).
Cardiff	204,436	11·0	8·9	12·2	13·3	62	52	9	18	–	–	–	–	–	–	1	1	3	5	11	–	Cardiff.
Rhondda	177,911	10·8	13·8	13·2	17·3	81	59	11	12	–	–	2	–	–	1	2	2	4	7	8	–	Rhondda.
Merthyr Tydfil	71,638	10·2	12·4	21·8	16·7	25	23	3	10	–	–	–	2	–	–	–	–	–	1	6	–	Merthyr Tydfil.
Aberdare	51,384	11·2	16·2	13·2	21·3	21	21	2	7	–	–	–	–	–	–	–	–	1	2	–	–	Aberdare.
Swansea	160,810	14·9	13·0	13·6	16·2	78	50	11	15	–	–	–	–	–	–	2	3	2	4	12	–	Swansea.
Greater London	7,259,388	12·0	12·0	14·5	14·2	2754	1979	259	803	2	–	4	9	5	36	20	31	59	160	756	4	Greater London.
Outer Ring	2,901,079	10·4	10·7	12·3	12·6	1021	700	89	305	1	–	–	4	3	9	3	17	17	38	200	2	Outer Ring.
14 Great Towns in Outer Ring.	1,668,251	11·2	10·8	11·8	12·5	659	401	57	164	1	–	–	4	–	5	1	8	9	25	113	2	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	9·3	10·5	12·8	12·6	362	299	32	141	–	–	–	–	3	4	2	9	8	13	87	–	Remainder of Outer Ring.
Edinburgh†	342,300	11·2	16·5	14·1	17·7	140	116	13	47	–	–	4	–	–	2	–	3	4	?	?	?	Edinburgh.†
Glasgow†	1,115,500	14·0	15·7	17·0	15·8	521	338	57	101	1	1	–	4	7	5	3	2	13	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	14·6	18·1	20·2	17·7	154	141	22	55	–	–	–	–	–	–	6	–	3	1	65	2	Dublin (Registration Area).†
Belfast†	413,000	13·3	14·9	15·9	17·2	180	136	29	36	–	–	–	1	–	2	3	1	2	2	39	5	Belfast.†

* *See* note † on first page of this return.

†. Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE 2. LONDON.—**Births** and **Deaths** registered during the FIFTY-FIRST Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	2188	2006	2197	1988	1420	1512	1687	1202	1336	2519	1733
Males	1090	1024	1137	970	719	781	861	628	656	1287	887
Females	1098	982	1060	1018	701	731	826	574	680	1232	846
Deaths (of residents only).	1241	1362	1251	1277	1108	1346	2028*	1385*	1239*	1180*	1279*
Males		694	642	666	573	678	1001	738	633	581	638
Females		668	609	611	535	668	1027	647	606	599	641

* Deaths in civilian population only.

TABLE 3. LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.
Births (as registered)	2165	2207	2036	2142	2284	1927	2057	2011	1900	1921	1902	1793	1733
Deaths (of residents only).	861	874	815	851	983	982	1244	1138	1178	1091	1078	1335	1279
Ages at Death: Under 1 year	142	138	124	142	151	127	130	160	142	159	170	213	170
1–2 years	8	16	14	14	11	19	33	19	21	23	21	31	33
2–5 "	22	19	26	17	34	21	24	20	33	20	32	34	23
5–10 "	22	27	24	26	23	24	33	20	22	22	26	28	24
10–15 "	15	13	14	13	13	12	15	22	18	12	9	16	13
15–20 "	18	22	12	18	18	22	26	22	16	16	18	17	17
20–25 "	16	16	17	18	16	18	19	19	28	24	10	17	27
25–35 "	38	62	47	52	56	54	58	51	49	38	54	56	62
35–45 "	57	76	51	70	80	80	107	81	87	83	84	86	89
45–55 "	117	114	98	104	109	110	139	113	149	132	117	147	137
55–65 "	119	100	123	110	142	159	174	168	188	161	152	180	186
65–75 "	151	142	129	124	170	155	243	218	224	190	181	243	246
75 years and upwards	136	129	136	143	160	181	243	225	201	220	204	267	252
Deaths from—													
Enteric fever	2	2	–	–	1	–	–	1	2	–	–	–	1
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	1	4	–	1	2	2	2	4	–	3	–	4
Scarlet fever	11	3	2	6	3	3	7	7	7	4	6	11	5
Whooping cough	3	2	4	2	4	2	2	2	3	3	3	7	2
Diphtheria	18	17	14	14	18	25	26	20	21	22	22	25	27
Diarrhœa and enteritis (under 2 years).	33	50	35	36	34	26	29	24	16	13	16	24	17
Pulmonary tuberculosis	78	86	73	97	103	100	124	94	119	103	81	95	101
Influenza	5	5	3	8	5	12	14	13	15	13	13	21	14
Pneumonia (all forms)	51	58	34	48	60	59	88	111	104	106	116	149	165
Bronchitis	39	39	39	37	58	78	157	138	154	149	118	189	175
Other dis. of resp. system	10	11	11	4	13	12	27	18	19	18	12	20	14
Dis. of circ. system	159	147	153	161	173	179	229	190	196	177	163	207	209
Violence	33	34	46	40	36	31	43	38	44	34	39	39	42
Inquest cases	79	84	90	84	84	85	98	87	108	95	92	124	122
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	14	14	16	20	19	21	14	16	18	21	18	19	18
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	18	26	27	22	24	24	21	15	13	14	17	15	19
Scarlet fever	3717	4121	4534	4859	5167	5373	5512	5610	5575	5438	5297	4994	4780
Whooping cough	20	23	26	27	28	25	26	25	25	24	25	27	22
Diphtheria	1778	1884	1975	2113	2301	2353	2474	2563	2626	2655	2654	2654	2547

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE 3A. **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Oct. 2.	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.
Deaths from Influenza	27	33	34	30	35	29	42	60	69	65	61	75	81

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTY-FIRST Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 51st week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1180	1279	170	33	23	24	13	17	27	62	89	137	186	246	252
Enteric fever	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	11	4	2	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet fever	5	5	–	–	2	2	–	–	1	–	–	–	–	–	–
Whooping cough	14	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	32	27	3	4	8	9	2	–	1	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	18	14	–	–	–	–	–	–	–	1	3	4	2	2	2
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other epidemic diseases	2	3	–	–	–	–	–	–	–	–	–	2	–	1	–
Pyæmia and septicæmia	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	105	101	1	–	–	1	1	6	10	16	23	27	10	5	1
Tuberculous meningitis	8	4	1	1	1	1	–	–	–	–	–	–	–	–	–
Abdominal tuberculosis	1	4	3	–	–	–	–	–	–	–	–	1	–	–	–
Tuberculosis of the spine	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Tuberculosis of the joints	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Tuberculosis of other organs	2	2	–	–	–	–	–	1	–	1	–	–	–	–	–
Disseminated tuberculosis	1	2	–	1	–	–	–	1	–	–	–	–	–	–	–
Venereal diseases	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	118	111	–	–	–	1	–	–	1	2	6	18	35	31	17
Tumour, situation undefined	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatic fever	7	6	–	–	–	2	2	–	1	–	–	1	–	–	–
Diabetes	5	5	–	–	–	–	–	–	–	1	–	1	1	2	–
Anæmia, leucocythaemia	3	5	–	1	–	–	–	–	–	1	1	1	–	1	–
Other general diseases	2	11	1	–	–	–	1	–	–	1	–	1	2	1	4
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	4	4	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, Apoplexy	49	56	1	–	–	–	–	–	–	–	1	6	12	21	15
Softening of brain	1	2	–	–	–	–	–	–	–	–	–	1	–	–	1
Paralysis, without specified cause	2	6	–	–	–	–	–	–	–	–	–	–	2	1	3
Epilepsy	3	4	–	–	–	–	–	–	1	1	1	–	–	1	–
"Convulsions" (not puerperal)	5	10	9	–	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	29	33	–	1	–	1	2	1	1	–	13	7	1	2	4
Pericarditis	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Acute endocarditis	7	8	–	–	–	–	–	1	–	3	3	–	1	–	–
Organic disease of heart	144	139	–	–	1	–	–	1	4	4	6	10	21	58	34
Embolism and thrombosis (including cerebral).	11	12	–	–	–	–	–	–	–	–	1	1	–	6	4
Other diseases of circulatory system.	44	49	–	–	–	–	–	–	–	–	1	1	12	18	17
Diseases of the larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	109	175	23	–	–	–	–	–	–	1	3	18	28	38	64
Broncho-pneumonia	39	92	31	18	4	1	–	2	–	1	2	7	6	8	12
Lobar pneumonia	13	44	3	3	–	–	1	2	1	2	9	9	6	5	3
Pneumonia (type not distinguished)	26	29	4	1	–	–	2	–	–	2	2	3	2	10	3
Pleurisy	1	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Pulmonary congestion, Pulmonary apoplexy.	2	3	–	–	–	–	–	–	–	–	–	–	2	1	–
Other diseases of respiratory system.	6	9	–	–	1	–	–	–	–	–	1	–	2	4	1

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FIFTY-FIRST Week of the Year 1920.

Causes of Death.	Deaths in the 51st week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	12	10	4	–	–	–	–	–	–	–	–	3	3	–	–
Diarrhœa and enteritis	27	24	16	1	–	–	–	–	–	–	–	1	2	2	2
Appendicitis and typhlitis	4	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Hernia and Intestinal obstruction.	10	14	2	–	–	–	–	–	–	1	1	2	2	5	1
Cirrhosis of liver	2	2	–	–	–	–	–	–	–	–	–	2	–	–	–
Other diseases of liver	5	5	1	–	–	–	–	–	–	1	1	–	–	1	1
Peritonitis (cause unknown)	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	8	3	–	–	1	–	1	–	–	–	–	–	–	–	1
Acute nephritis	4	3	–	–	–	–	–	–	–	2	1	–	–	–	–
Chronic Bright's disease	32	41	–	–	–	–	–	–	1	1	2	4	20	8	5
Urinary calculi	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour (")	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	18	8	–	–	–	–	–	–	–	1	1	–	1	3	2
Puerperal fever, &c.	4	6	–	–	–	–	–	–	–	5	1	–	–	–	–
Other causes incident to childbirth.	5	6	–	–	–	–	–	–	1	3	2	–	–	–	–
Diseases of skin and cellular tissues.	7	4	2	–	–	–	–	–	1	–	–	–	–	1	–
Diseases of locomotor system	3	3	–	–	–	–	–	1	–	1	–	–	1	–	–
Congenital malformations	12	15	15	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	51	22	22	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	16	10	10	–	–	–	–	–	–	–	–	–	–	–	–
Old age	44	54	–	–	–	–	–	–	–	–	–	–	1	3	50
ACCIDENT.															
Poisons or poisonous vapours	1	3	–	–	–	–	–	–	–	–	1	–	2	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	6	8	1	1	2	1	–	–	1	–	–	–	–	1	1
Drowning	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation in bed	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	25	18	–	–	–	1	–	1	–	3	1	–	3	5	4
Total deaths from accident	36	30	1	1	2	2	–	1	1	3	2	–	5	7	5
Included in above are deaths in connection with:—															
Railways	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	7	–	–	–	1	–	1	–	1	1	–	2	1	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	3	2	–	–	–	–	–	–	–	2	–	–	–	–	–
Suicide	7	10	–	–	–	–	–	–	1	2	1	3	3	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specified diseases	15	12	8	–	–	1	1	–	–	2	–	–	–	–	–
Ill-defined Causes	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 5.—Births and Deaths and Rate of Mortality in London and in certain Indian and Foreign Cities.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
NDON‡	4,358,309	Dec. 25	1,733	1,279	15·3	1	–	4	5	2	27	17	14
LCUTTA	896,067	Nov. 13	–	659§	38·2	?	1	?	?	?	?	?	34
MBAY	979,445	„ 13	433	893	47·4	2	–	1	–	1	–	42	15
ADRAS	518,660	„ 13	394	398	39·9	2	1	–	?	3	1	36	4
RIS	2,847,229	(10 days) Nov. 20	–	–	–	–	–	–	–	–	–	–	–
USSELS	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
TWERP	333,593	Dec. 11	101	104	16·7	–	–	8	1	1	1	3	3
STERDAM	654,179	„ 11	263	154	12·3	2	–	12	–	1	1	–	3
PENHAGEN	571,000	„ 11	198	119	10·9	–	–	–	1	–	3	–	2
OCKHOLM	415,201	„ 4	123	82	10·3	–	–	–	–	–	2	–	–
THENBURG	200,578	„ 4	–	36	9·3	–	–	–	–	–	–	2	–
RISTIANIA	260,904	„ 11	86	61	12·2	–	–	–	–	–	1	–	–
RLIN	1,904,590	„ 4	541	415	11·3	–	–	–	1	1	3	6	7
ESLAU	531,347	„ 4	253	141	13·8	2	–	–	–	–	–	7	?
LOGNE	642,899	„ 4	296	208	16·8	–	–	5	1	2	1	4	?
ESDEN	537,127	„ 4	198	142	13·7	1	–	–	1	–	2	6	?
ANKFORT-ON-MAIN.	435,103	„ 4	150	81	9·7	–	–	–	1	–	–	1	?
MBURG	1,002,933	„ 4	335	297	15·4	1	–	–	2	2	2	4	?
IPZIG	610,686	„ 4	257	138	11·8	–	–	–	–	1	–	7	?
NICH	647,030	„ 4	217	196	15·8	–	–	–	–	1	3	8	?
NNA	1,842,005	Dec. 11	482	574	16·2	1	–	–	3	1	2	12	2
AGUE	535,475	Nov. 20	176	178	17·3	4	–	–	–	–	–	5	–
DAPEST	1,071,492	Sept. 25	433	323	15·7	5	–	8	10	2	4	30	–
IESTE	242,214	Dec. 4	106	74	15·5	1	–	–	–	–	–	1	–
RO	761,300	Oct. 14	615	368	25·1	7	–	–	–	?	3	51	?
		„ 21	624	337	23·0	4	–	1	–	?	2	41	?
EXANDRIA	445,700	„ 14	297	222	25·9	–	–	–	–	?	1	22	?
		„ 21	365	213	24·9	2	–	1	–	?	–	16	?
W YORK	6,141,445	Nov. 27	2,237	1,232	10·5	3	–	–	4	4	21	25	5
		Dec. 4	2,733	1,280	10·9	2	–	4	9	3	30	25	8
ICAGO	2,727,504	„ 4	–	587	11·2	1	–	6	3	1	21	33	3

xcluding deaths from croup in Bombay and Madras.
he deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
he estimated population and deaths refer to the civilian population only.
cluding from *Asiatic cholera* 55 deaths in Calcutta.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 25th December, 1920.
(*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON (Greenwich)	56	34	48·0	38·4	19
GHTON	52	37	47·6	40·6	40
TSMOUTH	53	35	48·4	37·4	22
LWICH (Eaton)	54	31	45·4	35·0	9
MOUTH	56	33	49·6	41·6	36
STOL (Clifton)	54	30	47·9	35·4	32
MINGHAM	53	30	44·9	36·0	13
TTINGHAM	54	29	46·4	34·3	12
KENHEAD (Bidston)	53	31	46·4	34·4	22
NCHESTER	53	31	45·3	37·9	28
NLEY	52	27	44·6	33·3	22
DDERSFIELD	52	30	44·4	36·7	20
BRADFORD	52	30	45·4	33·9	19
SHEFFIELD	54	33	45·7	37·1	18
YORK (Museum)	53	29	45·3	36·6	7
HULL (Pearson Park)	52	30	46·1	37·3	8
TYNEMOUTH	50	31	45·1	34·6	5
CARDIFF	54	33	46·9	37·3	47
EDINBURGH	52·0	28·0	45·7	35·6	13
GLASGOW	51·3	26·6	44·8	36·1	24
DUBLIN:— Phœnix Park	57·4	24·6	48·5	37·0	12
†Fitzwilliam Square	56·9	31·8	48·8	39·8	14
BELFAST		Not	receive	d.	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 25th December 1920.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	19	..	29·883	38·0	36·2	1·8	37·0	− 2·5	35·3	1·7	2·8	0·0	94	41·1	35·0	45·1	NNE. & NE.	NE.	1·5	0·0	0·1	206	− 89	0·10
MONDAY	20	..	29·710	44·0	36·1	7·9	39·6	+ 0·6	36·8	2·8	5·9	0·0	90	51·2	31·6	44·8	Calm & SW.	SW. & SSW.	2·6	0·0	0·1	202	− 87	0·00
TUESDAY	21	..	29·193	47·4	41·4	6·0	44·8	+ 6·1	42·2	2·6	5·5	2·0	91	49·5	35·0	45·0	SSW.	SW.	6·0	0·0	0·6	453	+169	0·02
WEDNESDAY	22	..	29·235	45·2	37·9	7·3	41·5	+ 3·1	36·3	5·2	7·4	3·1	82	64·4	31·4	44·7	WSW. & W.	WSW. & SW.	6·8	0·0	0·5	441	+161	0·01
THURSDAY	23	..	29·532	42·0	33·6	8·4	38·0	− 0·2	36·1	1·9	3·7	1·0	93	52·0	28·4	44·7	E., NE. & NNE.	N. & calm	2·7	0·0	0·1	219	− 62	0·34
FRIDAY	24	Greatest declination N.	29·591	55·9	37·7	18·2	50·8	+12·6	49·2	1·6	3·7	0·0	93	66·6	33·0	44·9	SE. & SW.	SW. & WSW.	3·9	0·0	0·4	380	+ 93	0·31
SATURDAY	25	Full	29·737	51·1	47·0	7·1	50·0	+11·6	46·1	3·9	6·2	2·7	86	61·0	39·5	44·9	WSW. & SSW.	SSW. & S.	3·5	0·0	0·3	371	+ 75	0·00
MEANS		- - -	29·554	46·7	38·6	8·1	43·1	− 4·5	40·3	2·8	5·0	1·3	90	55·1	33·4	44·9	SW.		..	..	..	Sum 2272	Sum +260	Sum 0·78
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	19	w.P. throughout	0·0	7·8	Overcast except for few breaks between 2h. and 5h.; frequent rain or damping throughout.
MONDAY -	20	w.P. throughout	0·9	7·8	Overcast generally; few fine intervals; occasional damping.
TUESDAY -	21	w.P. throughout	0·0	7·8	Overcast with very slight exceptions till 16h., becoming nearly cloudless by 18h.; frequent damping in forenoon; brisk wind 8h. to 14h.
WEDNESDAY -	22	w.P. throughout	5·5	7·8	Cloudless till 2h., variably cloudy till 6h., nearly cloudless till 14h., very cloudy generally till 22h., then overcast; brisk wind 9h. to 16h.; rain beginning shortly before midnight.
THURSDAY -	23	w.P. throughout	0·4	7·8	Overcast till 9h., with rain generally till 7h., nearly overcast till noon, then nearly cloudless with haze and slight fog; clouding-up from 23h.; hoar frost in evening.
FRIDAY - -	24	w.P. throughout	0·0	7·8	Overcast with slight exceptions; rain till 7h., and occasional slight rain in afternoon.
SATURDAY -	25	w.P. throughout	0·0	7·8	Overcast or nearly overcast, but cloud not thick; sun generally visible; thin cloud prevalent at night.
			Sum 6·8	Sum 54·6	
No. of Col. - -		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·02 in. at the beginning of the week to 29·08 in. by 1h. on 22nd; increased to 29·30 in. by 18h. on the same day; decreased to 29·15 in. by 4h. on 23rd; increased to 29·70 in. by 22h. on the same day; decreased to 29·51 in. by 7h. on 24th; increased to 29·79 in. by 8h. on 25th; decreased to 29·71 in. by 21h., and was 29·73 in. at midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 18th December, 1920.

Boroughs.	Deaths from									Deaths of Infants under 1 Year of Age.
	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,335	-	-	-	11	7	25	24	95	213
Western										
Paddington	45	-	-	-	-	1	-	1	6	8
Kensington	53	-	-	-	-	1	-	2	-	12
Hammersmith	46	-	-	-	-	-	1	-	4	5
Fulham	42	-	-	-	1	-	-	-	4	6
Chelsea	19	-	-	-	-	-	-	-	2	3
City of Westminster	41	-	-	-	-	-	-	1	3	5
Northern.										
St. Marylebone	26	-	-	-	1	-	-	1	1	2
Hampstead	22	-	-	-	-	-	-	-	1	3
St. Pancras	62	-	-	-	-	-	1	-	9	9
Islington	107	-	-	-	-	-	6	1	7	16
Stoke Newington	16	-	-	-	1	-	1	1	-	3
Hackney	71	-	-	-	-	-	2	1	3	18
Central.										
Holborn	10	-	-	-	-	-	-	1	1	-
Finsbury	29	-	-	-	1	1	1	-	1	2
City of London	4	-	-	-	-	-	-	-	-	-
Eastern.										
Shoreditch	23	-	-	-	-	-	-	2	-	7
Bethnal Green	42	-	-	-	-	1	-	-	5	10
Stepney	73	-	-	-	2	-	2	1	4	13
Poplar	43	-	-	-	1	-	2	1	1	6
Southern.										
Southwark	74	-	-	-	-	1	1	2	6	17
Bermondsey	34	-	-	-	-	1	1	-	1	9
Lambeth	88	-	-	-	1	-	1	3	5	11
Battersea	51	-	-	-	-	1	1	-	7	9
Wandsworth	88	-	-	-	1	-	1	3	1	14
Camberwell	90	-	-	-	2	-	1	2	9	12
Deptford	31	-	-	-	-	-	-	1	2	3
Greenwich	27	-	-	-	-	-	1	-	2	3
Lewisham	49	-	-	-	-	-	1	-	8	3
Woolwich	29	-	-	-	-	-	1	-	2	4

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 18th December, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	-	-	-	-	13	4	2	2	-	-	-	-	-	-	-	-
Kensington	157,886	-	-	-	-	16	7	1	1	1	-	1	-	-	2	-	-
Hammersmith	130,981	-	-	-	-	24	5	4	1	-	-	-	-	-	-	-	-
Fulham	152,543	-	-	-	-	14	16	1	3	1	-	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	3	2	2	2	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	8	11	2	2	-	-	1	-	-	1	-	-
NORTHERN.																	
St. Marylebone	97,953	-	-	-	-	10	1	4	-	-	-	-	-	-	1	-	-
Hampstead	88,012	-	-	-	-	10	3	-	1	-	-	1	-	-	-	-	-
St. Pancras	219,434	-	-	-	-	29	15	4	4	-	-	1	-	-	-	-	-
Islington	323,034	-	1	-	-	27	66	2	2	-	1	1	-	-	-	-	-
Stoke Newington	50,954	1	-	-	-	6	9	-	2	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	32	16	1	3	-	3	1	-	-	-	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	2	13	-	-	-	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	11	8	-	-	-	-	-	-	-	-	-	-
City of London	13,893	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	1	-	-	7	11	6	-	-	-	1	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	22	10	5	2	-	-	-	-	-	-	-	-
Stepney	232,506	-	-	-	-	46	16	11	2	2	2	-	-	-	-	-	-
Poplar	153,644	-	-	-	-	35	23	7	-	1	-	1	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	2	-	-	-	12	6	9	3	-	-	-	-	-	-	-	-
Bermondsey	124,239	-	-	-	-	20	7	-	2	-	-	1	-	-	-	1	-
Lambeth	282,322	-	1	-	-	26	5	10	3	-	-	3	-	-	-	-	-
Battersea	159,316	-	-	-	-	24	7	10	6	-	1	-	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	35	22	9	3	-	-	1	-	-	1	-	-
Camberwell	273,802	-	-	-	-	19	17	3	4	-	1	-	-	-	-	-	-
Deptford	111,205	1	-	-	-	26	4	3	3	-	-	-	-	-	-	-	-
Greenwich	98,484	-	-	-	-	15	10	1	1	-	1	-	-	-	-	-	-
Lewisham	167,754	-	-	-	-	15	14	2	1	-	-	-	-	-	1	-	-
Woolwich	136,237	-	-	-	-	20	11	3	1	-	1	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	4	3	-	-	528	341	102	54	5	10	13	-	-	6	1	-
Ages 0-1		-	-	-	-	6	15	19	1	2	-	13	-	-	-	-	-
„ 1-5		-	-	-	-	86	32	21	-	2	-	-	-	-	-	-	-
„ 5-		2	-	-	-	251	124	10	-	-	-	-	-	-	1	-	-
„ 10-		-	-	-	-	124	66	2	4	-	-	-	-	-	-	-	-
„ 15-		-	-	-	-	28	8	6	3	-	2	-	-	-	1	-	-
„ 20-		2	1	-	-	17	18	5	4	-	2	-	-	-	-	-	-
„ 25-		-	2	-	-	9	15	14	2	-	6	-	-	-	-	-	-
„ 35-		-	-	-	-	7	8	5	11	1	-	-	-	-	1	-	-
„ 45-		-	-	-	-	-	3	11	19	-	-	-	-	-	1	-	-
„ 55-		-	-	-	-	-	1	1	10	-	-	-	-	-	2	1	-
„ 65-		-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-
„ 75 and upwards		-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE.
By EYRE and SPOTTISWOODE, Limited,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS AND DEATHS REGISTERED:—

LONDON AND NINETY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 52. VOL. LXXXI. **1920.** WEEK ENDED SATURDAY, JAN. 1, 1921.
[Price 1½*d.* Net.]

General Register Office, Somerset House,
January 5th, 1921.

NINETY-SIX GREAT TOWNS.

For the NINETY-SIX GREAT TOWNS of England and Wales each of which had a population of 50,000 or over at the Census of 1911, the births registered last week numbered 7,930, and corresponded to an annual rate of 22·3 per 1,000. The deaths* among the civilian population only numbered 5,679, and corresponded to an annual rate of 16·6 per 1,000 of their aggregate civilian population, which is estimated† at 17,807,258 persons in the year 1919. In the three weeks ended December 11th, December 18th, and December 25th, the rates had been 12·9, 15·3, and 15·1 respectively. The infant mortality was 122, against 99, 119, and 113 in the preceding three weeks. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks; it also shows for the week ended last Saturday the births and the deaths from certain individual causes. A column showing the number of deaths from influenza has been inserted in Table 1. The aggregate number of deaths from influenza in the 96 great towns in each of the last thirteen weeks is shown in Table 3A.

* Corrected as far as possible for deaths of non-residents and for those of residents occurring outside the area. Fully corrected figures will appear in the Registrar General's Annual Report.

† The estimates of population refer to the year 1919 and are based on the returns furnished under the scheme for rationing of food.

m (45)13321—1 Wt 167-840 625 1/21 E & S

Measured by last week's mortality, the highest annual death-rates per 1,000 living were :—from *all causes*, 22·4 in West Bromwich, 22·8 in Wolverhampton, 23·8 in South Shields, 24·0 in Preston, 24·8 in Sunderland, 27·1 in Hastings, and 27·7 in Bath; from *enteric fever*, 1·8 in Hastings; from *measles*, 1·1 in Newcastle-on-Tyne, 1·3 in Warrington, and 2·5 in Middlesbrough; from *whooping cough*, 1·1 in Wigan, and 1·4 in Sunderland; and from *diphtheria*, 1·4 in Edmonton. No death from *small-pox* was registered in any of the ninety-six towns.

London.* (The Administrative County, including the City of London.)

For London there were 2,031 births, corresponding to a rate of 23·3 per 1,000, and 1,382 deaths of civilians, corresponding to a rate of 16·5, as against 12·9, 16·0, and 15·3 per 1,000 in the three weeks ended December 11th, December 18th, and December 25th. The death-rate in the four weeks ended last Saturday averaged 15·2 per 1,000. The infant mortality was 115, against 89, 119, and 98 in the preceding three weeks.

There was no death from *enteric fever*, against 0, 0, and 1 in the preceding three weeks, the average for the corresponding weeks of the previous five years being 2. There was no deaths from *measles*, against 3, 0, and 4 in the preceding three weeks, the average being 19. The deaths from *scarlet fever*, which had been 6, 11, and 5 in the preceding three weeks, rose to 8 last week, and were 6 above the average. The deaths from *whooping-cough*, which had been 3, 7, and 2 in the preceding three weeks, rose to 4 last week, but were 8 below the average. The deaths from *diphtheria*, which had been 22, 25, and 27 in the preceding three weeks, fell to 22 last week, but were 7 above the average; 4 deaths belonged to the Borough of Islington, 3 to Paddington, and 3 to Southwark. The deaths from *diarrhœa and enteritis under 2 years of age*, which had been 16, 24, and 17 in the preceding three weeks, were 20 last week, the average being 21; 3 deaths belonged to Islington and 3 to Camberwell. The deaths from *influenza* numbered 20, as against 13, 21, and 14 in the preceding three weeks and an average of 47.

Different forms of violence caused 50 deaths, of which 48 were the subject of coroners' inquests. Of these 50 deaths, 5 were cases of suicide, and 1 of execution, while the remaining 44 were attributed to other forms of violence. Five of these latter were referred to vehicles in the streets, 4 to burns or scalds, 3 to drowning, and 8 of infants under one year of age to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital, there were 18 cases of enteric fever, 1 of small-pox, 18 of measles, 4,817 of scarlet fever, 17 of whooping-cough, and 2,642 of diphtheria under treatment in these hospitals on Saturday last (Table 3). The admissions during

---

* *See* note * on first page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

the week, as compared with those in the preceding three weeks, were as follows:—Of enteric fever, 4 cases, against 3, 3, and 0; of small-pox, 1 case, against 0, 0, and 0; of measles, 3 cases, against 5, 1, and 10; of scarlet fever, 619 cases, against 669, 503, and 505; of whooping-cough, 2 cases, against 3, 3, and 1; and of diphtheria, 323 cases, against 357, 300 and 291. Table 9, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the county during the week ended December 25th, 1920.

TABLE 1.—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH RATES in the Week ended Saturday, 1st January, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population, Mid. 1919 *	Death-Rates from all Causes. Week ended 11th Dec., 1920.	18th Dec., 1920.	25th Dec. 1920.	1st Jan. 1921.	Week ended 1st Jan., 1921. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
96 GREAT TOWNS.	17,807,258	12·9	15·3	15·1	16·6	7930	5679	971	1939	6	–	34	17	33	63	96	89	179	430	1747	45	96 GREAT TOWNS.
LONDON†	4,358,309	12·9	16·0	15·3	16·5	2031	1382	234	491	–	–	–	8	4	22	20	20	50	117	623	5	LONDON.†
‡ CROYDON	184,239	10 2	13·6	11·6	14·4	68	51	9	24	–	–	–	–	–	1	–	–	–	6	13	–	‡ CROYDON.
WIMBLEDON	59.791	7·0	9·6	9·6	9·6	11	11	–	6	–	–	–	–	–	–	–	1	–	2	2	–	WIMBLEDON.
EALING	73,212	6·4	7·1	12·1	12·1	18	17	–	12	–	–	–	–	–	–	–	2	1	3	4	–	EALING.
ACTON	61,732	5·9	12·7	11·0	21·1	28	25	4	9	–	–	–	–	–	–	2	–	–	2	9	–	ACTON.
WILLESDEN	160,917	11·0	14·9	13·9	11·3	79	35	7	15	–	–	–	–	–	–	–	–	5	5	18	–	WILLESDEN.
HORNSEY	94,343	9·4	15·5	11·6	11·1	28	20	1	11	–	–	–	–	–	–	–	–	–	–	8	–	HORNSEY.
TOTTENHAM	141,338	11·4	10·7	10·3	15·1	51	41	7	11	–	–	–	1	–	1	–	–	3	4	19	–	TOTTENHAM.
EDMONTON	70,711	12·5	11·8	11·1	11·8	35	16	2	5	–	–	–	–	–	2	–	–	–	2	6	–	EDMONTON.
ENFIELD	58,442	8·0	8 9	8·0	16·1	20	18	2	8	–	–	–	–	1	–	–	–	–	–	10	–	ENFIELD.
WEST HAM	287,966	15·4	13·8	18·7	15·2	146	84	15	18	–	–	–	1	–	1	2	2	5	9	30	–	WEST HAM.
EAST HAM	144,451	9·0	13·0	8·7	8·3	37	23	1	7	–	–	–	–	–	–	–	–	2	4	7	–	EAST HAM.
LEYTON	123,896	11·8	9·7	11·4	10·5	51	25	3	9	–	–	–	–	–	2	1	–	–	1	11	–	LEYTON.
WALTHAMSTOW	127,684	9·0	7·4	9·8	13·1	52	32	7	8	–	–	–	–	–	–	–	1	1	5	7	–	WALTHAMSTOW.
ILFORD	79,524	11·8	8·5	16·4	7·9	24	12	2	5	–	–	–	–	–	–	–	–	2	2	–	–	ILFORD.
GILLINGHAM	43,501	10·8	7·2	19·2	14·4	23	12	1	3	–	–	–	–	–	–	–	–	1	1	3	–	GILLINGHAM.
HASTINGS	57,674	16·3	12·7	11·8	27·1	20	30	1	19	2	–	–	–	–	–	–	–	–	–	11	–	HASTINGS.
EASTBOURNE	48,424	14·0	9·7	16·2	11·8	19	11	–	7	–	–	–	–	–	–	–	1	1	1	3	–	EASTBOURNE.
BRIGHTON	132.409	15·4	16·1	15·4	16·5	59	42	5	21	–	–	–	–	–	–	–	2	–	2	9	–	BRIGHTON.
PORTSMOUTH§	224,846	12·1	14·6	15·3	14·8	99	64	12	23	–	–	–	–	–	1	–	3	4	4	19	–	PORTSMOUTH.§
BOURNEMOUTH	82,627	15·1	9·5	13·9	12·6	26	20	1	14	–	–	–	–	–	–	–	–	1	2	4	–	BOURNEMOUTH
SOUTHAMPTON¶	126.033	10·8	12·8	18·2	13·7	56	33	5	13	–	–	–	–	–	1	–	–	1	1	11	2	SOUTHAMPTON.¶
READING	91,365	15·4	13·7	10·8	10·3	29	18	3	9	–	–	–	–	–	–	–	2	–	–	5	–	READING.
OXFORD	57,666	5·4	14·5	13·6	8·1	10	9	–	6	–	–	–	–	–	–	–	–	–	–	1	–	OXFORD.
NORTHAMPTON	88,944	15·2	11·1	15·8	12·3	24	21	–	12	–	–	–	–	–	1	–	–	–	1	5	–	NORTHAMPTON.
CAMBRIDGE	57,849	9·0	10·8	9·9	19·8	17	22	2	14	–	–	–	–	–	–	1	1	1	–	5	–	CAMBRIDGE.

* *See* note † on first page of this return. † For Greater London *see* end of Table. ‡ These towns are included within the area of Greater London.

in the Week ended Saturday, 1st January 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.*	DEATH-RATES from all Causes. Week ended 11th Dec., 1920.	18th Dec., 1920.	25th Dec., 1920.	1st Jan., 1921.	Week ended 1st Jan., 1921. BIRTHS.	DEATHS.	The DEATHS in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
SOUTHEND ON SEA	84,034	10·5	13·0	14·3	17·4	29	28	6	10	–	–	–	–	–	–	–	–	–	–	7	1	SOUTHEND ON SEA.
IPSWICH	78,011	10·0	8·7	7·4	15·4	32	23	3	12	–	–	–	–	–	1	–	–	2	2	8	–	IPSWICH.
GREAT YARMOUTH	53,078	15·7	18·7	9·8	16·7	21	17	2	6	–	–	–	–	–	–	–	–	–	2	3	–	GREAT YARMOUTH.
NORWICH	119,993	9·1	18·3	13·0	17·4	59	40	6	15	–	–	–	–	–	1	–	–	–	4	11	–	NORWICH.
SWINDON	51,527	16·2	13·2	13·2	16·2	18	16	4	6	–	–	–	–	–	1	–	–	–	–	1	–	SWINDON.
EXETER	59,014	21·2	13·3	23·9	15·0	25	17	1	4	–	–	1	–	–	–	–	–	–	1	5	–	EXETER.
PLYMOUTH	181,967	10·6	12·9	21·2	19·5	90	68	10	30	–	–	–	–	–	–	–	–	1	5	12	–	PLYMOUTH.
BATH	65,919	8·7	21·4	11·9	27·7	20	35	5	18	–	–	–	–	–	–	1	1	2	4	11	–	BATH.
BRISTOL	361,247	11·7	17·2	13·3	17·9	144	124	22	55	–	–	–	–	–	2	1	1	5	15	30	–	BRISTOL.
GLOUCESTER	50,100	10·4	15·6	8·3	18·7	22	18	3	12	–	–	–	–	–	–	–	–	–	–	3	2	GLOUCESTER.
STOKE ON TRENT	239,316	12·0	14·8	14·6	17·4	116	80	14	31	–	–	–	–	–	–	1	1	2	6	12	1	STOKE ON TRENT.
WOLVERHAMPTON	98,403	8·5	13·2	14·3	22·8	52	43	7	11	–	–	–	–	–	–	1	2	1	4	9	–	WOLVERHAMPTON.
WALSALL	92,724	10·1	16·3	16·9	12·4	56	22	6	6	–	–	1	–	–	–	1	–	1	1	3	–	WALSALL.
WEST BROMWICH	69,899	11·9	12·7	18·6	22·4	36	30	6	10	–	–	–	–	–	1	–	1	–	–	3	–	WEST BROMWICH.
DUDLEY	54,017	11·6	9·7	17·4	9·7	30	10	1	8	–	–	–	–	–	–	–	–	–	–	–	2	DUDLEY.
BIRMINGHAM	861,585	12·7	15·7	14·8	16·3	426	270	39	84	–	–	10	–	2	2	4	4	15	16	87	11	BIRMINGHAM.
SMETHWICK	72,152	13·0	11·6	10·8	10·1	33	14	2	5	–	–	–	–	–	–	–	1	–	–	1	–	SMETHWICK.
COVENTRY	132,048	5·1	11·5	15·4	9·5	50	24	3	7	–	–	–	–	–	–	–	–	–	–	9	–	COVENTRY.
LEICESTER	236,059	13·9	17·0	13·0	17·9	78	81	15	24	–	–	–	–	2	1	2	–	1	4	22	1	LEICESTER.
LINCOLN†	60,581	9·5	12·0	12·0	17·2	26	20	2	12	–	–	–	–	–	–	–	–	–	–	2	1	LINCOLN.†
GRIMSBY	78,813	11·9	14·6	9·3	19·8	42	30	5	11	–	–	–	–	–	–	–	1	1	1	2	–	GRIMSBY.
NOTTINGHAM	257,573	10·7	16·0	16·0	17·2	116	85	23	23	–	–	–	–	2	1	–	–	–	3	17	–	NOTTINGHAM.
DERBY	123,930	11·4	18·1	13·9	16·8	51	40	6	14	–	–	–	–	–	–	–	–	2	5	16	–	DERBY.

* *See* note † on first page of this return.

† As constituted before the extension on 9th November 1920.

ABLE 1 (*cont*).—96 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS and DEATHS REGISTERED, and DEATH-RATE in the Week ended Saturday, 1st January, 1921, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Estimated Civilian Population Mid. 1919.*	Death-Rates from all Causes. Week ended 11th Dec., 1920.	18th Dec., 1920.	25th Dec., 1920.	1st Jan., 1921.	Week ended 1st Jan., 1921. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
STOCKPORT	125,629	13·3	12·5	14·5	19·1	48	46	7	17	–	–	–	1	–	2	–	1	1	1	15	–	STOCKPORT.
BIRKENHEAD	148,052	15·8	18·0	14·4	19·7	83	56	13	14	–	–	–	–	–	–	2	3	1	1	15	–	BIRKENHEAD.
WALLASEY	95,424	8·7	9·3	11·5	10·9	22	20	2	10	–	–	–	–	–	–	1	–	–	1	4	–	WALLASEY.
LIVERPOOL	772,665	17·2	21·4	19·1	22·1	435	328	76	89	–	–	–	–	1	4	12	1	15	30	137	6	LIVERPOOL.
BOOTLE	76,962	14·2	19·6	21·0	20·3	38	30	4	8	–	–	–	–	–	–	1	–	3	3	8	–	BOOTLE.
ST. HELENS	100,805	16·6	15·0	11·4	13·4	40	26	6	5	–	–	–	–	–	–	–	1	2	4	6	–	ST. HELENS.
SOUTHPORT	70,144	11·2	17·8	23·0	18·6	25	25	2	14	–	–	–	–	–	–	1	–	–	1	4	1	SOUTHPORT.
WIGAN	87,384	19·1	14·3	13·1	15·5	43	26	7	5	–	–	–	–	2	–	2	–	1	1	2	–	WIGAN.
WARRINGTON	74,952	11·1	13·9	15·3	14·6	45	21	3	8	–	–	2	–	–	1	1	–	–	–	5	–	WARRINGTON.
BOLTON	177,462	12·9	14·4	14·7	16·7	75	57	9	20	–	–	–	–	1	1	–	–	1	5	8	–	BOLTON.
BURY	54,248	13·5	14·4	22·1	16·3	11	17	2	5	–	–	–	–	–	–	–	1	1	1	5	1	BURY.
MANCHESTER	741,068	12·8	16·5	17·7	15·8	295	225	38	65	1	–	–	2	2	1	10	2	5	15	68	1	MANCHESTER.
SALFORD	226,225	15·2	12·4	16·4	17·1	107	74	16	18	–	–	1	1	–	–	1	1	3	7	19	–	SALFORD.
OLDHAM	137,668	13·6	20·5	16·7	20·5	55	54	10	19	–	–	.	–	–	2	–	3	2	6	6	–	OLDHAM.
ROCHDALE	90,051	16·2	15·6	16·2	16·2	36	28	4	7	–	–	–	–	–	–	–	–	2	2	3	–	ROCHDALE.
BURNLEY	101,005	18·1	13·9	16·0	19·1	40	37	4	12	–	–	1	–	–	–	–	–	1	4	11	–	BURNLEY.
BLACKBURN	125,992	15·3	14·1	15·7	17·8	53	43	4	14	–	–	–	–	–	–	–	1	1	2	10	–	BLACKBURN.
PRESTON	117,277	16·0	16·5	16·0	24·0	50	54	9	20	–	–	–	–	–	–	2	1	3	3	11	2	PRESTON.
BLACKPOOL	67,842	20·0	17·7	16·1	16·1	31	21	3	13	–	–	–	–	–	–	–	–	–	–	1	–	BLACKPOOL.
BARROW IN FURNESS	73,627	11·3	14·2	14·9	12·7	42	18	–	10	–		–	–	–	–	–	–	2	2	6	–	BARROW IN FURNESS.
HUDDERSFIELD	112,301	7·0	17·2	12·5	18·1	45	39	6	14	–	–	–	–	–	–	–	1	1	1	5	–	HUDDERSFIELD.
HALIFAX	101,791	14·3	12·8	10·8	20·0	34	39	7	8	–	–	–	–	–	2	1	2	–	5	12	–	HALIFAX.
BRADFORD	282,714	13·6	13·6	13·8	16·0	120	87	6	37	1	–	1	–	–	1	–	–	3	9	23	–	BRADFORD.
LEEDS	431,999	12·2	14·8	15·0	18·2	161	151	21	54	–	–	–	–	–	–	1	4	2	17	43	–	LEEDS.
DEWSBURY	52,969	12·8	11·8	16·7	15·8	23	16	2	4	–	–	–	–	–	–	–	–	–	–	2	–	DEWSBURY.
WAKEFIELD	49,208	15·9	18·0	12·7	17·0	26	16	2	4	–	–	–	–	–	–	–	–	–	–	7	–	WAKEFIELD.
BARNSLEY	51,680	12·1	12·1	13·1	11·1	33	11	3	4	–	–	–	–	–	–	–	–	–	–	3	–	BARNSLEY.

TOWNS.	Estimated Civilian Population, Mid. 1919.*	Death-Rates from all Causes. Week ended 11th Dec., 1920.	18th Dec., 1920.	25th Dec., 1920.	1st Jan., 1921.	Week ended 1st Jan., 1921. Births.	Deaths.	The Deaths in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Sheffield	473,695	13·4	16·6	14·6	16·8	176	153	23	32	–	–	5	–	6	2	2	1	5	11	49	–	Sheffield.
Rotherham	69,034	12·8	13·6	15·1	12·1	25	16	4	5	–	–	–	–	–	–	–	–	–	–	2	–	Rotherham.
York	74,531	14·0	11·2	9·1	14·7	33	21	2	9	–	–	–	–	–	–	–	2	1	4	7	–	York.
Hull	279,664	14·5	15·5	11·4	19·2	149	103	18	41	1	–	–	–	3	1	1	–	2	8	30	1	Hull.
Middlesbrough	127,142	15·6	20·5	24·2	16·4	63	40	14	6	–	–	6	–	–	–	2	–	1	3	9	–	Middlesbrough.
Darlington	64,058	12·2	10·6	6·5	13·8	32	17	2	6	–	–	–	–	–	–	1	–	–	–	3	–	Darlington.
Stockton on Tees	60,696	9·4	15·5	12·9	18·9	32	22	7	5	–	–	–	–	–	–	1	1	–	1	1	1	Stockton on Tees.
West Hartlepool	65,515	11·9	18·3	11·9	13·5	34	17	5	6	–	–	–	–	–	–	–	–	1	1	3	–	West Hartlepool.
Sunderland	149,263	22·4	16·4	20·3	24·8	101	71	16	16	–	–	–	–	4	1	3	2	2	5	19	1	Sunderland.
South Shields	111,502	14·0	19·2	14·5	23·8	45	51	9	18	–	–	–	–	1	–	–	3	2	2	7	1	South Shields.
Gateshead	123,392	11·4	18·2	12·7	21·1	71	50	13	11	–	–	–	–	–	–	2	1	–	–	13	3	Gateshead.
Newcastle on Tyne.	275,099	14·4	16·1	17·2	16·7	130	88	17	24	–	–	6	1	–	1	1	6	2	12	19	1	Newcastle on Tyne.
Tynemouth	58,007	8·1	21·6	22·5	18·0	46	20	4	3	1	–	–	–	–	1	1	–	–	–	6	–	Tynemouth.
Carlisle	55,198	9·4	13·2	9·4	15·1	20	16	5	6	–	–	–	–	–	–	–	–	–	–	1	–	Carlisle.
Newport (Mon.)	87,251	14·9	11·4	16·7	16·1	43	27	3	11	–	–	–	–	1	1	–	1	1	2	4	–	Newport (Mon.).
Cardiff	204,436	8·9	12·2	13·3	14·8	81	58	18	16	–	–	–	–	–	–	5	–	1	7	4	–	Cardiff.
Rhondda	177,911	13·8	13·2	17·3	11·7	74	40	10	10	–	–	–	1	–	–	3	2	–	1	2	–	Rhondda.
Merthyr Tydfil	71,638	12·4	21·8	16·7	18·2	42	25	2	8	–	–	–	1	–	–	–	–	–	1	6	–	Merthyr Tydfil.
Aberdare	51,384	16·2	13·2	21·3	16·2	27	16	3	3	–	–	–	–	–	–	–	–	–	–	–	–	Aberdare.
Swansea	160,810	13·0	13·6	16·2	17·5	57	54	15	11	–	–	–	–	1	–	2	1	–	4	6	–	Swansea.
Greater London	7,259,388	12·0	14·5	14·2	15·0	3161	2092	319	777	–	–	–	10	5	33	30	31	79	185	855	7	Greater London.
Outer Ring	2,901,079	10·7	12·3	12·6	12·8	1130	710	85	286	–	–	–	2	1	11	10	11	29	62	232	2	Outer Ring
14 Great Towns in Outer Ring.	1,668,251	10·8	11·8	12·5	12·8	648	410	60	148	–	–	–	2	1	7	5	6	19	45	144	–	14 Great Towns in Outer Ring.
Remainder of Outer Ring.	1,232,828	10·5	12·8	12·6	12·7	482	300	25	138	–	–	–	–	–	4	5	5	10	23	88	2	Remainder of Outer Ring.
Edinburgh†	342,300	16·5	14·1	17·7	19·3	156	126	14	48	–	–	1	–	1	2	1	1	6	?	?	?	Edinburgh.†
Glasgow†	1,115,500	15·7	17·0	15·8	17·6	538	375	79	99	–	2	–	1	12	3	5	1	17	?	?	?	Glasgow.†
Dublin (Registration Area).†	415,000	18·1	20·2	17·7	26·9	162	214	31	64	1	–	–	–	1	1	2	4	8	7	83	8	Dublin (Registration Area).†
Belfast†	413,000	14·9	15·9	17·2	21·0	279	166	41	41	–	–	–	2	2	–	2	2	–	–	48	4	Belfast.†

* *See* note † on first page of this return.

† Total populations relating to the year 1920. Deaths and the death-rates in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

TABLE **2.** LONDON.—**Births** and **Deaths** registered during the FIFTY-SECOND Week of each of the Eleven Years, 1910–1920.

——	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Births (as registered).	1956	1864	1434	1345	2422	1841	1342	1039	787	1318	2031
Males	1025	994	740	729	1258	923	729	523	391	678	1000
Females	931	870	694	616	1164	918	613	516	396	640	1031
Deaths (of residents only).	1311	1324	1245	1215	2049	1503	1962*	1742*	1068*	815*	1382*
Males		701	636	623	1044	749	947	858	537	407	704
Females		623	609	592	1005	754	1015	884	531	408	678

* Deaths in civilian population only.

TABLE **3.** LONDON.—BIRTHS and DEATHS REGISTERED, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the last THIRTEEN WEEKS.

——	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.
Births (as registered)	2207	2036	2142	2284	1927	2057	2011	1900	1921	1902	1793	1733	2031
Deaths (of residents only).	874	815	851	983	982	1244	1138	1178	1091	1078	1335	1279	1382
Ages at Death: Under 1 year	138	124	142	151	127	130	160	142	150	170	213	170	234
1–2 years	16	14	14	11	19	33	19	21	23	21	31	33	45
2–5 "	19	26	17	34	21	24	20	33	20	32	34	23	25
5–10 "	27	24	26	23	24	33	20	22	22	26	28	24	21
10–15 "	13	14	13	13	12	15	22	18	12	9	16	13	11
15–20 "	22	12	18	18	22	26	22	16	16	18	17	17	28
20–25 "	16	17	18	16	18	19	19	28	24	10	17	27	35
25–35 "	62	47	52	56	54	58	51	49	38	54	56	62	65
35–45 "	76	51	70	80	80	107	81	87	83	84	86	89	84
45–55 "	114	98	104	109	110	139	113	149	132	117	147	137	127
55–65 "	100	123	110	142	159	174	168	188	161	152	180	186	216
65–75 "	142	129	124	170	155	243	218	224	190	181	243	246	220
75 years and upwards	129	136	143	160	181	243	225	201	220	204	267	252	271
Deaths from—													
Enteric fever	2	–	–	1	–	–	1	2	–	–	–	1	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	4	–	1	2	2	2	4	–	3	–	4	–
Scarlet fever	3	2	6	3	3	7	7	7	4	6	11	5	8
Whooping cough	2	4	2	4	2	2	2	3	3	3	7	2	4
Diphtheria	17	14	14	18	25	26	20	21	22	22	25	27	22
Diarrhœa and enteritis (under 2 years).	50	35	36	34	26	29	24	16	13	16	24	17	20
Pulmonary tuberculosis	86	73	97	103	100	124	94	119	103	81	95	101	90
Influenza	5	3	8	5	12	14	13	15	13	13	21	14	20
Pneumonia (all forms)	58	34	48	60	59	88	111	104	106	116	149	165	171
Bronchitis	39	39	37	58	78	157	138	154	149	118	189	175	165
Other dis. of resp. system	11	11	4	13	12	27	18	19	18	12	20	14	27
Dis. of circ. system	147	153	161	173	179	229	190	196	177	163	207	209	208
Violence	34	46	40	36	31	43	38	44	34	39	39	42	50
Inquest cases	84	90	84	84	85	98	87	108	95	92	124	122	117
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Enteric fever	14	16	20	19	21	14	16	18	21	18	19	18	18
Small-pox	–	–	–	–	–	–	–	–	–		–	–	1
Measles	26	27	22	24	24	21	15	13	14	17	15	19	18
Scarlet fever	4121	4534	4859	5167	5373	5512	5610	5575	5438	5297	4994	4780	4817
Whooping cough	23	26	27	28	25	26	25	25	24	25	27	22	17
Diphtheria	1884	1975	2113	2301	2353	2474	2563	2626	2655	2654	2654	2547	2642

* The Metropolitan Asylums Board and London Fever Hospitals. The figures do not refer to London exclusively.

TABLE **3A.** **96 Great Towns.**—DEATHS from INFLUENZA in the last THIRTEEN WEEKS.

——	Oct 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1921. Jan. 1.
Deaths from Influenza	33	34	30	35	29	42	60	69	65	61	75	81	89

TABLE 4. LONDON.—DEATHS REGISTERED in the FIFTY-SECOND Week of the Year 1920.

CAUSES OF DEATH.	Deaths in the 52nd week of the year 1919.	DEATHS of PERSONS of the AGES													
		ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	815	1382	234	45	25	21	11	28	35	65	84	127	216	220	271
Enteric fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	4	8	–	1	4	2	1	–	–	–	–	–	–	–	
Whooping cough	6	4	3	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	28	22	3	3	10	5	–	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Influenza	12	20	2	2	1	–	1	–	–	4	1	1	2	4	2
Erysipelas	1	6	1	–	–	–	–	–	1	–	3	–	–	1	–
Other epidemic diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia and septicæmia	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—															
Pulmonary tuberculosis	71	90	2	–	–	3	1	8	10	19	16	20	9	1	1
Tuberculous meningitis	6	8	3	2	1	–	–	1	–	1	–	–	–	–	–
Abdominal tuberculosis	2	4	1	–	–	1	–	1	–	–	–	–	1	–	–
Tuberculosis of the spine	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the joints	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculosis of other organs	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Disseminated tuberculosis	2	2	1	–	–	–	–	–	1	–	–	–	–	–	–
Venereal diseases	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	84	111	–	1	–	–	–	–	–	2	4	13	45	34	12
Tumour, situation undefined	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Rheumatic fever	2	5	–	–	–	1	1	–	1	1	–	1	–	–	–
Diabetes	6	7	–	–	–	–	–	1	–	1	1	2	1	–	1
Anæmia, leucocythaemia	1	7	–	–	–	–	1	–	–	–	1	2	–	2	1
Other general diseases	6	8	1	1	–	–	–	–	–	–	–	1	2	2	1
Alcoholism	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Chronic poisonings	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	9	4	2	–	–	–	1	–	1	–	1	–	–	–
Cerebral hæmorrhage, Apoplexy	31	72	–	–	–	–	–	1	–	–	3	3	17	23	25
Softening of brain	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
Paralysis, without specified cause	3	5	–	–	–	–	–	–	–	–	–	1	–	1	3
Epilepsy	4	7	–	–	–	–	–	1	2	2	–	–	1	1	–
"Convulsions" (not puerperal)	9	12	9	3	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	18	27	–	–	–	–	–	1	3	1	11	2	3	3	3
Pericarditis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	2	9	–	–	–	–	–	–	2	3	2	2	–	–	–
Organic disease of heart	93	151	–	–	–	1	2	1	2	5	10	17	33	37	43
Embolism and thrombosis (including cerebral).	7	10	–	–	–	–	–	–	–	1	–	2	2	4	1
Other diseases of circulatory system.	33	37	–	–	–	–	–	–	–	–	–	2	10	7	18
Diseases of the larynx	1	3	–	–	1	–	–	–	2	–	–	–	–	–	–
Bronchitis	58	165	16	4	–	–	–	–	–	–	7	15	22	36	65
Broncho-pneumonia	34	106	61	17	–	2	–	1	–	1	2	5	3	7	7
Lobar pneumonia	16	35	3	2	1	1	–	1	3	3	3	7	5	5	1
Pneumonia (type not distinguished)	12	30	4	1	1	1	–	1	–	2	3	1	7	6	3
Pleurisy	6	4	–	–	–	–	–	–	–	–	1	–	3	–	–
Pulmonary congestion, Pulmonary apoplexy.	1	7	2	–	–	–	–	–	–	–	–	1	1	1	2
Other diseases of respiratory system.	6	13	1	–	–	–	–	–	–	–	–	2	5	2	3

TABLE 4 (*cont.*) LONDON.—DEATHS REGISTERED in the FIFTY-SECOND Week of the Year 1920.

Causes of Death.	Deaths in the 52nd week of the year 1919.	Deaths of Persons of the Ages													
		All Ages.	Under 1 year.	1–2 years.	2–5 years.	5–10 years.	10–15 years.	15–20 years.	20–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
Diseases of the pharynx, Tonsillitis	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diseases of stomach	9	17	–	–	–	–	–	1	–	–	2	5	5	3	1
Diarrhœa and enteritis	13	33	17	3	1	1	–	–	–	1	–	–	6	3	1
Appendicitis and typhlitis	6	5	–	–	–	–	–	2	1	–	1	–	–	1	–
Hernia and Intestinal obstruction.	7	23	7	–	–	–	–	–	1	2	–	2	3	3	5
Cirrhosis of liver	5	6	–	–	–	–	–	–	–	–	1	1	3	–	1
Other diseases of liver	1	10	–	–	1	–	–	–	–	1	2	–	3	2	1
Peritonitis (cause unknown)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of digestive system	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute nephritis	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–
Chronic Bright's disease	16	36	–	–	–	–	–	–	1	2	–	6	13	8	6
Urinary calculi	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Uterine tumour (non-cancerous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian tumour („)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of genito-urinary system.	11	12	1	–	1	–	–	–	–	2	–	1	1	4	2
Puerperal fever, &c.	3	10	–	–	–	–	–	1	1	6	–	2	–	–	–
Other causes incident to childbirth.	2	6	–	–	–	–	–	–	1	–	4	1	–	–	–
Diseases of skin and cellular tissues.	5	5	1	1	–	–	–	–	–	–	–	–	1	2	–
Diseases of locomotor system	1	4	1	–	–	–	2	–	1	–	–	–	–	–	–
Congenital malformations	14	7	7	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	36	32	32	–	–	–	–	–	–	–	–	–	–	–	–
Debility, atrophy marasmus (Infants).	10	25	25	–	–	–	–	–	–	–	–	–	–	–	–
Old age	38	67	–	–	–	–	–	–	–	–	–	–	–	13	54
ACCIDENT.															
Poisons or poisonous vapours	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Conflagration	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and scalds	3	4	1	–	2	–	1	–	–	–	–	–	–	–	–
Drowning	2	3	–	–	–	–	–	–	–	2	1	–	–	–	–
Suffocation in bed	1	8	8	–	–	–	–	–	–	–	–	–	–	–	–
Other deaths by accident	15	28	3	–	–	3	–	2	1	2	–	4	4	3	6
Total deaths from accident	21	44	12	–	2	3	1	2	1	4	2	4	4	3	6
Included in above are deaths in connection with:—															
Railways	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Vehicles and horses	6	5	–	–	–	2	–	1	–	–	–	–	1	1	–
Ships, boats, docks	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building operations	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
VIOLENCE OTHER THAN ACCIDENTAL.															
Homicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	5	–	–	–	–	–	–	–	–	1	–	3	1	–
Execution	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Other specified diseases	10	13	12	–	–	–	–	1	–	–	–	–	–	–	–
Ill-defined Causes	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–

TABLE 5.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-Rate per 1000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,358,309	1921. Jan. 1	2,031	1,382	16·5	–	–	–	8	4	22	20	20
Calcutta	896,067	1920. Nov. 20	–	705§	40·9	?	–	?	?	?	?	?	33
Bombay	979,445	„ 20	511	838	44·4	1	1	2	–	–	–	34	16
Madras	518,660	„ 20	460	483	48·4	–	1	–	?	5	–	40	8
Paris	2,847,229	(10 days) Nov. 20	–	–	–	–	–	–	–	–	–	–	–
Brussels	792,919	Feb. 14	–	–	–	–	–	–	–	–	–	–	–
Antwerp	333,593	Dec. 18	116	99	15·9	–	–	6	–	–	1	10	1
Amsterdam	654,179	„ 18	238	151	12·0	–	–	7	–	–	–	1	1
Copenhagen	571,000	„ 18	257	125	11·4	–	–	–	1	–	–	4	–
Stockholm	415,201	„ 11	130	80	10·0	–	–	–	–	–	–	–	–
Gothenburg	200,578	„ 11	–	–	–	–	–	–	–	–	–	–	–
Christiania	260,904	„ 18	95	51	10·2	–	–	–	–	1	1	–	–
Berlin	1,904,590	„ 11	–	–	–	–	–	–	–	–	–	–	–
Breslau	531,347	„ 11	–	–	–	–	–	–	–	–	–	–	–
Cologne	642,899	„ 11	–	–	–	–	–	–	–	–	–	–	–
Dresden	537,127	„ 11	–	–	–	–	–	–	–	–	–	–	–
Frankfort-on-Main.	435,103	„ 11	–	–	–	–	–	–	–	–	–	–	–
Hamburg	1,002,933	„ 11	–	–	–	–	–	–	–	–	–	–	–
Leipzig	610,686	„ 11	–	–	–	–	–	–	–	–	–	–	–
Munich	647,030	„ 11	–	–	–	–	–	–	–	–	–	–	–
Vienna	1,842,005	„ 18	435	560	15·8	4	–	–	2	2	5	23	1
Prague	535,475	Nov. 27	158	163	15·9	–	–	–	–	–	–	5	1
Budapest	1,071,492	Oct. 2	–	–	–	–	–	–	–	–	–	–	–
Trieste	242,214	Dec. 11	–	–	–	–	–	–	–	–	–	–	–
Cairo	761,300	Oct. 28	653	366	25·0	3	–	1	–	?	2	55	?
Alexandria	445,700	„ 28	343	233	27·2	1	–	–	–	?	–	18	?
New York	6,141,445	Dec. 11	–	–	–	–	–	–	–	–	–	–	–
Chicago	2,727,504	„ 11	–	584	11·2	1	–	4	4	2	25	22	4

* Excluding deaths from croup in Bombay and Madras.
† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including from *Asiatic cholera* 44 deaths in Calcutta.

TABLE 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 1st January, 1921.
(Supplied by the Meteorological Office.)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich)	56	42	54·7	46·0	17
Brighton	54	48	52·3	49·0	32
Portsmouth	57	46	54·4	48·0	35
Norwich (Eaton)	54	39	52·7	43·0	25
Plymouth	55	48	53·9	50·0	55
Bristol (Clifton)	56	45	53·4	46·3	47
Birmingham	54	43	52·0	44·6	46
Nottingham	56	40	52·9	43·7	45
Birkenhead (Bidston)	53	43	51·1	45·0	35
Manchester	56	43	52·9	44·7	40
Burnley	54	39	50·3	42·1	45
Huddersfield	55	39	51·0	42·0	64
Bradford	55	39	50·1	43·0	58
Sheffield	55	40	51·9	42·7	53
York (Museum)	54	40	50·7	41·1	27
Hull (Pearson Park)	54	40	51·0	41·7	37
Tynemouth	53	38	49·1	41·7	35
Cardiff	54	45	53·4	46·0	69
Edinburgh	54·0	37·0	49·6	40·3	25
Glasgow	52·6	39·9	48·1	42·1	42
Dublin:— Phœnix Park	57·2	38·9	53·3	43·8	38
†Fitzwilliam Square	56·1	42·3	52·7	45·6	32
Belfast	54·0	37·0	51·8	41·7	47

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

TABLE 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 1st January 1921.

[*Under the Superintendence of the Astronomer Royal.*]

1920. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	26	Perigee	29·738	54·4	42·1	12·3	48·1	+ 9·5	45·6	2·5	6·7	0·9	91	71·6	35·1	45·0	SSW. & SW.	Calm & SSE.	2·3	0·0	0·1	205	−103	0·00
MONDAY	27	..	29·495	54·6	44·5	10·1	50·2	+11·4	47·1	3·1	9·5	0·0	89	69·3	40·2	45·0	SSW. & SW.	WSW. & SW.	3·6	0·0	0·3	315	− 6	0·00
TUESDAY	28	..	29·477	55·0	48·2	6·8	51·6	+12·7	45·9	5·7	8·6	1·7	81	81·0	42·1	45·2	SSE., SW. & W.	WSW. & SW.	7·0	0·0	0·7	491	+161	0·08
WEDNESDAY	29	..	29·630	54·7	48·3	6·4	51·6	+12·6	49·8	1·8	6·1	0·0	94	56·4	42·0	45·3	SW. & SSW.	SSW. & SW.	7·2	0·0	0·4	355	+ 20	0·17
THURSDAY	30	In Equator.	29·642	54·5	45·2	9·3	49·4	+10·5	43·2	6·2	9·7	0·6	79	74·8	36·5	45·5	SW. & WSW.	WSW., SW. & S.	12·0	0·0	0·7	475	+140	0·00
FRIDAY	31	..	29·516	55·6	47·6	8·0	52·2	+13·5	49·6	2·6	4·9	1·9	91	55·2	44·0	45·6	S. & SW.	SW.	6·1	0·0	0·6	462	+131	0·20
JANUARY 1921. SATURDAY	1	Last Quarter.	29·764	54·0	43·9	10·1	51·0	+12·4	49·8	1·2	6·4	0·0	96	60·6	35·0	45·9	SW.	SSW. & SW.	2·8	0·0	0·3	297	− 28	0·19
MEANS			29·609	54·7	45·7	9·0	50·6	+11·8	47·3	3·3	7·4	0·7	89	67·0	39·3	45·4	SW.		..	..	..	Sum 2600	Sum +315	Sum 0·64
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER 1920.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY -	26	w.P. generally, a little v.P. in afternoon.	3·9	7·8	Variable thin cloud generally till 10h., becoming cloudless by 10h. 30m., clouding up again 14h. to nearly overcast generally; lunar halo 5h.
MONDAY -	27	w.P. throughout	3·4	7·8	Nearly overcast generally till 9h. 30m., clearing 9h. 30m. to 11h.; little cloud till 18h., becoming nearly overcast by 19h. 30m.; frequent damping 6h. to 9h. and after 20h.
TUESDAY -	28	w.P. throughout	2·0	7·8	Overcast generally till 11h.; variably cloudy till 13h.; nearly overcast till 16h., afterwards nearly cloudless generally; rain between 2h. and 4h., and damping before 8h. and 14h. to 16h.; brisk wind 6h. to 13h.
WEDNESDAY -	29	w.P. throughout	0·0	7·8	Thin cloud increasing to overcast by 4h.; rain generally 7h. to 22h., but often very slight and misty; brisk wind from 17h.
THURSDAY -	30	w.P. throughout	2·7	7·8	Overcast till 2h. 30m., becoming cloudless by 3h.; little cloud generally till 9h.; variably cloudy to overcast by 12h. 30m., cloudy interval 17h. 30m. to 20h., and 22h. to 23h.; damping 1h. to 2h.; brisk wind till 14h.
FRIDAY -	31	w.P. throughout	0·0	7·8	Overcast till 18h., variably cloudy till 23h., becoming cloudless by midnight; rain from 4h. 15m. to about 15h.; brisk wind generally from 8h. to 22h.
JANUARY, 1921. SATURDAY -	1	w.P. throughout	0·0	7·9	Cloudless till 5h., becoming overcast by 7h.; slight breaks about 22h.; damping or rain generally from about noon to 21h.
			Sum 12·0	Sum 54·7	
No. of Col. -	-	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·73 in. at the beginning of the week to 29·81 in. by 10h. on Dec. 26th; decreased to 29·43 in. by 5h. on Dec. 27th; increased to 29·54 in. by 18th on the same day; decreased to 29·26 in. by 6h. on Dec. 28th; increased to 29·72 in. by 4h. on Dec. 29th; decreased to 29·45 in. by 1h. on Dec. 30th; increased to 29·71 in. by 21h. on the same day; decreased to 29·45 in. by 14h. on Dec. 31st; increased to 29·82 in. by 10h. on Jan. 1st, 1921, and decreased to 29·71 in. by midnight on the same day.

TABLE 8. LONDON.—DEATHS of PERSONS BELONGING to the several METROPOLITAN BOROUGHS REGISTERED in the Week ended 25th December, 1920.

BOROUGHS.	Deaths from									Deaths of Infants under 1 Year of Age.
	ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	1,279	1	–	4	5	2	27	17	101	170
Western										
PADDINGTON	41	–	–	–	–	–	1	–	3	5
KENSINGTON	65	–	–	–	–	–	1	1	4	8
HAMMERSMITH	51	–	–	–	–	–	1	–	2	4
FULHAM	45	–	–	–	–	–	–	1	1	10
CHELSEA	15	–	–	1	–	–	–	1	2	4
CITY OF WESTMINSTER	45	–	–	–	–	–	1	–	3	4
Northern.										
ST. MARYLEBONE	28	–	–	–	–	–	–	1	2	3
HAMPSTEAD	20	–	–	–	–	–	–	–	1	2
ST. PANCRAS	64	1	–	–	1	–	–	1	5	6
ISLINGTON	120	–	–	–	1	–	5	5	12	25
STOKE NEWINGTON	17	–	–	–	–	–	2	–	1	1
HACKNEY	60	–	–	–	–	1	1	1	5	10
Central.										
HOLBORN	11	–	–	–	–	–	1	–	–	1
FINSBURY	20	–	–	–	–	–	1	–	1	1
CITY OF LONDON	2	–	–	–	–	–	–	–	–	–
Eastern.										
SHOREDITCH	24	–	–	1	–	–	1	2	1	4
BETHNAL GREEN	41	–	–	1	–	–	–	1	2	10
STEPNEY	61	–	–	–	–	–	1	1	7	11
POPLAR	42	–	–	1	1	–	1	–	7	2
Southern.										
SOUTHWARK	65	–	–	–	–	–	–	–	8	15
BERMONDSEY	29	–	–	–	–	–	–	–	1	4
LAMBETH	95	–	–	–	–	–	2	–	9	10
BATTERSEA	40	–	–	–	–	1	2	1	3	6
WANDSWORTH	90	–	–	–	1	–	–	1	8	7
CAMBERWELL	78	–	–	–	–	–	3	–	3	9
DEPTFORD	22	–	–	–	–	–	–	–	4	1
GREENWICH	22	–	–	–	–	–	1	–	2	3
LEWISHAM	34	–	–	–	1	–	1	–	3	3
WOOLWICH	32	–	–	–	–	–	1	–	1	1

The deaths in the above Table are, so far as concerns London as a whole, corrected by the exclusion of deaths of non-residents, and by the inclusion of those of residents occurring in the Outer Ring or in Metropolitan public institutions situated outside the County. As between individual Metropolitan Boroughs, however, correction is complete.

TABLE 9. LONDON.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED during the Week ended 25th December, 1920.*

BOROUGHS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.†	Enteric Fever.	Malaria.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.
WESTERN.																	
Paddington	143,938	-	-	-	-	8	6	3	2	1	-	1	-	-	-	-	-
Kensington	157,886	-	-	-	-	19	6	1	1	-	-	-	-	-	-	-	-
Hammersmith	130,981	-	-	-	-	25	7	4	-	-	2	-	-	-	1	-	-
Fulham	152,543	-	1	-	-	31	21	5	3	-	-	-	-	-	-	-	-
Chelsea	60,573	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
City of Westminster	127,533	-	-	-	-	6	6	2	3	-	-	3	-	-	-	-	-
NORTHERN.																	
St. Marylebone	97,953	-	-	-	-	11	-	1	-	-	-	-	-	-	-	-	-
Hampstead	88,012	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-
St. Pancras	219,434	-	-	-	-	11	9	3	6	-	-	1	-	-	-	-	-
Islington	323,034	-	1	-	-	25	33	2	1	-	-	1	-	-	2	-	-
Stoke Newington	50,954	-	-	-	-	3	7	-	-	-	-	-	-	-	-	-	-
Hackney	216,736	-	-	-	-	21	12	1	3	-	-	-	-	-	1	-	-
CENTRAL.																	
Holborn	38,156	-	-	-	-	-	9	-	1	-	-	-	-	-	-	-	-
Finsbury	75,291	-	-	-	-	6	5	1	3	-	2	-	-	-	-	-	-
City of London	13,893	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
EASTERN.																	
Shoreditch	98,134	-	-	-	-	8	6	1	2	-	-	3	-	-	-	-	-
Bethnal Green	110,085	-	-	-	-	26	10	3	2	-	-	-	-	-	1	-	-
Stepney	232,506	-	-	-	-	34	17	27	1	1	1	-	-	-	-	-	-
Poplar	153,644	1	1	-	-	21	20	10	2	-	-	-	-	-	-	-	-
SOUTHERN.																	
Southwark	179,971	-	-	-	-	21	3	13	5	-	-	1	-	-	-	1	1
Bermondsey	124,239	-	-	-	-	15	6	-	2	-	-	-	-	-	-	-	-
Lambeth	282,322	-	-	-	-	20	8	1	2	-	-	-	-	-	-	-	-
Battersea	159,316	-	-	-	-	8	11	12	1	-	-	2	-	-	-	-	-
Wandsworth	333,693	-	-	-	-	52	20	16	3	2	-	-	-	-	2	-	-
Camberwell	273,802	-	1	-	-	38	25	5	1	-	-	-	-	-	-	-	-
Deptford	111,205	-	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-
Greenwich	98,484	-	-	-	-	8	6	2	-	-	-	2	-	-	-	-	-
Lewisham	167,754	-	-	-	-	9	11	1	-	-	-	-	-	-	-	-	-
Woolwich	136,237	-	-	-	-	12	5	-	-	-	2	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4,358,309	1	4	-	-	471	273	115	45	4	7	14	-	-	7	1	1
Ages 0-1		-	-	-	-	8	9	19	-	3	-	14	-	-	-	-	-
" 1-5		-	-	-	-	105	71	34	-	-	-	-	-	-	-	-	-
" 5-		-	-	-	-	192	101	7	2	1	-	-	-	-	-	-	-
" 10-		-	-	-	-	96	49	3	2	-	-	-	-	-	3	-	-
" 15-		-	-	-	-	30	14	2	1	-	-	-	-	-	1	-	-
" 20-		-	-	-	-	14	14	3	5	-	4	-	-	-	-	-	-
" 25-		1	2	-	-	19	6	9	3	-	3	-	-	-	-	-	-
" 35-		-	1	-	-	5	7	8	6	-	-	-	-	-	2	1	1
" 45-		-	1	-	-	-	1	10	12	-	-	-	-	-	-	-	-
" 55-		-	-	-	-	2	-	14	4	-	-	-	-	-	1	-	-
" 65-		-	-	-	-	-	1	5	9	-	-	-	-	-	-	-	-
" 75 and upwards		-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† *See* note † *on first page* of this return.

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.
BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1921.